

**Table 5.1C Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2009 and 2010**

Illicit Drug Dependence or Abuse Status <sup>1</sup>	Total		ALCOHOL DEPENDENCE OR ABUSE STATUS							
			No Dependence or Abuse		Dependence or Abuse					
	Total				Dependence		Abuse			
	2009	2010	2009	2010	2009	2010	2009	2010	2009	2010
<b>TOTAL</b>	0	0	418	411	418	411	294	304	293	293
<b>NO DEPENDENCE OR ABUSE</b>	225	244	455	466	385	392	263	280	275	284
<b>DEPENDENCE OR ABUSE</b>	225	244	156	196	158	130	125	104	95	76
Dependence	183	204	135	170	121	104	100	88	66	56
Abuse	128	125	80	89	100	83	74	62	67	54

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.1D Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2009 and 2010**

Illicit Drug Dependence or Abuse Status <sup>1</sup>	Total		ALCOHOL DEPENDENCE OR ABUSE STATUS							
			No Dependence or Abuse		Dependence or Abuse					
	Total				Dependence		Abuse			
	2009	2010	2009	2010	2009	2010	2009	2010	2009	2010
<b>TOTAL</b>	0.00	0.00	0.17	0.16	0.17	0.16	0.12	0.12	0.12	0.12
<b>NO DEPENDENCE OR ABUSE</b>	0.09	0.10	0.18	0.18	0.15	0.15	0.10	0.11	0.11	0.11
<b>DEPENDENCE OR ABUSE</b>	0.09	0.10	0.06	0.08	0.06	0.05	0.05	0.04	0.04	0.03
Dependence	0.07	0.08	0.05	0.07	0.05	0.04	0.04	0.03	0.03	0.02
Abuse	0.05	0.05	0.03	0.04	0.04	0.03	0.03	0.02	0.03	0.02

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.1P Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Illicit Drug Dependence or Abuse Status <sup>1</sup>	Total		ALCOHOL DEPENDENCE OR ABUSE STATUS							
			No Dependence or Abuse		Dependence or Abuse					
	Total				Dependence		Abuse			
	2009	2010	2009	2010	2009	2010	2009	2010		
<b>TOTAL</b>	N/A		0.1210		0.1210		0.1221		0.5483	
<b>NO DEPENDENCE OR ABUSE</b>	0.8820		0.3733		0.3391		0.2685		0.7981	
<b>DEPENDENCE OR ABUSE</b>	0.8820		0.1823		0.0600		0.1482		0.2254	
Dependence	0.7406		0.2824		0.0456		0.1218		0.1939	
Abuse	0.8084		0.4040		0.6483		0.7895		0.6894	

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.2C Substance Dependence or Abuse for Specific Substances in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Past Year Dependence or Abuse</b>	<b>Total (2009)</b>	<b>Total (2010)</b>	<b>Aged 12-17 (2009)</b>	<b>Aged 12-17 (2010)</b>	<b>Aged 18-25 (2009)</b>	<b>Aged 18-25 (2010)</b>	<b>Aged 26+ (2009)</b>	<b>Aged 26+ (2010)</b>
<b>ILLCIT DRUGS<sup>1,2</sup></b>	225	244	44	47	82	85	203	213
Marijuana and Hashish	161	184	40	40	74	76	134	157
Cocaine	105	100	9	8	28	26	100	97
Heroin	72	55	6	3	15	18	70	52
Hallucinogens	41	43	14	18	23	24	32	31
Inhalants	20	26	12	13	14	12	9	18
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	130	151	20	21	42	44	120	142
Pain Relievers	114	139	19	20	35	40	107	129
Tranquilizers	63	85	8	11	20	19	58	81
Stimulants <sup>2</sup>	42	50	10	9	19	19	36	42
Sedatives	34	39	5	5	12	7	32	38
<b>ALCOHOL</b>	418	411	49	49	116	124	394	387
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>1,2</sup></b>	158	130	29	31	60	57	139	109
<b>ILLCIT DRUGS OR ALCOHOL<sup>1,2</sup></b>	455	466	57	60	127	139	428	430

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.2D Substance Dependence or Abuse for Specific Substances in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010**

<b>Past Year Dependence or Abuse</b>	<b>Total (2009)</b>	<b>Total (2010)</b>	<b>Aged 12-17 (2009)</b>	<b>Aged 12-17 (2010)</b>	<b>Aged 18-25 (2009)</b>	<b>Aged 18-25 (2010)</b>	<b>Aged 26+ (2009)</b>	<b>Aged 26+ (2010)</b>
<b>ILLCIT DRUGS<sup>1,2</sup></b>	0.09	0.10	0.18	0.19	0.24	0.25	0.10	0.11
Marijuana and Hashish	0.06	0.07	0.16	0.16	0.22	0.22	0.07	0.08
Cocaine	0.04	0.04	0.04	0.03	0.08	0.08	0.05	0.05
Heroin	0.03	0.02	0.02	0.01	0.04	0.05	0.04	0.03
Hallucinogens	0.02	0.02	0.06	0.07	0.07	0.07	0.02	0.02
Inhalants	0.01	0.01	0.05	0.05	0.04	0.04	0.00	0.01
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.05	0.06	0.08	0.09	0.12	0.13	0.06	0.07
Pain Relievers	0.05	0.05	0.08	0.08	0.11	0.12	0.06	0.07
Tranquilizers	0.02	0.03	0.03	0.05	0.06	0.06	0.03	0.04
Stimulants <sup>2</sup>	0.02	0.02	0.04	0.04	0.06	0.06	0.02	0.02
Sedatives	0.01	0.02	0.02	0.02	0.04	0.02	0.02	0.02
<b>ALCOHOL</b>	0.17	0.16	0.20	0.20	0.35	0.36	0.20	0.20
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>1,2</sup></b>	0.06	0.05	0.12	0.13	0.18	0.17	0.07	0.06
<b>ILLCIT DRUGS OR ALCOHOL<sup>1,2</sup></b>	0.18	0.18	0.23	0.25	0.38	0.41	0.22	0.22

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.2P Substance Dependence or Abuse for Specific Substances in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Past Year Dependence or Abuse</b>	<b>Total (2009)</b>	<b>Total (2010)</b>	<b>Aged 12-17 (2009)</b>	<b>Aged 12-17 (2010)</b>	<b>Aged 18-25 (2009)</b>	<b>Aged 18-25 (2010)</b>	<b>Aged 26+ (2009)</b>	<b>Aged 26+ (2010)</b>
<b>ILLCIT DRUGS<sup>1,2</sup></b>	0.8820		0.1209		0.7100		0.4963	
Marijuana and Hashish	0.5521		0.4618		0.5985		0.8146	
Cocaine	0.3903		0.3358		0.0337		0.7996	
Heroin	0.6359		0.0895		0.5091		0.5855	
Hallucinogens	0.6983		0.1646		0.9463		0.8401	
Inhalants	0.9107		0.7948		0.4949		0.4616	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.6994		0.3417		0.7383		0.8921	
Pain Relievers	0.7648		0.4316		0.4018		0.9361	
Tranquilizers	0.7306		0.2817		0.5631		0.7113	
Stimulants <sup>2</sup>	0.7986		0.5835		0.7412		0.9854	
Sedatives	0.7824		0.7473		0.3832		0.5522	
<b>ALCOHOL</b>	0.1210		0.8208		0.3513		0.1664	
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>1,2</sup></b>	0.0600		0.5622		0.4164		0.0523	
<b>ILLCIT DRUGS OR ALCOHOL<sup>1,2</sup></b>	0.3733		0.4694		0.8004		0.3030	

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.3C Substance Dependence or Abuse in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010**

Age Category	Illicit Drugs <sup>1</sup> (2009)	Illicit Drugs <sup>1</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol <sup>1</sup> (2009)	Illicit Drugs or Alcohol <sup>1</sup> (2010)
<b>TOTAL</b>	225	244	418	411	455	466
12	6	9	4	3	7	9
13	9	11	8	11	10	15
14	14	16	13	14	18	19
15	18	22	22	21	26	26
16	25	24	23	27	30	33
17	26	27	28	29	34	35
18	33	33	39	39	49	47
19	34	35	48	46	55	55
20	33	34	44	48	48	52
21	30	29	46	54	53	60
22	28	28	49	44	52	48
23	27	32	47	43	50	48
24	28	28	40	41	45	46
25	22	24	37	41	41	46
26-29	82	89	155	143	168	155
30-34	85	87	138	153	152	167
35-39	70	72	123	125	136	142
40-44	71	63	126	111	137	121
45-49	60	67	141	130	150	142
50-54	86	101	151	144	166	175
55-59	70	33	171	124	178	127
60-64	48	33	81	112	89	116
65 or Older	28	16	116	151	118	151

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.3D Substance Dependence or Abuse in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2009 and 2010**

Age Category	Illicit Drugs <sup>1</sup> (2009)	Illicit Drugs <sup>1</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol <sup>1</sup> (2009)	Illicit Drugs or Alcohol <sup>1</sup> (2010)
<b>TOTAL</b>	0.09	0.10	0.17	0.16	0.18	0.18
12	0.16	0.25	0.12	0.07	0.19	0.25
13	0.24	0.28	0.22	0.28	0.27	0.36
14	0.34	0.40	0.31	0.35	0.43	0.46
15	0.39	0.50	0.48	0.50	0.55	0.59
16	0.57	0.54	0.52	0.61	0.67	0.73
17	0.57	0.61	0.62	0.65	0.71	0.75
18	0.62	0.64	0.71	0.76	0.84	0.85
19	0.69	0.76	0.94	0.93	1.06	1.08
20	0.76	0.71	0.93	0.95	1.00	1.03
21	0.70	0.64	1.03	1.06	1.15	1.13
22	0.65	0.65	1.03	0.96	1.09	1.02
23	0.64	0.75	1.01	0.96	1.06	1.07
24	0.65	0.65	0.85	0.92	0.92	1.00
25	0.57	0.60	0.96	0.93	1.04	1.01
26-29	0.47	0.52	0.84	0.79	0.90	0.85
30-34	0.42	0.43	0.67	0.73	0.73	0.78
35-39	0.34	0.37	0.60	0.60	0.65	0.68
40-44	0.34	0.30	0.58	0.52	0.63	0.57
45-49	0.27	0.30	0.60	0.56	0.64	0.60
50-54	0.38	0.46	0.65	0.64	0.71	0.77
55-59	0.38	0.17	0.89	0.63	0.91	0.64
60-64	0.31	0.20	0.51	0.67	0.57	0.69
65 or Older	0.07	0.04	0.30	0.39	0.31	0.39

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.3P Substance Dependence or Abuse in the Past Year, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Age Category	Illicit Drugs <sup>1</sup> (2009)	Illicit Drugs <sup>1</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol <sup>1</sup> (2009)	Illicit Drugs or Alcohol <sup>1</sup> (2010)
<b>TOTAL</b>	0.8820		0.1210		0.3733	
12	0.5538		0.0830		0.8468	
13	0.1777		0.4116		0.0399	
14	0.3939		0.4965		0.5443	
15	0.0284		0.4957		0.7964	
16	0.8524		0.3045		0.2367	
17	0.5638		0.4827		0.6588	
18	0.8341		0.5472		0.4686	
19	0.6397		0.3612		0.9168	
20	0.3472		0.6155		0.7357	
21	0.7817		0.3026		0.2366	
22	0.9274		0.2489		0.1982	
23	0.4107		0.5864		0.9078	
24	0.2612		0.4777		0.9568	
25	0.8444		0.8782		0.7329	
26-29	0.6933		0.5247		0.6468	
30-34	0.7814		0.4249		0.2291	
35-39	0.9313		0.9410		0.7543	
40-44	0.3493		0.1312		0.1059	
45-49	0.5819		0.1793		0.3011	
50-54	0.5045		0.9435		0.4877	
55-59	0.0068		0.0155		0.0049	
60-64	0.4550		0.4966		0.6972	
65 or Older	0.4348		0.4479		0.4954	

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.4C Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	225	244	418	411	455	466
<b>AGE</b>						
12-17	44	47	49	49	57	60
18-25	82	85	116	124	127	139
26 or Older	203	213	394	387	428	430
<b>GENDER</b>						
Male	194	192	347	333	377	367
Female	118	136	237	228	260	256
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	205	215	377	378	410	430
White	184	176	330	356	358	388
Black or African American	86	107	153	128	164	159
American Indian or Alaska Native	13	19	27	29	29	30
Native Hawaiian or Other Pacific Islander	6	2	15	10	16	10
Asian	32	38	41	53	51	67
Two or More Races	27	21	45	32	51	37
Hispanic or Latino	85	114	192	175	198	201

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.4D Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.09	0.10	0.17	0.16	0.18	0.18
<b>AGE</b>						
12-17	0.18	0.19	0.20	0.20	0.23	0.25
18-25	0.24	0.25	0.35	0.36	0.38	0.41
26 or Older	0.10	0.11	0.20	0.20	0.22	0.22
<b>GENDER</b>						
Male	0.16	0.16	0.28	0.27	0.31	0.30
Female	0.09	0.10	0.18	0.18	0.20	0.20
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.10	0.10	0.17	0.17	0.19	0.20
White	0.11	0.10	0.19	0.21	0.21	0.23
Black or African American	0.29	0.35	0.51	0.42	0.55	0.53
American Indian or Alaska Native	1.06	1.59	1.89	2.37	1.99	2.43
Native Hawaiian or Other Pacific Islander	0.78	0.26	1.82	1.40	1.95	1.45
Asian	0.29	0.33	0.37	0.43	0.47	0.56
Two or More Races	0.90	0.67	1.44	1.04	1.62	1.23
Hispanic or Latino	0.24	0.31	0.53	0.48	0.55	0.55

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.4P Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.8820		0.1210		0.3733	
<b>AGE</b>						
12-17	0.1209		0.8208		0.4694	
18-25	0.7100		0.3513		0.8004	
26 or Older	0.4963		0.1664		0.3030	
<b>GENDER</b>						
Male	0.2949		0.2552		0.4853	
Female	0.2097		0.2564		0.5368	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4368		0.2812		0.4354	
White	0.1013		0.7850		0.6571	
Black or African American	0.1381		0.0368		0.4446	
American Indian or Alaska Native	0.9138		0.8138		0.8924	
Native Hawaiian or Other Pacific Islander	0.1574		0.7985		0.8857	
Asian	0.7722		0.2777		0.4602	
Two or More Races	0.4860		0.0599		0.0828	
Hispanic or Latino	0.2128		0.1889		0.6454	

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.5C Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	44	47	49	49	57	60
<b>GENDER</b>						
Male	32	33	31	32	39	41
Female	29	32	34	36	40	42
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	37	39	38	42	47	51
White	33	35	35	41	43	50
Black or African American	17	16	11	11	18	18
American Indian or Alaska Native	4	3	3	3	5	4
Native Hawaiian or Other Pacific Islander	*	1	*	*	*	*
Asian	8	7	7	7	10	9
Two or More Races	5	6	6	7	7	9
Hispanic or Latino	25	26	27	24	31	32
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	23	24	22	24	30	31
Female, White, Not Hispanic	22	25	24	32	29	36
Male, Black, Not Hispanic	11	12	7	6	12	13
Female, Black, Not Hispanic	12	9	9	10	14	12
Male, Hispanic	21	20	18	18	23	24
Female, Hispanic	14	18	21	17	24	22

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.5D Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.18	0.19	0.20	0.20	0.23	0.25
<b>GENDER</b>						
Male	0.26	0.26	0.25	0.26	0.31	0.33
Female	0.24	0.27	0.28	0.30	0.33	0.35
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.19	0.20	0.19	0.21	0.24	0.26
White	0.23	0.24	0.24	0.27	0.29	0.32
Black or African American	0.43	0.43	0.30	0.31	0.47	0.48
American Indian or Alaska Native	3.12	2.10	1.87	2.24	3.25	3.05
Native Hawaiian or Other Pacific Islander	*	2.12	*	*	*	*
Asian	0.77	0.69	0.69	0.67	1.01	0.86
Two or More Races	1.04	1.18	1.10	1.23	1.28	1.62
Hispanic or Latino	0.51	0.53	0.55	0.49	0.65	0.65
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.31	0.32	0.30	0.32	0.39	0.41
Female, White, Not Hispanic	0.31	0.36	0.34	0.43	0.40	0.48
Male, Black, Not Hispanic	0.59	0.66	0.38	0.32	0.63	0.72
Female, Black, Not Hispanic	0.64	0.50	0.46	0.52	0.70	0.62
Male, Hispanic	0.81	0.75	0.71	0.71	0.88	0.90
Female, Hispanic	0.58	0.73	0.82	0.70	0.93	0.90

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.5P Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.1209		0.8208		0.4694	
<b>GENDER</b>						
Male	0.5398		0.8197		0.6937	
Female	0.0935		0.9150		0.5065	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.2752		0.5083		0.2617	
White	0.2768		0.7197		0.3911	
Black or African American	0.6719		0.8862		0.5932	
American Indian or Alaska Native	0.1966		0.7088		0.6997	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9382		0.6038		0.8202	
Two or More Races	0.3990		0.4430		0.2212	
Hispanic or Latino	0.2494		0.1183		0.6451	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.6814		0.8425		0.8425	
Female, White, Not Hispanic	0.2370		0.7447		0.2963	
Male, Black, Not Hispanic	0.5174		0.4782		0.5839	
Female, Black, Not Hispanic	0.9397		0.4832		0.8390	
Male, Hispanic	0.9692		0.5203		0.7930	
Female, Hispanic	0.0833		0.1297		0.6986	

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.6C Substance Dependence or Abuse in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	82	85	116	124	127	139
<b>GENDER</b>						
Male	66	65	90	99	98	107
Female	48	50	67	69	75	78
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	71	75	106	110	113	123
White	68	68	123	120	135	133
Black or African American	32	35	37	38	45	49
American Indian or Alaska Native	6	8	9	11	9	11
Native Hawaiian or Other Pacific Islander	*	1	*	*	*	9
Asian	11	14	19	27	20	28
Two or More Races	10	11	13	17	15	18
Hispanic or Latino	36	38	48	56	52	59
<b>EDUCATION</b>						
< High School	40	41	47	47	54	58
High School Graduate	53	54	71	75	84	88
Some College	52	49	87	100	97	107
College Graduate	23	29	57	47	59	53
<b>CURRENT EMPLOYMENT</b>						
Full-Time	45	48	75	78	85	86
Part-Time	44	49	72	73	79	82
Unemployed	39	41	44	48	53	56
Other <sup>2</sup>	36	42	62	70	70	80

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.6D Substance Dependence or Abuse in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.24	0.25	0.35	0.36	0.38	0.41
<b>GENDER</b>						
Male	0.39	0.38	0.53	0.57	0.58	0.62
Female	0.29	0.30	0.40	0.41	0.45	0.47
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.26	0.27	0.39	0.40	0.41	0.45
White	0.31	0.31	0.47	0.48	0.50	0.52
Black or African American	0.64	0.68	0.74	0.70	0.87	0.87
American Indian or Alaska Native	2.36	4.24	3.35	4.63	3.35	4.70
Native Hawaiian or Other Pacific Islander	*	0.77	*	*	*	4.71
Asian	0.70	0.93	1.16	1.66	1.24	1.71
Two or More Races	2.27	2.02	2.61	2.76	2.84	2.94
Hispanic or Latino	0.58	0.59	0.77	0.85	0.85	0.90
<b>EDUCATION</b>						
< High School	0.62	0.65	0.69	0.73	0.76	0.86
High School Graduate	0.41	0.42	0.52	0.54	0.59	0.61
Some College	0.42	0.41	0.65	0.68	0.71	0.73
College Graduate	0.49	0.57	0.99	0.88	1.01	0.97
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.34	0.36	0.54	0.56	0.59	0.60
Part-Time	0.45	0.49	0.66	0.66	0.72	0.74
Unemployed	0.78	0.85	0.90	0.94	0.99	1.07
Other <sup>2</sup>	0.48	0.51	0.68	0.77	0.74	0.86

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.6P Substance Dependence or Abuse in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.7100		0.3513		0.8004	
<b>GENDER</b>						
Male	0.5712		0.5408		0.8114	
Female	0.2024		0.3601		0.8014	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.8280		0.2470		0.6667	
White	0.7583		0.1422		0.2894	
Black or African American	0.2496		0.7589		0.4440	
American Indian or Alaska Native	0.3958		0.2442		0.1159	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6149		0.3606		0.4767	
Two or More Races	0.5028		0.7984		0.8064	
Hispanic or Latino	0.6443		0.7838		0.6939	
<b>EDUCATION</b>						
< High School	0.4973		0.0434		0.2716	
High School Graduate	0.6680		0.8579		0.5229	
Some College	1.0000		0.6853		0.7621	
College Graduate	0.1025		0.1046		0.2823	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.6915		0.6082		0.4757	
Part-Time	0.2893		0.4189		0.8400	
Unemployed	0.8651		0.8402		0.7893	
Other <sup>2</sup>	0.9094		0.8168		0.9902	

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.7C Substance Dependence or Abuse in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	203	213	394	387	428	430
<b>GENDER</b>						
Male	181	170	333	313	363	341
Female	100	117	217	212	234	236
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	186	188	351	355	382	398
White	167	152	315	352	348	380
Black or African American	83	104	157	128	171	160
American Indian or Alaska Native	10	17	24	26	25	27
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	29	34	36	45	46	56
Two or More Races	25	16	44	27	49	31
Hispanic or Latino	74	98	184	160	189	180
<b>EDUCATION</b>						
< High School	118	118	195	157	208	190
High School Graduate	116	87	211	199	226	210
Some College	91	113	194	214	211	242
College Graduate	81	99	229	242	246	253
<b>CURRENT EMPLOYMENT</b>						
Full-Time	130	145	321	292	342	323
Part-Time	79	65	121	143	137	153
Unemployed	71	67	137	110	143	127
Other <sup>2</sup>	116	114	177	216	199	234

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.7D Substance Dependence or Abuse in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.10	0.11	0.20	0.20	0.22	0.22
<b>GENDER</b>						
Male	0.19	0.18	0.36	0.33	0.39	0.36
Female	0.10	0.12	0.22	0.21	0.23	0.23
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.11	0.11	0.21	0.21	0.23	0.23
White	0.12	0.11	0.22	0.25	0.24	0.26
Black or African American	0.38	0.47	0.69	0.57	0.75	0.71
American Indian or Alaska Native	1.21	1.95	2.48	2.89	2.56	2.97
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.35	0.38	0.41	0.48	0.54	0.60
Two or More Races	1.22	0.75	2.07	1.29	2.31	1.47
Hispanic or Latino	0.30	0.39	0.73	0.63	0.75	0.71
<b>EDUCATION</b>						
< High School	0.41	0.41	0.67	0.53	0.72	0.64
High School Graduate	0.20	0.15	0.35	0.33	0.38	0.35
Some College	0.19	0.24	0.40	0.44	0.44	0.49
College Graduate	0.13	0.16	0.36	0.36	0.39	0.38
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.13	0.14	0.30	0.27	0.32	0.30
Part-Time	0.36	0.28	0.54	0.59	0.61	0.63
Unemployed	0.67	0.65	1.24	1.03	1.28	1.18
Other <sup>2</sup>	0.20	0.19	0.30	0.35	0.33	0.38

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.7P Substance Dependence or Abuse in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.4963		0.1664		0.3030	
<b>GENDER</b>						
Male	0.2594		0.2836		0.4261	
Female	0.6404		0.3654		0.4926	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.2611		0.3874		0.4089	
White	0.0555		0.9160		0.7989	
Black or African American	0.2705		0.0346		0.2768	
American Indian or Alaska Native	0.7865		0.9842		0.9240	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8337		0.3814		0.4517	
Two or More Races	0.3846		0.0223		0.0251	
Hispanic or Latino	0.4146		0.1734		0.5070	
<b>EDUCATION</b>						
< High School	0.8584		0.0190		0.1421	
High School Graduate	0.0033		0.2224		0.0988	
Some College	0.2256		0.5597		0.3392	
College Graduate	0.5684		0.9363		0.8678	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.9736		0.0440		0.0940	
Part-Time	0.3494		0.6890		0.6944	
Unemployed	0.3694		0.3394		0.4214	
Other <sup>2</sup>	0.9428		0.2367		0.2048	

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.8C Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	219	236	412	409	450	459
<b>GENDER</b>						
Male	192	186	345	331	376	362
Female	113	131	233	225	255	251
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	200	208	372	376	405	425
White	182	169	345	377	380	409
Black or African American	87	109	162	131	176	166
American Indian or Alaska Native	12	19	27	28	28	29
Native Hawaiian or Other Pacific Islander	6	1	15	10	15	10
Asian	31	37	40	52	50	66
Two or More Races	27	19	45	31	51	35
Hispanic or Latino	83	108	190	173	196	196
<b>EDUCATION</b>						
< High School	125	126	199	164	214	198
High School Graduate	128	104	225	210	245	226
Some College	103	125	214	240	233	268
College Graduate	86	104	238	248	256	262
<b>CURRENT EMPLOYMENT</b>						
Full-Time	139	155	330	307	354	340
Part-Time	90	81	141	161	158	172
Unemployed	79	80	142	118	149	140
Other <sup>2</sup>	120	122	187	229	212	250

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.8D Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.10	0.10	0.18	0.18	0.20	0.20
<b>GENDER</b>						
Male	0.18	0.17	0.31	0.30	0.34	0.33
Female	0.10	0.11	0.20	0.19	0.22	0.21
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.10	0.11	0.19	0.19	0.21	0.22
White	0.12	0.11	0.21	0.23	0.23	0.25
Black or African American	0.32	0.40	0.58	0.47	0.62	0.59
American Indian or Alaska Native	1.11	1.81	2.15	2.63	2.24	2.71
Native Hawaiian or Other Pacific Islander	0.80	0.16	2.03	1.52	2.15	1.54
Asian	0.31	0.35	0.40	0.48	0.51	0.61
Two or More Races	1.07	0.76	1.75	1.22	1.95	1.40
Hispanic or Latino	0.27	0.34	0.61	0.54	0.63	0.62
<b>EDUCATION</b>						
< High School	0.36	0.36	0.57	0.46	0.61	0.56
High School Graduate	0.18	0.15	0.31	0.28	0.34	0.31
Some College	0.18	0.21	0.35	0.39	0.38	0.43
College Graduate	0.13	0.16	0.34	0.34	0.37	0.36
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.12	0.14	0.28	0.25	0.29	0.28
Part-Time	0.29	0.25	0.44	0.47	0.49	0.50
Unemployed	0.52	0.53	0.88	0.76	0.92	0.89
Other <sup>2</sup>	0.18	0.18	0.28	0.33	0.31	0.36

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.8P Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.6581		0.1199		0.3144	
<b>GENDER</b>						
Male	0.2421		0.2504		0.4430	
Female	0.3515		0.2578		0.4658	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3284		0.2375		0.3485	
White	0.0623		0.7407		0.5759	
Black or African American	0.1547		0.0321		0.3927	
American Indian or Alaska Native	0.6927		0.8359		0.8452	
Native Hawaiian or Other Pacific Islander	0.1228		0.9933		0.8962	
Asian	0.7584		0.3052		0.4313	
Two or More Races	0.3599		0.0412		0.0461	
Hispanic or Latino	0.3148		0.2659		0.6930	
<b>EDUCATION</b>						
< High School	0.6311		0.0045		0.0736	
High School Graduate	0.0183		0.2874		0.1937	
Some College	0.2273		0.4344		0.2706	
College Graduate	0.3349		0.6726		0.6986	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.9017		0.0389		0.0759	
Part-Time	0.7374		0.4262		0.7061	
Unemployed	0.4699		0.3274		0.4979	
Other <sup>2</sup>	0.9561		0.2653		0.2086	

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.9C (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	224	245	419	412	457	467
<b>GEOGRAPHIC DIVISION</b>						
Northeast	99	101	172	167	192	187
New England	56	47	73	76	90	86
Middle Atlantic	81	90	155	149	168	167
Midwest	77	106	160	166	171	191
East North Central	66	98	127	138	136	166
West North Central	40	38	98	87	104	87
South	140	136	278	236	295	267
South Atlantic	111	100	232	187	248	209
East South Central	43	55	85	92	90	98
West South Central	75	73	126	120	137	137
West	117	135	212	255	230	276
Mountain	56	57	85	149	89	155
Pacific	105	123	192	207	210	228
<b>COUNTY TYPE</b>						
Large Metro	173	189	327	352	369	393
Small Metro	133	128	258	261	272	293
250K – 1 Mil. Pop.	112	112	226	202	241	233
< 250K Pop.	74	63	133	161	146	176
Nonmetro	70	86	180	164	192	178
Urbanized	50	61	141	116	149	126
Less Urbanized	52	62	109	109	121	128
Completely Rural	12	13	43	45	44	49

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.9D (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.09	0.10	0.17	0.16	0.18	0.18
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.21	0.22	0.37	0.36	0.41	0.40
New England	0.46	0.39	0.60	0.62	0.74	0.70
Middle Atlantic	0.24	0.26	0.45	0.43	0.49	0.49
Midwest	0.14	0.19	0.29	0.30	0.31	0.34
East North Central	0.17	0.26	0.33	0.36	0.35	0.43
West North Central	0.24	0.23	0.59	0.52	0.62	0.52
South	0.15	0.15	0.30	0.25	0.32	0.29
South Atlantic	0.23	0.20	0.48	0.38	0.51	0.43
East South Central	0.29	0.36	0.57	0.61	0.60	0.65
West South Central	0.26	0.25	0.44	0.42	0.48	0.48
West	0.20	0.23	0.36	0.43	0.40	0.47
Mountain	0.31	0.32	0.48	0.83	0.50	0.86
Pacific	0.26	0.30	0.48	0.51	0.52	0.56
<b>COUNTY TYPE</b>						
Large Metro	0.13	0.14	0.23	0.23	0.25	0.26
Small Metro	0.17	0.16	0.31	0.30	0.32	0.34
250K – 1 Mil. Pop.	0.22	0.22	0.40	0.36	0.43	0.41
< 250K Pop.	0.27	0.24	0.46	0.56	0.48	0.60
Nonmetro	0.16	0.20	0.41	0.37	0.43	0.40
Urbanized	0.26	0.34	0.70	0.63	0.72	0.67
Less Urbanized	0.27	0.30	0.54	0.50	0.60	0.57
Completely Rural	0.26	0.35	0.90	1.03	0.92	1.11

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.9P (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.9488		0.1155		0.3785	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4807		0.9476		0.9257	
New England	0.1614		0.8568		0.4192	
Middle Atlantic	0.9551		0.8772		0.6030	
Midwest	0.3947		0.1817		0.6015	
East North Central	0.9305		0.5235		0.9581	
West North Central	0.0660		0.1498		0.2708	
South	0.5730		0.0278		0.0695	
South Atlantic	0.6983		0.0447		0.0876	
East South Central	0.3348		0.8531		0.7069	
West South Central	0.2379		0.2987		0.2469	
West	0.7004		0.5783		0.4580	
Mountain	0.9609		0.1232		0.1057	
Pacific	0.6905		0.7888		0.9816	
<b>COUNTY TYPE</b>						
Large Metro	0.8884		0.7496		0.8877	
Small Metro	0.5765		0.2320		0.6665	
250K – 1 Mil. Pop.	0.7779		0.0594		0.3481	
< 250K Pop.	0.1272		0.5303		0.5300	
Nonmetro	0.7326		0.0725		0.1157	
Urbanized	0.3448		0.3643		0.5175	
Less Urbanized	0.8073		0.0700		0.0859	
Completely Rural	0.3885		0.9422		0.8184	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.10C (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	44	47	49	49	58	60
<b>GEOGRAPHIC DIVISION</b>						
Northeast	18	17	21	17	24	21
New England	10	11	10	9	11	12
Middle Atlantic	15	13	19	14	21	17
Midwest	17	15	19	16	22	20
East North Central	15	12	15	12	19	15
West North Central	8	9	11	11	12	13
South	24	29	26	31	30	38
South Atlantic	16	22	16	26	20	30
East South Central	9	11	9	9	11	13
West South Central	15	14	17	15	19	19
West	26	27	27	30	32	36
Mountain	12	14	10	12	16	16
Pacific	23	23	25	27	29	32
<b>COUNTY TYPE</b>						
Large Metro	33	37	38	39	45	49
Small Metro	28	27	26	25	34	32
250K – 1 Mil. Pop.	24	24	22	21	30	28
< 250K Pop.	14	13	16	13	19	18
Nonmetro	17	17	17	24	21	27
Urbanized	13	10	12	19	16	20
Less Urbanized	9	13	11	14	12	18
Completely Rural	4	3	5	5	5	5

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.10D (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.18	0.19	0.20	0.20	0.23	0.25
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.42	0.40	0.49	0.39	0.56	0.49
New England	0.92	0.99	0.86	0.82	1.00	1.10
Middle Atlantic	0.46	0.40	0.59	0.45	0.66	0.53
Midwest	0.32	0.29	0.35	0.30	0.42	0.38
East North Central	0.40	0.33	0.40	0.31	0.50	0.41
West North Central	0.48	0.58	0.69	0.69	0.74	0.80
South	0.27	0.32	0.29	0.35	0.34	0.42
South Atlantic	0.36	0.48	0.36	0.57	0.44	0.66
East South Central	0.60	0.79	0.63	0.60	0.76	0.91
West South Central	0.51	0.48	0.56	0.50	0.65	0.64
West	0.45	0.47	0.46	0.52	0.55	0.63
Mountain	0.69	0.81	0.57	0.69	0.88	0.92
Pacific	0.58	0.58	0.62	0.68	0.71	0.81
<b>COUNTY TYPE</b>						
Large Metro	0.25	0.27	0.28	0.29	0.33	0.36
Small Metro	0.33	0.34	0.31	0.31	0.39	0.40
250K – 1 Mil. Pop.	0.42	0.44	0.41	0.39	0.50	0.49
< 250K Pop.	0.55	0.51	0.55	0.52	0.63	0.70
Nonmetro	0.40	0.42	0.42	0.56	0.51	0.63
Urbanized	0.71	0.57	0.66	1.02	0.85	1.01
Less Urbanized	0.48	0.66	0.59	0.67	0.66	0.87
Completely Rural	0.85	0.83	1.14	1.49	1.22	1.58

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.10P (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.0993		0.8284		0.4264	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2882		0.6942		0.5632	
New England	0.1971		0.8090		0.2853	
Middle Atlantic	0.7417		0.7528		0.9892	
Midwest	0.8007		0.0039		0.0641	
East North Central	0.1939		0.0005		0.0080	
West North Central	0.0996		0.6784		0.6696	
South	0.2797		0.5482		0.2695	
South Atlantic	0.0643		0.0143		0.0172	
East South Central	0.3491		0.3391		0.6637	
West South Central	0.2544		0.0558		0.1171	
West	0.2519		0.3054		0.3179	
Mountain	0.7475		0.7094		0.9231	
Pacific	0.2575		0.3393		0.2429	
<b>COUNTY TYPE</b>						
Large Metro	0.0555		0.6993		0.1691	
Small Metro	0.6170		0.2763		0.6633	
250K – 1 Mil. Pop.	0.4364		0.9360		0.9607	
< 250K Pop.	0.7222		0.0705		0.3962	
Nonmetro	0.9478		0.9162		1.0000	
Urbanized	0.2075		0.5387		0.4974	
Less Urbanized	0.2097		0.7518		0.3776	
Completely Rural	0.3736		0.7687		0.7157	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.11C (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	83	85	117	125	128	139
<b>GEOGRAPHIC DIVISION</b>						
Northeast	36	36	48	46	53	52
New England	19	17	23	23	26	25
Middle Atlantic	31	32	42	40	46	46
Midwest	28	33	46	43	48	48
East North Central	24	27	37	35	40	40
West North Central	14	19	26	26	27	27
South	49	46	74	84	78	89
South Atlantic	37	34	59	67	59	70
East South Central	15	18	24	28	25	32
West South Central	29	25	36	43	44	46
West	50	50	61	66	69	74
Mountain	20	22	27	26	29	28
Pacific	46	45	55	61	63	68
<b>COUNTY TYPE</b>						
Large Metro	67	74	100	105	114	122
Small Metro	51	50	82	103	92	115
250K – 1 Mil. Pop.	37	40	62	62	71	72
< 250K Pop.	35	30	53	82	59	89
Nonmetro	30	28	69	52	75	60
Urbanized	21	20	56	31	61	36
Less Urbanized	21	18	38	39	43	45
Completely Rural	8	6	12	10	14	12

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.11D (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.25	0.25	0.35	0.37	0.38	0.41
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.59	0.59	0.79	0.76	0.86	0.86
New England	1.17	1.07	1.46	1.43	1.66	1.54
Middle Atlantic	0.69	0.71	0.93	0.90	1.01	1.03
Midwest	0.38	0.44	0.62	0.57	0.66	0.64
East North Central	0.48	0.52	0.72	0.69	0.79	0.78
West North Central	0.64	0.80	1.14	1.08	1.20	1.13
South	0.41	0.37	0.62	0.67	0.65	0.72
South Atlantic	0.61	0.54	0.97	1.06	0.97	1.11
East South Central	0.77	0.91	1.25	1.41	1.32	1.59
West South Central	0.72	0.60	0.89	1.05	1.10	1.11
West	0.61	0.61	0.75	0.81	0.85	0.91
Mountain	0.84	0.90	1.10	1.05	1.22	1.11
Pacific	0.80	0.79	0.97	1.08	1.11	1.22
<b>COUNTY TYPE</b>						
Large Metro	0.36	0.38	0.49	0.47	0.54	0.54
Small Metro	0.44	0.41	0.61	0.71	0.67	0.76
250K – 1 Mil. Pop.	0.53	0.52	0.73	0.72	0.84	0.81
< 250K Pop.	0.79	0.65	1.03	1.47	1.10	1.53
Nonmetro	0.50	0.52	0.78	0.85	0.80	0.95
Urbanized	0.75	0.78	1.14	1.14	1.16	1.18
Less Urbanized	0.75	0.74	1.12	1.29	1.23	1.49
Completely Rural	2.08	1.70	3.06	2.61	3.11	2.87

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.11P (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.7170		0.3513		0.7962	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3465		0.5096		0.5930	
New England	0.4569		0.2703		0.4549	
Middle Atlantic	0.5088		0.8421		0.8059	
Midwest	0.2152		0.1596		0.9508	
East North Central	0.9881		0.0405		0.3642	
West North Central	0.0207		0.7065		0.2353	
South	0.5706		0.2002		0.2467	
South Atlantic	0.8583		0.0940		0.4046	
East South Central	0.6819		0.7418		0.9799	
West South Central	0.1431		0.8404		0.3266	
West	0.2822		0.2645		0.1980	
Mountain	0.5078		0.3796		0.4430	
Pacific	0.3835		0.4172		0.2957	
<b>COUNTY TYPE</b>						
Large Metro	0.5867		0.9947		0.9170	
Small Metro	0.9099		0.3791		0.8181	
250K – 1 Mil. Pop.	0.3237		0.0689		0.7215	
< 250K Pop.	0.2921		0.3955		0.4195	
Nonmetro	0.5432		0.1425		0.2640	
Urbanized	0.6003		0.2752		0.8084	
Less Urbanized	0.5453		0.5226		0.4179	
Completely Rural	0.0428		0.2618		0.1683	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.12C (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	202	214	396	388	431	431
<b>GEOGRAPHIC DIVISION</b>						
Northeast	90	91	159	160	179	177
New England	52	40	66	68	82	75
Middle Atlantic	73	82	144	144	157	161
Midwest	67	97	147	155	156	177
East North Central	59	92	118	128	126	154
West North Central	32	30	90	80	94	79
South	126	120	268	219	283	246
South Atlantic	102	86	223	173	237	190
East South Central	39	51	80	84	85	92
West South Central	63	62	121	110	128	123
West	105	113	197	239	216	253
Mountain	49	45	74	141	78	145
Pacific	94	104	181	193	199	207
<b>COUNTY TYPE</b>						
Large Metro	150	161	311	323	347	356
Small Metro	123	114	234	226	245	251
250K – 1 Mil. Pop.	104	101	206	183	218	207
< 250K Pop.	66	52	115	133	127	142
Nonmetro	61	77	159	147	170	155
Urbanized	44	55	123	104	130	112
Less Urbanized	43	55	98	96	108	109
Completely Rural	7	11	36	43	35	45

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.12D (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics:  
Standard Errors of Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.10	0.11	0.20	0.20	0.22	0.22
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.25	0.25	0.44	0.44	0.50	0.49
New England	0.55	0.42	0.70	0.72	0.87	0.79
Middle Atlantic	0.28	0.31	0.55	0.54	0.59	0.60
Midwest	0.16	0.23	0.35	0.36	0.37	0.42
East North Central	0.20	0.31	0.40	0.43	0.42	0.52
West North Central	0.25	0.23	0.70	0.62	0.73	0.61
South	0.18	0.17	0.38	0.31	0.40	0.34
South Atlantic	0.27	0.23	0.59	0.45	0.63	0.50
East South Central	0.34	0.44	0.69	0.72	0.73	0.79
West South Central	0.29	0.28	0.56	0.51	0.60	0.57
West	0.24	0.25	0.45	0.53	0.49	0.56
Mountain	0.36	0.33	0.54	1.03	0.58	1.05
Pacific	0.31	0.33	0.59	0.62	0.65	0.67
<b>COUNTY TYPE</b>						
Large Metro	0.14	0.15	0.29	0.28	0.32	0.31
Small Metro	0.21	0.19	0.38	0.35	0.39	0.39
250K – 1 Mil. Pop.	0.27	0.26	0.50	0.44	0.53	0.49
< 250K Pop.	0.32	0.26	0.55	0.64	0.59	0.68
Nonmetro	0.19	0.24	0.49	0.44	0.52	0.46
Urbanized	0.31	0.40	0.85	0.76	0.88	0.81
Less Urbanized	0.29	0.35	0.65	0.58	0.71	0.65
Completely Rural	0.21	0.36	0.93	1.23	0.92	1.29

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.12P (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.5457		0.1590		0.3046	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5717		0.7302		0.8132	
New England	0.0957		0.8748		0.4102	
Middle Atlantic	0.7198		0.7581		0.4869	
Midwest	0.6147		0.4191		0.6993	
East North Central	0.7712		0.8461		0.5684	
West North Central	0.5285		0.0874		0.0812	
South	0.4610		0.0421		0.0744	
South Atlantic	0.3259		0.0521		0.0558	
East South Central	0.5068		0.9649		0.7871	
West South Central	0.6192		0.3605		0.4987	
West	0.7823		0.8850		0.7556	
Mountain	0.7178		0.1628		0.1177	
Pacific	0.8914		0.5169		0.6291	
<b>COUNTY TYPE</b>						
Large Metro	0.6158		0.6877		0.7459	
Small Metro	0.3524		0.2718		0.4820	
250K – 1 Mil. Pop.	0.7806		0.1146		0.3120	
< 250K Pop.	0.1673		0.6823		0.7693	
Nonmetro	0.4157		0.1680		0.2390	
Urbanized	0.1889		0.5514		0.7727	
Less Urbanized	0.7861		0.1125		0.1040	
Completely Rural	0.7949		0.7897		0.6177	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.13C (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	218	237	414	409	452	460
<b>GEOGRAPHIC DIVISION</b>						
Northeast	100	98	171	167	192	187
New England	59	45	73	76	91	85
Middle Atlantic	80	88	154	149	167	167
Midwest	76	105	158	166	169	191
East North Central	65	98	125	138	135	165
West North Central	40	36	98	87	103	88
South	136	130	278	236	294	266
South Atlantic	110	96	233	186	249	207
East South Central	42	53	84	91	90	97
West South Central	72	70	125	119	136	136
West	114	131	207	251	227	272
Mountain	54	53	84	146	87	151
Pacific	101	120	188	204	208	226
<b>COUNTY TYPE</b>						
Large Metro	168	182	321	349	362	389
Small Metro	132	123	255	259	268	288
250K – 1 Mil. Pop.	112	108	223	200	237	228
< 250K Pop.	72	61	131	161	143	174
Nonmetro	67	85	177	162	190	175
Urbanized	47	60	139	113	148	122
Less Urbanized	50	61	108	107	119	125
Completely Rural	11	13	43	45	43	47

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.13D (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.10	0.10	0.18	0.18	0.20	0.20
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.24	0.23	0.41	0.39	0.46	0.44
New England	0.53	0.40	0.66	0.68	0.83	0.76
Middle Atlantic	0.26	0.28	0.50	0.48	0.54	0.54
Midwest	0.15	0.21	0.32	0.33	0.34	0.38
East North Central	0.19	0.28	0.36	0.40	0.39	0.48
West North Central	0.26	0.24	0.65	0.57	0.68	0.58
South	0.16	0.16	0.33	0.28	0.35	0.32
South Atlantic	0.25	0.21	0.53	0.42	0.56	0.46
East South Central	0.31	0.39	0.62	0.67	0.66	0.71
West South Central	0.28	0.27	0.49	0.46	0.53	0.53
West	0.22	0.25	0.40	0.47	0.43	0.51
Mountain	0.34	0.33	0.52	0.90	0.54	0.93
Pacific	0.28	0.33	0.52	0.56	0.57	0.62
<b>COUNTY TYPE</b>						
Large Metro	0.14	0.15	0.25	0.25	0.27	0.28
Small Metro	0.19	0.18	0.34	0.33	0.36	0.37
250K – 1 Mil. Pop.	0.25	0.23	0.45	0.40	0.47	0.45
< 250K Pop.	0.29	0.26	0.51	0.62	0.54	0.66
Nonmetro	0.17	0.22	0.45	0.42	0.47	0.44
Urbanized	0.27	0.37	0.76	0.70	0.79	0.75
Less Urbanized	0.28	0.33	0.60	0.55	0.66	0.63
Completely Rural	0.28	0.38	0.99	1.12	1.01	1.18

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.13P (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2010)</b>
<b>TOTAL</b>	0.7064		0.1143		0.3147	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3728		0.9208		0.9849	
New England	0.0936		0.8774		0.3390	
Middle Atlantic	0.9910		0.8566		0.6053	
Midwest	0.3583		0.2941		0.7543	
East North Central	0.7656		0.7565		0.7330	
West North Central	0.1200		0.1608		0.2450	
South	0.4219		0.0233		0.0494	
South Atlantic	0.4417		0.0241		0.0471	
East South Central	0.4185		0.9214		0.7455	
West South Central	0.3257		0.4239		0.3469	
West	0.8765		0.6724		0.5438	
Mountain	0.9835		0.1238		0.0918	
Pacific	0.8575		0.6833		0.8501	
<b>COUNTY TYPE</b>						
Large Metro	0.8294		0.7019		0.7406	
Small Metro	0.5143		0.2694		0.6968	
250K – 1 Mil. Pop.	0.8852		0.0575		0.3405	
< 250K Pop.	0.1372		0.4222		0.4662	
Nonmetro	0.7140		0.0680		0.1136	
Urbanized	0.2350		0.3168		0.5734	
Less Urbanized	0.6007		0.0757		0.0652	
Completely Rural	0.5328		0.9161		0.7816	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.