

Table 5.23C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Location of Treatment¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	66	55	7	7	16	13	64	53
Rehabilitation Facility - Inpatient	86	69	8	9	21	19	83	66
Rehabilitation Facility - Outpatient	104	97	10	9	29	22	99	94
Mental Health Center - Outpatient	81	66	8	6	22	16	78	64
Emergency Room	46	50	5	6	13	9	44	48
Private Doctor's Office	60	56	7	7	15	12	58	55
Self-Help Group	118	99	10	13	29	27	113	95
Prison/Jail	55	35	5	7	10	12	54	32

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.23D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010

Location of Treatment¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	2.56	2.27	3.01	3.08	2.52	2.23	3.78	3.37
Rehabilitation Facility - Inpatient	3.09	2.64	3.65	3.88	3.06	2.91	4.51	3.86
Rehabilitation Facility - Outpatient	3.25	3.09	4.17	3.94	3.43	3.46	4.79	4.53
Mental Health Center - Outpatient	2.83	2.63	3.52	2.79	3.12	2.59	4.12	3.89
Emergency Room	1.88	2.08	2.23	2.62	2.04	1.67	2.74	3.09
Private Doctor's Office	2.29	2.30	3.11	3.14	2.40	2.04	3.32	3.41
Self-Help Group	3.14	3.17	3.95	4.65	3.29	3.46	4.47	4.63
Prison/Jail	2.17	1.52	2.48	3.25	1.69	2.09	3.25	2.12

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.23P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	0.3221		0.1667		0.5461		0.4830	
Rehabilitation Facility - Inpatient	0.4234		0.2200		0.8133		0.4552	
Rehabilitation Facility - Outpatient	0.9119		0.2732		0.1029		0.4488	
Mental Health Center - Outpatient	0.6081		0.3470		0.1716		0.9816	
Emergency Room	0.5504		0.4367		0.1995		0.3884	
Private Doctor's Office	0.7338		0.5085		0.7005		0.7115	
Self-Help Group	0.5975		0.1952		0.6780		0.4144	
Prison/Jail	0.5549		0.8280		0.3310		0.3667	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.24C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	75	77	8	6	16	12	73	76
Rehabilitation Facility - Inpatient	94	81	8	6	17	19	93	78
Rehabilitation Facility - Outpatient	114	99	10	6	24	25	110	96
Mental Health Center - Outpatient	84	77	7	8	18	16	82	75
Emergency Room	48	59	7	4	14	10	45	58
Private Doctor's Office	70	64	5	*	16	12	68	63
Self-Help Group	143	150	9	9	28	30	138	147
Prison/Jail	54	34	7	*	15	11	51	32

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.24D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	2.24	2.45	3.95	4.12	2.23	1.92	3.01	3.30
Rehabilitation Facility - Inpatient	2.60	2.53	4.05	3.73	2.25	2.74	3.51	3.34
Rehabilitation Facility - Outpatient	2.75	2.84	4.29	3.78	2.96	3.24	3.66	3.78
Mental Health Center - Outpatient	2.39	2.40	3.49	4.66	2.37	2.44	3.26	3.16
Emergency Room	1.47	1.95	3.58	2.80	2.01	1.47	1.93	2.61
Private Doctor's Office	2.12	2.10	2.56	*	2.28	1.92	2.81	2.79
Self-Help Group	2.80	2.97	4.04	5.07	3.12	3.42	3.61	3.89
Prison/Jail	1.66	1.17	3.48	*	2.07	1.77	2.19	1.48

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.24P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	0.8530		0.8547		0.2210		0.9587	
Rehabilitation Facility - Inpatient	0.5359		0.0586		0.7494		0.5766	
Rehabilitation Facility - Outpatient	0.0403		0.0148		0.5404		0.0765	
Mental Health Center - Outpatient	0.7309		0.2656		0.5900		0.7311	
Emergency Room	0.7655		0.4530		0.1829		0.9493	
Private Doctor's Office	0.4929		*		0.1938		0.5968	
Self-Help Group	0.8913		0.7275		0.2936		0.6127	
Prison/Jail	0.5440		*		0.3031		0.8139	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.25C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Location of Treatment¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	89	85	9	9	21	16	86	83
Rehabilitation Facility - Inpatient	117	96	10	10	24	24	115	92
Rehabilitation Facility - Outpatient	150	126	12	9	34	30	145	123
Mental Health Center - Outpatient	107	93	9	9	26	21	104	90
Emergency Room	62	71	8	8	18	14	58	70
Private Doctor's Office	82	75	7	9	20	15	79	74
Self-Help Group	167	166	12	13	37	39	159	162
Prison/Jail	60	46	7	9	16	15	58	42

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.25D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010

Location of Treatment¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	1.90	1.90	2.89	2.90	2.00	1.60	2.60	2.66
Rehabilitation Facility - Inpatient	2.26	2.07	3.11	3.06	2.20	2.24	3.12	2.85
Rehabilitation Facility - Outpatient	2.49	2.51	3.35	2.98	2.65	2.59	3.38	3.52
Mental Health Center - Outpatient	2.14	1.97	2.85	2.93	2.29	2.05	2.94	2.74
Emergency Room	1.37	1.61	2.60	2.60	1.72	1.35	1.83	2.24
Private Doctor's Office	1.73	1.71	2.39	2.78	1.96	1.54	2.35	2.37
Self-Help Group	2.46	2.44	3.48	3.69	2.52	2.56	3.28	3.38
Prison/Jail	1.34	1.05	2.38	2.77	1.58	1.46	1.82	1.40

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.25P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	0.3695		0.5783		0.0535		0.6869	
Rehabilitation Facility - Inpatient	0.1488		0.0497		0.8054		0.2291	
Rehabilitation Facility - Outpatient	0.1008		0.0509		0.1024		0.2856	
Mental Health Center - Outpatient	0.7437		0.8785		0.1687		0.9909	
Emergency Room	0.9731		0.8669		0.1051		0.7090	
Private Doctor's Office	0.7289		0.3790		0.3182		0.8404	
Self-Help Group	0.8084		0.8010		0.9334		0.7917	
Prison/Jail	0.7966		0.7913		0.8559		0.7850	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.