

Table 5.38C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Location of Treatment¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	66	55	7	*	16	13	64	53
Rehabilitation Facility - Inpatient	86	69	8	*	21	19	83	66
Rehabilitation Facility - Outpatient	104	97	10	*	29	22	99	94
Mental Health Center - Outpatient	81	66	8	6	22	16	78	64
Emergency Room	43	49	5	4	13	9	41	48
Private Doctor's Office	55	49	*	4	13	11	54	48
Self-Help Group	94	87	8	*	26	21	88	84
Prison/Jail	44	31	5	*	9	8	43	30

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.38D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	3.67	3.26	5.05	*	3.71	3.35	5.29	4.48
Rehabilitation Facility - Inpatient	4.20	3.64	5.69	*	4.26	4.10	5.94	4.93
Rehabilitation Facility - Outpatient	3.79	3.41	5.73	*	2.78	3.93	5.43	4.69
Mental Health Center - Outpatient	3.76	3.65	5.66	5.22	4.21	3.69	5.37	5.06
Emergency Room	2.68	2.96	3.86	3.78	3.11	2.56	3.78	4.11
Private Doctor's Office	3.11	2.93	*	3.67	3.19	2.90	4.43	4.07
Self-Help Group	3.82	3.76	5.76	*	3.91	3.78	5.35	5.20
Prison/Jail	2.66	1.95	4.40	*	2.27	2.27	3.84	2.64

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.38P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	0.1556		*		0.5362		0.2249	
Rehabilitation Facility - Inpatient	0.1733		*		0.7535		0.1546	
Rehabilitation Facility - Outpatient	0.4406		*		0.0141		0.8624	
Mental Health Center - Outpatient	0.2893		0.6372		0.1202		0.5093	
Emergency Room	0.5399		0.7180		0.2298		0.3670	
Private Doctor's Office	0.8967		*		0.9898		0.9814	
Self-Help Group	0.9773		*		0.9109		0.8729	
Prison/Jail	0.4040		*		0.8222		0.4895	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.39C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Location of Treatment¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	75	77	*	*	16	12	73	76
Rehabilitation Facility - Inpatient	94	81	*	*	17	19	93	78
Rehabilitation Facility - Outpatient	114	99	*	*	24	25	110	96
Mental Health Center - Outpatient	84	77	*	*	18	16	82	75
Emergency Room	45	59	*	*	14	10	42	58
Private Doctor's Office	59	59	*	*	13	7	58	59
Self-Help Group	105	105	*	*	21	23	102	103
Prison/Jail	41	31	*	*	14	9	38	30

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.39D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010

Location of Treatment¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	3.63	3.99	*	*	3.84	3.52	4.79	5.16
Rehabilitation Facility - Inpatient	3.93	3.94	*	*	3.89	4.68	5.13	5.03
Rehabilitation Facility - Outpatient	3.03	3.98	*	*	3.59	3.87	3.89	5.18
Mental Health Center - Outpatient	3.75	3.76	*	*	3.85	4.19	4.96	4.82
Emergency Room	2.42	3.29	*	*	3.57	2.86	3.10	4.24
Private Doctor's Office	3.15	3.32	*	*	3.32	2.18	4.13	4.29
Self-Help Group	3.74	3.84	*	*	3.91	4.20	4.84	4.96
Prison/Jail	2.26	1.91	*	*	3.52	2.67	2.85	2.41

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.39P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	0.8085		*		0.2314		0.9519	
Rehabilitation Facility - Inpatient	0.4345		*		0.5806		0.4122	
Rehabilitation Facility - Outpatient	0.0031		*		0.5698		0.0058	
Mental Health Center - Outpatient	0.6610		*		0.6760		0.5929	
Emergency Room	0.9226		*		0.1748		0.6541	
Private Doctor's Office	0.8669		*		0.1100		0.9191	
Self-Help Group	0.9862		*		0.4152		0.8324	
Prison/Jail	0.9184		*		0.0522		0.5279	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.40C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Location of Treatment¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	89	85	9	9	21	16	86	83
Rehabilitation Facility - Inpatient	117	96	10	10	24	24	115	92
Rehabilitation Facility - Outpatient	150	126	12	9	34	30	145	123
Mental Health Center - Outpatient	107	93	9	9	26	21	104	90
Emergency Room	58	71	8	7	18	13	55	70
Private Doctor's Office	71	67	5	4	17	12	69	66
Self-Help Group	139	126	10	10	32	29	133	123
Prison/Jail	58	41	7	*	15	12	56	39

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.40D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2009 and 2010

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	2.86	2.84	4.85	5.35	3.08	2.67	3.87	3.75
Rehabilitation Facility - Inpatient	3.21	2.97	4.88	5.60	3.29	3.43	4.31	3.85
Rehabilitation Facility - Outpatient	2.61	2.92	4.91	5.43	2.71	3.07	3.49	3.88
Mental Health Center - Outpatient	3.09	2.90	4.75	5.42	3.27	3.22	4.16	3.81
Emergency Room	2.05	2.46	4.57	4.51	2.71	2.31	2.67	3.24
Private Doctor's Office	2.41	2.33	2.92	2.74	2.68	2.17	3.22	3.09
Self-Help Group	3.03	2.93	5.26	5.43	3.18	3.06	3.99	3.88
Prison/Jail	2.01	1.52	4.29	*	2.40	2.08	2.69	1.95

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.40P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Location of Treatment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	0.2725		0.8772		0.0991		0.4481	
Rehabilitation Facility - Inpatient	0.0675		0.0852		0.7672		0.0717	
Rehabilitation Facility - Outpatient	0.0078		0.1187		0.1821		0.0242	
Mental Health Center - Outpatient	0.6031		0.4790		0.3100		0.7085	
Emergency Room	0.7846		1.0000		0.1221		0.4935	
Private Doctor's Office	0.8505		0.7623		0.5359		0.9063	
Self-Help Group	0.6887		0.7180		0.8475		0.6598	
Prison/Jail	0.4803		*		0.3552		0.6674	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.