

Table 5.41C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Numbers in Thousands, 2009 and 2010

Dependence or Abuse Status	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol (2009)	Both Illicit Drugs and Alcohol (2010)	Illicit Drugs or Alcohol ¹ (2009)	Illicit Drugs or Alcohol ¹ (2010)
DEPENDENCE								
None	93	87	81	84	58	62	123	106
Both Illicit Drugs and Alcohol	44	38	52	34	42	32	53	41
Illicit Drugs or Alcohol	84	74	102	92	66	48	117	109
Illicit Drugs	75	68	64	47	57	39	81	74
Alcohol	57	48	95	87	54	43	99	91
DEPENDENCE OR ABUSE								
None	89	76	76	73	57	53	117	96
Both Illicit Drugs and Alcohol	51	44	63	41	48	34	69	50
Illicit Drugs or Alcohol	87	83	105	98	67	56	122	117
Illicit Drugs	79	74	72	52	59	42	92	81
Alcohol	63	61	100	97	58	50	106	103

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.41D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Percentages, 2009 and 2010

Dependence or Abuse Status	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol (2009)	Both Illicit Drugs and Alcohol (2010)	Illicit Drugs or Alcohol ¹ (2009)	Illicit Drugs or Alcohol ¹ (2010)
DEPENDENCE								
None	0.04	0.04	0.03	0.03	0.02	0.03	0.05	0.04
Both Illicit Drugs and Alcohol	2.87	2.90	3.19	2.65	2.82	2.52	3.21	3.05
Illicit Drugs or Alcohol	0.65	0.60	0.78	0.74	0.52	0.40	0.88	0.86
Illicit Drugs	1.43	1.32	1.24	0.92	1.11	0.78	1.51	1.41
Alcohol	0.62	0.57	1.01	1.00	0.59	0.51	1.06	1.03
DEPENDENCE OR ABUSE								
None	0.04	0.03	0.03	0.03	0.02	0.02	0.05	0.04
Both Illicit Drugs and Alcohol	1.49	1.44	1.80	1.34	1.40	1.13	1.93	1.63
Illicit Drugs or Alcohol	0.38	0.37	0.45	0.43	0.30	0.25	0.52	0.51
Illicit Drugs	1.05	0.97	0.97	0.71	0.80	0.57	1.20	1.06
Alcohol	0.33	0.34	0.52	0.53	0.31	0.28	0.55	0.56

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.41P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Dependence or Abuse Status	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol (2009)	Both Illicit Drugs and Alcohol (2010)	Illicit Drugs or Alcohol¹ (2009)	Illicit Drugs or Alcohol¹ (2010)
DEPENDENCE								
None	0.3808		0.6885		0.8836		0.5934	
Both Illicit Drugs and Alcohol	0.9245		0.1799		0.6616		0.6203	
Illicit Drugs or Alcohol	0.4735		0.2652		0.0995		0.5027	
Illicit Drugs	0.6854		0.1004		0.1761		0.6349	
Alcohol	0.3719		0.4111		0.2243		0.4133	
DEPENDENCE OR ABUSE								
None	0.8821		0.9170		0.7718		0.8663	
Both Illicit Drugs and Alcohol	0.6740		0.1156		0.2766		0.3725	
Illicit Drugs or Alcohol	0.9631		0.4819		0.2410		0.9903	
Illicit Drugs	0.7537		0.0910		0.1426		0.6517	
Alcohol	0.7876		0.5552		0.2998		0.7038	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.42C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2009 and 2010

Past Year Dependence or Abuse ¹	Illicit Drugs ² (2009)	Illicit Drugs ² (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol ² (2009)	Both Illicit Drugs and Alcohol ² (2010)	Illicit Drugs or Alcohol ^{2,3} (2009)	Illicit Drugs or Alcohol ^{2,3} (2010)
ILLCIT DRUGS²	79	74	72	52	59	42	92	81
Marijuana and Hashish	45	37	51	30	32	22	61	43
Cocaine	45	54	39	40	36	33	49	59
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	9	10	13	*	8	7	13	*
Inhalants	6	5	*	4	6	4	*	5
Nonmedical Use of Psychotherapeutics ^{4,5}	47	55	49	41	35	30	58	62
Pain Relievers	43	52	45	40	35	29	52	59
Tranquilizers	*	*	*	*	18	9	*	*
Stimulants ⁴	14	*	12	*	7	*	17	*
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	63	61	100	97	58	50	106	103
BOTH ILLICIT DRUGS AND ALCOHOL²	51	44	63	41	48	34	69	50
ILLCIT DRUGS OR ALCOHOL²	87	83	105	98	67	56	122	117

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

⁵ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.42D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2009 and 2010

Past Year Dependence or Abuse ¹	Illicit Drugs ² (2009)	Illicit Drugs ² (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol ² (2009)	Both Illicit Drugs and Alcohol ² (2010)	Illicit Drugs or Alcohol ^{2,3} (2009)	Illicit Drugs or Alcohol ^{2,3} (2010)
ILLCIT DRUGS²	1.05	0.97	0.97	0.71	0.80	0.57	1.20	1.06
Marijuana and Hashish	1.01	0.81	1.14	0.65	0.72	0.50	1.32	0.92
Cocaine	3.56	4.49	3.18	3.56	2.95	3.00	3.80	4.73
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	2.51	2.42	3.21	*	2.12	1.82	3.46	*
Inhalants	3.39	3.31	*	2.66	3.30	2.53	*	3.42
Nonmedical Use of Psychotherapeutics ^{4,5}	1.92	2.12	2.02	1.65	1.49	1.22	2.30	2.36
Pain Relievers	2.15	2.47	2.28	1.99	1.79	1.45	2.53	2.75
Tranquilizers	*	*	*	*	3.57	1.89	*	*
Stimulants ⁴	3.65	*	3.13	*	1.96	*	4.25	*
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	0.33	0.34	0.52	0.53	0.31	0.28	0.55	0.56
BOTH ILLICIT DRUGS AND ALCOHOL²	1.49	1.44	1.80	1.34	1.40	1.13	1.93	1.63
ILLCIT DRUGS OR ALCOHOL²	0.38	0.37	0.45	0.43	0.30	0.25	0.52	0.51

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

⁵ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.42P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Past Year Dependence or Abuse ¹	Illicit Drugs ² (2009)	Illicit Drugs ² (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol ² (2009)	Both Illicit Drugs and Alcohol ² (2010)	Illicit Drugs or Alcohol ^{2,3} (2009)	Illicit Drugs or Alcohol ^{2,3} (2010)
ILLCIT DRUGS²	0.7537		0.0910		0.1426		0.6517	
Marijuana and Hashish	0.3047		0.0207		0.0814		0.1105	
Cocaine	0.4202		0.8754		0.8704		0.3266	
Heroin	*		*		*		*	
Hallucinogens	0.9873		*		0.6417		*	
Inhalants	0.7039		*		0.3486		*	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.3233		0.7270		0.9294		0.4188	
Pain Relievers	0.3846		0.9744		0.8130		0.3197	
Tranquilizers	*		*		0.3850		*	
Stimulants ⁴	*		*		*		*	
Sedatives	*		*		*		*	
ALCOHOL	0.7876		0.5552		0.2998		0.7038	
BOTH ILLICIT DRUGS AND ALCOHOL²	0.6740		0.1156		0.2766		0.3725	
ILLCIT DRUGS OR ALCOHOL²	0.9631		0.4819		0.2410		0.9903	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

⁵ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.