

Table 5.43C Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2009 and 2010

Age Category	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	244	263	127	115	212	230	1.41	1.28
12	6	9	1	0	6	9	*	*
13	10	11	4	2	9	11	*	*
14	15	16	2	5	14	15	1.97	*
15	18	22	5	4	18	21	2.37	1.72
16	25	24	6	8	25	23	1.91	2.38
17	27	27	10	8	25	26	2.44	1.96
18	35	33	14	12	32	31	2.78	2.51
19	34	35	8	9	33	34	1.79	2.13
20	34	34	10	9	33	33	2.52	2.18
21	32	30	13	13	29	27	3.16	3.18
22	29	29	10	9	27	27	3.10	2.78
23	28	32	12	12	25	30	3.78	3.34
24	29	28	10	9	26	29	3.33	2.96
25	23	25	10	7	20	23	4.05	2.87
26-29	89	91	43	42	79	84	4.46	4.46
30-34	88	91	37	34	80	85	4.41	3.92
35-39	77	79	39	41	66	67	*	*
40-44	75	68	51	34	55	56	*	*
45-49	62	75	32	41	50	63	*	*
50-54	102	102	60	36	83	96	*	*
55-59	71	50	14	38	70	33	*	*
60-64	56	45	32	30	46	33	*	*
65 or Older	28	19	5	10	28	16	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.43D Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2009 and 2010

Age Category	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.10	0.10	0.05	0.05	0.08	0.09	1.41	1.28
12	0.17	0.25	0.03	0.01	0.16	0.25	*	*
13	0.25	0.28	0.10	0.04	0.23	0.27	*	*
14	0.35	0.40	0.06	0.13	0.34	0.38	1.97	*
15	0.40	0.50	0.12	0.11	0.39	0.49	2.37	1.72
16	0.57	0.55	0.14	0.18	0.57	0.53	1.91	2.38
17	0.58	0.61	0.23	0.18	0.54	0.59	2.44	1.96
18	0.65	0.64	0.27	0.24	0.60	0.61	2.78	2.51
19	0.69	0.76	0.16	0.21	0.68	0.74	1.79	2.13
20	0.78	0.72	0.25	0.19	0.75	0.69	2.52	2.18
21	0.72	0.67	0.30	0.30	0.67	0.60	3.16	3.18
22	0.68	0.67	0.25	0.22	0.63	0.63	3.10	2.78
23	0.67	0.77	0.31	0.29	0.60	0.72	3.78	3.34
24	0.66	0.66	0.23	0.22	0.62	0.67	3.33	2.96
25	0.60	0.62	0.29	0.19	0.53	0.58	4.05	2.87
26-29	0.51	0.53	0.26	0.25	0.45	0.49	4.46	4.46
30-34	0.44	0.45	0.19	0.17	0.40	0.42	4.41	3.92
35-39	0.37	0.40	0.19	0.21	0.33	0.34	*	*
40-44	0.36	0.33	0.24	0.17	0.26	0.27	*	*
45-49	0.27	0.34	0.14	0.19	0.22	0.28	*	*
50-54	0.45	0.46	0.27	0.16	0.37	0.43	*	*
55-59	0.38	0.26	0.07	0.19	0.37	0.17	*	*
60-64	0.36	0.27	0.20	0.18	0.30	0.20	*	*
65 or Older	0.07	0.05	0.01	0.03	0.07	0.04	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.43P Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Age Category	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.9731		0.9970		0.9674		0.9843	
12	0.6122		0.1804		0.5107		*	
13	0.2478		0.2495		0.1199		*	
14	0.3892		0.3101		0.5391		*	
15	0.0490		0.5506		0.0296		0.2536	
16	0.9891		0.3827		0.8104		0.3698	
17	0.8374		0.1428		0.4703		0.1090	
18	0.9193		0.8877		0.9618		0.9051	
19	0.5596		0.3279		0.7255		0.4309	
20	0.2592		0.2548		0.4030		0.4288	
21	0.8492		0.6947		0.6783		0.6240	
22	0.8064		0.5260		0.9761		0.5529	
23	0.4882		0.4391		0.2695		0.2386	
24	0.3133		0.3734		0.1844		0.1684	
25	0.8464		0.4441		0.8996		0.4500	
26-29	0.7802		0.5567		0.9908		0.6146	
30-34	0.7490		0.6286		0.5655		0.4887	
35-39	0.8947		0.5603		0.8385		*	
40-44	0.5824		0.6361		0.7356		*	
45-49	0.1753		0.0715		0.6313		*	
50-54	0.8553		0.2273		0.6457		*	
55-59	0.0431		0.5276		0.0101		*	
60-64	0.6684		0.9692		0.6117		*	
65 or Older	0.5600		0.6279		0.4348		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.44C Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	244	263	127	115	212	230	1.41	1.28
AGE								
12-17	45	47	13	13	43	45	1.15	1.09
18-25	84	87	32	28	79	82	1.09	0.96
26 or Older	221	231	122	111	190	200	2.60	2.45
GENDER								
Male	207	204	108	91	182	185	1.84	1.67
Female	130	147	62	71	113	126	2.05	2.05
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	226	227	111	103	193	199	1.44	1.39
White	196	189	87	91	173	161	1.50	1.63
Black or African American	95	111	58	43	79	105	4.35	3.00
American Indian or Alaska Native	13	20	4	16	12	10	*	*
Native Hawaiian or Other Pacific Islander	6	2	2	1	6	2	*	*
Asian	32	38	5	5	31	37	*	*
Two or More Races	41	21	32	6	27	20	*	*
Hispanic or Latino	83	124	45	51	80	113	3.57	3.38

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.44D Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.10	0.10	0.05	0.05	0.08	0.09	1.41	1.28
AGE								
12-17	0.18	0.19	0.05	0.06	0.17	0.18	1.15	1.09
18-25	0.25	0.26	0.09	0.08	0.24	0.24	1.09	0.96
26 or Older	0.11	0.12	0.06	0.06	0.10	0.10	2.60	2.45
GENDER								
Male	0.17	0.17	0.09	0.07	0.15	0.15	1.84	1.67
Female	0.10	0.11	0.05	0.05	0.09	0.10	2.05	2.05
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.10	0.10	0.05	0.05	0.09	0.09	1.44	1.39
White	0.12	0.11	0.05	0.05	0.10	0.09	1.50	1.63
Black or African American	0.32	0.37	0.19	0.14	0.26	0.35	4.35	3.00
American Indian or Alaska Native	1.07	1.61	0.34	1.34	0.99	0.86	*	*
Native Hawaiian or Other Pacific Islander	0.78	0.33	0.25	0.19	0.73	0.26	*	*
Asian	0.29	0.33	0.04	0.04	0.29	0.33	*	*
Two or More Races	1.34	0.68	1.05	0.18	0.91	0.65	*	*
Hispanic or Latino	0.23	0.34	0.13	0.14	0.22	0.31	3.57	3.38

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.44P Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.9731		0.9970		0.9674		0.9843	
AGE								
12-17	0.1937		0.3941		0.1101		0.1851	
18-25	0.8246		0.5455		0.6430		0.4646	
26 or Older	0.6815		0.8049		0.5306		0.6009	
GENDER								
Male	0.2626		0.5216		0.3615		0.8184	
Female	0.1196		0.3420		0.2080		0.7080	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5499		0.8580		0.4278		0.6191	
White	0.2249		0.2592		0.0464		0.0563	
Black or African American	0.1625		0.2679		0.0318		0.0668	
American Indian or Alaska Native	0.8267		0.2385		0.3680		*	
Native Hawaiian or Other Pacific Islander	0.2309		0.8717		0.2330		*	
Asian	0.8414		0.3853		0.7472		*	
Two or More Races	0.1189		0.1470		0.4790		*	
Hispanic or Latino	0.2339		0.7055		0.1483		0.4278	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.45C Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Standard Errors of Numbers in Thousands		Standard Errors of Percentages		Standard Errors of Percentages		Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)		
TOTAL	238	255	125	114	207	222	1.63	1.48
GENDER								
Male	205	199	108	91	180	179	2.05	1.89
Female	124	142	61	70	108	120	2.48	2.48
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	220	221	110	102	188	193	1.62	1.59
White	194	181	85	90	172	154	1.70	1.85
Black or African American	96	114	59	43	79	106	4.89	3.33
American Indian or Alaska Native	12	20	4	16	11	10	*	*
Native Hawaiian or Other Pacific Islander	6	2	*	1	6	1	*	*
Asian	31	37	4	2	31	37	*	*
Two or More Races	41	20	31	4	27	19	*	*
Hispanic or Latino	82	118	44	51	79	108	4.52	*
EDUCATION								
< High School	132	141	57	68	120	121	2.84	3.30
High School Graduate	139	115	74	56	118	100	2.66	2.47
Some College	117	134	64	67	96	115	3.08	2.82
College Graduate	87	104	26	26	83	98	3.12	2.59
CURRENT EMPLOYMENT								
Full-Time	148	161	79	57	133	151	2.63	2.06
Part-Time	93	84	27	44	88	74	2.03	2.84
Unemployed	86	84	41	37	73	75	3.11	3.19
Other ¹	134	140	80	77	109	115	4.09	3.63

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.45D Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.10	0.11	0.06	0.05	0.09	0.10	1.63	1.48
GENDER								
Male	0.19	0.18	0.10	0.08	0.16	0.16	2.05	1.89
Female	0.11	0.12	0.05	0.06	0.09	0.10	2.48	2.48
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.11	0.11	0.06	0.05	0.10	0.10	1.62	1.59
White	0.12	0.12	0.06	0.06	0.11	0.10	1.70	1.85
Black or African American	0.36	0.42	0.22	0.16	0.30	0.39	4.89	3.33
American Indian or Alaska Native	1.11	1.83	0.37	1.50	1.03	0.96	*	*
Native Hawaiian or Other Pacific Islander	0.80	0.27	*	0.21	0.80	0.16	*	*
Asian	0.32	0.35	0.04	0.02	0.31	0.35	*	*
Two or More Races	1.61	0.77	1.27	0.15	1.08	0.75	*	*
Hispanic or Latino	0.26	0.37	0.14	0.16	0.25	0.34	4.52	*
EDUCATION								
< High School	0.38	0.40	0.17	0.19	0.34	0.35	2.84	3.30
High School Graduate	0.20	0.16	0.11	0.08	0.16	0.14	2.66	2.47
Some College	0.20	0.23	0.11	0.11	0.17	0.19	3.08	2.82
College Graduate	0.13	0.16	0.04	0.04	0.13	0.15	3.12	2.59
CURRENT EMPLOYMENT								
Full-Time	0.13	0.14	0.07	0.05	0.11	0.13	2.63	2.06
Part-Time	0.30	0.26	0.09	0.13	0.28	0.23	2.03	2.84
Unemployed	0.56	0.56	0.28	0.25	0.48	0.50	3.11	3.19
Other ¹	0.20	0.21	0.12	0.11	0.17	0.17	4.09	3.63

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.45P Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.7933		0.9255		0.7236		0.8152	
GENDER								
Male	0.2285		0.5769		0.2936		0.9376	
Female	0.1962		0.3208		0.3543		0.6284	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4433		0.8685		0.3257		0.5579	
White	0.1566		0.2911		0.0276		0.0474	
Black or African American	0.1818		0.2985		0.0396		0.0739	
American Indian or Alaska Native	0.5940		0.2481		0.6525		*	
Native Hawaiian or Other Pacific Islander	0.1902		*		0.1195		*	
Asian	0.8273		0.1406		0.7157		*	
Two or More Races	0.0998		0.1639		0.3812		*	
Hispanic or Latino	0.3030		0.8986		0.2488		*	
EDUCATION								
< High School	0.6577		0.9208		0.6492		0.8980	
High School Graduate	0.0416		0.2969		0.0787		0.8490	
Some College	0.1768		0.1875		0.4246		0.3792	
College Graduate	0.3907		0.9659		0.3755		0.8172	
CURRENT EMPLOYMENT								
Full-Time	0.6894		0.2395		0.9141		0.2616	
Part-Time	0.9181		0.0521		0.4559		0.0343	
Unemployed	0.3144		0.3141		0.5413		0.5595	
Other ¹	0.6521		0.4795		0.9557		0.5616	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.46C (REVISED) Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	244	264	124	116	213	231	1.39	1.28
GEOGRAPHIC DIVISION								
Northeast	102	120	73	65	87	96	3.88	3.39
New England	57	57	18	32	53	43	3.36	*
Middle Atlantic	85	105	71	56	68	87	5.26	4.24
Midwest	84	110	35	42	74	101	2.10	2.41
East North Central	70	100	33	35	63	94	2.50	2.83
West North Central	42	41	11	21	40	36	3.60	4.03
South	154	145	69	77	136	125	2.23	2.49
South Atlantic	126	109	62	59	107	92	3.61	3.50
East South Central	44	58	12	28	42	51	3.22	4.94
West South Central	78	75	27	32	73	68	2.92	3.95
West	127	142	59	44	112	132	2.62	2.00
Mountain	57	63	19	29	53	53	2.97	3.97
Pacific	114	127	56	34	100	120	3.55	2.25
COUNTY TYPE								
Large Metro	181	205	83	92	162	180	1.79	1.85
Small Metro	144	134	54	58	131	122	1.93	2.15
250K – 1 Mil. Pop.	121	118	40	50	111	108	2.13	2.52
< 250K Pop.	77	65	33	30	70	58	3.63	4.13
Nonmetro	85	94	72	43	66	82	5.20	3.40
Urbanized	54	68	53	33	47	58	*	5.07
Less Urbanized	67	67	46	29	49	59	*	5.12
Completely Rural	16	15	10	8	11	13	*	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.46D (REVISED) Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.10	0.10	0.05	0.05	0.08	0.09	1.39	1.28
GEOGRAPHIC DIVISION								
Northeast	0.22	0.26	0.16	0.14	0.19	0.21	3.88	3.39
New England	0.47	0.46	0.15	0.26	0.44	0.35	3.36	*
Middle Atlantic	0.25	0.31	0.21	0.16	0.20	0.25	5.26	4.24
Midwest	0.15	0.20	0.06	0.08	0.13	0.18	2.10	2.41
East North Central	0.18	0.26	0.08	0.09	0.16	0.24	2.50	2.83
West North Central	0.25	0.24	0.07	0.12	0.24	0.22	3.60	4.03
South	0.17	0.16	0.07	0.08	0.15	0.13	2.23	2.49
South Atlantic	0.26	0.22	0.13	0.12	0.22	0.19	3.61	3.50
East South Central	0.29	0.39	0.08	0.18	0.28	0.34	3.22	4.94
West South Central	0.27	0.26	0.10	0.11	0.26	0.24	2.92	3.95
West	0.22	0.24	0.10	0.08	0.19	0.22	2.62	2.00
Mountain	0.32	0.35	0.11	0.16	0.30	0.29	2.97	3.97
Pacific	0.28	0.31	0.14	0.08	0.25	0.30	3.55	2.25
COUNTY TYPE								
Large Metro	0.13	0.15	0.06	0.07	0.12	0.13	1.79	1.85
Small Metro	0.18	0.18	0.07	0.08	0.17	0.16	1.93	2.15
250K – 1 Mil. Pop.	0.24	0.23	0.08	0.10	0.22	0.21	2.13	2.52
< 250K Pop.	0.28	0.24	0.13	0.12	0.25	0.22	3.63	4.13
Nonmetro	0.20	0.22	0.18	0.10	0.15	0.19	5.20	3.40
Urbanized	0.28	0.38	0.29	0.19	0.25	0.32	*	5.07
Less Urbanized	0.35	0.32	0.24	0.14	0.25	0.29	*	5.12
Completely Rural	0.35	0.40	0.23	0.20	0.26	0.35	*	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.46P (REVISED) Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.9618		0.8885		0.9830		0.8902	
GEOGRAPHIC DIVISION								
Northeast	0.6972		0.6318		0.9131		0.6949	
New England	0.4529		0.1766		0.1098		*	
Middle Atlantic	0.9807		0.2805		0.3750		0.2075	
Midwest	0.3120		0.0747		0.7093		0.1498	
East North Central	0.9491		0.4171		0.7988		0.3980	
West North Central	0.0224		0.0123		0.1538		0.1250	
South	0.6295		0.6148		0.4016		0.4267	
South Atlantic	0.7252		0.8284		0.5801		0.6689	
East South Central	0.1214		0.0485		0.4041		0.1139	
West South Central	0.1282		0.5179		0.1761		0.9726	
West	0.8736		0.2923		0.5256		0.2153	
Mountain	0.9346		0.9926		0.9285		0.9766	
Pacific	0.8909		0.2297		0.5155		0.1665	
COUNTY TYPE								
Large Metro	0.6155		0.9224		0.5348		0.7429	
Small Metro	0.5511		0.2537		0.2380		0.1296	
250K – 1 Mil. Pop.	0.7407		0.0906		0.7224		0.0852	
< 250K Pop.	0.0783		0.6604		0.0846		0.8411	
Nonmetro	0.9560		0.5284		0.6512		0.4661	
Urbanized	0.5068		0.7850		0.2991		*	
Less Urbanized	0.6590		0.6231		0.8529		*	
Completely Rural	0.2875		0.3929		0.4765		*	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.47C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2009)	Needed but Did Not Receive Treatment¹ (2010)	Felt Need for Treatment² (2009)	Felt Need for Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2009)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2009)	Felt Need and Made No Effort to Get Treatment² (2010)	Did Not Feel Need for Treatment² (2009)	Did Not Feel Need for Treatment² (2010)
TOTAL	216	229	64	73	41	66	45	32	208	215
AGE										
12-17	44	47	9	10	6	6	7	7	44	46
18-25	86	89	16	17	10	8	12	15	84	86
26 or Older	194	199	61	71	39	65	43	27	186	185
GENDER										
Male	186	185	58	68	36	64	42	24	177	171
Female	113	125	27	26	20	15	17	21	109	120

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.47D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2009)	Needed but Did Not Receive Treatment¹ (2010)	Felt Need for Treatment² (2009)	Felt Need for Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2009)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2009)	Felt Need and Made No Effort to Get Treatment² (2010)	Did Not Feel Need for Treatment² (2009)	Did Not Feel Need for Treatment² (2010)
TOTAL	0.00	0.00	0.97	1.10	0.63	1.01	0.69	0.49	0.97	1.10
AGE										
12-17	0.00	0.00	0.92	0.89	0.62	0.59	0.68	0.67	0.92	0.89
18-25	0.00	0.00	0.65	0.67	0.43	0.32	0.49	0.60	0.65	0.67
26 or Older	0.00	0.00	1.96	2.31	1.27	2.19	1.38	0.93	1.96	2.31
GENDER										
Male	0.00	0.00	1.33	1.63	0.83	1.56	0.97	0.59	1.33	1.63
Female	0.00	0.00	1.19	1.06	0.89	0.64	0.80	0.87	1.19	1.06

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.47P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2009)	Needed but Did Not Receive Treatment¹ (2010)	Felt Need for Treatment² (2009)	Felt Need for Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2009)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2009)	Felt Need and Made No Effort to Get Treatment² (2010)	Did Not Feel Need for Treatment² (2009)	Did Not Feel Need for Treatment² (2010)
TOTAL	N/A		0.2881		0.9970		0.0676		0.2881	
AGE										
12-17	N/A		0.7962		0.7020		1.0000		0.7962	
18-25	N/A		0.9936		0.5061		0.6418		0.9936	
26 or Older	N/A		0.2885		0.8938		0.0319		0.2885	
GENDER										
Male	N/A		0.3468		0.8633		0.0451		0.3468	
Female	N/A		0.6583		0.6717		0.8356		0.6583	

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.