

Table 5.48C Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	427	416	128	125	408	400	0.63	0.65
AGE								
12-17	50	50	13	11	47	48	1.06	0.97
18-25	117	126	29	29	114	123	0.51	0.52
26 or Older	404	392	125	121	382	374	0.93	0.96
GENDER								
Male	355	336	112	103	341	323	0.85	0.82
Female	241	231	67	69	228	224	0.95	1.05
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	387	382	117	114	364	364	0.68	0.70
White	338	362	100	102	320	344	0.72	0.75
Black or African American	160	132	65	46	147	122	2.62	2.33
American Indian or Alaska Native	28	29	5	7	26	28	2.97	3.77
Native Hawaiian or Other Pacific Islander	15	10	*	1	15	10	*	*
Asian	41	53	4	11	41	52	1.45	*
Two or More Races	46	32	9	11	44	30	2.55	*
Hispanic or Latino	191	180	48	51	189	174	1.50	1.69

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.48D Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.17	0.16	0.05	0.05	0.16	0.16	0.63	0.65
AGE								
12-17	0.20	0.20	0.05	0.05	0.19	0.20	1.06	0.97
18-25	0.35	0.37	0.09	0.08	0.34	0.36	0.51	0.52
26 or Older	0.21	0.20	0.06	0.06	0.20	0.19	0.93	0.96
GENDER								
Male	0.29	0.27	0.09	0.08	0.28	0.26	0.85	0.82
Female	0.19	0.18	0.05	0.05	0.18	0.17	0.95	1.05
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.18	0.18	0.05	0.05	0.17	0.17	0.68	0.70
White	0.20	0.21	0.06	0.06	0.19	0.20	0.72	0.75
Black or African American	0.53	0.44	0.22	0.15	0.49	0.40	2.62	2.33
American Indian or Alaska Native	1.91	2.39	0.44	0.57	1.79	2.29	2.97	3.77
Native Hawaiian or Other Pacific Islander	1.82	1.40	*	0.19	1.82	1.34	*	*
Asian	0.37	0.43	0.04	0.10	0.37	0.42	1.45	*
Two or More Races	1.45	1.05	0.29	0.34	1.41	0.99	2.55	*
Hispanic or Latino	0.53	0.49	0.13	0.14	0.52	0.47	1.50	1.69

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.48P Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.1239		0.4423		0.1675		0.7448	
AGE								
12-17	0.7174		0.1462		0.9911		0.1545	
18-25	0.3480		0.2824		0.4756		0.3844	
26 or Older	0.1775		0.6935		0.1932		0.9536	
GENDER								
Male	0.2275		0.3486		0.3351		0.5564	
Female	0.3128		0.9728		0.2876		0.7506	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2590		0.4550		0.3366		0.6643	
White	0.8407		0.8626		0.8713		0.9049	
Black or African American	0.0201		0.2041		0.0520		0.5828	
American Indian or Alaska Native	0.7722		0.7312		0.8225		0.8150	
Native Hawaiian or Other Pacific Islander	0.7985		*		0.8612		*	
Asian	0.3034		0.4417		0.3596		*	
Two or More Races	0.0452		0.5779		0.0521		*	
Hispanic or Latino	0.2336		0.8552		0.2439		0.8974	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.49C Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	422	414	128	124	402	398	0.67	0.68
GENDER								
Male	354	334	112	102	339	321	0.88	0.84
Female	237	228	66	69	224	221	1.04	1.16
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	383	380	118	113	360	362	0.72	0.73
White	352	383	100	102	333	364	0.77	0.79
Black or African American	170	136	66	46	155	126	2.74	2.43
American Indian or Alaska Native	28	28	5	7	26	28	3.12	*
Native Hawaiian or Other Pacific Islander	15	10	*	1	15	9	*	*
Asian	40	52	4	11	40	51	1.55	*
Two or More Races	45	31	8	11	44	29	2.55	*
Hispanic or Latino	189	178	47	51	187	172	1.64	1.84
EDUCATION								
< High School	200	171	61	66	193	161	1.73	2.24
High School Graduate	234	212	86	66	215	202	1.51	1.29
Some College	215	245	62	77	208	233	1.20	1.35
College Graduate	239	248	45	24	235	248	0.99	0.55
CURRENT EMPLOYMENT								
Full-Time	336	312	74	66	323	302	0.71	0.71
Part-Time	142	164	47	46	136	157	1.49	1.46
Unemployed	144	120	56	34	131	115	2.53	1.82
Other ¹	193	236	71	91	178	215	2.07	2.29

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.49D Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.19	0.18	0.06	0.05	0.18	0.17	0.67	0.68
GENDER								
Male	0.32	0.30	0.10	0.09	0.31	0.29	0.88	0.84
Female	0.20	0.19	0.06	0.06	0.19	0.19	1.04	1.16
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.19	0.06	0.06	0.18	0.18	0.72	0.73
White	0.22	0.23	0.06	0.07	0.20	0.22	0.77	0.79
Black or African American	0.60	0.49	0.25	0.17	0.56	0.46	2.74	2.43
American Indian or Alaska Native	2.17	2.65	0.50	0.64	2.02	2.53	3.12	*
Native Hawaiian or Other Pacific Islander	2.03	1.52	*	0.21	2.03	1.45	*	*
Asian	0.40	0.48	0.04	0.10	0.40	0.46	1.55	*
Two or More Races	1.75	1.23	0.32	0.40	1.70	1.16	2.55	*
Hispanic or Latino	0.61	0.56	0.15	0.16	0.60	0.54	1.64	1.84
EDUCATION								
< High School	0.57	0.49	0.18	0.19	0.55	0.46	1.73	2.24
High School Graduate	0.32	0.29	0.12	0.09	0.30	0.27	1.51	1.29
Some College	0.36	0.40	0.11	0.13	0.35	0.38	1.20	1.35
College Graduate	0.34	0.34	0.07	0.04	0.34	0.34	0.99	0.55
CURRENT EMPLOYMENT								
Full-Time	0.28	0.26	0.06	0.06	0.27	0.25	0.71	0.71
Part-Time	0.44	0.47	0.15	0.14	0.42	0.46	1.49	1.46
Unemployed	0.90	0.77	0.37	0.23	0.83	0.74	2.53	1.82
Other ¹	0.29	0.34	0.11	0.14	0.27	0.31	2.07	2.29

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.49P Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	0.1274		0.5240		0.1593		0.8531	
GENDER								
Male	0.2341		0.4431		0.3174		0.6797	
Female	0.3103		0.9933		0.2868		0.7633	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2230		0.4951		0.2814		0.7421	
White	0.8022		0.9035		0.8181		0.9625	
Black or African American	0.0169		0.1948		0.0456		0.5810	
American Indian or Alaska Native	0.7917		0.7555		0.8373		*	
Native Hawaiian or Other Pacific Islander	0.9933		*		0.9394		*	
Asian	0.3318		0.4893		0.3858		*	
Two or More Races	0.0377		0.9519		0.0320		*	
Hispanic or Latino	0.3285		0.9972		0.3212		0.8040	
EDUCATION								
< High School	0.0082		0.9545		0.0058		0.2649	
High School Graduate	0.2100		0.6731		0.2343		0.9666	
Some College	0.3512		0.5016		0.4536		0.6706	
College Graduate	0.6341		0.0080		0.9670		0.0095	
CURRENT EMPLOYMENT								
Full-Time	0.0348		0.4655		0.0426		0.8292	
Part-Time	0.4803		0.9858		0.4678		0.8519	
Unemployed	0.2354		0.0408		0.6298		0.0758	
Other ¹	0.1862		0.4026		0.2751		0.7282	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.50C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2009)	Needed but Did Not Receive Treatment¹ (2010)	Felt Need for Treatment² (2009)	Felt Need for Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2009)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2009)	Felt Need and Made No Effort to Get Treatment² (2010)	Did Not Feel Need for Treatment² (2009)	Did Not Feel Need for Treatment² (2010)
TOTAL	427	434	79	89	53	45	59	77	415	426
AGE										
12-17	48	51	6	6	3	3	5	5	47	51
18-25	141	148	17	16	10	11	15	11	140	146
26 or Older	393	401	77	87	52	44	58	76	380	392
GENDER										
Male	353	350	74	72	50	35	55	63	342	346
Female	235	230	29	52	18	28	23	45	234	221

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.50D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2009)	Needed but Did Not Receive Treatment¹ (2010)	Felt Need for Treatment² (2009)	Felt Need for Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2009)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2009)	Felt Need and Made No Effort to Get Treatment² (2010)	Did Not Feel Need for Treatment² (2009)	Did Not Feel Need for Treatment² (2010)
TOTAL	0.00	0.00	0.44	0.51	0.30	0.26	0.33	0.45	0.44	0.51
AGE										
12-17	0.00	0.00	0.55	0.52	0.31	0.25	0.46	0.45	0.55	0.52
18-25	0.00	0.00	0.33	0.31	0.19	0.22	0.28	0.22	0.33	0.31
26 or Older	0.00	0.00	0.65	0.79	0.45	0.40	0.49	0.69	0.65	0.79
GENDER										
Male	0.00	0.00	0.63	0.64	0.43	0.32	0.47	0.57	0.63	0.64
Female	0.00	0.00	0.48	0.86	0.30	0.47	0.37	0.74	0.48	0.86

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.50P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2009)	Needed but Did Not Receive Treatment¹ (2010)	Felt Need for Treatment² (2009)	Felt Need for Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2009)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2009)	Felt Need and Made No Effort to Get Treatment² (2010)	Did Not Feel Need for Treatment² (2009)	Did Not Feel Need for Treatment² (2010)
TOTAL	N/A		0.6831		0.6399		0.4169		0.6831	
AGE										
12-17	N/A		0.3171		0.6514		0.3738		0.3171	
18-25	N/A		0.1797		0.9606		0.0988		0.1797	
26 or Older	N/A		0.4264		0.6807		0.2152		0.4264	
GENDER										
Male	N/A		0.7508		0.3027		0.7179		0.7508	
Female	N/A		0.1797		0.3604		0.3277		0.1797	

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.