

**Table 5.51C Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	472	475	169	154	439	452	0.67	0.64
<b>AGE</b>								
12-17	58	61	16	16	56	58	0.84	0.83
18-25	128	140	39	37	124	136	0.54	0.52
26 or Older	446	438	163	147	411	415	1.01	0.98
<b>GENDER</b>								
Male	387	371	146	123	366	359	0.90	0.79
Female	266	265	82	92	248	248	0.94	1.07
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	426	439	151	141	389	414	0.70	0.69
White	369	396	129	126	343	370	0.76	0.75
Black or African American	171	164	73	57	154	154	2.34	2.00
American Indian or Alaska Native	30	30	8	17	27	24	3.59	*
Native Hawaiian or Other Pacific Islander	16	10	2	1	15	10	*	*
Asian	51	67	5	12	51	66	1.26	2.52
Two or More Races	60	37	32	12	50	35	*	3.47
Hispanic or Latino	199	205	61	61	195	199	1.58	1.58

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.51D Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	0.19	0.19	0.07	0.06	0.17	0.18	0.67	0.64
<b>AGE</b>								
12-17	0.24	0.25	0.06	0.07	0.23	0.24	0.84	0.83
18-25	0.38	0.41	0.12	0.11	0.37	0.40	0.54	0.52
26 or Older	0.23	0.22	0.08	0.08	0.21	0.21	1.01	0.98
<b>GENDER</b>								
Male	0.32	0.30	0.12	0.10	0.30	0.29	0.90	0.79
Female	0.21	0.20	0.06	0.07	0.19	0.19	0.94	1.07
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.20	0.20	0.07	0.07	0.18	0.19	0.70	0.69
White	0.22	0.23	0.08	0.07	0.20	0.22	0.76	0.75
Black or African American	0.57	0.54	0.24	0.19	0.51	0.51	2.34	2.00
American Indian or Alaska Native	2.05	2.45	0.64	1.42	1.85	1.99	3.59	*
Native Hawaiian or Other Pacific Islander	1.95	1.45	0.25	0.19	1.92	1.38	*	*
Asian	0.47	0.56	0.04	0.11	0.47	0.55	1.26	2.52
Two or More Races	1.85	1.24	1.06	0.37	1.59	1.16	*	3.47
Hispanic or Latino	0.55	0.56	0.17	0.16	0.54	0.54	1.58	1.58

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.51P Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	0.3681		0.7660		0.3904		1.0000	
<b>AGE</b>								
12-17	0.4640		0.6327		0.3681		0.4548	
18-25	0.6933		0.3022		0.9119		0.3353	
26 or Older	0.3185		0.9827		0.2864		0.7033	
<b>GENDER</b>								
Male	0.3545		0.2941		0.5536		0.4336	
Female	0.7560		0.2919		0.4845		0.2201	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.4297		0.8223		0.4370		0.9586	
White	0.6703		0.7267		0.5592		0.5910	
Black or African American	0.4975		0.2953		0.7771		0.3839	
American Indian or Alaska Native	0.8183		0.2585		0.7384		*	
Native Hawaiian or Other Pacific Islander	0.8857		0.8717		0.8660		*	
Asian	0.4591		0.3948		0.5338		0.4914	
Two or More Races	0.0263		0.2350		0.0678		*	
Hispanic or Latino	0.6413		0.8208		0.6861		0.9201	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.52C Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	467	469	168	152	434	446	0.72	0.68
<b>GENDER</b>								
Male	386	366	146	122	364	354	0.95	0.83
Female	260	260	81	91	243	243	1.04	1.20
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	422	433	151	140	386	409	0.75	0.73
White	389	415	128	124	365	391	0.81	0.80
Black or African American	184	173	74	57	163	160	2.49	2.13
American Indian or Alaska Native	29	29	8	17	27	23	*	*
Native Hawaiian or Other Pacific Islander	15	10	*	1	15	9	*	*
Asian	50	66	4	11	50	65	1.22	*
Two or More Races	60	35	32	11	50	34	*	*
Hispanic or Latino	196	201	60	60	192	195	1.78	1.76
<b>EDUCATION</b>								
< High School	219	209	78	81	209	194	1.74	1.96
High School Graduate	254	228	99	77	231	217	1.39	1.21
Some College	240	275	91	94	223	258	1.41	1.36
College Graduate	257	263	50	36	253	259	1.01	0.74
<b>CURRENT EMPLOYMENT</b>								
Full-Time	361	345	95	76	345	335	0.80	0.71
Part-Time	159	174	51	64	153	164	1.34	1.60
Unemployed	154	143	65	48	137	134	2.23	1.83
Other <sup>1</sup>	223	260	105	105	199	236	2.26	2.06

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.52D Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	0.21	0.20	0.07	0.07	0.19	0.19	0.72	0.68
<b>GENDER</b>								
Male	0.35	0.33	0.13	0.11	0.33	0.32	0.95	0.83
Female	0.22	0.22	0.07	0.08	0.21	0.21	1.04	1.20
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.22	0.22	0.08	0.07	0.20	0.21	0.75	0.73
White	0.24	0.25	0.08	0.08	0.22	0.23	0.81	0.80
Black or African American	0.65	0.62	0.28	0.21	0.58	0.57	2.49	2.13
American Indian or Alaska Native	2.29	2.73	0.70	1.60	2.07	2.17	*	*
Native Hawaiian or Other Pacific Islander	2.15	1.54	*	0.21	2.15	1.46	*	*
Asian	0.51	0.61	0.04	0.11	0.51	0.60	1.22	*
Two or More Races	2.22	1.41	1.28	0.42	1.91	1.34	*	*
Hispanic or Latino	0.63	0.63	0.19	0.19	0.62	0.61	1.78	1.76
<b>EDUCATION</b>								
< High School	0.63	0.59	0.23	0.23	0.60	0.55	1.74	1.96
High School Graduate	0.35	0.31	0.14	0.11	0.32	0.29	1.39	1.21
Some College	0.40	0.44	0.16	0.16	0.37	0.42	1.41	1.36
College Graduate	0.37	0.36	0.08	0.05	0.37	0.36	1.01	0.74
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.30	0.28	0.08	0.07	0.28	0.28	0.80	0.71
Part-Time	0.49	0.51	0.16	0.19	0.47	0.48	1.34	1.60
Unemployed	0.94	0.91	0.43	0.33	0.86	0.85	2.23	1.83
Other <sup>1</sup>	0.33	0.38	0.16	0.16	0.30	0.34	2.26	2.06

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.52P Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	0.3086		0.7929		0.3196		0.9281	
<b>GENDER</b>								
Male	0.3190		0.3260		0.4898		0.4955	
Female	0.6733		0.3099		0.4194		0.2185	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.3407		0.8064		0.3450		0.9207	
White	0.5873		0.7389		0.4821		0.5703	
Black or African American	0.4267		0.2821		0.6906		0.3933	
American Indian or Alaska Native	0.7567		0.2745		0.8230		*	
Native Hawaiian or Other Pacific Islander	0.8962		*		0.8275		*	
Asian	0.4299		0.4575		0.4881		*	
Two or More Races	0.0152		0.2543		0.0373		*	
Hispanic or Latino	0.6967		0.9290		0.7131		0.9850	
<b>EDUCATION</b>								
< High School	0.0816		0.9484		0.0695		0.5017	
High School Graduate	0.1613		0.5015		0.2132		0.8451	
Some College	0.2661		0.2935		0.4415		0.4658	
College Graduate	0.7114		0.0916		0.9532		0.1032	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.0635		0.3219		0.0934		0.6277	
Part-Time	0.8503		0.1778		0.4789		0.1389	
Unemployed	0.4312		0.1303		0.8315		0.1939	
Other <sup>1</sup>	0.2096		0.6802		0.2358		0.8966	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.53C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment<sup>1</sup> (2009)</b>	<b>Needed but Did Not Receive Treatment<sup>1</sup> (2010)</b>	<b>Felt Need for Treatment<sup>2</sup> (2009)</b>	<b>Felt Need for Treatment<sup>2</sup> (2010)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>2</sup> (2009)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>2</sup> (2010)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>2</sup> (2009)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>2</sup> (2010)</b>	<b>Did Not Feel Need for Treatment<sup>2</sup> (2009)</b>	<b>Did Not Feel Need for Treatment<sup>2</sup> (2010)</b>
<b>TOTAL</b>	464	488	96	114	62	75	74	86	451	472
<b>AGE</b>										
12-17	58	63	11	11	6	7	9	8	58	62
18-25	158	167	23	22	14	13	18	18	155	163
26 or Older	427	443	93	111	60	74	71	83	413	425
<b>GENDER</b>										
Male	385	389	88	99	56	69	68	72	372	379
Female	257	254	40	55	25	31	30	46	253	243

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.53D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Needed but Did Not Receive Treatment <sup>1</sup> (2009)	Needed but Did Not Receive Treatment <sup>1</sup> (2010)	Felt Need for Treatment <sup>2</sup> (2009)	Felt Need for Treatment <sup>2</sup> (2010)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2009)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2010)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2009)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2010)	Did Not Feel Need for Treatment <sup>2</sup> (2009)	Did Not Feel Need for Treatment <sup>2</sup> (2010)
<b>TOTAL</b>	0.00	0.00	0.45	0.54	0.29	0.36	0.35	0.41	0.45	0.54
<b>AGE</b>										
12-17	0.00	0.00	0.65	0.64	0.37	0.43	0.53	0.48	0.65	0.64
18-25	0.00	0.00	0.35	0.34	0.21	0.21	0.28	0.27	0.35	0.34
26 or Older	0.00	0.00	0.69	0.86	0.46	0.58	0.53	0.65	0.69	0.86
<b>GENDER</b>										
Male	0.00	0.00	0.63	0.72	0.41	0.51	0.49	0.53	0.63	0.72
Female	0.00	0.00	0.53	0.74	0.34	0.42	0.41	0.63	0.53	0.74

\*Low precision; no estimate reported.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.53P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Needed but Did Not Receive Treatment <sup>1</sup> (2009)	Needed but Did Not Receive Treatment <sup>1</sup> (2010)	Felt Need for Treatment <sup>2</sup> (2009)	Felt Need for Treatment <sup>2</sup> (2010)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2009)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2010)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2009)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2010)	Did Not Feel Need for Treatment <sup>2</sup> (2009)	Did Not Feel Need for Treatment <sup>2</sup> (2010)
<b>TOTAL</b>	N/A		0.8875		0.8071		0.9792		0.8875	
<b>AGE</b>										
12-17	N/A		0.8773		0.2564		0.4493		0.8773	
18-25	N/A		0.3974		0.7393		0.4195		0.3974	
26 or Older	N/A		0.9360		0.7890		0.7362		0.9360	
<b>GENDER</b>										
Male	N/A		0.4797		0.5270		0.7118		0.4797	
Female	N/A		0.2845		0.4100		0.4759		0.2845	

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.