

Table 6.19A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2009 and 2010

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2009	2010	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS¹	10,854	10,650	2,291	2,487	6,439	7,039	2,229	2,446
Marijuana and Hashish	9,041	8,954	1,709	1,864	4,952	5,347	1,017	1,207
Cocaine	1,249	1,091	69	117	287	205	32	53
Crack	403	275	47	53	21	31	22	19
Heroin	117	166	57	47	18	*	*	24
Hallucinogens	830	839	57	65	307	237	64	68
LSD	127	111	12	8	11	30	8	*
PCP	44 ^a	7	1	1	6	*	*	23
Ecstasy	513	497	28	38	195	136	23	24
Inhalants	197	225	44	20	144	250	175	191
Nonmedical Use of Psychotherapeutics ^{2,3}	3,284	3,064	763	775	1,831	2,010	1,076	1,118
Pain Relievers	2,473	2,345	610	536	1,302	1,385	872	835
OxyContin [®]	314	357	126	130	52	60	18	17
Tranquilizers	1,004	1,091	271	288	576	552	158	229
Stimulants ³	842 ^b	590	140	121	245	249	63	116
Methamphetamine ³	343 ^b	181	74	59	72	71	13	41
Sedatives	183	124	50	24	77	102	61	123
ILLCIT DRUGS OTHER THAN MARIJUANA¹	4,601	4,302	888	914	2,351	2,452	1,317	1,349

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.19B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2009 and 2010

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2009	2010	2009	2010	2009	2010	2009	2010
ILLICIT DRUGS¹	27.6	27.6	11.9	12.6	7.1	7.6	2.2	2.4
Marijuana and Hashish	23.0	23.2	8.9	9.5	5.4	5.8	1.0	1.2
Cocaine	3.2	2.8	0.4	0.6	0.3	0.2	0.0	0.1
Crack	1.0	0.7	0.2	0.3	0.0	0.0	0.0	0.0
Heroin	0.3	0.4	0.3	0.2	0.0	*	*	0.0
Hallucinogens	2.1	2.2	0.3	0.3	0.3	0.3	0.1	0.1
LSD	0.3	0.3	0.1	0.0	0.0	0.0	0.0	*
PCP	0.1 ^a	0.0	0.0	0.0	0.0	*	*	0.0
Ecstasy	1.3	1.3	0.1	0.2	0.2	0.1	0.0	0.0
Inhalants	0.5	0.6	0.2	0.1	0.2	0.3	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	8.3	8.0	4.0	3.9	2.0	2.2	1.1	1.1
Pain Relievers	6.3	6.1	3.2	2.7	1.4	1.5	0.9	0.8
OxyContin [®]	0.8	0.9	0.7	0.7	0.1	0.1	0.0	0.0
Tranquilizers	2.6	2.8	1.4	1.5	0.6	0.6	0.2	0.2
Stimulants ³	2.1 ^a	1.5	0.7	0.6	0.3	0.3	0.1	0.1
Methamphetamine ³	0.9 ^a	0.5	0.4	0.3	0.1	0.1	0.0	0.0
Sedatives	0.5	0.3	0.3	0.1	0.1	0.1	0.1	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	11.7	11.2	4.6	4.6	2.6	2.6	1.3	1.3

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.20A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2009 and 2010

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2009	2010	2009	2010	2009	2010	2009	2010
ILLICIT DRUGS¹	863	801	293	273	523	591	792	802
Marijuana and Hashish	784	728	254	212	391 ^a	478	370	378
Cocaine	43	47	7	5	14	6	5	3
Crack	8	3	*	*	*	0	*	*
Heroin	7	4	4	*	1	2	1	2
Hallucinogens	136	132	17	17	33	33	31	34
LSD	23	32	4	3	3	7	5	3
PCP	10	2	*	0	1	1	2	3
Ecstasy	78	79	4	8	14	20	19	17
Inhalants	46	47	16	16	61	47	122	153
Nonmedical Use of Psychotherapeutics ^{2,3}	284	232	53	75	111	128	324	290
Pain Relievers	231	196	43	61	95	108	284	245
OxyContin [®]	49	30	9	6	6	3	5	7
Tranquilizers	96	66	6	22	18	16	23	29
Stimulants ³	75	57	15 ^a	3	13	19	26	29
Methamphetamine ³	23	13	5	2	1	6	6	4
Sedatives	12	12	9	3	3	3	16	16
ILLICIT DRUGS OTHER THAN MARIJUANA¹	373	347	85	99	195	195	466	454

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.20B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Percentages, 2009 and 2010

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2009	2010	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS¹	63.9	65.5	34.9	33.7	23.0 ^b	28.3	3.9	4.0
Marijuana and Hashish	58.0	59.6	30.3	26.2	17.2 ^b	22.9	1.8	1.9
Cocaine	3.2	3.9	0.8	0.6	0.6	0.3	0.0	0.0
Crack	0.6	0.3	*	*	*	0.0	*	*
Heroin	0.5	0.3	0.5	*	0.0	0.1	0.0	0.0
Hallucinogens	10.0	10.8	2.1	2.1	1.5	1.6	0.2	0.2
LSD	1.7	2.6	0.5	0.4	0.1	0.3	0.0	0.0
PCP	0.7	0.2	*	0.0	0.0	0.0	0.0	0.0
Ecstasy	5.8	6.5	0.5	1.0	0.6	1.0	0.1	0.1
Inhalants	3.4	3.9	1.9	2.0	2.7	2.2	0.6	0.8
Nonmedical Use of Psychotherapeutics ^{2,3}	21.0	19.0	6.3	9.2	4.9	6.1	1.6	1.4
Pain Relievers	17.1	16.0	5.2	7.6	4.2	5.2	1.4	1.2
OxyContin [®]	3.6	2.4	1.0	0.8	0.3	0.2	0.0	0.0
Tranquilizers	7.1	5.4	0.8 ^a	2.7	0.8	0.8	0.1	0.1
Stimulants ³	5.6	4.6	1.7 ^a	0.4	0.6	0.9	0.1	0.1
Methamphetamine ³	1.7	1.1	0.6	0.2	0.0	0.3	0.0	0.0
Sedatives	0.9	1.0	1.0	0.4	0.1	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	27.6	28.4	10.1	12.3	8.6	9.3	2.3	2.2

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.21A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2009 and 2010

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2009	2010	2009	2010	2009	2010	2009	2010
ILLICIT DRUGS¹	4,236	4,120	525	613	1,972	2,124	390	471
Marijuana and Hashish	3,732	3,645	429	507	1,696	1,805	225 ^b	334
Cocaine	381	405	8	19	68	68	6	5
Crack	32	65	1	3	4	4	2	*
Heroin	44	80	18	7	1	1	2	1
Hallucinogens	432	494	36	33	139	135	11	11
LSD	78	75	7	5	7	23	4	1
PCP	*	5	1	*	3	*	*	*
Ecstasy	272	301	20	20	83	77	3	7
Inhalants	95	91	20	4	24	27	9	12
Nonmedical Use of Psychotherapeutics ^{2,3}	1,359	1,212	150	198	438	451	172	141
Pain Relievers	1,021	938	110	149	315	322	154	110
OxyContin [®]	137	170	11 ^b	43	17	15	10	9
Tranquilizers	413	417	45	40	129	96	28	13
Stimulants ³	321	252	25	41	67	96	8	21
Methamphetamine ³	79	65	0 ^a	9	2	9	2	1
Sedatives	57 ^a	24	*	5	15	14	3	14
ILLICIT DRUGS OTHER THAN MARIJUANA¹	1,825	1,716	184	227	592	609	193	158

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.21B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Percentages, 2009 and 2010

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2009	2010	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS¹	44.7	45.1	20.7	24.2	17.5	18.0	3.8	4.5
Marijuana and Hashish	39.3	39.9	16.9	20.0	15.0	15.3	2.2 ^b	3.2
Cocaine	4.0	4.4	0.3	0.7	0.6	0.6	0.1	0.0
Crack	0.3	0.7	0.1	0.1	0.0	0.0	0.0	*
Heroin	0.5 ^a	0.9	0.7	0.3	0.0	0.0	0.0	0.0
Hallucinogens	4.6	5.4	1.4	1.3	1.2	1.1	0.1	0.1
LSD	0.8	0.8	0.3	0.2	0.1	0.2	0.0	0.0
PCP	*	0.1	0.0	*	0.0	*	*	*
Ecstasy	2.9	3.3	0.8	0.8	0.7	0.7	0.0	0.1
Inhalants	1.0	1.0	0.8	0.1	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	14.3	13.3	5.9	7.8	3.9	3.8	1.7	1.3
Pain Relievers	10.8	10.3	4.3	5.9	2.8	2.7	1.5	1.0
OxyContin [®]	1.4	1.9	0.4 ^b	1.7	0.2	0.1	0.1	0.1
Tranquilizers	4.4	4.6	1.8	1.6	1.1	0.8	0.3	0.1
Stimulants ³	3.4	2.8	1.0	1.6	0.6	0.8	0.1	0.2
Methamphetamine ³	0.8	0.7	0.0 ^a	0.3	0.0	0.1	0.0	0.0
Sedatives	0.6 ^a	0.3	*	0.2	0.1	0.1	0.0	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	19.2	18.8	7.2	9.0	5.2	5.2	1.9	1.5

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.22A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2009 and 2010

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2009	2010	2009	2010	2009	2010	2009	2010
ILLICIT DRUGS¹	5,755	5,730	1,472	1,601	3,944	4,324	1,047	1,173
Marijuana and Hashish	4,525	4,582	1,026	1,145	2,865	3,065	422	495
Cocaine	825	639	54	94	205	131	22	46
Crack	363	208	46	50	16	26	20	19
Heroin	65	82	35	39	16	*	*	20
Hallucinogens	262	213	4	15	135	69	22	23
LSD	25	4	*	*	*	*	*	*
PCP	34	*	*	*	*	*	*	20
Ecstasy	164	117	4	10	99	38	*	*
Inhalants	56	86	8	*	59	175	44	26
Nonmedical Use of Psychotherapeutics ^{2,3}	1,640	1,620	560	502	1,282	1,432	581	686
Pain Relievers	1,221	1,212	456	325	892	955	434	479
OxyContin [®]	128	157	106	80	29	42	*	*
Tranquilizers	495	607	219	226	429	441	107	187
Stimulants ³	445	281	101	77	165	135	30	67
Methamphetamine ³	241 ^a	103	68	49	69	57	5	36
Sedatives	114	88	32	16	58	85	42	93
ILLICIT DRUGS OTHER THAN MARIJUANA¹	2,403	2,238	619	588	1,564	1,648	658	737

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.22B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2009 and 2010

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2009	2010	2009	2010	2009	2010	2009	2010
ILLICIT DRUGS¹	20.2	20.3	9.3	9.8	5.1	5.5	1.5	1.6
Marijuana and Hashish	15.9	16.3	6.4	7.0	3.7	3.9	0.6	0.7
Cocaine	2.9	2.3	0.3	0.6	0.3	0.2	0.0	0.1
Crack	1.3	0.7	0.3	0.3	0.0	0.0	0.0	0.0
Heroin	0.2	0.3	0.2	0.2	0.0	*	*	0.0
Hallucinogens	0.9	0.8	0.0	0.1	0.2	0.1	0.0	0.0
LSD	0.1	0.0	*	*	*	*	*	*
PCP	0.1	*	*	*	*	*	*	0.0
Ecstasy	0.6	0.4	0.0	0.1	0.1	0.0	*	*
Inhalants	0.2	0.3	0.1	*	0.1	0.2	0.1	0.0
Nonmedical Use of Psychotherapeutics ^{2,3}	5.7	5.7	3.5	3.1	1.7	1.8	0.8	1.0
Pain Relievers	4.3	4.3	2.9	2.0	1.1	1.2	0.6	0.7
OxyContin [®]	0.4	0.6	0.7	0.5	0.0	0.1	*	*
Tranquilizers	1.7	2.2	1.4	1.4	0.6	0.6	0.2	0.3
Stimulants ³	1.6	1.0	0.6	0.5	0.2	0.2	0.0	0.1
Methamphetamine ³	0.8 ^a	0.4	0.4	0.3	0.1	0.1	0.0	0.0
Sedatives	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	8.4	7.9	3.9	3.6	2.0	2.1	0.9	1.0

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.23A Illicit Drug Use in the Past Month, by Past Month Cigarette Use, Levels of Past Month Alcohol Use, and Age Group: Numbers in Thousands, 2009 and 2010

Cigarette Use/Level of Alcohol Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
TOTAL	21,813	22,622	2,471	2,466	7,124	7,328	12,218	12,828
Heavy Alcohol Use ¹	5,687	5,385	362 ^a	289	2,293	2,260	3,032	2,836
Binge Alcohol Use But Not Heavy Use ¹	7,597	7,366	697	740	2,911	2,737	3,988	3,889
Alcohol Use But Not Binge Use ¹	4,010 ^b	4,939	327	363	1,004 ^b	1,246	2,679 ^a	3,329
No Alcohol Use	4,520	4,933	1,085	1,075	916 ^a	1,085	2,519	2,774
PAST MONTH CIGARETTE USE	13,145	13,137	1,156	1,074	4,762	4,733	7,227	7,331
Heavy Alcohol Use ¹	4,281	3,928	290 ^a	220	1,773	1,660	2,218	2,048
Binge Alcohol Use But Not Heavy Use ¹	4,606	4,419	420	430	1,899	1,803	2,286	2,185
Alcohol Use But Not Binge Use ¹	1,967	2,304	153	150	563	657	1,251	1,497
No Alcohol Use	2,291	2,487	293	273	525	613	1,472	1,601
NO PAST MONTH CIGARETTE USE	8,668	9,485	1,315	1,393	2,363	2,595	4,991	5,497
Heavy Alcohol Use ¹	1,406	1,457	72	69	520	600	814	788
Binge Alcohol Use But Not Heavy Use ¹	2,991	2,947	277	309	1,012	934	1,702	1,704
Alcohol Use But Not Binge Use ¹	2,042 ^a	2,635	174	213	441 ^b	589	1,427	1,833
No Alcohol Use	2,229	2,446	792	802	390	471	1,047	1,173

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.23B Illicit Drug Use in the Past Month, by Past Month Cigarette Use, Levels of Past Month Alcohol Use, and Age Group: Percentages, 2009 and 2010

Cigarette Use/Level of Alcohol Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
TOTAL	8.7	8.9	10.0	10.1	21.2	21.5	6.3	6.6
Heavy Alcohol Use ¹	33.2	31.8	69.9	70.6	49.7	48.7	25.3	23.9
Binge Alcohol Use But Not Heavy Use ¹	17.9	17.7	42.1 ^b	49.3	31.0	29.8	12.7	12.6
Alcohol Use But Not Binge Use ¹	5.6 ^b	6.8	22.6	26.0	14.8 ^b	17.5	4.3 ^a	5.2
No Alcohol Use	3.7	4.0	5.2	5.1	7.1 ^a	8.3	2.9	3.1
PAST MONTH CIGARETTE USE	22.4	22.6	52.8	52.9	39.6	40.6	16.3	16.5
Heavy Alcohol Use ¹	44.4	42.6	76.5	77.3	57.4	56.1	36.0	34.2
Binge Alcohol Use But Not Heavy Use ¹	27.7	27.2	60.9	65.1	41.6	42.0	20.1	19.3
Alcohol Use But Not Binge Use ¹	15.0	17.6	54.1	54.5	30.8	34.8	11.4	13.7
No Alcohol Use	11.9	12.6	34.9	33.7	20.7	24.2	9.3	9.8
NO PAST MONTH CIGARETTE USE	4.5	4.9	5.9	6.2	11.0	11.6	3.3	3.6
Heavy Alcohol Use ¹	18.8	18.9	51.8	55.3	34.2	35.7	14.0	13.4
Binge Alcohol Use But Not Heavy Use ¹	11.6	11.6	28.6 ^a	36.8	21.0	19.1	8.5	8.7
Alcohol Use But Not Binge Use ¹	3.5 ^a	4.4	15.0	19.0	8.9 ^a	11.2	2.8	3.4
No Alcohol Use	2.2	2.4	3.9	4.0	3.8	4.5	1.5	1.6

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.