

Table 6.1A Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	9,437	8,973	1,332	1,235	3,082	2,981	5,022	4,757
12-49	5,486	5,669	731	757	2,008	1,907	2,747	3,005
50-99	2,917	2,743	330	341	988	912	1,599	1,490
100-299	6,639	7,223	657	729	2,505	2,502	3,478	3,992
300 or More	4,042	4,598	289	338	1,676	1,858	2,077	2,401
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3,990	4,018	531	546	1,320	1,328	2,138	2,144
3-5	3,085	2,759	410	378	967	966	1,708	1,415
6-19	3,511	3,663	409	432	1,344	1,340	1,758	1,891
20 or More	6,133 ^a	6,934	448	439	2,451	2,659	3,233	3,835

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.1B Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	33.1 ^a	30.7	39.9 ^a	36.3	30.0	29.3	33.7	30.4
12-49	19.2	19.4	21.9	22.3	19.6	18.8	18.4	19.2
50-99	10.2	9.4	9.9	10.0	9.6	9.0	10.7	9.5
100-299	23.3	24.7	19.7	21.4	24.4	24.6	23.3	25.5
300 or More	14.2	15.7	8.6	9.9	16.3 ^a	18.3	13.9	15.4
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	23.9	23.1	29.5	30.4	21.7	21.1	24.2	23.1
3-5	18.5 ^a	15.9	22.8	21.1	15.9	15.3	19.3	15.2
6-19	21.0	21.1	22.7	24.1	22.1	21.3	19.9	20.4
20 or More	36.7 ^a	39.9	24.9	24.5	40.3	42.3	36.6	41.3

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.2A Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2,597	2,415	173	167	1,132	1,015	1,293	1,233
12-49	1,060	1,069	34	50	358	305	668	714
50-99	468	485	14	10	137	117	318	357
100-299	612	461	17	10	123	131	473	320
300 or More	59	68	3	2	23 ^a	7	33	60
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	876	780	*	*	284	309	550	422
3-5	264	362	*	*	100	104	157	252
6-19	338 ^b	147	*	*	49	68	275 ^b	74
20 or More	160	178	*	*	29	15	124	161

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.2B Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	54.1	53.7	71.9	70.0	63.8	64.4	46.4	45.9
12-49	22.1	23.8	14.3	20.8	20.2	19.4	24.0	26.6
50-99	9.8	10.8	5.8	4.4	7.7	7.5	11.4	13.3
100-299	12.8	10.3	6.9	4.1	6.9	8.3	17.0	11.9
300 or More	1.2	1.5	1.1	0.7	1.3	0.4	1.2	2.2
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	53.5	53.2	*	*	61.4	62.2	49.7	46.4
3-5	16.1 ^a	24.7	*	*	21.6	21.1	14.2 ^a	27.7
6-19	20.6 ^b	10.0	*	*	10.7	13.7	24.9 ^b	8.1
20 or More	9.7	12.1	*	*	6.3	3.1	11.2	17.7

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.3A Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	3,416	3,401	523	513	1,868	1,828	1,025	1,060
12-49	643	724	116	147	344	387	182	190
50-99	286	225	38	50	114	116	133	60
100-299	151	150	55	38	73	79	23	*
300 or More	13	16	2	*	9	11	2	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	926	899	130	147	482	511	*	*
3-5	188	216	49	42	97	110	*	*
6-19	116	73	31	22	28	41	*	*
20 or More	29	20	6	4	10	11	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.3B Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	75.8	75.3	71.2	68.6	77.6	75.5	75.1	78.6
12-49	14.3	16.0	15.8	19.7	14.3	16.0	13.3	14.1
50-99	6.3	5.0	5.2	6.6	4.8	4.8	9.8	4.4
100-299	3.4	3.3	7.5	5.0	3.0	3.3	1.7	*
300 or More	0.3	0.4	0.3	*	0.4	0.5	0.1	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	73.6	74.4	60.2	68.2	78.1	76.0	*	*
3-5	14.9	17.9	22.4	19.5	15.7	16.3	*	*
6-19	9.2	6.0	14.5	10.4	4.6	6.0	*	*
20 or More	2.3	1.7	3.0	2.0	1.7	1.6	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.4A Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1,338	1,243	572	506	456	419	*	*
12-49	449	443	241	221	80	97	*	*
50-99	183	171	74	98	46	47	*	*
100-299	111	169	62	53	41	24	*	*
300 or More	9	5	6	3	3	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	402	*	162	163	*	*	*	*
3-5	79	136	44	43	*	*	*	*
6-19	62	*	24 ^a	48	*	*	*	*
20 or More	18	31	14	9	*	*	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.4B Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	64.0	61.2	59.8	57.5	72.8	71.2	*	*
12-49	21.5	21.8	25.2	25.0	12.8	16.4	*	*
50-99	8.8	8.4	7.8	11.1	7.3	8.0	*	*
100-299	5.3	8.3	6.5	6.0	6.6	4.0	*	*
300 or More	0.4	0.3	0.6	0.3	0.5	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	71.8	*	66.4	61.9	*	*	*	*
3-5	14.1	19.8	17.9	16.3	*	*	*	*
6-19	11.0	*	9.9 ^a	18.4	*	*	*	*
20 or More	3.1	4.5	5.8	3.4	*	*	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.5A Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	5,365	5,884	551	560	1,714	1,677	3,100	3,647
3-5	4,534	4,415	350	321	1,357	1,394	2,827	2,699
6-19	6,698	6,520	450 ^a	369	1,814	1,764	4,435	4,387
20-29	6,209	6,724	333	325	1,659 ^a	1,459	4,217	4,940
30	35,855	34,714	506	456	5,488	5,373	29,862	28,885
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	6,418	6,419	233	196	1,499	1,538	4,685	4,686
6-15 (1/2 Pack)	12,921	12,546	182	183	2,355	2,339	10,384	10,023
16-25 (1 Pack)	11,941	11,757	73	65	1,409	1,308	10,459	10,384
26 or More (More Than 1 Pack)	4,507	3,938	17	11	222	183	4,267	3,744
Not Reported	68	54	*	2	3	5	66	48

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.5B Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	9.1	10.1	25.2	27.6	14.2	14.4	7.0	8.2
3-5	7.7	7.6	16.0	15.8	11.3	11.9	6.4	6.1
6-19	11.4	11.2	20.5	18.2	15.1	15.1	10.0	9.8
20-29	10.6	11.5	15.2	16.0	13.8	12.5	9.5	11.1
30	61.1	59.6	23.1	22.4	45.6	46.1	67.2	64.8
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	17.9	18.5	46.1	42.9	27.3	28.6	15.7	16.2
6-15 (1/2 Pack)	36.0	36.1	36.0	40.2	42.9	43.5	34.8	34.7
16-25 (1 Pack)	33.3	33.9	14.5	14.2	25.7	24.3	35.0	35.9
26 or More (More Than 1 Pack)	12.6	11.3	3.4	2.4	4.0	3.4	14.3	13.0
Not Reported	0.2	0.2	*	0.3	0.0	0.1	0.2	0.2

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.6A Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	37,307	37,130	3,729	3,553	5,174 ^b	5,690	28,404	27,886
12-49	43,661	43,659	1,976	1,821	7,556	7,619	34,129	34,219
50-99	26,386	26,365	945	830	4,845	4,747	20,596	20,788
100-299	49,722	51,242	763	694	8,215	8,120	40,744	42,427
300 or More	11,065	10,001	52	50	665	640	10,348	9,311
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	37,280	37,009	1,797	1,684	5,769	6,023	29,713	29,302
3-5	34,076	34,855	1,011	964	6,143	6,095	26,922	27,796
6-19	37,475	39,157	707 ^b	574	7,022	7,056	29,746	31,527
20 or More	21,791	20,321	109	86	1,833	1,789	19,849	18,446

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.6B Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	22.2	22.0	50.0	51.1	19.6 ^b	21.2	21.2	20.7
12-49	26.0	25.9	26.5	26.2	28.6	28.4	25.4	25.4
50-99	15.7	15.7	12.7	11.9	18.3	17.7	15.3	15.4
100-299	29.6	30.4	10.2	10.0	31.1	30.3	30.4	31.5
300 or More	6.6	5.9	0.7	0.7	2.5	2.4	7.7	6.9
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	28.5	28.2	49.6	50.9	27.8	28.7	28.0	27.4
3-5	26.1	26.5	27.9	29.1	29.6	29.1	25.3	26.0
6-19	28.7	29.8	19.5	17.4	33.8	33.7	28.0	29.4
20 or More	16.7 ^a	15.5	3.0	2.6	8.8	8.5	18.7 ^a	17.2

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.