

Table 6.79A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	4,907	5,054	2,079	2,035	2,828	3,018
Marijuana and Hashish	4,253	4,394	1,846	1,795	2,406	2,598
Cocaine	316	316	153	121	164	196
Crack	18 ^a	46	3	4	15	42
Heroin	50	50	20	13	30	37
Hallucinogens	511	501	235	203	276	298
LSD	83	88	48	54	35	35
PCP	5	*	2	*	3	*
Ecstasy	301	301	119	109	182	192
Inhalants	111	94	42	29	69	65
Nonmedical Use of Psychotherapeutics ^{4,5}	1,440	1,367	573 ^a	462	868	905
Pain Relievers	1,103	1,030	412 ^b	291	692	739
OxyContin [®]	129	159	55	52	75	107
Tranquilizers	404	383	170	128	235	255
Stimulants ⁵	301	284	146	120	156	164
Methamphetamine ⁵	48	59	11	5	37	54
Sedatives	61	43	22	19	39	25
ILLCIT DRUGS OTHER THAN MARIJUANA³	1,951	1,850	785	667	1,165	1,183

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.79B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	22.5	22.9	22.7	22.0	22.3	23.5
Marijuana and Hashish	19.5	19.9	20.2	19.5	19.0	20.2
Cocaine	1.4	1.4	1.7	1.3	1.3	1.5
Crack	0.1	0.2	0.0	0.0	0.1	0.3
Heroin	0.2	0.2	0.2	0.1	0.2	0.3
Hallucinogens	2.3	2.3	2.6	2.2	2.2	2.3
LSD	0.4	0.4	0.5	0.6	0.3	0.3
PCP	0.0	*	0.0	*	0.0	*
Ecstasy	1.4	1.4	1.3	1.2	1.4	1.5
Inhalants	0.5	0.4	0.5	0.3	0.5	0.5
Nonmedical Use of Psychotherapeutics ^{4,5}	6.6	6.2	6.3 ^a	5.0	6.8	7.0
Pain Relievers	5.1	4.7	4.5 ^b	3.2	5.5	5.8
OxyContin [®]	0.6	0.7	0.6	0.6	0.6	0.8
Tranquilizers	1.9	1.7	1.9	1.4	1.9	2.0
Stimulants ⁵	1.4	1.3	1.6	1.3	1.2	1.3
Methamphetamine ⁵	0.2	0.3	0.1	0.1	0.3	0.4
Sedatives	0.3	0.2	0.2	0.2	0.3	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA³	8.9	8.4	8.6 ^a	7.2	9.2	9.2

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.80A Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	2,978	3,120	1,209	1,185	1,768	1,935
Marijuana and Hashish	2,637	2,774	1,104	1,072	1,533	1,701
Cocaine	200	221	99	92	102	129
Crack	5 ^a	26	*	2	5 ^a	24
Heroin	27	27	13	8	15	20
Hallucinogens	345	332	166	140	179	192
LSD	57	70	35	46	22	25
PCP	5	*	2	*	3	*
Ecstasy	190	183	70	70	120	113
Inhalants	81	57	23	7	58	50
Nonmedical Use of Psychotherapeutics ^{4,5}	799	772	302	253	497	519
Pain Relievers	611	613	220	169	391	444
OxyContin [®]	85	97	38	39	47	58
Tranquilizers	217	202	91	67	126	135
Stimulants ⁵	167	138	83	68	84	70
Methamphetamine ⁵	34	23	7	3	27	19
Sedatives	46	21	15	7	31	13
ILLCIT DRUGS OTHER THAN MARIJUANA³	1,129	1,106	438	393	690	713

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.80B Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	26.7	27.4	27.7	25.9	26.1	28.4
Marijuana and Hashish	23.6	24.3	25.3	23.5	22.6 ^a	24.9
Cocaine	1.8	1.9	2.3	2.0	1.5	1.9
Crack	0.0 ^a	0.2	*	0.1	0.1 ^a	0.3
Heroin	0.2	0.2	0.3	0.2	0.2	0.3
Hallucinogens	3.1	2.9	3.8	3.1	2.6	2.8
LSD	0.5	0.6	0.8	1.0	0.3	0.4
PCP	0.0	*	0.0	*	0.0	*
Ecstasy	1.7	1.6	1.6	1.5	1.8	1.7
Inhalants	0.7	0.5	0.5	0.2	0.9	0.7
Nonmedical Use of Psychotherapeutics ^{4,5}	7.2	6.8	6.9	5.5	7.3	7.6
Pain Relievers	5.5	5.4	5.0	3.7	5.8	6.5
OxyContin [®]	0.8	0.8	0.9	0.8	0.7	0.9
Tranquilizers	1.9	1.8	2.1	1.5	1.9	2.0
Stimulants ⁵	1.5	1.2	1.9	1.5	1.2	1.0
Methamphetamine ⁵	0.3	0.2	0.2	0.1	0.4	0.3
Sedatives	0.4	0.2	0.3	0.2	0.5	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA³	10.1	9.7	10.0	8.6	10.2	10.4

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.81A Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	1,930	1,934	869	850	1,060	1,083
Marijuana and Hashish	1,615	1,621	742	722	873	897
Cocaine	116	95	54	29	62	66
Crack	13	20	3	2	10	18
Heroin	23	23	7	6	16	17
Hallucinogens	166	168	68	62	97	106
LSD	26	18	13	8	13	10
PCP	*	*	*	*	*	*
Ecstasy	111	118	49	40	62	79
Inhalants	30	37	19	21	11	15
Nonmedical Use of Psychotherapeutics ^{4,5}	641	595	271	209	370	386
Pain Relievers	493	417	192 ^a	122	300	295
OxyContin [®]	44	62	17	14	28	49
Tranquilizers	188	181	79	61	109	120
Stimulants ⁵	134	146	63	52	71	94
Methamphetamine ⁵	14	36	4	2	10	35
Sedatives	15	23	7	11	8	11
ILLCIT DRUGS OTHER THAN MARIJUANA³	822	743	347	273	475	470

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.81B Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	18.1	18.1	18.2	18.2	18.0	18.0
Marijuana and Hashish	15.1	15.2	15.5	15.5	14.8	14.9
Cocaine	1.1	0.9	1.1	0.6	1.1	1.1
Crack	0.1	0.2	0.1	0.0	0.2	0.3
Heroin	0.2	0.2	0.1	0.1	0.3	0.3
Hallucinogens	1.6	1.6	1.4	1.3	1.6	1.8
LSD	0.2	0.2	0.3	0.2	0.2	0.2
PCP	*	*	*	*	*	*
Ecstasy	1.0	1.1	1.0	0.9	1.1	1.3
Inhalants	0.3	0.3	0.4	0.5	0.2	0.3
Nonmedical Use of Psychotherapeutics ^{4,5}	6.0	5.6	5.7	4.5	6.3	6.4
Pain Relievers	4.6	3.9	4.0 ^a	2.6	5.1	4.9
OxyContin [®]	0.4	0.6	0.4	0.3	0.5	0.8
Tranquilizers	1.8	1.7	1.6	1.3	1.8	2.0
Stimulants ⁵	1.3	1.4	1.3	1.1	1.2	1.6
Methamphetamine ⁵	0.1	0.3	0.1	0.0	0.2	0.6
Sedatives	0.1	0.2	0.1	0.2	0.1	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA³	7.7	7.0	7.3	5.9	8.1	7.8

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.82A Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	4,907	5,054	2,079	2,035	2,828	3,018
AGE						
18	1,057	1,048	380	338	676	710
19	987	1,083	509	493	478 ^a	590
20	985	1,029	452	464	533	565
21	974	986	456	454	518	532
22	905	908	282	285	623	621
GENDER						
Male	2,978	3,120	1,209	1,185	1,768	1,935
Female	1,930	1,934	869	850	1,060	1,083
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4,203	4,321	1,820	1,804	2,383	2,515
White	3,286	3,399	1,503	1,527	1,783	1,872
Black or African American	668	684	215	184	453	499
American Indian or Alaska Native	39	45	*	*	35	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	98	90	58	45	40	*
Two or More Races	93	92	34	37	59	55
Hispanic or Latino	704	733	259	230	445	503

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.82B Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	22.5	22.9	22.7	22.0	22.3	23.5
AGE						
18	21.3	22.1	21.1	20.1	21.5	23.2
19	21.6 ^a	24.7	21.1	23.0	22.2 ^a	26.4
20	23.9	22.5	23.6	22.1	24.2	23.0
21	23.5	23.1	25.8	23.6	21.8	22.8
22	22.4	22.1	22.5	20.9	22.4	22.6
GENDER						
Male	26.7	27.4	27.7	25.9	26.1	28.4
Female	18.1	18.1	18.2	18.2	18.0	18.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	23.5	24.3	22.7	22.6	24.2	25.7
White	24.8	26.0	25.0	25.2	24.7	26.7
Black or African American	20.9	21.1	18.0	16.0	22.7	23.8
American Indian or Alaska Native	26.8	36.2	*	*	31.3	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	11.0	9.8	9.6	7.7	13.8	*
Two or More Races	30.1	25.8	24.1	26.4	35.2	25.4
Hispanic or Latino	17.7	17.2	22.7	18.7	15.7	16.5

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.83A Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	4,253	4,394	1,846	1,795	2,406	2,598
AGE						
18	897	915	331	311	565	605
19	897	946	469	439	429	507
20	856	913	408	421	449	492
21	829	825	391	374	437	451
22	774	795	248	251	526	543
GENDER						
Male	2,637	2,774	1,104	1,072	1,533	1,701
Female	1,615	1,621	742	722	873	897
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,692	3,750	1,633	1,577	2,058	2,171
White	2,862	2,941	1,349	1,336	1,512	1,605
Black or African American	611	600	190	161	421	437
American Indian or Alaska Native	33	*	*	*	28	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	79	74	52	33	27	*
Two or More Races	88	87	31	36	57	51
Hispanic or Latino	561	644	213	218	348	426

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.83B Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	19.5	19.9	20.2	19.5	19.0	20.2
AGE						
18	18.1	19.3	18.3	18.4	18.0	19.8
19	19.6	21.6	19.4	20.5	19.9	22.7
20	20.8	20.0	21.3	20.0	20.4	20.0
21	20.0	19.3	22.2	19.4	18.4	19.3
22	19.2	19.3	19.7	18.4	18.9	19.7
GENDER						
Male	23.6	24.3	25.3	23.5	22.6 ^a	24.9
Female	15.1	15.2	15.5	15.5	14.8	14.9
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20.7	21.1	20.4	19.7	20.9	22.2
White	21.6	22.5	22.4	22.0	20.9	22.9
Black or African American	19.1	18.5	15.9	14.0	21.1	20.9
American Indian or Alaska Native	22.5	*	*	*	25.6	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	8.8	8.1	8.7	5.5	9.3	*
Two or More Races	28.4	24.4	22.2	25.8	33.6	23.5
Hispanic or Latino	14.1	15.1	18.7	17.7	12.3	14.0

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.84A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	8,966	8,928	3,125	3,114	5,838	5,812
Cigarettes	7,629	7,411	2,477	2,292	5,149	5,117
Smokeless Tobacco	1,429	1,503	604	577	825	926
Cigars	2,722	2,661	1,084	1,085	1,638	1,576
Pipe Tobacco	426	474	180	221	246	253
ALCOHOL	12,634	12,579	5,852	5,841	6,782	6,732
Binge Alcohol Use ⁴	8,775	8,471	3,980	3,896	4,795	4,573
Heavy Alcohol Use ⁴	2,950	2,973	1,468	1,439	1,482	1,531

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.84B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	41.1	40.4	34.1	33.8	46.1	45.3
Cigarettes	35.0	33.6	27.1	24.8	40.6	39.9
Smokeless Tobacco	6.5	6.8	6.6	6.3	6.5	7.2
Cigars	12.5	12.1	11.8	11.8	12.9	12.3
Pipe Tobacco	2.0	2.1	2.0	2.4	1.9	2.0
ALCOHOL	57.9	57.0	63.9	63.3	53.5	52.4
Binge Alcohol Use ⁴	40.2 ^a	38.4	43.5	42.2	37.8 ^a	35.6
Heavy Alcohol Use ⁴	13.5	13.5	16.0	15.6	11.7	11.9

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.85A Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	5,484	5,469	1,935	1,892	3,550	3,577
Cigarettes	4,388	4,213	1,386	1,239	3,002	2,974
Smokeless Tobacco	1,326	1,414	556	547	770	866
Cigars	2,084	2,009	863	835	1,221	1,174
Pipe Tobacco	332	305	148	128	185	177
ALCOHOL	6,801	6,976	2,995	3,062	3,806	3,912
Binge Alcohol Use ⁴	5,220	5,173	2,280	2,247	2,940	2,926
Heavy Alcohol Use ⁴	2,019	2,060	1,006	955	1,013	1,104

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.85B Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	49.2	48.0	44.3	41.4	52.3	52.4
Cigarettes	39.3 ^a	37.0	31.7 ^a	27.1	44.3	43.6
Smokeless Tobacco	11.9	12.4	12.7	12.0	11.4	12.7
Cigars	18.7	17.6	19.8	18.3	18.0	17.2
Pipe Tobacco	3.0	2.7	3.4	2.8	2.7	2.6
ALCOHOL	61.0	61.2	68.5	67.0	56.1	57.3
Binge Alcohol Use ⁴	46.8	45.4	52.2	49.2	43.3	42.9
Heavy Alcohol Use ⁴	18.1	18.1	23.0	20.9	14.9	16.2

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.86A Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	3,482	3,459	1,190	1,223	2,288	2,235
Cigarettes	3,241	3,199	1,091	1,053	2,146	2,143
Smokeless Tobacco	103	89	48	30	55	60
Cigars	639	652	221	249	418	403
Pipe Tobacco	94 ^b	169	33 ^b	93	61	76
ALCOHOL	5,833	5,603	2,857	2,779	2,975	2,820
Binge Alcohol Use ⁴	3,555	3,298	1,700	1,649	1,855 ^a	1,647
Heavy Alcohol Use ⁴	931	913	462	484	469	427

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.86B Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	32.6	32.4	24.9	26.2	38.9	37.2
Cigarettes	30.4	29.9	22.8	22.6	36.5	35.6
Smokeless Tobacco	1.0	0.8	1.0	0.6	0.9	1.0
Cigars	6.0	6.1	4.6	5.3	7.1	6.7
Pipe Tobacco	0.9 ^b	1.6	0.7 ^b	2.0	1.0	1.3
ALCOHOL	54.7 ^a	52.5	59.7	59.6	50.5 ^a	46.9
Binge Alcohol Use ⁴	33.3 ^a	30.9	35.5	35.4	31.5 ^b	27.4
Heavy Alcohol Use ⁴	8.7	8.5	9.7	10.4	8.0	7.1

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.87A Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	7,629	7,411	2,477	2,292	5,149	5,117
AGE						
18	1,453	1,331	476 ^a	358	974	974
19	1,554	1,482	592	522	962	960
20	1,503	1,559	544	525	959	1,034
21	1,549	1,527	496	514	1,053	1,012
22	1,569	1,512	369	374	1,200	1,137
GENDER						
Male	4,388	4,213	1,386	1,239	3,002	2,974
Female	3,241	3,199	1,091	1,053	2,146	2,143
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	6,397	6,295	2,183	2,015	4,210	4,279
White	5,242	5,102	1,871	1,729	3,371	3,374
Black or African American	783	808	159	161	624	645
American Indian or Alaska Native	64	68	*	*	58	58
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	156	169	85	78	68	92
Two or More Races	121	125	47	33	75	93
Hispanic or Latino	1,232	1,117	294	278	938	839

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.87B Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	35.0	33.6	27.1	24.8	40.6	39.9
AGE						
18	29.3	28.0	26.4 ^a	21.2	30.9	31.8
19	34.0	33.8	24.5	24.3	44.6	43.0
20	36.5	34.1	28.4	25.0	43.5	42.1
21	37.4	35.8	28.1	26.7	44.3	43.3
22	38.9	36.8	29.4	27.4	43.2	41.4
GENDER						
Male	39.3 ^a	37.0	31.7 ^a	27.1	44.3	43.6
Female	30.4	29.9	22.8	22.6	36.5	35.6
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	35.8	35.4	27.3	25.2	42.8	43.7
White	39.6	39.0	31.1	28.5	46.6	48.1
Black or African American	24.5	24.9	13.3	14.0	31.3	30.8
American Indian or Alaska Native	43.9	54.5	*	*	52.7	60.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	17.4	18.6	14.2	13.2	23.2	28.6
Two or More Races	39.3	35.3	33.3	23.2	44.3	43.1
Hispanic or Latino	31.0 ^b	26.1	25.7	22.6	33.1 ^a	27.6

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.88A Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	12,634	12,579	5,852	5,841	6,782	6,732
AGE						
18	2,101	1,974	904	824	1,196	1,151
19	2,342	2,167	1,382 ^a	1,154	960	1,011
20	2,337	2,549	1,193	1,312	1,144	1,235
21	2,964	3,052	1,399	1,509	1,565	1,543
22	2,890	2,837	974	1,043	1,916	1,792
GENDER						
Male	6,801	6,976	2,995	3,062	3,806	3,912
Female	5,833	5,603	2,857	2,779	2,975	2,820
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10,620	10,502	5,140	5,170	5,480	5,326
White	8,476	8,303	4,175	4,195	4,300	4,106
Black or African American	1,467	1,451	589	583	878	865
American Indian or Alaska Native	58	67	*	*	43	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	387	428	255	276	132	152
Two or More Races	199	205	92	90	107	115
Hispanic or Latino	2,014	2,077	712	671	1,302	1,406

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.88B Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	57.9	57.0	63.9	63.3	53.5	52.4
AGE						
18	42.4	41.6	50.1	48.8	38.0	37.6
19	51.2	49.4	57.2	53.8	44.5	45.2
20	56.7	55.8	62.3	62.4	51.9	50.2
21	71.5	71.6	79.2	78.3	65.8	66.0
22	71.6	68.9	77.7	76.5	68.9	65.2
GENDER						
Male	61.0	61.2	68.5	67.0	56.1	57.3
Female	54.7 ^a	52.5	59.7	59.6	50.5 ^a	46.9
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	59.5	59.0	64.2	64.6	55.7	54.4
White	64.0	63.4	69.4	69.1	59.5	58.5
Black or African American	46.0	44.7	49.3	50.7	44.0	41.3
American Indian or Alaska Native	39.8	53.8	*	*	38.4	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	43.2	47.0	42.5	46.9	45.3	47.3
Two or More Races	64.2	57.6	65.2	64.4	63.4	53.2
Hispanic or Latino	50.7	48.6	62.4 ^a	54.5	45.9	46.2

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.89A Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	8,775	8,471	3,980	3,896	4,795	4,573
AGE						
18	1,505	1,350	649	556	855	794
19	1,631	1,505	932	794	699	708
20	1,601	1,702	809	889	792	812
21	1,999	2,043	936	1,005	1,063	1,038
22	2,039	1,870	653	650	1,387 ^a	1,220
GENDER						
Male	5,220	5,173	2,280	2,247	2,940	2,926
Female	3,555	3,298	1,700	1,649	1,855 ^a	1,647
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	7,355	7,050	3,497	3,476	3,858	3,572
White	6,158	5,863	3,009	2,986	3,149 ^a	2,875
Black or African American	781	788	265	300	516	488
American Indian or Alaska Native	46	51	*	*	36	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	219	212	141	129	78	82
Two or More Races	132	113	*	46	67	68
Hispanic or Latino	1,420	1,421	483	420	937	1,001

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.89B Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	40.2 ^a	38.4	43.5	42.2	37.8 ^a	35.6
AGE						
18	30.4	28.5	36.0	33.0	27.2	25.9
19	35.7	34.3	38.6	37.0	32.4	31.7
20	38.9	37.3	42.3	42.3	35.9	33.0
21	48.2	47.9	53.0	52.1	44.7	44.4
22	50.5 ^b	45.5	52.0	47.7	49.9 ^a	44.4
GENDER						
Male	46.8	45.4	52.2	49.2	43.3	42.9
Female	33.3 ^a	30.9	35.5	35.4	31.5 ^b	27.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	41.2	39.6	43.6	43.5	39.2 ^a	36.5
White	46.5	44.8	50.0	49.2	43.6	41.0
Black or African American	24.5	24.3	22.2	26.1	25.9	23.3
American Indian or Alaska Native	31.4	41.3	*	*	32.7	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	24.4	23.2	23.5	21.9	26.6	25.7
Two or More Races	42.7 ^a	31.8	*	32.6	39.6	31.4
Hispanic or Latino	35.7	33.2	42.3 ^a	34.1	33.0	32.9

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.90A Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	2,950	2,973	1,468	1,439	1,482	1,531
AGE						
18	400	391	201	183	199	208
19	579	535	334	300	244	233
20	562	623	324	348	238	275
21	691	755	360	396	331	358
22	718	669	249	212	469	457
GENDER						
Male	2,019	2,060	1,006	955	1,013	1,104
Female	931	913	462	484	469	427
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,610	2,558	1,360	1,327	1,250	1,229
White	2,348	2,301	1,250	1,239	1,098	1,060
Black or African American	153	159	53	46	99	113
American Indian or Alaska Native	20	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	32	38	23	24	9	14
Two or More Races	48	34	*	14	22	21
Hispanic or Latino	340	414	108	112	232	302

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.90B Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	13.5	13.5	16.0	15.6	11.7	11.9
AGE						
18	8.1	8.2	11.1	10.8	6.3	6.8
19	12.7	12.2	13.8	14.0	11.3	10.4
20	13.6	13.7	16.9	16.6	10.8	11.2
21	16.7	17.7	20.4	20.5	13.9	15.3
22	17.8	16.3	19.9	15.6	16.9	16.6
GENDER						
Male	18.1	18.1	23.0	20.9	14.9	16.2
Female	8.7	8.5	9.7	10.4	8.0	7.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	14.6	14.4	17.0	16.6	12.7	12.5
White	17.7	17.6	20.8	20.4	15.2	15.1
Black or African American	4.8	4.9	4.5	4.0	5.0	5.4
American Indian or Alaska Native	13.5	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.6	4.2	3.8	4.1	3.1	4.3
Two or More Races	15.4	9.7	*	9.8	12.8	9.6
Hispanic or Latino	8.5	9.7	9.5	9.1	8.2	9.9

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.91A Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	1,837	1,836	645	658	1,192	1,177
AGE						
18	427	418	145	118	282	300
19	404	408	163	168	241	240
20	379	375	146	138	234	236
21	347	345	122	145	224	200
22	280	289	69	88	212	201
GENDER						
Male	1,197	1,145	416	395	781	750
Female	640	691	229	264	411	427
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,523	1,509	553	570	970	939
White	1,202	1,135	471	470	732	665
Black or African American	228	272	48	67	180	205
American Indian or Alaska Native	17	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	31	38	22	20	9	*
Two or More Races	35	37	7	*	*	27
Hispanic or Latino	314	327	92	88	222	238

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.91B Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	8.4	8.3	7.0	7.1	9.4	9.2
AGE						
18	8.6	8.8	8.0	7.0	9.0	9.8
19	8.8	9.3	6.8	7.8	11.2	10.7
20	9.2	8.2	7.6	6.6	10.6	9.6
21	8.4	8.1	6.9	7.5	9.4	8.6
22	6.9	7.0	5.5	6.5	7.6	7.3
GENDER						
Male	10.7	10.0	9.5	8.6	11.5	11.0
Female	6.0	6.5	4.8	5.7	7.0	7.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8.5	8.5	6.9	7.1	9.9	9.6
White	9.1	8.7	7.8	7.7	10.1	9.5
Black or African American	7.2	8.4	4.0	5.8	9.0	9.8
American Indian or Alaska Native	11.9	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.5	4.2	3.6	3.4	3.2	*
Two or More Races	11.3	10.5	5.1	*	*	12.6
Hispanic or Latino	7.9	7.6	8.1	7.2	7.8	7.8

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.92A Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	3,513	3,454	1,552	1,531	1,961	1,923
AGE						
18	603	548	225	216	378	332
19	721	641	388	323	332	318
20	671	714	323	341	348	373
21	751	837	361	412	390	426
22	767	714	253	240	514	474
GENDER						
Male	2,158	2,151	890	879	1,268	1,272
Female	1,355	1,304	661	652	694	652
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,912	2,831	1,390	1,349	1,523	1,482
White	2,445	2,359	1,207	1,180	1,238	1,179
Black or African American	294	277	102	101	192	176
American Indian or Alaska Native	34	34	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	63	87	47	47	16	40
Two or More Races	64	69	26	17	37	52
Hispanic or Latino	601	623	162	182	439	441

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.92B Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	16.1	15.6	17.0	16.6	15.5	15.0
AGE						
18	12.2	11.5	12.5	12.8	12.0	10.9
19	15.8	14.6	16.1	15.0	15.4	14.2
20	16.3	15.6	16.9	16.2	15.8	15.2
21	18.1	19.6	20.5	21.4	16.4	18.2
22	19.0	17.4	20.2	17.6	18.5	17.3
GENDER						
Male	19.3	18.9	20.4	19.2	18.7	18.6
Female	12.7	12.2	13.8	14.0	11.8	10.8
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	16.3	15.9	17.3	16.9	15.5	15.1
White	18.5	18.0	20.1	19.5	17.1	16.8
Black or African American	9.2	8.5	8.5	8.8	9.6	8.4
American Indian or Alaska Native	23.2	27.4	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	7.0	9.6	7.8	8.0	5.5	12.6
Two or More Races	20.6	19.3	18.6	11.8	22.2	24.2
Hispanic or Latino	15.1	14.6	14.2	14.8	15.5	14.5

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.93A Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	4,451	4,441	1,876	1,849	2,575	2,592
AGE						
18	864	787	317	271	547	516
19	922	878	468	418	455	461
20	842	911	376	408	466	503
21	921	1,027	424	470	497	557
22	902	839	291	283	611	556
GENDER						
Male	2,759	2,764	1,101	1,078	1,658	1,686
Female	1,692	1,677	775	772	917	906
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,677	3,640	1,650	1,623	2,026	2,018
White	3,031	2,948	1,420	1,390	1,611	1,558
Black or African American	440	461	132	145	307	315
American Indian or Alaska Native	36	39	*	*	30	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	77	98	58	56	19	42
Two or More Races	77	89	31	25	47	64
Hispanic or Latino	774	801	226	227	548	574

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.93B Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	20.4	20.1	20.5	20.0	20.3	20.2
AGE						
18	17.4	16.6	17.6	16.1	17.4	16.9
19	20.2	20.0	19.4	19.5	21.1	20.6
20	20.4	20.0	19.7	19.4	21.1	20.5
21	22.2	24.1	24.0	24.4	20.9	23.8
22	22.4	20.4	23.2	20.8	22.0	20.2
GENDER						
Male	24.7	24.3	25.2	23.6	24.4	24.7
Female	15.9	15.7	16.2	16.6	15.6	15.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20.6	20.5	20.6	20.3	20.6	20.6
White	22.9	22.5	23.6	22.9	22.3	22.2
Black or African American	13.8	14.2	11.1	12.6	15.4	15.1
American Indian or Alaska Native	25.1	31.2	*	*	26.9	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	8.6	10.8	9.6	9.4	6.6	13.2
Two or More Races	24.9	24.9	21.6	17.8	27.7	29.6
Hispanic or Latino	19.5	18.7	19.8	18.4	19.3	18.9

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.