

Table 6.7A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2009 and 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
ILLCIT DRUGS¹	13,145	13,137	8,668	9,485
Marijuana and Hashish	10,749	10,819	5,969	6,555
Cocaine	1,318	1,209	319	258
Crack	450	328	42	50
Heroin	174	213	20	26
Hallucinogens	887	904	371	305
LSD	138	120	20	34
PCP	45 ^a	8	*	27
Ecstasy	541	535	218	160
Inhalants	241	245	319	441
Nonmedical Use of Psychotherapeutics ^{2,3}	4,047	3,839	2,907	3,128
Pain Relievers	3,083	2,881	2,174	2,219
OxyContin [®]	440	487	70	77
Tranquilizers	1,275	1,379	735	781
Stimulants ³	982 ^a	712	308	365
Methamphetamine ³	416 ^a	241	85	112
Sedatives	232	148	138	225
ILLCIT DRUGS OTHER THAN MARIJUANA¹	5,489	5,216	3,668	3,801

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.7B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2009 and 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
ILLCIT DRUGS¹	22.4	22.6	4.5	4.9
Marijuana and Hashish	18.3	18.6	3.1	3.4
Cocaine	2.2	2.1	0.2	0.1
Crack	0.8	0.6	0.0	0.0
Heroin	0.3	0.4	0.0	0.0
Hallucinogens	1.5	1.6	0.2	0.2
LSD	0.2	0.2	0.0	0.0
PCP	0.1 ^a	0.0	*	0.0
Ecstasy	0.9	0.9	0.1	0.1
Inhalants	0.4	0.4	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	6.9	6.6	1.5	1.6
Pain Relievers	5.3	4.9	1.1	1.1
OxyContin [®]	0.7	0.8	0.0	0.0
Tranquilizers	2.2	2.4	0.4	0.4
Stimulants ³	1.7 ^a	1.2	0.2	0.2
Methamphetamine ³	0.7 ^a	0.4	0.0	0.1
Sedatives	0.4	0.3	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	9.4	9.0	1.9	1.9

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.8A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2009 and 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
ILLICIT DRUGS¹	1,156	1,074	1,315	1,393
Marijuana and Hashish	1,038	940	761	856
Cocaine	50	52	19	9
Crack	8	3	*	*
Heroin	11	4	2	4
Hallucinogens	153	148	64	67
LSD	28	35	7	11
PCP	10	3	2	4
Ecstasy	82	87	33	37
Inhalants	62	63	183	200
Nonmedical Use of Psychotherapeutics ^{2,3}	337	306	434	418
Pain Relievers	274	257	379	354
OxyContin [®]	57	36	12	11
Tranquilizers	102	88	41	46
Stimulants ³	90	60	39	47
Methamphetamine ³	28	15	7	10
Sedatives	21	16	19	19
ILLICIT DRUGS OTHER THAN MARIJUANA¹	458	447	662	649

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.8B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2009 and 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
ILLCIT DRUGS¹	52.8	52.9	5.9	6.2
Marijuana and Hashish	47.4	46.3	3.4	3.8
Cocaine	2.3	2.6	0.1	0.0
Crack	0.4	0.2	*	*
Heroin	0.5	0.2	0.0	0.0
Hallucinogens	7.0	7.3	0.3	0.3
LSD	1.3	1.7	0.0	0.0
PCP	0.5	0.1	0.0	0.0
Ecstasy	3.7	4.3	0.1	0.2
Inhalants	2.8	3.1	0.8	0.9
Nonmedical Use of Psychotherapeutics ^{2,3}	15.4	15.1	1.9	1.9
Pain Relievers	12.5	12.7	1.7	1.6
OxyContin [®]	2.6	1.8	0.1	0.0
Tranquilizers	4.7	4.3	0.2	0.2
Stimulants ³	4.1	3.0	0.2	0.2
Methamphetamine ³	1.3	0.7	0.0	0.0
Sedatives	0.9	0.8	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	20.9	22.0	3.0	2.9

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2009 and 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
ILLCIT DRUGS¹	4,762	4,733	2,363	2,595
Marijuana and Hashish	4,161	4,152	1,921 ^a	2,140
Cocaine	388	424	74	72
Crack	33	68	6	4
Heroin	62	88	3	2
Hallucinogens	468	527	149	146
LSD	85	81	11	24
PCP	1	5	3	*
Ecstasy	291	321	86	85
Inhalants	114	95	33	39
Nonmedical Use of Psychotherapeutics ^{2,3}	1,509	1,411	610	592
Pain Relievers	1,131	1,087	469	432
OxyContin [®]	148 ^a	213	27	24
Tranquilizers	459	457	157	108
Stimulants ³	346	294	75	116
Methamphetamine ³	79	74	4	10
Sedatives	65 ^a	28	18	28
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,009	1,943	785	767

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2009 and 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
ILLCIT DRUGS¹	39.6	40.6	11.0	11.6
Marijuana and Hashish	34.6	35.6	8.9	9.5
Cocaine	3.2	3.6	0.3	0.3
Crack	0.3	0.6	0.0	0.0
Heroin	0.5	0.8	0.0	0.0
Hallucinogens	3.9	4.5	0.7	0.7
LSD	0.7	0.7	0.1	0.1
PCP	0.0	0.0	0.0	*
Ecstasy	2.4	2.8	0.4	0.4
Inhalants	1.0	0.8	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	12.5	12.1	2.8	2.6
Pain Relievers	9.4	9.3	2.2	1.9
OxyContin [®]	1.2 ^a	1.8	0.1	0.1
Tranquilizers	3.8	3.9	0.7 ^a	0.5
Stimulants ³	2.9	2.5	0.3	0.5
Methamphetamine ³	0.7	0.6	0.0	0.0
Sedatives	0.5 ^a	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	16.7	16.7	3.6	3.4

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.10A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2009 and 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
ILLCIT DRUGS¹	7,227	7,331	4,991	5,497
Marijuana and Hashish	5,550	5,726	3,286	3,559
Cocaine	879	733	226	177
Crack	409	257	36	46
Heroin	100	121	16	20
Hallucinogens	266	229	157	91
LSD	25	4	*	*
PCP	34	*	*	23
Ecstasy	168	127	99	38
Inhalants	65	86	103	201
Nonmedical Use of Psychotherapeutics ^{2,3}	2,200	2,122	1,863	2,118
Pain Relievers	1,678	1,537	1,326	1,434
OxyContin [®]	235	237	31	43
Tranquilizers	714	833	537	627
Stimulants ³	546 ^a	358	195	201
Methamphetamine ³	309 ^a	152	74	93
Sedatives	146	104	100	178
ILLCIT DRUGS OTHER THAN MARIJUANA¹	3,023	2,826	2,222	2,385

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.10B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2009 and 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
ILLCIT DRUGS¹	16.3	16.5	3.3	3.6
Marijuana and Hashish	12.5	12.9	2.2	2.4
Cocaine	2.0	1.6	0.2	0.1
Crack	0.9	0.6	0.0	0.0
Heroin	0.2	0.3	0.0	0.0
Hallucinogens	0.6	0.5	0.1	0.1
LSD	0.1	0.0	*	*
PCP	0.1	*	*	0.0
Ecstasy	0.4	0.3	0.1	0.0
Inhalants	0.1	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	4.9	4.8	1.2	1.4
Pain Relievers	3.8	3.4	0.9	1.0
OxyContin [®]	0.5	0.5	0.0	0.0
Tranquilizers	1.6	1.9	0.4	0.4
Stimulants ³	1.2 ^a	0.8	0.1	0.1
Methamphetamine ³	0.7 ^a	0.3	0.0	0.1
Sedatives	0.3	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	6.8	6.3	1.5	1.6

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.