

**Table 6.94A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Numbers in Thousands, 2009 and 2010**

Age Category	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
<b>TOTAL</b>	10,498	10,580	30,154	28,848	32,605	31,561
12	4	4	3	3	4	4
13	10	7	8	10	11	11
14	28	26	23	31	32	37
15	75	71	69	63	93	83
16	167	178	161	169	216	245
17	365	361	378	322	502	462
18	617	576	699 <sup>a</sup>	565	863	751
19	611	616	801 <sup>a</sup>	659	972	858
20	604	624	769	847	920	1,021
21	611	634	1,027	999	1,147	1,121
22	540	542	1,045	1,019	1,143	1,111
23	497	429	1,000	903	1,087	1,020
24	462	488	1,075 <sup>a</sup>	890	1,160 <sup>a</sup>	999
25	348	425	800 <sup>a</sup>	949	862 <sup>a</sup>	1,042
26-29	1,510	1,326	3,780 <sup>a</sup>	3,218	4,042	3,584
30-34	1,075	1,320	3,544	3,574	3,728	3,833
35-39	726	703	2,769	2,862	2,949	3,014
40-44	520	655	2,617	2,755	2,801	2,873
45-49	591	606	2,919	2,634	3,069	2,771
50-54	761	442	2,517	2,315	2,758	2,465
55-59	281	253	2,024	1,950	2,067	2,018
60-64	75	158	876	1,050	922	1,068
65 or Older	20	135	1,248	1,061	1,256	1,173

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.94B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Percentages, 2009 and 2010**

Age Category	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
<b>TOTAL</b>	4.2	4.2	12.0	11.4	12.9	12.4
12	0.1	0.1	0.1	0.1	0.1	0.1
13	0.2	0.2	0.2	0.2	0.3	0.3
14	0.7	0.7	0.6	0.8	0.8	0.9
15	1.7	1.7	1.6	1.5	2.1	2.0
16	4.0	4.3	3.8	4.1	5.1	5.9
17	8.4	8.5	8.7	7.6	11.5	10.9
18	12.4	12.1	14.1 <sup>a</sup>	11.9	17.4	15.8
19	13.4	14.1	17.5 <sup>a</sup>	15.0	21.3	19.6
20	14.7	13.7	18.7	18.5	22.3	22.4
21	14.7	14.9	24.8	23.4	27.7	26.3
22	13.4	13.2	25.9	24.8	28.3	27.0
23	12.4	10.7	24.9	22.4	27.1	25.4
24	11.2	12.0	26.1 <sup>b</sup>	22.0	28.2 <sup>a</sup>	24.6
25	9.6	10.8	22.1	24.2	23.8	26.6
26-29	9.0	8.0	22.5 <sup>a</sup>	19.3	24.1	21.5
30-34	5.5	6.6	18.3	18.0	19.2	19.3
35-39	3.7	3.6	13.9	14.8	14.8	15.6
40-44	2.5	3.2	12.6	13.4	13.4	14.0
45-49	2.6	2.7	13.0	11.8	13.7	12.5
50-54	3.4	2.0	11.3	10.5	12.4	11.2
55-59	1.5	1.3	10.9	10.1	11.2	10.5
60-64	0.5	1.0	5.7	6.4	6.0	6.5
65 or Older	0.1	0.3	3.3	2.7	3.3	3.0

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.95A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2009)</b>	<b>Illicit Drugs (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2009)</b>	<b>Illicit Drugs or Alcohol (2010)</b>
<b>TOTAL</b>	10,498	10,580	30,154	28,848	32,605	31,561
<b>AGE</b>						
12-17	648	648	642	598	858	841
18-25	4,290	4,334	7,217 <sup>a</sup>	6,831	8,154	7,922
26 or Older	5,560	5,598	22,295	21,419	23,593	22,798
<b>GENDER</b>						
Male	7,025	7,194	19,056	18,583	20,693	20,288
Female	3,474	3,386	11,098	10,265	11,912	11,273
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	9,303	9,280	27,057	25,911	29,245	28,384
White	7,782	7,583	23,495	22,393	25,283	24,440
Black or African American	1,126	1,228	2,506	2,417	2,808	2,710
American Indian or Alaska Native	80	86	187	135	196	150
Native Hawaiian or Other Pacific Islander	7	16	*	*	*	*
Asian	156	208	449	603	478	670
Two or More Races	151	159	308	311	366	361
Hispanic or Latino	1,196	1,300	3,097	2,936	3,360	3,177

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.95B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2009)</b>	<b>Illicit Drugs (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2009)</b>	<b>Illicit Drugs or Alcohol (2010)</b>
<b>TOTAL</b>	4.2	4.2	12.0	11.4	12.9	12.4
<b>AGE</b>						
12-17	2.6	2.7	2.6	2.5	3.5	3.5
18-25	12.8	12.7	21.5 <sup>a</sup>	20.0	24.3	23.3
26 or Older	2.9	2.9	11.5	11.0	12.2	11.7
<b>GENDER</b>						
Male	5.7	5.8	15.6	15.1	16.9	16.4
Female	2.7	2.6	8.6 <sup>a</sup>	7.9	9.2	8.7
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	4.3	4.3	12.5	11.9	13.5	13.1
White	4.6	4.5	13.8	13.2	14.9	14.4
Black or African American	3.7	4.1	8.3	8.0	9.3	9.0
American Indian or Alaska Native	6.5	7.1	15.3	11.2	16.0	12.5
Native Hawaiian or Other Pacific Islander	0.9	2.2	*	*	*	*
Asian	1.4	1.8	4.1	5.3	4.3	5.8
Two or More Races	5.1	5.0	10.4	9.8	12.4	11.4
Hispanic or Latino	3.3	3.5	8.6	8.0	9.3	8.6

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.96A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2009)</b>	<b>Illicit Drugs (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2009)</b>	<b>Illicit Drugs or Alcohol (2010)</b>
<b>TOTAL</b>	9,850	9,933	29,511	28,250	31,747	30,720
<b>GENDER</b>						
Male	6,651	6,830	18,714	18,273	20,213	19,831
Female	3,199	3,103	10,797	9,977	11,534	10,889
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	8,750	8,745	26,519	25,422	28,519	27,680
White	7,297	7,130	23,002	21,977	24,636	23,841
Black or African American	1,088	1,175	2,481	2,372	2,763	2,643
American Indian or Alaska Native	74	81	182	132	188	144
Native Hawaiian or Other Pacific Islander	7	16	*	*	*	*
Asian	147	197	445	594	469	657
Two or More Races	136	146	298	296	350	344
Hispanic or Latino	1,100	1,188	2,992	2,828	3,228	3,040
<b>EDUCATION</b>						
< High School	1,410	1,412	2,364	2,183	2,769	2,622
High School Graduate	3,268	2,979	7,853 <sup>a</sup>	7,052	8,707 <sup>a</sup>	7,831
Some College	3,197	3,482	8,561	8,714	9,231	9,602
College Graduate	1,975	2,059	10,733	10,301	11,040	10,665
<b>CURRENT EMPLOYMENT</b>						
Full-Time	4,992	5,144	18,595	18,442	19,696	19,446
Part-Time	2,216	2,144	4,854	4,463	5,356	5,165
Unemployed	1,186	1,117	2,114	1,945	2,370	2,245
Other <sup>1</sup>	1,456	1,528	3,949	3,400	4,326	3,864

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.96B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2009)</b>	<b>Illicit Drugs (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2009)</b>	<b>Illicit Drugs or Alcohol (2010)</b>
<b>TOTAL</b>	4.3	4.3	13.0	12.3	14.0	13.4
<b>GENDER</b>						
Male	6.1	6.2	17.1	16.5	18.4	17.9
Female	2.7	2.6	9.2 <sup>a</sup>	8.4	9.8	9.2
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	4.5	4.4	13.5	12.9	14.5	14.0
White	4.7	4.6	14.8	14.1	15.9	15.3
Black or African American	4.1	4.4	9.4	8.9	10.5	9.9
American Indian or Alaska Native	6.8	7.5	16.6	12.3	17.2	13.4
Native Hawaiian or Other Pacific Islander	1.0	2.4	*	*	*	*
Asian	1.5	1.9	4.4	5.7	4.7	6.3
Two or More Races	5.6	5.5	12.3	11.2	14.4	13.0
Hispanic or Latino	3.5	3.7	9.6	8.9	10.4	9.5
<b>EDUCATION</b>						
< High School	4.1	4.0	6.8	6.2	8.0	7.5
High School Graduate	4.7	4.3	11.2 <sup>a</sup>	10.1	12.4 <sup>a</sup>	11.3
Some College	5.5	5.9	14.8	14.7	16.0	16.3
College Graduate	3.0	3.1	16.6	15.7	17.0	16.3
<b>CURRENT EMPLOYMENT</b>						
Full-Time	4.3	4.5	16.2	16.2	17.2	17.0
Part-Time	7.0	6.5	15.3 <sup>a</sup>	13.5	16.9	15.6
Unemployed	8.0	7.5	14.3	13.1	16.1	15.2
Other <sup>1</sup>	2.2	2.3	6.0 <sup>a</sup>	5.1	6.6	5.7

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.97A (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2009)</b>	<b>Illicit Drugs (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2009)</b>	<b>Illicit Drugs or Alcohol (2010)</b>
<b>TOTAL</b>	9,883	9,933	29,696	28,302	31,943	30,780
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1,909	1,742	5,484	5,010	5,918	5,513
New England	747	591	1,856	1,637	2,023	1,797
Middle Atlantic	1,161	1,151	3,627	3,374	3,895	3,716
Midwest	2,109	2,173	7,863	7,423	8,350	7,914
East North Central	1,483	1,512	5,325	5,066	5,659	5,402
West North Central	626	662	2,539	2,357	2,691	2,512
South	3,470	3,312	9,726	9,745	10,482	10,512
South Atlantic	1,878	1,758	4,802	5,034	5,166	5,483
East South Central	456	585	1,322	1,520	1,470	1,644
West South Central	1,136	969	3,602	3,191	3,847	3,386
West	2,395	2,706	6,623	6,124	7,193	6,841
Mountain	759	897	1,990	2,131	2,185	2,322
Pacific	1,636	1,809	4,633	3,993	5,008	4,519
<b>COUNTY TYPE</b>						
Large Metro	5,146	5,394	16,022	15,069	17,107	16,379
Small Metro	3,347	3,077	9,374	9,128	10,193	9,844
250K – 1 Mil. Pop.	2,194	2,089	6,236	6,131	6,760	6,599
< 250K Pop.	1,153	988	3,138	2,997	3,433	3,245
Nonmetro	1,390	1,462	4,300	4,105	4,643	4,557
Urbanized	734	748	2,106	1,832	2,286	2,062
Less Urbanized	544	654	1,851	1,959	1,995	2,158
Completely Rural	112	60	342	314	362	336

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.97B (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2009)</b>	<b>Illicit Drugs (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2009)</b>	<b>Illicit Drugs or Alcohol (2010)</b>
<b>TOTAL</b>	4.3	4.3	13.1 <sup>a</sup>	12.3	14.1	13.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	4.5	4.1	13.0	11.8	14.1	13.0
New England	6.8	5.3	16.8	14.7	18.3	16.1
Middle Atlantic	3.7	3.7	11.7	10.8	12.6	11.9
Midwest	4.2	4.3	15.8	14.8	16.8	15.8
East North Central	4.3	4.3	15.4	14.6	16.3	15.5
West North Central	4.2	4.3	16.8	15.5	17.8	16.5
South	4.2	3.9	11.7	11.6	12.6	12.5
South Atlantic	4.3	3.9	10.9	11.3	11.7	12.3
East South Central	3.4	4.3	9.8	11.1	10.9	12.1
West South Central	4.5	3.7	14.1	12.3	15.1	13.1
West	4.6	5.1	12.7	11.6	13.7	12.9
Mountain	4.7	5.5	12.4	13.1	13.6	14.3
Pacific	4.5	4.9	12.8	10.9	13.8	12.3
<b>COUNTY TYPE</b>						
Large Metro	4.3	4.4	13.3 <sup>a</sup>	12.3	14.2	13.4
Small Metro	4.8	4.4	13.6	13.1	14.8	14.1
250K – 1 Mil. Pop.	4.8	4.5	13.7	13.2	14.9	14.2
< 250K Pop.	4.9	4.2	13.3	12.8	14.6	13.8
Nonmetro	3.7	4.0	11.5	11.2	12.4	12.4
Urbanized	4.5	4.8	12.9	11.8	14.0	13.3
Less Urbanized	3.2	3.7	10.7	11.1	11.6	12.2
Completely Rural	2.9	1.8	9.0	9.2	9.5	9.9

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.