

Table 6.1C Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	288	298	50	52	105	105	261	264
12-49	204	236	39	42	87	78	179	215
50-99	164	157	24	26	52	50	150	145
100-299	263	252	37	37	87	92	235	232
300 or More	174	221	22	26	71	75	155	201
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	178	189	31	37	65	66	164	176
3-5	182	143	30	30	55	54	167	131
6-19	158	177	28	30	62	63	141	159
20 or More	236	280	29	29	87	93	210	253

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.1D Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.79	0.80	1.15	1.12	0.75	0.75	1.35	1.39
12-49	0.65	0.68	1.01	1.03	0.69	0.62	1.11	1.19
50-99	0.53	0.51	0.69	0.71	0.48	0.46	0.92	0.88
100-299	0.75	0.75	0.94	0.96	0.70	0.74	1.32	1.30
300 or More	0.55	0.65	0.64	0.69	0.61	0.66	0.96	1.12
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.97	0.91	1.48	1.63	0.91	0.90	1.69	1.61
3-5	0.96	0.77	1.43	1.52	0.80	0.77	1.67	1.33
6-19	0.80	0.92	1.36	1.41	0.85	0.83	1.39	1.55
20 or More	1.07	1.17	1.38	1.41	1.05	1.08	1.86	2.00

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.1P Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.0398		0.0288		0.5142		0.1012	
12-49	0.8544		0.7866		0.3848		0.6322	
50-99	0.2443		0.8859		0.3383		0.3382	
100-299	0.1640		0.1809		0.8326		0.2245	
300 or More	0.0700		0.1715		0.0305		0.3335	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.5843		0.6973		0.6336		0.6393	
3-5	0.0374		0.3955		0.6126		0.0620	
6-19	0.9447		0.4995		0.4985		0.8197	
20 or More	0.0427		0.8290		0.1940		0.0847	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.2C Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	140	143	19	19	59	56	120	124
12-49	97	102	8	10	29	29	93	94
50-99	61	72	6	4	19	19	58	69
100-299	86	62	6	4	19	21	83	59
300 or More	20	29	1	1	7	3	19	28
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	101	81	*	*	28	32	91	70
3-5	44	55	*	*	16	16	40	53
6-19	66	27	*	*	12	16	65	22
20 or More	40	47	*	*	10	7	39	47

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.2D Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.08	2.25	4.01	4.11	1.84	2.01	3.19	3.43
12-49	1.69	1.94	2.99	3.73	1.41	1.61	2.77	3.00
50-99	1.21	1.48	2.25	1.53	1.02	1.16	1.99	2.40
100-299	1.62	1.30	2.44	1.74	1.00	1.27	2.63	2.06
300 or More	0.42	0.63	0.60	0.55	0.42	0.19	0.67	1.04
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	4.05	3.83	*	*	3.72	3.78	5.52	5.65
3-5	2.56	3.27	*	*	2.99	3.08	3.42	4.89
6-19	3.42	1.83	*	*	2.46	2.86	4.88	2.42
20 or More	2.36	2.97	*	*	2.01	1.33	3.38	4.64

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.2P Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.8748		0.7361		0.8310		0.9094	
12-49	0.5024		0.1760		0.6964		0.5112	
50-99	0.5940		0.5837		0.8660		0.5411	
100-299	0.2252		0.3532		0.3897		0.1294	
300 or More	0.7040		0.6215		0.0570		0.4027	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.9457		*		0.8842		0.6731	
3-5	0.0365		*		0.9007		0.0225	
6-19	0.0068		*		0.4254		0.0025	
20 or More	0.5266		*		0.1929		0.2566	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.3C Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	138	156	33	35	80	83	104	115
12-49	55	60	16	18	26	36	45	41
50-99	44	33	7	10	19	16	39	28
100-299	22	28	10	9	15	15	13	*
300 or More	5	8	1	*	5	5	1	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	80	71	15	16	40	44	*	*
3-5	25	34	8	9	18	18	*	*
6-19	36	14	9	8	8	10	*	*
20 or More	12	9	3	3	5	6	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.3D Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1.45	1.44	2.28	2.47	1.34	1.52	3.86	3.62
12-49	1.15	1.21	1.90	2.16	1.01	1.32	3.07	2.84
50-99	0.94	0.72	0.96	1.24	0.77	0.66	2.73	2.03
100-299	0.49	0.61	1.29	1.15	0.60	0.61	0.94	*
300 or More	0.12	0.17	0.19	*	0.21	0.22	0.09	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3.18	2.71	4.28	4.49	2.77	2.90	*	*
3-5	1.97	2.51	3.43	3.83	2.48	2.52	*	*
6-19	2.67	1.14	3.52	3.26	1.30	1.49	*	*
20 or More	0.96	0.71	1.39	1.18	0.87	0.93	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.3P Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.8214		0.4532		0.3042		0.5039	
12-49	0.2939		0.1933		0.3123		0.8601	
50-99	0.2725		0.3395		0.9730		0.1155	
100-299	0.9681		0.1471		0.7652		*	
300 or More	0.6917		*		0.7573		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.8387		0.1795		0.6142		*	
3-5	0.3667		0.5656		0.8544		*	
6-19	0.2710		0.3366		0.4847		*	
20 or More	0.6211		0.5967		0.9790		*	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.4C Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	81	81	34	32	37	36	*	*
12-49	53	46	20	21	17	17	*	*
50-99	41	23	13	13	11	13	*	*
100-299	17	63	9	9	13	9	*	*
300 or More	5	3	4	2	3	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	54	*	20	20	*	*	*	*
3-5	14	33	8	9	*	*	*	*
6-19	14	*	5	10	*	*	*	*
20 or More	5	13	5	4	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.4D Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.47	2.91	2.11	2.31	3.39	3.18	*	*
12-49	2.19	2.06	1.90	2.01	2.47	2.36	*	*
50-99	1.84	1.14	1.34	1.43	1.64	2.06	*	*
100-299	0.80	2.89	0.97	1.00	1.98	1.53	*	*
300 or More	0.22	0.14	0.38	0.18	0.46	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3.80	*	4.15	4.25	*	*	*	*
3-5	2.56	4.44	3.27	3.22	*	*	*	*
6-19	2.42	*	2.16	3.55	*	*	*	*
20 or More	0.98	1.89	2.03	1.39	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.4P Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.4485		0.4498		0.7187		*	
12-49	0.9084		0.9429		0.2871		*	
50-99	0.8713		0.0950		0.7847		*	
100-299	0.3166		0.7127		0.3052		*	
300 or More	0.4916		0.4820		*		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*		0.4718		*		*	
3-5	0.2602		0.7329		*		*	
6-19	*		0.0394		*		*	
20 or More	0.5211		0.3382		*		*	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.5C Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	213	259	33	33	73	77	196	237
3-5	203	205	26	27	67	74	189	193
6-19	274	257	30	27	75	75	258	245
20-29	264	292	24	27	74	62	251	285
30	723	736	30	30	129	120	693	707
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	267	294	19	19	59	60	260	284
6-15 (1/2 Pack)	420	379	19	18	80	77	405	362
16-25 (1 Pack)	395	421	10	10	59	57	389	415
26 or More (More Than 1 Pack)	260	224	6	4	20	19	257	223
Not Reported	39	28	*	1	2	3	39	28

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.5D Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.35	0.42	1.29	1.37	0.54	0.58	0.42	0.51
3-5	0.34	0.35	1.10	1.19	0.48	0.56	0.41	0.43
6-19	0.43	0.41	1.17	1.16	0.55	0.57	0.54	0.52
20-29	0.42	0.48	1.00	1.18	0.54	0.50	0.53	0.61
30	0.68	0.71	1.17	1.29	0.79	0.80	0.84	0.86
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.67	0.75	2.88	3.15	0.91	0.93	0.79	0.88
6-15 (1/2 Pack)	0.91	0.87	2.84	2.93	0.99	1.07	1.07	1.01
16-25 (1 Pack)	0.90	0.90	1.86	2.10	0.89	0.91	1.07	1.06
26 or More (More Than 1 Pack)	0.65	0.60	1.21	0.83	0.36	0.35	0.77	0.72
Not Reported	0.11	0.08	*	0.32	0.03	0.05	0.13	0.10

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.5P Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.0685		0.2113		0.8647		0.0582	
3-5	0.7561		0.9155		0.3369		0.6157	
6-19	0.7066		0.1462		0.9525		0.8599	
20-29	0.1481		0.6011		0.0787		0.0568	
30	0.1170		0.7007		0.6898		0.0525	
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.5430		0.4367		0.3066		0.6424	
6-15 (1/2 Pack)	0.9344		0.3083		0.6729		0.9597	
16-25 (1 Pack)	0.6518		0.9145		0.2956		0.5310	
26 or More (More Than 1 Pack)	0.1542		0.4818		0.2031		0.1931	
Not Reported	0.7986		*		0.4474		0.7342	

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.6C Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	780	715	90	86	130	144	736	685
12-49	797	821	67	61	171	174	765	780
50-99	618	647	46	43	143	139	600	626
100-299	892	1,005	37	38	194	200	865	969
300 or More	473	418	9	10	44	43	468	415
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	752	755	63	58	143	151	723	731
3-5	686	736	47	48	156	141	664	721
6-19	769	842	37	33	182	184	749	809
20 or More	692	606	15	13	81	78	685	599

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.6D Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2009 and 2010

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.39	0.36	0.82	0.85	0.43	0.46	0.47	0.44
12-49	0.39	0.39	0.74	0.73	0.47	0.47	0.48	0.47
50-99	0.32	0.33	0.55	0.56	0.41	0.40	0.40	0.41
100-299	0.40	0.44	0.47	0.48	0.51	0.53	0.49	0.54
300 or More	0.26	0.24	0.12	0.14	0.16	0.16	0.32	0.29
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.48	0.46	1.17	1.19	0.55	0.53	0.57	0.55
3-5	0.42	0.48	1.09	1.16	0.53	0.51	0.51	0.58
6-19	0.46	0.49	0.92	0.84	0.56	0.59	0.56	0.58
20 or More	0.46	0.40	0.41	0.39	0.35	0.34	0.55	0.49

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.6P Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Frequency of Use	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.7904		0.3120		0.0048		0.4805	
12-49	0.9406		0.8018		0.8247		0.9864	
50-99	0.9376		0.3767		0.2813		0.8656	
100-299	0.1433		0.7346		0.2840		0.1059	
300 or More	0.0624		0.9336		0.5763		0.0613	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.5799		0.4294		0.1962		0.4440	
3-5	0.4940		0.4374		0.4931		0.4383	
6-19	0.0900		0.0816		0.8397		0.0703	
20 or More	0.0423		0.4730		0.5390		0.0420	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.