

Table 6.79C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	144	145	115	105	89	99
Marijuana and Hashish	129	134	105	99	81	91
Cocaine	31	31	23	19	20	24
Crack	6	13	2	3	6	13
Heroin	10	13	7	7	7	11
Hallucinogens	45	40	33	26	28	31
LSD	15	16	11	14	10	8
PCP	3	*	2	*	2	*
Ecstasy	31	32	19	18	23	27
Inhalants	19	14	11	8	15	12
Nonmedical Use of Psychotherapeutics ^{4,5}	68	64	48	37	47	52
Pain Relievers	56	55	37	27	41	48
OxyContin [®]	17	21	11	13	12	14
Tranquilizers	34	33	24	18	23	27
Stimulants ⁵	30	29	21	19	21	22
Methamphetamine ⁵	12	15	6	3	10	14
Sedatives	15	11	9	7	13	8
ILLCIT DRUGS OTHER THAN MARIJUANA³	87	76	62	47	57	61

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.79D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	0.50	0.52	0.88	0.84	0.59	0.63
Marijuana and Hashish	0.47	0.50	0.84	0.84	0.55	0.60
Cocaine	0.14	0.14	0.25	0.20	0.16	0.18
Crack	0.03	0.06	0.02	0.03	0.05	0.10
Heroin	0.05	0.06	0.07	0.08	0.06	0.08
Hallucinogens	0.20	0.18	0.34	0.27	0.22	0.24
LSD	0.07	0.07	0.12	0.15	0.08	0.06
PCP	0.01	*	0.02	*	0.01	*
Ecstasy	0.14	0.14	0.21	0.19	0.18	0.21
Inhalants	0.09	0.06	0.12	0.09	0.12	0.10
Nonmedical Use of Psychotherapeutics ^{4,5}	0.28	0.27	0.43	0.36	0.36	0.38
Pain Relievers	0.24	0.24	0.36	0.27	0.31	0.35
OxyContin [®]	0.08	0.09	0.12	0.14	0.10	0.11
Tranquilizers	0.15	0.15	0.24	0.19	0.18	0.21
Stimulants ⁵	0.13	0.13	0.21	0.19	0.17	0.17
Methamphetamine ⁵	0.05	0.07	0.06	0.03	0.08	0.11
Sedatives	0.07	0.05	0.09	0.07	0.10	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.35	0.31	0.56	0.44	0.42	0.44

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.79P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	0.5534		0.5670		0.1630	
Marijuana and Hashish	0.5193		0.5303		0.1152	
Cocaine	0.9353		0.2753		0.3513	
Crack	0.0517		0.6289		0.0592	
Heroin	0.9776		0.5075		0.6364	
Hallucinogens	0.7800		0.3646		0.6611	
LSD	0.8450		0.7356		0.9149	
PCP	*		*		*	
Ecstasy	0.9403		0.6871		0.8440	
Inhalants	0.4314		0.3278		0.8020	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.2880		0.0186		0.6977	
Pain Relievers	0.2422		0.0026		0.5222	
OxyContin [®]	0.2963		0.8620		0.0991	
Tranquilizers	0.5711		0.1324		0.6041	
Stimulants ⁵	0.5963		0.2736		0.8430	
Methamphetamine ⁵	0.5909		0.3163		0.3545	
Sedatives	0.3100		0.6819		0.3502	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.2290		0.0409		0.9775	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.80C Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	112	109	88	76	72	78
Marijuana and Hashish	102	102	80	72	65	73
Cocaine	25	26	19	18	15	19
Crack	3	8	*	2	3	8
Heroin	8	9	6	5	5	7
Hallucinogens	38	31	29	21	23	25
LSD	12	15	10	13	7	7
PCP	3	*	2	*	2	*
Ecstasy	25	24	16	14	19	21
Inhalants	17	12	8	3	15	11
Nonmedical Use of Psychotherapeutics ^{4,5}	51	50	34	28	37	41
Pain Relievers	42	45	27	21	32	39
OxyContin [®]	14	16	9	12	11	11
Tranquilizers	23	26	17	14	16	21
Stimulants ⁵	24	20	17	15	17	14
Methamphetamine ⁵	10	7	5	2	9	7
Sedatives	14	8	8	3	12	7
ILLCIT DRUGS OTHER THAN MARIJUANA³	64	60	46	37	43	49

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.80D Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	0.76	0.75	1.37	1.23	0.87	0.93
Marijuana and Hashish	0.71	0.73	1.31	1.24	0.81	0.88
Cocaine	0.21	0.22	0.42	0.37	0.22	0.27
Crack	0.02	0.07	*	0.05	0.04	0.11
Heroin	0.07	0.08	0.14	0.11	0.07	0.10
Hallucinogens	0.32	0.27	0.61	0.43	0.33	0.35
LSD	0.11	0.13	0.22	0.29	0.10	0.10
PCP	0.02	*	0.04	*	0.03	*
Ecstasy	0.22	0.20	0.35	0.30	0.28	0.30
Inhalants	0.15	0.10	0.19	0.07	0.22	0.16
Nonmedical Use of Psychotherapeutics ^{4,5}	0.41	0.40	0.65	0.54	0.53	0.56
Pain Relievers	0.35	0.37	0.55	0.41	0.45	0.54
OxyContin [®]	0.13	0.14	0.21	0.26	0.16	0.16
Tranquilizers	0.21	0.22	0.36	0.30	0.24	0.30
Stimulants ⁵	0.21	0.17	0.36	0.31	0.25	0.20
Methamphetamine ⁵	0.09	0.06	0.11	0.05	0.13	0.10
Sedatives	0.13	0.07	0.18	0.07	0.18	0.10
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.50	0.48	0.84	0.70	0.60	0.66

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.80P Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	0.5105		0.3337		0.0656	
Marijuana and Hashish	0.4884		0.3235		0.0493	
Cocaine	0.6382		0.6615		0.2691	
Crack	0.0140		*		0.0223	
Heroin	0.9519		0.4797		0.5536	
Hallucinogens	0.6659		0.3070		0.7157	
LSD	0.5156		0.5690		0.7965	
PCP	*		*		*	
Ecstasy	0.7355		0.8612		0.7840	
Inhalants	0.2093		0.0592		0.6300	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.4947		0.0959		0.7197	
Pain Relievers	0.8524		0.0521		0.2948	
OxyContin [®]	0.6556		0.9477		0.4861	
Tranquilizers	0.5711		0.1909		0.7497	
Stimulants ⁵	0.2829		0.3925		0.4886	
Methamphetamine ⁵	0.3271		0.4439		0.4841	
Sedatives	0.1187		0.3437		0.2120	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.5522		0.1793		0.7622	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.81C Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	76	79	56	55	52	56
Marijuana and Hashish	69	70	52	51	47	51
Cocaine	17	16	12	7	13	14
Crack	6	10	2	1	5	10
Heroin	7	9	3	5	6	8
Hallucinogens	22	22	13	12	17	19
LSD	9	5	5	4	7	4
PCP	*	*	*	*	*	*
Ecstasy	18	19	12	10	13	16
Inhalants	8	9	8	7	4	5
Nonmedical Use of Psychotherapeutics ^{4,5}	42	40	29	22	30	33
Pain Relievers	36	32	24	16	27	28
OxyContin [®]	8	11	6	6	6	10
Tranquilizers	22	20	16	11	15	17
Stimulants ⁵	17	21	12	11	13	17
Methamphetamine ⁵	5	13	3	1	5	13
Sedatives	5	7	3	6	4	4
ILLCIT DRUGS OTHER THAN MARIJUANA³	49	44	34	25	35	36

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.81D Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	0.60	0.63	0.94	0.95	0.78	0.83
Marijuana and Hashish	0.56	0.57	0.89	0.88	0.72	0.76
Cocaine	0.16	0.15	0.25	0.16	0.21	0.24
Crack	0.05	0.10	0.04	0.03	0.09	0.17
Heroin	0.06	0.09	0.07	0.10	0.10	0.13
Hallucinogens	0.20	0.20	0.28	0.25	0.29	0.31
LSD	0.08	0.05	0.10	0.09	0.12	0.06
PCP	*	*	*	*	*	*
Ecstasy	0.17	0.18	0.25	0.21	0.22	0.27
Inhalants	0.08	0.09	0.16	0.16	0.07	0.09
Nonmedical Use of Psychotherapeutics ^{4,5}	0.37	0.36	0.56	0.47	0.48	0.53
Pain Relievers	0.32	0.29	0.48	0.34	0.44	0.45
OxyContin [®]	0.08	0.11	0.12	0.12	0.10	0.16
Tranquilizers	0.20	0.19	0.32	0.24	0.26	0.27
Stimulants ⁵	0.16	0.19	0.26	0.23	0.22	0.28
Methamphetamine ⁵	0.05	0.12	0.06	0.02	0.08	0.21
Sedatives	0.05	0.07	0.07	0.13	0.06	0.07
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.43	0.39	0.66	0.52	0.55	0.57

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.81P Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
ILLCIT DRUGS³	0.9754		0.9628		0.9967	
Marijuana and Hashish	0.9632		0.9921		0.9408	
Cocaine	0.3746		0.0818		0.8851	
Crack	0.5329		0.7788		0.4959	
Heroin	0.9844		0.8583		0.9099	
Hallucinogens	0.9312		0.7929		0.7893	
LSD	0.4025		0.4487		0.6450	
PCP	*		*		*	
Ecstasy	0.7767		0.6120		0.4787	
Inhalants	0.5828		0.8003		0.5075	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.4002		0.1091		0.8564	
Pain Relievers	0.1072		0.0167		0.7556	
OxyContin [®]	0.2157		0.7235		0.0791	
Tranquilizers	0.8239		0.3929		0.6771	
Stimulants ⁵	0.6396		0.5948		0.3262	
Methamphetamine ⁵	0.1010		0.4788		0.0664	
Sedatives	0.3717		0.5077		0.5461	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.2090		0.0966		0.7533	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.82C Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	144	145	115	105	89	99
AGE						
18	54	58	35	34	42	47
19	57	57	49	41	35	39
20	56	60	42	43	37	42
21	59	54	44	39	38	38
22	55	52	34	28	42	42
GENDER						
Male	112	109	88	76	72	78
Female	76	79	56	55	52	56
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	139	134	109	99	83	91
White	124	118	101	87	69	76
Black or African American	47	49	29	20	37	43
American Indian or Alaska Native	6	9	*	*	6	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	20	21	16	14	12	*
Two or More Races	14	14	7	9	12	11
Hispanic or Latino	47	49	29	27	37	40

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.82D Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.50	0.52	0.88	0.84	0.59	0.63
AGE						
18	0.91	1.02	1.58	1.55	1.16	1.30
19	1.03	1.08	1.62	1.52	1.42	1.50
20	1.14	1.14	1.74	1.68	1.47	1.48
21	1.18	1.08	2.02	1.66	1.42	1.43
22	1.09	1.05	2.05	1.72	1.26	1.30
GENDER						
Male	0.76	0.75	1.37	1.23	0.87	0.93
Female	0.60	0.63	0.94	0.95	0.78	0.83
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.57	0.60	0.94	0.92	0.68	0.75
White	0.68	0.71	1.13	1.07	0.78	0.88
Black or African American	1.18	1.26	1.72	1.59	1.61	1.72
American Indian or Alaska Native	3.90	5.62	*	*	4.95	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.10	1.96	2.50	1.93	3.70	*
Two or More Races	3.76	3.34	4.53	5.32	5.45	4.35
Hispanic or Latino	1.05	0.94	2.17	1.82	1.17	1.11

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.82P Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.5534		0.5670		0.1630	
AGE						
18	0.5751		0.6354		0.3282	
19	0.0373		0.4007		0.0286	
20	0.3863		0.5080		0.5453	
21	0.8172		0.3853		0.6172	
22	0.8024		0.5347		0.9111	
GENDER						
Male	0.5105		0.3337		0.0656	
Female	0.9754		0.9628		0.9967	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3595		0.9000		0.1494	
White	0.2237		0.8941		0.0904	
Black or African American	0.9424		0.3853		0.6278	
American Indian or Alaska Native	0.1623		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6972		0.5605		*	
Two or More Races	0.3868		0.7378		0.1609	
Hispanic or Latino	0.6946		0.1454		0.6214	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.83C Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	129	134	105	99	81	91
AGE						
18	51	54	32	33	40	42
19	55	53	48	38	33	36
20	51	58	40	42	33	40
21	53	49	41	36	33	35
22	50	48	31	26	39	39
GENDER						
Male	102	102	80	72	65	73
Female	69	70	52	51	47	51
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	126	124	99	93	76	84
White	112	109	92	82	62	71
Black or African American	46	43	28	18	36	37
American Indian or Alaska Native	5	*	*	*	5	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	19	20	16	12	11	*
Two or More Races	14	14	7	9	12	11
Hispanic or Latino	39	47	27	27	31	38

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.83D Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.47	0.50	0.84	0.84	0.55	0.60
AGE						
18	0.89	0.97	1.50	1.55	1.12	1.21
19	1.01	1.03	1.59	1.45	1.37	1.42
20	1.08	1.12	1.73	1.68	1.36	1.44
21	1.10	1.03	1.95	1.61	1.28	1.35
22	1.01	1.02	1.87	1.65	1.18	1.25
GENDER						
Male	0.71	0.73	1.31	1.24	0.81	0.88
Female	0.56	0.57	0.89	0.88	0.72	0.76
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.53	0.57	0.89	0.91	0.64	0.72
White	0.63	0.69	1.08	1.07	0.73	0.85
Black or African American	1.18	1.09	1.71	1.44	1.59	1.49
American Indian or Alaska Native	3.44	*	*	*	4.31	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.00	1.90	2.46	1.76	3.41	*
Two or More Races	3.72	3.33	4.41	5.32	5.46	4.31
Hispanic or Latino	0.89	0.91	2.08	1.82	0.98	1.07

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.83P Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.5193		0.5303		0.1152	
AGE						
18	0.3595		0.9705		0.2799	
19	0.1768		0.6365		0.1255	
20	0.5998		0.5682		0.8646	
21	0.6620		0.2693		0.6239	
22	0.9190		0.5677		0.6250	
GENDER						
Male	0.4884		0.3235		0.0493	
Female	0.9632		0.9921		0.9408	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.6112		0.5848		0.1927	
White	0.3433		0.7873		0.0788	
Black or African American	0.6702		0.3892		0.9213	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7951		0.3256		*	
Two or More Races	0.4232		0.6038		0.1480	
Hispanic or Latino	0.4433		0.7232		0.2301	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.84C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	205	189	160	134	128	136
Cigarettes	182	162	135	101	122	127
Smokeless Tobacco	72	73	59	51	41	55
Cigars	99	94	72	67	66	67
Pipe Tobacco	34	36	23	25	25	27
ALCOHOL	295	276	250	235	146	149
Binge Alcohol Use ⁴	233	212	195	179	122	118
Heavy Alcohol Use ⁴	130	124	108	103	63	66

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.84D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	0.61	0.59	1.05	0.88	0.71	0.74
Cigarettes	0.59	0.57	0.97	0.80	0.71	0.71
Smokeless Tobacco	0.29	0.31	0.54	0.49	0.32	0.41
Cigars	0.37	0.38	0.59	0.58	0.47	0.48
Pipe Tobacco	0.15	0.16	0.24	0.25	0.20	0.21
ALCOHOL	0.67	0.63	1.07	1.00	0.77	0.74
Binge Alcohol Use ⁴	0.66	0.61	1.12	1.08	0.73	0.67
Heavy Alcohol Use ⁴	0.49	0.48	0.87	0.88	0.47	0.47

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.84P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	0.4466		0.7595		0.4408	
Cigarettes	0.0946		0.0670		0.4437	
Smokeless Tobacco	0.5279		0.5929		0.1787	
Cigars	0.4203		0.9060		0.3356	
Pipe Tobacco	0.3774		0.2165		0.9144	
ALCOHOL	0.2811		0.6208		0.2852	
Binge Alcohol Use ⁴	0.0271		0.3557		0.0235	
Heavy Alcohol Use ⁴	0.9376		0.6565		0.7286	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.85C Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	160	142	128	103	99	102
Cigarettes	141	115	106	72	94	91
Smokeless Tobacco	69	70	56	50	40	51
Cigars	88	82	66	60	58	57
Pipe Tobacco	31	29	22	18	22	22
ALCOHOL	194	185	162	150	106	110
Binge Alcohol Use ⁴	175	158	147	128	92	93
Heavy Alcohol Use ⁴	107	100	91	82	50	57

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.85D Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	0.88	0.83	1.69	1.34	0.98	1.02
Cigarettes	0.89	0.78	1.62	1.13	1.01	0.98
Smokeless Tobacco	0.53	0.54	1.00	0.90	0.57	0.70
Cigars	0.63	0.62	1.08	1.02	0.76	0.76
Pipe Tobacco	0.26	0.25	0.46	0.37	0.32	0.31
ALCOHOL	0.88	0.85	1.40	1.31	1.05	1.03
Binge Alcohol Use ⁴	0.97	0.88	1.69	1.54	1.04	0.99
Heavy Alcohol Use ⁴	0.77	0.74	1.43	1.37	0.70	0.76

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.85P Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	0.3370		0.1559		0.9457	
Cigarettes	0.0485		0.0164		0.6333	
Smokeless Tobacco	0.4899		0.5410		0.1409	
Cigars	0.2373		0.2924		0.4680	
Pipe Tobacco	0.4049		0.3261		0.7687	
ALCOHOL	0.8226		0.3764		0.3998	
Binge Alcohol Use ⁴	0.2587		0.1356		0.7502	
Heavy Alcohol Use ⁴	0.9837		0.1831		0.2259	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.86C Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	96	103	62	63	75	79
Cigarettes	91	98	58	58	72	78
Smokeless Tobacco	17	19	13	8	11	17
Cigars	39	39	23	25	31	31
Pipe Tobacco	13	22	7	16	12	16
ALCOHOL	158	154	126	126	91	91
Binge Alcohol Use ⁴	109	108	83	84	73	69
Heavy Alcohol Use ⁴	51	56	36	45	33	33

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.86D Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2009 and 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	0.71	0.74	0.98	0.99	0.99	0.98
Cigarettes	0.69	0.74	0.94	0.97	0.97	0.97
Smokeless Tobacco	0.15	0.18	0.26	0.17	0.18	0.28
Cigars	0.34	0.35	0.44	0.49	0.50	0.50
Pipe Tobacco	0.12	0.20	0.14	0.34	0.20	0.26
ALCOHOL	0.85	0.83	1.28	1.25	1.05	1.04
Binge Alcohol Use ⁴	0.76	0.75	1.22	1.18	0.97	0.94
Heavy Alcohol Use ⁴	0.44	0.47	0.68	0.80	0.54	0.52

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.86P Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOBACCO PRODUCTS³	0.8158		0.3118		0.2115	
Cigarettes	0.6727		0.8714		0.5436	
Smokeless Tobacco	0.5939		0.2696		0.8701	
Cigars	0.8085		0.2512		0.5675	
Pipe Tobacco	0.0031		0.0003		0.4709	
ALCOHOL	0.0499		0.9539		0.0114	
Binge Alcohol Use ⁴	0.0174		0.9238		0.0018	
Heavy Alcohol Use ⁴	0.7810		0.4750		0.2450	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.87C Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	182	162	135	101	122	127
AGE						
18	65	63	42	36	49	52
19	66	63	45	38	50	50
20	68	68	46	41	49	56
21	74	66	50	41	51	52
22	68	64	38	33	57	53
GENDER						
Male	141	115	106	72	94	91
Female	91	98	58	58	72	78
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	172	147	130	94	107	114
White	161	131	126	85	94	99
Black or African American	46	50	24	20	40	44
American Indian or Alaska Native	10	11	*	*	10	11
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	21	24	16	16	14	19
Two or More Races	14	16	9	8	11	13
Hispanic or Latino	72	65	34	31	60	56

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.87D Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.59	0.57	0.97	0.80	0.71	0.71
AGE						
18	1.03	1.04	1.73	1.59	1.27	1.39
19	1.18	1.16	1.48	1.47	1.72	1.62
20	1.28	1.23	1.90	1.61	1.68	1.75
21	1.31	1.24	1.99	1.67	1.65	1.68
22	1.25	1.19	2.20	1.95	1.50	1.48
GENDER						
Male	0.89	0.78	1.62	1.13	1.01	0.98
Female	0.69	0.74	0.94	0.97	0.97	0.97
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.64	0.65	1.03	0.89	0.78	0.80
White	0.76	0.74	1.29	0.99	0.89	0.94
Black or African American	1.15	1.24	1.62	1.60	1.58	1.57
American Indian or Alaska Native	5.33	5.05	*	*	6.03	5.81
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.13	2.60	2.36	2.60	4.02	5.13
Two or More Races	3.81	3.55	5.49	4.93	5.27	4.77
Hispanic or Latino	1.37	1.17	2.51	2.02	1.58	1.45

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.87P Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.0946		0.0670		0.4437	
AGE						
18	0.3832		0.0232		0.6455	
19	0.9119		0.9275		0.4708	
20	0.1900		0.1483		0.5530	
21	0.3852		0.5825		0.6971	
22	0.2306		0.4759		0.3901	
GENDER						
Male	0.0485		0.0164		0.6333	
Female	0.6727		0.8714		0.5436	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.6001		0.1148		0.4534	
White	0.5724		0.1017		0.2940	
Black or African American	0.8446		0.7643		0.8352	
American Indian or Alaska Native	0.1439		*		0.3709	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7173		0.7565		0.4183	
Two or More Races	0.4485		0.1627		0.8713	
Hispanic or Latino	0.0085		0.3304		0.0123	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.88C Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	295	276	250	235	146	149
AGE						
18	89	84	67	67	56	56
19	92	86	81	69	51	52
20	89	96	70	78	57	60
21	120	112	97	90	62	66
22	107	94	72	60	73	70
GENDER						
Male	194	185	162	150	106	110
Female	158	154	126	126	91	91
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	276	254	234	220	128	129
White	248	217	211	189	110	111
Black or African American	73	79	51	49	50	56
American Indian or Alaska Native	9	10	*	*	6	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	38	51	32	40	20	25
Two or More Races	21	22	16	15	14	16
Hispanic or Latino	91	97	52	52	69	79

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.88D Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.67	0.63	1.07	1.00	0.77	0.74
AGE						
18	1.24	1.19	2.08	1.98	1.41	1.45
19	1.26	1.24	1.81	1.86	1.76	1.68
20	1.29	1.26	1.86	1.85	1.83	1.70
21	1.25	1.29	1.72	1.74	1.61	1.72
22	1.23	1.23	2.06	1.86	1.41	1.56
GENDER						
Male	0.88	0.85	1.40	1.31	1.05	1.03
Female	0.85	0.83	1.28	1.25	1.05	1.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.73	0.70	1.16	1.07	0.85	0.83
White	0.81	0.80	1.25	1.17	0.95	0.97
Black or African American	1.46	1.52	2.23	2.53	1.91	1.83
American Indian or Alaska Native	5.32	5.59	*	*	5.18	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.88	2.97	3.49	3.30	5.29	5.52
Two or More Races	3.75	3.80	5.59	5.43	5.18	5.14
Hispanic or Latino	1.36	1.41	2.47	2.46	1.61	1.72

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.88P Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.2811		0.6208		0.2852	
AGE						
18	0.6173		0.6237		0.8438	
19	0.2994		0.1565		0.7708	
20	0.6138		0.9816		0.4961	
21	0.9699		0.6879		0.9064	
22	0.1139		0.6625		0.0762	
GENDER						
Male	0.8226		0.3764		0.3998	
Female	0.0499		0.9539		0.0114	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5945		0.7219		0.2424	
White	0.5887		0.8696		0.4524	
Black or African American	0.5182		0.6763		0.2871	
American Indian or Alaska Native	0.0645		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3464		0.3600		0.7890	
Two or More Races	0.2232		0.9175		0.1600	
Hispanic or Latino	0.2803		0.0224		0.8991	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.89C Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	233	212	195	179	122	118
AGE						
18	74	68	55	52	48	48
19	81	71	69	55	44	43
20	74	77	58	63	47	49
21	92	88	73	67	51	55
22	86	73	53	44	63	57
GENDER						
Male	175	158	147	128	92	93
Female	109	108	83	84	73	69
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	218	197	182	170	107	102
White	201	176	169	153	94	89
Black or African American	49	55	32	32	39	42
American Indian or Alaska Native	7	10	*	*	6	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	28	30	24	24	15	17
Two or More Races	17	14	*	9	10	11
Hispanic or Latino	74	79	43	41	58	66

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.89D Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.66	0.61	1.12	1.08	0.73	0.67
AGE						
18	1.13	1.09	1.97	1.93	1.28	1.31
19	1.30	1.17	1.92	1.76	1.67	1.56
20	1.29	1.24	1.96	1.96	1.72	1.59
21	1.28	1.41	1.99	2.02	1.64	1.79
22	1.27	1.23	2.21	2.13	1.49	1.55
GENDER						
Male	0.97	0.88	1.69	1.54	1.04	0.99
Female	0.76	0.75	1.22	1.18	0.97	0.94
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.72	0.69	1.18	1.18	0.81	0.77
White	0.83	0.84	1.33	1.35	0.94	0.93
Black or African American	1.21	1.25	1.85	2.02	1.67	1.63
American Indian or Alaska Native	4.21	5.64	*	*	4.68	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.66	2.40	3.11	2.81	4.50	4.59
Two or More Races	4.00	3.34	*	5.22	5.08	4.34
Hispanic or Latino	1.34	1.36	2.69	2.35	1.56	1.68

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.89P Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.0271		0.3557		0.0235	
AGE						
18	0.1942		0.2351		0.5025	
19	0.4295		0.5170		0.7610	
20	0.3542		0.9923		0.2108	
21	0.8743		0.7409		0.9244	
22	0.0033		0.1535		0.0117	
GENDER						
Male	0.2587		0.1356		0.7502	
Female	0.0174		0.9238		0.0018	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0831		0.8979		0.0146	
White	0.1162		0.6408		0.0505	
Black or African American	0.9002		0.1611		0.2669	
American Indian or Alaska Native	0.1710		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7366		0.7074		0.8787	
Two or More Races	0.0425		*		0.2232	
Hispanic or Latino	0.1937		0.0208		0.9443	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.90C Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	130	124	108	103	63	66
AGE						
18	34	32	27	23	20	24
19	47	41	39	31	27	25
20	46	50	39	40	22	28
21	45	52	35	41	27	31
22	50	45	34	27	35	34
GENDER						
Male	107	100	91	82	50	57
Female	51	56	36	45	33	33
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	124	118	105	102	57	58
White	120	114	104	99	52	53
Black or African American	19	20	11	10	16	19
American Indian or Alaska Native	6	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	10	9	8	7	5	5
Two or More Races	10	10	*	5	7	8
Hispanic or Latino	32	38	18	18	28	34

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.90D Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.49	0.48	0.87	0.88	0.47	0.47
AGE						
18	0.63	0.62	1.27	1.12	0.64	0.75
19	0.93	0.83	1.38	1.21	1.19	1.06
20	1.00	0.97	1.71	1.60	0.99	1.06
21	0.90	1.06	1.56	1.73	1.05	1.24
22	1.05	0.96	2.16	1.69	1.13	1.12
GENDER						
Male	0.77	0.74	1.43	1.37	0.70	0.76
Female	0.44	0.47	0.68	0.80	0.54	0.52
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.55	0.56	0.96	0.98	0.54	0.55
White	0.69	0.70	1.18	1.20	0.66	0.68
Black or African American	0.59	0.61	0.86	0.84	0.79	0.86
American Indian or Alaska Native	3.55	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.04	1.01	1.34	1.23	1.57	1.74
Two or More Races	3.04	2.53	*	3.46	3.64	3.53
Hispanic or Latino	0.75	0.82	1.45	1.40	0.91	1.02

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.90P Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.9376		0.6565		0.7286	
AGE						
18	0.8629		0.8494		0.6348	
19	0.7070		0.9464		0.5599	
20	0.9868		0.8602		0.7895	
21	0.4136		0.9287		0.3764	
22	0.2642		0.0891		0.8855	
GENDER						
Male	0.9837		0.1831		0.2259	
Female	0.7810		0.4750		0.2450	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7147		0.7257		0.8408	
White	0.8621		0.7987		0.9195	
Black or African American	0.9020		0.6873		0.7194	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6450		0.8715		0.5977	
Two or More Races	0.1458		*		0.5303	
Hispanic or Latino	0.3079		0.8758		0.2066	

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.91C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	75	75	49	44	55	60
AGE						
18	33	33	21	17	26	29
19	34	35	20	23	26	25
20	33	34	23	19	24	28
21	30	29	21	20	23	21
22	28	28	13	15	25	24
GENDER						
Male	62	59	40	33	46	49
Female	39	43	25	26	32	33
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	66	66	44	41	48	51
White	59	55	41	37	40	40
Black or African American	25	28	10	13	23	24
American Indian or Alaska Native	6	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9	13	7	8	5	*
Two or More Races	10	10	3	*	*	9
Hispanic or Latino	34	33	20	15	28	29

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.91D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.31	0.32	0.47	0.44	0.41	0.43
AGE						
18	0.62	0.64	1.04	0.89	0.79	0.88
19	0.69	0.76	0.78	0.99	1.12	1.04
20	0.76	0.71	1.11	0.86	1.05	1.08
21	0.70	0.64	1.09	0.97	0.90	0.86
22	0.65	0.65	0.97	1.05	0.83	0.82
GENDER						
Male	0.50	0.49	0.78	0.67	0.63	0.67
Female	0.36	0.38	0.50	0.53	0.52	0.52
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.33	0.35	0.47	0.47	0.46	0.49
White	0.40	0.40	0.58	0.56	0.53	0.53
Black or African American	0.76	0.80	0.82	1.11	1.11	1.09
American Indian or Alaska Native	3.55	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.01	1.31	1.21	1.28	1.73	*
Two or More Races	2.98	2.74	1.92	*	*	3.91
Hispanic or Latino	0.81	0.70	1.62	1.16	0.92	0.86

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.91P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.8178		0.8920		0.6872	
AGE						
18	0.8341		0.4496		0.4776	
19	0.6397		0.3963		0.7723	
20	0.3472		0.4774		0.5154	
21	0.7817		0.6746		0.4926	
22	0.9274		0.4816		0.7938	
GENDER						
Male	0.3365		0.4176		0.5734	
Female	0.3634		0.2401		0.8677	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.9073		0.7319		0.6756	
White	0.4701		0.9300		0.3865	
Black or African American	0.2595		0.2036		0.6111	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6690		0.9094		*	
Two or More Races	0.8275		*		*	
Hispanic or Latino	0.8099		0.6540		0.9958	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.92C Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	119	122	90	95	77	77
AGE						
18	39	39	28	26	29	32
19	48	46	37	34	31	31
20	44	48	32	34	29	35
21	46	54	34	40	32	36
22	49	44	30	25	38	36
GENDER						
Male	95	97	68	74	64	63
Female	58	62	45	45	39	42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	106	109	85	89	62	63
White	101	100	82	83	55	54
Black or African American	28	28	16	15	23	23
American Indian or Alaska Native	7	8	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	12	19	10	14	6	13
Two or More Races	12	14	7	4	9	14
Hispanic or Latino	46	50	21	25	41	44

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.92D Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.44	0.46	0.72	0.76	0.55	0.54
AGE						
18	0.71	0.76	1.30	1.27	0.87	0.97
19	0.94	0.93	1.32	1.38	1.29	1.26
20	0.93	0.95	1.38	1.35	1.21	1.31
21	1.03	1.06	1.81	1.63	1.25	1.38
22	1.03	0.96	1.91	1.64	1.22	1.17
GENDER						
Male	0.69	0.71	1.13	1.23	0.84	0.83
Female	0.49	0.52	0.80	0.80	0.62	0.64
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.48	0.51	0.78	0.83	0.58	0.59
White	0.59	0.61	0.94	0.98	0.70	0.70
Black or African American	0.87	0.80	1.34	1.27	1.10	0.99
American Indian or Alaska Native	4.23	5.33	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.28	1.80	1.62	2.00	1.98	3.65
Two or More Races	3.30	3.50	4.43	2.74	4.72	5.15
Hispanic or Latino	0.98	1.03	1.72	1.79	1.24	1.27

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.92P Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.4674		0.6932		0.5354	
AGE						
18	0.5472		0.8614		0.3812	
19	0.3612		0.5595		0.5103	
20	0.6155		0.7101		0.7402	
21	0.3026		0.7036		0.3272	
22	0.2489		0.2841		0.4888	
GENDER						
Male	0.6197		0.4513		0.9644	
Female	0.4893		0.8857		0.3069	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5283		0.6294		0.6758	
White	0.5859		0.6172		0.7398	
Black or African American	0.5623		0.8773		0.4122	
American Indian or Alaska Native	0.5441		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2505		0.9601		0.0868	
Two or More Races	0.7899		0.1885		0.7830	
Hispanic or Latino	0.7099		0.8160		0.5852	

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.93C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	135	137	101	103	87	89
AGE						
18	49	47	33	30	37	39
19	55	55	42	39	36	36
20	48	52	34	38	34	38
21	53	60	40	44	35	40
22	52	48	31	28	42	39
GENDER						
Male	109	107	78	80	72	71
Female	66	70	49	49	47	49
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	120	124	94	97	72	74
White	113	111	91	89	64	63
Black or African American	34	36	17	18	28	30
American Indian or Alaska Native	8	8	*	*	7	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	13	19	12	14	7	13
Two or More Races	13	16	7	6	11	14
Hispanic or Latino	54	55	27	27	46	49

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.93D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.49	0.50	0.80	0.81	0.60	0.60
AGE						
18	0.84	0.85	1.48	1.34	1.06	1.14
19	1.06	1.08	1.45	1.54	1.46	1.42
20	1.00	1.03	1.44	1.48	1.37	1.40
21	1.15	1.13	1.99	1.73	1.35	1.44
22	1.09	1.02	1.92	1.79	1.29	1.23
GENDER						
Male	0.75	0.75	1.22	1.28	0.90	0.90
Female	0.55	0.57	0.87	0.84	0.72	0.73
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.52	0.56	0.83	0.88	0.63	0.66
White	0.63	0.66	1.00	1.03	0.77	0.78
Black or African American	1.03	0.98	1.52	1.40	1.32	1.28
American Indian or Alaska Native	4.29	5.38	*	*	5.38	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.46	1.87	1.78	2.12	2.28	3.67
Two or More Races	3.63	3.71	4.66	4.19	5.21	5.21
Hispanic or Latino	1.11	1.08	2.05	1.96	1.32	1.33

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.93P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2009	2010	2009	2010	2009	2010
TOTAL	0.6877		0.6583		0.8805	
AGE						
18	0.4686		0.4313		0.7389	
19	0.9168		0.9698		0.8128	
20	0.7357		0.9021		0.7374	
21	0.2366		0.8817		0.1380	
22	0.1982		0.3509		0.3397	
GENDER						
Male	0.6477		0.3326		0.8311	
Female	0.8456		0.7664		0.6173	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8397		0.7764		0.9942	
White	0.6794		0.6024		0.9345	
Black or African American	0.7693		0.4578		0.8515	
American Indian or Alaska Native	0.3787		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3596		0.9539		0.1259	
Two or More Races	1.0000		0.5353		0.7990	
Hispanic or Latino	0.6370		0.6315		0.8050	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.