

**Table 6.7C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2009 and 2010**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	345	355	299	330
Marijuana and Hashish	305	312	237	263
Cocaine	118	99	65	46
Crack	74	57	22	21
Heroin	36	38	12	20
Hallucinogens	75	72	53	39
LSD	21	18	6	8
PCP	17	3	*	21
Ecstasy	57	55	42	27
Inhalants	28	39	49	73
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	169	176	182	195
Pain Relievers	142	151	156	148
OxyContin <sup>®</sup>	56	63	18	23
Tranquilizers	100	102	92	94
Stimulants <sup>3</sup>	83	67	51	55
Methamphetamine <sup>3</sup>	59	41	31	35
Sedatives	45	34	32	64
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	209	210	205	204

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.7D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2009 and 2010**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	0.53	0.54	0.15	0.17
Marijuana and Hashish	0.48	0.49	0.12	0.13
Cocaine	0.20	0.17	0.03	0.02
Crack	0.13	0.10	0.01	0.01
Heroin	0.06	0.07	0.01	0.01
Hallucinogens	0.13	0.12	0.03	0.02
LSD	0.04	0.03	0.00	0.00
PCP	0.03	0.01	*	0.01
Ecstasy	0.10	0.09	0.02	0.01
Inhalants	0.05	0.07	0.03	0.04
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.28	0.29	0.09	0.10
Pain Relievers	0.24	0.25	0.08	0.08
OxyContin <sup>®</sup>	0.10	0.11	0.01	0.01
Tranquilizers	0.17	0.17	0.05	0.05
Stimulants <sup>3</sup>	0.14	0.11	0.03	0.03
Methamphetamine <sup>3</sup>	0.10	0.07	0.02	0.02
Sedatives	0.08	0.06	0.02	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.34	0.34	0.10	0.10

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.7P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	0.8527		0.1124	
Marijuana and Hashish	0.7187		0.1468	
Cocaine	0.5042		0.4165	
Crack	0.1871		0.8081	
Heroin	0.4439		0.8186	
Hallucinogens	0.8250		0.2849	
LSD	0.5089		0.1701	
PCP	0.0356		*	
Ecstasy	0.9745		0.2359	
Inhalants	0.9092		0.1910	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.4474		0.4798	
Pain Relievers	0.3716		0.9238	
OxyContin <sup>®</sup>	0.5502		0.8375	
Tranquilizers	0.4111		0.7715	
Stimulants <sup>3</sup>	0.0129		0.4752	
Methamphetamine <sup>3</sup>	0.0151		0.5800	
Sedatives	0.1466		0.2320	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.3979		0.7525	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.8C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2009 and 2010**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	48	48	53	57
Marijuana and Hashish	46	45	39	45
Cocaine	10	11	8	3
Crack	4	2	*	*
Heroin	4	2	1	2
Hallucinogens	16	17	11	14
LSD	6	9	3	3
PCP	5	2	2	2
Ecstasy	13	13	8	9
Inhalants	9	12	20	20
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	24	25	28	29
Pain Relievers	21	22	27	27
OxyContin <sup>®</sup>	10	9	5	4
Tranquilizers	12	13	8	9
Stimulants <sup>3</sup>	12	12	8	10
Methamphetamine <sup>3</sup>	7	6	3	5
Sedatives	6	5	7	5
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	28	31	38	36

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.8D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2009 and 2010**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	1.46	1.58	0.22	0.24
Marijuana and Hashish	1.46	1.54	0.17	0.19
Cocaine	0.44	0.53	0.04	0.01
Crack	0.18	0.09	*	*
Heroin	0.20	0.10	0.01	0.01
Hallucinogens	0.71	0.82	0.05	0.06
LSD	0.29	0.44	0.01	0.02
PCP	0.21	0.08	0.01	0.01
Ecstasy	0.59	0.64	0.04	0.04
Inhalants	0.42	0.57	0.09	0.09
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1.00	1.09	0.12	0.13
Pain Relievers	0.91	1.01	0.12	0.12
OxyContin <sup>®</sup>	0.44	0.45	0.02	0.02
Tranquilizers	0.56	0.64	0.04	0.04
Stimulants <sup>3</sup>	0.55	0.55	0.04	0.04
Methamphetamine <sup>3</sup>	0.32	0.29	0.02	0.02
Sedatives	0.29	0.27	0.03	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1.13	1.31	0.16	0.16

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.8P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	0.9708		0.2371	
Marijuana and Hashish	0.6168		0.0934	
Cocaine	0.6998		0.2032	
Crack	0.2749		*	
Heroin	0.1444		0.3437	
Hallucinogens	0.7680		0.8428	
LSD	0.3708		0.5070	
PCP	0.1450		0.6358	
Ecstasy	0.5482		0.7583	
Inhalants	0.7109		0.5065	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.8379		0.7126	
Pain Relievers	0.9151		0.5317	
OxyContin <sup>®</sup>	0.1849		0.8387	
Tranquilizers	0.7092		0.6879	
Stimulants <sup>3</sup>	0.1344		0.4690	
Methamphetamine <sup>3</sup>	0.2003		0.6931	
Sedatives	0.6667		0.9884	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.5465		0.8379	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2009 and 2010**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	132	131	86	95
Marijuana and Hashish	121	122	75	84
Cocaine	33	37	14	15
Crack	10	16	4	2
Heroin	12	17	2	1
Hallucinogens	38	43	24	20
LSD	15	14	5	8
PCP	1	3	2	*
Ecstasy	28	33	18	17
Inhalants	18	17	10	12
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	66	61	41	42
Pain Relievers	53	54	36	35
OxyContin <sup>®</sup>	17	23	7	6
Tranquilizers	34	36	19	16
Stimulants <sup>3</sup>	31	30	15	18
Methamphetamine <sup>3</sup>	15	16	2	4
Sedatives	16	8	6	9
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	80	76	50	48

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2009 and 2010**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	0.73	0.77	0.36	0.37
Marijuana and Hashish	0.72	0.76	0.32	0.34
Cocaine	0.27	0.30	0.06	0.07
Crack	0.08	0.14	0.02	0.01
Heroin	0.10	0.14	0.01	0.00
Hallucinogens	0.30	0.35	0.11	0.09
LSD	0.12	0.12	0.02	0.04
PCP	0.01	0.03	0.01	*
Ecstasy	0.23	0.27	0.08	0.07
Inhalants	0.15	0.15	0.05	0.05
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.47	0.48	0.19	0.18
Pain Relievers	0.40	0.44	0.17	0.15
OxyContin <sup>®</sup>	0.14	0.20	0.03	0.03
Tranquilizers	0.27	0.30	0.09	0.07
Stimulants <sup>3</sup>	0.25	0.25	0.07	0.08
Methamphetamine <sup>3</sup>	0.13	0.14	0.01	0.02
Sedatives	0.13	0.07	0.03	0.04
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.54	0.55	0.22	0.20

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	0.3415		0.2252	
Marijuana and Hashish	0.3265		0.1653	
Cocaine	0.3276		0.8257	
Crack	0.0559		0.6122	
Heroin	0.1778		0.4850	
Hallucinogens	0.1708		0.7704	
LSD	0.9270		0.1836	
PCP	0.2835		*	
Ecstasy	0.3402		0.8452	
Inhalants	0.5162		0.7637	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.4855		0.4758	
Pain Relievers	0.8780		0.2767	
OxyContin <sup>®</sup>	0.0161		0.6495	
Tranquilizers	0.7853		0.0321	
Stimulants <sup>3</sup>	0.3176		0.0788	
Methamphetamine <sup>3</sup>	0.8952		0.2525	
Sedatives	0.0475		0.3726	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.9546		0.4703	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.10C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2009 and 2010**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	302	318	275	308
Marijuana and Hashish	264	277	217	243
Cocaine	111	90	62	43
Crack	74	55	21	21
Heroin	34	34	12	20
Hallucinogens	61	53	46	30
LSD	13	3	*	*
PCP	17	*	*	20
Ecstasy	48	40	37	19
Inhalants	20	32	43	70
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	153	159	174	190
Pain Relievers	130	135	149	142
OxyContin <sup>®</sup>	53	57	15	22
Tranquilizers	92	93	89	93
Stimulants <sup>3</sup>	76	58	49	51
Methamphetamine <sup>3</sup>	56	35	30	34
Sedatives	42	33	30	63
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	189	189	192	197

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.10D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2009 and 2010**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	0.62	0.64	0.18	0.20
Marijuana and Hashish	0.56	0.57	0.14	0.16
Cocaine	0.25	0.20	0.04	0.03
Crack	0.17	0.12	0.01	0.01
Heroin	0.08	0.08	0.01	0.01
Hallucinogens	0.14	0.12	0.03	0.02
LSD	0.03	0.01	*	*
PCP	0.04	*	*	0.01
Ecstasy	0.11	0.09	0.03	0.01
Inhalants	0.05	0.07	0.03	0.05
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.34	0.35	0.12	0.13
Pain Relievers	0.29	0.30	0.10	0.09
OxyContin <sup>®</sup>	0.12	0.13	0.01	0.01
Tranquilizers	0.21	0.20	0.06	0.06
Stimulants <sup>3</sup>	0.17	0.13	0.03	0.03
Methamphetamine <sup>3</sup>	0.13	0.08	0.02	0.02
Sedatives	0.09	0.07	0.02	0.04
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.41	0.40	0.13	0.13

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.10P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>1</sup></b>	0.8351		0.2750	
Marijuana and Hashish	0.6548		0.4618	
Cocaine	0.2890		0.4993	
Crack	0.0878		0.7549	
Heroin	0.6729		0.8529	
Hallucinogens	0.6356		0.2281	
LSD	0.0940		*	
PCP	*		*	
Ecstasy	0.5030		0.1452	
Inhalants	0.5731		0.2367	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.7007		0.3590	
Pain Relievers	0.4375		0.6451	
OxyContin <sup>®</sup>	0.9795		0.6730	
Tranquilizers	0.3564		0.5000	
Stimulants <sup>3</sup>	0.0475		0.9470	
Methamphetamine <sup>3</sup>	0.0171		0.6900	
Sedatives	0.4246		0.2766	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.4315		0.6066	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.