

Table 6.94C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010

Age Category	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	281	304	542	569	557	581
12	2	2	2	2	2	2
13	3	3	3	4	3	4
14	7	7	6	8	7	8
15	10	12	10	11	12	13
16	16	17	15	20	18	23
17	24	27	25	26	29	30
18	40	40	45	41	49	47
19	40	44	50	43	55	51
20	41	45	46	50	51	57
21	48	44	61	60	65	63
22	41	37	58	56	60	57
23	38	33	54	48	56	52
24	35	38	59	48	61	51
25	29	34	44	57	45	60
26-29	115	118	185	179	192	196
30-34	96	115	189	190	192	196
35-39	82	86	168	181	173	186
40-44	68	104	152	187	158	190
45-49	68	85	171	171	180	177
50-54	138	103	232	229	252	235
55-59	69	74	203	207	204	211
60-64	40	59	131	145	134	146
65 or Older	13	67	177	138	177	152

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.94D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2009 and 2010

Age Category	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	0.11	0.12	0.22	0.22	0.22	0.23
12	0.05	0.05	0.05	0.05	0.05	0.05
13	0.09	0.08	0.08	0.10	0.09	0.10
14	0.16	0.18	0.13	0.21	0.17	0.21
15	0.23	0.27	0.23	0.26	0.26	0.30
16	0.37	0.41	0.36	0.48	0.42	0.54
17	0.52	0.60	0.55	0.58	0.62	0.66
18	0.73	0.76	0.80	0.76	0.86	0.85
19	0.80	0.89	0.95	0.86	1.00	1.00
20	0.89	0.92	0.96	0.97	1.04	1.05
21	1.01	0.93	1.13	1.15	1.18	1.17
22	0.88	0.83	1.15	1.12	1.15	1.11
23	0.86	0.77	1.10	1.06	1.12	1.12
24	0.80	0.85	1.18	1.03	1.19	1.06
25	0.76	0.81	1.09	1.20	1.11	1.25
26-29	0.65	0.66	0.99	0.93	1.02	0.98
30-34	0.49	0.55	0.88	0.84	0.88	0.85
35-39	0.40	0.43	0.79	0.85	0.80	0.87
40-44	0.33	0.50	0.68	0.82	0.71	0.82
45-49	0.30	0.38	0.71	0.71	0.75	0.73
50-54	0.61	0.46	0.96	0.97	1.04	0.99
55-59	0.37	0.38	1.03	1.02	1.04	1.04
60-64	0.26	0.36	0.82	0.85	0.84	0.85
65 or Older	0.03	0.17	0.47	0.36	0.47	0.39

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.94P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Age Category	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	0.9864		0.0534		0.1128	
12	0.9524		0.8571		0.8542	
13	0.5584		0.7514		0.8940	
14	0.9813		0.3407		0.5769	
15	0.9736		0.8519		0.7566	
16	0.5903		0.6909		0.2778	
17	0.8950		0.1750		0.4748	
18	0.7798		0.0473		0.1868	
19	0.5657		0.0488		0.2223	
20	0.4332		0.9258		0.9752	
21	0.9187		0.3899		0.3826	
22	0.8611		0.4880		0.4050	
23	0.1326		0.1119		0.2836	
24	0.4917		0.0092		0.0289	
25	0.2599		0.1983		0.1030	
26-29	0.2690		0.0194		0.0712	
30-34	0.1240		0.8193		0.9430	
35-39	0.9748		0.4539		0.5235	
40-44	0.2256		0.4004		0.5876	
45-49	0.8494		0.2377		0.2365	
50-54	0.0650		0.5707		0.4143	
55-59	0.6727		0.5860		0.6492	
60-64	0.2778		0.5196		0.6394	
65 or Older	0.0930		0.3292		0.6218	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.95C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	281	304	542	569	557	581
AGE						
12-17	31	34	30	37	35	40
18-25	108	104	137	138	141	145
26 or Older	246	274	507	535	523	543
GENDER						
Male	235	253	443	451	455	466
Female	154	159	307	295	313	307
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	265	283	505	527	520	536
White	245	251	470	484	485	489
Black or African American	87	114	156	161	161	170
American Indian or Alaska Native	15	20	51	25	52	25
Native Hawaiian or Other Pacific Islander	2	6	*	*	*	*
Asian	29	48	54	85	55	89
Two or More Races	26	26	35	40	41	42
Hispanic or Latino	102	113	180	180	188	187

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.95D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	0.11	0.12	0.22	0.22	0.22	0.23
AGE						
12-17	0.12	0.14	0.12	0.15	0.14	0.17
18-25	0.32	0.30	0.41	0.40	0.42	0.43
26 or Older	0.13	0.14	0.26	0.27	0.27	0.28
GENDER						
Male	0.19	0.20	0.36	0.37	0.37	0.38
Female	0.12	0.12	0.24	0.23	0.24	0.24
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.12	0.13	0.23	0.24	0.24	0.25
White	0.14	0.15	0.28	0.28	0.29	0.29
Black or African American	0.29	0.38	0.52	0.53	0.53	0.56
American Indian or Alaska Native	1.26	1.63	3.36	2.04	3.36	2.06
Native Hawaiian or Other Pacific Islander	0.34	0.88	*	*	*	*
Asian	0.26	0.42	0.48	0.69	0.49	0.74
Two or More Races	0.86	0.85	1.18	1.28	1.33	1.37
Hispanic or Latino	0.28	0.31	0.50	0.49	0.52	0.51

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.95P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	0.9864		0.0534		0.1128	
AGE						
12-17	0.8945		0.4189		0.8807	
18-25	0.8934		0.0105		0.0711	
26 or Older	0.9861		0.1586		0.2005	
GENDER						
Male	0.7626		0.2955		0.3502	
Female	0.6309		0.0371		0.1098	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8611		0.0802		0.1804	
White	0.5190		0.0913		0.1972	
Black or African American	0.5004		0.6513		0.6307	
American Indian or Alaska Native	0.7726		0.3396		0.4087	
Native Hawaiian or Other Pacific Islander	0.1489		*		*	
Asian	0.4130		0.1528		0.0835	
Two or More Races	0.9371		0.7173		0.6039	
Hispanic or Latino	0.6174		0.3745		0.3358	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.96C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	279	301	540	568	556	577
GENDER						
Male	234	250	443	448	455	461
Female	152	158	306	297	313	309
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	263	282	503	527	519	535
White	249	258	526	547	545	561
Black or African American	88	116	166	172	172	182
American Indian or Alaska Native	14	20	51	25	51	25
Native Hawaiian or Other Pacific Islander	2	6	*	*	*	*
Asian	28	48	54	85	54	89
Two or More Races	25	26	35	39	41	42
Hispanic or Latino	100	111	180	180	187	186
EDUCATION						
< High School	104	118	147	148	158	163
High School Graduate	167	155	297	265	310	281
Some College	156	173	286	326	297	336
College Graduate	132	147	402	384	410	390
CURRENT EMPLOYMENT						
Full-Time	206	228	474	508	488	515
Part-Time	125	123	221	208	231	216
Unemployed	91	92	133	133	138	143
Other ¹	97	127	243	206	248	221

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.96D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	0.12	0.13	0.24	0.25	0.24	0.25
GENDER						
Male	0.21	0.23	0.40	0.40	0.41	0.42
Female	0.13	0.13	0.26	0.25	0.27	0.26
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.13	0.14	0.26	0.27	0.26	0.27
White	0.16	0.16	0.30	0.31	0.31	0.31
Black or African American	0.33	0.42	0.59	0.61	0.61	0.64
American Indian or Alaska Native	1.40	1.85	3.73	2.32	3.74	2.36
Native Hawaiian or Other Pacific Islander	0.37	0.97	*	*	*	*
Asian	0.29	0.45	0.52	0.76	0.53	0.81
Two or More Races	1.04	1.01	1.45	1.55	1.63	1.67
Hispanic or Latino	0.32	0.35	0.58	0.56	0.60	0.58
EDUCATION						
< High School	0.30	0.34	0.42	0.42	0.45	0.47
High School Graduate	0.23	0.21	0.40	0.36	0.41	0.39
Some College	0.27	0.29	0.44	0.50	0.46	0.51
College Graduate	0.20	0.22	0.55	0.52	0.56	0.52
CURRENT EMPLOYMENT						
Full-Time	0.18	0.19	0.37	0.39	0.37	0.39
Part-Time	0.39	0.36	0.66	0.60	0.69	0.62
Unemployed	0.61	0.60	0.84	0.84	0.87	0.90
Other ¹	0.15	0.19	0.36	0.30	0.37	0.33

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.96P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	0.9861		0.0521		0.1025	
GENDER						
Male	0.7603		0.2910		0.3369	
Female	0.5846		0.0370		0.0993	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8585		0.0777		0.1632	
White	0.5523		0.1007		0.1975	
Black or African American	0.5961		0.5494		0.5252	
American Indian or Alaska Native	0.7649		0.3626		0.4314	
Native Hawaiian or Other Pacific Islander	0.1661		*		*	
Asian	0.4217		0.1640		0.0869	
Two or More Races	0.9524		0.6119		0.5468	
Hispanic or Latino	0.6798		0.3674		0.3282	
EDUCATION						
< High School	0.9273		0.3062		0.4264	
High School Graduate	0.2302		0.0437		0.0349	
Some College	0.3657		0.8941		0.7119	
College Graduate	0.7321		0.2580		0.3103	
CURRENT EMPLOYMENT						
Full-Time	0.5293		0.9419		0.8282	
Part-Time	0.3357		0.0364		0.1524	
Unemployed	0.5562		0.3193		0.4753	
Other ¹	0.7841		0.0435		0.0891	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.97C (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	279	301	542	569	557	578
GEOGRAPHIC DIVISION						
Northeast	128	117	242	226	248	232
New England	76	56	131	117	133	119
Middle Atlantic	100	103	200	191	205	198
Midwest	108	121	223	233	231	243
East North Central	84	101	183	197	187	207
West North Central	65	63	130	124	138	128
South	172	172	347	354	351	363
South Atlantic	146	131	256	264	261	276
East South Central	46	71	124	136	125	139
West South Central	85	87	200	180	203	181
West	152	186	283	302	297	310
Mountain	71	91	116	163	121	165
Pacific	135	163	258	254	271	262
COUNTY TYPE						
Large Metro	211	236	471	479	490	493
Small Metro	170	163	367	364	377	376
250K – 1 Mil. Pop.	138	135	302	291	310	298
< 250K Pop.	100	93	208	207	216	217
Nonmetro	108	133	226	221	229	245
Urbanized	86	99	188	152	190	165
Less Urbanized	59	86	129	162	134	182
Completely Rural	31	15	61	57	61	59

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.97D (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	0.12	0.13	0.24	0.25	0.25	0.25
GEOGRAPHIC DIVISION						
Northeast	0.30	0.28	0.57	0.53	0.59	0.55
New England	0.69	0.50	1.19	1.05	1.20	1.07
Middle Atlantic	0.32	0.33	0.64	0.61	0.66	0.64
Midwest	0.22	0.24	0.45	0.47	0.46	0.49
East North Central	0.24	0.29	0.53	0.57	0.54	0.59
West North Central	0.43	0.41	0.86	0.81	0.92	0.84
South	0.21	0.20	0.42	0.42	0.42	0.43
South Atlantic	0.33	0.29	0.58	0.59	0.59	0.62
East South Central	0.34	0.52	0.92	1.00	0.92	1.02
West South Central	0.34	0.33	0.78	0.70	0.80	0.70
West	0.29	0.35	0.54	0.57	0.57	0.59
Mountain	0.45	0.56	0.72	1.00	0.76	1.02
Pacific	0.37	0.44	0.71	0.69	0.75	0.71
COUNTY TYPE						
Large Metro	0.17	0.18	0.34	0.34	0.35	0.35
Small Metro	0.24	0.22	0.47	0.45	0.48	0.46
250K – 1 Mil. Pop.	0.29	0.29	0.57	0.55	0.59	0.55
< 250K Pop.	0.42	0.36	0.75	0.76	0.78	0.79
Nonmetro	0.27	0.34	0.52	0.54	0.52	0.58
Urbanized	0.46	0.60	0.93	0.86	0.91	0.91
Less Urbanized	0.34	0.45	0.65	0.81	0.68	0.87
Completely Rural	0.74	0.46	1.33	1.24	1.33	1.30

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 6.97P (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Geographic Characteristic	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Illicit Drugs or Alcohol (2009)	Illicit Drugs or Alcohol (2010)
TOTAL	0.9196		0.0349		0.0715	
GEOGRAPHIC DIVISION						
Northeast	0.2921		0.1245		0.2020	
New England	0.1004		0.2000		0.2101	
Middle Atlantic	0.9085		0.3178		0.4855	
Midwest	0.7494		0.1409		0.1627	
East North Central	0.8611		0.3004		0.3292	
West North Central	0.7503		0.2560		0.2767	
South	0.4034		0.8503		0.8563	
South Atlantic	0.4486		0.6238		0.4896	
East South Central	0.1737		0.3324		0.4053	
West South Central	0.1306		0.0821		0.0514	
West	0.2304		0.1720		0.3136	
Mountain	0.2322		0.5633		0.5868	
Pacific	0.4582		0.0648		0.1600	
COUNTY TYPE						
Large Metro	0.5817		0.0372		0.0929	
Small Metro	0.1511		0.4184		0.3013	
250K – 1 Mil. Pop.	0.3952		0.5325		0.4297	
< 250K Pop.	0.2098		0.5958		0.4926	
Nonmetro	0.5504		0.6611		0.9954	
Urbanized	0.6794		0.3598		0.5569	
Less Urbanized	0.3440		0.7486		0.5719	
Completely Rural	0.1659		0.9154		0.8562	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.