

**Table 6.98C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Numbers in Thousands, 2009 and 2010**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>2</sup></b>	447	482	93	122	451	488
Marijuana and Hashish	384	401	80	107	379	404
Cocaine	135	106	31	46	131	101
Crack	77	60	26	28	72	54
Heroin	38	43	19	16	33	40
Hallucinogens	89	80	19	21	85	76
LSD	21	17	6	6	20	16
PCP	17	21	1	2	17	21
Ecstasy	66	58	16	14	64	56
Inhalants	52	80	12	18	50	78
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	246	265	63	67	242	256
Pain Relievers	212	211	53	55	206	200
OxyContin <sup>®</sup>	58	67	15	19	57	63
Tranquilizers	134	137	22	39	131	132
Stimulants <sup>4</sup>	97	84	38	39	89	75
Methamphetamine <sup>4</sup>	67	53	26	25	61	46
Sedatives	55	72	14	25	52	68
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	287	295	69	78	286	289

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.98D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Percentages, 2009 and 2010**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>2</sup></b>	0.20	0.21	1.69	1.80	0.20	0.21
Marijuana and Hashish	0.17	0.17	1.49	1.69	0.17	0.17
Cocaine	0.06	0.05	0.60	0.81	0.06	0.04
Crack	0.03	0.03	0.51	0.50	0.03	0.02
Heroin	0.02	0.02	0.36	0.29	0.01	0.02
Hallucinogens	0.04	0.03	0.37	0.39	0.04	0.03
LSD	0.01	0.01	0.12	0.11	0.01	0.01
PCP	0.01	0.01	0.02	0.03	0.01	0.01
Ecstasy	0.03	0.03	0.32	0.26	0.03	0.02
Inhalants	0.02	0.03	0.24	0.33	0.02	0.03
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.11	0.12	1.17	1.17	0.11	0.11
Pain Relievers	0.09	0.09	0.99	0.99	0.09	0.09
OxyContin <sup>®</sup>	0.03	0.03	0.29	0.35	0.03	0.03
Tranquilizers	0.06	0.06	0.43	0.71	0.06	0.06
Stimulants <sup>4</sup>	0.04	0.04	0.73	0.70	0.04	0.03
Methamphetamine <sup>4</sup>	0.03	0.02	0.51	0.46	0.03	0.02
Sedatives	0.02	0.03	0.28	0.46	0.02	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.13	0.13	1.28	1.34	0.13	0.13

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.98P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>2</sup></b>	0.3301		0.4160		0.4429	
Marijuana and Hashish	0.3364		0.6967		0.3903	
Cocaine	0.3175		0.1929		0.1260	
Crack	0.2561		0.7906		0.1606	
Heroin	0.4061		0.5991		0.2551	
Hallucinogens	0.6181		0.9949		0.5834	
LSD	0.5421		0.5689		0.5893	
PCP	0.6571		0.7099		0.6352	
Ecstasy	0.3628		0.2761		0.5123	
Inhalants	0.2684		0.5432		0.3452	
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.9902		0.8446		0.9901	
Pain Relievers	0.6058		0.7278		0.6110	
OxyContin <sup>®</sup>	0.4139		0.9760		0.4052	
Tranquilizers	0.4378		0.1234		0.7247	
Stimulants <sup>4</sup>	0.1176		0.3644		0.1650	
Methamphetamine <sup>4</sup>	0.0975		0.5938		0.0945	
Sedatives	0.9531		0.6488		0.8958	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.6506		0.5797		0.4948	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.99C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Numbers in Thousands, 2009 and 2010**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>2</sup></b>	343	368	80	114	350	387
Marijuana and Hashish	299	317	68	101	300	329
Cocaine	102	97	31	41	96	92
Crack	57	48	26	18	50	44
Heroin	35	36	19	16	29	32
Hallucinogens	86	77	19	21	83	74
LSD	21	17	6	6	20	16
PCP	17	21	1	2	17	21
Ecstasy	66	55	16	14	64	53
Inhalants	44	43	12	18	42	39
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	184	193	53	63	183	184
Pain Relievers	158	171	41	52	158	162
OxyContin <sup>®</sup>	51	46	15	11	49	44
Tranquilizers	95	98	22	36	93	91
Stimulants <sup>4</sup>	90	77	38	39	82	68
Methamphetamine <sup>4</sup>	60	49	26	25	54	42
Sedatives	46	39	14	15	43	35
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	220	226	60	73	220	221

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.99D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Percentages, 2009 and 2010**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>2</sup></b>	0.26	0.28	1.64	1.89	0.26	0.27
Marijuana and Hashish	0.22	0.24	1.44	1.75	0.23	0.23
Cocaine	0.08	0.07	0.69	0.82	0.07	0.07
Crack	0.04	0.04	0.59	0.37	0.04	0.03
Heroin	0.03	0.03	0.42	0.32	0.02	0.03
Hallucinogens	0.06	0.06	0.43	0.43	0.06	0.06
LSD	0.02	0.01	0.14	0.12	0.02	0.01
PCP	0.01	0.02	0.02	0.04	0.01	0.02
Ecstasy	0.05	0.04	0.37	0.28	0.05	0.04
Inhalants	0.03	0.03	0.28	0.37	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.14	0.15	1.13	1.22	0.14	0.14
Pain Relievers	0.12	0.13	0.89	1.02	0.12	0.13
OxyContin <sup>®</sup>	0.04	0.03	0.33	0.22	0.04	0.04
Tranquilizers	0.07	0.07	0.49	0.72	0.07	0.07
Stimulants <sup>4</sup>	0.07	0.06	0.83	0.78	0.06	0.05
Methamphetamine <sup>4</sup>	0.04	0.04	0.58	0.51	0.04	0.03
Sedatives	0.03	0.03	0.32	0.32	0.03	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.17	0.17	1.28	1.40	0.16	0.17

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.99P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>ILLCIT DRUGS<sup>2</sup></b>	0.0501		0.5955		0.0710	
Marijuana and Hashish	0.0435		0.7290		0.0566	
Cocaine	0.9342		0.4926		0.6443	
Crack	0.4232		0.5082		0.5462	
Heroin	0.6423		0.5672		0.4345	
Hallucinogens	0.7450		0.9065		0.7087	
LSD	0.5754		0.5333		0.6251	
PCP	0.6682		0.7237		0.6470	
Ecstasy	0.3005		0.2347		0.4269	
Inhalants	0.7058		0.5822		0.9237	
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.9462		0.7264		0.9674	
Pain Relievers	0.9468		0.7787		0.8950	
OxyContin <sup>®</sup>	0.3832		0.3524		0.2649	
Tranquilizers	0.6656		0.2654		0.3272	
Stimulants <sup>4</sup>	0.1787		0.3087		0.2543	
Methamphetamine <sup>4</sup>	0.1919		0.5444		0.1998	
Sedatives	0.4431		0.4780		0.5301	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.7821		0.8159		0.6449	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.100C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	447	482	93	122	451	488
<b>AGE</b>						
18-49	343	368	80	114	350	387
18-25	134	135	49	46	159	165
26-34	195	228	51	78	206	239
35-49	213	214	35	64	216	215
<b>GENDER/AGE</b>						
Male 18 or Older	348	380	84	107	348	378
Male 18-49	256	292	69	100	257	299
Female 18 or Older	242	257	45	52	245	255
Female 18-49	194	199	45	48	199	203

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.100D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	0.20	0.21	1.69	1.80	0.20	0.21
<b>AGE</b>						
18-49	0.26	0.28	1.64	1.89	0.26	0.27
18-25	0.40	0.40	1.77	2.03	0.41	0.40
26-34	0.54	0.62	3.51	4.09	0.55	0.62
35-49	0.34	0.34	2.67	3.58	0.33	0.34
<b>GENDER/AGE</b>						
Male 18 or Older	0.32	0.34	2.08	2.29	0.32	0.34
Male 18-49	0.39	0.44	2.02	2.30	0.39	0.44
Female 18 or Older	0.21	0.22	2.92	2.73	0.21	0.21
Female 18-49	0.29	0.30	3.04	2.98	0.29	0.30

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.100P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	0.3301		0.4160		0.4429	
<b>AGE</b>						
18-49	0.0501		0.5955		0.0710	
18-25	0.5823		0.3545		0.3235	
26-34	0.0750		0.2603		0.1644	
35-49	0.4311		0.2775		0.5770	
<b>GENDER/AGE</b>						
Male 18 or Older	0.3659		0.2362		0.4624	
Male 18-49	0.0462		0.3322		0.0718	
Female 18 or Older	0.6556		0.7805		0.7722	
Female 18-49	0.5104		0.5961		0.5090	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.101C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	219	236	66	83	214	219
<b>AGE</b>						
18-49	178	203	60	71	175	194
18-25	82	85	32	36	81	84
26-34	115	122	32	46	116	115
35-49	119	120	40	41	109	115
<b>GENDER/AGE</b>						
Male 18 or Older	192	186	49	68	190	174
Male 18-49	154	160	47	63	152	150
Female 18 or Older	113	131	43	49	104	120
Female 18-49	96	112	35	34	90	108

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.101D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	0.10	0.10	1.26	1.33	0.09	0.10
<b>AGE</b>						
18-49	0.13	0.15	1.31	1.31	0.13	0.15
18-25	0.24	0.25	1.53	1.76	0.24	0.24
26-34	0.32	0.33	2.43	2.77	0.32	0.33
35-49	0.19	0.19	2.99	2.43	0.17	0.19
<b>GENDER/AGE</b>						
Male 18 or Older	0.18	0.17	1.31	1.64	0.18	0.16
Male 18-49	0.23	0.24	1.45	1.66	0.23	0.24
Female 18 or Older	0.10	0.11	2.85	2.63	0.09	0.10
Female 18-49	0.14	0.17	2.57	2.19	0.14	0.16

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.101P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	0.6581		0.0662		0.2687	
<b>AGE</b>						
18-49	0.6837		0.2846		0.9413	
18-25	0.7100		0.2773		0.8625	
26-34	0.6497		0.2505		0.9627	
35-49	0.7761		0.7708		0.6299	
<b>GENDER/AGE</b>						
Male 18 or Older	0.2421		0.0080		0.0501	
Male 18-49	0.6562		0.0656		0.2456	
Female 18 or Older	0.3515		0.5947		0.3442	
Female 18-49	0.1674		0.3875		0.1212	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.102C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	450	459	130	140	452	475
<b>AGE</b>						
18-49	340	345	104	123	365	376
18-25	127	139	47	49	151	158
26-34	207	204	65	79	217	213
35-49	231	224	67	84	236	231
<b>GENDER/AGE</b>						
Male 18 or Older	376	362	109	111	376	377
Male 18-49	286	275	88	105	306	298
Female 18 or Older	255	251	66	76	247	243
Female 18-49	184	185	55	66	183	186

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.102D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	0.20	0.20	2.01	1.98	0.20	0.20
<b>AGE</b>						
18-49	0.26	0.26	1.92	1.94	0.26	0.26
18-25	0.38	0.41	1.81	2.04	0.38	0.40
26-34	0.57	0.56	4.21	4.15	0.57	0.56
35-49	0.37	0.36	4.46	4.13	0.36	0.35
<b>GENDER/AGE</b>						
Male 18 or Older	0.34	0.33	2.38	2.34	0.34	0.32
Male 18-49	0.43	0.42	2.27	2.36	0.44	0.42
Female 18 or Older	0.22	0.21	3.67	3.61	0.21	0.20
Female 18-49	0.28	0.28	3.47	3.65	0.26	0.27

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 6.102P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2009	2010	2009	2010	2009	2010
<b>TOTAL 18 OR OLDER</b>	0.3144		0.6707		0.2298	
<b>AGE</b>						
18-49	0.6167		0.7568		0.4425	
18-25	0.8004		0.9580		0.9355	
26-34	0.6179		0.9480		0.7418	
35-49	0.1892		0.4664		0.0812	
<b>GENDER/AGE</b>						
Male 18 or Older	0.4430		0.1828		0.3044	
Male 18-49	0.6496		0.3511		0.4251	
Female 18 or Older	0.4658		0.2066		0.4765	
Female 18-49	0.7887		0.3928		0.7906	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.