

**Table 7.29A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Gender: Numbers in Thousands, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	71,499	70,757	70,257	71,519	72,873 <sup>b</sup>	70,939	70,868	69,713	69,559
Cigarettes	61,136 <sup>b</sup>	60,434	59,896	60,532 <sup>a</sup>	61,565 <sup>b</sup>	60,069	59,781	58,661	58,256
Smokeless Tobacco	7,787 <sup>a</sup>	7,725 <sup>b</sup>	7,154 <sup>b</sup>	7,682 <sup>b</sup>	8,231	8,051	8,670	8,559	8,855
Cigars	12,751	12,837	13,727	13,640	13,708	13,263	13,126	13,269	13,177
Pipe Tobacco	1,816	1,619 <sup>b</sup>	1,835	2,190	2,321	2,046	1,877	2,087	2,150
<b>ALCOHOL</b>	119,820 <sup>b</sup>	118,965 <sup>b</sup>	120,934 <sup>b</sup>	126,028 <sup>b</sup>	125,309 <sup>b</sup>	126,760 <sup>b</sup>	128,974	130,621	131,342
Binge Alcohol Use <sup>2</sup>	53,787 <sup>b</sup>	53,770 <sup>b</sup>	54,725 <sup>b</sup>	55,090 <sup>b</sup>	56,575	57,778	58,096	59,561	58,550
Heavy Alcohol Use <sup>2</sup>	15,860	16,144	16,689	16,035	16,946	17,010	17,292	17,129	16,931
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	41,991	41,288	41,569	42,175	43,389 <sup>a</sup>	42,369	41,881	40,909	41,587
Cigarettes	32,636	32,263	32,278	32,312	33,220 <sup>a</sup>	32,607	31,942	30,937	31,361
Smokeless Tobacco	7,242 <sup>b</sup>	7,096 <sup>b</sup>	6,730 <sup>b</sup>	7,174 <sup>b</sup>	7,843	7,589	8,215	8,151	8,346
Cigars	10,669	10,372	11,375 <sup>a</sup>	11,355	11,092	10,940	10,900	10,679	10,507
Pipe Tobacco	1,487	1,400	1,579	1,877	2,023	1,797	1,486	1,772	1,735
<b>ALCOHOL</b>	65,210 <sup>b</sup>	65,927 <sup>b</sup>	66,317 <sup>b</sup>	68,497 <sup>a</sup>	68,025 <sup>b</sup>	68,088 <sup>b</sup>	69,989	70,455	70,834
Binge Alcohol Use <sup>2</sup>	35,456 <sup>b</sup>	35,565 <sup>b</sup>	36,195 <sup>a</sup>	36,025 <sup>b</sup>	37,298	38,128	38,292	38,654	38,171
Heavy Alcohol Use <sup>2</sup>	12,216	11,958	12,388	12,172	12,775	12,786	12,882	12,604	12,490
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	29,509 <sup>a</sup>	29,469 <sup>a</sup>	28,688	29,344	29,484 <sup>a</sup>	28,570	28,986	28,804	27,972
Cigarettes	28,500 <sup>a</sup>	28,171	27,618	28,220	28,345 <sup>a</sup>	27,462	27,839	27,724	26,895
Smokeless Tobacco	545	628	424	508	388	461	455	408	509
Cigars	2,082 <sup>b</sup>	2,465	2,352	2,285 <sup>a</sup>	2,616	2,323	2,226 <sup>a</sup>	2,590	2,670
Pipe Tobacco	330	219 <sup>b</sup>	256 <sup>a</sup>	313	298	249 <sup>b</sup>	391	315	415
<b>ALCOHOL</b>	54,610 <sup>b</sup>	53,038 <sup>b</sup>	54,616 <sup>b</sup>	57,531 <sup>b</sup>	57,283 <sup>b</sup>	58,672 <sup>a</sup>	58,986	60,166	60,508
Binge Alcohol Use <sup>2</sup>	18,331 <sup>b</sup>	18,205 <sup>b</sup>	18,530 <sup>b</sup>	19,065 <sup>a</sup>	19,276	19,651	19,805	20,908	20,378
Heavy Alcohol Use <sup>2</sup>	3,645 <sup>b</sup>	4,186	4,301	3,863 <sup>a</sup>	4,172	4,225	4,410	4,525	4,441

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.29B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Gender: Percentages, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	30.4 <sup>b</sup>	29.8 <sup>b</sup>	29.2 <sup>b</sup>	29.4 <sup>b</sup>	29.6 <sup>b</sup>	28.6 <sup>a</sup>	28.4	27.7	27.4
Cigarettes	26.0 <sup>b</sup>	25.4 <sup>b</sup>	24.9 <sup>b</sup>	24.9 <sup>b</sup>	25.0 <sup>b</sup>	24.2 <sup>b</sup>	23.9 <sup>a</sup>	23.3	23.0
Smokeless Tobacco	3.3	3.3	3.0 <sup>b</sup>	3.2 <sup>a</sup>	3.3	3.2	3.5	3.4	3.5
Cigars	5.4	5.4	5.7 <sup>b</sup>	5.6 <sup>a</sup>	5.6	5.4	5.3	5.3	5.2
Pipe Tobacco	0.8	0.7 <sup>a</sup>	0.8	0.9	0.9	0.8	0.8	0.8	0.8
<b>ALCOHOL</b>	51.0	50.1 <sup>b</sup>	50.3 <sup>b</sup>	51.8	50.9	51.1	51.6	51.9	51.8
Binge Alcohol Use <sup>2</sup>	22.9	22.6	22.8	22.7	23.0	23.3	23.3	23.7	23.1
Heavy Alcohol Use <sup>2</sup>	6.7	6.8	6.9	6.6	6.9	6.9	6.9	6.8	6.7
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	37.0 <sup>b</sup>	35.9 <sup>b</sup>	35.7 <sup>b</sup>	35.8 <sup>b</sup>	36.4 <sup>b</sup>	35.2 <sup>a</sup>	34.5	33.5	33.7
Cigarettes	28.7 <sup>b</sup>	28.1 <sup>b</sup>	27.7 <sup>b</sup>	27.4 <sup>b</sup>	27.8 <sup>b</sup>	27.1 <sup>b</sup>	26.3	25.3	25.4
Smokeless Tobacco	6.4	6.2	5.8 <sup>b</sup>	6.1 <sup>a</sup>	6.6	6.3	6.8	6.7	6.8
Cigars	9.4 <sup>a</sup>	9.0	9.8 <sup>b</sup>	9.6 <sup>b</sup>	9.3 <sup>a</sup>	9.1	9.0	8.7	8.5
Pipe Tobacco	1.3	1.2	1.4	1.6	1.7	1.5	1.2	1.4	1.4
<b>ALCOHOL</b>	57.4	57.3	56.9	58.1	57.0	56.6	57.7	57.6	57.4
Binge Alcohol Use <sup>2</sup>	31.2	30.9	31.1	30.5	31.2	31.7	31.6	31.6	30.9
Heavy Alcohol Use <sup>2</sup>	10.8	10.4	10.6	10.3	10.7	10.6	10.6	10.3	10.1
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	24.3 <sup>b</sup>	24.0 <sup>b</sup>	23.1 <sup>b</sup>	23.4 <sup>b</sup>	23.3 <sup>b</sup>	22.4	22.5	22.2	21.5
Cigarettes	23.4 <sup>b</sup>	23.0 <sup>b</sup>	22.3 <sup>b</sup>	22.5 <sup>b</sup>	22.4 <sup>b</sup>	21.5	21.7	21.4	20.7
Smokeless Tobacco	0.4	0.5	0.3	0.4	0.3	0.4	0.4	0.3	0.4
Cigars	1.7 <sup>a</sup>	2.0	1.9	1.8	2.1	1.8	1.7 <sup>a</sup>	2.0	2.1
Pipe Tobacco	0.3	0.2 <sup>b</sup>	0.2 <sup>a</sup>	0.3	0.2	0.2 <sup>b</sup>	0.3	0.2	0.3
<b>ALCOHOL</b>	44.9 <sup>a</sup>	43.2 <sup>b</sup>	44.0 <sup>b</sup>	45.9	45.2	46.0	45.9	46.5	46.5
Binge Alcohol Use <sup>2</sup>	15.1	14.8	14.9	15.2	15.2	15.4	15.4	16.1	15.7
Heavy Alcohol Use <sup>2</sup>	3.0	3.4	3.5	3.1	3.3	3.3	3.4	3.5	3.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.30A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Gender: Numbers in Thousands, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	3,767 <sup>b</sup>	3,610 <sup>b</sup>	3,635 <sup>b</sup>	3,324 <sup>b</sup>	3,275 <sup>b</sup>	3,128 <sup>b</sup>	2,844 <sup>a</sup>	2,860 <sup>b</sup>	2,597
Cigarettes	3,209 <sup>b</sup>	3,044 <sup>b</sup>	2,998 <sup>b</sup>	2,733 <sup>b</sup>	2,634 <sup>b</sup>	2,482 <sup>b</sup>	2,261 <sup>b</sup>	2,191	2,031
Smokeless Tobacco	487	511	571	523	601	617	547	577	562
Cigars	1,117 <sup>b</sup>	1,115 <sup>b</sup>	1,201 <sup>b</sup>	1,064 <sup>b</sup>	1,047 <sup>b</sup>	1,070 <sup>b</sup>	944 <sup>b</sup>	980 <sup>b</sup>	783
Pipe Tobacco	137	160	178	158	168	182	176	230 <sup>b</sup>	154
<b>ALCOHOL</b>	4,365 <sup>b</sup>	4,425 <sup>b</sup>	4,436 <sup>b</sup>	4,191 <sup>b</sup>	4,222 <sup>b</sup>	4,021 <sup>b</sup>	3,635 <sup>b</sup>	3,624 <sup>b</sup>	3,308
Binge Alcohol Use <sup>2</sup>	2,641 <sup>b</sup>	2,658 <sup>b</sup>	2,794 <sup>b</sup>	2,513 <sup>b</sup>	2,614 <sup>b</sup>	2,447 <sup>b</sup>	2,189 <sup>b</sup>	2,175 <sup>b</sup>	1,910
Heavy Alcohol Use <sup>2</sup>	630 <sup>b</sup>	652 <sup>b</sup>	671 <sup>b</sup>	611 <sup>b</sup>	603 <sup>b</sup>	591 <sup>b</sup>	491	517 <sup>b</sup>	409
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	2,019 <sup>b</sup>	1,988 <sup>b</sup>	1,972 <sup>b</sup>	1,843 <sup>b</sup>	1,810 <sup>b</sup>	1,816 <sup>b</sup>	1,598	1,711 <sup>b</sup>	1,519
Cigarettes	1,556 <sup>b</sup>	1,514 <sup>b</sup>	1,453 <sup>b</sup>	1,387 <sup>b</sup>	1,302 <sup>b</sup>	1,285 <sup>b</sup>	1,141	1,155	1,067
Smokeless Tobacco	436	479	521	476	546	566	492	517	490
Cigars	790 <sup>b</sup>	789 <sup>b</sup>	852 <sup>b</sup>	748 <sup>b</sup>	716 <sup>b</sup>	778 <sup>b</sup>	677 <sup>b</sup>	659 <sup>b</sup>	534
Pipe Tobacco	89	121	110	109	113	117	98	162 <sup>b</sup>	98
<b>ALCOHOL</b>	2,200 <sup>b</sup>	2,185 <sup>b</sup>	2,216 <sup>b</sup>	2,057 <sup>b</sup>	2,111 <sup>b</sup>	2,045 <sup>b</sup>	1,810	1,903 <sup>a</sup>	1,708
Binge Alcohol Use <sup>2</sup>	1,441 <sup>b</sup>	1,421 <sup>b</sup>	1,496 <sup>b</sup>	1,341 <sup>b</sup>	1,388 <sup>b</sup>	1,366 <sup>b</sup>	1,131	1,208 <sup>b</sup>	1,040
Heavy Alcohol Use <sup>2</sup>	395 <sup>b</sup>	374 <sup>b</sup>	407 <sup>b</sup>	383 <sup>b</sup>	368 <sup>b</sup>	366 <sup>b</sup>	293	295	257
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	1,748 <sup>b</sup>	1,622 <sup>b</sup>	1,663 <sup>b</sup>	1,481 <sup>b</sup>	1,464 <sup>b</sup>	1,312 <sup>b</sup>	1,246 <sup>b</sup>	1,149	1,077
Cigarettes	1,653 <sup>b</sup>	1,530 <sup>b</sup>	1,545 <sup>b</sup>	1,345 <sup>b</sup>	1,332 <sup>b</sup>	1,197 <sup>b</sup>	1,120 <sup>b</sup>	1,036	964
Smokeless Tobacco	51	32 <sup>b</sup>	50	47	55	51	55	60	71
Cigars	327 <sup>a</sup>	326 <sup>a</sup>	349 <sup>b</sup>	316 <sup>a</sup>	331 <sup>b</sup>	293	267	320 <sup>a</sup>	248
Pipe Tobacco	49	40	68	49	54	65	78	69	57
<b>ALCOHOL</b>	2,165 <sup>b</sup>	2,241 <sup>b</sup>	2,220 <sup>b</sup>	2,134 <sup>b</sup>	2,110 <sup>b</sup>	1,975 <sup>b</sup>	1,825 <sup>b</sup>	1,721	1,600
Binge Alcohol Use <sup>2</sup>	1,200 <sup>b</sup>	1,237 <sup>b</sup>	1,298 <sup>b</sup>	1,172 <sup>b</sup>	1,225 <sup>b</sup>	1,082 <sup>b</sup>	1,058 <sup>b</sup>	967	870
Heavy Alcohol Use <sup>2</sup>	235 <sup>b</sup>	278 <sup>b</sup>	264 <sup>b</sup>	229 <sup>b</sup>	235 <sup>b</sup>	225 <sup>a</sup>	198	223 <sup>b</sup>	151

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.30B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Gender: Percentages, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	15.2 <sup>b</sup>	14.4 <sup>b</sup>	14.4 <sup>b</sup>	13.1 <sup>b</sup>	12.9 <sup>b</sup>	12.4 <sup>b</sup>	11.4	11.6 <sup>a</sup>	10.7
Cigarettes	13.0 <sup>b</sup>	12.2 <sup>b</sup>	11.9 <sup>b</sup>	10.8 <sup>b</sup>	10.4 <sup>b</sup>	9.8 <sup>b</sup>	9.1 <sup>a</sup>	8.9	8.3
Smokeless Tobacco	2.0 <sup>a</sup>	2.0	2.3	2.1	2.4	2.4	2.2	2.3	2.3
Cigars	4.5 <sup>b</sup>	4.5 <sup>b</sup>	4.8 <sup>b</sup>	4.2 <sup>b</sup>	4.1 <sup>b</sup>	4.2 <sup>b</sup>	3.8 <sup>b</sup>	4.0 <sup>b</sup>	3.2
Pipe Tobacco	0.6	0.6	0.7	0.6	0.7	0.7	0.7	0.9 <sup>b</sup>	0.6
<b>ALCOHOL</b>	17.6 <sup>b</sup>	17.7 <sup>b</sup>	17.6 <sup>b</sup>	16.5 <sup>b</sup>	16.6 <sup>b</sup>	15.9 <sup>b</sup>	14.6 <sup>a</sup>	14.7 <sup>a</sup>	13.6
Binge Alcohol Use <sup>2</sup>	10.7 <sup>b</sup>	10.6 <sup>b</sup>	11.1 <sup>b</sup>	9.9 <sup>b</sup>	10.3 <sup>b</sup>	9.7 <sup>b</sup>	8.8 <sup>b</sup>	8.8 <sup>b</sup>	7.8
Heavy Alcohol Use <sup>2</sup>	2.5 <sup>b</sup>	2.6 <sup>b</sup>	2.7 <sup>b</sup>	2.4 <sup>b</sup>	2.4 <sup>b</sup>	2.3 <sup>b</sup>	2.0	2.1 <sup>a</sup>	1.7
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	16.0 <sup>b</sup>	15.6 <sup>b</sup>	15.3 <sup>b</sup>	14.2 <sup>b</sup>	14.0 <sup>b</sup>	14.1 <sup>b</sup>	12.6	13.6 <sup>a</sup>	12.2
Cigarettes	12.3 <sup>b</sup>	11.9 <sup>b</sup>	11.3 <sup>b</sup>	10.7 <sup>b</sup>	10.0 <sup>b</sup>	10.0 <sup>b</sup>	9.0	9.2	8.6
Smokeless Tobacco	3.4	3.7	4.0	3.7	4.2	4.4	3.9	4.1	3.9
Cigars	6.2 <sup>b</sup>	6.2 <sup>b</sup>	6.6 <sup>b</sup>	5.8 <sup>b</sup>	5.5 <sup>b</sup>	6.0 <sup>b</sup>	5.3 <sup>b</sup>	5.2 <sup>a</sup>	4.3
Pipe Tobacco	0.7	0.9	0.9	0.8	0.9	0.9	0.8	1.3 <sup>b</sup>	0.8
<b>ALCOHOL</b>	17.4 <sup>b</sup>	17.1 <sup>b</sup>	17.2 <sup>b</sup>	15.9 <sup>b</sup>	16.3 <sup>b</sup>	15.9 <sup>b</sup>	14.2	15.1 <sup>a</sup>	13.7
Binge Alcohol Use <sup>2</sup>	11.4 <sup>b</sup>	11.1 <sup>b</sup>	11.6 <sup>b</sup>	10.4 <sup>b</sup>	10.7 <sup>b</sup>	10.6 <sup>b</sup>	8.9	9.6 <sup>a</sup>	8.3
Heavy Alcohol Use <sup>2</sup>	3.1 <sup>b</sup>	2.9 <sup>b</sup>	3.2 <sup>b</sup>	3.0 <sup>b</sup>	2.8 <sup>b</sup>	2.8 <sup>b</sup>	2.3	2.3	2.1
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	14.4 <sup>b</sup>	13.3 <sup>b</sup>	13.5 <sup>b</sup>	11.9 <sup>b</sup>	11.8 <sup>b</sup>	10.6 <sup>b</sup>	10.2 <sup>a</sup>	9.5	9.1
Cigarettes	13.6 <sup>b</sup>	12.5 <sup>b</sup>	12.5 <sup>b</sup>	10.8 <sup>b</sup>	10.7 <sup>b</sup>	9.7 <sup>b</sup>	9.2 <sup>a</sup>	8.6	8.1
Smokeless Tobacco	0.4	0.3 <sup>b</sup>	0.4	0.4	0.4	0.4	0.5	0.5	0.6
Cigars	2.7 <sup>a</sup>	2.7 <sup>a</sup>	2.8 <sup>b</sup>	2.5	2.7 <sup>a</sup>	2.4	2.2	2.7 <sup>a</sup>	2.1
Pipe Tobacco	0.4	0.3	0.5	0.4	0.4	0.5	0.6	0.6	0.5
<b>ALCOHOL</b>	17.9 <sup>b</sup>	18.3 <sup>b</sup>	18.0 <sup>b</sup>	17.2 <sup>b</sup>	17.0 <sup>b</sup>	16.0 <sup>b</sup>	15.0 <sup>a</sup>	14.3	13.5
Binge Alcohol Use <sup>2</sup>	9.9 <sup>b</sup>	10.1 <sup>b</sup>	10.5 <sup>b</sup>	9.4 <sup>b</sup>	9.9 <sup>b</sup>	8.8 <sup>b</sup>	8.7 <sup>b</sup>	8.0	7.3
Heavy Alcohol Use <sup>2</sup>	1.9 <sup>b</sup>	2.3 <sup>b</sup>	2.1 <sup>b</sup>	1.8 <sup>b</sup>	1.9 <sup>b</sup>	1.8 <sup>a</sup>	1.6	1.9 <sup>b</sup>	1.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.31A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Gender: Numbers in Thousands, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	14,049	14,201	14,359 <sup>a</sup>	14,382 <sup>a</sup>	14,384 <sup>a</sup>	13,694	13,629	13,980	13,905
Cigarettes	12,650 <sup>b</sup>	12,764 <sup>b</sup>	12,731 <sup>b</sup>	12,667 <sup>b</sup>	12,582 <sup>b</sup>	11,835	11,757	12,031	11,666
Smokeless Tobacco	1,502 <sup>b</sup>	1,486 <sup>b</sup>	1,589 <sup>b</sup>	1,664 <sup>b</sup>	1,706 <sup>b</sup>	1,721 <sup>b</sup>	1,772 <sup>b</sup>	2,053	2,184
Cigars	3,417 <sup>b</sup>	3,623	4,103 <sup>a</sup>	3,895	3,972	3,873	3,721	3,837	3,815
Pipe Tobacco	332 <sup>b</sup>	292 <sup>b</sup>	396 <sup>b</sup>	471 <sup>b</sup>	431 <sup>b</sup>	394 <sup>b</sup>	456 <sup>b</sup>	584	615
<b>ALCOHOL</b>	18,759 <sup>b</sup>	19,466 <sup>b</sup>	19,474 <sup>b</sup>	19,783 <sup>b</sup>	20,282 <sup>b</sup>	20,034 <sup>b</sup>	20,148 <sup>b</sup>	20,767	20,963
Binge Alcohol Use <sup>2</sup>	12,699 <sup>b</sup>	13,188 <sup>b</sup>	13,271 <sup>a</sup>	13,597	13,814	13,675	13,510	13,998	13,831
Heavy Alcohol Use <sup>2</sup>	4,625	4,788	4,848	4,967	5,093 <sup>a</sup>	4,819	4,761	4,612	4,639
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	8,097 <sup>a</sup>	8,226	8,368	8,425	8,409	8,238	8,093 <sup>a</sup>	8,424	8,451
Cigarettes	6,897 <sup>a</sup>	7,040 <sup>b</sup>	7,041 <sup>b</sup>	7,007 <sup>b</sup>	6,909 <sup>a</sup>	6,673	6,548	6,825	6,581
Smokeless Tobacco	1,455 <sup>b</sup>	1,418 <sup>b</sup>	1,532 <sup>b</sup>	1,588 <sup>b</sup>	1,635 <sup>b</sup>	1,636 <sup>b</sup>	1,698 <sup>b</sup>	1,923	2,066
Cigars	2,605 <sup>a</sup>	2,758	3,179 <sup>a</sup>	2,997	3,078	3,041	2,855	2,938	2,877
Pipe Tobacco	262 <sup>b</sup>	228 <sup>b</sup>	335	372	355	313 <sup>a</sup>	335	461	415
<b>ALCOHOL</b>	10,129 <sup>b</sup>	10,652 <sup>b</sup>	10,501 <sup>b</sup>	10,830 <sup>b</sup>	10,869 <sup>b</sup>	10,757 <sup>b</sup>	10,660 <sup>b</sup>	11,135	11,389
Binge Alcohol Use <sup>2</sup>	7,787 <sup>b</sup>	8,163	8,101	8,442	8,284	8,204	8,011 <sup>a</sup>	8,389	8,358
Heavy Alcohol Use <sup>2</sup>	3,282	3,372	3,434	3,545 <sup>a</sup>	3,461	3,278	3,290	3,213	3,190
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	5,952 <sup>b</sup>	5,975 <sup>b</sup>	5,990 <sup>b</sup>	5,957 <sup>b</sup>	5,974 <sup>b</sup>	5,456	5,536	5,556	5,454
Cigarettes	5,753 <sup>b</sup>	5,724 <sup>b</sup>	5,690 <sup>b</sup>	5,660 <sup>b</sup>	5,673 <sup>b</sup>	5,161	5,210	5,206	5,085
Smokeless Tobacco	47 <sup>b</sup>	67 <sup>a</sup>	56 <sup>b</sup>	75	71 <sup>a</sup>	85	74	130	117
Cigars	813 <sup>a</sup>	865	924	898	894	832	866	899	938
Pipe Tobacco	69 <sup>b</sup>	65 <sup>b</sup>	61 <sup>b</sup>	100 <sup>b</sup>	76 <sup>b</sup>	81 <sup>b</sup>	121 <sup>b</sup>	123 <sup>b</sup>	201
<b>ALCOHOL</b>	8,630 <sup>b</sup>	8,814 <sup>b</sup>	8,974 <sup>b</sup>	8,953 <sup>b</sup>	9,413	9,277	9,489	9,632	9,574
Binge Alcohol Use <sup>2</sup>	4,911 <sup>b</sup>	5,025 <sup>b</sup>	5,170 <sup>a</sup>	5,155 <sup>a</sup>	5,531	5,471	5,499	5,609	5,473
Heavy Alcohol Use <sup>2</sup>	1,343	1,417	1,414	1,422	1,632 <sup>a</sup>	1,541	1,471	1,399	1,449

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.31B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Gender: Percentages, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	45.3 <sup>b</sup>	44.8 <sup>b</sup>	44.6 <sup>b</sup>	44.3 <sup>b</sup>	43.9 <sup>b</sup>	41.8	41.4	41.6	40.8
Cigarettes	40.8 <sup>b</sup>	40.2 <sup>b</sup>	39.5 <sup>b</sup>	39.0 <sup>b</sup>	38.4 <sup>b</sup>	36.2 <sup>b</sup>	35.7 <sup>a</sup>	35.8 <sup>a</sup>	34.2
Smokeless Tobacco	4.8 <sup>b</sup>	4.7 <sup>b</sup>	4.9 <sup>b</sup>	5.1 <sup>b</sup>	5.2 <sup>b</sup>	5.3 <sup>b</sup>	5.4 <sup>b</sup>	6.1	6.4
Cigars	11.0	11.4	12.7 <sup>b</sup>	12.0	12.1 <sup>a</sup>	11.8	11.3	11.4	11.2
Pipe Tobacco	1.1 <sup>b</sup>	0.9 <sup>b</sup>	1.2 <sup>b</sup>	1.5 <sup>a</sup>	1.3 <sup>b</sup>	1.2 <sup>b</sup>	1.4 <sup>b</sup>	1.7	1.8
<b>ALCOHOL</b>	60.5	61.4	60.5	60.9	61.9	61.2	61.2	61.8	61.5
Binge Alcohol Use <sup>2</sup>	40.9	41.6	41.2	41.9	42.2 <sup>a</sup>	41.8	41.0	41.7	40.6
Heavy Alcohol Use <sup>2</sup>	14.9 <sup>a</sup>	15.1 <sup>b</sup>	15.1 <sup>b</sup>	15.3 <sup>b</sup>	15.6 <sup>b</sup>	14.7 <sup>a</sup>	14.5	13.7	13.6
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	52.1 <sup>b</sup>	51.7 <sup>b</sup>	51.7 <sup>b</sup>	51.6 <sup>b</sup>	51.0 <sup>a</sup>	50.0	48.8	49.9	48.9
Cigarettes	44.4 <sup>b</sup>	44.2 <sup>b</sup>	43.5 <sup>b</sup>	42.9 <sup>b</sup>	41.9 <sup>b</sup>	40.5 <sup>a</sup>	39.5	40.4 <sup>a</sup>	38.1
Smokeless Tobacco	9.4 <sup>b</sup>	8.9 <sup>b</sup>	9.5 <sup>b</sup>	9.7 <sup>b</sup>	9.9 <sup>b</sup>	9.9 <sup>b</sup>	10.3 <sup>b</sup>	11.4	12.0
Cigars	16.8	17.3	19.7 <sup>b</sup>	18.3 <sup>a</sup>	18.7 <sup>b</sup>	18.4 <sup>b</sup>	17.2	17.4	16.6
Pipe Tobacco	1.7 <sup>b</sup>	1.4 <sup>b</sup>	2.1	2.3	2.2	1.9	2.0	2.7	2.4
<b>ALCOHOL</b>	65.2	66.9	64.9	66.3	65.9	65.3	64.3	65.9	65.9
Binge Alcohol Use <sup>2</sup>	50.2	51.3 <sup>b</sup>	50.1	51.7 <sup>b</sup>	50.2	49.8	48.4	49.7	48.4
Heavy Alcohol Use <sup>2</sup>	21.1 <sup>b</sup>	21.2 <sup>b</sup>	21.2 <sup>b</sup>	21.7 <sup>b</sup>	21.0 <sup>b</sup>	19.9	19.9	19.0	18.5
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	38.4 <sup>b</sup>	37.8 <sup>b</sup>	37.4 <sup>b</sup>	36.9 <sup>b</sup>	36.8 <sup>b</sup>	33.6	33.8	33.3	32.5
Cigarettes	37.1 <sup>b</sup>	36.2 <sup>b</sup>	35.5 <sup>b</sup>	35.0 <sup>b</sup>	34.9 <sup>b</sup>	31.8	31.8	31.2	30.3
Smokeless Tobacco	0.3 <sup>b</sup>	0.4	0.4 <sup>b</sup>	0.5	0.4	0.5	0.4	0.8	0.7
Cigars	5.2	5.5	5.8	5.6	5.5	5.1	5.3	5.4	5.6
Pipe Tobacco	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	1.2
<b>ALCOHOL</b>	55.7	55.8	56.0	55.4	57.9	57.1	58.0	57.7	57.0
Binge Alcohol Use <sup>2</sup>	31.7	31.8	32.3	31.9	34.0	33.7	33.6	33.6	32.6
Heavy Alcohol Use <sup>2</sup>	8.7	9.0	8.8	8.8	10.0 <sup>b</sup>	9.5	9.0	8.4	8.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.32A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Gender: Numbers in Thousands, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	53,683	52,946	52,263	53,813	55,215	54,118	54,395	52,872	53,057
Cigarettes	45,278	44,626	44,166	45,133	46,349	45,752	45,762	44,440	44,559
Smokeless Tobacco	5,797	5,728	4,994 <sup>b</sup>	5,495	5,924	5,713	6,351	5,929	6,110
Cigars	8,217	8,099	8,423	8,681	8,690	8,320	8,462	8,452	8,579
Pipe Tobacco	1,347	1,166	1,261	1,561	1,723	1,470	1,244	1,272	1,380
<b>ALCOHOL</b>	96,696 <sup>b</sup>	95,073 <sup>b</sup>	97,023 <sup>b</sup>	102,054 <sup>b</sup>	100,805 <sup>b</sup>	102,705 <sup>b</sup>	105,191	106,230	107,071
Binge Alcohol Use <sup>2</sup>	38,447 <sup>b</sup>	37,924 <sup>b</sup>	38,661 <sup>b</sup>	38,980 <sup>b</sup>	40,147 <sup>b</sup>	41,656	42,397	43,388	42,809
Heavy Alcohol Use <sup>2</sup>	10,605 <sup>a</sup>	10,704 <sup>a</sup>	11,170	10,457 <sup>b</sup>	11,251	11,600	12,040	12,000	11,883
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	31,874	31,074	31,229	31,907	33,169	32,315	32,191	30,773	31,616
Cigarettes	24,184	23,709	23,784	23,917	25,009	24,648	24,253	22,958	23,713
Smokeless Tobacco	5,351	5,199	4,677 <sup>b</sup>	5,110	5,661	5,387	6,025	5,711	5,790
Cigars	7,274	6,825	7,344	7,610	7,298	7,122	7,369	7,082	7,095
Pipe Tobacco	1,136	1,051	1,133	1,396	1,555	1,367	1,053	1,150	1,223
<b>ALCOHOL</b>	52,880 <sup>b</sup>	53,090 <sup>b</sup>	53,601 <sup>b</sup>	55,610 <sup>a</sup>	55,045 <sup>b</sup>	55,286 <sup>b</sup>	57,519	57,418	57,737
Binge Alcohol Use <sup>2</sup>	26,227 <sup>b</sup>	25,981 <sup>b</sup>	26,598 <sup>b</sup>	26,242 <sup>b</sup>	27,627	28,558	29,150	29,057	28,773
Heavy Alcohol Use <sup>2</sup>	8,539	8,212	8,548	8,245	8,946	9,142	9,299	9,096	9,043
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	21,809	21,872	21,034	21,906	22,045	21,802	22,205	22,099	21,441
Cigarettes	21,094	20,918	20,382	21,215	21,340	21,104	21,510	21,482	20,846
Smokeless Tobacco	447	529	318	385	262	325	326	218	320
Cigars	942 <sup>b</sup>	1,274	1,079 <sup>a</sup>	1,071 <sup>a</sup>	1,391	1,198	1,093 <sup>a</sup>	1,370	1,484
Pipe Tobacco	212	115	128	165	168	103	191	123	158
<b>ALCOHOL</b>	43,816 <sup>b</sup>	41,983 <sup>b</sup>	43,423 <sup>b</sup>	46,444 <sup>b</sup>	45,759 <sup>b</sup>	47,419 <sup>a</sup>	47,671	48,812	49,334
Binge Alcohol Use <sup>2</sup>	12,220 <sup>b</sup>	11,943 <sup>b</sup>	12,063 <sup>b</sup>	12,738 <sup>a</sup>	12,520 <sup>b</sup>	13,098	13,247	14,331	14,035
Heavy Alcohol Use <sup>2</sup>	2,067 <sup>b</sup>	2,492	2,623	2,212 <sup>b</sup>	2,305 <sup>a</sup>	2,458	2,741	2,903	2,841

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.32B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Gender: Percentages, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	29.9 <sup>b</sup>	29.3 <sup>b</sup>	28.5 <sup>a</sup>	29.0 <sup>b</sup>	29.4 <sup>b</sup>	28.5 <sup>a</sup>	28.3	27.3	27.2
Cigarettes	25.2 <sup>b</sup>	24.7 <sup>b</sup>	24.1 <sup>a</sup>	24.3 <sup>b</sup>	24.7 <sup>b</sup>	24.1 <sup>a</sup>	23.8	23.0	22.8
Smokeless Tobacco	3.2	3.2	2.7 <sup>a</sup>	3.0	3.2	3.0	3.3	3.1	3.1
Cigars	4.6	4.5	4.6	4.7	4.6	4.4	4.4	4.4	4.4
Pipe Tobacco	0.8	0.6	0.7	0.8	0.9	0.8	0.6	0.7	0.7
<b>ALCOHOL</b>	53.9	52.5 <sup>b</sup>	53.0 <sup>b</sup>	55.1	53.7	54.1	54.8	54.9	54.9
Binge Alcohol Use <sup>2</sup>	21.4	21.0	21.1	21.0	21.4	21.9	22.1	22.4	21.9
Heavy Alcohol Use <sup>2</sup>	5.9	5.9	6.1	5.6	6.0	6.1	6.3	6.2	6.1
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	37.3 <sup>b</sup>	36.0 <sup>a</sup>	35.7 <sup>a</sup>	36.0 <sup>a</sup>	36.9 <sup>b</sup>	35.6 <sup>a</sup>	35.0	33.1	33.7
Cigarettes	28.3 <sup>b</sup>	27.5 <sup>b</sup>	27.2 <sup>a</sup>	27.0 <sup>a</sup>	27.8 <sup>b</sup>	27.1 <sup>a</sup>	26.4	24.7	25.3
Smokeless Tobacco	6.3	6.0	5.3 <sup>a</sup>	5.8	6.3	5.9	6.5	6.2	6.2
Cigars	8.5	7.9	8.4	8.6 <sup>a</sup>	8.1	7.8	8.0	7.6	7.6
Pipe Tobacco	1.3	1.2	1.3	1.6	1.7	1.5	1.1	1.2	1.3
<b>ALCOHOL</b>	61.9	61.5	61.3	62.7	61.2	60.8	62.5	61.8	61.6
Binge Alcohol Use <sup>2</sup>	30.7	30.1	30.4	29.6	30.7	31.4	31.7	31.3	30.7
Heavy Alcohol Use <sup>2</sup>	10.0	9.5	9.8	9.3	10.0	10.1	10.1	9.8	9.7
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	23.2 <sup>b</sup>	23.1 <sup>b</sup>	22.0	22.6 <sup>a</sup>	22.5	22.0	22.2	21.9	21.1
Cigarettes	22.5 <sup>b</sup>	22.1 <sup>a</sup>	21.3	21.9	21.8	21.3	21.5	21.3	20.5
Smokeless Tobacco	0.5	0.6	0.3	0.4	0.3	0.3	0.3	0.2	0.3
Cigars	1.0 <sup>b</sup>	1.3	1.1	1.1 <sup>a</sup>	1.4	1.2	1.1 <sup>a</sup>	1.4	1.5
Pipe Tobacco	0.2	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2
<b>ALCOHOL</b>	46.6 <sup>a</sup>	44.3 <sup>b</sup>	45.4 <sup>b</sup>	48.0	46.7 <sup>a</sup>	47.9	47.7	48.4	48.6
Binge Alcohol Use <sup>2</sup>	13.0	12.6 <sup>a</sup>	12.6 <sup>a</sup>	13.2	12.8	13.2	13.2	14.2	13.8
Heavy Alcohol Use <sup>2</sup>	2.2 <sup>a</sup>	2.6	2.7	2.3 <sup>a</sup>	2.4	2.5	2.7	2.9	2.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.33A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 or Older, by Gender: Numbers in Thousands, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	67,732	67,147	66,622	68,195	69,598 <sup>a</sup>	67,812	68,024	66,852	66,962
Cigarettes	57,928	57,391	56,897	57,799	58,932 <sup>a</sup>	57,587	57,520	56,471	56,225
Smokeless Tobacco	7,299 <sup>a</sup>	7,214 <sup>a</sup>	6,583 <sup>b</sup>	7,158 <sup>b</sup>	7,630	7,434 <sup>a</sup>	8,123	7,982	8,294
Cigars	11,634	11,722	12,526	12,576	12,662	12,193	12,183	12,289	12,394
Pipe Tobacco	1,679	1,458 <sup>b</sup>	1,657	2,032	2,154	1,864	1,700	1,856	1,996
<b>ALCOHOL</b>	115,455 <sup>b</sup>	114,539 <sup>b</sup>	116,498 <sup>b</sup>	121,837 <sup>b</sup>	121,087 <sup>b</sup>	122,739 <sup>b</sup>	125,339 <sup>a</sup>	126,997	128,034
Binge Alcohol Use <sup>2</sup>	51,146 <sup>b</sup>	51,112 <sup>b</sup>	51,931 <sup>b</sup>	52,577 <sup>b</sup>	53,961 <sup>b</sup>	55,331	55,907	57,386	56,639
Heavy Alcohol Use <sup>2</sup>	15,231 <sup>a</sup>	15,492	16,018	15,424	16,344	16,420	16,801	16,612	16,522
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	39,972	39,300	39,597	40,332	41,578	40,553	40,283	39,198	40,067
Cigarettes	31,080	30,749	30,825	30,924	31,918 <sup>a</sup>	31,322	30,801	29,782	30,294
Smokeless Tobacco	6,806 <sup>b</sup>	6,618 <sup>b</sup>	6,209 <sup>b</sup>	6,698 <sup>b</sup>	7,297	7,023 <sup>a</sup>	7,723	7,634	7,856
Cigars	9,879	9,583	10,523	10,607	10,376	10,163	10,223	10,020	9,973
Pipe Tobacco	1,398	1,279	1,469	1,768	1,910	1,680	1,388	1,610	1,638
<b>ALCOHOL</b>	63,009 <sup>b</sup>	63,742 <sup>b</sup>	64,101 <sup>b</sup>	66,440 <sup>b</sup>	65,914 <sup>b</sup>	66,043 <sup>b</sup>	68,179	68,553	69,126
Binge Alcohol Use <sup>2</sup>	34,014 <sup>b</sup>	34,144 <sup>b</sup>	34,699 <sup>b</sup>	34,684 <sup>b</sup>	35,910	36,762	37,161	37,446	37,131
Heavy Alcohol Use <sup>2</sup>	11,821	11,584	11,981	11,790	12,407	12,420	12,589	12,310	12,233
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	27,761	27,847	27,025	27,863	28,020	27,258	27,740	27,655	26,895
Cigarettes	26,847	26,641	26,072	26,875	27,013	26,266	26,719	26,688	25,931
Smokeless Tobacco	493	596	374	460	333	411	400	348	437
Cigars	1,755 <sup>b</sup>	2,139	2,003 <sup>a</sup>	1,969 <sup>a</sup>	2,286	2,030 <sup>a</sup>	1,959 <sup>a</sup>	2,270	2,422
Pipe Tobacco	281	179 <sup>b</sup>	189 <sup>a</sup>	264	244	184 <sup>b</sup>	313	246	358
<b>ALCOHOL</b>	52,446 <sup>b</sup>	50,797 <sup>b</sup>	52,396 <sup>b</sup>	55,397 <sup>b</sup>	55,173 <sup>b</sup>	56,697 <sup>a</sup>	57,160	58,445	58,908
Binge Alcohol Use <sup>2</sup>	17,132 <sup>b</sup>	16,968 <sup>b</sup>	17,232 <sup>b</sup>	17,893 <sup>b</sup>	18,051 <sup>a</sup>	18,569	18,747	19,941	19,508
Heavy Alcohol Use <sup>2</sup>	3,409 <sup>b</sup>	3,908	4,037	3,634 <sup>a</sup>	3,937	4,000	4,212	4,302	4,289

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

**Table 7.33B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 or Older, by Gender: Percentages, 2002-2010**

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>TOTAL</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	32.2 <sup>b</sup>	31.6 <sup>b</sup>	30.9 <sup>b</sup>	31.3 <sup>b</sup>	31.5 <sup>b</sup>	30.5 <sup>a</sup>	30.2	29.4	29.2
Cigarettes	27.5 <sup>b</sup>	27.0 <sup>b</sup>	26.4 <sup>b</sup>	26.5 <sup>b</sup>	26.7 <sup>b</sup>	25.9 <sup>b</sup>	25.6 <sup>a</sup>	24.9	24.5
Smokeless Tobacco	3.5	3.4	3.1 <sup>b</sup>	3.3	3.5	3.3	3.6	3.5	3.6
Cigars	5.5	5.5	5.8	5.8	5.7	5.5	5.4	5.4	5.4
Pipe Tobacco	0.8	0.7 <sup>a</sup>	0.8	0.9	1.0	0.8	0.8	0.8	0.9
<b>ALCOHOL</b>	54.9	53.9 <sup>b</sup>	54.1 <sup>b</sup>	55.9	54.9	55.1	55.7	55.9	55.8
Binge Alcohol Use <sup>2</sup>	24.3	24.0	24.1	24.1	24.5	24.9	24.9	25.3	24.7
Heavy Alcohol Use <sup>2</sup>	7.2	7.3	7.4	7.1	7.4	7.4	7.5	7.3	7.2
<b>MALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	39.6 <sup>b</sup>	38.4 <sup>b</sup>	38.2 <sup>b</sup>	38.4 <sup>b</sup>	39.1 <sup>b</sup>	37.8 <sup>a</sup>	37.1	35.7	36.1
Cigarettes	30.8 <sup>b</sup>	30.1 <sup>b</sup>	29.8 <sup>b</sup>	29.5 <sup>b</sup>	30.0 <sup>b</sup>	29.2 <sup>b</sup>	28.4	27.1	27.3
Smokeless Tobacco	6.7	6.5	6.0 <sup>b</sup>	6.4 <sup>a</sup>	6.9	6.5	7.1	7.0	7.1
Cigars	9.8	9.4	10.2 <sup>b</sup>	10.1 <sup>b</sup>	9.8	9.5	9.4	9.1	9.0
Pipe Tobacco	1.4	1.3	1.4	1.7	1.8	1.6	1.3	1.5	1.5
<b>ALCOHOL</b>	62.4	62.4	61.9	63.3	62.0	61.5	62.8	62.5	62.3
Binge Alcohol Use <sup>2</sup>	33.7	33.4	33.5	33.0	33.8	34.2	34.2	34.1	33.5
Heavy Alcohol Use <sup>2</sup>	11.7	11.3	11.6	11.2	11.7	11.6	11.6	11.2	11.0
<b>FEMALE</b>									
<b>TOBACCO PRODUCTS<sup>1</sup></b>	25.4 <sup>b</sup>	25.2 <sup>b</sup>	24.2 <sup>a</sup>	24.7 <sup>b</sup>	24.5 <sup>b</sup>	23.7	23.8	23.5	22.7
Cigarettes	24.5 <sup>b</sup>	24.1 <sup>b</sup>	23.3 <sup>a</sup>	23.8 <sup>b</sup>	23.6 <sup>b</sup>	22.8	23.0	22.7	21.9
Smokeless Tobacco	0.5	0.5	0.3	0.4	0.3	0.4	0.3	0.3	0.4
Cigars	1.6 <sup>b</sup>	1.9	1.8	1.7	2.0	1.8	1.7 <sup>a</sup>	1.9	2.0
Pipe Tobacco	0.3	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.2	0.2	0.2 <sup>b</sup>	0.3	0.2	0.3
<b>ALCOHOL</b>	47.9 <sup>a</sup>	46.0 <sup>b</sup>	46.9 <sup>b</sup>	49.1	48.3	49.2	49.1	49.7	49.8
Binge Alcohol Use <sup>2</sup>	15.7	15.4 <sup>a</sup>	15.4 <sup>a</sup>	15.8	15.8	16.1	16.1	17.0	16.5
Heavy Alcohol Use <sup>2</sup>	3.1 <sup>a</sup>	3.5	3.6	3.2	3.4	3.5	3.6	3.7	3.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.