

Table 7.29C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Gender: Standard Errors of Numbers in Thousands, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	832	803	794	845	848	844	866	825	852
Cigarettes	795	789	768	777	804	808	806	789	781
Smokeless Tobacco	279	284	245	267	284	281	310	289	313
Cigars	350	331	323	354	352	337	364	358	362
Pipe Tobacco	166	131	147	146	166	170	147	151	147
ALCOHOL	989	919	957	975	969	1,018	981	957	990
Binge Alcohol Use ²	732	682	698	701	746	767	733	785	754
Heavy Alcohol Use ²	392	380	382	379	427	429	412	406	421
MALE									
TOBACCO PRODUCTS¹	572	573	570	576	584	595	627	598	627
Cigarettes	527	545	537	515	543	574	564	561	538
Smokeless Tobacco	264	256	234	241	273	251	294	282	301
Cigars	327	305	290	324	319	311	332	333	321
Pipe Tobacco	139	127	139	141	160	168	132	143	137
ALCOHOL	656	599	626	621	611	667	632	650	676
Binge Alcohol Use ²	540	517	513	529	559	585	585	605	578
Heavy Alcohol Use ²	346	321	319	321	355	375	355	349	353
FEMALE									
TOBACCO PRODUCTS¹	513	507	497	543	511	511	556	501	535
Cigarettes	501	488	491	538	502	493	551	493	526
Smokeless Tobacco	100	126	65	87	76	113	75	51	78
Cigars	114	123	122	112	131	116	114	129	153
Pipe Tobacco	90	35	43	42	47	30	55	37	54
ALCOHOL	644	600	664	637	644	674	670	683	634
Binge Alcohol Use ²	415	382	390	402	399	394	396	441	441
Heavy Alcohol Use ²	177	174	174	163	168	171	193	192	201

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.29D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Gender: Standard Errors of Percentages, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.35	0.34	0.33	0.35	0.34	0.34	0.35	0.33	0.34
Cigarettes	0.34	0.33	0.32	0.32	0.33	0.33	0.32	0.31	0.31
Smokeless Tobacco	0.12	0.12	0.10	0.11	0.12	0.11	0.12	0.11	0.12
Cigars	0.15	0.14	0.13	0.15	0.14	0.14	0.15	0.14	0.14
Pipe Tobacco	0.07	0.06	0.06	0.06	0.07	0.07	0.06	0.06	0.06
ALCOHOL	0.42	0.39	0.40	0.40	0.39	0.41	0.39	0.38	0.39
Binge Alcohol Use ²	0.31	0.29	0.29	0.29	0.30	0.31	0.29	0.31	0.30
Heavy Alcohol Use ²	0.17	0.16	0.16	0.16	0.17	0.17	0.16	0.16	0.17
MALE									
TOBACCO PRODUCTS¹	0.50	0.50	0.49	0.49	0.49	0.50	0.52	0.49	0.51
Cigarettes	0.46	0.47	0.46	0.44	0.45	0.48	0.46	0.46	0.44
Smokeless Tobacco	0.23	0.22	0.20	0.20	0.23	0.21	0.24	0.23	0.24
Cigars	0.29	0.27	0.25	0.27	0.27	0.26	0.27	0.27	0.26
Pipe Tobacco	0.12	0.11	0.12	0.12	0.13	0.14	0.11	0.12	0.11
ALCOHOL	0.58	0.52	0.54	0.53	0.51	0.55	0.52	0.53	0.55
Binge Alcohol Use ²	0.48	0.45	0.44	0.45	0.47	0.49	0.48	0.49	0.47
Heavy Alcohol Use ²	0.30	0.28	0.27	0.27	0.30	0.31	0.29	0.29	0.29
FEMALE									
TOBACCO PRODUCTS¹	0.42	0.41	0.40	0.43	0.40	0.40	0.43	0.39	0.41
Cigarettes	0.41	0.40	0.40	0.43	0.40	0.39	0.43	0.38	0.40
Smokeless Tobacco	0.08	0.10	0.05	0.07	0.06	0.09	0.06	0.04	0.06
Cigars	0.09	0.10	0.10	0.09	0.10	0.09	0.09	0.10	0.12
Pipe Tobacco	0.07	0.03	0.03	0.03	0.04	0.02	0.04	0.03	0.04
ALCOHOL	0.53	0.49	0.54	0.51	0.51	0.53	0.52	0.53	0.49
Binge Alcohol Use ²	0.34	0.31	0.31	0.32	0.32	0.31	0.31	0.34	0.34
Heavy Alcohol Use ²	0.15	0.14	0.14	0.13	0.13	0.13	0.15	0.15	0.15

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.29P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Gender: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.0000	0.0000	0.0002	0.0000	0.0000	0.0120	0.0521	0.5678	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0047	0.0301	0.4373	
Smokeless Tobacco	0.2930	0.1602	0.0013	0.0396	0.3871	0.1509	0.9034	0.5722	
Cigars	0.2710	0.3029	0.0091	0.0405	0.0622	0.4189	0.7700	0.7154	
Pipe Tobacco	0.4097	0.0375	0.3154	0.5374	0.2803	0.8043	0.2411	0.8161	
ALCOHOL	0.1479	0.0016	0.0070	0.9579	0.1208	0.2506	0.7693	0.8716	
Binge Alcohol Use ²	0.6233	0.2628	0.4238	0.2931	0.8289	0.5958	0.6840	0.1811	
Heavy Alcohol Use ²	0.7685	0.6128	0.2520	0.7235	0.3725	0.4129	0.2913	0.5738	
MALE									
TOBACCO PRODUCTS¹	0.0000	0.0019	0.0048	0.0028	0.0002	0.0306	0.2409	0.7282	
Cigarettes	0.0000	0.0000	0.0003	0.0009	0.0002	0.0085	0.1364	0.8614	
Smokeless Tobacco	0.2507	0.0740	0.0019	0.0289	0.5625	0.1576	0.9710	0.7651	
Cigars	0.0235	0.1721	0.0005	0.0027	0.0400	0.1045	0.1947	0.5629	
Pipe Tobacco	0.5554	0.2293	0.7578	0.2649	0.0954	0.6216	0.2520	0.7857	
ALCOHOL	0.9857	0.9444	0.5539	0.3565	0.5959	0.3226	0.6582	0.7611	
Binge Alcohol Use ²	0.6695	0.9942	0.8184	0.5616	0.6219	0.2529	0.3470	0.3018	
Heavy Alcohol Use ²	0.1295	0.4831	0.1922	0.6191	0.1593	0.2112	0.2146	0.6326	
FEMALE									
TOBACCO PRODUCTS¹	0.0000	0.0000	0.0043	0.0013	0.0020	0.1087	0.0847	0.1724	
Cigarettes	0.0000	0.0001	0.0046	0.0017	0.0028	0.1182	0.1026	0.1688	
Smokeless Tobacco	0.5722	0.3067	0.5398	0.8687	0.3186	0.7941	0.6625	0.2941	
Cigars	0.0247	0.7870	0.3128	0.1199	0.9237	0.1217	0.0326	0.7359	
Pipe Tobacco	0.5794	0.0056	0.0382	0.1979	0.1384	0.0080	0.8064	0.1415	
ALCOHOL	0.0321	0.0000	0.0008	0.4148	0.0775	0.4966	0.4150	0.9702	
Binge Alcohol Use ²	0.2360	0.0767	0.1233	0.3361	0.3511	0.5878	0.5852	0.3155	
Heavy Alcohol Use ²	0.0528	0.9962	0.7862	0.1061	0.5674	0.6349	0.9295	0.6968	

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.30C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Gender: Standard Errors of Numbers in Thousands, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	81	80	80	78	72	76	69	70	68
Cigarettes	74	73	76	71	65	67	61	64	63
Smokeless Tobacco	27	30	32	29	31	35	30	32	30
Cigars	47	44	44	46	41	44	40	39	36
Pipe Tobacco	14	18	19	17	18	19	17	21	17
ALCOHOL	80	82	81	81	82	87	78	78	80
Binge Alcohol Use ²	67	67	73	65	69	68	56	62	62
Heavy Alcohol Use ²	31	33	36	32	33	37	30	30	28
MALE									
TOBACCO PRODUCTS¹	59	56	55	59	54	57	50	52	52
Cigarettes	53	47	52	53	46	48	42	43	45
Smokeless Tobacco	26	29	30	28	29	34	28	30	28
Cigars	37	36	37	38	34	37	34	33	31
Pipe Tobacco	13	17	15	14	15	16	12	18	14
ALCOHOL	55	57	59	57	57	61	52	57	57
Binge Alcohol Use ²	46	46	52	48	47	51	40	47	44
Heavy Alcohol Use ²	24	23	27	27	26	28	23	23	23
FEMALE									
TOBACCO PRODUCTS¹	51	52	53	50	47	48	46	45	42
Cigarettes	49	50	52	48	45	45	44	44	40
Smokeless Tobacco	9	6	11	8	10	9	9	9	12
Cigars	26	23	25	24	23	22	21	24	20
Pipe Tobacco	9	7	13	11	10	11	12	11	10
ALCOHOL	58	60	59	58	59	61	56	52	53
Binge Alcohol Use ²	46	46	50	43	49	45	42	40	43
Heavy Alcohol Use ²	19	23	23	20	21	23	20	19	17

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.30D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Gender: Standard Errors of Percentages, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.33	0.32	0.32	0.31	0.29	0.30	0.28	0.28	0.28
Cigarettes	0.30	0.29	0.30	0.28	0.26	0.26	0.24	0.26	0.26
Smokeless Tobacco	0.11	0.12	0.13	0.12	0.12	0.14	0.12	0.13	0.12
Cigars	0.19	0.17	0.18	0.18	0.16	0.18	0.16	0.16	0.15
Pipe Tobacco	0.06	0.07	0.08	0.07	0.07	0.08	0.07	0.09	0.07
ALCOHOL	0.32	0.33	0.32	0.32	0.32	0.34	0.31	0.32	0.33
Binge Alcohol Use ²	0.27	0.27	0.29	0.26	0.27	0.27	0.23	0.25	0.25
Heavy Alcohol Use ²	0.12	0.13	0.14	0.13	0.13	0.15	0.12	0.12	0.11
MALE									
TOBACCO PRODUCTS¹	0.47	0.44	0.43	0.46	0.41	0.44	0.39	0.41	0.42
Cigarettes	0.42	0.37	0.40	0.41	0.36	0.37	0.33	0.35	0.36
Smokeless Tobacco	0.21	0.23	0.23	0.22	0.22	0.26	0.22	0.24	0.23
Cigars	0.30	0.28	0.28	0.29	0.26	0.29	0.27	0.26	0.25
Pipe Tobacco	0.10	0.13	0.11	0.11	0.12	0.12	0.10	0.14	0.11
ALCOHOL	0.43	0.45	0.45	0.44	0.44	0.47	0.41	0.46	0.46
Binge Alcohol Use ²	0.37	0.36	0.40	0.37	0.36	0.39	0.32	0.37	0.35
Heavy Alcohol Use ²	0.19	0.18	0.21	0.21	0.20	0.22	0.18	0.18	0.18
FEMALE									
TOBACCO PRODUCTS¹	0.42	0.42	0.43	0.40	0.38	0.39	0.37	0.38	0.36
Cigarettes	0.40	0.41	0.42	0.39	0.37	0.37	0.36	0.36	0.34
Smokeless Tobacco	0.08	0.05	0.09	0.07	0.08	0.07	0.08	0.08	0.10
Cigars	0.21	0.19	0.20	0.19	0.19	0.18	0.17	0.20	0.17
Pipe Tobacco	0.07	0.06	0.10	0.09	0.08	0.09	0.10	0.09	0.09
ALCOHOL	0.48	0.49	0.48	0.47	0.47	0.49	0.46	0.43	0.45
Binge Alcohol Use ²	0.38	0.38	0.41	0.35	0.39	0.37	0.34	0.33	0.36
Heavy Alcohol Use ²	0.16	0.19	0.19	0.16	0.17	0.18	0.16	0.15	0.14

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.30P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Gender: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0550	0.0116	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0324	0.1054	
Smokeless Tobacco	0.0409	0.1216	0.8131	0.1537	0.7298	0.4270	0.5258	0.8360	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0083	0.0006	
Pipe Tobacco	0.3912	0.9314	0.4845	0.9278	0.7915	0.4216	0.4276	0.0058	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0238	0.0123	
Binge Alcohol Use ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0060	0.0049	
Heavy Alcohol Use ²	0.0000	0.0000	0.0000	0.0000	0.0001	0.0004	0.0884	0.0122	
MALE									
TOBACCO PRODUCTS¹	0.0000	0.0000	0.0000	0.0010	0.0018	0.0013	0.5071	0.0117	
Cigarettes	0.0000	0.0000	0.0000	0.0001	0.0024	0.0064	0.3922	0.1934	
Smokeless Tobacco	0.1128	0.5545	0.7299	0.4079	0.3791	0.1555	0.8305	0.5897	
Cigars	0.0000	0.0000	0.0000	0.0001	0.0009	0.0000	0.0047	0.0113	
Pipe Tobacco	0.5800	0.3373	0.6371	0.6981	0.5722	0.4694	0.9350	0.0052	
ALCOHOL	0.0000	0.0000	0.0000	0.0008	0.0001	0.0010	0.3753	0.0258	
Binge Alcohol Use ²	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.2430	0.0129	
Heavy Alcohol Use ²	0.0001	0.0008	0.0001	0.0015	0.0045	0.0063	0.3506	0.2853	
FEMALE									
TOBACCO PRODUCTS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0034	0.0257	0.3555	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0016	0.0289	0.3197	
Smokeless Tobacco	0.1766	0.0032	0.1600	0.0769	0.2324	0.1312	0.2891	0.4197	
Cigars	0.0247	0.0226	0.0052	0.0670	0.0243	0.2613	0.6739	0.0319	
Pipe Tobacco	0.5096	0.1404	0.5910	0.5196	0.7413	0.7069	0.2044	0.4391	
ALCOHOL	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0209	0.1780	
Binge Alcohol Use ²	0.0000	0.0000	0.0000	0.0000	0.0000	0.0049	0.0077	0.1514	
Heavy Alcohol Use ²	0.0019	0.0000	0.0003	0.0079	0.0051	0.0196	0.1138	0.0073	

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.31C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Gender: Standard Errors of Numbers in Thousands, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	150	151	161	155	159	162	153	168	165
Cigarettes	150	151	159	152	155	159	148	161	160
Smokeless Tobacco	59	56	60	64	65	63	68	77	81
Cigars	83	84	97	92	94	92	95	98	101
Pipe Tobacco	24	25	30	37	33	32	33	39	40
ALCOHOL	164	160	164	166	168	170	162	174	170
Binge Alcohol Use ²	161	155	166	171	169	170	166	181	168
Heavy Alcohol Use ²	112	114	120	120	125	115	122	127	127
MALE									
TOBACCO PRODUCTS¹	100	106	106	110	108	116	108	122	121
Cigarettes	99	109	105	107	108	116	105	121	113
Smokeless Tobacco	56	55	58	60	62	61	63	73	74
Cigars	73	72	83	79	79	81	79	80	84
Pipe Tobacco	22	21	27	33	30	30	29	35	33
ALCOHOL	111	100	110	101	108	110	109	116	112
Binge Alcohol Use ²	110	105	113	111	115	115	117	129	121
Heavy Alcohol Use ²	87	91	88	96	95	94	94	98	102
FEMALE									
TOBACCO PRODUCTS¹	101	93	102	101	102	96	101	98	96
Cigarettes	102	92	101	101	98	94	100	96	97
Smokeless Tobacco	8	11	10	12	13	13	14	18	20
Cigars	38	43	44	41	44	43	47	45	49
Pipe Tobacco	12	12	12	16	11	14	17	15	23
ALCOHOL	102	114	104	112	111	114	106	110	109
Binge Alcohol Use ²	99	100	96	104	103	109	101	105	101
Heavy Alcohol Use ²	55	59	60	56	63	59	62	61	58

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.31D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Gender: Standard Errors of Percentages, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.48	0.48	0.50	0.48	0.49	0.49	0.47	0.50	0.48
Cigarettes	0.48	0.47	0.49	0.47	0.47	0.48	0.45	0.48	0.47
Smokeless Tobacco	0.19	0.18	0.19	0.20	0.20	0.19	0.21	0.23	0.24
Cigars	0.27	0.26	0.30	0.28	0.29	0.28	0.29	0.29	0.30
Pipe Tobacco	0.08	0.08	0.09	0.11	0.10	0.10	0.10	0.12	0.12
ALCOHOL	0.53	0.50	0.51	0.51	0.51	0.52	0.49	0.52	0.50
Binge Alcohol Use ²	0.52	0.49	0.52	0.53	0.52	0.52	0.50	0.54	0.49
Heavy Alcohol Use ²	0.36	0.36	0.37	0.37	0.38	0.35	0.37	0.38	0.37
MALE									
TOBACCO PRODUCTS¹	0.64	0.67	0.66	0.67	0.66	0.71	0.65	0.72	0.70
Cigarettes	0.64	0.69	0.65	0.66	0.66	0.70	0.63	0.71	0.65
Smokeless Tobacco	0.36	0.34	0.36	0.37	0.37	0.37	0.38	0.43	0.43
Cigars	0.47	0.45	0.51	0.48	0.48	0.49	0.47	0.48	0.49
Pipe Tobacco	0.14	0.13	0.17	0.20	0.18	0.18	0.17	0.21	0.19
ALCOHOL	0.71	0.63	0.68	0.62	0.65	0.67	0.66	0.69	0.65
Binge Alcohol Use ²	0.71	0.66	0.70	0.68	0.70	0.70	0.71	0.77	0.70
Heavy Alcohol Use ²	0.56	0.57	0.54	0.59	0.58	0.57	0.57	0.58	0.59
FEMALE									
TOBACCO PRODUCTS¹	0.65	0.59	0.64	0.63	0.63	0.59	0.61	0.59	0.57
Cigarettes	0.66	0.58	0.63	0.63	0.60	0.58	0.61	0.57	0.58
Smokeless Tobacco	0.05	0.07	0.06	0.08	0.08	0.08	0.08	0.11	0.12
Cigars	0.25	0.27	0.27	0.26	0.27	0.26	0.28	0.27	0.29
Pipe Tobacco	0.08	0.08	0.08	0.10	0.07	0.08	0.10	0.09	0.14
ALCOHOL	0.66	0.72	0.65	0.69	0.69	0.70	0.65	0.66	0.65
Binge Alcohol Use ²	0.64	0.63	0.60	0.65	0.63	0.67	0.62	0.63	0.60
Heavy Alcohol Use ²	0.35	0.37	0.37	0.35	0.39	0.36	0.38	0.36	0.35

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.31P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Gender: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.1436	0.4052	0.2218	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0055	0.0277	0.0169	
Smokeless Tobacco	0.0000	0.0000	0.0000	0.0000	0.0001	0.0002	0.0010	0.3559	
Cigars	0.6475	0.5789	0.0003	0.0538	0.0188	0.1094	0.8128	0.5654	
Pipe Tobacco	0.0000	0.0000	0.0001	0.0282	0.0024	0.0001	0.0063	0.6895	
ALCOHOL	0.1451	0.8068	0.1465	0.3866	0.5575	0.6461	0.6038	0.6334	
Binge Alcohol Use ²	0.6364	0.1609	0.3789	0.0896	0.0237	0.0946	0.5453	0.1121	
Heavy Alcohol Use ²	0.0128	0.0044	0.0063	0.0019	0.0003	0.0290	0.1126	0.8062	
MALE									
TOBACCO PRODUCTS¹	0.0007	0.0042	0.0030	0.0039	0.0307	0.2762	0.9589	0.3131	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0138	0.1082	0.0171	
Smokeless Tobacco	0.0000	0.0000	0.0000	0.0001	0.0004	0.0003	0.0031	0.3385	
Cigars	0.8533	0.3088	0.0000	0.0133	0.0028	0.0081	0.3854	0.2610	
Pipe Tobacco	0.0028	0.0000	0.2033	0.6486	0.3640	0.0599	0.1356	0.2439	
ALCOHOL	0.4934	0.2618	0.3038	0.6491	1.0000	0.4907	0.0868	0.9628	
Binge Alcohol Use ²	0.0721	0.0025	0.0804	0.0006	0.0549	0.1578	1.0000	0.1847	
Heavy Alcohol Use ²	0.0010	0.0010	0.0006	0.0001	0.0024	0.0812	0.0824	0.4528	
FEMALE									
TOBACCO PRODUCTS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.1911	0.1216	0.3260	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0716	0.0744	0.2636	
Smokeless Tobacco	0.0022	0.0505	0.0098	0.0920	0.0625	0.2366	0.0814	0.6230	
Cigars	0.3698	0.7693	0.6502	0.9407	0.8350	0.2257	0.4666	0.6080	
Pipe Tobacco	0.0000	0.0000	0.0000	0.0006	0.0000	0.0000	0.0077	0.0058	
ALCOHOL	0.1481	0.1903	0.2663	0.1042	0.3383	0.9425	0.3043	0.4471	
Binge Alcohol Use ²	0.3028	0.3555	0.6963	0.4477	0.0846	0.2268	0.2405	0.2300	
Heavy Alcohol Use ²	0.9432	0.5135	0.6969	0.7283	0.0058	0.0859	0.4938	0.6198	

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.32C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Gender: Standard Errors of Numbers in Thousands, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	797	748	752	798	798	801	845	778	813
Cigarettes	754	738	718	726	757	762	781	744	748
Smokeless Tobacco	270	274	236	256	268	266	301	273	300
Cigars	331	332	311	335	332	311	351	338	339
Pipe Tobacco	160	126	142	141	161	166	142	141	141
ALCOHOL	953	887	933	936	915	985	955	927	947
Binge Alcohol Use ²	702	639	654	650	697	712	700	752	716
Heavy Alcohol Use ²	355	349	356	347	393	403	389	377	397
MALE									
TOBACCO PRODUCTS¹	553	546	552	554	566	572	613	570	600
Cigarettes	506	521	512	493	525	547	545	534	515
Smokeless Tobacco	252	247	226	232	259	237	285	265	289
Cigars	311	302	280	309	305	289	324	315	305
Pipe Tobacco	132	124	135	136	156	164	128	136	134
ALCOHOL	630	577	610	598	584	641	615	630	646
Binge Alcohol Use ²	527	492	492	507	541	562	564	585	552
Heavy Alcohol Use ²	323	306	307	302	333	356	339	325	336
FEMALE									
TOBACCO PRODUCTS¹	488	477	469	515	477	486	542	481	516
Cigarettes	475	460	466	508	471	469	538	476	509
Smokeless Tobacco	99	125	63	85	74	111	73	48	72
Cigars	99	117	107	98	117	104	100	116	140
Pipe Tobacco	89	32	39	37	44	26	50	32	47
ALCOHOL	628	582	654	615	614	657	653	663	620
Binge Alcohol Use ²	393	347	361	370	356	364	380	421	426
Heavy Alcohol Use ²	158	155	160	146	147	157	182	181	190

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.32D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Gender: Standard Errors of Percentages, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.44	0.41	0.41	0.43	0.42	0.42	0.44	0.40	0.42
Cigarettes	0.42	0.41	0.39	0.39	0.40	0.40	0.41	0.38	0.38
Smokeless Tobacco	0.15	0.15	0.13	0.14	0.14	0.14	0.16	0.14	0.15
Cigars	0.18	0.18	0.17	0.18	0.18	0.16	0.18	0.17	0.17
Pipe Tobacco	0.09	0.07	0.08	0.08	0.09	0.09	0.07	0.07	0.07
ALCOHOL	0.53	0.49	0.51	0.51	0.49	0.52	0.50	0.48	0.49
Binge Alcohol Use ²	0.39	0.35	0.36	0.35	0.37	0.37	0.36	0.39	0.37
Heavy Alcohol Use ²	0.20	0.19	0.19	0.19	0.21	0.21	0.20	0.19	0.20
MALE									
TOBACCO PRODUCTS¹	0.65	0.63	0.63	0.62	0.63	0.63	0.67	0.61	0.64
Cigarettes	0.59	0.60	0.59	0.56	0.58	0.60	0.59	0.57	0.55
Smokeless Tobacco	0.29	0.29	0.26	0.26	0.29	0.26	0.31	0.29	0.31
Cigars	0.36	0.35	0.32	0.35	0.34	0.32	0.35	0.34	0.33
Pipe Tobacco	0.15	0.14	0.15	0.15	0.17	0.18	0.14	0.15	0.14
ALCOHOL	0.74	0.67	0.70	0.67	0.65	0.70	0.67	0.68	0.69
Binge Alcohol Use ²	0.62	0.57	0.56	0.57	0.60	0.62	0.61	0.63	0.59
Heavy Alcohol Use ²	0.38	0.35	0.35	0.34	0.37	0.39	0.37	0.35	0.36
FEMALE									
TOBACCO PRODUCTS¹	0.52	0.50	0.49	0.53	0.49	0.49	0.54	0.48	0.51
Cigarettes	0.51	0.49	0.49	0.53	0.48	0.47	0.54	0.47	0.50
Smokeless Tobacco	0.11	0.13	0.07	0.09	0.08	0.11	0.07	0.05	0.07
Cigars	0.11	0.12	0.11	0.10	0.12	0.11	0.10	0.12	0.14
Pipe Tobacco	0.10	0.03	0.04	0.04	0.05	0.03	0.05	0.03	0.05
ALCOHOL	0.67	0.61	0.68	0.64	0.63	0.66	0.65	0.66	0.61
Binge Alcohol Use ²	0.42	0.37	0.38	0.38	0.36	0.37	0.38	0.42	0.42
Heavy Alcohol Use ²	0.17	0.16	0.17	0.15	0.15	0.16	0.18	0.18	0.19

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.32P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Gender: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.0000	0.0004	0.0201	0.0021	0.0004	0.0252	0.0564	0.8236	
Cigarettes	0.0000	0.0011	0.0186	0.0049	0.0015	0.0210	0.0682	0.8123	
Smokeless Tobacco	0.6357	0.8697	0.0453	0.4144	0.9148	0.5673	0.4111	0.7405	
Cigars	0.4633	0.7489	0.3983	0.2379	0.3511	0.9558	0.9595	0.9054	
Pipe Tobacco	0.7013	0.5319	0.8610	0.2088	0.0600	0.5534	0.5641	0.6191	
ALCOHOL	0.1907	0.0008	0.0082	0.7731	0.0762	0.2768	0.9296	0.9860	
Binge Alcohol Use ²	0.3560	0.0563	0.1110	0.0740	0.2715	0.9872	0.7675	0.3733	
Heavy Alcohol Use ²	0.5378	0.5375	0.9645	0.1198	0.7289	0.9385	0.5220	0.6937	
MALE									
TOBACCO PRODUCTS¹	0.0001	0.0121	0.0287	0.0108	0.0006	0.0469	0.1714	0.4989	
Cigarettes	0.0002	0.0082	0.0187	0.0276	0.0023	0.0266	0.1849	0.4660	
Smokeless Tobacco	0.8453	0.7128	0.0392	0.2939	0.7798	0.5331	0.3934	0.9447	
Cigars	0.0542	0.4830	0.0711	0.0298	0.2506	0.5666	0.3435	0.9085	
Pipe Tobacco	0.9095	0.6674	0.9647	0.2082	0.0591	0.3866	0.4262	0.7418	
ALCOHOL	0.7873	0.9123	0.7419	0.2478	0.6728	0.4182	0.3472	0.8166	
Binge Alcohol Use ²	0.9890	0.4609	0.7204	0.1793	0.9826	0.4158	0.2651	0.4918	
Heavy Alcohol Use ²	0.5105	0.7876	0.8053	0.4982	0.5576	0.4343	0.3717	0.7664	
FEMALE									
TOBACCO PRODUCTS¹	0.0040	0.0057	0.2214	0.0393	0.0524	0.1899	0.1553	0.2440	
Cigarettes	0.0071	0.0255	0.2715	0.0553	0.0798	0.2476	0.1983	0.2511	
Smokeless Tobacco	0.2083	0.1055	0.8621	0.4458	0.6517	0.9234	0.9166	0.2515	
Cigars	0.0084	0.5328	0.0607	0.0378	0.8186	0.1475	0.0343	0.5706	
Pipe Tobacco	0.5057	0.5562	0.7253	0.8034	0.8026	0.3379	0.5860	0.5601	
ALCOHOL	0.0312	0.0000	0.0005	0.4932	0.0317	0.4421	0.3068	0.8475	
Binge Alcohol Use ²	0.1684	0.0303	0.0314	0.2328	0.0598	0.2906	0.3052	0.5185	
Heavy Alcohol Use ²	0.0176	0.5044	0.8201	0.0354	0.0677	0.1996	0.8297	0.7470	

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.33C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 or Older, by Gender: Standard Errors of Numbers in Thousands, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	829	784	793	839	837	838	868	816	840
Cigarettes	790	774	765	772	796	802	804	782	773
Smokeless Tobacco	276	283	243	264	281	278	309	287	309
Cigars	346	333	323	351	347	331	362	355	357
Pipe Tobacco	163	130	145	145	164	169	147	149	147
ALCOHOL	972	909	950	969	955	1,010	974	943	974
Binge Alcohol Use ²	730	675	699	701	741	763	734	785	749
Heavy Alcohol Use ²	389	376	383	378	425	426	412	404	419
MALE									
TOBACCO PRODUCTS¹	565	561	568	576	580	592	629	594	617
Cigarettes	521	537	532	514	540	570	563	560	530
Smokeless Tobacco	260	255	233	239	271	248	293	280	297
Cigars	322	306	291	324	316	306	331	329	318
Pipe Tobacco	136	127	138	141	159	168	132	142	136
ALCOHOL	643	590	616	616	600	658	626	642	667
Binge Alcohol Use ²	540	517	511	529	561	585	587	605	574
Heavy Alcohol Use ²	346	320	318	322	353	374	357	348	352
FEMALE									
TOBACCO PRODUCTS¹	509	498	494	541	505	505	551	497	533
Cigarettes	497	481	488	537	497	487	546	490	524
Smokeless Tobacco	99	126	64	87	75	112	74	51	76
Cigars	110	121	119	109	129	112	112	126	150
Pipe Tobacco	90	35	41	40	46	28	53	35	53
ALCOHOL	640	593	662	635	640	671	664	674	634
Binge Alcohol Use ²	411	375	389	401	395	391	397	442	443
Heavy Alcohol Use ²	175	170	173	162	168	169	192	191	200

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.33D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 or Older, by Gender: Standard Errors of Percentages, 2002-2010

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.39	0.37	0.37	0.39	0.38	0.38	0.39	0.36	0.37
Cigarettes	0.38	0.36	0.36	0.35	0.36	0.36	0.36	0.34	0.34
Smokeless Tobacco	0.13	0.13	0.11	0.12	0.13	0.13	0.14	0.13	0.13
Cigars	0.16	0.16	0.15	0.16	0.16	0.15	0.16	0.16	0.16
Pipe Tobacco	0.08	0.06	0.07	0.07	0.07	0.08	0.07	0.07	0.06
ALCOHOL	0.46	0.43	0.44	0.44	0.43	0.45	0.43	0.42	0.42
Binge Alcohol Use ²	0.35	0.32	0.32	0.32	0.34	0.34	0.33	0.35	0.33
Heavy Alcohol Use ²	0.19	0.18	0.18	0.17	0.19	0.19	0.18	0.18	0.18
MALE									
TOBACCO PRODUCTS¹	0.56	0.55	0.55	0.55	0.55	0.55	0.58	0.54	0.56
Cigarettes	0.52	0.53	0.51	0.49	0.51	0.53	0.52	0.51	0.48
Smokeless Tobacco	0.26	0.25	0.22	0.23	0.25	0.23	0.27	0.26	0.27
Cigars	0.32	0.30	0.28	0.31	0.30	0.28	0.30	0.30	0.29
Pipe Tobacco	0.13	0.12	0.13	0.13	0.15	0.16	0.12	0.13	0.12
ALCOHOL	0.64	0.58	0.59	0.59	0.56	0.61	0.58	0.59	0.60
Binge Alcohol Use ²	0.53	0.51	0.49	0.50	0.53	0.54	0.54	0.55	0.52
Heavy Alcohol Use ²	0.34	0.31	0.31	0.31	0.33	0.35	0.33	0.32	0.32
FEMALE									
TOBACCO PRODUCTS¹	0.47	0.45	0.44	0.48	0.44	0.44	0.47	0.42	0.45
Cigarettes	0.45	0.44	0.44	0.48	0.43	0.42	0.47	0.42	0.44
Smokeless Tobacco	0.09	0.11	0.06	0.08	0.07	0.10	0.06	0.04	0.06
Cigars	0.10	0.11	0.11	0.10	0.11	0.10	0.10	0.11	0.13
Pipe Tobacco	0.08	0.03	0.04	0.04	0.04	0.02	0.05	0.03	0.04
ALCOHOL	0.59	0.54	0.59	0.56	0.56	0.58	0.57	0.57	0.54
Binge Alcohol Use ²	0.38	0.34	0.35	0.36	0.35	0.34	0.34	0.38	0.37
Heavy Alcohol Use ²	0.16	0.15	0.16	0.14	0.15	0.15	0.16	0.16	0.17

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.33P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 or Older, by Gender: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
TOBACCO PRODUCTS¹	0.0000	0.0000	0.0009	0.0001	0.0000	0.0159	0.0524	0.6601	
Cigarettes	0.0000	0.0000	0.0001	0.0000	0.0000	0.0061	0.0313	0.4717	
Smokeless Tobacco	0.4315	0.2339	0.0015	0.0609	0.3911	0.1351	0.9753	0.5640	
Cigars	0.5850	0.6328	0.0568	0.0967	0.1321	0.7354	0.9627	0.9896	
Pipe Tobacco	0.4725	0.0368	0.2789	0.5101	0.2809	0.7388	0.2072	0.5515	
ALCOHOL	0.1239	0.0010	0.0047	0.8957	0.1071	0.2490	0.8430	0.9281	
Binge Alcohol Use ²	0.4089	0.1404	0.2055	0.2086	0.5902	0.7462	0.7421	0.2373	
Heavy Alcohol Use ²	0.8995	0.7605	0.3604	0.6252	0.4440	0.5025	0.3096	0.6725	
MALE									
TOBACCO PRODUCTS¹	0.0000	0.0028	0.0069	0.0025	0.0002	0.0345	0.2096	0.6166	
Cigarettes	0.0000	0.0001	0.0005	0.0013	0.0002	0.0089	0.1223	0.8223	
Smokeless Tobacco	0.3630	0.0988	0.0019	0.0402	0.5446	0.1275	0.9259	0.7346	
Cigars	0.0628	0.3488	0.0036	0.0069	0.0679	0.2296	0.2913	0.7283	
Pipe Tobacco	0.6182	0.1986	0.7482	0.2610	0.0993	0.6554	0.2591	0.9638	
ALCOHOL	0.8902	0.9345	0.6180	0.2300	0.6792	0.3592	0.5359	0.8199	
Binge Alcohol Use ²	0.7556	0.9372	0.9661	0.5580	0.6894	0.3039	0.3194	0.3625	
Heavy Alcohol Use ²	0.1422	0.4882	0.2212	0.6496	0.1657	0.2329	0.2059	0.6538	
FEMALE									
TOBACCO PRODUCTS¹	0.0001	0.0001	0.0208	0.0033	0.0046	0.1350	0.1013	0.1830	
Cigarettes	0.0000	0.0004	0.0224	0.0040	0.0062	0.1484	0.1186	0.1799	
Smokeless Tobacco	0.4662	0.1944	0.6865	0.6916	0.3979	0.9123	0.7737	0.3480	
Cigars	0.0063	0.5078	0.1253	0.0566	0.7847	0.0753	0.0248	0.4831	
Pipe Tobacco	0.6250	0.0103	0.0206	0.2269	0.1417	0.0041	0.5946	0.0910	
ALCOHOL	0.0186	0.0000	0.0003	0.3387	0.0541	0.4560	0.3971	0.9509	
Binge Alcohol Use ²	0.1156	0.0256	0.0381	0.2028	0.1772	0.4622	0.4464	0.3693	
Heavy Alcohol Use ²	0.0287	0.7009	0.9603	0.0688	0.4262	0.5001	0.9790	0.8764	

*Low precision; no estimate reported.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.