

Table 7.34C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Gender: Standard Errors of Numbers in Thousands, 2002-2010

Gender/Alcohol Use	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
Lifetime	286	286	272	286	282	312	286	300	291
Past Year	250	253	246	268	260	292	261	272	265
Past Month	188	196	191	208	208	230	200	212	204
Binge Alcohol Use ¹	150	158	160	170	163	181	157	174	162
Heavy Alcohol Use ¹	76	79	98	86	93	92	84	91	84
MALE									
Lifetime	179	183	177	184	185	191	182	202	198
Past Year	158	166	162	171	171	178	164	186	180
Past Month	124	134	130	137	138	141	131	150	142
Binge Alcohol Use ¹	107	114	115	123	117	122	108	127	119
Heavy Alcohol Use ¹	59	59	70	67	73	72	65	76	67
FEMALE									
Lifetime	180	170	170	180	169	190	177	175	169
Past Year	160	159	155	171	156	181	168	157	155
Past Month	118	123	119	128	125	140	123	125	117
Binge Alcohol Use ¹	85	89	93	92	92	103	95	93	90
Heavy Alcohol Use ¹	41	43	50	44	46	49	46	39	44

*Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.34D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Gender: Standard Errors of Percentages, 2002-2010

Gender/Alcohol Use	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
Lifetime	0.40	0.43	0.41	0.41	0.42	0.45	0.42	0.44	0.44
Past Year	0.41	0.44	0.41	0.43	0.43	0.47	0.42	0.44	0.43
Past Month	0.39	0.41	0.39	0.41	0.42	0.45	0.40	0.43	0.41
Binge Alcohol Use ¹	0.34	0.36	0.36	0.37	0.36	0.39	0.34	0.38	0.35
Heavy Alcohol Use ¹	0.19	0.20	0.24	0.21	0.23	0.22	0.21	0.22	0.21
MALE									
Lifetime	0.55	0.53	0.56	0.55	0.53	0.59	0.54	0.57	0.60
Past Year	0.56	0.57	0.56	0.56	0.56	0.59	0.53	0.58	0.60
Past Month	0.52	0.53	0.55	0.53	0.53	0.56	0.53	0.58	0.55
Binge Alcohol Use ¹	0.48	0.49	0.52	0.51	0.49	0.51	0.46	0.53	0.51
Heavy Alcohol Use ¹	0.29	0.29	0.34	0.32	0.35	0.34	0.31	0.36	0.32
FEMALE									
Lifetime	0.51	0.59	0.55	0.56	0.58	0.61	0.58	0.60	0.58
Past Year	0.53	0.62	0.55	0.58	0.58	0.63	0.60	0.58	0.58
Past Month	0.50	0.57	0.51	0.54	0.56	0.59	0.53	0.55	0.52
Binge Alcohol Use ¹	0.43	0.44	0.44	0.43	0.45	0.48	0.44	0.45	0.43
Heavy Alcohol Use ¹	0.22	0.23	0.26	0.22	0.24	0.25	0.24	0.21	0.23

*Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.34P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Gender: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Gender/Alcohol Use	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL									
Lifetime	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0053	0.0006	
Past Year	0.0000	0.0000	0.0000	0.0000	0.0000	0.0058	0.1062	0.0282	
Past Month	0.0000	0.0000	0.0000	0.0009	0.0005	0.0082	0.8038	0.1032	
Binge Alcohol Use ¹	0.0000	0.0000	0.0000	0.0006	0.0001	0.0018	0.3994	0.0286	
Heavy Alcohol Use ¹	0.0003	0.0007	0.0004	0.0035	0.0009	0.0042	0.1615	0.4051	
MALE									
Lifetime	0.0000	0.0000	0.0000	0.0021	0.0006	0.0337	0.3494	0.0025	
Past Year	0.0025	0.0758	0.0092	0.0588	0.0209	0.2475	0.4540	0.0984	
Past Month	0.0864	0.0420	0.0940	0.4095	0.2331	0.8568	0.0989	0.8062	
Binge Alcohol Use ¹	0.0044	0.0066	0.0018	0.0347	0.0380	0.0831	0.3788	0.3267	
Heavy Alcohol Use ¹	0.0011	0.0085	0.0018	0.0395	0.0100	0.0246	0.5420	0.5435	
FEMALE									
Lifetime	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0011	0.0438	
Past Year	0.0000	0.0000	0.0000	0.0000	0.0000	0.0024	0.0015	0.1148	
Past Month	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0320	0.0246	
Binge Alcohol Use ¹	0.0000	0.0001	0.0000	0.0006	0.0001	0.0012	0.0156	0.0142	
Heavy Alcohol Use ¹	0.0329	0.0097	0.0163	0.0120	0.0124	0.0389	0.0904	0.4766	

*Low precision; no estimate reported.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.