

# 2010-2011 National Survey on Drug Use and Health National Maps of Prevalence Estimates, by State


The 98 national maps presented here show 2010-2011 National Survey on Drug Use and Health (NSDUH) estimates for 25 substance use and mental health outcomes, by age group, for 50 States and the District of Columbia.<sup>1</sup> The color of each State on the U.S. maps indicates how the State ranks relative to other States for each measure. States could fall into one of five groups according to their ranking by quintiles. Because there are 51 areas to be ranked for each measure, the middle quintile was assigned 11 areas and the remaining groups 10 each. In some cases, a "quintile" could have more or fewer States than desired because two (or more) States have the same estimate (to two decimal places). When such ties occurred at the "boundary" between two quintiles, all States with the same estimate were assigned to the lower quintile. Those States with the highest rates for a given measure are in red, with the exception of the perceptions of risk measures, for which the lowest perceptions of great risk are in red. Those States with the lowest estimates are in white, with the exception of the perceptions of risk measures, for which the highest perceptions of great risk are in white. The upper and lower limits of each quintile shown in the map legend collectively define a continuum and are not necessarily the actual values of a particular area. For example, in Figure 1a, the values on the boundary in the lowest quintile correspond to Utah (4.96 percent) and Wyoming (7.13 percent) and are displayed in the legend. In the next to lowest quintile, Texas (7.15 percent) and New Jersey (7.98 percent) are the States with the lowest and highest values; however, in the continuum of the legend, the lower limit was assigned a value of 7.14 percent because the upper limit of the quintile below it is 7.13 percent.

Tables containing specific estimates for these States are available on the 2010-2011 NSDUH State Web page at <http://www.samhsa.gov/data/NSDUH/2k11State/NSDUHsae2011/index.aspx>.

---


<sup>1</sup> **Revised Mental Illness Estimates:** The Substance Abuse and Mental Health Services Administration (SAMHSA) has been publishing State estimates of the prevalence (both percentages and estimated counts) of past year serious mental illness (SMI) and any mental illness (AMI) among adults aged 18 or older since the release of the 2008-2009 State small area estimation (SAE) report. Estimates were based on a model developed in 2008. In 2013, SAMHSA developed a more accurate model for the 2012 data. This revised model incorporates the NSDUH respondent's age and indicators of past year suicide thoughts and depression, along with the variables that were specified in the 2008 model (Kessler-6 [K6] questions on psychological distress and an abbreviated set of questions on impairment in carrying out activities from the World Health Organization Disability Assessment Schedule [WHODAS]), leading to more accurate estimates of SMI and AMI. The SMI and AMI maps in this document use estimates that have been revised based on the new model. Other mental health measures in these maps, such as major depressive episode (MDE) and serious thoughts of suicide, were not affected. For further information on the revised model, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

**Figure 1a** *Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 1b** *Illicit Drug Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 1c** *Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 1d** *Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 2a** *Marijuana Use in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 2b** *Marijuana Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 2c** *Marijuana Use in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 2d** *Marijuana Use in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 3a** *Marijuana Use in the Past Month among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 3b** *Marijuana Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 3c** *Marijuana Use in the Past Month among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 3d** *Marijuana Use in the Past Month among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 4a** *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 4b** *Perceptions of Great Risk of Smoking Marijuana Once a Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 4c** *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 4d** *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 5a** *First Use of Marijuana among Persons Aged 12 or Older, by State: Average Annual Rates Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 5b** *First Use of Marijuana among Youths Aged 12 to 17, by State: Average Annual Rates Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 5c** *First Use of Marijuana among Persons Aged 18 to 25, by State: Average Annual Rates Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 6a** *Illicit Drug Use Other Than Marijuana in the Past Month among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 6b** *Illicit Drug Use Other Than Marijuana in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 6c** *Illicit Drug Use Other Than Marijuana in the Past Month among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 6d** *Illicit Drug Use Other Than Marijuana in the Past Month among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 7a Cocaine Use in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs**




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 7b Cocaine Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs**




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 7c** *Cocaine Use in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 7d** *Cocaine Use in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 8a** *Nonmedical Use of Pain Relievers in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 8b** *Nonmedical Use of Pain Relievers in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 8c** *Nonmedical Use of Pain Relievers in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 8d** *Nonmedical Use of Pain Relievers in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 9a** *Alcohol Use in the Past Month among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 9b** *Alcohol Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 9c** *Alcohol Use in the Past Month among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 9d** *Alcohol Use in the Past Month among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 10a** *Binge Alcohol Use in the Past Month among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 10b** *Binge Alcohol Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 10c** *Binge Alcohol Use in the Past Month among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 10d** *Binge Alcohol Use in the Past Month among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 11a** *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 11b** *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 11c** *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 11d** *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 12a** *Alcohol Use in the Past Month among Persons Aged 12 to 20, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 12b** *Binge Alcohol Use in the Past Month among Persons Aged 12 to 20, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 13a** *Tobacco Product Use in the Past Month among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 13b** *Tobacco Product Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 13c** *Tobacco Product Use in the Past Month among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 13d** *Tobacco Product Use in the Past Month among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 14a** *Cigarette Use in the Past Month among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 14b** *Cigarette Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 14c** *Cigarette Use in the Past Month among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 14d** *Cigarette Use in the Past Month among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 15a** *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 15b** *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 15c** *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 15d** *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 16a** *Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 16b** *Alcohol Dependence or Abuse in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 16c** *Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 16d** *Alcohol Dependence or Abuse in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 17a** *Alcohol Dependence in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 17b** *Alcohol Dependence in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 17c** *Alcohol Dependence in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 17d** *Alcohol Dependence in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 18a** *Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 18b** *Illicit Drug Dependence or Abuse in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 18c** *Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 18d** *Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 19a** *Illicit Drug Dependence in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 19b** *Illicit Drug Dependence in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 19c** *Illicit Drug Dependence in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 19d** *Illicit Drug Dependence in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 20a** *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 20b** *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 20c** *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 20d** *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 21a** *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 21b** *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 21c** *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 21d** *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 22a** *Needing But Not Receiving Treatment for Alcohol Use in the Past Year among Persons Aged 12 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 22b** *Needing But Not Receiving Treatment for Alcohol Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 22c** *Needing But Not Receiving Treatment for Alcohol Use in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 22d** *Needing But Not Receiving Treatment for Alcohol Use in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 23a** *Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012 and October 2013) and 2011 (Revised October 2013).

**Figure 23b** *Serious Mental Illness in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012 and October 2013) and 2011 (Revised October 2013).

**Figure 23c** *Serious Mental Illness in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012 and October 2013) and 2011 (Revised October 2013).

**Figure 24a** *Any Mental Illness in the Past Year among Persons Aged 18 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012 and October 2013) and 2011 (Revised October 2013).

**Figure 24b** *Any Mental Illness in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012 and October 2013) and 2011 (Revised October 2013).

**Figure 24c** *Any Mental Illness in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012 and October 2013) and 2011 (Revised October 2013).

**Figure 25a** *Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 25b** *Had Serious Thoughts of Suicide in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 25c** *Had Serious Thoughts of Suicide in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 26a** *Had at Least One Major Depressive Episode in the Past Year among Persons Aged 18 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 26b** *Had at Least One Major Depressive Episode in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 26c** *Had at Least One Major Depressive Episode in the Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.

**Figure 26d** *Had at Least One Major Depressive Episode in the Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2010 (Revised March 2012) and 2011.