

2012-2013

**National Survey on Drug Use and Health:
Model-Based Prevalence Estimates
(50 States and the District of Columbia)**

Table 1 Illicit Drug Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	9.27	(9.01 - 9.54)	9.18	(8.84 - 9.54)	21.44	(20.88 - 22.01)	7.19	(6.88 - 7.51)	9.28	(8.99 - 9.58)
Northeast	9.58	(9.07 - 10.12)	9.31	(8.70 - 9.96)	23.57	(22.54 - 24.63)	7.28	(6.70 - 7.91)	9.61	(9.06 - 10.19)
Midwest	8.84	(8.45 - 9.24)	8.86	(8.37 - 9.38)	20.90	(20.12 - 21.70)	6.78	(6.33 - 7.25)	8.83	(8.42 - 9.27)
South	8.00	(7.64 - 8.38)	8.51	(8.03 - 9.02)	19.04	(18.29 - 19.81)	6.05	(5.64 - 6.48)	7.95	(7.56 - 8.35)
West	11.45	(10.84 - 12.09)	10.42	(9.67 - 11.22)	24.02	(22.86 - 25.22)	9.33	(8.60 - 10.12)	11.56	(10.90 - 12.26)
Alabama	7.57	(6.33 - 9.02)	7.75	(6.24 - 9.57)	17.47	(14.98 - 20.29)	5.83	(4.53 - 7.47)	7.55	(6.25 - 9.09)
Alaska	12.93	(11.00 - 15.13)	9.70	(7.76 - 12.07)	23.38	(20.44 - 26.60)	11.40	(9.17 - 14.09)	13.30	(11.22 - 15.69)
Arizona	10.44	(8.79 - 12.35)	11.05	(9.00 - 13.49)	22.10	(18.91 - 25.65)	8.32	(6.53 - 10.55)	10.37	(8.63 - 12.41)
Arkansas	7.99	(6.67 - 9.53)	8.84	(7.13 - 10.91)	17.31	(14.73 - 20.24)	6.29	(4.91 - 8.04)	7.89	(6.52 - 9.52)
California	11.17	(10.26 - 12.15)	9.80	(8.72 - 10.99)	24.12	(22.38 - 25.94)	8.94	(7.85 - 10.17)	11.32	(10.33 - 12.39)
Colorado	14.90	(12.84 - 17.21)	14.41	(11.92 - 17.31)	31.89	(28.21 - 35.82)	12.09	(9.78 - 14.85)	14.95	(12.77 - 17.43)
Connecticut	9.93	(8.45 - 11.64)	9.95	(8.06 - 12.22)	25.39	(21.95 - 29.17)	7.48	(5.94 - 9.38)	9.93	(8.38 - 11.73)
Delaware	9.59	(8.16 - 11.23)	10.77	(8.82 - 13.09)	23.16	(19.99 - 26.66)	7.15	(5.67 - 8.99)	9.47	(7.98 - 11.21)
District of Columbia	15.17	(13.24 - 17.33)	13.30	(11.12 - 15.82)	27.57	(24.15 - 31.29)	12.53	(10.40 - 15.04)	15.28	(13.27 - 17.53)
Florida	8.63	(7.87 - 9.46)	9.42	(8.37 - 10.60)	21.85	(20.19 - 23.61)	6.56	(5.71 - 7.51)	8.55	(7.74 - 9.44)
Georgia	9.53	(8.00 - 11.32)	9.46	(7.66 - 11.64)	20.15	(17.23 - 23.42)	7.64	(5.99 - 9.71)	9.54	(7.92 - 11.44)
Hawaii	10.30	(8.67 - 12.19)	10.90	(8.79 - 13.46)	22.78	(19.54 - 26.38)	8.28	(6.51 - 10.47)	10.24	(8.54 - 12.24)
Idaho	6.84	(5.69 - 8.22)	7.56	(6.07 - 9.37)	16.03	(13.51 - 18.92)	5.13	(3.92 - 6.70)	6.76	(5.55 - 8.22)
Illinois	8.73	(7.96 - 9.57)	8.14	(7.19 - 9.21)	22.28	(20.61 - 24.04)	6.52	(5.65 - 7.51)	8.80	(7.97 - 9.70)
Indiana	7.94	(6.74 - 9.33)	7.89	(6.35 - 9.77)	19.94	(17.23 - 22.97)	5.81	(4.56 - 7.38)	7.94	(6.68 - 9.42)
Iowa	7.34	(6.10 - 8.81)	7.86	(6.28 - 9.79)	18.51	(15.72 - 21.67)	5.31	(4.05 - 6.92)	7.29	(5.99 - 8.84)
Kansas	6.02	(4.94 - 7.32)	6.69	(5.32 - 8.38)	14.70	(12.20 - 17.61)	4.36	(3.27 - 5.79)	5.95	(4.82 - 7.32)
Kentucky	7.25	(6.09 - 8.61)	6.96	(5.53 - 8.72)	18.81	(16.22 - 21.70)	5.38	(4.18 - 6.91)	7.28	(6.06 - 8.72)
Louisiana	7.84	(6.59 - 9.32)	8.42	(6.79 - 10.39)	17.33	(14.71 - 20.29)	6.04	(4.72 - 7.71)	7.78	(6.46 - 9.34)
Maine	11.33	(9.56 - 13.37)	11.14	(9.19 - 13.44)	26.22	(23.02 - 29.70)	9.26	(7.33 - 11.64)	11.34	(9.49 - 13.50)
Maryland	8.93	(7.57 - 10.52)	9.58	(7.85 - 11.66)	22.36	(19.38 - 25.66)	6.65	(5.21 - 8.44)	8.87	(7.43 - 10.55)
Massachusetts	11.57	(9.99 - 13.37)	10.56	(8.67 - 12.81)	28.71	(25.36 - 32.31)	8.68	(6.97 - 10.76)	11.67	(9.99 - 13.58)
Michigan	11.45	(10.57 - 12.40)	11.40	(10.22 - 12.70)	23.84	(22.18 - 25.58)	9.32	(8.27 - 10.49)	11.46	(10.50 - 12.49)
Minnesota	7.63	(6.33 - 9.16)	7.83	(6.24 - 9.78)	18.53	(15.67 - 21.78)	5.82	(4.49 - 7.52)	7.60	(6.24 - 9.23)
Mississippi	7.26	(6.05 - 8.70)	7.87	(6.31 - 9.77)	17.61	(15.00 - 20.57)	5.29	(4.03 - 6.91)	7.20	(5.92 - 8.72)
Missouri	8.87	(7.56 - 10.38)	9.46	(7.72 - 11.55)	22.42	(19.48 - 25.65)	6.50	(5.14 - 8.19)	8.81	(7.44 - 10.40)
Montana	11.13	(9.50 - 12.99)	10.39	(8.61 - 12.48)	24.50	(21.41 - 27.87)	9.03	(7.23 - 11.22)	11.20	(9.47 - 13.19)

(continued)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*
(continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	6.79	(5.65 - 8.16)	7.96	(6.36 - 9.91)	17.12	(14.49 - 20.11)	4.83	(3.66 - 6.34)	6.67	(5.48 - 8.10)
Nevada	10.78	(9.07 - 12.76)	10.22	(8.31 - 12.50)	21.56	(18.39 - 25.11)	9.13	(7.25 - 11.42)	10.84	(9.03 - 12.96)
New Hampshire	11.28	(9.71 - 13.07)	11.77	(9.73 - 14.17)	29.84	(26.48 - 33.44)	8.32	(6.63 - 10.38)	11.23	(9.59 - 13.12)
New Jersey	7.40	(6.12 - 8.93)	7.14	(5.65 - 9.00)	19.76	(16.89 - 22.98)	5.57	(4.22 - 7.32)	7.43	(6.07 - 9.06)
New Mexico	10.65	(8.95 - 12.62)	12.36	(10.15 - 14.98)	22.21	(19.09 - 25.66)	8.41	(6.55 - 10.73)	10.46	(8.67 - 12.56)
New York	9.93	(9.03 - 10.90)	9.63	(8.58 - 10.79)	22.98	(21.25 - 24.80)	7.69	(6.66 - 8.86)	9.96	(9.00 - 11.01)
North Carolina	7.54	(6.25 - 9.06)	8.74	(7.02 - 10.83)	18.80	(15.96 - 22.01)	5.51	(4.21 - 7.18)	7.41	(6.07 - 9.02)
North Dakota	6.50	(5.39 - 7.81)	6.08	(4.69 - 7.86)	15.63	(13.01 - 18.66)	4.55	(3.45 - 5.99)	6.54	(5.39 - 7.91)
Ohio	9.73	(8.91 - 10.60)	9.22	(8.23 - 10.32)	21.67	(20.04 - 23.39)	7.82	(6.88 - 8.88)	9.78	(8.90 - 10.73)
Oklahoma	7.71	(6.39 - 9.27)	7.45	(5.90 - 9.38)	18.55	(15.80 - 21.65)	5.80	(4.42 - 7.57)	7.74	(6.35 - 9.39)
Oregon	13.92	(11.91 - 16.21)	12.34	(10.11 - 14.99)	25.63	(22.39 - 29.17)	12.26	(9.99 - 14.96)	14.08	(11.95 - 16.52)
Pennsylvania	8.38	(7.62 - 9.20)	8.47	(7.48 - 9.57)	21.60	(20.01 - 23.28)	6.18	(5.32 - 7.16)	8.37	(7.56 - 9.25)
Rhode Island	15.76	(13.72 - 18.04)	15.12	(12.55 - 18.11)	31.77	(28.24 - 35.52)	12.75	(10.45 - 15.48)	15.82	(13.67 - 18.24)
South Carolina	8.82	(7.47 - 10.40)	10.41	(8.58 - 12.57)	21.29	(18.25 - 24.69)	6.51	(5.10 - 8.28)	8.67	(7.24 - 10.34)
South Dakota	6.17	(4.99 - 7.61)	6.17	(4.75 - 7.97)	13.79	(11.26 - 16.78)	4.84	(3.62 - 6.44)	6.17	(4.94 - 7.69)
Tennessee	7.16	(5.98 - 8.56)	8.23	(6.61 - 10.22)	17.65	(15.11 - 20.52)	5.31	(4.08 - 6.87)	7.05	(5.83 - 8.52)
Texas	7.17	(6.52 - 7.89)	7.81	(6.86 - 8.88)	16.57	(15.12 - 18.14)	5.31	(4.57 - 6.17)	7.10	(6.40 - 7.87)
Utah	6.98	(5.81 - 8.36)	7.33	(5.82 - 9.19)	14.20	(11.80 - 16.99)	5.26	(4.02 - 6.85)	6.93	(5.69 - 8.41)
Vermont	12.68	(10.96 - 14.63)	13.69	(11.41 - 16.33)	30.02	(26.55 - 33.72)	9.60	(7.71 - 11.88)	12.59	(10.78 - 14.66)
Virginia	8.04	(6.69 - 9.63)	7.73	(6.17 - 9.63)	19.78	(16.74 - 23.21)	6.08	(4.71 - 7.81)	8.07	(6.66 - 9.75)
Washington	13.74	(11.98 - 15.71)	11.46	(9.51 - 13.76)	27.65	(24.42 - 31.14)	11.72	(9.71 - 14.09)	13.97	(12.08 - 16.09)
West Virginia	6.34	(5.24 - 7.65)	6.95	(5.49 - 8.76)	17.34	(14.65 - 20.39)	4.61	(3.51 - 6.04)	6.28	(5.14 - 7.65)
Wisconsin	8.36	(6.96 - 10.00)	9.41	(7.58 - 11.63)	20.42	(17.51 - 23.67)	6.23	(4.78 - 8.08)	8.25	(6.79 - 9.98)
Wyoming	6.62	(5.52 - 7.93)	7.75	(6.20 - 9.65)	15.62	(13.07 - 18.57)	4.93	(3.78 - 6.41)	6.51	(5.35 - 7.90)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2 Marijuana Use in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	12.34	(12.04 - 12.65)	13.47	(13.06 - 13.89)	31.55	(30.85 - 32.26)	8.89	(8.56 - 9.24)	12.22	(11.89 - 12.55)
Northeast	13.29	(12.68 - 13.92)	14.29	(13.50 - 15.11)	35.32	(34.08 - 36.57)	9.50	(8.81 - 10.24)	13.19	(12.54 - 13.87)
Midwest	12.01	(11.54 - 12.49)	13.10	(12.48 - 13.76)	31.29	(30.36 - 32.24)	8.58	(8.05 - 9.15)	11.89	(11.40 - 12.41)
South	10.65	(10.22 - 11.11)	12.37	(11.76 - 13.00)	28.44	(27.58 - 29.31)	7.39	(6.90 - 7.92)	10.47	(10.00 - 10.96)
West	14.59	(13.90 - 15.31)	14.93	(13.99 - 15.92)	33.77	(32.49 - 35.07)	11.11	(10.30 - 11.98)	14.55	(13.80 - 15.33)
Alabama	9.69	(8.26 - 11.33)	10.36	(8.43 - 12.67)	25.36	(22.33 - 28.66)	6.90	(5.38 - 8.81)	9.62	(8.12 - 11.36)
Alaska	19.69	(17.31 - 22.32)	15.61	(13.03 - 18.60)	35.71	(32.13 - 39.46)	17.24	(14.35 - 20.57)	20.16	(17.57 - 23.03)
Arizona	12.94	(11.09 - 15.04)	15.03	(12.62 - 17.79)	31.26	(27.81 - 34.93)	9.47	(7.41 - 12.03)	12.71	(10.75 - 14.97)
Arkansas	9.69	(8.28 - 11.32)	12.70	(10.52 - 15.24)	24.34	(21.32 - 27.63)	6.82	(5.33 - 8.70)	9.37	(7.89 - 11.08)
California	13.89	(12.85 - 15.00)	14.25	(12.84 - 15.80)	34.08	(32.06 - 36.15)	10.08	(8.88 - 11.44)	13.85	(12.72 - 15.05)
Colorado	18.92	(16.63 - 21.44)	18.76	(15.87 - 22.04)	42.42	(38.53 - 46.42)	14.98	(12.35 - 18.05)	18.94	(16.50 - 21.65)
Connecticut	14.00	(12.23 - 15.97)	16.02	(13.45 - 18.97)	39.41	(35.54 - 43.41)	9.72	(7.82 - 12.03)	13.78	(11.92 - 15.88)
Delaware	13.97	(12.28 - 15.86)	16.72	(14.16 - 19.63)	38.49	(34.74 - 42.39)	9.51	(7.68 - 11.73)	13.71	(11.93 - 15.70)
District of Columbia	21.02	(18.87 - 23.36)	18.01	(15.38 - 20.99)	43.68	(39.99 - 47.44)	16.18	(13.68 - 19.04)	21.20	(18.95 - 23.64)
Florida	11.43	(10.53 - 12.40)	13.64	(12.30 - 15.11)	32.06	(30.23 - 33.95)	8.10	(7.08 - 9.25)	11.23	(10.28 - 12.25)
Georgia	11.44	(9.77 - 13.35)	12.62	(10.54 - 15.05)	27.51	(24.25 - 31.02)	8.41	(6.59 - 10.67)	11.30	(9.53 - 13.35)
Hawaii	13.37	(11.51 - 15.48)	15.33	(12.82 - 18.23)	31.27	(27.69 - 35.09)	10.35	(8.28 - 12.87)	13.19	(11.22 - 15.44)
Idaho	9.82	(8.44 - 11.40)	12.53	(10.38 - 15.05)	25.18	(22.10 - 28.52)	6.74	(5.28 - 8.58)	9.49	(8.04 - 11.17)
Illinois	11.66	(10.79 - 12.59)	12.61	(11.35 - 13.98)	31.43	(29.59 - 33.32)	8.20	(7.20 - 9.32)	11.56	(10.62 - 12.56)
Indiana	11.05	(9.57 - 12.73)	12.12	(10.10 - 14.49)	31.58	(28.23 - 35.14)	7.26	(5.71 - 9.20)	10.93	(9.38 - 12.70)
Iowa	10.40	(8.87 - 12.14)	11.94	(9.93 - 14.29)	29.80	(26.39 - 33.45)	6.78	(5.18 - 8.84)	10.24	(8.65 - 12.08)
Kansas	8.21	(6.95 - 9.67)	10.04	(8.23 - 12.19)	24.15	(21.04 - 27.56)	5.08	(3.80 - 6.75)	8.01	(6.69 - 9.56)
Kentucky	9.22	(7.92 - 10.72)	10.05	(8.23 - 12.22)	26.86	(23.72 - 30.26)	6.21	(4.82 - 7.97)	9.14	(7.76 - 10.72)
Louisiana	10.76	(9.20 - 12.56)	12.34	(10.28 - 14.74)	26.83	(23.72 - 30.19)	7.63	(5.94 - 9.76)	10.59	(8.94 - 12.51)
Maine	16.24	(14.08 - 18.66)	15.99	(13.58 - 18.73)	38.78	(35.23 - 42.46)	13.11	(10.69 - 15.99)	16.26	(13.99 - 18.83)
Maryland	11.47	(9.89 - 13.27)	14.51	(12.15 - 17.23)	34.27	(30.75 - 37.97)	7.36	(5.70 - 9.45)	11.16	(9.51 - 13.06)
Massachusetts	15.57	(13.70 - 17.66)	15.05	(12.66 - 17.81)	41.86	(38.08 - 45.75)	11.02	(8.95 - 13.49)	15.62	(13.65 - 17.82)
Michigan	15.22	(14.17 - 16.33)	16.12	(14.75 - 17.58)	34.59	(32.74 - 36.50)	11.76	(10.52 - 13.12)	15.12	(13.99 - 16.33)
Minnesota	11.93	(10.27 - 13.82)	11.99	(9.95 - 14.38)	32.09	(28.50 - 35.89)	8.64	(6.84 - 10.86)	11.93	(10.17 - 13.94)
Mississippi	8.78	(7.42 - 10.37)	10.28	(8.33 - 12.62)	25.51	(22.36 - 28.93)	5.52	(4.10 - 7.38)	8.61	(7.20 - 10.28)
Missouri	11.64	(10.03 - 13.46)	13.78	(11.52 - 16.41)	31.99	(28.61 - 35.57)	7.93	(6.24 - 10.03)	11.41	(9.73 - 13.34)
Montana	15.78	(13.76 - 18.04)	15.80	(13.51 - 18.40)	34.98	(31.48 - 38.65)	12.65	(10.38 - 15.33)	15.78	(13.64 - 18.19)

(continued)

Table 2 Marijuana Use in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	9.98	(8.59 - 11.57)	13.03	(10.82 - 15.62)	27.83	(24.75 - 31.14)	6.46	(5.02 - 8.27)	9.66	(8.22 - 11.32)
Nevada	14.10	(12.09 - 16.38)	15.84	(13.32 - 18.73)	30.96	(27.42 - 34.74)	11.19	(8.95 - 13.90)	13.91	(11.78 - 16.36)
New Hampshire	15.39	(13.61 - 17.36)	18.23	(15.65 - 21.13)	43.98	(40.29 - 47.73)	10.59	(8.64 - 12.92)	15.11	(13.23 - 17.21)
New Jersey	10.18	(8.64 - 11.95)	12.06	(10.04 - 14.42)	30.98	(27.57 - 34.61)	6.81	(5.19 - 8.89)	9.98	(8.37 - 11.86)
New Mexico	15.09	(13.01 - 17.45)	18.38	(15.66 - 21.45)	32.06	(28.67 - 35.65)	11.72	(9.34 - 14.60)	14.73	(12.51 - 17.27)
New York	14.13	(13.09 - 15.23)	14.62	(13.25 - 16.12)	33.97	(32.00 - 36.00)	10.61	(9.41 - 11.95)	14.08	(12.97 - 15.27)
North Carolina	10.88	(9.25 - 12.77)	12.64	(10.42 - 15.24)	28.81	(25.48 - 32.39)	7.68	(5.92 - 9.91)	10.70	(8.99 - 12.69)
North Dakota	9.92	(8.57 - 11.44)	9.79	(7.97 - 11.97)	27.66	(24.24 - 31.37)	6.06	(4.73 - 7.74)	9.93	(8.52 - 11.54)
Ohio	12.81	(11.85 - 13.83)	13.27	(12.06 - 14.57)	31.16	(29.25 - 33.14)	9.72	(8.60 - 10.98)	12.76	(11.72 - 13.87)
Oklahoma	9.97	(8.45 - 11.72)	10.44	(8.55 - 12.69)	27.03	(23.83 - 30.48)	6.85	(5.21 - 8.95)	9.91	(8.31 - 11.79)
Oregon	19.03	(16.57 - 21.75)	17.10	(14.39 - 20.19)	35.88	(32.25 - 39.68)	16.59	(13.74 - 19.89)	19.21	(16.60 - 22.13)
Pennsylvania	11.33	(10.49 - 12.23)	13.18	(11.87 - 14.60)	32.78	(30.87 - 34.74)	7.57	(6.61 - 8.66)	11.15	(10.26 - 12.12)
Rhode Island	20.22	(17.97 - 22.66)	20.28	(17.28 - 23.65)	45.17	(41.25 - 49.14)	15.41	(12.87 - 18.36)	20.21	(17.84 - 22.81)
South Carolina	11.72	(10.08 - 13.59)	13.60	(11.39 - 16.18)	31.99	(28.43 - 35.78)	8.04	(6.29 - 10.23)	11.53	(9.80 - 13.51)
South Dakota	9.64	(8.19 - 11.31)	9.92	(7.97 - 12.28)	24.66	(21.39 - 28.25)	6.97	(5.44 - 8.90)	9.61	(8.09 - 11.38)
Tennessee	9.93	(8.50 - 11.56)	12.50	(10.36 - 15.01)	26.23	(23.18 - 29.51)	6.94	(5.44 - 8.81)	9.67	(8.18 - 11.39)
Texas	9.38	(8.63 - 10.18)	11.27	(10.07 - 12.60)	25.03	(23.31 - 26.82)	6.16	(5.32 - 7.12)	9.15	(8.34 - 10.02)
Utah	8.76	(7.41 - 10.33)	9.95	(8.04 - 12.26)	20.52	(17.70 - 23.66)	5.85	(4.42 - 7.69)	8.59	(7.17 - 10.25)
Vermont	19.10	(16.96 - 21.44)	19.78	(16.95 - 22.94)	46.77	(42.91 - 50.66)	14.27	(11.86 - 17.07)	19.04	(16.78 - 21.52)
Virginia	12.39	(10.77 - 14.22)	14.16	(12.00 - 16.64)	32.53	(28.89 - 36.39)	8.76	(7.01 - 10.90)	12.22	(10.50 - 14.16)
Washington	17.48	(15.52 - 19.63)	16.48	(14.07 - 19.22)	37.57	(34.23 - 41.02)	14.30	(12.04 - 16.91)	17.58	(15.49 - 19.88)
West Virginia	10.12	(8.68 - 11.77)	11.39	(9.51 - 13.59)	26.44	(23.37 - 29.76)	7.52	(5.96 - 9.45)	10.01	(8.50 - 11.75)
Wisconsin	11.12	(9.47 - 13.01)	13.14	(10.88 - 15.77)	30.82	(27.54 - 34.30)	7.62	(5.85 - 9.86)	10.91	(9.19 - 12.91)
Wyoming	10.11	(8.60 - 11.84)	11.71	(9.68 - 14.10)	25.70	(22.43 - 29.26)	7.22	(5.61 - 9.24)	9.95	(8.37 - 11.78)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3 Marijuana Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	7.40	(7.17 - 7.64)	7.15	(6.85 - 7.46)	18.91	(18.37 - 19.47)	5.45	(5.18 - 5.73)	7.43	(7.17 - 7.69)
Northeast	7.85	(7.38 - 8.34)	7.67	(7.11 - 8.28)	20.96	(19.99 - 21.95)	5.68	(5.15 - 6.26)	7.86	(7.36 - 8.39)
Midwest	7.09	(6.74 - 7.46)	6.95	(6.55 - 7.38)	18.74	(18.01 - 19.51)	5.12	(4.72 - 5.55)	7.10	(6.72 - 7.50)
South	6.13	(5.81 - 6.47)	6.31	(5.90 - 6.75)	16.40	(15.69 - 17.13)	4.35	(3.99 - 4.75)	6.11	(5.77 - 6.48)
West	9.36	(8.81 - 9.94)	8.26	(7.62 - 8.96)	21.42	(20.31 - 22.57)	7.34	(6.70 - 8.04)	9.48	(8.88 - 10.11)
Alabama	4.95	(3.98 - 6.13)	4.81	(3.72 - 6.20)	13.93	(11.58 - 16.67)	3.41	(2.44 - 4.74)	4.96	(3.95 - 6.22)
Alaska	11.89	(10.02 - 14.06)	8.73	(6.87 - 11.03)	21.06	(18.14 - 24.31)	10.60	(8.42 - 13.27)	12.26	(10.23 - 14.62)
Arizona	7.88	(6.46 - 9.59)	8.25	(6.62 - 10.23)	18.54	(15.62 - 21.85)	5.98	(4.47 - 7.94)	7.84	(6.34 - 9.66)
Arkansas	5.69	(4.54 - 7.12)	5.68	(4.39 - 7.31)	14.28	(11.82 - 17.16)	4.23	(3.05 - 5.85)	5.69	(4.48 - 7.21)
California	8.94	(8.11 - 9.84)	7.80	(6.84 - 8.89)	21.64	(19.91 - 23.48)	6.72	(5.76 - 7.83)	9.06	(8.17 - 10.05)
Colorado	12.70	(10.86 - 14.80)	11.16	(9.08 - 13.65)	29.05	(25.42 - 32.97)	10.13	(8.08 - 12.62)	12.86	(10.90 - 15.10)
Connecticut	8.95	(7.51 - 10.63)	8.57	(6.88 - 10.62)	24.41	(20.95 - 28.23)	6.55	(5.07 - 8.42)	8.99	(7.47 - 10.78)
Delaware	7.97	(6.69 - 9.47)	9.15	(7.41 - 11.25)	20.75	(17.77 - 24.08)	5.68	(4.35 - 7.37)	7.86	(6.52 - 9.45)
District of Columbia	12.01	(10.26 - 14.01)	9.89	(8.13 - 11.99)	25.53	(22.24 - 29.12)	9.14	(7.26 - 11.46)	12.13	(10.31 - 14.23)
Florida	7.00	(6.27 - 7.80)	7.52	(6.57 - 8.60)	19.09	(17.54 - 20.75)	5.12	(4.33 - 6.05)	6.95	(6.18 - 7.80)
Georgia	7.71	(6.31 - 9.39)	7.14	(5.67 - 8.95)	18.13	(15.42 - 21.18)	5.93	(4.42 - 7.91)	7.77	(6.29 - 9.58)
Hawaii	8.61	(7.13 - 10.38)	9.55	(7.69 - 11.81)	18.84	(15.94 - 22.13)	6.91	(5.28 - 8.99)	8.52	(6.95 - 10.41)
Idaho	5.53	(4.46 - 6.85)	5.61	(4.43 - 7.10)	14.05	(11.68 - 16.82)	4.03	(2.93 - 5.50)	5.52	(4.39 - 6.93)
Illinois	6.95	(6.27 - 7.71)	6.26	(5.44 - 7.20)	20.07	(18.51 - 21.73)	4.82	(4.06 - 5.73)	7.03	(6.29 - 7.84)
Indiana	6.28	(5.17 - 7.60)	5.97	(4.76 - 7.47)	17.73	(15.04 - 20.78)	4.28	(3.17 - 5.77)	6.31	(5.14 - 7.73)
Iowa	5.98	(4.85 - 7.35)	6.25	(4.95 - 7.86)	16.31	(13.62 - 19.41)	4.12	(2.99 - 5.65)	5.95	(4.76 - 7.41)
Kansas	4.41	(3.50 - 5.53)	5.09	(3.97 - 6.50)	12.23	(9.97 - 14.93)	2.90	(2.02 - 4.13)	4.33	(3.38 - 5.53)
Kentucky	5.35	(4.40 - 6.48)	5.07	(3.97 - 6.47)	16.56	(14.04 - 19.43)	3.53	(2.59 - 4.79)	5.38	(4.38 - 6.59)
Louisiana	5.07	(4.06 - 6.31)	5.09	(3.96 - 6.53)	14.58	(12.09 - 17.49)	3.33	(2.37 - 4.66)	5.07	(4.01 - 6.38)
Maine	9.95	(8.33 - 11.84)	9.26	(7.56 - 11.30)	24.71	(21.56 - 28.15)	7.95	(6.19 - 10.16)	10.01	(8.30 - 12.02)
Maryland	6.94	(5.75 - 8.36)	7.50	(6.05 - 9.28)	19.99	(17.08 - 23.25)	4.73	(3.55 - 6.28)	6.89	(5.64 - 8.38)
Massachusetts	9.90	(8.36 - 11.68)	8.90	(7.20 - 10.96)	26.64	(23.21 - 30.38)	7.07	(5.47 - 9.10)	9.99	(8.37 - 11.89)
Michigan	9.71	(8.87 - 10.63)	9.13	(8.09 - 10.28)	22.15	(20.49 - 23.91)	7.64	(6.63 - 8.77)	9.77	(8.86 - 10.77)
Minnesota	6.21	(5.04 - 7.63)	6.69	(5.32 - 8.37)	17.14	(14.34 - 20.35)	4.37	(3.21 - 5.93)	6.16	(4.94 - 7.66)
Mississippi	5.10	(4.15 - 6.25)	5.13	(3.97 - 6.60)	15.16	(12.77 - 17.90)	3.26	(2.33 - 4.53)	5.10	(4.11 - 6.31)
Missouri	7.10	(5.90 - 8.52)	7.10	(5.70 - 8.82)	20.15	(17.25 - 23.41)	4.88	(3.66 - 6.49)	7.10	(5.83 - 8.61)
Montana	10.33	(8.68 - 12.25)	8.68	(7.12 - 10.55)	23.04	(20.11 - 26.26)	8.44	(6.61 - 10.72)	10.49	(8.73 - 12.54)

(continued)

Table 3 Marijuana Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	5.47	(4.46 - 6.69)	6.24	(4.89 - 7.95)	15.07	(12.63 - 17.89)	3.68	(2.68 - 5.03)	5.38	(4.34 - 6.67)
Nevada	7.98	(6.53 - 9.73)	8.33	(6.72 - 10.28)	18.56	(15.60 - 21.93)	6.25	(4.69 - 8.29)	7.95	(6.40 - 9.82)
New Hampshire	9.79	(8.38 - 11.40)	9.62	(7.91 - 11.65)	27.77	(24.58 - 31.22)	6.99	(5.49 - 8.85)	9.80	(8.32 - 11.52)
New Jersey	5.21	(4.15 - 6.53)	5.38	(4.16 - 6.92)	15.48	(12.89 - 18.47)	3.64	(2.57 - 5.14)	5.19	(4.08 - 6.59)
New Mexico	9.04	(7.50 - 10.87)	9.22	(7.46 - 11.35)	19.33	(16.53 - 22.48)	7.23	(5.51 - 9.42)	9.02	(7.38 - 10.99)
New York	8.28	(7.49 - 9.16)	8.12	(7.18 - 9.19)	20.37	(18.76 - 22.07)	6.20	(5.29 - 7.24)	8.30	(7.45 - 9.24)
North Carolina	6.17	(4.99 - 7.60)	6.67	(5.25 - 8.42)	16.64	(13.93 - 19.75)	4.36	(3.18 - 5.94)	6.11	(4.89 - 7.63)
North Dakota	5.19	(4.23 - 6.35)	5.19	(3.97 - 6.76)	14.04	(11.59 - 16.92)	3.26	(2.35 - 4.50)	5.19	(4.19 - 6.41)
Ohio	7.60	(6.89 - 8.38)	7.36	(6.48 - 8.34)	18.76	(17.29 - 20.33)	5.79	(4.97 - 6.74)	7.63	(6.87 - 8.47)
Oklahoma	5.56	(4.42 - 6.99)	5.16	(4.02 - 6.60)	14.43	(11.91 - 17.38)	4.03	(2.86 - 5.64)	5.61	(4.39 - 7.13)
Oregon	11.92	(10.06 - 14.06)	9.59	(7.72 - 11.84)	23.39	(20.28 - 26.82)	10.37	(8.27 - 12.94)	12.14	(10.16 - 14.44)
Pennsylvania	6.46	(5.81 - 7.17)	6.81	(5.93 - 7.82)	19.01	(17.47 - 20.66)	4.34	(3.61 - 5.20)	6.42	(5.73 - 7.19)
Rhode Island	14.08	(12.13 - 16.28)	12.95	(10.69 - 15.61)	29.79	(26.31 - 33.53)	11.18	(9.00 - 13.82)	14.18	(12.11 - 16.54)
South Carolina	6.87	(5.61 - 8.38)	7.11	(5.72 - 8.81)	18.75	(15.87 - 22.02)	4.81	(3.56 - 6.49)	6.84	(5.52 - 8.45)
South Dakota	5.03	(4.02 - 6.26)	5.13	(3.94 - 6.67)	12.68	(10.37 - 15.43)	3.67	(2.65 - 5.07)	5.02	(3.96 - 6.33)
Tennessee	5.42	(4.37 - 6.71)	6.04	(4.77 - 7.64)	15.01	(12.63 - 17.74)	3.77	(2.74 - 5.16)	5.36	(4.27 - 6.71)
Texas	5.31	(4.73 - 5.96)	5.83	(5.04 - 6.74)	13.88	(12.49 - 15.39)	3.62	(2.99 - 4.39)	5.25	(4.62 - 5.95)
Utah	5.07	(4.05 - 6.33)	5.35	(4.17 - 6.85)	10.91	(8.74 - 13.53)	3.68	(2.63 - 5.13)	5.03	(3.95 - 6.40)
Vermont	11.76	(10.04 - 13.73)	11.34	(9.31 - 13.76)	28.74	(25.40 - 32.33)	8.88	(7.00 - 11.20)	11.80	(9.98 - 13.89)
Virginia	6.29	(5.12 - 7.70)	6.05	(4.76 - 7.67)	17.03	(14.26 - 20.21)	4.49	(3.31 - 6.05)	6.31	(5.08 - 7.81)
Washington	12.28	(10.58 - 14.20)	9.81	(8.05 - 11.90)	25.56	(22.44 - 28.94)	10.39	(8.45 - 12.72)	12.53	(10.71 - 14.60)
West Virginia	5.07	(4.09 - 6.26)	5.23	(4.09 - 6.66)	14.88	(12.43 - 17.70)	3.57	(2.59 - 4.90)	5.05	(4.03 - 6.31)
Wisconsin	6.49	(5.31 - 7.91)	7.18	(5.72 - 8.99)	18.46	(15.60 - 21.71)	4.42	(3.23 - 6.04)	6.42	(5.18 - 7.93)
Wyoming	5.82	(4.67 - 7.25)	5.95	(4.66 - 7.57)	14.12	(11.53 - 17.18)	4.37	(3.17 - 6.01)	5.81	(4.59 - 7.34)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	29.50	(28.99 - 30.02)	25.34	(24.78 - 25.90)	15.81	(15.31 - 16.32)	32.40	(31.76 - 33.06)	29.94	(29.38 - 30.51)
Northeast	27.74	(26.76 - 28.73)	23.56	(22.48 - 24.67)	13.21	(12.42 - 14.05)	30.66	(29.45 - 31.90)	28.14	(27.08 - 29.23)
Midwest	27.14	(26.38 - 27.92)	26.05	(25.24 - 26.88)	14.06	(13.42 - 14.73)	29.54	(28.58 - 30.51)	27.26	(26.43 - 28.10)
South	33.73	(32.96 - 34.51)	28.02	(27.18 - 28.88)	18.41	(17.69 - 19.14)	37.10	(36.13 - 38.07)	34.34	(33.50 - 35.19)
West	26.32	(25.34 - 27.34)	21.76	(20.72 - 22.83)	15.28	(14.35 - 16.25)	28.91	(27.66 - 30.20)	26.82	(25.74 - 27.93)
Alabama	39.26	(35.88 - 42.74)	32.10	(28.72 - 35.69)	19.80	(17.07 - 22.84)	43.53	(39.33 - 47.83)	40.01	(36.35 - 43.79)
Alaska	19.60	(17.03 - 22.46)	19.07	(16.30 - 22.18)	13.29	(11.08 - 15.85)	20.89	(17.71 - 24.49)	19.66	(16.89 - 22.77)
Arizona	25.96	(23.05 - 29.11)	21.69	(18.81 - 24.88)	14.46	(12.12 - 17.17)	28.55	(24.95 - 32.46)	26.44	(23.28 - 29.85)
Arkansas	35.59	(32.45 - 38.85)	30.76	(27.33 - 34.42)	16.67	(14.05 - 19.66)	39.43	(35.56 - 43.44)	36.10	(32.71 - 39.64)
California	28.34	(26.75 - 29.98)	20.95	(19.33 - 22.66)	16.61	(15.17 - 18.17)	31.51	(29.48 - 33.60)	29.15	(27.41 - 30.94)
Colorado	22.00	(19.34 - 24.90)	19.58	(16.86 - 22.63)	10.69	(8.68 - 13.10)	24.22	(20.95 - 27.82)	22.24	(19.38 - 25.39)
Connecticut	24.73	(21.99 - 27.68)	23.03	(19.99 - 26.38)	12.27	(9.96 - 15.02)	26.94	(23.61 - 30.54)	24.90	(21.95 - 28.11)
Delaware	28.95	(26.03 - 32.05)	21.67	(18.68 - 24.99)	12.90	(10.73 - 15.43)	32.51	(28.90 - 36.34)	29.65	(26.51 - 33.00)
District of Columbia	22.35	(19.69 - 25.26)	21.52	(18.25 - 25.20)	11.53	(9.33 - 14.17)	24.85	(21.54 - 28.49)	22.39	(19.60 - 25.46)
Florida	32.82	(31.15 - 34.54)	26.33	(24.54 - 28.20)	17.66	(16.23 - 19.18)	35.81	(33.76 - 37.91)	33.41	(31.60 - 35.27)
Georgia	35.59	(32.47 - 38.84)	29.99	(26.87 - 33.31)	20.11	(17.32 - 23.21)	39.13	(35.19 - 43.22)	36.23	(32.82 - 39.78)
Hawaii	26.45	(23.48 - 29.65)	21.60	(18.59 - 24.95)	13.16	(10.87 - 15.84)	29.08	(25.47 - 32.99)	26.90	(23.73 - 30.33)
Idaho	29.47	(26.52 - 32.60)	27.72	(24.64 - 31.01)	17.04	(14.38 - 20.07)	31.93	(28.24 - 35.86)	29.68	(26.46 - 33.12)
Illinois	29.60	(28.00 - 31.26)	26.21	(24.48 - 28.02)	14.84	(13.49 - 16.30)	32.56	(30.53 - 34.66)	29.97	(28.21 - 31.79)
Indiana	29.46	(26.43 - 32.69)	28.31	(25.06 - 31.79)	14.30	(11.94 - 17.05)	32.33	(28.59 - 36.32)	29.59	(26.33 - 33.08)
Iowa	28.01	(24.90 - 31.33)	27.43	(24.22 - 30.89)	13.97	(11.68 - 16.61)	30.59	(26.75 - 34.71)	28.07	(24.74 - 31.65)
Kansas	26.62	(23.67 - 29.79)	26.28	(23.28 - 29.53)	17.11	(14.51 - 20.05)	28.42	(24.79 - 32.35)	26.65	(23.47 - 30.09)
Kentucky	32.94	(29.85 - 36.19)	30.72	(27.48 - 34.17)	17.30	(14.76 - 20.17)	35.81	(31.98 - 39.84)	33.17	(29.82 - 36.69)
Louisiana	35.87	(32.85 - 39.01)	29.85	(26.60 - 33.32)	20.40	(17.69 - 23.40)	39.48	(35.69 - 43.41)	36.52	(33.23 - 39.94)
Maine	20.02	(17.42 - 22.89)	22.55	(19.65 - 25.74)	9.66	(7.95 - 11.70)	21.23	(18.14 - 24.69)	19.79	(17.04 - 22.86)
Maryland	29.97	(26.77 - 33.38)	23.57	(20.68 - 26.74)	15.00	(12.52 - 17.86)	33.23	(29.28 - 37.43)	30.62	(27.16 - 34.32)
Massachusetts	20.73	(18.10 - 23.63)	19.30	(16.69 - 22.22)	8.55	(6.84 - 10.64)	23.05	(19.81 - 26.64)	20.86	(18.04 - 23.99)
Michigan	24.16	(22.68 - 25.72)	22.87	(21.23 - 24.61)	12.36	(11.12 - 13.72)	26.39	(24.52 - 28.36)	24.30	(22.67 - 26.01)
Minnesota	25.03	(21.97 - 28.36)	24.61	(21.60 - 27.89)	12.05	(9.89 - 14.61)	27.22	(23.46 - 31.33)	25.07	(21.78 - 28.68)
Mississippi	37.06	(33.88 - 40.35)	32.94	(29.55 - 36.51)	24.43	(21.34 - 27.81)	39.95	(36.00 - 44.05)	37.52	(34.07 - 41.11)
Missouri	28.60	(25.60 - 31.81)	26.39	(23.42 - 29.58)	13.28	(11.14 - 15.76)	31.50	(27.79 - 35.46)	28.83	(25.59 - 32.31)
Montana	25.15	(22.24 - 28.30)	24.78	(21.84 - 27.98)	10.51	(8.60 - 12.80)	27.61	(24.06 - 31.46)	25.18	(22.08 - 28.56)

(continued)

Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	27.98	(24.87 - 31.33)	26.30	(23.14 - 29.71)	14.76	(12.34 - 17.57)	30.55	(26.70 - 34.69)	28.16	(24.80 - 31.79)
Nevada	28.57	(25.45 - 31.91)	22.37	(19.41 - 25.64)	15.90	(13.37 - 18.82)	31.39	(27.57 - 35.49)	29.23	(25.87 - 32.84)
New Hampshire	19.86	(17.46 - 22.51)	20.00	(17.41 - 22.87)	7.87	(6.34 - 9.74)	21.76	(18.81 - 25.02)	19.85	(17.27 - 22.71)
New Jersey	33.22	(29.92 - 36.70)	24.69	(21.56 - 28.12)	14.95	(12.53 - 17.75)	37.03	(32.97 - 41.29)	34.11	(30.53 - 37.89)
New Mexico	27.50	(24.42 - 30.80)	23.39	(20.47 - 26.59)	15.89	(13.45 - 18.67)	30.07	(26.27 - 34.17)	27.94	(24.61 - 31.53)
New York	28.83	(27.15 - 30.56)	22.88	(21.17 - 24.68)	14.24	(12.87 - 15.73)	32.07	(29.97 - 34.25)	29.40	(27.59 - 31.28)
North Carolina	30.68	(27.40 - 34.17)	25.09	(22.09 - 28.34)	16.50	(13.85 - 19.54)	33.76	(29.73 - 38.04)	31.27	(27.73 - 35.04)
North Dakota	29.09	(26.24 - 32.11)	31.43	(28.01 - 35.06)	15.52	(12.97 - 18.46)	31.81	(28.26 - 35.58)	28.87	(25.83 - 32.11)
Ohio	25.98	(24.41 - 27.62)	26.31	(24.62 - 28.08)	14.24	(12.91 - 15.69)	27.91	(25.93 - 29.97)	25.95	(24.23 - 27.74)
Oklahoma	29.18	(26.15 - 32.41)	29.17	(25.77 - 32.82)	18.98	(16.16 - 22.17)	31.04	(27.24 - 35.12)	29.18	(25.88 - 32.72)
Oregon	19.54	(16.92 - 22.45)	20.05	(17.20 - 23.23)	11.33	(9.27 - 13.78)	20.80	(17.66 - 24.35)	19.49	(16.71 - 22.61)
Pennsylvania	29.19	(27.65 - 30.78)	26.95	(25.19 - 28.79)	14.59	(13.26 - 16.03)	31.89	(29.98 - 33.86)	29.41	(27.74 - 31.13)
Rhode Island	22.18	(19.37 - 25.27)	20.46	(17.63 - 23.60)	10.79	(8.81 - 13.16)	24.59	(21.11 - 28.45)	22.34	(19.34 - 25.66)
South Carolina	32.90	(29.81 - 36.15)	27.83	(24.75 - 31.14)	17.63	(15.00 - 20.60)	36.13	(32.33 - 40.12)	33.41	(30.09 - 36.91)
South Dakota	29.39	(26.53 - 32.43)	29.36	(25.93 - 33.04)	17.13	(14.53 - 20.08)	31.57	(28.05 - 35.33)	29.39	(26.32 - 32.67)
Tennessee	35.85	(32.74 - 39.07)	29.01	(25.70 - 32.55)	18.68	(16.18 - 21.46)	39.52	(35.67 - 43.51)	36.55	(33.19 - 40.04)
Texas	37.12	(35.49 - 38.79)	28.65	(26.85 - 30.51)	20.70	(19.13 - 22.36)	41.48	(39.36 - 43.63)	38.16	(36.36 - 40.00)
Utah	33.58	(30.47 - 36.84)	35.29	(31.61 - 39.15)	21.03	(18.10 - 24.30)	36.20	(32.19 - 40.40)	33.34	(29.92 - 36.94)
Vermont	22.42	(19.69 - 25.40)	21.06	(18.18 - 24.25)	9.67	(7.76 - 12.00)	24.78	(21.46 - 28.43)	22.54	(19.63 - 25.74)
Virginia	26.15	(23.26 - 29.27)	25.24	(22.31 - 28.41)	13.69	(11.24 - 16.57)	28.41	(24.86 - 32.25)	26.25	(23.13 - 29.62)
Washington	18.70	(16.35 - 21.31)	19.06	(16.54 - 21.86)	11.34	(9.38 - 13.65)	19.90	(17.04 - 23.09)	18.66	(16.14 - 21.48)
West Virginia	33.18	(30.22 - 36.28)	28.63	(25.54 - 31.92)	16.23	(13.73 - 19.07)	36.24	(32.63 - 40.01)	33.59	(30.42 - 36.91)
Wisconsin	25.98	(22.94 - 29.26)	27.13	(24.01 - 30.48)	14.89	(12.50 - 17.65)	27.70	(23.99 - 31.74)	25.86	(22.60 - 29.40)
Wyoming	28.25	(25.43 - 31.25)	28.83	(25.66 - 32.21)	15.64	(13.09 - 18.57)	30.39	(26.93 - 34.09)	28.19	(25.15 - 31.44)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5 First Use of Marijuana, by Age Group and State: Average Annual Incidence Estimates (Expressed as Percentages) Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	1.89	(1.82 - 1.96)	5.76	(5.55 - 5.98)	7.50	(7.15 - 7.86)	0.22	(0.17 - 0.27)	1.23	(1.16 - 1.30)
Northeast	2.00	(1.87 - 2.12)	6.05	(5.68 - 6.44)	8.56	(7.95 - 9.23)	0.23	(0.17 - 0.31)	1.34	(1.22 - 1.47)
Midwest	1.93	(1.82 - 2.04)	5.70	(5.42 - 6.00)	7.72	(7.25 - 8.22)	0.21	(0.16 - 0.28)	1.26	(1.16 - 1.37)
South	1.68	(1.58 - 1.79)	5.39	(5.11 - 5.69)	6.62	(6.18 - 7.09)	0.18	(0.13 - 0.24)	1.07	(0.97 - 1.17)
West	2.14	(1.99 - 2.29)	6.20	(5.78 - 6.64)	7.98	(7.32 - 8.69)	0.28	(0.20 - 0.38)	1.40	(1.27 - 1.55)
Alabama	1.43	(1.23 - 1.66)	4.78	(3.97 - 5.75)	5.91	(4.78 - 7.28)	0.13	(0.08 - 0.20)	0.91	(0.75 - 1.12)
Alaska	2.79	(2.37 - 3.27)	6.01	(4.96 - 7.27)	8.38	(6.74 - 10.37)	0.50	(0.31 - 0.80)	1.97	(1.59 - 2.43)
Arizona	2.03	(1.75 - 2.36)	6.53	(5.43 - 7.84)	7.28	(5.82 - 9.06)	0.26	(0.17 - 0.39)	1.23	(1.01 - 1.50)
Arkansas	1.74	(1.51 - 2.01)	5.80	(4.86 - 6.92)	6.03	(4.91 - 7.40)	0.19	(0.13 - 0.28)	1.06	(0.87 - 1.28)
California	2.12	(1.93 - 2.33)	6.01	(5.41 - 6.66)	8.37	(7.38 - 9.48)	0.26	(0.18 - 0.38)	1.45	(1.27 - 1.65)
Colorado	2.71	(2.32 - 3.16)	7.92	(6.63 - 9.44)	9.94	(7.93 - 12.39)	0.38	(0.24 - 0.59)	1.67	(1.35 - 2.05)
Connecticut	2.31	(2.00 - 2.67)	7.37	(6.21 - 8.71)	9.10	(7.32 - 11.25)	0.24	(0.16 - 0.36)	1.38	(1.14 - 1.68)
Delaware	2.27	(1.96 - 2.62)	7.39	(6.26 - 8.70)	9.09	(7.35 - 11.19)	0.24	(0.16 - 0.36)	1.41	(1.16 - 1.72)
District of Columbia	3.05	(2.60 - 3.58)	9.07	(7.77 - 10.57)	10.85	(8.75 - 13.37)	0.46	(0.28 - 0.77)	2.35	(1.91 - 2.89)
Florida	1.66	(1.51 - 1.83)	6.14	(5.56 - 6.79)	7.01	(6.19 - 7.92)	0.19	(0.12 - 0.27)	1.02	(0.89 - 1.18)
Georgia	1.74	(1.50 - 2.03)	5.50	(4.53 - 6.65)	6.21	(4.99 - 7.69)	0.17	(0.11 - 0.26)	1.07	(0.88 - 1.31)
Hawaii	2.00	(1.67 - 2.40)	6.60	(5.43 - 7.99)	7.50	(5.87 - 9.53)	0.38	(0.21 - 0.71)	1.30	(1.01 - 1.68)
Idaho	1.80	(1.55 - 2.08)	5.56	(4.66 - 6.64)	5.78	(4.62 - 7.21)	0.22	(0.14 - 0.33)	1.06	(0.87 - 1.31)
Illinois	1.83	(1.67 - 2.01)	5.49	(4.94 - 6.11)	7.63	(6.71 - 8.66)	0.21	(0.15 - 0.30)	1.19	(1.05 - 1.36)
Indiana	1.95	(1.68 - 2.26)	5.27	(4.36 - 6.34)	7.80	(6.37 - 9.53)	0.21	(0.14 - 0.31)	1.32	(1.09 - 1.60)
Iowa	1.72	(1.47 - 2.00)	5.08	(4.23 - 6.09)	7.72	(6.21 - 9.57)	0.18	(0.12 - 0.28)	1.18	(0.96 - 1.44)
Kansas	1.62	(1.39 - 1.89)	4.30	(3.55 - 5.20)	6.55	(5.24 - 8.17)	0.18	(0.11 - 0.28)	1.15	(0.93 - 1.41)
Kentucky	1.55	(1.33 - 1.80)	4.58	(3.81 - 5.50)	6.64	(5.37 - 8.20)	0.17	(0.11 - 0.27)	1.05	(0.86 - 1.28)
Louisiana	1.59	(1.38 - 1.84)	5.03	(4.19 - 6.02)	6.10	(4.96 - 7.48)	0.16	(0.10 - 0.25)	1.04	(0.85 - 1.26)
Maine	2.18	(1.87 - 2.54)	6.30	(5.31 - 7.46)	10.60	(8.68 - 12.89)	0.27	(0.17 - 0.41)	1.48	(1.21 - 1.80)
Maryland	2.17	(1.87 - 2.51)	6.83	(5.75 - 8.11)	8.65	(7.04 - 10.58)	0.21	(0.15 - 0.32)	1.35	(1.11 - 1.63)
Massachusetts	2.57	(2.22 - 2.98)	6.56	(5.50 - 7.82)	11.80	(9.66 - 14.34)	0.29	(0.20 - 0.43)	1.88	(1.56 - 2.26)
Michigan	2.42	(2.23 - 2.61)	6.98	(6.37 - 7.66)	8.71	(7.74 - 9.79)	0.25	(0.18 - 0.35)	1.53	(1.36 - 1.72)
Minnesota	1.78	(1.52 - 2.09)	4.77	(3.94 - 5.76)	7.76	(6.16 - 9.73)	0.25	(0.17 - 0.36)	1.23	(1.00 - 1.51)
Mississippi	1.49	(1.28 - 1.73)	4.46	(3.69 - 5.37)	5.85	(4.70 - 7.26)	0.13	(0.08 - 0.21)	0.98	(0.79 - 1.20)
Missouri	1.95	(1.70 - 2.25)	6.23	(5.23 - 7.39)	7.89	(6.43 - 9.65)	0.20	(0.14 - 0.30)	1.24	(1.02 - 1.49)
Montana	2.07	(1.78 - 2.40)	6.12	(5.14 - 7.28)	8.75	(7.08 - 10.77)	0.26	(0.18 - 0.40)	1.38	(1.13 - 1.68)

(continued)

Table 5 First Use of Marijuana, by Age Group and State: Average Annual Incidence Estimates (Expressed as Percentages) Based on 2012 and 2013 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	1.63	(1.39 - 1.92)	5.54	(4.54 - 6.74)	5.97	(4.79 - 7.43)	0.19	(0.12 - 0.29)	1.00	(0.82 - 1.23)
Nevada	1.98	(1.70 - 2.31)	6.07	(5.06 - 7.27)	7.54	(6.05 - 9.37)	0.27	(0.18 - 0.41)	1.24	(1.01 - 1.52)
New Hampshire	2.92	(2.53 - 3.37)	7.83	(6.67 - 9.19)	13.17	(10.85 - 15.90)	0.32	(0.20 - 0.50)	1.97	(1.64 - 2.36)
New Jersey	1.66	(1.42 - 1.94)	5.44	(4.50 - 6.57)	7.17	(5.82 - 8.81)	0.18	(0.11 - 0.29)	1.04	(0.85 - 1.28)
New Mexico	2.26	(1.93 - 2.65)	8.01	(6.76 - 9.48)	6.97	(5.49 - 8.82)	0.31	(0.18 - 0.52)	1.22	(0.97 - 1.54)
New York	1.91	(1.73 - 2.10)	5.82	(5.25 - 6.46)	7.66	(6.74 - 8.69)	0.25	(0.18 - 0.35)	1.30	(1.13 - 1.48)
North Carolina	1.61	(1.37 - 1.89)	5.20	(4.26 - 6.34)	6.47	(5.17 - 8.05)	0.16	(0.11 - 0.25)	1.02	(0.83 - 1.25)
North Dakota	1.58	(1.34 - 1.86)	3.95	(3.19 - 4.87)	6.95	(5.54 - 8.70)	0.19	(0.11 - 0.31)	1.25	(1.01 - 1.54)
Ohio	2.00	(1.83 - 2.18)	5.81	(5.29 - 6.38)	8.05	(7.13 - 9.07)	0.22	(0.15 - 0.30)	1.30	(1.14 - 1.47)
Oklahoma	1.64	(1.40 - 1.91)	4.86	(4.04 - 5.83)	6.06	(4.84 - 7.55)	0.20	(0.13 - 0.31)	1.06	(0.86 - 1.30)
Oregon	2.59	(2.20 - 3.04)	6.90	(5.69 - 8.35)	8.93	(7.10 - 11.18)	0.40	(0.26 - 0.60)	1.70	(1.38 - 2.10)
Pennsylvania	1.84	(1.68 - 2.01)	5.74	(5.18 - 6.35)	8.46	(7.49 - 9.55)	0.19	(0.13 - 0.27)	1.24	(1.10 - 1.41)
Rhode Island	2.85	(2.45 - 3.31)	8.17	(6.90 - 9.64)	10.90	(8.80 - 13.43)	0.32	(0.21 - 0.49)	1.94	(1.59 - 2.36)
South Carolina	1.92	(1.67 - 2.20)	6.65	(5.65 - 7.82)	7.04	(5.70 - 8.66)	0.18	(0.12 - 0.27)	1.14	(0.94 - 1.38)
South Dakota	1.44	(1.23 - 1.69)	4.20	(3.41 - 5.16)	6.31	(5.05 - 7.86)	0.17	(0.11 - 0.28)	1.00	(0.82 - 1.23)
Tennessee	1.51	(1.30 - 1.75)	5.18	(4.31 - 6.20)	5.90	(4.80 - 7.22)	0.16	(0.10 - 0.25)	0.94	(0.77 - 1.14)
Texas	1.62	(1.46 - 1.80)	4.79	(4.27 - 5.37)	6.34	(5.54 - 7.25)	0.17	(0.11 - 0.26)	1.06	(0.92 - 1.23)
Utah	1.37	(1.15 - 1.62)	3.53	(2.84 - 4.39)	4.14	(3.22 - 5.30)	0.17	(0.10 - 0.30)	0.93	(0.73 - 1.17)
Vermont	2.73	(2.36 - 3.16)	8.12	(6.86 - 9.58)	11.35	(9.22 - 13.90)	0.31	(0.20 - 0.48)	1.80	(1.48 - 2.18)
Virginia	1.91	(1.64 - 2.22)	5.68	(4.74 - 6.80)	7.76	(6.20 - 9.67)	0.21	(0.14 - 0.31)	1.27	(1.04 - 1.55)
Washington	2.25	(1.95 - 2.60)	6.54	(5.53 - 7.71)	8.27	(6.75 - 10.11)	0.31	(0.21 - 0.44)	1.45	(1.20 - 1.74)
West Virginia	1.44	(1.23 - 1.67)	5.45	(4.56 - 6.49)	6.03	(4.83 - 7.50)	0.17	(0.11 - 0.27)	0.88	(0.72 - 1.09)
Wisconsin	1.86	(1.61 - 2.16)	6.16	(5.18 - 7.32)	6.95	(5.58 - 8.62)	0.21	(0.14 - 0.32)	1.13	(0.93 - 1.38)
Wyoming	1.69	(1.44 - 1.99)	5.49	(4.56 - 6.60)	6.21	(4.88 - 7.87)	0.22	(0.15 - 0.33)	1.06	(0.85 - 1.32)

NOTE: Average annual initiation of marijuana (%) = $100 * \{ [X_1 \div (0.5 * X_1 + X_2)] \div 2 \}$, where X_1 is the number of marijuana initiates in the past 24 months and X_2 is the number of individuals who never used marijuana. Both of the computation components, X_1 and X_2 , are based on a survey-weighted hierarchical Bayes estimation approach. Note that the age group is based on a respondent's age at the time of the interview, not his or her age at first use.

NOTE: The State and census region Bayesian confidence (credible) intervals presented above use a simultaneous solution for the First Use of Marijuana and Never Used Marijuana outcomes, which had age group-specific random effects that were allowed to be correlated across the two outcomes. The associated Markov Chain Monte Carlo chains were used to calculate the posterior variance. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	3.36	(3.20 - 3.53)	3.36	(3.14 - 3.60)	6.88	(6.55 - 7.22)	2.75	(2.56 - 2.96)	3.36	(3.18 - 3.54)
Northeast	3.07	(2.80 - 3.37)	2.84	(2.50 - 3.23)	7.03	(6.46 - 7.65)	2.43	(2.13 - 2.78)	3.09	(2.80 - 3.41)
Midwest	3.12	(2.90 - 3.35)	3.19	(2.90 - 3.50)	6.70	(6.24 - 7.18)	2.50	(2.24 - 2.78)	3.11	(2.87 - 3.36)
South	3.35	(3.12 - 3.60)	3.54	(3.23 - 3.88)	6.81	(6.36 - 7.29)	2.74	(2.47 - 3.04)	3.33	(3.09 - 3.60)
West	3.81	(3.47 - 4.19)	3.61	(3.21 - 4.06)	7.03	(6.41 - 7.71)	3.26	(2.86 - 3.73)	3.84	(3.46 - 4.25)
Alabama	3.86	(3.01 - 4.94)	3.98	(2.98 - 5.29)	7.47	(5.87 - 9.47)	3.22	(2.31 - 4.47)	3.85	(2.96 - 4.98)
Alaska	2.96	(2.24 - 3.91)	2.99	(2.12 - 4.21)	6.65	(5.16 - 8.53)	2.27	(1.51 - 3.38)	2.96	(2.21 - 3.96)
Arizona	3.89	(2.99 - 5.04)	3.83	(2.86 - 5.11)	6.84	(5.35 - 8.71)	3.38	(2.39 - 4.75)	3.89	(2.95 - 5.11)
Arkansas	3.75	(2.90 - 4.84)	4.21	(3.11 - 5.68)	7.18	(5.69 - 9.03)	3.11	(2.20 - 4.38)	3.70	(2.83 - 4.84)
California	3.88	(3.35 - 4.49)	3.59	(2.98 - 4.33)	6.85	(5.93 - 7.89)	3.37	(2.75 - 4.12)	3.91	(3.35 - 4.57)
Colorado	3.94	(3.04 - 5.10)	3.72	(2.71 - 5.08)	8.03	(6.29 - 10.19)	3.28	(2.32 - 4.62)	3.96	(3.03 - 5.17)
Connecticut	2.70	(2.01 - 3.62)	2.54	(1.75 - 3.67)	6.78	(5.24 - 8.73)	2.08	(1.38 - 3.12)	2.72	(2.01 - 3.68)
Delaware	3.39	(2.62 - 4.37)	3.08	(2.25 - 4.22)	8.37	(6.61 - 10.56)	2.58	(1.79 - 3.71)	3.42	(2.62 - 4.45)
District of Columbia	5.77	(4.52 - 7.34)	5.40	(4.08 - 7.12)	7.27	(5.63 - 9.34)	5.46	(4.01 - 7.40)	5.79	(4.50 - 7.42)
Florida	3.06	(2.61 - 3.58)	3.05	(2.50 - 3.73)	7.37	(6.40 - 8.47)	2.41	(1.92 - 3.02)	3.06	(2.59 - 3.61)
Georgia	4.08	(3.15 - 5.28)	4.13	(3.06 - 5.55)	6.94	(5.42 - 8.85)	3.57	(2.54 - 4.99)	4.08	(3.09 - 5.36)
Hawaii	3.51	(2.67 - 4.62)	3.99	(2.86 - 5.53)	6.89	(5.31 - 8.91)	2.93	(2.01 - 4.25)	3.47	(2.59 - 4.63)
Idaho	2.67	(2.02 - 3.52)	2.67	(1.89 - 3.76)	6.70	(5.24 - 8.53)	1.96	(1.30 - 2.94)	2.67	(1.99 - 3.56)
Illinois	2.83	(2.41 - 3.32)	2.92	(2.39 - 3.56)	6.02	(5.20 - 6.97)	2.28	(1.82 - 2.86)	2.82	(2.38 - 3.34)
Indiana	3.43	(2.67 - 4.39)	3.18	(2.31 - 4.38)	7.97	(6.32 - 10.00)	2.65	(1.86 - 3.77)	3.45	(2.67 - 4.47)
Iowa	2.72	(2.04 - 3.61)	2.82	(2.02 - 3.93)	6.41	(4.98 - 8.20)	2.05	(1.35 - 3.09)	2.70	(2.00 - 3.64)
Kansas	2.75	(2.08 - 3.64)	2.95	(2.13 - 4.09)	5.68	(4.32 - 7.44)	2.20	(1.48 - 3.24)	2.73	(2.03 - 3.67)
Kentucky	3.17	(2.45 - 4.09)	2.73	(1.97 - 3.77)	7.75	(6.12 - 9.78)	2.47	(1.73 - 3.52)	3.22	(2.47 - 4.19)
Louisiana	4.05	(3.15 - 5.20)	4.35	(3.21 - 5.87)	6.77	(5.30 - 8.61)	3.52	(2.52 - 4.88)	4.02	(3.08 - 5.22)
Maine	2.81	(2.14 - 3.69)	2.73	(1.95 - 3.81)	7.86	(6.29 - 9.78)	2.12	(1.43 - 3.13)	2.82	(2.13 - 3.73)
Maryland	3.12	(2.35 - 4.13)	3.28	(2.37 - 4.51)	6.64	(5.23 - 8.38)	2.52	(1.72 - 3.69)	3.10	(2.31 - 4.16)
Massachusetts	3.04	(2.31 - 4.00)	3.09	(2.27 - 4.20)	6.82	(5.28 - 8.77)	2.37	(1.61 - 3.47)	3.04	(2.27 - 4.04)
Michigan	3.53	(3.05 - 4.08)	3.86	(3.23 - 4.62)	6.70	(5.79 - 7.73)	2.94	(2.39 - 3.60)	3.49	(2.99 - 4.08)
Minnesota	2.47	(1.82 - 3.33)	2.54	(1.77 - 3.62)	5.87	(4.45 - 7.72)	1.90	(1.25 - 2.88)	2.46	(1.80 - 3.36)
Mississippi	3.63	(2.79 - 4.70)	3.91	(2.89 - 5.29)	6.76	(5.32 - 8.57)	3.02	(2.11 - 4.29)	3.60	(2.73 - 4.72)
Missouri	3.13	(2.41 - 4.05)	3.41	(2.49 - 4.65)	6.98	(5.50 - 8.82)	2.44	(1.69 - 3.50)	3.10	(2.36 - 4.06)
Montana	2.80	(2.11 - 3.69)	2.97	(2.15 - 4.11)	7.19	(5.66 - 9.09)	2.06	(1.37 - 3.08)	2.78	(2.08 - 3.71)

(continued)

Table 6 Illicit Drug Use Other Than Marijuana in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	2.34	(1.71 - 3.20)	2.56	(1.77 - 3.67)	5.33	(4.03 - 7.02)	1.79	(1.15 - 2.76)	2.32	(1.67 - 3.21)
Nevada	4.00	(3.01 - 5.29)	3.74	(2.71 - 5.14)	7.12	(5.46 - 9.22)	3.53	(2.46 - 5.05)	4.03	(3.00 - 5.39)
New Hampshire	3.54	(2.76 - 4.53)	3.00	(2.12 - 4.22)	10.04	(8.05 - 12.46)	2.58	(1.79 - 3.70)	3.59	(2.78 - 4.63)
New Jersey	2.88	(2.16 - 3.83)	2.77	(1.95 - 3.94)	7.39	(5.74 - 9.45)	2.21	(1.48 - 3.30)	2.89	(2.15 - 3.88)
New Mexico	3.74	(2.80 - 4.97)	4.26	(3.16 - 5.72)	6.01	(4.65 - 7.73)	3.27	(2.23 - 4.79)	3.68	(2.71 - 4.99)
New York	3.10	(2.64 - 3.63)	2.70	(2.16 - 3.36)	6.82	(5.90 - 7.86)	2.49	(1.98 - 3.13)	3.13	(2.65 - 3.70)
North Carolina	3.34	(2.52 - 4.40)	3.48	(2.50 - 4.83)	7.41	(5.77 - 9.46)	2.64	(1.80 - 3.87)	3.32	(2.48 - 4.43)
North Dakota	2.79	(2.11 - 3.68)	2.41	(1.67 - 3.46)	5.76	(4.37 - 7.57)	2.18	(1.48 - 3.21)	2.82	(2.12 - 3.76)
Ohio	3.61	(3.16 - 4.11)	3.31	(2.76 - 3.95)	7.58	(6.67 - 8.61)	2.99	(2.47 - 3.60)	3.64	(3.16 - 4.18)
Oklahoma	3.40	(2.63 - 4.38)	3.17	(2.33 - 4.28)	7.30	(5.71 - 9.30)	2.73	(1.91 - 3.89)	3.42	(2.62 - 4.46)
Oregon	4.07	(3.15 - 5.24)	4.03	(2.98 - 5.41)	7.86	(6.19 - 9.94)	3.47	(2.48 - 4.84)	4.07	(3.12 - 5.30)
Pennsylvania	3.14	(2.69 - 3.66)	2.95	(2.40 - 3.61)	6.76	(5.88 - 7.77)	2.56	(2.06 - 3.17)	3.16	(2.69 - 3.71)
Rhode Island	4.27	(3.31 - 5.49)	3.85	(2.81 - 5.26)	8.56	(6.82 - 10.70)	3.49	(2.47 - 4.92)	4.31	(3.32 - 5.58)
South Carolina	3.69	(2.82 - 4.81)	4.09	(3.04 - 5.48)	7.04	(5.53 - 8.93)	3.07	(2.14 - 4.38)	3.65	(2.75 - 4.82)
South Dakota	2.44	(1.79 - 3.34)	2.46	(1.68 - 3.58)	5.42	(4.08 - 7.17)	1.92	(1.26 - 2.92)	2.44	(1.77 - 3.37)
Tennessee	3.16	(2.43 - 4.10)	3.40	(2.50 - 4.59)	6.91	(5.46 - 8.71)	2.51	(1.76 - 3.58)	3.14	(2.38 - 4.11)
Texas	3.23	(2.76 - 3.78)	3.65	(3.01 - 4.42)	5.97	(5.10 - 6.98)	2.65	(2.12 - 3.31)	3.18	(2.68 - 3.77)
Utah	3.16	(2.45 - 4.07)	2.93	(2.10 - 4.07)	6.27	(4.87 - 8.05)	2.48	(1.73 - 3.56)	3.19	(2.45 - 4.15)
Vermont	3.37	(2.59 - 4.38)	3.64	(2.65 - 4.97)	7.86	(6.22 - 9.88)	2.57	(1.77 - 3.73)	3.35	(2.54 - 4.40)
Virginia	2.90	(2.20 - 3.83)	3.11	(2.26 - 4.27)	6.02	(4.65 - 7.76)	2.35	(1.61 - 3.41)	2.88	(2.15 - 3.85)
Washington	4.02	(3.17 - 5.07)	3.70	(2.75 - 4.96)	8.05	(6.39 - 10.10)	3.39	(2.48 - 4.63)	4.05	(3.17 - 5.16)
West Virginia	2.45	(1.85 - 3.24)	2.39	(1.66 - 3.43)	6.63	(5.17 - 8.46)	1.82	(1.22 - 2.71)	2.45	(1.83 - 3.27)
Wisconsin	3.08	(2.33 - 4.07)	3.45	(2.44 - 4.84)	6.89	(5.39 - 8.77)	2.41	(1.62 - 3.56)	3.04	(2.27 - 4.08)
Wyoming	2.25	(1.64 - 3.08)	2.60	(1.80 - 3.74)	5.04	(3.76 - 6.72)	1.73	(1.11 - 2.70)	2.22	(1.59 - 3.09)

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 7 Cocaine Use in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	1.69	(1.59 - 1.81)	0.63	(0.54 - 0.73)	4.53	(4.23 - 4.85)	1.34	(1.22 - 1.47)	1.81	(1.69 - 1.93)
Northeast	1.93	(1.72 - 2.17)	0.60	(0.47 - 0.77)	5.26	(4.75 - 5.83)	1.53	(1.28 - 1.81)	2.06	(1.83 - 2.32)
Midwest	1.39	(1.24 - 1.57)	0.47	(0.36 - 0.62)	3.51	(3.17 - 3.89)	1.15	(0.96 - 1.36)	1.49	(1.32 - 1.69)
South	1.56	(1.41 - 1.73)	0.62	(0.50 - 0.76)	3.89	(3.55 - 4.25)	1.28	(1.10 - 1.48)	1.66	(1.49 - 1.84)
West	2.00	(1.78 - 2.26)	0.79	(0.61 - 1.02)	5.88	(5.25 - 6.57)	1.47	(1.21 - 1.77)	2.14	(1.89 - 2.42)
Alabama	1.19	(0.79 - 1.79)	0.46	(0.25 - 0.84)	2.59	(1.76 - 3.80)	1.04	(0.61 - 1.76)	1.26	(0.83 - 1.92)
Alaska	1.58	(1.13 - 2.19)	0.65	(0.36 - 1.18)	4.44	(3.26 - 6.03)	1.16	(0.71 - 1.90)	1.68	(1.20 - 2.35)
Arizona	2.22	(1.61 - 3.05)	1.13	(0.63 - 2.02)	6.08	(4.53 - 8.10)	1.69	(1.05 - 2.70)	2.34	(1.68 - 3.25)
Arkansas	1.31	(0.91 - 1.87)	0.55	(0.31 - 0.96)	2.99	(2.11 - 4.24)	1.12	(0.70 - 1.79)	1.39	(0.96 - 2.01)
California	2.10	(1.76 - 2.50)	0.79	(0.54 - 1.14)	6.23	(5.29 - 7.33)	1.50	(1.14 - 1.99)	2.24	(1.88 - 2.68)
Colorado	2.67	(1.99 - 3.58)	0.88	(0.52 - 1.51)	8.14	(6.23 - 10.56)	1.97	(1.28 - 3.01)	2.86	(2.12 - 3.84)
Connecticut	1.99	(1.46 - 2.70)	0.60	(0.35 - 1.05)	6.33	(4.69 - 8.50)	1.47	(0.94 - 2.28)	2.13	(1.56 - 2.91)
Delaware	1.70	(1.21 - 2.39)	0.48	(0.27 - 0.86)	4.74	(3.47 - 6.45)	1.32	(0.82 - 2.12)	1.82	(1.29 - 2.56)
District of Columbia	3.28	(2.43 - 4.41)	0.33	(0.17 - 0.65)	5.16	(3.78 - 7.02)	3.08	(2.12 - 4.46)	3.46	(2.56 - 4.65)
Florida	1.82	(1.48 - 2.23)	0.69	(0.47 - 1.02)	5.15	(4.34 - 6.10)	1.44	(1.07 - 1.93)	1.93	(1.56 - 2.37)
Georgia	1.82	(1.29 - 2.56)	0.54	(0.31 - 0.95)	3.40	(2.41 - 4.77)	1.71	(1.12 - 2.61)	1.97	(1.39 - 2.78)
Hawaii	1.61	(1.11 - 2.32)	0.66	(0.34 - 1.27)	4.39	(3.22 - 5.97)	1.27	(0.76 - 2.12)	1.70	(1.16 - 2.47)
Idaho	1.12	(0.77 - 1.64)	0.49	(0.25 - 0.95)	3.34	(2.34 - 4.75)	0.83	(0.48 - 1.43)	1.20	(0.81 - 1.77)
Illinois	1.71	(1.38 - 2.12)	0.46	(0.29 - 0.73)	3.86	(3.15 - 4.72)	1.50	(1.12 - 2.02)	1.84	(1.48 - 2.30)
Indiana	1.38	(0.97 - 1.97)	0.57	(0.31 - 1.04)	4.11	(2.95 - 5.69)	1.01	(0.59 - 1.70)	1.47	(1.03 - 2.11)
Iowa	1.36	(0.95 - 1.93)	0.59	(0.34 - 1.03)	3.69	(2.61 - 5.19)	1.04	(0.64 - 1.69)	1.44	(1.00 - 2.06)
Kansas	1.36	(0.95 - 1.96)	0.58	(0.33 - 1.02)	3.55	(2.48 - 5.07)	1.07	(0.65 - 1.77)	1.45	(1.00 - 2.10)
Kentucky	1.55	(1.11 - 2.16)	0.59	(0.34 - 1.02)	4.22	(3.09 - 5.73)	1.23	(0.78 - 1.93)	1.65	(1.18 - 2.32)
Louisiana	1.76	(1.24 - 2.48)	0.60	(0.35 - 1.02)	3.39	(2.44 - 4.69)	1.61	(1.04 - 2.48)	1.88	(1.32 - 2.68)
Maine	1.50	(1.07 - 2.08)	0.58	(0.33 - 1.01)	5.01	(3.72 - 6.72)	1.10	(0.67 - 1.79)	1.58	(1.13 - 2.21)
Maryland	1.46	(1.00 - 2.13)	0.52	(0.29 - 0.93)	3.80	(2.74 - 5.25)	1.19	(0.71 - 1.99)	1.56	(1.06 - 2.29)
Massachusetts	2.27	(1.67 - 3.09)	0.74	(0.43 - 1.27)	5.99	(4.48 - 7.98)	1.79	(1.17 - 2.74)	2.42	(1.77 - 3.30)
Michigan	1.08	(0.82 - 1.43)	0.35	(0.20 - 0.61)	2.73	(2.17 - 3.44)	0.89	(0.60 - 1.33)	1.16	(0.87 - 1.55)
Minnesota	1.31	(0.91 - 1.89)	0.50	(0.28 - 0.89)	3.35	(2.33 - 4.79)	1.08	(0.67 - 1.74)	1.40	(0.96 - 2.03)
Mississippi	1.41	(0.96 - 2.06)	0.51	(0.28 - 0.93)	2.68	(1.85 - 3.88)	1.29	(0.80 - 2.09)	1.51	(1.02 - 2.23)
Missouri	1.06	(0.68 - 1.63)	0.42	(0.21 - 0.84)	2.75	(1.85 - 4.08)	0.85	(0.46 - 1.54)	1.12	(0.72 - 1.75)
Montana	1.54	(1.13 - 2.11)	0.78	(0.47 - 1.30)	4.82	(3.58 - 6.45)	1.09	(0.68 - 1.75)	1.61	(1.17 - 2.22)

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	1.25	(0.87 - 1.79)	0.52	(0.30 - 0.93)	3.56	(2.56 - 4.94)	0.93	(0.56 - 1.56)	1.33	(0.92 - 1.92)
Nevada	1.46	(1.02 - 2.09)	0.64	(0.37 - 1.10)	3.91	(2.74 - 5.56)	1.17	(0.73 - 1.88)	1.55	(1.08 - 2.23)
New Hampshire	1.96	(1.47 - 2.60)	0.82	(0.49 - 1.38)	6.86	(5.25 - 8.92)	1.31	(0.83 - 2.07)	2.07	(1.54 - 2.76)
New Jersey	1.68	(1.19 - 2.35)	0.65	(0.37 - 1.13)	5.04	(3.68 - 6.88)	1.29	(0.81 - 2.06)	1.78	(1.26 - 2.52)
New Mexico	2.13	(1.53 - 2.96)	0.95	(0.54 - 1.67)	5.32	(3.92 - 7.17)	1.73	(1.09 - 2.72)	2.26	(1.61 - 3.16)
New York	2.08	(1.71 - 2.53)	0.61	(0.42 - 0.88)	5.53	(4.68 - 6.54)	1.65	(1.24 - 2.19)	2.23	(1.82 - 2.71)
North Carolina	1.63	(1.15 - 2.32)	0.68	(0.39 - 1.17)	4.24	(3.06 - 5.85)	1.31	(0.82 - 2.10)	1.73	(1.21 - 2.47)
North Dakota	1.41	(0.99 - 1.99)	0.65	(0.38 - 1.10)	3.30	(2.31 - 4.70)	1.08	(0.67 - 1.75)	1.48	(1.04 - 2.11)
Ohio	1.59	(1.29 - 1.96)	0.47	(0.31 - 0.72)	3.98	(3.30 - 4.79)	1.33	(0.99 - 1.79)	1.71	(1.38 - 2.11)
Oklahoma	1.13	(0.76 - 1.66)	0.43	(0.22 - 0.85)	2.98	(2.06 - 4.29)	0.89	(0.52 - 1.50)	1.20	(0.81 - 1.79)
Oregon	1.79	(1.31 - 2.45)	0.79	(0.47 - 1.33)	5.82	(4.31 - 7.82)	1.27	(0.80 - 2.00)	1.89	(1.37 - 2.60)
Pennsylvania	1.69	(1.37 - 2.10)	0.45	(0.28 - 0.71)	4.06	(3.36 - 4.91)	1.44	(1.07 - 1.94)	1.81	(1.46 - 2.26)
Rhode Island	2.16	(1.58 - 2.95)	0.54	(0.30 - 0.99)	5.45	(4.04 - 7.32)	1.71	(1.10 - 2.66)	2.31	(1.69 - 3.17)
South Carolina	1.60	(1.11 - 2.32)	0.49	(0.27 - 0.88)	3.72	(2.67 - 5.14)	1.38	(0.84 - 2.24)	1.72	(1.18 - 2.50)
South Dakota	1.09	(0.73 - 1.62)	0.50	(0.27 - 0.93)	2.72	(1.85 - 3.98)	0.87	(0.51 - 1.49)	1.15	(0.76 - 1.73)
Tennessee	1.36	(0.96 - 1.92)	0.61	(0.36 - 1.03)	3.23	(2.30 - 4.52)	1.14	(0.72 - 1.80)	1.44	(1.01 - 2.05)
Texas	1.42	(1.15 - 1.74)	0.74	(0.52 - 1.07)	4.02	(3.32 - 4.86)	1.02	(0.74 - 1.42)	1.50	(1.21 - 1.85)
Utah	1.55	(1.09 - 2.21)	0.53	(0.29 - 0.95)	3.53	(2.47 - 5.03)	1.28	(0.79 - 2.07)	1.70	(1.18 - 2.43)
Vermont	2.00	(1.47 - 2.70)	0.82	(0.47 - 1.44)	6.35	(4.77 - 8.40)	1.37	(0.86 - 2.18)	2.10	(1.54 - 2.86)
Virginia	1.49	(1.04 - 2.14)	0.50	(0.28 - 0.88)	3.39	(2.35 - 4.88)	1.28	(0.82 - 2.01)	1.59	(1.10 - 2.29)
Washington	1.70	(1.25 - 2.32)	0.68	(0.41 - 1.14)	5.30	(3.97 - 7.06)	1.23	(0.78 - 1.93)	1.80	(1.31 - 2.47)
West Virginia	1.43	(1.02 - 2.02)	0.54	(0.30 - 0.97)	3.93	(2.88 - 5.33)	1.15	(0.72 - 1.84)	1.52	(1.07 - 2.15)
Wisconsin	1.40	(0.97 - 2.03)	0.49	(0.27 - 0.88)	3.47	(2.50 - 4.82)	1.17	(0.71 - 1.92)	1.50	(1.02 - 2.18)
Wyoming	1.27	(0.90 - 1.80)	0.62	(0.35 - 1.07)	3.88	(2.76 - 5.41)	0.90	(0.54 - 1.49)	1.34	(0.94 - 1.90)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 8 Nonmedical Use of Pain Relievers in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	4.51	(4.33 - 4.70)	5.00	(4.74 - 5.27)	9.47	(9.08 - 9.87)	3.60	(3.38 - 3.83)	4.46	(4.26 - 4.67)
Northeast	3.90	(3.58 - 4.25)	4.05	(3.63 - 4.51)	8.64	(8.01 - 9.31)	3.09	(2.74 - 3.48)	3.89	(3.55 - 4.25)
Midwest	4.34	(4.08 - 4.61)	4.82	(4.46 - 5.21)	9.41	(8.87 - 9.98)	3.41	(3.12 - 3.73)	4.29	(4.01 - 4.58)
South	4.51	(4.25 - 4.79)	5.16	(4.78 - 5.56)	9.42	(8.89 - 9.98)	3.59	(3.29 - 3.92)	4.44	(4.16 - 4.75)
West	5.14	(4.74 - 5.58)	5.57	(5.02 - 6.19)	10.19	(9.38 - 11.06)	4.19	(3.72 - 4.71)	5.10	(4.66 - 5.57)
Alabama	5.42	(4.41 - 6.65)	6.32	(4.89 - 8.12)	11.02	(9.01 - 13.42)	4.35	(3.29 - 5.73)	5.33	(4.27 - 6.63)
Alaska	4.91	(3.97 - 6.07)	5.38	(4.12 - 6.98)	10.65	(8.68 - 13.01)	3.77	(2.79 - 5.08)	4.86	(3.87 - 6.08)
Arizona	5.82	(4.67 - 7.22)	7.03	(5.45 - 9.02)	11.04	(8.91 - 13.62)	4.75	(3.52 - 6.38)	5.68	(4.48 - 7.18)
Arkansas	5.38	(4.38 - 6.59)	7.15	(5.56 - 9.15)	11.53	(9.47 - 13.96)	4.11	(3.05 - 5.51)	5.19	(4.14 - 6.48)
California	5.20	(4.60 - 5.89)	5.25	(4.47 - 6.15)	10.30	(9.09 - 11.64)	4.25	(3.55 - 5.08)	5.20	(4.54 - 5.94)
Colorado	5.08	(4.11 - 6.26)	6.35	(4.83 - 8.30)	10.72	(8.72 - 13.13)	3.97	(2.96 - 5.30)	4.94	(3.94 - 6.20)
Connecticut	3.56	(2.79 - 4.52)	3.86	(2.84 - 5.23)	8.52	(6.76 - 10.67)	2.73	(1.97 - 3.78)	3.52	(2.73 - 4.54)
Delaware	4.87	(3.96 - 5.97)	5.60	(4.36 - 7.18)	10.65	(8.61 - 13.11)	3.81	(2.89 - 5.01)	4.80	(3.85 - 5.96)
District of Columbia	4.62	(3.70 - 5.75)	5.11	(3.85 - 6.74)	7.78	(6.11 - 9.85)	3.88	(2.92 - 5.14)	4.59	(3.64 - 5.77)
Florida	3.61	(3.13 - 4.16)	4.44	(3.73 - 5.28)	7.83	(6.83 - 8.96)	2.88	(2.37 - 3.51)	3.53	(3.02 - 4.12)
Georgia	4.58	(3.67 - 5.71)	5.07	(3.87 - 6.61)	8.74	(6.95 - 10.93)	3.78	(2.82 - 5.04)	4.53	(3.57 - 5.73)
Hawaii	4.54	(3.58 - 5.75)	5.51	(4.12 - 7.34)	9.90	(7.86 - 12.40)	3.60	(2.60 - 4.97)	4.45	(3.45 - 5.73)
Idaho	4.45	(3.61 - 5.47)	5.47	(4.26 - 7.01)	10.03	(8.09 - 12.38)	3.33	(2.47 - 4.47)	4.33	(3.45 - 5.42)
Illinois	3.57	(3.09 - 4.12)	3.81	(3.19 - 4.56)	8.02	(7.02 - 9.14)	2.79	(2.26 - 3.43)	3.54	(3.04 - 4.13)
Indiana	5.28	(4.31 - 6.45)	5.71	(4.41 - 7.38)	12.23	(10.02 - 14.85)	3.99	(3.00 - 5.29)	5.23	(4.21 - 6.48)
Iowa	3.93	(3.14 - 4.90)	4.61	(3.47 - 6.10)	9.13	(7.32 - 11.32)	2.93	(2.15 - 3.97)	3.86	(3.05 - 4.87)
Kansas	3.65	(2.89 - 4.60)	4.43	(3.34 - 5.85)	7.59	(5.89 - 9.73)	2.83	(2.07 - 3.86)	3.56	(2.77 - 4.57)
Kentucky	4.61	(3.71 - 5.70)	4.64	(3.55 - 6.05)	9.73	(7.83 - 12.02)	3.76	(2.84 - 4.95)	4.60	(3.67 - 5.76)
Louisiana	4.85	(3.96 - 5.93)	5.58	(4.29 - 7.23)	8.92	(7.14 - 11.08)	4.02	(3.08 - 5.22)	4.77	(3.84 - 5.92)
Maine	3.80	(3.03 - 4.74)	4.35	(3.30 - 5.71)	8.92	(7.14 - 11.08)	3.02	(2.24 - 4.07)	3.75	(2.95 - 4.75)
Maryland	4.18	(3.33 - 5.24)	4.46	(3.40 - 5.85)	8.49	(6.78 - 10.58)	3.44	(2.56 - 4.62)	4.16	(3.27 - 5.27)
Massachusetts	3.71	(2.94 - 4.66)	4.14	(3.11 - 5.50)	8.53	(6.78 - 10.69)	2.81	(2.05 - 3.84)	3.67	(2.87 - 4.68)
Michigan	4.77	(4.24 - 5.36)	5.86	(5.09 - 6.74)	10.11	(9.00 - 11.34)	3.71	(3.12 - 4.40)	4.65	(4.09 - 5.29)
Minnesota	3.59	(2.83 - 4.56)	3.97	(2.92 - 5.36)	7.90	(6.12 - 10.13)	2.84	(2.09 - 3.87)	3.55	(2.76 - 4.57)
Mississippi	4.66	(3.74 - 5.79)	5.45	(4.23 - 7.01)	9.64	(7.77 - 11.89)	3.65	(2.70 - 4.90)	4.57	(3.61 - 5.77)
Missouri	4.71	(3.86 - 5.73)	5.25	(4.04 - 6.80)	10.97	(8.87 - 13.49)	3.58	(2.72 - 4.70)	4.65	(3.76 - 5.74)
Montana	3.93	(3.14 - 4.91)	5.23	(4.04 - 6.75)	9.36	(7.49 - 11.63)	2.90	(2.11 - 3.97)	3.81	(2.98 - 4.84)

(continued)

Table 8 Nonmedical Use of Pain Relievers in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	3.62	(2.86 - 4.57)	4.62	(3.50 - 6.06)	7.88	(6.21 - 9.94)	2.74	(1.99 - 3.77)	3.51	(2.72 - 4.51)
Nevada	5.27	(4.18 - 6.62)	5.27	(3.99 - 6.92)	10.41	(8.25 - 13.06)	4.45	(3.29 - 5.99)	5.27	(4.11 - 6.72)
New Hampshire	4.27	(3.49 - 5.21)	4.87	(3.79 - 6.24)	10.46	(8.62 - 12.65)	3.23	(2.43 - 4.28)	4.21	(3.40 - 5.20)
New Jersey	3.96	(3.14 - 5.00)	4.08	(3.04 - 5.47)	9.47	(7.62 - 11.70)	3.12	(2.27 - 4.27)	3.95	(3.08 - 5.05)
New Mexico	5.22	(4.16 - 6.53)	6.81	(5.26 - 8.78)	9.35	(7.48 - 11.64)	4.30	(3.16 - 5.83)	5.05	(3.95 - 6.44)
New York	3.89	(3.35 - 4.52)	3.54	(2.90 - 4.32)	7.82	(6.83 - 8.94)	3.24	(2.64 - 3.98)	3.92	(3.35 - 4.60)
North Carolina	5.07	(4.04 - 6.34)	5.43	(4.13 - 7.12)	10.76	(8.69 - 13.26)	4.08	(3.01 - 5.50)	5.03	(3.96 - 6.38)
North Dakota	4.07	(3.28 - 5.03)	4.62	(3.52 - 6.03)	8.22	(6.46 - 10.41)	3.10	(2.32 - 4.14)	4.02	(3.20 - 5.03)
Ohio	4.90	(4.32 - 5.54)	4.62	(3.90 - 5.47)	9.81	(8.71 - 11.03)	4.12	(3.46 - 4.90)	4.92	(4.31 - 5.62)
Oklahoma	5.43	(4.40 - 6.68)	6.04	(4.68 - 7.77)	11.62	(9.49 - 14.15)	4.24	(3.17 - 5.66)	5.36	(4.28 - 6.70)
Oregon	5.43	(4.41 - 6.67)	6.20	(4.75 - 8.06)	11.07	(8.99 - 13.57)	4.46	(3.38 - 5.85)	5.36	(4.29 - 6.67)
Pennsylvania	3.94	(3.45 - 4.48)	4.56	(3.86 - 5.38)	9.11	(8.03 - 10.32)	3.01	(2.49 - 3.64)	3.88	(3.37 - 4.46)
Rhode Island	5.29	(4.26 - 6.56)	5.45	(4.15 - 7.14)	10.58	(8.57 - 13.00)	4.26	(3.19 - 5.67)	5.28	(4.20 - 6.61)
South Carolina	4.50	(3.65 - 5.54)	5.96	(4.61 - 7.67)	9.84	(7.94 - 12.15)	3.42	(2.56 - 4.56)	4.36	(3.47 - 5.46)
South Dakota	3.90	(3.14 - 4.84)	4.82	(3.64 - 6.36)	8.96	(7.16 - 11.15)	2.90	(2.14 - 3.92)	3.81	(3.01 - 4.80)
Tennessee	4.43	(3.57 - 5.47)	5.16	(3.98 - 6.68)	9.52	(7.65 - 11.80)	3.50	(2.64 - 4.62)	4.35	(3.47 - 5.45)
Texas	4.42	(3.90 - 5.00)	5.00	(4.26 - 5.86)	9.06	(8.02 - 10.22)	3.46	(2.87 - 4.15)	4.34	(3.79 - 4.97)
Utah	4.11	(3.29 - 5.12)	4.28	(3.21 - 5.68)	7.80	(6.11 - 9.90)	3.23	(2.38 - 4.37)	4.08	(3.22 - 5.17)
Vermont	3.72	(2.95 - 4.68)	4.49	(3.35 - 5.99)	9.12	(7.32 - 11.31)	2.71	(1.96 - 3.73)	3.65	(2.86 - 4.65)
Virginia	5.13	(4.15 - 6.33)	5.31	(4.08 - 6.89)	11.26	(9.08 - 13.88)	4.06	(3.05 - 5.39)	5.11	(4.08 - 6.38)
Washington	5.00	(4.07 - 6.14)	5.71	(4.46 - 7.29)	9.58	(7.74 - 11.79)	4.17	(3.18 - 5.45)	4.93	(3.95 - 6.14)
West Virginia	3.84	(3.07 - 4.78)	4.16	(3.16 - 5.47)	8.65	(6.91 - 10.79)	3.07	(2.29 - 4.10)	3.81	(3.01 - 4.80)
Wisconsin	4.31	(3.43 - 5.41)	5.38	(4.13 - 6.99)	8.79	(7.01 - 10.97)	3.44	(2.53 - 4.67)	4.20	(3.28 - 5.37)
Wyoming	3.63	(2.86 - 4.59)	4.42	(3.36 - 5.79)	7.62	(5.98 - 9.67)	2.84	(2.07 - 3.90)	3.55	(2.75 - 4.57)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 9 Alcohol Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	52.13	(51.56 - 52.71)	12.23	(11.82 - 12.65)	59.91	(59.19 - 60.64)	55.73	(55.01 - 56.43)	56.34	(55.71 - 56.97)
Northeast	57.75	(56.70 - 58.78)	13.92	(13.14 - 14.74)	64.59	(63.32 - 65.85)	61.61	(60.31 - 62.89)	62.03	(60.89 - 63.17)
Midwest	55.23	(54.42 - 56.03)	12.45	(11.85 - 13.06)	63.79	(62.84 - 64.72)	59.11	(58.09 - 60.12)	59.79	(58.90 - 60.67)
South	48.31	(47.52 - 49.09)	11.65	(11.09 - 12.23)	56.82	(55.88 - 57.75)	51.42	(50.43 - 52.41)	52.21	(51.34 - 53.07)
West	51.02	(49.98 - 52.07)	11.75	(10.97 - 12.57)	57.80	(56.56 - 59.03)	54.83	(53.50 - 56.16)	55.28	(54.13 - 56.44)
Alabama	43.63	(40.34 - 46.98)	11.21	(9.40 - 13.30)	50.89	(47.07 - 54.71)	46.38	(42.29 - 50.51)	47.04	(43.42 - 50.70)
Alaska	53.01	(49.75 - 56.24)	10.47	(8.15 - 13.36)	56.44	(52.43 - 60.36)	58.21	(54.05 - 62.26)	57.93	(54.30 - 61.48)
Arizona	51.12	(47.73 - 54.50)	12.90	(10.86 - 15.26)	57.66	(53.57 - 61.64)	54.97	(50.78 - 59.09)	55.37	(51.63 - 59.05)
Arkansas	41.44	(38.30 - 44.65)	11.00	(9.17 - 13.14)	55.10	(51.30 - 58.85)	42.96	(39.07 - 46.94)	44.72	(41.27 - 48.23)
California	49.43	(47.74 - 51.12)	11.60	(10.39 - 12.94)	57.56	(55.54 - 59.57)	52.83	(50.66 - 55.00)	53.57	(51.70 - 55.44)
Colorado	61.03	(57.94 - 64.04)	13.10	(11.04 - 15.48)	68.52	(64.86 - 71.97)	65.52	(61.68 - 69.17)	65.95	(62.55 - 69.20)
Connecticut	60.72	(57.53 - 63.82)	14.18	(11.71 - 17.07)	66.54	(62.52 - 70.34)	65.46	(61.51 - 69.20)	65.61	(62.09 - 68.96)
Delaware	55.05	(51.88 - 58.18)	11.73	(9.81 - 13.98)	61.99	(57.92 - 65.90)	58.78	(54.82 - 62.63)	59.24	(55.76 - 62.64)
District of Columbia	64.90	(61.91 - 67.77)	11.94	(9.87 - 14.38)	73.46	(69.59 - 77.01)	66.84	(63.09 - 70.38)	68.05	(64.87 - 71.06)
Florida	51.78	(50.08 - 53.47)	12.79	(11.56 - 14.12)	58.36	(56.26 - 60.44)	54.91	(52.80 - 57.00)	55.36	(53.51 - 57.20)
Georgia	47.11	(43.68 - 50.57)	11.25	(9.45 - 13.35)	52.86	(48.94 - 56.75)	50.92	(46.60 - 55.24)	51.22	(47.39 - 55.03)
Hawaii	50.15	(46.84 - 53.47)	11.22	(9.22 - 13.60)	57.41	(53.30 - 61.42)	53.23	(49.18 - 57.24)	53.80	(50.18 - 57.37)
Idaho	48.19	(44.99 - 51.41)	11.27	(9.42 - 13.43)	49.53	(45.58 - 53.50)	53.22	(49.19 - 57.22)	52.68	(49.09 - 56.24)
Illinois	55.48	(53.84 - 57.11)	12.37	(11.24 - 13.60)	63.90	(61.92 - 65.83)	59.52	(57.47 - 61.54)	60.16	(58.34 - 61.94)
Indiana	51.63	(48.38 - 54.88)	12.03	(10.17 - 14.18)	62.73	(58.97 - 66.34)	54.84	(50.81 - 58.82)	56.03	(52.42 - 59.57)
Iowa	57.46	(54.15 - 60.70)	12.42	(10.48 - 14.65)	67.60	(63.86 - 71.12)	61.18	(57.01 - 65.19)	62.14	(58.48 - 65.67)
Kansas	53.55	(50.18 - 56.88)	11.55	(9.70 - 13.70)	58.99	(54.92 - 62.94)	58.15	(53.89 - 62.29)	58.28	(54.53 - 61.93)
Kentucky	44.40	(41.35 - 47.50)	10.04	(8.30 - 12.10)	56.25	(52.38 - 60.05)	46.59	(42.81 - 50.41)	47.96	(44.60 - 51.33)
Louisiana	48.54	(45.32 - 51.78)	13.03	(10.98 - 15.39)	55.98	(52.13 - 59.77)	51.75	(47.72 - 55.75)	52.40	(48.84 - 55.93)
Maine	54.66	(51.30 - 57.97)	12.36	(10.46 - 14.55)	64.11	(60.49 - 67.57)	57.68	(53.62 - 61.63)	58.46	(54.81 - 62.03)
Maryland	58.37	(55.09 - 61.58)	13.36	(11.31 - 15.71)	64.85	(60.94 - 68.58)	62.67	(58.61 - 66.57)	62.98	(59.36 - 66.47)
Massachusetts	64.74	(61.74 - 67.63)	14.49	(12.37 - 16.90)	70.32	(66.54 - 73.83)	69.35	(65.65 - 72.82)	69.50	(66.20 - 72.61)
Michigan	54.55	(52.92 - 56.16)	12.89	(11.74 - 14.13)	63.46	(61.56 - 65.31)	58.24	(56.18 - 60.28)	59.01	(57.22 - 60.78)
Minnesota	58.85	(55.70 - 61.93)	11.90	(9.98 - 14.14)	64.69	(60.77 - 68.42)	63.59	(59.66 - 67.34)	63.74	(60.26 - 67.09)
Mississippi	42.74	(39.48 - 46.07)	11.67	(9.85 - 13.77)	56.88	(53.02 - 60.66)	44.33	(40.21 - 48.52)	46.27	(42.65 - 49.93)
Missouri	51.70	(48.53 - 54.85)	12.40	(10.47 - 14.62)	60.73	(56.92 - 64.42)	54.98	(51.07 - 58.82)	55.81	(52.32 - 59.25)
Montana	59.82	(56.53 - 63.02)	13.24	(11.20 - 15.58)	67.10	(63.41 - 70.60)	63.79	(59.73 - 67.67)	64.25	(60.64 - 67.71)

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	56.37	(53.05 - 59.63)	11.32	(9.37 - 13.63)	63.34	(59.43 - 67.08)	60.81	(56.63 - 64.84)	61.19	(57.51 - 64.74)
Nevada	54.65	(51.25 - 58.02)	12.76	(10.53 - 15.38)	58.95	(54.97 - 62.81)	59.15	(54.91 - 63.26)	59.13	(55.36 - 62.79)
New Hampshire	65.19	(62.20 - 68.07)	14.76	(12.59 - 17.23)	73.22	(69.72 - 76.45)	69.63	(65.96 - 73.06)	70.11	(66.83 - 73.20)
New Jersey	55.48	(51.99 - 58.93)	13.64	(11.44 - 16.18)	59.07	(55.03 - 63.00)	59.98	(55.66 - 64.15)	59.86	(55.99 - 63.61)
New Mexico	50.33	(46.92 - 53.74)	11.91	(9.98 - 14.15)	56.43	(52.53 - 60.25)	54.20	(49.93 - 58.41)	54.53	(50.75 - 58.26)
New York	56.35	(54.52 - 58.16)	14.35	(13.04 - 15.78)	63.63	(61.44 - 65.76)	59.83	(57.53 - 62.09)	60.40	(58.40 - 62.36)
North Carolina	48.76	(45.39 - 52.14)	11.63	(9.75 - 13.83)	57.29	(53.27 - 61.22)	51.88	(47.72 - 56.01)	52.65	(48.95 - 56.33)
North Dakota	59.04	(55.87 - 62.13)	11.72	(9.73 - 14.05)	70.76	(66.97 - 74.28)	61.79	(57.77 - 65.66)	63.39	(59.92 - 66.73)
Ohio	53.83	(52.16 - 55.49)	11.95	(10.79 - 13.22)	62.86	(60.87 - 64.80)	57.52	(55.41 - 59.59)	58.27	(56.43 - 60.09)
Oklahoma	47.57	(44.28 - 50.89)	10.00	(8.33 - 11.97)	56.67	(52.81 - 60.46)	50.79	(46.67 - 54.90)	51.68	(48.03 - 55.32)
Oregon	57.91	(54.62 - 61.13)	12.71	(10.64 - 15.10)	61.96	(57.94 - 65.82)	62.32	(58.33 - 66.15)	62.27	(58.67 - 65.74)
Pennsylvania	56.29	(54.63 - 57.94)	13.09	(11.91 - 14.36)	64.42	(62.43 - 66.35)	59.81	(57.73 - 61.86)	60.47	(58.64 - 62.27)
Rhode Island	59.38	(56.13 - 62.55)	14.27	(12.05 - 16.82)	69.37	(65.40 - 73.08)	62.48	(58.47 - 66.33)	63.59	(60.05 - 67.00)
South Carolina	49.59	(46.31 - 52.87)	11.69	(9.77 - 13.92)	60.41	(56.48 - 64.22)	52.22	(48.18 - 56.23)	53.41	(49.82 - 56.97)
South Dakota	56.70	(53.71 - 59.64)	10.52	(8.62 - 12.78)	64.36	(60.69 - 67.87)	61.07	(57.32 - 64.69)	61.56	(58.26 - 64.76)
Tennessee	38.61	(35.42 - 41.90)	9.89	(8.16 - 11.94)	48.00	(44.32 - 51.70)	40.52	(36.62 - 44.54)	41.57	(38.07 - 45.16)
Texas	46.71	(45.14 - 48.28)	11.46	(10.30 - 12.74)	55.74	(53.76 - 57.71)	50.14	(48.12 - 52.17)	51.03	(49.28 - 52.78)
Utah	31.30	(28.32 - 34.44)	7.82	(6.07 - 10.01)	34.46	(30.65 - 38.49)	34.65	(30.68 - 38.85)	34.62	(31.24 - 38.16)
Vermont	58.82	(55.64 - 61.92)	14.83	(12.37 - 17.67)	69.27	(65.48 - 72.82)	61.68	(57.77 - 65.45)	62.80	(59.33 - 66.14)
Virginia	55.15	(51.88 - 58.38)	11.96	(10.10 - 14.12)	63.94	(59.92 - 67.78)	58.76	(54.73 - 62.67)	59.51	(55.92 - 63.00)
Washington	53.64	(50.57 - 56.69)	11.60	(9.83 - 13.63)	60.68	(56.84 - 64.39)	57.44	(53.65 - 61.14)	57.89	(54.52 - 61.19)
West Virginia	38.16	(35.14 - 41.28)	11.14	(9.26 - 13.34)	52.26	(48.38 - 56.12)	38.83	(35.18 - 42.62)	40.59	(37.31 - 43.96)
Wisconsin	61.56	(58.20 - 64.82)	15.12	(12.82 - 17.74)	68.99	(65.42 - 72.35)	65.94	(61.76 - 69.88)	66.37	(62.65 - 69.90)
Wyoming	54.89	(51.67 - 58.06)	12.31	(9.88 - 15.22)	63.69	(59.55 - 67.64)	58.38	(54.41 - 62.24)	59.16	(55.63 - 62.61)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 10 Binge Alcohol Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	22.92	(22.49 - 23.36)	6.73	(6.44 - 7.04)	38.70	(37.95 - 39.46)	22.21	(21.68 - 22.74)	24.63	(24.15 - 25.11)
Northeast	24.31	(23.48 - 25.17)	7.41	(6.84 - 8.01)	43.00	(41.68 - 44.34)	23.13	(22.11 - 24.18)	25.97	(25.05 - 26.91)
Midwest	25.54	(24.85 - 26.25)	6.89	(6.47 - 7.32)	43.09	(42.05 - 44.14)	24.88	(24.02 - 25.75)	27.53	(26.76 - 28.31)
South	21.45	(20.83 - 22.08)	6.44	(6.03 - 6.88)	35.36	(34.36 - 36.37)	20.94	(20.18 - 21.71)	23.04	(22.36 - 23.74)
West	21.77	(20.93 - 22.65)	6.58	(6.03 - 7.17)	36.78	(35.44 - 38.13)	21.03	(20.00 - 22.11)	23.42	(22.49 - 24.38)
Alabama	21.43	(19.09 - 23.98)	6.55	(5.23 - 8.17)	31.66	(28.35 - 35.17)	21.50	(18.64 - 24.67)	23.00	(20.42 - 25.80)
Alaska	22.10	(19.71 - 24.69)	5.78	(4.61 - 7.23)	36.04	(32.38 - 39.88)	21.72	(18.80 - 24.96)	23.99	(21.33 - 26.87)
Arizona	22.99	(20.47 - 25.71)	6.88	(5.49 - 8.59)	38.11	(34.17 - 42.21)	22.46	(19.43 - 25.80)	24.78	(21.99 - 27.79)
Arkansas	21.02	(18.69 - 23.56)	6.63	(5.31 - 8.25)	35.91	(32.41 - 39.56)	20.31	(17.48 - 23.46)	22.57	(19.99 - 25.38)
California	21.16	(19.89 - 22.50)	6.36	(5.54 - 7.29)	35.68	(33.72 - 37.68)	20.39	(18.80 - 22.08)	22.79	(21.37 - 24.27)
Colorado	25.51	(22.94 - 28.26)	7.00	(5.63 - 8.67)	43.95	(40.11 - 47.86)	24.62	(21.56 - 27.96)	27.41	(24.59 - 30.43)
Connecticut	23.95	(21.47 - 26.61)	7.50	(6.04 - 9.27)	44.50	(40.39 - 48.69)	22.70	(19.76 - 25.94)	25.68	(22.96 - 28.60)
Delaware	22.38	(19.93 - 25.05)	6.12	(4.93 - 7.58)	40.75	(36.85 - 44.78)	21.12	(18.21 - 24.35)	23.96	(21.27 - 26.86)
District of Columbia	33.65	(30.80 - 36.63)	5.47	(4.27 - 6.98)	49.47	(45.28 - 53.67)	32.16	(28.71 - 35.82)	35.32	(32.30 - 38.46)
Florida	20.76	(19.41 - 22.17)	6.35	(5.55 - 7.26)	34.85	(32.91 - 36.83)	20.16	(18.55 - 21.88)	22.08	(20.62 - 23.62)
Georgia	19.76	(17.40 - 22.36)	6.42	(5.18 - 7.93)	30.67	(27.30 - 34.25)	19.62	(16.76 - 22.83)	21.29	(18.66 - 24.18)
Hawaii	23.02	(20.56 - 25.69)	6.19	(4.81 - 7.92)	39.21	(35.39 - 43.17)	22.31	(19.40 - 25.51)	24.60	(21.92 - 27.49)
Idaho	19.59	(17.37 - 22.02)	6.95	(5.60 - 8.60)	32.09	(28.50 - 35.91)	19.21	(16.52 - 22.22)	21.13	(18.66 - 23.83)
Illinois	26.59	(25.09 - 28.15)	6.82	(5.96 - 7.79)	44.13	(42.08 - 46.19)	26.14	(24.28 - 28.08)	28.74	(27.08 - 30.46)
Indiana	22.29	(19.95 - 24.81)	7.00	(5.65 - 8.63)	40.88	(37.32 - 44.54)	20.98	(18.16 - 24.12)	23.98	(21.40 - 26.77)
Iowa	26.27	(23.63 - 29.08)	7.25	(5.85 - 8.95)	48.23	(44.47 - 52.01)	24.72	(21.54 - 28.19)	28.24	(25.34 - 31.34)
Kansas	24.88	(22.20 - 27.77)	7.01	(5.72 - 8.57)	39.01	(35.20 - 42.96)	24.69	(21.46 - 28.23)	26.89	(23.92 - 30.08)
Kentucky	22.04	(19.76 - 24.51)	6.25	(5.04 - 7.74)	39.77	(36.09 - 43.57)	21.02	(18.31 - 24.03)	23.68	(21.17 - 26.38)
Louisiana	25.41	(22.86 - 28.14)	7.44	(5.94 - 9.28)	35.82	(32.28 - 39.53)	25.81	(22.71 - 29.18)	27.36	(24.55 - 30.35)
Maine	21.58	(19.27 - 24.08)	7.02	(5.66 - 8.67)	43.31	(39.67 - 47.02)	20.04	(17.34 - 23.04)	22.89	(20.39 - 25.60)
Maryland	23.09	(20.60 - 25.79)	6.76	(5.42 - 8.41)	39.38	(35.63 - 43.26)	22.36	(19.39 - 25.63)	24.77	(22.03 - 27.72)
Massachusetts	25.85	(23.39 - 28.48)	8.15	(6.65 - 9.96)	46.17	(42.28 - 50.10)	24.25	(21.33 - 27.44)	27.53	(24.84 - 30.39)
Michigan	24.33	(22.97 - 25.74)	6.44	(5.65 - 7.32)	41.69	(39.69 - 43.72)	23.58	(21.91 - 25.33)	26.24	(24.75 - 27.80)
Minnesota	27.09	(24.48 - 29.86)	6.55	(5.28 - 8.09)	45.49	(41.63 - 49.40)	26.57	(23.43 - 29.97)	29.22	(26.35 - 32.27)
Mississippi	19.86	(17.50 - 22.46)	6.44	(5.19 - 7.96)	33.32	(29.69 - 37.16)	19.20	(16.32 - 22.45)	21.39	(18.77 - 24.26)
Missouri	24.37	(21.79 - 27.14)	7.46	(6.06 - 9.14)	40.74	(37.00 - 44.59)	23.66	(20.56 - 27.08)	26.14	(23.31 - 29.18)
Montana	25.28	(22.69 - 28.06)	7.31	(5.99 - 8.89)	44.67	(40.99 - 48.40)	24.11	(21.03 - 27.48)	26.99	(24.16 - 30.03)

(continued)

**Table 10 Binge Alcohol Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013
NSDUHs (continued)**

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	23.74	(21.28 - 26.40)	7.01	(5.71 - 8.56)	42.44	(38.76 - 46.22)	22.56	(19.58 - 25.85)	25.53	(22.81 - 28.47)
Nevada	25.00	(22.21 - 28.01)	6.60	(5.24 - 8.27)	37.42	(33.59 - 41.41)	25.29	(21.95 - 28.95)	26.96	(23.88 - 30.28)
New Hampshire	24.92	(22.58 - 27.42)	8.06	(6.60 - 9.80)	48.96	(45.33 - 52.59)	23.06	(20.27 - 26.11)	26.57	(24.01 - 29.30)
New Jersey	21.55	(19.16 - 24.16)	7.20	(5.80 - 8.91)	40.95	(37.07 - 44.94)	20.36	(17.55 - 23.49)	23.06	(20.42 - 25.92)
New Mexico	24.44	(21.80 - 27.28)	6.92	(5.55 - 8.60)	38.50	(34.75 - 42.38)	24.23	(21.02 - 27.76)	26.35	(23.43 - 29.49)
New York	24.76	(23.28 - 26.30)	7.53	(6.61 - 8.57)	41.17	(39.03 - 43.34)	23.85	(22.03 - 25.77)	26.42	(24.80 - 28.11)
North Carolina	20.02	(17.57 - 22.71)	6.58	(5.30 - 8.14)	33.46	(29.83 - 37.29)	19.42	(16.51 - 22.72)	21.43	(18.74 - 24.39)
North Dakota	30.43	(27.85 - 33.13)	7.21	(5.88 - 8.81)	53.75	(49.74 - 57.71)	27.94	(24.82 - 31.30)	32.56	(29.75 - 35.51)
Ohio	24.81	(23.43 - 26.23)	6.85	(6.05 - 7.74)	41.19	(39.26 - 43.16)	24.32	(22.63 - 26.10)	26.71	(25.20 - 28.28)
Oklahoma	23.29	(20.66 - 26.14)	5.79	(4.61 - 7.26)	38.17	(34.45 - 42.03)	22.88	(19.70 - 26.40)	25.21	(22.30 - 28.36)
Oregon	21.66	(19.31 - 24.21)	7.62	(6.12 - 9.44)	38.93	(35.23 - 42.77)	20.51	(17.75 - 23.58)	23.02	(20.44 - 25.81)
Pennsylvania	24.96	(23.60 - 26.36)	6.87	(6.05 - 7.78)	43.81	(41.79 - 45.84)	23.87	(22.24 - 25.59)	26.70	(25.23 - 28.24)
Rhode Island	27.49	(24.83 - 30.31)	7.37	(5.96 - 9.08)	48.77	(44.78 - 52.77)	25.64	(22.48 - 29.07)	29.37	(26.47 - 32.44)
South Carolina	22.97	(20.44 - 25.71)	6.47	(5.24 - 7.97)	38.88	(35.13 - 42.77)	22.20	(19.18 - 25.55)	24.63	(21.86 - 27.63)
South Dakota	26.56	(24.06 - 29.22)	6.57	(5.29 - 8.12)	45.88	(42.00 - 49.81)	25.65	(22.64 - 28.90)	28.67	(25.91 - 31.59)
Tennessee	16.91	(14.83 - 19.21)	6.06	(4.81 - 7.61)	29.58	(26.37 - 32.99)	16.12	(13.67 - 18.92)	18.03	(15.75 - 20.55)
Texas	22.39	(21.18 - 23.64)	6.38	(5.54 - 7.35)	35.22	(33.31 - 37.17)	22.30	(20.77 - 23.92)	24.35	(23.00 - 25.75)
Utah	16.25	(14.15 - 18.60)	5.85	(4.48 - 7.60)	26.16	(22.79 - 29.85)	15.78	(13.16 - 18.81)	17.73	(15.37 - 20.37)
Vermont	21.16	(18.88 - 23.65)	8.67	(6.97 - 10.73)	45.13	(41.30 - 49.02)	18.37	(15.69 - 21.38)	22.29	(19.80 - 25.00)
Virginia	22.19	(19.83 - 24.74)	6.26	(5.03 - 7.76)	41.03	(36.98 - 45.21)	20.86	(18.10 - 23.92)	23.79	(21.21 - 26.59)
Washington	20.80	(18.58 - 23.20)	6.81	(5.48 - 8.43)	38.72	(35.12 - 42.45)	19.51	(16.88 - 22.44)	22.21	(19.79 - 24.85)
West Virginia	19.44	(17.26 - 21.83)	7.84	(6.43 - 9.53)	36.68	(33.26 - 40.24)	18.04	(15.50 - 20.90)	20.49	(18.11 - 23.08)
Wisconsin	29.99	(27.07 - 33.07)	7.23	(5.82 - 8.94)	47.32	(43.47 - 51.20)	29.86	(26.29 - 33.70)	32.34	(29.12 - 35.73)
Wyoming	24.41	(22.04 - 26.95)	7.78	(6.37 - 9.47)	45.35	(41.39 - 49.38)	22.75	(19.90 - 25.87)	26.08	(23.48 - 28.86)

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 11 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	41.83	(41.32 - 42.35)	39.35	(38.72 - 39.98)	33.83	(33.19 - 34.47)	43.52	(42.89 - 44.16)	42.09	(41.54 - 42.65)
Northeast	40.36	(39.35 - 41.37)	38.54	(37.42 - 39.66)	31.50	(30.38 - 32.65)	42.04	(40.80 - 43.30)	40.53	(39.44 - 41.63)
Midwest	37.44	(36.65 - 38.24)	36.85	(35.92 - 37.78)	29.49	(28.62 - 30.37)	38.87	(37.89 - 39.86)	37.50	(36.64 - 38.37)
South	43.83	(43.03 - 44.63)	41.39	(40.48 - 42.32)	36.53	(35.65 - 37.42)	45.39	(44.38 - 46.39)	44.09	(43.22 - 44.96)
West	43.85	(42.77 - 44.94)	38.99	(37.72 - 40.27)	35.24	(33.98 - 36.53)	46.02	(44.64 - 47.40)	44.38	(43.19 - 45.57)
Alabama	45.70	(42.57 - 48.86)	42.25	(38.81 - 45.76)	36.90	(33.61 - 40.31)	47.64	(43.77 - 51.55)	46.06	(42.66 - 49.49)
Alaska	38.67	(35.70 - 41.72)	36.65	(33.13 - 40.32)	30.32	(26.99 - 33.88)	40.52	(36.82 - 44.34)	38.90	(35.67 - 42.23)
Arizona	42.74	(39.48 - 46.06)	38.89	(35.51 - 42.39)	33.21	(29.65 - 36.97)	44.90	(40.89 - 48.98)	43.16	(39.62 - 46.78)
Arkansas	39.43	(36.43 - 42.51)	38.05	(34.67 - 41.55)	32.22	(28.95 - 35.67)	40.84	(37.14 - 44.64)	39.58	(36.33 - 42.93)
California	46.06	(44.31 - 47.81)	39.67	(37.67 - 41.70)	37.72	(35.76 - 39.73)	48.44	(46.22 - 50.67)	46.76	(44.84 - 48.68)
Colorado	38.15	(35.12 - 41.27)	35.63	(32.13 - 39.28)	26.89	(23.67 - 30.36)	40.35	(36.69 - 44.13)	38.41	(35.14 - 41.78)
Connecticut	42.56	(39.54 - 45.64)	38.56	(35.13 - 42.10)	31.61	(28.05 - 35.40)	44.79	(41.08 - 48.56)	42.98	(39.70 - 46.32)
Delaware	40.95	(37.99 - 43.98)	39.50	(35.97 - 43.15)	34.39	(30.78 - 38.19)	42.23	(38.63 - 45.91)	41.09	(37.91 - 44.35)
District of Columbia	40.35	(37.41 - 43.37)	47.67	(44.08 - 51.28)	32.04	(28.20 - 36.13)	41.68	(38.06 - 45.39)	39.91	(36.82 - 43.09)
Florida	45.45	(43.70 - 47.21)	42.49	(40.54 - 44.47)	38.79	(36.87 - 40.74)	46.77	(44.61 - 48.93)	45.72	(43.82 - 47.63)
Georgia	45.70	(42.62 - 48.81)	43.47	(40.03 - 46.98)	38.94	(35.44 - 42.57)	47.21	(43.38 - 51.07)	45.95	(42.60 - 49.34)
Hawaii	40.18	(37.12 - 43.33)	40.77	(37.07 - 44.59)	33.64	(30.24 - 37.22)	41.15	(37.46 - 44.94)	40.13	(36.83 - 43.51)
Idaho	40.89	(37.92 - 43.93)	35.23	(32.08 - 38.52)	32.63	(29.27 - 36.19)	43.15	(39.42 - 46.96)	41.58	(38.30 - 44.93)
Illinois	39.46	(37.86 - 41.08)	37.57	(35.67 - 39.52)	31.81	(29.96 - 33.72)	41.00	(39.01 - 43.01)	39.66	(37.92 - 41.43)
Indiana	38.09	(35.14 - 41.14)	39.27	(35.79 - 42.86)	29.58	(26.43 - 32.94)	39.46	(35.81 - 43.23)	37.96	(34.74 - 41.30)
Iowa	34.28	(31.37 - 37.31)	33.91	(30.71 - 37.26)	26.77	(23.69 - 30.09)	35.65	(32.07 - 39.41)	34.31	(31.17 - 37.60)
Kansas	36.47	(33.46 - 39.60)	34.83	(31.70 - 38.11)	26.89	(23.76 - 30.27)	38.44	(34.71 - 42.31)	36.66	(33.38 - 40.07)
Kentucky	40.98	(38.11 - 43.92)	34.96	(31.85 - 38.21)	32.76	(29.45 - 36.25)	43.07	(39.51 - 46.70)	41.60	(38.47 - 44.80)
Louisiana	41.96	(39.20 - 44.78)	41.01	(37.67 - 44.43)	36.69	(33.33 - 40.18)	43.05	(39.64 - 46.52)	42.06	(39.07 - 45.12)
Maine	36.69	(33.70 - 39.79)	36.28	(32.93 - 39.77)	27.59	(24.61 - 30.78)	38.01	(34.42 - 41.74)	36.73	(33.51 - 40.07)
Maryland	42.02	(39.03 - 45.08)	41.61	(38.17 - 45.13)	35.13	(31.61 - 38.80)	43.21	(39.57 - 46.94)	42.06	(38.83 - 45.37)
Massachusetts	36.73	(33.87 - 39.69)	34.19	(31.00 - 37.52)	26.52	(23.25 - 30.07)	38.81	(35.29 - 42.44)	36.97	(33.89 - 40.16)
Michigan	40.40	(38.79 - 42.04)	37.62	(35.72 - 39.55)	32.27	(30.47 - 34.13)	42.16	(40.12 - 44.23)	40.70	(38.93 - 42.49)
Minnesota	35.65	(32.57 - 38.85)	34.41	(31.15 - 37.82)	24.83	(21.66 - 28.29)	37.57	(33.79 - 41.50)	35.78	(32.43 - 39.27)
Mississippi	45.57	(42.50 - 48.67)	41.53	(38.24 - 44.91)	39.87	(36.39 - 43.46)	47.16	(43.31 - 51.04)	46.02	(42.65 - 49.43)
Missouri	35.78	(32.97 - 38.70)	37.56	(34.30 - 40.93)	31.00	(27.79 - 34.40)	36.38	(32.95 - 39.97)	35.60	(32.55 - 38.76)
Montana	36.48	(33.59 - 39.48)	35.79	(32.64 - 39.06)	25.17	(22.28 - 28.30)	38.41	(34.89 - 42.06)	36.55	(33.42 - 39.79)

(continued)

Table 11 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	39.08	(36.12 - 42.11)	38.41	(34.90 - 42.04)	27.28	(24.13 - 30.66)	41.24	(37.62 - 44.96)	39.15	(35.96 - 42.43)
Nevada	44.26	(41.06 - 47.51)	38.59	(35.12 - 42.19)	36.50	(32.81 - 40.36)	46.20	(42.31 - 50.14)	44.86	(41.38 - 48.39)
New Hampshire	35.01	(32.21 - 37.91)	32.05	(28.96 - 35.30)	21.29	(18.46 - 24.42)	37.50	(34.07 - 41.05)	35.30	(32.26 - 38.45)
New Jersey	42.79	(39.60 - 46.04)	37.89	(34.50 - 41.41)	33.70	(30.10 - 37.49)	44.75	(40.89 - 48.68)	43.30	(39.85 - 46.81)
New Mexico	45.45	(42.39 - 48.54)	37.38	(33.85 - 41.06)	39.23	(35.64 - 42.95)	47.57	(43.81 - 51.37)	46.33	(43.00 - 49.69)
New York	43.17	(41.40 - 44.96)	40.97	(38.98 - 43.00)	34.94	(32.99 - 36.95)	44.86	(42.66 - 47.08)	43.38	(41.47 - 45.31)
North Carolina	42.37	(39.28 - 45.52)	40.80	(37.16 - 44.55)	36.97	(33.43 - 40.65)	43.47	(39.71 - 47.30)	42.53	(39.20 - 45.94)
North Dakota	34.09	(31.26 - 37.05)	35.78	(32.56 - 39.13)	25.39	(22.25 - 28.81)	35.80	(32.26 - 39.51)	33.94	(30.88 - 37.13)
Ohio	36.60	(35.07 - 38.17)	37.03	(35.27 - 38.83)	28.85	(27.08 - 30.69)	37.83	(35.91 - 39.80)	36.56	(34.87 - 38.27)
Oklahoma	40.91	(37.94 - 43.96)	37.45	(34.16 - 40.86)	34.34	(30.89 - 37.97)	42.54	(38.84 - 46.33)	41.29	(38.04 - 44.62)
Oregon	38.30	(35.31 - 41.39)	35.69	(32.18 - 39.36)	30.30	(26.94 - 33.89)	39.86	(36.29 - 43.54)	38.55	(35.33 - 41.88)
Pennsylvania	36.97	(35.31 - 38.67)	38.89	(37.04 - 40.78)	29.34	(27.63 - 31.12)	38.03	(35.97 - 40.12)	36.79	(34.98 - 38.63)
Rhode Island	37.33	(34.35 - 40.39)	37.84	(34.34 - 41.46)	27.94	(24.75 - 31.38)	39.08	(35.42 - 42.86)	37.28	(34.08 - 40.58)
South Carolina	43.58	(40.53 - 46.69)	42.28	(38.85 - 45.78)	33.60	(30.22 - 37.16)	45.44	(41.68 - 49.25)	43.71	(40.40 - 47.08)
South Dakota	35.70	(32.81 - 38.71)	36.84	(33.40 - 40.41)	27.54	(24.24 - 31.10)	37.00	(33.51 - 40.63)	35.58	(32.47 - 38.82)
Tennessee	46.25	(43.10 - 49.44)	42.18	(38.72 - 45.72)	38.56	(35.13 - 42.10)	48.01	(44.11 - 51.93)	46.67	(43.24 - 50.13)
Texas	44.73	(43.10 - 46.38)	41.49	(39.48 - 43.52)	37.04	(35.12 - 39.00)	46.66	(44.55 - 48.77)	45.13	(43.32 - 46.95)
Utah	45.27	(42.35 - 48.22)	45.75	(41.85 - 49.70)	38.33	(34.77 - 42.01)	46.79	(43.00 - 50.62)	45.20	(41.99 - 48.46)
Vermont	37.84	(34.79 - 40.99)	30.01	(26.78 - 33.46)	25.73	(22.57 - 29.15)	40.76	(36.98 - 44.65)	38.55	(35.26 - 41.95)
Virginia	40.94	(37.89 - 44.06)	42.22	(38.73 - 45.78)	32.01	(28.44 - 35.80)	42.31	(38.62 - 46.10)	40.81	(37.52 - 44.19)
Washington	42.70	(39.70 - 45.76)	38.22	(34.88 - 41.68)	31.71	(28.28 - 35.35)	45.04	(41.35 - 48.78)	43.15	(39.90 - 46.47)
West Virginia	41.77	(38.79 - 44.81)	38.04	(34.82 - 41.36)	32.82	(29.48 - 36.35)	43.52	(39.93 - 47.18)	42.11	(38.89 - 45.39)
Wisconsin	34.43	(31.43 - 37.55)	34.27	(30.92 - 37.78)	27.71	(24.67 - 30.97)	35.56	(31.90 - 39.40)	34.44	(31.20 - 37.84)
Wyoming	36.50	(33.63 - 39.46)	35.64	(32.42 - 39.00)	27.84	(24.42 - 31.53)	38.10	(34.61 - 41.71)	36.58	(33.49 - 39.78)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 12 Alcohol Use and Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	Alcohol Use in Past Month (Estimate)	Alcohol Use in Past Month (95% Confidence Interval)	Binge Alcohol Use in Past Month (Estimate)	Binge Alcohol Use in Past Month (95% Confidence Interval)
Total U.S.	23.52	(22.89 - 24.17)	14.75	(14.22 - 15.29)
Northeast	26.68	(25.76 - 27.63)	16.63	(15.87 - 17.41)
Midwest	24.69	(23.97 - 25.42)	15.91	(15.34 - 16.49)
South	21.43	(20.74 - 22.15)	13.33	(12.80 - 13.88)
West	23.44	(22.47 - 24.45)	14.55	(13.82 - 15.32)
Alabama	19.58	(17.36 - 22.02)	12.30	(10.60 - 14.23)
Alaska	20.71	(18.17 - 23.51)	12.68	(10.92 - 14.67)
Arizona	23.30	(20.85 - 25.95)	14.54	(12.60 - 16.71)
Arkansas	19.98	(17.70 - 22.46)	13.54	(11.79 - 15.51)
California	23.79	(22.33 - 25.32)	14.40	(13.27 - 15.62)
Colorado	25.95	(23.42 - 28.65)	15.79	(13.85 - 17.94)
Connecticut	28.05	(25.38 - 30.88)	17.46	(15.40 - 19.73)
Delaware	23.65	(21.24 - 26.24)	14.39	(12.41 - 16.63)
District of Columbia	31.52	(28.04 - 35.22)	18.14	(15.21 - 21.49)
Florida	23.25	(21.88 - 24.69)	13.15	(12.11 - 14.27)
Georgia	20.84	(18.41 - 23.50)	13.00	(11.21 - 15.02)
Hawaii	20.07	(17.72 - 22.64)	12.01	(10.19 - 14.11)
Idaho	19.67	(17.48 - 22.06)	12.60	(10.97 - 14.44)
Illinois	24.04	(22.68 - 25.46)	15.45	(14.34 - 16.62)
Indiana	24.06	(21.73 - 26.56)	15.32	(13.51 - 17.32)
Iowa	24.67	(22.24 - 27.27)	16.56	(14.56 - 18.78)
Kansas	23.03	(20.58 - 25.68)	15.39	(13.55 - 17.42)
Kentucky	20.38	(18.12 - 22.83)	14.53	(12.77 - 16.47)
Louisiana	21.92	(19.56 - 24.47)	14.42	(12.52 - 16.55)
Maine	23.89	(21.49 - 26.46)	15.62	(13.76 - 17.68)
Maryland	22.89	(20.51 - 25.46)	13.24	(11.55 - 15.12)
Massachusetts	28.73	(26.15 - 31.46)	17.90	(15.75 - 20.27)
Michigan	25.74	(24.35 - 27.19)	15.89	(14.78 - 17.08)
Minnesota	23.80	(21.38 - 26.41)	15.46	(13.51 - 17.62)
Mississippi	22.60	(20.19 - 25.20)	13.28	(11.46 - 15.33)
Missouri	22.94	(20.57 - 25.49)	15.26	(13.37 - 17.36)
Montana	28.45	(26.00 - 31.04)	18.44	(16.34 - 20.75)

(continued)

Table 12 Alcohol Use and Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	Alcohol Use in Past Month (Estimate)	Alcohol Use in Past Month (95% Confidence Interval)	Binge Alcohol Use in Past Month (Estimate)	Binge Alcohol Use in Past Month (95% Confidence Interval)
Nebraska	24.02	(21.61 - 26.60)	16.18	(14.27 - 18.30)
Nevada	23.83	(21.20 - 26.67)	14.13	(12.28 - 16.20)
New Hampshire	35.72	(33.09 - 38.43)	23.21	(20.96 - 25.62)
New Jersey	23.34	(20.83 - 26.06)	14.77	(12.91 - 16.85)
New Mexico	21.14	(18.76 - 23.74)	14.13	(12.32 - 16.15)
New York	26.77	(25.21 - 28.39)	15.84	(14.62 - 17.14)
North Carolina	18.62	(16.38 - 21.09)	11.62	(9.94 - 13.55)
North Dakota	31.25	(28.46 - 34.17)	22.95	(20.40 - 25.72)
Ohio	24.38	(23.02 - 25.79)	15.54	(14.43 - 16.71)
Oklahoma	22.54	(20.06 - 25.23)	15.36	(13.44 - 17.50)
Oregon	25.33	(22.72 - 28.13)	16.94	(14.87 - 19.24)
Pennsylvania	25.97	(24.60 - 27.38)	17.00	(15.84 - 18.22)
Rhode Island	32.57	(29.83 - 35.43)	21.17	(18.85 - 23.69)
South Carolina	21.99	(19.67 - 24.51)	13.79	(11.97 - 15.83)
South Dakota	24.41	(21.93 - 27.08)	17.79	(15.73 - 20.06)
Tennessee	16.77	(14.72 - 19.05)	11.48	(9.85 - 13.35)
Texas	21.71	(20.37 - 23.12)	13.35	(12.30 - 14.47)
Utah	14.57	(12.29 - 17.19)	11.21	(9.43 - 13.28)
Vermont	29.60	(26.94 - 32.40)	19.58	(17.30 - 22.08)
Virginia	22.54	(20.03 - 25.25)	14.28	(12.39 - 16.39)
Washington	24.40	(21.97 - 27.02)	15.47	(13.60 - 17.55)
West Virginia	22.70	(20.23 - 25.37)	17.57	(15.58 - 19.75)
Wisconsin	28.63	(26.01 - 31.40)	18.21	(16.15 - 20.47)
Wyoming	26.38	(23.60 - 29.37)	18.04	(15.82 - 20.50)

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple hours of each other) on at least 1 day in the past 30 days.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 13 Tobacco Product Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	26.10	(25.63 - 26.59)	8.24	(7.90 - 8.58)	37.55	(36.86 - 38.24)	26.34	(25.75 - 26.94)	27.99	(27.46 - 28.52)
Northeast	24.64	(23.84 - 25.46)	8.14	(7.59 - 8.72)	36.74	(35.52 - 37.98)	24.50	(23.51 - 25.51)	26.25	(25.38 - 27.14)
Midwest	29.30	(28.61 - 30.01)	9.43	(8.90 - 9.99)	42.09	(41.04 - 43.16)	29.60	(28.74 - 30.49)	31.42	(30.66 - 32.20)
South	27.46	(26.82 - 28.12)	8.45	(7.97 - 8.95)	38.28	(37.29 - 39.28)	27.98	(27.18 - 28.80)	29.49	(28.78 - 30.21)
West	22.13	(21.34 - 22.94)	6.89	(6.34 - 7.49)	32.99	(31.72 - 34.28)	22.14	(21.15 - 23.16)	23.79	(22.92 - 24.67)
Alabama	31.54	(28.79 - 34.41)	8.83	(7.21 - 10.76)	42.18	(38.48 - 45.96)	32.50	(29.16 - 36.03)	33.93	(30.93 - 37.05)
Alaska	30.15	(27.39 - 33.06)	10.13	(8.26 - 12.37)	41.92	(38.19 - 45.74)	30.70	(27.31 - 34.30)	32.47	(29.44 - 35.65)
Arizona	23.65	(21.13 - 26.38)	7.11	(5.65 - 8.92)	35.29	(31.58 - 39.19)	23.79	(20.77 - 27.09)	25.49	(22.74 - 28.46)
Arkansas	33.29	(30.37 - 36.33)	10.63	(8.76 - 12.84)	42.19	(38.63 - 45.83)	34.63	(31.07 - 38.37)	35.73	(32.54 - 39.05)
California	19.05	(17.84 - 20.31)	5.66	(4.87 - 6.58)	29.19	(27.31 - 31.15)	18.90	(17.40 - 20.51)	20.51	(19.19 - 21.90)
Colorado	27.81	(25.28 - 30.49)	8.78	(7.06 - 10.87)	43.71	(39.82 - 47.69)	27.41	(24.39 - 30.65)	29.76	(27.02 - 32.66)
Connecticut	21.76	(19.46 - 24.26)	6.91	(5.53 - 8.60)	34.09	(30.39 - 38.00)	21.61	(18.92 - 24.58)	23.32	(20.81 - 26.03)
Delaware	28.22	(25.63 - 30.97)	8.94	(7.31 - 10.89)	39.71	(36.08 - 43.46)	28.46	(25.34 - 31.81)	30.09	(27.28 - 33.06)
District of Columbia	27.52	(24.98 - 30.21)	6.42	(5.07 - 8.11)	35.52	(31.96 - 39.25)	27.28	(24.25 - 30.52)	28.77	(26.10 - 31.60)
Florida	23.78	(22.37 - 25.25)	7.27	(6.34 - 8.33)	34.46	(32.53 - 36.44)	23.92	(22.22 - 25.69)	25.30	(23.77 - 26.89)
Georgia	26.81	(24.10 - 29.69)	8.32	(6.77 - 10.18)	36.74	(33.13 - 40.50)	27.53	(24.22 - 31.11)	28.92	(25.96 - 32.08)
Hawaii	20.24	(18.02 - 22.66)	7.91	(6.25 - 9.96)	31.67	(28.15 - 35.41)	19.78	(17.16 - 22.69)	21.39	(19.00 - 24.00)
Idaho	24.97	(22.46 - 27.66)	8.04	(6.44 - 10.00)	35.28	(31.84 - 38.88)	25.58	(22.48 - 28.94)	27.03	(24.26 - 29.99)
Illinois	26.13	(24.74 - 27.56)	7.51	(6.62 - 8.51)	38.76	(36.79 - 40.77)	26.35	(24.64 - 28.14)	28.15	(26.62 - 29.73)
Indiana	32.30	(29.57 - 35.16)	10.32	(8.49 - 12.50)	45.00	(41.33 - 48.73)	32.92	(29.60 - 36.42)	34.74	(31.75 - 37.86)
Iowa	27.46	(24.93 - 30.15)	9.33	(7.61 - 11.40)	43.23	(39.60 - 46.93)	26.90	(23.86 - 30.17)	29.35	(26.60 - 32.26)
Kansas	28.20	(25.61 - 30.94)	8.81	(7.22 - 10.71)	41.68	(38.02 - 45.43)	28.33	(25.20 - 31.69)	30.38	(27.55 - 33.37)
Kentucky	35.29	(32.61 - 38.07)	12.01	(10.06 - 14.29)	48.94	(45.33 - 52.55)	35.85	(32.60 - 39.23)	37.70	(34.79 - 40.71)
Louisiana	31.30	(28.64 - 34.08)	10.75	(8.85 - 13.00)	40.22	(36.56 - 43.99)	32.31	(29.06 - 35.74)	33.53	(30.63 - 36.56)
Maine	27.05	(24.38 - 29.89)	9.02	(7.38 - 10.97)	42.36	(38.83 - 45.97)	26.75	(23.59 - 30.17)	28.67	(25.79 - 31.74)
Maryland	22.07	(19.74 - 24.58)	6.64	(5.33 - 8.24)	35.13	(31.57 - 38.87)	21.76	(19.01 - 24.78)	23.65	(21.12 - 26.38)
Massachusetts	22.86	(20.54 - 25.37)	7.89	(6.41 - 9.68)	34.03	(30.59 - 37.66)	22.57	(19.81 - 25.59)	24.28	(21.77 - 26.98)
Michigan	29.62	(28.19 - 31.09)	9.65	(8.63 - 10.79)	41.35	(39.41 - 43.33)	30.10	(28.33 - 31.93)	31.75	(30.18 - 33.37)
Minnesota	26.76	(24.27 - 29.41)	8.86	(7.22 - 10.82)	43.33	(39.42 - 47.32)	26.23	(23.26 - 29.43)	28.63	(25.92 - 31.50)
Mississippi	36.69	(33.74 - 39.75)	12.27	(10.07 - 14.86)	47.13	(43.49 - 50.81)	38.07	(34.40 - 41.87)	39.47	(36.23 - 42.80)
Missouri	33.52	(30.71 - 36.45)	11.41	(9.57 - 13.55)	45.23	(41.68 - 48.81)	34.24	(30.80 - 37.85)	35.83	(32.77 - 39.01)
Montana	31.09	(28.42 - 33.89)	11.96	(10.01 - 14.22)	46.89	(43.20 - 50.62)	30.63	(27.47 - 33.99)	32.91	(30.03 - 35.93)

(continued)

Table 13 Tobacco Product Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	26.36	(23.85 - 29.03)	9.17	(7.50 - 11.16)	40.61	(37.04 - 44.27)	26.02	(23.00 - 29.28)	28.20	(25.47 - 31.10)
Nevada	27.37	(24.60 - 30.32)	8.30	(6.71 - 10.23)	37.96	(34.22 - 41.85)	28.03	(24.74 - 31.58)	29.40	(26.39 - 32.61)
New Hampshire	25.54	(23.14 - 28.10)	9.45	(7.75 - 11.46)	41.92	(38.29 - 45.63)	24.78	(21.97 - 27.83)	27.11	(24.52 - 29.86)
New Jersey	20.40	(18.06 - 22.96)	6.75	(5.39 - 8.42)	33.13	(29.62 - 36.85)	20.12	(17.37 - 23.17)	21.83	(19.28 - 24.61)
New Mexico	27.43	(24.74 - 30.30)	10.11	(8.16 - 12.47)	42.25	(38.50 - 46.08)	27.08	(23.82 - 30.60)	29.33	(26.40 - 32.43)
New York	23.93	(22.53 - 25.39)	7.21	(6.31 - 8.23)	34.36	(32.38 - 36.39)	24.01	(22.28 - 25.83)	25.55	(24.02 - 27.13)
North Carolina	26.99	(24.31 - 29.85)	7.97	(6.41 - 9.87)	37.94	(34.48 - 41.54)	27.49	(24.22 - 31.02)	28.98	(26.06 - 32.10)
North Dakota	30.81	(28.31 - 33.43)	11.14	(9.29 - 13.30)	46.48	(42.61 - 50.39)	29.61	(26.57 - 32.85)	32.62	(29.93 - 35.43)
Ohio	31.54	(30.10 - 33.01)	10.16	(9.10 - 11.32)	43.73	(41.75 - 45.73)	32.17	(30.39 - 34.00)	33.81	(32.24 - 35.41)
Oklahoma	35.12	(32.22 - 38.13)	9.85	(8.09 - 11.94)	46.87	(43.03 - 50.75)	36.27	(32.72 - 39.97)	37.88	(34.70 - 41.17)
Oregon	26.94	(24.34 - 29.71)	8.73	(7.04 - 10.78)	36.27	(32.73 - 39.97)	27.50	(24.40 - 30.83)	28.70	(25.89 - 31.68)
Pennsylvania	29.71	(28.34 - 31.13)	10.68	(9.58 - 11.90)	43.51	(41.50 - 45.53)	29.57	(27.90 - 31.30)	31.55	(30.06 - 33.09)
Rhode Island	26.91	(24.32 - 29.66)	8.52	(6.90 - 10.47)	37.78	(34.16 - 41.54)	26.87	(23.75 - 30.23)	28.63	(25.84 - 31.58)
South Carolina	30.58	(27.95 - 33.35)	9.91	(8.25 - 11.85)	42.50	(38.74 - 46.35)	30.99	(27.83 - 34.34)	32.67	(29.81 - 35.66)
South Dakota	30.86	(28.28 - 33.56)	9.82	(8.07 - 11.90)	45.21	(41.43 - 49.04)	30.95	(27.84 - 34.23)	33.07	(30.26 - 36.01)
Tennessee	31.12	(28.40 - 33.99)	10.35	(8.58 - 12.42)	40.35	(36.94 - 43.85)	32.10	(28.79 - 35.59)	33.27	(30.29 - 36.38)
Texas	23.98	(22.70 - 25.31)	7.02	(6.13 - 8.04)	34.74	(32.79 - 36.74)	24.43	(22.82 - 26.11)	26.06	(24.63 - 27.53)
Utah	20.38	(18.03 - 22.95)	5.95	(4.59 - 7.67)	25.94	(22.77 - 29.37)	21.62	(18.63 - 24.95)	22.42	(19.78 - 25.30)
Vermont	27.22	(24.58 - 30.04)	11.14	(9.16 - 13.48)	45.07	(41.32 - 48.88)	25.86	(22.76 - 29.23)	28.68	(25.85 - 31.69)
Virginia	27.63	(25.19 - 30.22)	8.59	(7.05 - 10.42)	38.98	(35.34 - 42.76)	27.95	(25.05 - 31.05)	29.55	(26.90 - 32.36)
Washington	24.32	(21.97 - 26.84)	8.33	(6.84 - 10.11)	37.66	(34.17 - 41.29)	24.02	(21.22 - 27.06)	25.94	(23.39 - 28.67)
West Virginia	37.76	(35.01 - 40.60)	12.84	(10.87 - 15.10)	48.85	(45.27 - 52.44)	38.66	(35.36 - 42.08)	40.01	(37.03 - 43.06)
Wisconsin	28.02	(25.35 - 30.86)	9.59	(7.85 - 11.66)	38.69	(35.26 - 42.24)	28.47	(25.24 - 31.94)	29.93	(27.02 - 33.00)
Wyoming	32.83	(30.16 - 35.61)	11.97	(9.99 - 14.29)	48.61	(44.81 - 52.43)	32.56	(29.33 - 35.96)	34.92	(32.03 - 37.93)

27

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 14 Cigarette Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	21.69	(21.24 - 22.15)	6.08	(5.79 - 6.39)	31.23	(30.56 - 31.90)	21.97	(21.42 - 22.54)	23.33	(22.84 - 23.84)
Northeast	20.22	(19.48 - 20.99)	5.86	(5.38 - 6.37)	30.59	(29.39 - 31.81)	20.13	(19.21 - 21.09)	21.63	(20.82 - 22.46)
Midwest	24.45	(23.81 - 25.10)	7.11	(6.69 - 7.56)	34.44	(33.44 - 35.45)	24.91	(24.09 - 25.74)	26.29	(25.59 - 27.01)
South	22.84	(22.24 - 23.46)	6.14	(5.75 - 6.55)	31.69	(30.72 - 32.68)	23.41	(22.64 - 24.19)	24.62	(23.96 - 25.30)
West	18.45	(17.70 - 19.22)	5.23	(4.74 - 5.76)	28.14	(26.91 - 29.41)	18.41	(17.46 - 19.39)	19.88	(19.06 - 20.73)
Alabama	26.03	(23.44 - 28.79)	6.25	(4.94 - 7.88)	33.74	(30.31 - 37.36)	27.14	(24.00 - 30.52)	28.11	(25.28 - 31.13)
Alaska	22.72	(20.40 - 25.21)	6.44	(5.10 - 8.10)	33.58	(30.23 - 37.11)	22.91	(20.03 - 26.08)	24.60	(22.05 - 27.34)
Arizona	19.82	(17.59 - 22.25)	5.46	(4.31 - 6.89)	29.82	(26.31 - 33.58)	19.96	(17.27 - 22.95)	21.42	(18.97 - 24.09)
Arkansas	26.82	(24.38 - 29.41)	7.56	(6.15 - 9.26)	34.02	(30.52 - 37.70)	28.02	(25.03 - 31.22)	28.90	(26.21 - 31.74)
California	16.29	(15.17 - 17.49)	4.31	(3.61 - 5.13)	25.83	(23.98 - 27.78)	16.08	(14.67 - 17.60)	17.61	(16.37 - 18.92)
Colorado	21.25	(19.05 - 23.61)	6.29	(5.02 - 7.87)	34.11	(30.49 - 37.92)	20.87	(18.24 - 23.77)	22.78	(20.39 - 25.36)
Connecticut	17.93	(15.97 - 20.07)	4.87	(3.79 - 6.26)	28.88	(25.42 - 32.60)	17.78	(15.47 - 20.35)	19.30	(17.17 - 21.63)
Delaware	23.21	(20.94 - 25.64)	6.85	(5.49 - 8.53)	34.10	(30.49 - 37.90)	23.22	(20.47 - 26.22)	24.80	(22.33 - 27.44)
District of Columbia	23.47	(21.15 - 25.96)	4.62	(3.59 - 5.94)	31.40	(27.83 - 35.21)	23.09	(20.28 - 26.16)	24.59	(22.15 - 27.22)
Florida	20.20	(18.92 - 21.54)	4.95	(4.23 - 5.79)	28.04	(26.22 - 29.93)	20.62	(19.06 - 22.28)	21.60	(20.21 - 23.05)
Georgia	21.65	(19.35 - 24.15)	6.05	(4.83 - 7.55)	30.09	(26.70 - 33.72)	22.25	(19.41 - 25.38)	23.44	(20.90 - 26.18)
Hawaii	17.17	(15.08 - 19.48)	5.40	(4.15 - 6.99)	26.59	(23.28 - 30.19)	16.96	(14.50 - 19.75)	18.27	(16.01 - 20.77)
Idaho	21.23	(19.00 - 23.65)	6.76	(5.43 - 8.37)	30.22	(26.93 - 33.73)	21.73	(19.00 - 24.73)	22.99	(20.53 - 25.66)
Illinois	22.68	(21.37 - 24.04)	5.89	(5.12 - 6.75)	33.13	(31.15 - 35.17)	23.04	(21.41 - 24.75)	24.50	(23.06 - 25.99)
Indiana	25.74	(23.42 - 28.20)	7.72	(6.25 - 9.51)	36.13	(32.71 - 39.69)	26.25	(23.42 - 29.29)	27.74	(25.19 - 30.43)
Iowa	23.12	(20.74 - 25.69)	7.25	(5.80 - 9.03)	35.40	(31.80 - 39.18)	22.90	(20.02 - 26.06)	24.77	(22.17 - 27.57)
Kansas	22.97	(20.58 - 25.54)	6.29	(5.07 - 7.77)	31.53	(28.05 - 35.23)	23.63	(20.70 - 26.84)	24.84	(22.21 - 27.68)
Kentucky	30.33	(27.69 - 33.10)	9.50	(7.87 - 11.43)	40.59	(36.84 - 44.44)	31.15	(27.93 - 34.56)	32.49	(29.59 - 35.52)
Louisiana	25.58	(23.16 - 28.16)	8.10	(6.53 - 10.00)	34.41	(30.87 - 38.14)	26.22	(23.26 - 29.42)	27.48	(24.82 - 30.31)
Maine	23.14	(20.79 - 25.67)	7.23	(5.85 - 8.91)	33.43	(29.93 - 37.12)	23.32	(20.54 - 26.36)	24.57	(22.03 - 27.31)
Maryland	18.24	(16.11 - 20.57)	5.05	(4.00 - 6.35)	27.96	(24.69 - 31.49)	18.21	(15.66 - 21.06)	19.59	(17.27 - 22.13)
Massachusetts	18.39	(16.32 - 20.66)	5.57	(4.39 - 7.04)	27.60	(24.36 - 31.09)	18.20	(15.73 - 20.95)	19.60	(17.36 - 22.05)
Michigan	25.29	(23.96 - 26.67)	7.14	(6.27 - 8.11)	34.27	(32.35 - 36.25)	26.02	(24.36 - 27.75)	27.23	(25.78 - 28.74)
Minnesota	21.47	(19.19 - 23.95)	7.04	(5.69 - 8.68)	35.47	(31.65 - 39.48)	20.94	(18.20 - 23.96)	22.97	(20.48 - 25.67)
Mississippi	30.62	(27.83 - 33.55)	8.11	(6.49 - 10.08)	39.29	(35.52 - 43.18)	32.06	(28.53 - 35.80)	33.17	(30.09 - 36.41)
Missouri	28.21	(25.59 - 30.98)	8.63	(7.09 - 10.46)	38.42	(34.78 - 42.19)	28.87	(25.68 - 32.30)	30.26	(27.39 - 33.29)
Montana	24.52	(22.14 - 27.07)	7.93	(6.53 - 9.61)	36.47	(32.83 - 40.26)	24.40	(21.54 - 27.51)	26.10	(23.51 - 28.86)

(continued)

Table 14 Cigarette Use in the Past Month, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	21.97	(19.61 - 24.53)	6.79	(5.48 - 8.37)	30.46	(27.04 - 34.12)	22.38	(19.52 - 25.54)	23.59	(21.00 - 26.40)
Nevada	24.15	(21.54 - 26.97)	6.05	(4.79 - 7.61)	33.00	(29.28 - 36.93)	24.97	(21.83 - 28.40)	26.08	(23.21 - 29.17)
New Hampshire	20.04	(17.90 - 22.37)	7.06	(5.71 - 8.70)	33.53	(30.15 - 37.09)	19.39	(16.85 - 22.21)	21.31	(18.98 - 23.83)
New Jersey	17.13	(15.07 - 19.41)	5.12	(4.03 - 6.47)	28.43	(25.11 - 32.01)	16.86	(14.42 - 19.63)	18.39	(16.13 - 20.88)
New Mexico	22.80	(20.40 - 25.40)	7.36	(5.75 - 9.37)	35.18	(31.65 - 38.87)	22.63	(19.70 - 25.86)	24.49	(21.85 - 27.34)
New York	19.92	(18.66 - 21.25)	5.10	(4.38 - 5.93)	29.02	(27.09 - 31.02)	20.02	(18.45 - 21.68)	21.35	(19.97 - 22.80)
North Carolina	23.01	(20.63 - 25.59)	6.18	(4.91 - 7.76)	31.91	(28.41 - 35.63)	23.59	(20.69 - 26.75)	24.78	(22.17 - 27.59)
North Dakota	25.03	(22.67 - 27.54)	8.10	(6.58 - 9.94)	34.91	(31.21 - 38.81)	24.79	(21.91 - 27.90)	26.59	(24.03 - 29.31)
Ohio	26.46	(25.14 - 27.83)	7.35	(6.47 - 8.34)	35.08	(33.09 - 37.13)	27.40	(25.75 - 29.11)	28.49	(27.04 - 29.99)
Oklahoma	29.24	(26.55 - 32.07)	6.57	(5.22 - 8.23)	37.80	(34.04 - 41.70)	30.63	(27.29 - 34.17)	31.71	(28.76 - 34.83)
Oregon	21.13	(18.88 - 23.57)	6.23	(4.96 - 7.80)	29.28	(25.79 - 33.03)	21.50	(18.84 - 24.43)	22.57	(20.13 - 25.21)
Pennsylvania	24.05	(22.75 - 25.41)	7.61	(6.69 - 8.65)	35.83	(33.88 - 37.82)	23.96	(22.37 - 25.62)	25.64	(24.22 - 27.12)
Rhode Island	20.57	(18.31 - 23.02)	6.17	(4.94 - 7.67)	30.33	(26.91 - 33.97)	20.30	(17.60 - 23.30)	21.91	(19.47 - 24.57)
South Carolina	26.05	(23.61 - 28.65)	7.33	(5.93 - 9.03)	35.68	(31.95 - 39.59)	26.62	(23.67 - 29.79)	27.94	(25.28 - 30.76)
South Dakota	26.00	(23.65 - 28.49)	7.95	(6.43 - 9.80)	36.50	(32.78 - 40.39)	26.39	(23.51 - 29.47)	27.89	(25.32 - 30.63)
Tennessee	25.24	(22.93 - 27.71)	7.62	(6.25 - 9.27)	32.90	(29.56 - 36.42)	26.10	(23.25 - 29.15)	27.06	(24.52 - 29.76)
Texas	19.94	(18.69 - 21.26)	5.17	(4.40 - 6.08)	29.70	(27.81 - 31.67)	20.26	(18.66 - 21.95)	21.75	(20.35 - 23.22)
Utah	17.52	(15.43 - 19.81)	5.40	(4.11 - 7.06)	23.60	(20.52 - 26.98)	18.24	(15.58 - 21.24)	19.23	(16.89 - 21.81)
Vermont	21.42	(19.33 - 23.67)	8.11	(6.60 - 9.94)	35.13	(31.62 - 38.80)	20.47	(17.98 - 23.21)	22.62	(20.36 - 25.05)
Virginia	22.61	(20.31 - 25.09)	6.13	(4.89 - 7.67)	31.78	(28.07 - 35.73)	23.00	(20.28 - 25.96)	24.27	(21.76 - 26.97)
Washington	19.83	(17.77 - 22.07)	6.64	(5.32 - 8.26)	30.68	(27.35 - 34.22)	19.60	(17.16 - 22.30)	21.16	(18.92 - 23.60)
West Virginia	30.51	(27.90 - 33.26)	8.94	(7.36 - 10.80)	38.18	(34.54 - 41.97)	31.58	(28.44 - 34.90)	32.46	(29.62 - 35.43)
Wisconsin	22.20	(19.95 - 24.63)	7.39	(5.94 - 9.17)	31.13	(27.85 - 34.62)	22.51	(19.78 - 25.50)	23.74	(21.28 - 26.39)
Wyoming	25.32	(23.02 - 27.78)	9.37	(7.66 - 11.41)	37.06	(33.43 - 40.85)	25.17	(22.40 - 28.16)	26.93	(24.40 - 29.61)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 15 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	71.24	(70.78 - 71.70)	64.96	(64.34 - 65.57)	66.32	(65.72 - 66.93)	72.86	(72.28 - 73.43)	71.90	(71.39 - 72.40)
Northeast	73.30	(72.47 - 74.11)	65.81	(64.70 - 66.89)	68.00	(66.91 - 69.07)	75.03	(74.02 - 76.01)	74.03	(73.13 - 74.90)
Midwest	67.84	(67.12 - 68.56)	64.20	(63.26 - 65.14)	62.78	(61.88 - 63.66)	69.16	(68.26 - 70.04)	68.22	(67.44 - 69.00)
South	70.63	(69.97 - 71.28)	64.52	(63.62 - 65.41)	65.59	(64.74 - 66.44)	72.25	(71.43 - 73.06)	71.28	(70.55 - 71.99)
West	73.74	(72.85 - 74.61)	65.74	(64.55 - 66.91)	69.34	(68.15 - 70.51)	75.55	(74.43 - 76.63)	74.60	(73.63 - 75.55)
Alabama	68.45	(65.76 - 71.02)	61.57	(58.14 - 64.89)	61.98	(58.66 - 65.19)	70.41	(67.09 - 73.53)	69.17	(66.26 - 71.93)
Alaska	65.69	(62.79 - 68.48)	59.08	(55.30 - 62.75)	59.31	(55.84 - 62.70)	67.79	(64.14 - 71.24)	66.45	(63.30 - 69.46)
Arizona	70.32	(67.67 - 72.85)	61.41	(57.86 - 64.84)	65.13	(61.67 - 68.43)	72.39	(69.12 - 75.43)	71.31	(68.45 - 74.01)
Arkansas	65.16	(62.33 - 67.89)	59.96	(56.19 - 63.62)	61.80	(58.53 - 64.96)	66.38	(62.92 - 69.68)	65.72	(62.66 - 68.65)
California	76.15	(74.75 - 77.49)	67.02	(65.11 - 68.87)	72.59	(70.75 - 74.36)	77.99	(76.23 - 79.66)	77.14	(75.62 - 78.60)
Colorado	72.96	(70.42 - 75.36)	66.56	(62.85 - 70.06)	66.52	(63.02 - 69.85)	74.81	(71.76 - 77.65)	73.62	(70.90 - 76.16)
Connecticut	74.02	(71.51 - 76.39)	68.51	(64.98 - 71.84)	69.07	(65.64 - 72.30)	75.48	(72.42 - 78.30)	74.60	(71.88 - 77.14)
Delaware	73.17	(70.58 - 75.61)	65.64	(62.18 - 68.93)	70.19	(66.78 - 73.39)	74.52	(71.37 - 77.43)	73.89	(71.10 - 76.50)
District of Columbia	75.63	(73.22 - 77.88)	60.00	(56.34 - 63.55)	72.60	(69.37 - 75.62)	77.43	(74.53 - 80.10)	76.55	(74.04 - 78.89)
Florida	75.09	(73.61 - 76.51)	70.43	(68.50 - 72.29)	69.60	(67.68 - 71.46)	76.40	(74.60 - 78.10)	75.51	(73.91 - 77.03)
Georgia	71.92	(69.24 - 74.44)	64.42	(60.87 - 67.81)	67.14	(63.74 - 70.36)	73.78	(70.49 - 76.81)	72.77	(69.87 - 75.49)
Hawaii	73.22	(70.63 - 75.65)	63.61	(59.87 - 67.18)	68.59	(65.11 - 71.87)	74.98	(71.83 - 77.89)	74.11	(71.33 - 76.71)
Idaho	68.73	(66.16 - 71.19)	63.22	(59.89 - 66.44)	64.46	(60.99 - 67.77)	70.26	(67.07 - 73.27)	69.40	(66.58 - 72.07)
Illinois	70.24	(68.76 - 71.68)	64.23	(62.26 - 66.15)	64.97	(63.05 - 66.84)	71.89	(70.06 - 73.65)	70.89	(69.28 - 72.45)
Indiana	67.86	(65.17 - 70.43)	64.91	(61.34 - 68.31)	62.85	(59.54 - 66.05)	69.13	(65.80 - 72.27)	68.18	(65.26 - 70.97)
Iowa	67.52	(64.69 - 70.21)	65.93	(62.54 - 69.17)	61.65	(58.08 - 65.10)	68.74	(65.29 - 71.99)	67.68	(64.63 - 70.58)
Kansas	68.41	(65.82 - 70.90)	64.71	(61.42 - 67.87)	62.76	(59.20 - 66.20)	69.93	(66.71 - 72.95)	68.82	(65.99 - 71.53)
Kentucky	62.60	(59.74 - 65.38)	59.93	(56.39 - 63.38)	56.64	(53.13 - 60.09)	63.91	(60.41 - 67.26)	62.87	(59.78 - 65.87)
Louisiana	70.58	(67.93 - 73.10)	62.94	(59.41 - 66.34)	65.45	(62.15 - 68.61)	72.49	(69.26 - 75.50)	71.40	(68.54 - 74.10)
Maine	68.05	(65.31 - 70.68)	64.43	(61.06 - 67.66)	61.23	(57.96 - 64.41)	69.37	(66.11 - 72.46)	68.37	(65.43 - 71.18)
Maryland	74.30	(71.84 - 76.62)	66.03	(62.60 - 69.30)	67.10	(63.87 - 70.18)	76.47	(73.45 - 79.24)	75.14	(72.48 - 77.63)
Massachusetts	72.32	(69.79 - 74.71)	65.42	(62.01 - 68.68)	67.92	(64.64 - 71.03)	73.85	(70.78 - 76.71)	72.97	(70.26 - 75.51)
Michigan	67.87	(66.43 - 69.28)	64.11	(62.18 - 65.99)	62.80	(60.93 - 64.63)	69.22	(67.41 - 70.97)	68.27	(66.70 - 69.80)
Minnesota	68.70	(65.94 - 71.33)	64.29	(60.84 - 67.59)	63.60	(60.15 - 66.91)	70.06	(66.69 - 73.22)	69.15	(66.18 - 71.98)
Mississippi	65.42	(62.44 - 68.28)	59.44	(55.86 - 62.92)	62.79	(59.37 - 66.09)	66.70	(63.00 - 70.20)	66.09	(62.86 - 69.18)
Missouri	65.90	(63.15 - 68.55)	61.18	(57.73 - 64.53)	59.82	(56.38 - 63.16)	67.51	(64.13 - 70.71)	66.39	(63.40 - 69.26)
Montana	67.54	(64.80 - 70.17)	63.27	(59.94 - 66.48)	61.44	(57.95 - 64.81)	69.01	(65.69 - 72.15)	67.95	(64.99 - 70.76)

(continued)

Table 15 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	66.91	(64.13 - 69.58)	65.29	(61.79 - 68.63)	62.09	(58.79 - 65.28)	67.96	(64.53 - 71.21)	67.08	(64.06 - 69.97)
Nevada	69.79	(67.09 - 72.36)	64.59	(60.98 - 68.05)	65.87	(62.38 - 69.20)	71.05	(67.79 - 74.11)	70.34	(67.44 - 73.08)
New Hampshire	72.05	(69.44 - 74.52)	66.29	(62.90 - 69.51)	67.96	(64.74 - 71.01)	73.34	(70.21 - 76.26)	72.61	(69.82 - 75.24)
New Jersey	76.19	(73.70 - 78.51)	65.05	(61.53 - 68.40)	71.77	(68.43 - 74.89)	78.20	(75.20 - 80.92)	77.35	(74.67 - 79.82)
New Mexico	72.43	(69.81 - 74.91)	62.89	(59.42 - 66.24)	65.31	(61.91 - 68.56)	74.89	(71.63 - 77.89)	73.47	(70.62 - 76.14)
New York	75.83	(74.45 - 77.15)	67.91	(66.01 - 69.76)	69.86	(67.90 - 71.76)	77.76	(76.08 - 79.35)	76.58	(75.10 - 78.01)
North Carolina	68.21	(65.28 - 71.00)	63.08	(59.34 - 66.66)	63.43	(60.03 - 66.71)	69.63	(66.04 - 72.99)	68.74	(65.57 - 71.75)
North Dakota	65.73	(63.09 - 68.27)	64.01	(60.52 - 67.35)	60.70	(57.20 - 64.10)	67.01	(63.72 - 70.14)	65.88	(63.06 - 68.59)
Ohio	65.65	(64.15 - 67.12)	63.90	(62.08 - 65.68)	61.34	(59.41 - 63.23)	66.58	(64.71 - 68.40)	65.84	(64.19 - 67.44)
Oklahoma	65.24	(62.48 - 67.89)	60.93	(57.49 - 64.27)	60.71	(57.24 - 64.08)	66.60	(63.18 - 69.85)	65.70	(62.70 - 68.58)
Oregon	70.87	(68.24 - 73.38)	63.41	(59.75 - 66.92)	65.95	(62.57 - 69.18)	72.48	(69.29 - 75.45)	71.59	(68.76 - 74.26)
Pennsylvania	68.55	(67.06 - 70.01)	62.76	(60.81 - 64.66)	63.12	(61.31 - 64.89)	70.10	(68.25 - 71.89)	69.11	(67.49 - 70.68)
Rhode Island	72.82	(70.26 - 75.23)	63.40	(59.81 - 66.84)	68.54	(65.27 - 71.63)	74.69	(71.55 - 77.58)	73.69	(70.95 - 76.27)
South Carolina	69.89	(67.35 - 72.32)	63.06	(59.63 - 66.36)	64.03	(60.67 - 67.26)	71.70	(68.61 - 74.59)	70.58	(67.85 - 73.17)
South Dakota	64.72	(61.97 - 67.37)	64.51	(60.95 - 67.92)	61.89	(58.24 - 65.40)	65.24	(61.90 - 68.43)	64.74	(61.78 - 67.59)
Tennessee	67.75	(65.05 - 70.34)	63.27	(59.65 - 66.74)	63.73	(60.46 - 66.88)	68.95	(65.68 - 72.03)	68.21	(65.29 - 70.99)
Texas	71.27	(69.81 - 72.69)	64.25	(62.28 - 66.17)	66.97	(65.11 - 68.77)	73.10	(71.24 - 74.87)	72.13	(70.52 - 73.68)
Utah	72.73	(70.28 - 75.06)	69.43	(65.99 - 72.66)	70.15	(66.82 - 73.29)	73.89	(70.76 - 76.80)	73.19	(70.51 - 75.72)
Vermont	71.48	(68.88 - 73.93)	66.83	(63.42 - 70.08)	65.10	(61.77 - 68.28)	73.06	(69.93 - 75.98)	71.89	(69.12 - 74.50)
Virginia	72.21	(69.70 - 74.60)	66.45	(63.08 - 69.67)	65.98	(62.36 - 69.42)	73.95	(70.91 - 76.78)	72.79	(70.08 - 75.34)
Washington	71.89	(69.44 - 74.21)	65.03	(61.51 - 68.40)	64.50	(61.10 - 67.76)	73.90	(70.94 - 76.65)	72.57	(69.95 - 75.05)
West Virginia	62.99	(60.19 - 65.70)	61.69	(58.28 - 64.99)	58.64	(55.22 - 61.97)	63.78	(60.42 - 67.00)	63.10	(60.10 - 66.00)
Wisconsin	68.94	(66.14 - 71.60)	65.62	(62.10 - 68.97)	64.29	(60.99 - 67.46)	70.10	(66.71 - 73.29)	69.27	(66.25 - 72.14)
Wyoming	66.76	(64.17 - 69.26)	64.01	(60.70 - 67.20)	59.85	(55.98 - 63.60)	68.28	(65.12 - 71.28)	67.03	(64.24 - 69.71)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 16 Alcohol Dependence or Abuse in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	6.70	(6.48 - 6.93)	3.11	(2.91 - 3.33)	13.67	(13.19 - 14.16)	5.95	(5.68 - 6.22)	7.08	(6.84 - 7.33)
Northeast	6.71	(6.29 - 7.17)	3.23	(2.88 - 3.62)	14.17	(13.36 - 15.03)	5.87	(5.36 - 6.42)	7.06	(6.59 - 7.55)
Midwest	6.78	(6.44 - 7.15)	3.16	(2.89 - 3.47)	14.08	(13.44 - 14.75)	5.99	(5.57 - 6.44)	7.17	(6.79 - 7.57)
South	6.28	(5.96 - 6.62)	2.96	(2.70 - 3.25)	12.64	(12.03 - 13.28)	5.61	(5.22 - 6.03)	6.64	(6.29 - 7.01)
West	7.28	(6.80 - 7.79)	3.23	(2.84 - 3.66)	14.52	(13.63 - 15.46)	6.50	(5.92 - 7.14)	7.72	(7.19 - 8.28)
Alabama	6.18	(5.17 - 7.37)	3.48	(2.60 - 4.64)	12.07	(10.10 - 14.36)	5.50	(4.37 - 6.89)	6.47	(5.38 - 7.75)
Alaska	7.12	(5.91 - 8.56)	2.68	(1.98 - 3.63)	13.27	(11.07 - 15.83)	6.58	(5.18 - 8.31)	7.63	(6.31 - 9.21)
Arizona	7.18	(5.97 - 8.60)	3.47	(2.60 - 4.60)	13.46	(11.18 - 16.11)	6.57	(5.20 - 8.27)	7.59	(6.28 - 9.15)
Arkansas	5.57	(4.58 - 6.76)	2.75	(1.99 - 3.79)	12.00	(10.00 - 14.34)	4.83	(3.74 - 6.22)	5.87	(4.81 - 7.16)
California	7.30	(6.58 - 8.10)	3.05	(2.47 - 3.77)	14.64	(13.24 - 16.17)	6.49	(5.63 - 7.47)	7.77	(6.98 - 8.64)
Colorado	7.54	(6.40 - 8.87)	3.41	(2.58 - 4.49)	16.29	(13.81 - 19.12)	6.57	(5.31 - 8.09)	7.97	(6.74 - 9.40)
Connecticut	7.05	(5.92 - 8.37)	2.90	(2.10 - 4.01)	14.42	(12.10 - 17.12)	6.38	(5.11 - 7.94)	7.48	(6.26 - 8.92)
Delaware	7.05	(5.96 - 8.34)	3.01	(2.23 - 4.06)	15.57	(13.16 - 18.32)	6.07	(4.87 - 7.54)	7.45	(6.27 - 8.82)
District of Columbia	11.96	(10.15 - 14.05)	2.55	(1.79 - 3.62)	18.12	(15.36 - 21.26)	11.27	(9.17 - 13.79)	12.52	(10.61 - 14.72)
Florida	6.12	(5.44 - 6.88)	2.78	(2.28 - 3.38)	11.96	(10.69 - 13.34)	5.59	(4.80 - 6.50)	6.42	(5.69 - 7.25)
Georgia	5.51	(4.55 - 6.66)	2.34	(1.69 - 3.22)	11.04	(9.08 - 13.36)	4.96	(3.89 - 6.29)	5.88	(4.83 - 7.13)
Hawaii	7.57	(6.28 - 9.11)	3.52	(2.46 - 5.00)	15.86	(13.22 - 18.90)	6.71	(5.26 - 8.53)	7.95	(6.56 - 9.60)
Idaho	6.65	(5.61 - 7.88)	3.59	(2.72 - 4.71)	13.15	(10.94 - 15.74)	5.95	(4.78 - 7.39)	7.03	(5.89 - 8.37)
Illinois	6.44	(5.77 - 7.17)	2.56	(2.08 - 3.16)	13.61	(12.31 - 15.03)	5.72	(4.92 - 6.63)	6.86	(6.13 - 7.66)
Indiana	6.98	(5.88 - 8.26)	3.47	(2.62 - 4.58)	14.51	(12.21 - 17.15)	6.10	(4.88 - 7.61)	7.37	(6.18 - 8.77)
Iowa	6.21	(5.19 - 7.41)	3.12	(2.28 - 4.26)	13.82	(11.58 - 16.42)	5.24	(4.13 - 6.64)	6.53	(5.44 - 7.82)
Kansas	7.06	(5.89 - 8.45)	3.28	(2.47 - 4.35)	13.45	(11.24 - 16.03)	6.41	(5.08 - 8.06)	7.49	(6.22 - 9.00)
Kentucky	5.92	(4.97 - 7.04)	3.08	(2.33 - 4.07)	12.96	(10.87 - 15.40)	5.10	(4.05 - 6.40)	6.21	(5.19 - 7.42)
Louisiana	6.05	(5.05 - 7.22)	3.12	(2.35 - 4.13)	11.57	(9.57 - 13.93)	5.42	(4.33 - 6.76)	6.36	(5.30 - 7.63)
Maine	6.36	(5.34 - 7.57)	3.24	(2.43 - 4.31)	15.00	(12.72 - 17.61)	5.47	(4.34 - 6.86)	6.64	(5.54 - 7.93)
Maryland	6.49	(5.41 - 7.77)	2.77	(2.03 - 3.76)	13.11	(11.00 - 15.55)	5.85	(4.65 - 7.32)	6.87	(5.71 - 8.25)
Massachusetts	7.10	(5.98 - 8.40)	3.28	(2.45 - 4.37)	14.88	(12.52 - 17.58)	6.16	(4.92 - 7.67)	7.46	(6.26 - 8.86)
Michigan	6.85	(6.17 - 7.59)	3.07	(2.56 - 3.68)	13.53	(12.23 - 14.95)	6.17	(5.36 - 7.09)	7.25	(6.51 - 8.07)
Minnesota	6.59	(5.52 - 7.85)	3.14	(2.36 - 4.17)	13.79	(11.47 - 16.49)	5.83	(4.66 - 7.27)	6.95	(5.79 - 8.32)
Mississippi	5.82	(4.84 - 6.98)	2.79	(2.08 - 3.74)	11.31	(9.36 - 13.61)	5.22	(4.14 - 6.56)	6.16	(5.10 - 7.43)
Missouri	6.67	(5.64 - 7.88)	3.55	(2.71 - 4.63)	13.67	(11.50 - 16.17)	5.87	(4.72 - 7.27)	7.00	(5.89 - 8.30)
Montana	8.26	(7.00 - 9.72)	4.81	(3.65 - 6.30)	18.00	(15.39 - 20.95)	7.05	(5.67 - 8.74)	8.59	(7.24 - 10.15)

(continued)

Table 16 Alcohol Dependence or Abuse in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	7.82	(6.63 - 9.20)	3.87	(2.91 - 5.13)	16.49	(14.06 - 19.26)	6.79	(5.46 - 8.40)	8.24	(6.95 - 9.74)
Nevada	7.68	(6.41 - 9.18)	3.11	(2.28 - 4.24)	14.07	(11.72 - 16.81)	7.22	(5.77 - 9.00)	8.17	(6.78 - 9.80)
New Hampshire	7.63	(6.50 - 8.94)	4.62	(3.51 - 6.05)	19.17	(16.47 - 22.19)	6.17	(4.93 - 7.69)	7.93	(6.72 - 9.34)
New Jersey	6.62	(5.47 - 7.98)	2.85	(2.04 - 3.95)	14.23	(11.87 - 16.96)	5.92	(4.65 - 7.50)	7.01	(5.78 - 8.49)
New Mexico	7.37	(6.19 - 8.76)	3.92	(2.93 - 5.21)	13.98	(11.80 - 16.48)	6.66	(5.32 - 8.32)	7.75	(6.47 - 9.26)
New York	6.58	(5.90 - 7.33)	3.23	(2.65 - 3.92)	12.90	(11.60 - 14.32)	5.86	(5.06 - 6.77)	6.90	(6.17 - 7.71)
North Carolina	5.85	(4.80 - 7.10)	2.97	(2.19 - 4.02)	12.42	(10.23 - 15.00)	5.10	(3.97 - 6.53)	6.15	(5.03 - 7.50)
North Dakota	8.42	(7.18 - 9.86)	4.57	(3.37 - 6.16)	17.57	(14.90 - 20.60)	6.87	(5.53 - 8.50)	8.78	(7.45 - 10.32)
Ohio	6.43	(5.80 - 7.13)	2.98	(2.46 - 3.59)	13.59	(12.34 - 14.95)	5.68	(4.93 - 6.53)	6.80	(6.11 - 7.57)
Oklahoma	7.24	(6.04 - 8.66)	3.15	(2.34 - 4.23)	13.45	(11.28 - 15.95)	6.66	(5.27 - 8.38)	7.69	(6.39 - 9.23)
Oregon	7.09	(5.95 - 8.42)	3.36	(2.52 - 4.47)	14.50	(12.22 - 17.12)	6.33	(5.08 - 7.88)	7.45	(6.23 - 8.87)
Pennsylvania	6.48	(5.82 - 7.22)	3.39	(2.83 - 4.06)	14.69	(13.36 - 16.13)	5.47	(4.70 - 6.37)	6.78	(6.06 - 7.58)
Rhode Island	8.48	(7.20 - 9.96)	3.19	(2.36 - 4.30)	17.86	(15.22 - 20.84)	7.27	(5.83 - 9.03)	8.97	(7.60 - 10.57)
South Carolina	5.99	(5.00 - 7.17)	3.01	(2.23 - 4.04)	11.87	(9.83 - 14.26)	5.35	(4.25 - 6.70)	6.29	(5.23 - 7.56)
South Dakota	7.96	(6.78 - 9.34)	3.61	(2.66 - 4.87)	16.94	(14.39 - 19.84)	6.93	(5.61 - 8.54)	8.42	(7.14 - 9.91)
Tennessee	5.57	(4.66 - 6.65)	3.10	(2.30 - 4.18)	11.62	(9.73 - 13.83)	4.87	(3.86 - 6.12)	5.83	(4.85 - 6.98)
Texas	6.67	(6.03 - 7.38)	3.08	(2.55 - 3.72)	13.12	(11.85 - 14.50)	5.99	(5.21 - 6.87)	7.12	(6.41 - 7.89)
Utah	5.36	(4.39 - 6.52)	2.67	(1.87 - 3.79)	11.45	(9.42 - 13.84)	4.43	(3.38 - 5.80)	5.74	(4.69 - 7.01)
Vermont	6.83	(5.77 - 8.05)	4.39	(3.26 - 5.90)	15.97	(13.49 - 18.82)	5.51	(4.38 - 6.92)	7.05	(5.93 - 8.35)
Virginia	7.39	(6.24 - 8.73)	3.22	(2.42 - 4.27)	15.99	(13.47 - 18.89)	6.41	(5.16 - 7.95)	7.81	(6.57 - 9.25)
Washington	7.60	(6.43 - 8.97)	3.47	(2.64 - 4.54)	14.84	(12.51 - 17.52)	6.90	(5.57 - 8.51)	8.02	(6.75 - 9.50)
West Virginia	6.06	(5.09 - 7.20)	3.56	(2.67 - 4.75)	12.53	(10.53 - 14.85)	5.34	(4.27 - 6.65)	6.28	(5.25 - 7.51)
Wisconsin	7.71	(6.55 - 9.05)	3.87	(2.92 - 5.12)	15.99	(13.63 - 18.67)	6.80	(5.50 - 8.38)	8.10	(6.85 - 9.56)
Wyoming	8.13	(6.91 - 9.54)	4.91	(3.70 - 6.50)	16.71	(14.14 - 19.62)	7.03	(5.67 - 8.67)	8.45	(7.14 - 9.98)

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 17 Alcohol Dependence in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	3.18	(3.03 - 3.34)	1.15	(1.03 - 1.29)	5.77	(5.47 - 6.09)	2.99	(2.80 - 3.19)	3.40	(3.23 - 3.57)
Northeast	3.09	(2.82 - 3.37)	1.16	(0.99 - 1.36)	5.94	(5.38 - 6.55)	2.83	(2.52 - 3.17)	3.27	(2.99 - 3.59)
Midwest	3.18	(2.96 - 3.42)	1.14	(0.99 - 1.32)	5.71	(5.31 - 6.14)	3.00	(2.74 - 3.29)	3.40	(3.16 - 3.66)
South	3.05	(2.84 - 3.28)	1.09	(0.94 - 1.26)	5.28	(4.90 - 5.68)	2.91	(2.65 - 3.19)	3.26	(3.02 - 3.51)
West	3.47	(3.17 - 3.81)	1.24	(1.03 - 1.50)	6.45	(5.84 - 7.13)	3.22	(2.86 - 3.64)	3.71	(3.38 - 4.08)
Alabama	3.28	(2.58 - 4.17)	1.24	(0.84 - 1.83)	5.01	(3.82 - 6.53)	3.24	(2.43 - 4.31)	3.50	(2.73 - 4.47)
Alaska	3.27	(2.60 - 4.10)	0.94	(0.60 - 1.47)	6.60	(5.08 - 8.55)	2.96	(2.19 - 3.98)	3.54	(2.80 - 4.45)
Arizona	3.44	(2.70 - 4.37)	1.36	(0.94 - 1.97)	5.89	(4.52 - 7.64)	3.29	(2.44 - 4.42)	3.67	(2.87 - 4.69)
Arkansas	2.95	(2.32 - 3.74)	1.02	(0.68 - 1.52)	5.31	(4.13 - 6.80)	2.79	(2.07 - 3.75)	3.15	(2.47 - 4.02)
California	3.54	(3.07 - 4.08)	1.20	(0.90 - 1.59)	6.65	(5.72 - 7.72)	3.27	(2.71 - 3.94)	3.80	(3.28 - 4.39)
Colorado	3.50	(2.80 - 4.38)	1.24	(0.86 - 1.80)	6.44	(4.98 - 8.27)	3.28	(2.48 - 4.32)	3.73	(2.97 - 4.69)
Connecticut	3.21	(2.48 - 4.16)	0.97	(0.63 - 1.51)	5.93	(4.38 - 7.98)	3.06	(2.23 - 4.17)	3.45	(2.65 - 4.49)
Delaware	3.28	(2.59 - 4.14)	0.98	(0.65 - 1.46)	6.57	(5.01 - 8.58)	2.98	(2.21 - 4.00)	3.50	(2.75 - 4.43)
District of Columbia	5.12	(4.10 - 6.38)	1.06	(0.67 - 1.67)	8.95	(6.79 - 11.72)	4.56	(3.43 - 6.05)	5.36	(4.29 - 6.69)
Florida	2.91	(2.46 - 3.43)	1.08	(0.82 - 1.43)	4.50	(3.79 - 5.33)	2.86	(2.34 - 3.49)	3.07	(2.60 - 3.64)
Georgia	2.74	(2.11 - 3.54)	0.93	(0.61 - 1.41)	4.74	(3.59 - 6.23)	2.62	(1.92 - 3.57)	2.94	(2.26 - 3.82)
Hawaii	3.92	(3.03 - 5.06)	1.71	(1.05 - 2.76)	8.29	(6.37 - 10.73)	3.47	(2.49 - 4.82)	4.13	(3.17 - 5.36)
Idaho	2.95	(2.32 - 3.75)	1.16	(0.79 - 1.71)	5.07	(3.81 - 6.73)	2.83	(2.12 - 3.79)	3.17	(2.47 - 4.05)
Illinois	3.04	(2.61 - 3.55)	1.01	(0.77 - 1.32)	5.64	(4.82 - 6.59)	2.86	(2.35 - 3.49)	3.26	(2.78 - 3.82)
Indiana	3.12	(2.47 - 3.94)	1.24	(0.84 - 1.82)	5.92	(4.60 - 7.61)	2.87	(2.13 - 3.85)	3.33	(2.62 - 4.22)
Iowa	3.01	(2.37 - 3.82)	1.11	(0.76 - 1.60)	5.72	(4.37 - 7.45)	2.77	(2.06 - 3.72)	3.21	(2.52 - 4.09)
Kansas	3.41	(2.68 - 4.33)	1.22	(0.82 - 1.80)	5.53	(4.16 - 7.31)	3.31	(2.47 - 4.44)	3.65	(2.86 - 4.66)
Kentucky	3.09	(2.44 - 3.91)	1.24	(0.86 - 1.79)	5.33	(4.09 - 6.93)	2.95	(2.20 - 3.94)	3.28	(2.57 - 4.18)
Louisiana	3.08	(2.44 - 3.88)	1.03	(0.71 - 1.49)	5.50	(4.23 - 7.13)	2.90	(2.17 - 3.87)	3.30	(2.60 - 4.18)
Maine	3.35	(2.62 - 4.26)	1.19	(0.82 - 1.74)	5.91	(4.62 - 7.51)	3.21	(2.39 - 4.30)	3.54	(2.76 - 4.53)
Maryland	2.99	(2.36 - 3.78)	1.05	(0.72 - 1.52)	5.93	(4.59 - 7.64)	2.73	(2.02 - 3.68)	3.19	(2.50 - 4.05)
Massachusetts	3.03	(2.41 - 3.81)	1.07	(0.72 - 1.58)	6.17	(4.75 - 7.97)	2.70	(2.01 - 3.62)	3.22	(2.55 - 4.06)
Michigan	3.30	(2.85 - 3.82)	1.19	(0.92 - 1.54)	5.84	(4.99 - 6.82)	3.12	(2.59 - 3.76)	3.52	(3.03 - 4.09)
Minnesota	3.06	(2.39 - 3.91)	1.06	(0.71 - 1.58)	5.55	(4.21 - 7.28)	2.90	(2.14 - 3.91)	3.27	(2.54 - 4.19)
Mississippi	2.99	(2.35 - 3.80)	0.97	(0.65 - 1.43)	4.92	(3.76 - 6.43)	2.91	(2.16 - 3.90)	3.22	(2.52 - 4.11)
Missouri	3.13	(2.47 - 3.95)	1.12	(0.76 - 1.64)	5.37	(4.14 - 6.96)	2.99	(2.23 - 3.99)	3.34	(2.62 - 4.24)
Montana	3.84	(3.04 - 4.83)	1.64	(1.11 - 2.42)	7.26	(5.64 - 9.29)	3.52	(2.63 - 4.70)	4.05	(3.19 - 5.12)

(continued)

**Table 17 Alcohol Dependence in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013
NSDUHs (continued)**

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	3.54	(2.81 - 4.45)	1.16	(0.79 - 1.70)	6.53	(5.05 - 8.41)	3.31	(2.47 - 4.42)	3.79	(3.00 - 4.79)
Nevada	3.67	(2.88 - 4.66)	1.40	(0.96 - 2.05)	6.85	(5.29 - 8.82)	3.44	(2.56 - 4.61)	3.91	(3.06 - 4.98)
New Hampshire	3.51	(2.77 - 4.44)	1.42	(0.97 - 2.08)	7.79	(6.13 - 9.84)	3.08	(2.26 - 4.17)	3.71	(2.92 - 4.72)
New Jersey	2.84	(2.21 - 3.65)	1.03	(0.70 - 1.52)	5.78	(4.35 - 7.63)	2.62	(1.91 - 3.57)	3.03	(2.35 - 3.91)
New Mexico	3.24	(2.56 - 4.09)	1.20	(0.82 - 1.74)	5.76	(4.40 - 7.51)	3.06	(2.28 - 4.09)	3.46	(2.72 - 4.39)
New York	3.23	(2.77 - 3.77)	1.26	(0.97 - 1.64)	5.69	(4.82 - 6.71)	3.02	(2.48 - 3.68)	3.42	(2.92 - 4.00)
North Carolina	2.76	(2.12 - 3.59)	1.08	(0.73 - 1.61)	4.95	(3.74 - 6.52)	2.60	(1.87 - 3.61)	2.94	(2.24 - 3.84)
North Dakota	3.69	(2.99 - 4.56)	1.49	(1.02 - 2.18)	7.30	(5.70 - 9.31)	3.15	(2.39 - 4.15)	3.90	(3.14 - 4.82)
Ohio	3.01	(2.58 - 3.50)	1.08	(0.83 - 1.40)	5.16	(4.41 - 6.03)	2.89	(2.38 - 3.50)	3.21	(2.75 - 3.75)
Oklahoma	3.29	(2.56 - 4.21)	1.03	(0.68 - 1.55)	5.23	(3.95 - 6.90)	3.23	(2.39 - 4.35)	3.53	(2.75 - 4.54)
Oregon	3.49	(2.76 - 4.39)	1.25	(0.85 - 1.84)	6.53	(5.10 - 8.34)	3.26	(2.45 - 4.32)	3.70	(2.92 - 4.68)
Pennsylvania	2.87	(2.44 - 3.37)	1.16	(0.88 - 1.52)	5.89	(5.04 - 6.87)	2.56	(2.07 - 3.17)	3.04	(2.57 - 3.58)
Rhode Island	3.97	(3.14 - 5.01)	1.24	(0.83 - 1.86)	8.29	(6.48 - 10.55)	3.45	(2.54 - 4.67)	4.23	(3.33 - 5.35)
South Carolina	3.09	(2.40 - 3.97)	1.00	(0.67 - 1.49)	4.56	(3.41 - 6.08)	3.09	(2.28 - 4.17)	3.30	(2.55 - 4.26)
South Dakota	3.58	(2.88 - 4.44)	1.18	(0.81 - 1.70)	7.17	(5.68 - 9.01)	3.24	(2.46 - 4.27)	3.83	(3.07 - 4.77)
Tennessee	2.87	(2.25 - 3.66)	1.08	(0.73 - 1.59)	4.93	(3.78 - 6.42)	2.74	(2.04 - 3.69)	3.05	(2.38 - 3.91)
Texas	3.17	(2.74 - 3.66)	1.14	(0.87 - 1.49)	5.55	(4.75 - 6.47)	3.02	(2.51 - 3.62)	3.42	(2.95 - 3.96)
Utah	2.63	(1.98 - 3.49)	0.89	(0.55 - 1.45)	4.32	(3.14 - 5.91)	2.54	(1.79 - 3.60)	2.88	(2.16 - 3.83)
Vermont	3.20	(2.51 - 4.06)	1.34	(0.92 - 1.96)	6.43	(4.97 - 8.28)	2.84	(2.08 - 3.86)	3.36	(2.63 - 4.30)
Virginia	3.46	(2.77 - 4.32)	1.19	(0.81 - 1.77)	7.04	(5.47 - 9.03)	3.12	(2.36 - 4.13)	3.69	(2.94 - 4.62)
Washington	3.37	(2.72 - 4.16)	1.40	(0.95 - 2.05)	6.61	(5.18 - 8.41)	3.07	(2.35 - 4.00)	3.57	(2.87 - 4.43)
West Virginia	3.06	(2.43 - 3.84)	1.17	(0.79 - 1.74)	4.87	(3.72 - 6.36)	2.98	(2.26 - 3.91)	3.23	(2.55 - 4.07)
Wisconsin	3.62	(2.86 - 4.56)	1.40	(0.96 - 2.03)	6.35	(4.97 - 8.08)	3.43	(2.56 - 4.58)	3.85	(3.03 - 4.88)
Wyoming	3.90	(3.13 - 4.85)	1.49	(1.03 - 2.15)	8.05	(6.25 - 10.31)	3.46	(2.62 - 4.57)	4.14	(3.31 - 5.17)

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 18 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	2.71	(2.58 - 2.85)	3.76	(3.52 - 4.01)	7.59	(7.24 - 7.95)	1.74	(1.59 - 1.91)	2.60	(2.46 - 2.75)
Northeast	2.68	(2.46 - 2.93)	3.60	(3.22 - 4.04)	8.02	(7.41 - 8.68)	1.69	(1.46 - 1.96)	2.60	(2.36 - 2.85)
Midwest	2.61	(2.43 - 2.82)	3.47	(3.16 - 3.82)	7.16	(6.69 - 7.65)	1.73	(1.53 - 1.96)	2.52	(2.32 - 2.74)
South	2.64	(2.46 - 2.84)	3.66	(3.33 - 4.02)	7.08	(6.62 - 7.56)	1.76	(1.55 - 1.99)	2.53	(2.34 - 2.74)
West	2.93	(2.69 - 3.20)	4.27	(3.77 - 4.83)	8.43	(7.71 - 9.22)	1.77	(1.52 - 2.08)	2.79	(2.53 - 3.07)
Alabama	2.65	(2.03 - 3.44)	2.88	(2.05 - 4.02)	5.87	(4.54 - 7.57)	2.06	(1.41 - 3.00)	2.62	(1.98 - 3.46)
Alaska	2.74	(2.18 - 3.45)	3.07	(2.20 - 4.28)	8.16	(6.50 - 10.21)	1.68	(1.13 - 2.48)	2.70	(2.12 - 3.44)
Arizona	3.05	(2.39 - 3.88)	4.83	(3.56 - 6.53)	7.24	(5.61 - 9.29)	2.08	(1.44 - 3.00)	2.85	(2.18 - 3.70)
Arkansas	3.02	(2.38 - 3.82)	4.03	(2.99 - 5.41)	7.55	(6.02 - 9.42)	2.12	(1.47 - 3.06)	2.91	(2.26 - 3.74)
California	2.90	(2.53 - 3.32)	4.19	(3.45 - 5.07)	8.96	(7.83 - 10.23)	1.60	(1.24 - 2.08)	2.76	(2.37 - 3.20)
Colorado	3.15	(2.51 - 3.95)	4.83	(3.56 - 6.52)	9.59	(7.54 - 12.14)	1.86	(1.27 - 2.72)	2.98	(2.33 - 3.80)
Connecticut	2.50	(1.96 - 3.19)	3.50	(2.49 - 4.90)	8.37	(6.68 - 10.45)	1.45	(0.96 - 2.18)	2.40	(1.85 - 3.10)
Delaware	3.07	(2.41 - 3.90)	3.75	(2.70 - 5.19)	8.75	(6.94 - 10.98)	2.03	(1.40 - 2.93)	3.00	(2.33 - 3.86)
District of Columbia	3.87	(3.04 - 4.92)	4.19	(3.06 - 5.71)	8.38	(6.59 - 10.60)	2.84	(1.98 - 4.08)	3.85	(2.99 - 4.95)
Florida	2.51	(2.15 - 2.92)	4.00	(3.32 - 4.82)	7.39	(6.45 - 8.46)	1.62	(1.25 - 2.08)	2.37	(2.01 - 2.80)
Georgia	3.09	(2.42 - 3.94)	3.95	(2.89 - 5.37)	7.51	(5.87 - 9.56)	2.19	(1.52 - 3.15)	2.99	(2.31 - 3.87)
Hawaii	2.64	(2.01 - 3.46)	4.20	(2.90 - 6.05)	7.57	(5.81 - 9.81)	1.69	(1.09 - 2.63)	2.49	(1.86 - 3.34)
Idaho	2.34	(1.84 - 2.97)	3.69	(2.70 - 5.02)	6.73	(5.24 - 8.60)	1.38	(0.93 - 2.06)	2.18	(1.68 - 2.82)
Illinois	2.25	(1.94 - 2.62)	3.25	(2.64 - 3.99)	6.77	(5.87 - 7.79)	1.36	(1.05 - 1.78)	2.15	(1.82 - 2.53)
Indiana	3.00	(2.37 - 3.79)	3.82	(2.78 - 5.24)	8.64	(6.90 - 10.77)	1.89	(1.29 - 2.76)	2.91	(2.26 - 3.73)
Iowa	2.17	(1.65 - 2.85)	2.52	(1.75 - 3.62)	6.63	(5.11 - 8.54)	1.34	(0.86 - 2.09)	2.13	(1.60 - 2.84)
Kansas	2.18	(1.64 - 2.91)	2.74	(1.93 - 3.89)	5.96	(4.47 - 7.90)	1.43	(0.92 - 2.21)	2.12	(1.56 - 2.87)
Kentucky	2.65	(2.07 - 3.39)	3.02	(2.16 - 4.20)	7.06	(5.55 - 8.95)	1.88	(1.30 - 2.72)	2.62	(2.01 - 3.39)
Louisiana	2.93	(2.32 - 3.69)	3.90	(2.88 - 5.25)	7.08	(5.55 - 8.98)	2.05	(1.43 - 2.92)	2.82	(2.20 - 3.62)
Maine	2.61	(2.05 - 3.32)	3.31	(2.38 - 4.58)	8.88	(7.16 - 10.96)	1.66	(1.12 - 2.45)	2.55	(1.97 - 3.28)
Maryland	2.62	(2.04 - 3.35)	3.39	(2.45 - 4.67)	8.11	(6.43 - 10.19)	1.62	(1.08 - 2.42)	2.54	(1.95 - 3.29)
Massachusetts	2.83	(2.23 - 3.58)	3.63	(2.64 - 4.97)	8.18	(6.42 - 10.37)	1.80	(1.24 - 2.61)	2.75	(2.14 - 3.53)
Michigan	3.00	(2.60 - 3.47)	4.13	(3.43 - 4.96)	6.80	(5.87 - 7.85)	2.21	(1.76 - 2.77)	2.88	(2.46 - 3.38)
Minnesota	2.42	(1.86 - 3.14)	2.93	(2.08 - 4.11)	6.85	(5.30 - 8.82)	1.64	(1.10 - 2.43)	2.37	(1.80 - 3.12)
Mississippi	2.82	(2.18 - 3.64)	3.54	(2.57 - 4.85)	6.31	(4.91 - 8.06)	2.08	(1.42 - 3.04)	2.74	(2.08 - 3.60)
Missouri	2.66	(2.11 - 3.36)	3.57	(2.65 - 4.81)	7.85	(6.18 - 9.93)	1.67	(1.15 - 2.42)	2.57	(2.00 - 3.29)
Montana	2.56	(2.03 - 3.23)	3.50	(2.56 - 4.77)	7.82	(6.18 - 9.85)	1.60	(1.10 - 2.33)	2.47	(1.93 - 3.17)

(continued)

Table 18 Illicit Drug Dependence or Abuse in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	2.67	(2.06 - 3.45)	4.13	(3.02 - 5.64)	6.78	(5.38 - 8.52)	1.76	(1.18 - 2.63)	2.51	(1.90 - 3.31)
Nevada	2.63	(2.04 - 3.37)	3.98	(2.89 - 5.44)	7.45	(5.78 - 9.55)	1.69	(1.14 - 2.49)	2.48	(1.89 - 3.25)
New Hampshire	2.87	(2.28 - 3.61)	4.38	(3.22 - 5.94)	9.39	(7.55 - 11.61)	1.68	(1.14 - 2.46)	2.73	(2.13 - 3.48)
New Jersey	2.22	(1.72 - 2.86)	3.15	(2.24 - 4.41)	7.86	(6.19 - 9.91)	1.26	(0.81 - 1.94)	2.12	(1.62 - 2.78)
New Mexico	3.27	(2.54 - 4.19)	4.98	(3.64 - 6.76)	7.75	(6.03 - 9.91)	2.26	(1.54 - 3.32)	3.08	(2.34 - 4.04)
New York	2.71	(2.34 - 3.15)	3.84	(3.17 - 4.65)	7.95	(6.94 - 9.10)	1.67	(1.29 - 2.16)	2.61	(2.22 - 3.06)
North Carolina	3.38	(2.64 - 4.32)	4.24	(3.08 - 5.81)	9.06	(7.18 - 11.37)	2.32	(1.60 - 3.36)	3.29	(2.53 - 4.26)
North Dakota	2.69	(2.11 - 3.43)	3.13	(2.25 - 4.32)	6.85	(5.32 - 8.78)	1.74	(1.18 - 2.56)	2.65	(2.05 - 3.43)
Ohio	2.92	(2.55 - 3.35)	3.55	(2.94 - 4.27)	7.73	(6.76 - 8.83)	2.05	(1.64 - 2.56)	2.86	(2.46 - 3.32)
Oklahoma	2.17	(1.62 - 2.88)	2.44	(1.64 - 3.61)	6.40	(4.87 - 8.38)	1.37	(0.86 - 2.19)	2.14	(1.58 - 2.88)
Oregon	3.24	(2.54 - 4.11)	5.12	(3.77 - 6.91)	8.24	(6.51 - 10.38)	2.24	(1.55 - 3.22)	3.06	(2.36 - 3.96)
Pennsylvania	2.83	(2.44 - 3.27)	3.42	(2.84 - 4.12)	7.68	(6.71 - 8.76)	1.96	(1.54 - 2.49)	2.77	(2.37 - 3.24)
Rhode Island	3.72	(2.94 - 4.70)	4.97	(3.66 - 6.72)	8.99	(7.15 - 11.25)	2.57	(1.79 - 3.69)	3.61	(2.81 - 4.62)
South Carolina	2.89	(2.28 - 3.66)	3.85	(2.84 - 5.21)	7.34	(5.77 - 9.30)	2.02	(1.42 - 2.88)	2.80	(2.17 - 3.59)
South Dakota	2.14	(1.61 - 2.85)	2.64	(1.82 - 3.80)	5.67	(4.27 - 7.49)	1.46	(0.95 - 2.26)	2.09	(1.54 - 2.83)
Tennessee	2.49	(1.93 - 3.21)	3.32	(2.40 - 4.57)	6.98	(5.48 - 8.85)	1.65	(1.11 - 2.46)	2.41	(1.84 - 3.15)
Texas	2.20	(1.88 - 2.57)	3.63	(2.96 - 4.45)	5.82	(4.98 - 6.80)	1.31	(0.98 - 1.74)	2.02	(1.69 - 2.42)
Utah	2.88	(2.28 - 3.63)	3.73	(2.70 - 5.14)	6.97	(5.40 - 8.95)	1.79	(1.22 - 2.63)	2.76	(2.14 - 3.55)
Vermont	2.91	(2.32 - 3.65)	3.76	(2.71 - 5.18)	9.17	(7.27 - 11.50)	1.75	(1.20 - 2.54)	2.84	(2.24 - 3.60)
Virginia	2.61	(2.05 - 3.33)	3.51	(2.57 - 4.76)	7.79	(6.02 - 10.01)	1.63	(1.12 - 2.36)	2.52	(1.95 - 3.26)
Washington	3.02	(2.38 - 3.83)	3.94	(2.88 - 5.36)	7.86	(6.18 - 9.94)	2.12	(1.49 - 3.01)	2.93	(2.27 - 3.77)
West Virginia	2.73	(2.11 - 3.51)	3.35	(2.45 - 4.57)	6.95	(5.42 - 8.88)	2.02	(1.40 - 2.90)	2.67	(2.04 - 3.49)
Wisconsin	2.30	(1.77 - 2.99)	3.50	(2.51 - 4.87)	6.61	(5.16 - 8.44)	1.44	(0.95 - 2.18)	2.18	(1.64 - 2.88)
Wyoming	2.27	(1.77 - 2.90)	3.42	(2.43 - 4.80)	6.20	(4.79 - 7.98)	1.45	(0.98 - 2.14)	2.15	(1.65 - 2.80)

37

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 19 *Illicit Drug Dependence in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013*
NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	1.91	(1.80 - 2.02)	1.96	(1.80 - 2.14)	5.38	(5.09 - 5.68)	1.31	(1.18 - 1.45)	1.90	(1.79 - 2.03)
Northeast	1.99	(1.80 - 2.20)	1.92	(1.67 - 2.22)	5.76	(5.24 - 6.32)	1.36	(1.16 - 1.61)	1.99	(1.79 - 2.22)
Midwest	1.84	(1.69 - 2.00)	1.91	(1.71 - 2.14)	5.15	(4.75 - 5.57)	1.26	(1.10 - 1.46)	1.83	(1.67 - 2.01)
South	1.83	(1.67 - 1.99)	1.99	(1.78 - 2.22)	4.91	(4.54 - 5.31)	1.28	(1.10 - 1.48)	1.81	(1.65 - 1.99)
West	2.04	(1.84 - 2.27)	2.01	(1.73 - 2.33)	6.01	(5.38 - 6.69)	1.34	(1.12 - 1.60)	2.05	(1.82 - 2.30)
Alabama	1.70	(1.28 - 2.25)	1.70	(1.18 - 2.45)	4.23	(3.08 - 5.77)	1.26	(0.84 - 1.90)	1.70	(1.26 - 2.29)
Alaska	1.77	(1.36 - 2.30)	1.64	(1.14 - 2.34)	5.63	(4.23 - 7.46)	1.06	(0.70 - 1.61)	1.78	(1.35 - 2.35)
Arizona	1.70	(1.30 - 2.22)	1.81	(1.28 - 2.53)	4.66	(3.41 - 6.33)	1.18	(0.80 - 1.72)	1.69	(1.27 - 2.25)
Arkansas	1.93	(1.46 - 2.54)	1.98	(1.44 - 2.71)	4.82	(3.60 - 6.43)	1.43	(0.95 - 2.13)	1.92	(1.43 - 2.58)
California	2.14	(1.82 - 2.50)	2.03	(1.61 - 2.56)	6.49	(5.52 - 7.63)	1.34	(1.02 - 1.76)	2.15	(1.81 - 2.55)
Colorado	2.09	(1.63 - 2.69)	2.10	(1.50 - 2.94)	6.69	(5.08 - 8.75)	1.32	(0.89 - 1.94)	2.09	(1.61 - 2.72)
Connecticut	1.83	(1.40 - 2.38)	1.83	(1.27 - 2.63)	6.31	(4.73 - 8.38)	1.12	(0.73 - 1.71)	1.83	(1.38 - 2.41)
Delaware	2.26	(1.74 - 2.93)	2.01	(1.46 - 2.76)	6.23	(4.74 - 8.14)	1.62	(1.12 - 2.34)	2.29	(1.74 - 3.00)
District of Columbia	3.03	(2.34 - 3.91)	2.34	(1.63 - 3.34)	6.12	(4.64 - 8.01)	2.39	(1.67 - 3.41)	3.07	(2.36 - 4.00)
Florida	1.85	(1.56 - 2.19)	2.14	(1.73 - 2.65)	5.23	(4.43 - 6.16)	1.31	(1.00 - 1.71)	1.82	(1.52 - 2.18)
Georgia	1.96	(1.48 - 2.61)	1.88	(1.36 - 2.58)	4.76	(3.52 - 6.40)	1.48	(0.99 - 2.21)	1.97	(1.46 - 2.67)
Hawaii	1.82	(1.34 - 2.45)	1.74	(1.18 - 2.55)	5.11	(3.72 - 7.00)	1.31	(0.85 - 2.02)	1.82	(1.33 - 2.50)
Idaho	1.60	(1.22 - 2.09)	1.81	(1.29 - 2.54)	4.91	(3.63 - 6.61)	0.99	(0.65 - 1.50)	1.57	(1.18 - 2.10)
Illinois	1.65	(1.39 - 1.95)	1.77	(1.40 - 2.23)	4.73	(3.98 - 5.61)	1.11	(0.85 - 1.46)	1.63	(1.36 - 1.96)
Indiana	2.08	(1.63 - 2.65)	2.03	(1.47 - 2.79)	6.32	(4.84 - 8.23)	1.33	(0.92 - 1.94)	2.09	(1.61 - 2.70)
Iowa	1.49	(1.11 - 1.98)	1.60	(1.12 - 2.28)	4.12	(3.00 - 5.64)	1.01	(0.65 - 1.56)	1.47	(1.08 - 2.00)
Kansas	1.41	(1.04 - 1.91)	1.46	(1.00 - 2.15)	3.87	(2.73 - 5.47)	0.96	(0.61 - 1.49)	1.40	(1.02 - 1.93)
Kentucky	2.03	(1.58 - 2.60)	1.80	(1.30 - 2.49)	5.61	(4.24 - 7.40)	1.47	(1.02 - 2.11)	2.05	(1.58 - 2.67)
Louisiana	2.10	(1.64 - 2.68)	2.05	(1.51 - 2.79)	5.49	(4.11 - 7.31)	1.49	(1.04 - 2.12)	2.10	(1.62 - 2.73)
Maine	1.87	(1.44 - 2.42)	1.85	(1.34 - 2.55)	6.43	(4.95 - 8.31)	1.23	(0.82 - 1.84)	1.87	(1.42 - 2.45)
Maryland	2.05	(1.59 - 2.65)	2.06	(1.49 - 2.86)	6.02	(4.59 - 7.86)	1.40	(0.96 - 2.03)	2.05	(1.57 - 2.68)
Massachusetts	2.14	(1.66 - 2.74)	2.11	(1.52 - 2.92)	6.03	(4.58 - 7.91)	1.46	(1.01 - 2.10)	2.14	(1.64 - 2.78)
Michigan	1.98	(1.69 - 2.33)	2.19	(1.77 - 2.71)	4.98	(4.23 - 5.85)	1.44	(1.12 - 1.85)	1.96	(1.65 - 2.33)
Minnesota	1.71	(1.29 - 2.26)	1.70	(1.20 - 2.41)	4.66	(3.41 - 6.35)	1.22	(0.82 - 1.82)	1.71	(1.27 - 2.30)
Mississippi	1.88	(1.44 - 2.46)	1.99	(1.43 - 2.76)	4.28	(3.11 - 5.87)	1.43	(0.96 - 2.11)	1.87	(1.40 - 2.49)
Missouri	1.95	(1.52 - 2.50)	1.95	(1.40 - 2.70)	6.02	(4.60 - 7.85)	1.26	(0.85 - 1.86)	1.95	(1.50 - 2.54)
Montana	1.86	(1.42 - 2.42)	2.05	(1.48 - 2.83)	5.80	(4.38 - 7.64)	1.19	(0.79 - 1.81)	1.84	(1.38 - 2.44)

(continued)

Table 19 Illicit Drug Dependence in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	1.59	(1.22 - 2.07)	1.88	(1.32 - 2.65)	4.64	(3.46 - 6.20)	1.01	(0.67 - 1.54)	1.56	(1.17 - 2.07)
Nevada	1.95	(1.49 - 2.54)	2.05	(1.46 - 2.87)	5.63	(4.19 - 7.53)	1.35	(0.92 - 1.97)	1.94	(1.46 - 2.57)
New Hampshire	2.13	(1.68 - 2.69)	2.27	(1.66 - 3.11)	7.35	(5.77 - 9.31)	1.29	(0.88 - 1.89)	2.11	(1.65 - 2.71)
New Jersey	1.78	(1.37 - 2.32)	1.67	(1.16 - 2.41)	5.91	(4.46 - 7.79)	1.17	(0.78 - 1.76)	1.79	(1.36 - 2.37)
New Mexico	2.29	(1.72 - 3.05)	2.47	(1.72 - 3.54)	5.80	(4.35 - 7.71)	1.66	(1.09 - 2.52)	2.27	(1.68 - 3.08)
New York	2.01	(1.70 - 2.39)	1.88	(1.49 - 2.38)	5.54	(4.70 - 6.52)	1.41	(1.08 - 1.84)	2.03	(1.69 - 2.43)
North Carolina	1.94	(1.50 - 2.50)	1.99	(1.43 - 2.76)	5.69	(4.28 - 7.52)	1.31	(0.89 - 1.91)	1.93	(1.48 - 2.53)
North Dakota	1.96	(1.51 - 2.53)	1.86	(1.34 - 2.57)	5.04	(3.77 - 6.71)	1.30	(0.88 - 1.91)	1.97	(1.50 - 2.57)
Ohio	2.19	(1.88 - 2.56)	2.14	(1.73 - 2.65)	5.90	(5.05 - 6.89)	1.58	(1.24 - 2.03)	2.20	(1.86 - 2.59)
Oklahoma	1.51	(1.13 - 2.01)	1.54	(1.07 - 2.21)	4.29	(3.13 - 5.85)	1.01	(0.65 - 1.56)	1.51	(1.11 - 2.04)
Oregon	2.20	(1.70 - 2.85)	2.30	(1.67 - 3.17)	6.04	(4.62 - 7.87)	1.59	(1.10 - 2.29)	2.19	(1.67 - 2.88)
Pennsylvania	1.99	(1.70 - 2.33)	2.03	(1.64 - 2.50)	5.37	(4.55 - 6.33)	1.42	(1.11 - 1.82)	1.98	(1.68 - 2.35)
Rhode Island	2.55	(1.94 - 3.35)	2.36	(1.67 - 3.32)	6.32	(4.84 - 8.22)	1.85	(1.23 - 2.76)	2.57	(1.93 - 3.41)
South Carolina	2.09	(1.62 - 2.69)	2.14	(1.58 - 2.90)	5.60	(4.26 - 7.32)	1.48	(1.02 - 2.16)	2.08	(1.59 - 2.72)
South Dakota	1.35	(0.99 - 1.84)	1.47	(1.00 - 2.16)	3.67	(2.61 - 5.14)	0.93	(0.58 - 1.48)	1.34	(0.96 - 1.86)
Tennessee	1.89	(1.47 - 2.44)	1.91	(1.39 - 2.64)	5.16	(3.92 - 6.76)	1.35	(0.93 - 1.96)	1.89	(1.45 - 2.47)
Texas	1.51	(1.26 - 1.82)	2.04	(1.61 - 2.57)	3.97	(3.27 - 4.82)	0.98	(0.72 - 1.33)	1.45	(1.18 - 1.78)
Utah	1.81	(1.36 - 2.39)	1.66	(1.16 - 2.38)	4.76	(3.53 - 6.39)	1.15	(0.74 - 1.80)	1.83	(1.35 - 2.46)
Vermont	2.28	(1.79 - 2.91)	2.37	(1.73 - 3.26)	7.18	(5.54 - 9.25)	1.43	(0.97 - 2.11)	2.27	(1.76 - 2.93)
Virginia	1.82	(1.41 - 2.36)	1.97	(1.43 - 2.70)	5.22	(3.89 - 6.97)	1.23	(0.83 - 1.81)	1.81	(1.37 - 2.38)
Washington	2.01	(1.56 - 2.59)	1.99	(1.46 - 2.71)	5.29	(3.97 - 7.01)	1.47	(1.03 - 2.10)	2.01	(1.54 - 2.63)
West Virginia	1.91	(1.45 - 2.51)	1.85	(1.32 - 2.58)	5.08	(3.82 - 6.72)	1.43	(0.96 - 2.13)	1.91	(1.43 - 2.55)
Wisconsin	1.57	(1.19 - 2.06)	1.79	(1.29 - 2.50)	4.67	(3.44 - 6.30)	1.03	(0.68 - 1.56)	1.55	(1.16 - 2.06)
Wyoming	1.65	(1.26 - 2.16)	1.78	(1.26 - 2.51)	4.50	(3.28 - 6.15)	1.14	(0.77 - 1.68)	1.64	(1.23 - 2.18)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 20 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	8.37	(8.12 - 8.63)	5.66	(5.37 - 5.96)	18.09	(17.54 - 18.65)	7.04	(6.75 - 7.34)	8.66	(8.39 - 8.94)
Northeast	8.32	(7.89 - 8.78)	5.65	(5.18 - 6.17)	19.10	(18.17 - 20.06)	6.83	(6.33 - 7.38)	8.59	(8.12 - 9.08)
Midwest	8.47	(8.11 - 8.84)	5.40	(5.03 - 5.81)	18.39	(17.69 - 19.12)	7.16	(6.73 - 7.62)	8.80	(8.41 - 9.20)
South	7.99	(7.65 - 8.34)	5.61	(5.21 - 6.03)	16.80	(16.13 - 17.49)	6.78	(6.37 - 7.21)	8.24	(7.87 - 8.63)
West	8.94	(8.45 - 9.45)	5.97	(5.41 - 6.59)	19.06	(18.05 - 20.11)	7.50	(6.92 - 8.13)	9.26	(8.72 - 9.82)
Alabama	7.69	(6.59 - 8.95)	5.67	(4.46 - 7.19)	15.02	(12.83 - 17.51)	6.67	(5.44 - 8.15)	7.90	(6.74 - 9.24)
Alaska	9.14	(7.86 - 10.60)	4.65	(3.53 - 6.10)	19.31	(16.74 - 22.16)	7.84	(6.36 - 9.62)	9.65	(8.26 - 11.25)
Arizona	9.01	(7.82 - 10.37)	6.38	(5.03 - 8.06)	18.34	(15.73 - 21.27)	7.73	(6.40 - 9.32)	9.31	(8.03 - 10.76)
Arkansas	7.71	(6.66 - 8.91)	5.67	(4.41 - 7.26)	17.24	(14.76 - 20.03)	6.35	(5.20 - 7.73)	7.93	(6.82 - 9.20)
California	8.75	(8.03 - 9.54)	5.83	(5.00 - 6.78)	19.16	(17.58 - 20.86)	7.20	(6.36 - 8.15)	9.08	(8.28 - 9.94)
Colorado	9.76	(8.46 - 11.22)	6.68	(5.28 - 8.41)	21.48	(18.65 - 24.60)	8.15	(6.72 - 9.85)	10.07	(8.70 - 11.63)
Connecticut	8.33	(7.17 - 9.65)	5.29	(4.12 - 6.77)	18.93	(16.25 - 21.93)	7.02	(5.73 - 8.57)	8.65	(7.40 - 10.07)
Delaware	9.23	(8.00 - 10.63)	5.68	(4.46 - 7.20)	20.62	(17.85 - 23.69)	7.71	(6.35 - 9.33)	9.58	(8.27 - 11.07)
District of Columbia	13.84	(12.09 - 15.79)	6.27	(4.90 - 7.99)	21.86	(18.94 - 25.09)	12.60	(10.58 - 14.93)	14.29	(12.45 - 16.34)
Florida	7.88	(7.14 - 8.68)	5.72	(4.93 - 6.64)	16.17	(14.79 - 17.65)	6.86	(6.01 - 7.82)	8.07	(7.29 - 8.94)
Georgia	7.29	(6.24 - 8.49)	5.13	(3.99 - 6.57)	14.88	(12.60 - 17.50)	6.22	(5.07 - 7.62)	7.53	(6.42 - 8.82)
Hawaii	8.68	(7.35 - 10.23)	6.81	(5.20 - 8.86)	20.15	(17.25 - 23.41)	7.08	(5.64 - 8.86)	8.86	(7.45 - 10.49)
Idaho	8.30	(7.18 - 9.58)	5.94	(4.68 - 7.51)	16.21	(13.95 - 18.76)	7.25	(5.98 - 8.77)	8.59	(7.39 - 9.97)
Illinois	7.71	(7.01 - 8.49)	4.79	(4.08 - 5.62)	17.64	(16.13 - 19.25)	6.41	(5.58 - 7.35)	8.03	(7.26 - 8.87)
Indiana	8.81	(7.67 - 10.09)	5.94	(4.64 - 7.57)	20.16	(17.51 - 23.11)	7.16	(5.91 - 8.66)	9.12	(7.91 - 10.50)
Iowa	7.89	(6.73 - 9.23)	4.73	(3.69 - 6.04)	17.86	(15.39 - 20.63)	6.52	(5.23 - 8.10)	8.22	(6.98 - 9.66)
Kansas	8.41	(7.24 - 9.74)	5.02	(3.96 - 6.35)	16.83	(14.41 - 19.57)	7.33	(6.01 - 8.91)	8.79	(7.53 - 10.23)
Kentucky	7.91	(6.84 - 9.14)	5.12	(4.05 - 6.46)	17.68	(15.16 - 20.52)	6.64	(5.47 - 8.04)	8.20	(7.05 - 9.52)
Louisiana	8.16	(7.09 - 9.38)	6.07	(4.79 - 7.66)	16.27	(14.00 - 18.83)	6.95	(5.75 - 8.39)	8.39	(7.24 - 9.70)
Maine	8.59	(7.38 - 9.97)	5.20	(4.05 - 6.65)	20.03	(17.46 - 22.87)	7.34	(5.99 - 8.95)	8.89	(7.61 - 10.37)
Maryland	8.02	(6.96 - 9.23)	5.18	(4.06 - 6.59)	18.27	(15.73 - 21.12)	6.67	(5.50 - 8.06)	8.31	(7.18 - 9.60)
Massachusetts	8.91	(7.75 - 10.22)	5.55	(4.40 - 6.99)	19.96	(17.34 - 22.86)	7.34	(6.07 - 8.86)	9.23	(7.99 - 10.63)
Michigan	8.77	(8.05 - 9.55)	5.82	(5.05 - 6.70)	17.43	(16.02 - 18.94)	7.65	(6.78 - 8.61)	9.09	(8.31 - 9.94)
Minnesota	8.41	(7.24 - 9.76)	4.93	(3.86 - 6.27)	18.20	(15.59 - 21.15)	7.24	(5.96 - 8.77)	8.78	(7.52 - 10.22)
Mississippi	7.78	(6.65 - 9.07)	5.69	(4.46 - 7.23)	14.67	(12.47 - 17.17)	6.80	(5.53 - 8.32)	8.01	(6.81 - 9.41)
Missouri	8.38	(7.26 - 9.66)	5.76	(4.55 - 7.27)	18.07	(15.61 - 20.81)	7.06	(5.81 - 8.55)	8.66	(7.46 - 10.02)
Montana	10.16	(8.87 - 11.62)	6.84	(5.46 - 8.54)	22.57	(19.82 - 25.57)	8.51	(7.04 - 10.25)	10.48	(9.10 - 12.04)

(continued)

Table 20 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)*

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	9.41	(8.18 - 10.81)	6.49	(5.15 - 8.14)	19.96	(17.45 - 22.73)	7.92	(6.53 - 9.58)	9.72	(8.41 - 11.22)
Nevada	9.20	(7.91 - 10.69)	5.83	(4.56 - 7.42)	18.59	(15.85 - 21.68)	8.12	(6.68 - 9.84)	9.56	(8.18 - 11.16)
New Hampshire	9.34	(8.14 - 10.69)	6.82	(5.38 - 8.61)	23.66	(20.77 - 26.83)	7.37	(6.07 - 8.92)	9.58	(8.31 - 11.02)
New Jersey	7.59	(6.49 - 8.86)	5.16	(4.02 - 6.59)	19.25	(16.59 - 22.22)	6.12	(4.94 - 7.56)	7.84	(6.68 - 9.19)
New Mexico	9.57	(8.27 - 11.05)	7.20	(5.71 - 9.03)	18.32	(15.77 - 21.19)	8.36	(6.88 - 10.12)	9.83	(8.45 - 11.42)
New York	8.24	(7.51 - 9.03)	5.82	(4.99 - 6.77)	17.81	(16.29 - 19.44)	6.84	(6.00 - 7.79)	8.47	(7.69 - 9.32)
North Carolina	8.43	(7.28 - 9.74)	5.88	(4.57 - 7.53)	18.46	(15.96 - 21.26)	7.07	(5.80 - 8.59)	8.69	(7.48 - 10.09)
North Dakota	9.85	(8.65 - 11.19)	5.84	(4.63 - 7.36)	20.72	(17.94 - 23.80)	7.93	(6.61 - 9.50)	10.22	(8.95 - 11.65)
Ohio	8.35	(7.64 - 9.13)	5.16	(4.47 - 5.94)	18.38	(16.95 - 19.91)	7.10	(6.26 - 8.03)	8.69	(7.92 - 9.53)
Oklahoma	8.42	(7.23 - 9.79)	4.87	(3.77 - 6.27)	17.51	(15.02 - 20.32)	7.25	(5.88 - 8.90)	8.81	(7.52 - 10.30)
Oregon	9.27	(8.00 - 10.73)	6.49	(5.10 - 8.23)	19.28	(16.65 - 22.20)	8.01	(6.59 - 9.71)	9.54	(8.18 - 11.10)
Pennsylvania	8.28	(7.57 - 9.04)	5.74	(4.97 - 6.62)	19.66	(18.13 - 21.28)	6.68	(5.86 - 7.61)	8.52	(7.77 - 9.34)
Rhode Island	10.78	(9.43 - 12.30)	6.48	(5.12 - 8.17)	22.60	(19.75 - 25.73)	8.99	(7.46 - 10.79)	11.18	(9.74 - 12.80)
South Carolina	8.01	(6.90 - 9.28)	5.74	(4.56 - 7.21)	16.49	(14.10 - 19.18)	6.84	(5.60 - 8.32)	8.24	(7.06 - 9.60)
South Dakota	9.01	(7.83 - 10.34)	5.04	(3.89 - 6.50)	19.73	(17.10 - 22.66)	7.62	(6.31 - 9.17)	9.42	(8.17 - 10.85)
Tennessee	7.40	(6.38 - 8.58)	5.18	(4.03 - 6.63)	16.10	(13.77 - 18.75)	6.24	(5.12 - 7.58)	7.63	(6.55 - 8.88)
Texas	7.97	(7.31 - 8.68)	5.82	(5.04 - 6.71)	16.52	(15.11 - 18.02)	6.67	(5.89 - 7.55)	8.23	(7.51 - 9.01)
Utah	7.07	(5.98 - 8.35)	4.56	(3.46 - 6.00)	15.14	(12.76 - 17.88)	5.66	(4.48 - 7.12)	7.43	(6.25 - 8.81)
Vermont	9.23	(8.01 - 10.62)	6.56	(5.19 - 8.26)	21.03	(18.19 - 24.17)	7.49	(6.14 - 9.10)	9.47	(8.18 - 10.94)
Virginia	8.52	(7.40 - 9.78)	5.64	(4.48 - 7.09)	19.49	(16.73 - 22.58)	6.99	(5.79 - 8.41)	8.81	(7.62 - 10.16)
Washington	9.40	(8.17 - 10.79)	5.85	(4.61 - 7.41)	19.48	(16.88 - 22.36)	8.16	(6.78 - 9.79)	9.76	(8.44 - 11.25)
West Virginia	8.22	(7.06 - 9.54)	5.70	(4.51 - 7.17)	16.62	(14.24 - 19.31)	7.20	(5.91 - 8.75)	8.44	(7.21 - 9.86)
Wisconsin	9.41	(8.12 - 10.86)	6.22	(4.91 - 7.85)	20.28	(17.71 - 23.13)	7.99	(6.55 - 9.71)	9.73	(8.37 - 11.30)
Wyoming	9.66	(8.43 - 11.05)	6.69	(5.37 - 8.30)	18.90	(16.35 - 21.73)	8.42	(7.02 - 10.07)	9.96	(8.65 - 11.45)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 21 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	2.42	(2.30 - 2.54)	3.49	(3.26 - 3.73)	6.94	(6.61 - 7.28)	1.51	(1.37 - 1.66)	2.31	(2.18 - 2.44)
Northeast	2.41	(2.19 - 2.65)	3.30	(2.95 - 3.69)	7.18	(6.60 - 7.80)	1.51	(1.28 - 1.79)	2.32	(2.09 - 2.57)
Midwest	2.31	(2.13 - 2.51)	3.17	(2.88 - 3.49)	6.50	(6.06 - 6.97)	1.48	(1.29 - 1.71)	2.22	(2.02 - 2.43)
South	2.37	(2.18 - 2.57)	3.42	(3.13 - 3.75)	6.55	(6.11 - 7.02)	1.52	(1.32 - 1.76)	2.26	(2.06 - 2.48)
West	2.60	(2.36 - 2.88)	4.00	(3.54 - 4.52)	7.75	(7.04 - 8.52)	1.51	(1.25 - 1.81)	2.45	(2.19 - 2.74)
Alabama	2.42	(1.86 - 3.14)	2.99	(2.18 - 4.08)	5.69	(4.36 - 7.41)	1.79	(1.22 - 2.61)	2.36	(1.78 - 3.12)
Alaska	2.43	(1.94 - 3.04)	2.79	(2.03 - 3.82)	7.56	(6.00 - 9.48)	1.42	(0.96 - 2.08)	2.39	(1.89 - 3.01)
Arizona	2.72	(2.14 - 3.45)	4.42	(3.33 - 5.84)	6.92	(5.41 - 8.83)	1.76	(1.21 - 2.56)	2.53	(1.95 - 3.28)
Arkansas	2.46	(1.94 - 3.13)	3.38	(2.50 - 4.54)	6.96	(5.46 - 8.83)	1.58	(1.08 - 2.31)	2.36	(1.83 - 3.06)
California	2.60	(2.26 - 3.00)	3.97	(3.30 - 4.77)	8.20	(7.10 - 9.45)	1.39	(1.05 - 1.83)	2.46	(2.10 - 2.87)
Colorado	2.71	(2.13 - 3.45)	4.62	(3.40 - 6.25)	8.54	(6.71 - 10.81)	1.50	(0.98 - 2.29)	2.52	(1.94 - 3.27)
Connecticut	2.23	(1.74 - 2.87)	3.32	(2.41 - 4.55)	7.33	(5.72 - 9.35)	1.29	(0.86 - 1.95)	2.12	(1.62 - 2.77)
Delaware	2.58	(2.01 - 3.31)	3.34	(2.45 - 4.54)	7.46	(5.87 - 9.44)	1.67	(1.13 - 2.45)	2.51	(1.93 - 3.26)
District of Columbia	3.38	(2.65 - 4.30)	4.10	(3.01 - 5.56)	7.79	(6.10 - 9.89)	2.34	(1.60 - 3.42)	3.34	(2.59 - 4.29)
Florida	2.24	(1.92 - 2.61)	3.81	(3.18 - 4.56)	6.61	(5.70 - 7.66)	1.41	(1.09 - 1.82)	2.09	(1.76 - 2.48)
Georgia	2.69	(2.10 - 3.44)	3.61	(2.69 - 4.84)	6.87	(5.36 - 8.77)	1.82	(1.24 - 2.66)	2.58	(1.98 - 3.36)
Hawaii	2.37	(1.76 - 3.18)	3.87	(2.72 - 5.48)	7.00	(5.35 - 9.12)	1.48	(0.91 - 2.39)	2.23	(1.62 - 3.06)
Idaho	2.09	(1.65 - 2.65)	3.53	(2.62 - 4.73)	6.34	(4.96 - 8.07)	1.15	(0.76 - 1.72)	1.92	(1.48 - 2.48)
Illinois	2.12	(1.81 - 2.49)	3.11	(2.54 - 3.80)	6.24	(5.42 - 7.18)	1.30	(0.97 - 1.73)	2.01	(1.69 - 2.40)
Indiana	2.53	(2.00 - 3.20)	3.37	(2.49 - 4.54)	7.41	(5.88 - 9.29)	1.56	(1.05 - 2.30)	2.44	(1.90 - 3.13)
Iowa	1.96	(1.48 - 2.60)	2.52	(1.78 - 3.55)	6.14	(4.73 - 7.93)	1.15	(0.72 - 1.84)	1.90	(1.41 - 2.55)
Kansas	1.95	(1.49 - 2.53)	2.67	(1.91 - 3.73)	5.51	(4.18 - 7.21)	1.20	(0.79 - 1.83)	1.86	(1.41 - 2.47)
Kentucky	2.30	(1.79 - 2.95)	2.83	(2.07 - 3.85)	6.05	(4.69 - 7.77)	1.62	(1.12 - 2.34)	2.24	(1.72 - 2.92)
Louisiana	2.66	(2.08 - 3.39)	3.46	(2.57 - 4.64)	6.82	(5.36 - 8.65)	1.79	(1.23 - 2.62)	2.57	(1.98 - 3.33)
Maine	2.27	(1.78 - 2.88)	3.04	(2.21 - 4.17)	7.96	(6.30 - 10.00)	1.39	(0.93 - 2.08)	2.20	(1.71 - 2.83)
Maryland	2.34	(1.83 - 2.97)	3.08	(2.28 - 4.15)	7.10	(5.55 - 9.03)	1.46	(0.99 - 2.16)	2.26	(1.75 - 2.92)
Massachusetts	2.47	(1.94 - 3.15)	3.41	(2.53 - 4.59)	7.36	(5.80 - 9.29)	1.51	(1.02 - 2.23)	2.38	(1.84 - 3.08)
Michigan	2.58	(2.22 - 2.99)	3.80	(3.18 - 4.53)	6.37	(5.50 - 7.36)	1.77	(1.38 - 2.26)	2.44	(2.07 - 2.88)
Minnesota	2.01	(1.55 - 2.60)	2.60	(1.87 - 3.61)	5.45	(4.17 - 7.09)	1.38	(0.93 - 2.05)	1.95	(1.48 - 2.57)
Mississippi	2.54	(1.95 - 3.31)	3.23	(2.36 - 4.40)	5.79	(4.47 - 7.47)	1.85	(1.24 - 2.76)	2.46	(1.85 - 3.27)
Missouri	2.25	(1.76 - 2.87)	2.94	(2.16 - 4.00)	7.19	(5.60 - 9.18)	1.33	(0.87 - 2.03)	2.18	(1.68 - 2.82)
Montana	2.19	(1.74 - 2.76)	3.17	(2.37 - 4.23)	7.24	(5.68 - 9.20)	1.26	(0.86 - 1.84)	2.10	(1.64 - 2.68)

(continued)

Table 21 Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	2.31	(1.80 - 2.96)	3.51	(2.60 - 4.71)	6.25	(4.88 - 7.97)	1.46	(0.98 - 2.17)	2.18	(1.66 - 2.85)
Nevada	2.35	(1.82 - 3.03)	3.55	(2.61 - 4.81)	7.06	(5.48 - 9.04)	1.45	(0.97 - 2.16)	2.22	(1.70 - 2.91)
New Hampshire	2.49	(1.97 - 3.14)	3.90	(2.88 - 5.25)	8.61	(6.89 - 10.71)	1.37	(0.91 - 2.05)	2.35	(1.83 - 3.01)
New Jersey	1.95	(1.50 - 2.53)	2.92	(2.11 - 4.03)	6.70	(5.22 - 8.56)	1.11	(0.71 - 1.76)	1.85	(1.40 - 2.44)
New Mexico	2.84	(2.20 - 3.67)	4.77	(3.54 - 6.39)	7.05	(5.50 - 8.99)	1.87	(1.25 - 2.77)	2.63	(1.99 - 3.48)
New York	2.55	(2.19 - 2.97)	3.52	(2.91 - 4.25)	7.29	(6.28 - 8.44)	1.61	(1.23 - 2.11)	2.46	(2.08 - 2.90)
North Carolina	3.02	(2.34 - 3.90)	4.00	(2.94 - 5.44)	8.59	(6.74 - 10.89)	1.97	(1.32 - 2.94)	2.92	(2.22 - 3.83)
North Dakota	2.28	(1.77 - 2.93)	2.64	(1.91 - 3.65)	5.78	(4.41 - 7.54)	1.48	(1.00 - 2.19)	2.25	(1.73 - 2.93)
Ohio	2.67	(2.31 - 3.09)	3.29	(2.72 - 3.97)	7.22	(6.30 - 8.28)	1.84	(1.45 - 2.33)	2.60	(2.22 - 3.05)
Oklahoma	1.88	(1.40 - 2.51)	2.35	(1.62 - 3.41)	5.88	(4.44 - 7.75)	1.10	(0.68 - 1.79)	1.83	(1.35 - 2.47)
Oregon	2.87	(2.20 - 3.73)	4.58	(3.38 - 6.18)	7.58	(5.93 - 9.64)	1.93	(1.29 - 2.88)	2.70	(2.03 - 3.58)
Pennsylvania	2.48	(2.13 - 2.88)	3.05	(2.52 - 3.70)	6.81	(5.89 - 7.85)	1.69	(1.32 - 2.17)	2.42	(2.06 - 2.85)
Rhode Island	2.99	(2.35 - 3.81)	4.28	(3.16 - 5.78)	8.05	(6.36 - 10.13)	1.88	(1.27 - 2.78)	2.87	(2.22 - 3.71)
South Carolina	2.52	(1.99 - 3.19)	3.50	(2.64 - 4.61)	6.74	(5.28 - 8.58)	1.69	(1.17 - 2.43)	2.42	(1.88 - 3.12)
South Dakota	1.87	(1.40 - 2.48)	2.40	(1.68 - 3.41)	5.19	(3.88 - 6.92)	1.22	(0.78 - 1.91)	1.81	(1.34 - 2.45)
Tennessee	2.27	(1.79 - 2.88)	3.05	(2.26 - 4.11)	6.57	(5.19 - 8.29)	1.47	(1.01 - 2.13)	2.19	(1.70 - 2.82)
Texas	2.05	(1.74 - 2.42)	3.45	(2.80 - 4.23)	5.57	(4.76 - 6.52)	1.19	(0.88 - 1.61)	1.88	(1.56 - 2.27)
Utah	2.55	(2.03 - 3.19)	3.53	(2.60 - 4.77)	6.43	(5.03 - 8.18)	1.49	(1.02 - 2.17)	2.41	(1.88 - 3.07)
Vermont	2.54	(2.00 - 3.21)	3.52	(2.58 - 4.78)	8.11	(6.43 - 10.17)	1.48	(0.99 - 2.19)	2.45	(1.91 - 3.14)
Virginia	2.37	(1.88 - 3.00)	3.28	(2.46 - 4.37)	7.20	(5.62 - 9.18)	1.45	(0.99 - 2.11)	2.28	(1.78 - 2.92)
Washington	2.60	(2.03 - 3.33)	3.68	(2.77 - 4.87)	7.18	(5.62 - 9.12)	1.72	(1.18 - 2.51)	2.49	(1.92 - 3.24)
West Virginia	2.47	(1.93 - 3.15)	3.05	(2.26 - 4.09)	6.45	(5.06 - 8.18)	1.81	(1.27 - 2.57)	2.42	(1.87 - 3.13)
Wisconsin	2.05	(1.58 - 2.65)	3.15	(2.28 - 4.33)	6.18	(4.76 - 7.98)	1.23	(0.81 - 1.86)	1.93	(1.47 - 2.54)
Wyoming	2.01	(1.56 - 2.59)	3.17	(2.32 - 4.33)	5.69	(4.33 - 7.43)	1.24	(0.84 - 1.82)	1.89	(1.44 - 2.48)

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 22 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	6.40	(6.18 - 6.62)	2.96	(2.76 - 3.17)	13.34	(12.87 - 13.83)	5.63	(5.37 - 5.89)	6.76	(6.53 - 7.00)
Northeast	6.37	(5.97 - 6.79)	3.10	(2.77 - 3.47)	13.77	(12.94 - 14.64)	5.51	(5.05 - 6.01)	6.69	(6.26 - 7.14)
Midwest	6.52	(6.20 - 6.87)	2.99	(2.72 - 3.29)	13.61	(12.94 - 14.31)	5.76	(5.36 - 6.19)	6.90	(6.54 - 7.28)
South	6.09	(5.77 - 6.44)	2.82	(2.57 - 3.10)	12.53	(11.90 - 13.18)	5.40	(5.01 - 5.82)	6.44	(6.09 - 6.82)
West	6.79	(6.36 - 7.25)	3.05	(2.68 - 3.47)	14.05	(13.13 - 15.02)	5.97	(5.46 - 6.52)	7.19	(6.72 - 7.69)
Alabama	6.09	(5.05 - 7.34)	3.27	(2.42 - 4.41)	12.03	(10.06 - 14.33)	5.41	(4.24 - 6.89)	6.39	(5.26 - 7.74)
Alaska	6.64	(5.51 - 7.97)	2.54	(1.84 - 3.50)	13.53	(11.41 - 15.97)	5.90	(4.61 - 7.52)	7.11	(5.88 - 8.57)
Arizona	6.69	(5.54 - 8.07)	3.21	(2.36 - 4.34)	12.88	(10.68 - 15.46)	6.07	(4.78 - 7.68)	7.08	(5.83 - 8.57)
Arkansas	5.34	(4.41 - 6.45)	2.63	(1.92 - 3.59)	12.19	(10.19 - 14.52)	4.52	(3.49 - 5.84)	5.63	(4.63 - 6.84)
California	6.79	(6.11 - 7.54)	2.92	(2.36 - 3.62)	14.35	(12.93 - 15.90)	5.89	(5.09 - 6.80)	7.21	(6.47 - 8.04)
Colorado	6.95	(5.85 - 8.25)	3.09	(2.29 - 4.15)	14.92	(12.60 - 17.57)	6.07	(4.84 - 7.59)	7.35	(6.16 - 8.75)
Connecticut	6.79	(5.62 - 8.19)	2.85	(2.08 - 3.90)	14.34	(12.08 - 16.95)	6.07	(4.76 - 7.72)	7.20	(5.93 - 8.73)
Delaware	6.65	(5.58 - 7.90)	2.81	(2.09 - 3.76)	14.96	(12.69 - 17.55)	5.67	(4.50 - 7.13)	7.02	(5.87 - 8.37)
District of Columbia	11.38	(9.66 - 13.36)	2.39	(1.67 - 3.41)	17.63	(14.89 - 20.75)	10.65	(8.68 - 13.00)	11.92	(10.11 - 14.00)
Florida	5.85	(5.20 - 6.57)	2.66	(2.17 - 3.26)	11.83	(10.59 - 13.18)	5.28	(4.53 - 6.15)	6.14	(5.44 - 6.92)
Georgia	5.34	(4.35 - 6.56)	2.29	(1.67 - 3.12)	10.56	(8.68 - 12.81)	4.83	(3.72 - 6.25)	5.69	(4.61 - 7.02)
Hawaii	7.26	(5.99 - 8.78)	3.31	(2.33 - 4.69)	15.80	(13.11 - 18.93)	6.35	(4.95 - 8.10)	7.63	(6.27 - 9.26)
Idaho	6.57	(5.49 - 7.85)	3.55	(2.68 - 4.68)	12.51	(10.41 - 14.96)	5.96	(4.73 - 7.48)	6.94	(5.76 - 8.34)
Illinois	6.19	(5.51 - 6.96)	2.49	(2.03 - 3.07)	13.27	(11.92 - 14.74)	5.47	(4.68 - 6.38)	6.59	(5.85 - 7.43)
Indiana	6.90	(5.81 - 8.18)	3.25	(2.42 - 4.34)	13.98	(11.77 - 16.52)	6.12	(4.89 - 7.63)	7.30	(6.12 - 8.69)
Iowa	5.85	(4.82 - 7.10)	2.87	(2.10 - 3.91)	13.27	(11.06 - 15.85)	4.91	(3.78 - 6.35)	6.16	(5.05 - 7.51)
Kansas	6.82	(5.68 - 8.18)	3.20	(2.41 - 4.24)	13.03	(10.88 - 15.53)	6.18	(4.88 - 7.80)	7.23	(5.99 - 8.71)
Kentucky	5.87	(4.86 - 7.07)	2.97	(2.24 - 3.92)	13.18	(11.01 - 15.71)	5.01	(3.90 - 6.41)	6.17	(5.08 - 7.47)
Louisiana	5.94	(4.92 - 7.17)	2.89	(2.16 - 3.85)	11.69	(9.76 - 13.93)	5.29	(4.14 - 6.74)	6.27	(5.16 - 7.60)
Maine	6.14	(5.11 - 7.36)	3.09	(2.30 - 4.15)	14.36	(12.11 - 16.93)	5.30	(4.18 - 6.69)	6.42	(5.31 - 7.73)
Maryland	6.36	(5.27 - 7.66)	2.69	(1.99 - 3.64)	13.18	(11.03 - 15.69)	5.67	(4.47 - 7.18)	6.74	(5.56 - 8.14)
Massachusetts	6.60	(5.57 - 7.80)	3.18	(2.37 - 4.24)	14.21	(11.91 - 16.87)	5.64	(4.52 - 7.02)	6.92	(5.82 - 8.21)
Michigan	6.62	(5.95 - 7.36)	2.99	(2.49 - 3.60)	13.22	(11.97 - 14.58)	5.94	(5.15 - 6.84)	7.01	(6.28 - 7.81)
Minnesota	6.15	(5.09 - 7.42)	2.97	(2.22 - 3.96)	13.02	(10.80 - 15.63)	5.41	(4.26 - 6.86)	6.48	(5.34 - 7.85)
Mississippi	5.89	(4.89 - 7.08)	2.69	(2.00 - 3.60)	10.99	(9.07 - 13.27)	5.38	(4.25 - 6.80)	6.25	(5.16 - 7.55)
Missouri	6.49	(5.40 - 7.79)	3.32	(2.51 - 4.38)	13.21	(11.07 - 15.67)	5.74	(4.52 - 7.27)	6.82	(5.64 - 8.23)
Montana	7.75	(6.52 - 9.18)	4.25	(3.19 - 5.64)	16.77	(14.33 - 19.53)	6.66	(5.30 - 8.35)	8.08	(6.77 - 9.63)

(continued)

Table 22 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	7.61	(6.42 - 9.00)	3.56	(2.63 - 4.80)	15.74	(13.43 - 18.37)	6.69	(5.35 - 8.34)	8.05	(6.76 - 9.55)
Nevada	7.22	(5.94 - 8.76)	2.98	(2.15 - 4.10)	13.75	(11.47 - 16.40)	6.71	(5.25 - 8.52)	7.68	(6.28 - 9.36)
New Hampshire	7.42	(6.28 - 8.75)	4.32	(3.30 - 5.64)	18.66	(16.06 - 21.57)	6.01	(4.76 - 7.55)	7.72	(6.50 - 9.15)
New Jersey	6.23	(5.17 - 7.50)	2.79	(2.03 - 3.84)	14.05	(11.80 - 16.65)	5.46	(4.29 - 6.93)	6.59	(5.44 - 7.97)
New Mexico	7.10	(5.85 - 8.60)	3.74	(2.77 - 5.02)	13.26	(11.16 - 15.68)	6.46	(5.04 - 8.26)	7.47	(6.11 - 9.10)
New York	6.24	(5.58 - 6.97)	3.12	(2.59 - 3.75)	12.59	(11.28 - 14.02)	5.49	(4.71 - 6.38)	6.54	(5.82 - 7.34)
North Carolina	5.58	(4.54 - 6.83)	2.75	(2.02 - 3.73)	12.38	(10.25 - 14.87)	4.79	(3.67 - 6.23)	5.87	(4.76 - 7.23)
North Dakota	7.96	(6.79 - 9.31)	3.94	(2.97 - 5.21)	17.05	(14.51 - 19.93)	6.43	(5.14 - 8.02)	8.33	(7.07 - 9.78)
Ohio	6.10	(5.45 - 6.83)	2.74	(2.27 - 3.31)	13.14	(11.86 - 14.53)	5.35	(4.58 - 6.25)	6.46	(5.74 - 7.25)
Oklahoma	6.67	(5.50 - 8.08)	3.03	(2.26 - 4.04)	13.58	(11.41 - 16.08)	5.91	(4.57 - 7.60)	7.07	(5.80 - 8.60)
Oregon	6.66	(5.54 - 7.98)	3.19	(2.37 - 4.29)	13.97	(11.70 - 16.61)	5.89	(4.66 - 7.42)	6.99	(5.79 - 8.42)
Pennsylvania	6.20	(5.56 - 6.91)	3.17	(2.64 - 3.81)	14.17	(12.82 - 15.63)	5.22	(4.49 - 6.07)	6.49	(5.80 - 7.26)
Rhode Island	7.91	(6.66 - 9.36)	3.10	(2.29 - 4.19)	17.03	(14.52 - 19.88)	6.69	(5.30 - 8.41)	8.36	(7.02 - 9.92)
South Carolina	5.84	(4.81 - 7.08)	2.84	(2.12 - 3.80)	11.61	(9.64 - 13.91)	5.21	(4.07 - 6.66)	6.15	(5.04 - 7.48)
South Dakota	7.30	(6.11 - 8.69)	3.28	(2.41 - 4.45)	16.07	(13.55 - 18.95)	6.25	(4.95 - 7.87)	7.72	(6.44 - 9.23)
Tennessee	5.43	(4.44 - 6.63)	2.85	(2.12 - 3.83)	11.71	(9.76 - 13.98)	4.71	(3.62 - 6.10)	5.70	(4.63 - 6.99)
Texas	6.55	(5.91 - 7.26)	2.96	(2.44 - 3.58)	13.02	(11.78 - 14.37)	5.86	(5.10 - 6.73)	6.99	(6.29 - 7.77)
Utah	5.05	(4.13 - 6.15)	2.66	(1.92 - 3.68)	10.29	(8.42 - 12.52)	4.27	(3.26 - 5.56)	5.38	(4.39 - 6.59)
Vermont	6.51	(5.44 - 7.77)	3.98	(2.99 - 5.29)	14.97	(12.63 - 17.64)	5.32	(4.16 - 6.78)	6.73	(5.59 - 8.09)
Virginia	7.10	(5.93 - 8.47)	3.04	(2.30 - 4.01)	15.51	(13.10 - 18.27)	6.14	(4.85 - 7.75)	7.50	(6.24 - 8.99)
Washington	6.99	(5.89 - 8.27)	3.15	(2.39 - 4.15)	14.46	(12.28 - 16.96)	6.21	(5.00 - 7.70)	7.37	(6.19 - 8.76)
West Virginia	5.90	(4.89 - 7.11)	3.36	(2.52 - 4.48)	12.70	(10.60 - 15.15)	5.13	(4.02 - 6.54)	6.13	(5.04 - 7.43)
Wisconsin	7.50	(6.29 - 8.91)	3.68	(2.78 - 4.86)	15.44	(13.16 - 18.03)	6.64	(5.29 - 8.31)	7.89	(6.59 - 9.42)
Wyoming	7.86	(6.61 - 9.32)	4.35	(3.29 - 5.73)	16.19	(13.70 - 19.03)	6.83	(5.44 - 8.56)	8.21	(6.87 - 9.79)

45

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 23 *Serious Mental Illness in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013*
NSDUHs

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	4.14	(3.94 - 4.36)	4.17	(3.94 - 4.41)	4.14	(3.90 - 4.39)
Northeast	3.86	(3.51 - 4.24)	4.17	(3.79 - 4.60)	3.80	(3.41 - 4.24)
Midwest	4.27	(3.97 - 4.58)	4.60	(4.26 - 4.97)	4.21	(3.87 - 4.58)
South	4.20	(3.90 - 4.52)	3.86	(3.56 - 4.18)	4.26	(3.92 - 4.63)
West	4.16	(3.79 - 4.57)	4.25	(3.83 - 4.71)	4.15	(3.71 - 4.62)
Alabama	3.79	(2.93 - 4.88)	3.77	(2.93 - 4.85)	3.79	(2.83 - 5.06)
Alaska	4.32	(3.43 - 5.43)	4.57	(3.57 - 5.83)	4.27	(3.27 - 5.57)
Arizona	4.24	(3.32 - 5.39)	4.14	(3.24 - 5.29)	4.26	(3.23 - 5.59)
Arkansas	5.27	(4.18 - 6.61)	4.45	(3.49 - 5.65)	5.41	(4.18 - 6.96)
California	3.88	(3.31 - 4.53)	3.92	(3.31 - 4.65)	3.87	(3.22 - 4.64)
Colorado	3.91	(3.05 - 5.01)	4.41	(3.45 - 5.61)	3.83	(2.87 - 5.09)
Connecticut	3.38	(2.62 - 4.35)	4.03	(3.12 - 5.20)	3.28	(2.45 - 4.38)
Delaware	4.12	(3.23 - 5.24)	4.23	(3.28 - 5.44)	4.10	(3.11 - 5.39)
District of Columbia	3.86	(3.05 - 4.88)	3.46	(2.66 - 4.48)	3.95	(3.01 - 5.18)
Florida	3.96	(3.37 - 4.63)	3.76	(3.19 - 4.44)	3.98	(3.33 - 4.75)
Georgia	3.97	(3.09 - 5.08)	3.66	(2.86 - 4.67)	4.02	(3.02 - 5.33)
Hawaii	3.44	(2.62 - 4.50)	4.15	(3.15 - 5.45)	3.32	(2.43 - 4.53)
Idaho	4.76	(3.76 - 6.00)	5.13	(4.06 - 6.46)	4.69	(3.59 - 6.12)
Illinois	3.37	(2.86 - 3.98)	4.14	(3.49 - 4.89)	3.24	(2.67 - 3.94)
Indiana	4.53	(3.60 - 5.69)	5.05	(4.02 - 6.32)	4.44	(3.39 - 5.80)
Iowa	4.36	(3.40 - 5.56)	4.27	(3.31 - 5.48)	4.37	(3.30 - 5.77)
Kansas	4.34	(3.38 - 5.55)	4.00	(3.08 - 5.17)	4.40	(3.32 - 5.81)
Kentucky	4.97	(3.90 - 6.32)	4.62	(3.66 - 5.81)	5.03	(3.83 - 6.59)
Louisiana	4.24	(3.33 - 5.37)	3.74	(2.91 - 4.79)	4.33	(3.30 - 5.66)
Maine	4.94	(3.91 - 6.21)	4.76	(3.74 - 6.03)	4.96	(3.83 - 6.41)
Maryland	3.26	(2.51 - 4.23)	3.89	(3.05 - 4.95)	3.16	(2.33 - 4.28)
Massachusetts	4.25	(3.35 - 5.36)	4.45	(3.49 - 5.66)	4.21	(3.22 - 5.50)
Michigan	4.69	(4.06 - 5.42)	5.35	(4.59 - 6.22)	4.58	(3.87 - 5.42)
Minnesota	4.18	(3.29 - 5.30)	4.32	(3.34 - 5.58)	4.16	(3.17 - 5.44)
Mississippi	4.72	(3.66 - 6.07)	3.93	(3.08 - 5.00)	4.86	(3.66 - 6.45)
Missouri	4.67	(3.70 - 5.87)	4.73	(3.70 - 6.02)	4.66	(3.58 - 6.05)
Montana	4.65	(3.69 - 5.84)	5.09	(4.02 - 6.42)	4.58	(3.51 - 5.94)

(continued)

Table 23 Serious Mental Illness in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	4.24	(3.36 - 5.33)	4.54	(3.59 - 5.73)	4.18	(3.21 - 5.44)
Nevada	4.10	(3.20 - 5.23)	4.37	(3.37 - 5.66)	4.05	(3.06 - 5.35)
New Hampshire	3.94	(3.12 - 4.96)	4.89	(3.88 - 6.14)	3.79	(2.89 - 4.94)
New Jersey	3.28	(2.55 - 4.22)	4.07	(3.16 - 5.25)	3.16	(2.36 - 4.23)
New Mexico	4.31	(3.34 - 5.53)	4.37	(3.41 - 5.58)	4.30	(3.21 - 5.72)
New York	3.75	(3.18 - 4.41)	3.94	(3.30 - 4.69)	3.71	(3.08 - 4.47)
North Carolina	4.74	(3.68 - 6.09)	4.15	(3.24 - 5.30)	4.84	(3.64 - 6.40)
North Dakota	4.16	(3.31 - 5.23)	4.69	(3.66 - 5.98)	4.05	(3.08 - 5.32)
Ohio	4.61	(3.98 - 5.33)	4.57	(3.90 - 5.36)	4.62	(3.91 - 5.45)
Oklahoma	4.98	(3.95 - 6.26)	4.10	(3.20 - 5.25)	5.14	(3.96 - 6.64)
Oregon	4.83	(3.82 - 6.08)	4.94	(3.91 - 6.21)	4.81	(3.69 - 6.25)
Pennsylvania	4.05	(3.46 - 4.74)	4.30	(3.65 - 5.06)	4.01	(3.34 - 4.80)
Rhode Island	4.90	(3.83 - 6.26)	4.47	(3.49 - 5.71)	4.99	(3.76 - 6.58)
South Carolina	4.38	(3.49 - 5.50)	4.23	(3.31 - 5.38)	4.41	(3.41 - 5.69)
South Dakota	3.57	(2.75 - 4.62)	3.91	(2.99 - 5.09)	3.51	(2.61 - 4.72)
Tennessee	4.59	(3.63 - 5.80)	4.21	(3.35 - 5.28)	4.66	(3.57 - 6.05)
Texas	4.05	(3.46 - 4.74)	3.49	(2.90 - 4.18)	4.16	(3.49 - 4.95)
Utah	5.44	(4.38 - 6.73)	5.77	(4.54 - 7.31)	5.36	(4.16 - 6.89)
Vermont	5.48	(4.34 - 6.90)	5.00	(3.91 - 6.39)	5.56	(4.28 - 7.20)
Virginia	3.90	(3.02 - 5.01)	3.88	(2.99 - 5.02)	3.90	(2.92 - 5.19)
Washington	4.86	(3.88 - 6.07)	4.61	(3.60 - 5.87)	4.90	(3.81 - 6.29)
West Virginia	5.21	(4.13 - 6.55)	4.80	(3.79 - 6.07)	5.27	(4.07 - 6.80)
Wisconsin	4.23	(3.32 - 5.37)	4.61	(3.63 - 5.85)	4.16	(3.15 - 5.48)
Wyoming	4.29	(3.39 - 5.42)	4.86	(3.75 - 6.27)	4.19	(3.20 - 5.48)

47

NOTE: Serious mental illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, as assessed by the Mental Health Surveillance Study (MHSS) *Structured Clinical Interview for the Diagnostic and Statistical Manual of Mental Disorders—Fourth Edition—Research Version—Axis I Disorders* (MHSS-SCID), which is based on the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). SMI includes individuals with diagnoses resulting in serious functional impairment. For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/population-data-nsduh/reports?tab=33>.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 24 Any Mental Illness in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	18.53	(18.10 - 18.96)	19.50	(19.00 - 20.00)	18.36	(17.87 - 18.86)
Northeast	18.13	(17.39 - 18.90)	19.89	(18.96 - 20.86)	17.84	(17.00 - 18.70)
Midwest	18.57	(17.94 - 19.23)	19.86	(19.12 - 20.61)	18.35	(17.63 - 19.10)
South	18.42	(17.80 - 19.06)	18.08	(17.36 - 18.82)	18.48	(17.77 - 19.21)
West	18.96	(18.13 - 19.81)	21.07	(20.00 - 22.18)	18.58	(17.64 - 19.56)
Alabama	19.35	(17.11 - 21.81)	18.34	(15.95 - 21.00)	19.52	(16.98 - 22.34)
Alaska	18.63	(16.51 - 20.97)	20.23	(17.72 - 23.00)	18.33	(15.90 - 21.04)
Arizona	18.34	(16.12 - 20.79)	19.08	(16.58 - 21.86)	18.21	(15.70 - 21.02)
Arkansas	20.46	(18.15 - 22.98)	18.67	(16.29 - 21.32)	20.76	(18.16 - 23.63)
California	18.54	(17.22 - 19.94)	21.01	(19.38 - 22.75)	18.08	(16.57 - 19.71)
Colorado	17.19	(15.10 - 19.50)	19.06	(16.49 - 21.93)	16.87	(14.56 - 19.48)
Connecticut	17.26	(15.15 - 19.60)	18.30	(15.64 - 21.29)	17.10	(14.77 - 19.70)
Delaware	18.38	(16.20 - 20.77)	19.92	(17.38 - 22.74)	18.12	(15.68 - 20.84)
District of Columbia	20.00	(17.72 - 22.48)	16.75	(14.39 - 19.41)	20.72	(18.07 - 23.66)
Florida	16.91	(15.57 - 18.33)	17.02	(15.64 - 18.50)	16.89	(15.37 - 18.52)
Georgia	18.80	(16.50 - 21.34)	16.93	(14.63 - 19.50)	19.14	(16.53 - 22.05)
Hawaii	18.14	(15.88 - 20.64)	20.72	(18.07 - 23.66)	17.73	(15.22 - 20.56)
Idaho	19.97	(17.66 - 22.50)	20.60	(17.98 - 23.50)	19.86	(17.25 - 22.75)
Illinois	16.68	(15.42 - 18.02)	18.56	(17.06 - 20.15)	16.36	(14.92 - 17.92)
Indiana	19.59	(17.39 - 21.99)	20.44	(17.89 - 23.26)	19.44	(16.94 - 22.20)
Iowa	18.03	(15.86 - 20.43)	19.82	(17.25 - 22.68)	17.71	(15.28 - 20.45)
Kansas	17.64	(15.45 - 20.06)	18.00	(15.50 - 20.80)	17.57	(15.12 - 20.33)
Kentucky	19.68	(17.49 - 22.07)	20.73	(18.20 - 23.52)	19.51	(17.04 - 22.23)
Louisiana	20.08	(17.80 - 22.56)	18.04	(15.65 - 20.71)	20.45	(17.86 - 23.30)
Maine	21.36	(18.90 - 24.05)	20.64	(18.10 - 23.43)	21.46	(18.72 - 24.49)
Maryland	16.55	(14.50 - 18.83)	18.51	(16.08 - 21.22)	16.23	(13.95 - 18.80)
Massachusetts	19.34	(17.17 - 21.70)	21.72	(18.78 - 24.97)	18.92	(16.50 - 21.60)
Michigan	20.05	(18.73 - 21.44)	21.01	(19.51 - 22.58)	19.89	(18.38 - 21.49)
Minnesota	17.95	(15.78 - 20.35)	19.78	(17.13 - 22.71)	17.66	(15.25 - 20.35)
Mississippi	19.12	(16.82 - 21.67)	16.43	(14.12 - 19.04)	19.62	(16.99 - 22.53)
Missouri	19.07	(16.88 - 21.47)	18.95	(16.48 - 21.70)	19.09	(16.62 - 21.82)
Montana	19.87	(17.62 - 22.32)	21.82	(19.24 - 24.63)	19.55	(17.04 - 22.33)

(continued)

Table 24 Any Mental Illness in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	17.99	(15.85 - 20.36)	19.17	(16.70 - 21.90)	17.79	(15.37 - 20.49)
Nevada	18.38	(16.17 - 20.82)	20.00	(17.37 - 22.91)	18.12	(15.64 - 20.89)
New Hampshire	18.64	(16.53 - 20.94)	21.34	(18.76 - 24.17)	18.21	(15.87 - 20.81)
New Jersey	15.62	(13.55 - 17.93)	18.85	(16.31 - 21.69)	15.13	(12.85 - 17.73)
New Mexico	19.33	(17.12 - 21.76)	19.90	(17.32 - 22.75)	19.24	(16.74 - 22.00)
New York	18.69	(17.32 - 20.14)	19.13	(17.57 - 20.78)	18.61	(17.06 - 20.27)
North Carolina	18.47	(16.24 - 20.92)	17.71	(15.27 - 20.44)	18.59	(16.10 - 21.37)
North Dakota	16.35	(14.45 - 18.45)	19.29	(16.69 - 22.19)	15.71	(13.52 - 18.19)
Ohio	19.69	(18.40 - 21.04)	20.78	(19.31 - 22.33)	19.50	(18.05 - 21.05)
Oklahoma	20.48	(18.15 - 23.03)	20.13	(17.53 - 23.00)	20.55	(17.91 - 23.46)
Oregon	22.31	(19.79 - 25.05)	23.94	(20.84 - 27.35)	22.05	(19.27 - 25.11)
Pennsylvania	17.96	(16.70 - 19.28)	20.87	(19.34 - 22.48)	17.47	(16.06 - 18.98)
Rhode Island	20.13	(17.71 - 22.79)	19.93	(17.32 - 22.82)	20.17	(17.44 - 23.22)
South Carolina	18.04	(15.88 - 20.44)	17.76	(15.38 - 20.42)	18.09	(15.66 - 20.82)
South Dakota	17.05	(14.97 - 19.36)	19.79	(17.14 - 22.74)	16.57	(14.24 - 19.19)
Tennessee	20.52	(18.31 - 22.92)	19.42	(16.97 - 22.13)	20.70	(18.23 - 23.40)
Texas	18.11	(16.81 - 19.49)	17.74	(16.33 - 19.25)	18.18	(16.67 - 19.79)
Utah	22.30	(19.95 - 24.85)	26.90	(23.77 - 30.27)	21.25	(18.52 - 24.27)
Vermont	19.74	(17.50 - 22.18)	22.09	(19.25 - 25.21)	19.33	(16.84 - 22.09)
Virginia	17.56	(15.48 - 19.86)	19.70	(17.09 - 22.61)	17.20	(14.88 - 19.80)
Washington	19.85	(17.70 - 22.18)	21.41	(18.79 - 24.28)	19.59	(17.20 - 22.23)
West Virginia	21.73	(19.37 - 24.30)	19.80	(17.25 - 22.62)	22.02	(19.37 - 24.94)
Wisconsin	18.33	(16.10 - 20.79)	20.53	(17.99 - 23.34)	17.97	(15.49 - 20.74)
Wyoming	19.10	(17.00 - 21.40)	20.29	(17.79 - 23.05)	18.90	(16.53 - 21.51)

NOTE: Any mental illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, as assessed by the Mental Health Surveillance Study (MHSS) *Structured Clinical Interview for the Diagnostic and Statistical Manual of Mental Disorders—Fourth Edition—Research Version—Axis I Disorders* (MHSS-SCID), which is based on the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/population-data-nsduh/reports?tab=33>.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 25 *Had Serious Thoughts of Suicide in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	3.89	(3.70 - 4.09)	7.33	(7.02 - 7.65)	3.30	(3.09 - 3.52)
Northeast	3.84	(3.54 - 4.17)	7.31	(6.77 - 7.89)	3.26	(2.92 - 3.64)
Midwest	3.98	(3.72 - 4.27)	7.68	(7.24 - 8.15)	3.36	(3.06 - 3.68)
South	3.81	(3.55 - 4.09)	6.78	(6.36 - 7.23)	3.30	(3.01 - 3.63)
West	3.97	(3.64 - 4.32)	7.88	(7.23 - 8.59)	3.27	(2.91 - 3.67)
Alabama	3.51	(2.80 - 4.40)	6.70	(5.40 - 8.29)	2.96	(2.19 - 4.00)
Alaska	4.21	(3.42 - 5.17)	7.68	(6.27 - 9.37)	3.56	(2.68 - 4.71)
Arizona	4.04	(3.24 - 5.02)	7.70	(6.22 - 9.50)	3.40	(2.54 - 4.54)
Arkansas	4.59	(3.66 - 5.74)	6.82	(5.51 - 8.40)	4.21	(3.17 - 5.57)
California	3.79	(3.32 - 4.33)	7.94	(6.96 - 9.05)	3.02	(2.50 - 3.65)
Colorado	3.80	(3.06 - 4.71)	7.16	(5.75 - 8.88)	3.24	(2.44 - 4.29)
Connecticut	3.72	(3.00 - 4.60)	6.78	(5.44 - 8.40)	3.23	(2.45 - 4.26)
Delaware	3.99	(3.19 - 4.99)	6.43	(5.15 - 8.00)	3.58	(2.70 - 4.74)
District of Columbia	4.13	(3.35 - 5.08)	6.30	(5.01 - 7.90)	3.64	(2.77 - 4.78)
Florida	3.51	(3.02 - 4.08)	6.81	(5.94 - 7.81)	3.01	(2.47 - 3.68)
Georgia	3.66	(2.95 - 4.52)	6.57	(5.27 - 8.16)	3.14	(2.38 - 4.13)
Hawaii	4.06	(3.23 - 5.09)	8.20	(6.62 - 10.12)	3.41	(2.52 - 4.61)
Idaho	4.19	(3.42 - 5.14)	7.61	(6.18 - 9.34)	3.60	(2.73 - 4.72)
Illinois	3.52	(3.07 - 4.03)	7.32	(6.43 - 8.33)	2.88	(2.39 - 3.46)
Indiana	4.13	(3.37 - 5.04)	8.10	(6.62 - 9.87)	3.43	(2.61 - 4.48)
Iowa	4.19	(3.40 - 5.16)	7.32	(5.92 - 9.01)	3.64	(2.77 - 4.77)
Kansas	3.84	(3.09 - 4.76)	6.72	(5.39 - 8.35)	3.32	(2.50 - 4.40)
Kentucky	4.04	(3.27 - 4.98)	7.60	(6.17 - 9.33)	3.46	(2.62 - 4.55)
Louisiana	4.35	(3.52 - 5.35)	7.01	(5.66 - 8.66)	3.86	(2.95 - 5.04)
Maine	4.44	(3.55 - 5.55)	7.69	(6.30 - 9.36)	3.99	(3.02 - 5.26)
Maryland	3.51	(2.84 - 4.34)	7.51	(6.08 - 9.25)	2.86	(2.15 - 3.78)
Massachusetts	4.08	(3.31 - 5.01)	7.71	(6.24 - 9.49)	3.44	(2.61 - 4.52)
Michigan	4.53	(3.94 - 5.20)	8.90	(7.87 - 10.05)	3.78	(3.14 - 4.54)
Minnesota	3.94	(3.14 - 4.92)	7.13	(5.66 - 8.95)	3.42	(2.56 - 4.55)
Mississippi	3.87	(3.12 - 4.79)	6.59	(5.30 - 8.17)	3.37	(2.54 - 4.46)
Missouri	4.05	(3.28 - 5.01)	6.84	(5.51 - 8.47)	3.58	(2.72 - 4.70)
Montana	4.17	(3.37 - 5.16)	9.39	(7.63 - 11.51)	3.33	(2.47 - 4.46)

(continued)

Table 25 Had Serious Thoughts of Suicide in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	4.10	(3.34 - 5.04)	7.92	(6.48 - 9.64)	3.43	(2.61 - 4.51)
Nevada	3.84	(3.11 - 4.74)	7.90	(6.37 - 9.77)	3.19	(2.40 - 4.25)
New Hampshire	3.81	(3.11 - 4.66)	8.35	(6.82 - 10.19)	3.10	(2.36 - 4.06)
New Jersey	3.76	(3.00 - 4.72)	7.52	(6.07 - 9.27)	3.20	(2.38 - 4.29)
New Mexico	3.76	(2.99 - 4.72)	7.14	(5.71 - 8.89)	3.18	(2.34 - 4.30)
New York	3.67	(3.18 - 4.24)	6.77	(5.86 - 7.82)	3.13	(2.59 - 3.78)
North Carolina	4.33	(3.43 - 5.44)	7.10	(5.72 - 8.78)	3.87	(2.88 - 5.17)
North Dakota	3.96	(3.25 - 4.82)	7.70	(6.23 - 9.48)	3.15	(2.37 - 4.18)
Ohio	3.93	(3.43 - 4.51)	7.68	(6.76 - 8.71)	3.32	(2.76 - 3.99)
Oklahoma	4.01	(3.25 - 4.93)	7.48	(6.02 - 9.24)	3.39	(2.56 - 4.46)
Oregon	4.39	(3.56 - 5.41)	8.37	(6.82 - 10.23)	3.77	(2.86 - 4.95)
Pennsylvania	3.91	(3.41 - 4.48)	7.79	(6.83 - 8.88)	3.27	(2.73 - 3.92)
Rhode Island	4.33	(3.48 - 5.38)	7.34	(5.94 - 9.04)	3.75	(2.82 - 4.98)
South Carolina	4.07	(3.30 - 5.02)	7.14	(5.84 - 8.72)	3.55	(2.70 - 4.66)
South Dakota	3.74	(3.05 - 4.58)	7.25	(5.86 - 8.94)	3.13	(2.40 - 4.08)
Tennessee	3.99	(3.26 - 4.87)	7.72	(6.32 - 9.40)	3.37	(2.58 - 4.39)
Texas	3.61	(3.09 - 4.21)	5.83	(5.03 - 6.74)	3.19	(2.61 - 3.89)
Utah	4.84	(4.02 - 5.81)	9.16	(7.49 - 11.14)	3.85	(2.96 - 4.98)
Vermont	4.59	(3.69 - 5.71)	7.88	(6.40 - 9.66)	4.03	(3.03 - 5.33)
Virginia	3.80	(3.06 - 4.70)	7.44	(5.97 - 9.24)	3.18	(2.39 - 4.21)
Washington	4.38	(3.55 - 5.40)	7.39	(5.94 - 9.16)	3.89	(2.97 - 5.08)
West Virginia	4.71	(3.78 - 5.86)	7.70	(6.24 - 9.47)	4.26	(3.24 - 5.58)
Wisconsin	3.95	(3.18 - 4.91)	7.88	(6.46 - 9.59)	3.30	(2.46 - 4.41)
Wyoming	4.14	(3.37 - 5.09)	7.57	(6.19 - 9.23)	3.55	(2.70 - 4.66)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 26 *Had at Least One Major Depressive Episode in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	18+ (Estimate)	18+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	6.77	(6.51 - 7.04)	9.86	(9.48 - 10.26)	8.81	(8.46 - 9.19)	6.41	(6.12 - 6.73)
Northeast	6.51	(6.05 - 7.00)	9.16	(8.54 - 9.82)	8.62	(8.02 - 9.26)	6.16	(5.65 - 6.71)
Midwest	6.85	(6.47 - 7.25)	9.74	(9.23 - 10.27)	9.15	(8.66 - 9.68)	6.46	(6.03 - 6.91)
South	6.77	(6.39 - 7.17)	9.77	(9.26 - 10.30)	8.30	(7.84 - 8.77)	6.51	(6.08 - 6.96)
West	6.89	(6.41 - 7.41)	10.61	(9.87 - 11.39)	9.45	(8.78 - 10.17)	6.43	(5.89 - 7.02)
Alabama	6.30	(5.10 - 7.77)	9.56	(7.86 - 11.57)	8.46	(6.96 - 10.26)	5.93	(4.61 - 7.59)
Alaska	7.28	(5.98 - 8.85)	9.40	(7.74 - 11.36)	10.30	(8.49 - 12.43)	6.71	(5.28 - 8.50)
Arizona	6.97	(5.62 - 8.61)	10.91	(9.02 - 13.14)	8.50	(6.88 - 10.45)	6.70	(5.21 - 8.58)
Arkansas	7.32	(5.97 - 8.93)	10.17	(8.42 - 12.25)	8.80	(7.23 - 10.66)	7.07	(5.60 - 8.88)
California	6.55	(5.81 - 7.38)	10.48	(9.37 - 11.71)	9.08	(8.06 - 10.21)	6.08	(5.25 - 7.03)
Colorado	6.31	(5.11 - 7.77)	9.66	(7.93 - 11.73)	8.56	(6.96 - 10.49)	5.93	(4.63 - 7.57)
Connecticut	6.28	(5.11 - 7.71)	9.40	(7.70 - 11.43)	8.37	(6.83 - 10.22)	5.95	(4.68 - 7.55)
Delaware	6.99	(5.74 - 8.49)	9.44	(7.74 - 11.45)	9.32	(7.68 - 11.26)	6.60	(5.21 - 8.31)
District of Columbia	6.91	(5.67 - 8.38)	7.38	(5.93 - 9.15)	7.48	(6.02 - 9.27)	6.78	(5.38 - 8.51)
Florida	6.03	(5.26 - 6.90)	9.64	(8.60 - 10.79)	7.54	(6.63 - 8.56)	5.80	(4.95 - 6.79)
Georgia	6.75	(5.48 - 8.29)	8.49	(6.93 - 10.35)	7.78	(6.32 - 9.54)	6.57	(5.16 - 8.32)
Hawaii	6.69	(5.37 - 8.31)	9.75	(7.94 - 11.92)	9.61	(7.87 - 11.69)	6.24	(4.79 - 8.07)
Idaho	7.44	(6.20 - 8.90)	10.55	(8.86 - 12.52)	10.34	(8.53 - 12.47)	6.93	(5.58 - 8.57)
Illinois	5.57	(4.88 - 6.36)	9.31	(8.27 - 10.46)	8.04	(7.11 - 9.09)	5.15	(4.38 - 6.06)
Indiana	7.20	(5.99 - 8.65)	9.82	(8.08 - 11.88)	9.38	(7.74 - 11.33)	6.82	(5.48 - 8.45)
Iowa	7.27	(6.01 - 8.76)	10.03	(8.34 - 12.03)	10.13	(8.40 - 12.15)	6.76	(5.40 - 8.45)
Kansas	6.80	(5.59 - 8.25)	9.87	(8.16 - 11.90)	8.72	(7.17 - 10.57)	6.45	(5.12 - 8.10)
Kentucky	7.00	(5.73 - 8.52)	9.09	(7.55 - 10.90)	8.57	(7.02 - 10.42)	6.74	(5.35 - 8.46)
Louisiana	6.28	(5.08 - 7.74)	9.31	(7.68 - 11.25)	7.44	(6.03 - 9.16)	6.07	(4.74 - 7.74)
Maine	8.02	(6.63 - 9.66)	11.20	(9.39 - 13.31)	9.89	(8.20 - 11.88)	7.76	(6.24 - 9.60)
Maryland	6.34	(5.11 - 7.85)	10.28	(8.50 - 12.39)	8.68	(7.09 - 10.60)	5.96	(4.61 - 7.66)
Massachusetts	6.66	(5.49 - 8.05)	8.61	(7.03 - 10.50)	8.49	(6.94 - 10.34)	6.34	(5.06 - 7.91)
Michigan	7.43	(6.65 - 8.31)	10.19	(9.11 - 11.38)	10.30	(9.23 - 11.49)	6.94	(6.06 - 7.93)
Minnesota	6.56	(5.32 - 8.06)	8.20	(6.63 - 10.10)	8.81	(7.19 - 10.77)	6.19	(4.84 - 7.89)
Mississippi	7.32	(5.93 - 9.00)	8.98	(7.39 - 10.86)	7.64	(6.19 - 9.39)	7.26	(5.69 - 9.21)
Missouri	7.35	(6.03 - 8.94)	9.91	(8.25 - 11.86)	9.37	(7.72 - 11.34)	7.01	(5.56 - 8.81)
Montana	7.11	(5.87 - 8.59)	9.23	(7.67 - 11.07)	10.12	(8.39 - 12.16)	6.62	(5.27 - 8.29)

(continued)

Table 26 Had at Least One Major Depressive Episode in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)

State	18+ (Estimate)	18+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	6.57	(5.39 - 7.98)	8.80	(7.12 - 10.83)	8.53	(7.02 - 10.33)	6.22	(4.92 - 7.84)
Nevada	6.35	(5.19 - 7.75)	9.62	(7.99 - 11.55)	8.87	(7.22 - 10.86)	5.95	(4.70 - 7.50)
New Hampshire	6.90	(5.67 - 8.35)	10.27	(8.60 - 12.23)	9.81	(8.16 - 11.75)	6.44	(5.11 - 8.08)
New Jersey	6.12	(4.94 - 7.56)	9.06	(7.47 - 10.93)	8.56	(7.00 - 10.43)	5.75	(4.48 - 7.35)
New Mexico	7.03	(5.70 - 8.63)	10.73	(8.94 - 12.83)	9.44	(7.78 - 11.42)	6.60	(5.15 - 8.43)
New York	6.36	(5.58 - 7.24)	8.76	(7.71 - 9.94)	8.12	(7.11 - 9.26)	6.05	(5.18 - 7.06)
North Carolina	7.21	(5.87 - 8.82)	9.64	(7.88 - 11.74)	8.41	(6.86 - 10.27)	7.01	(5.53 - 8.85)
North Dakota	5.97	(4.87 - 7.29)	7.95	(6.43 - 9.80)	8.19	(6.54 - 10.21)	5.49	(4.29 - 6.99)
Ohio	7.50	(6.72 - 8.36)	9.81	(8.80 - 10.92)	9.41	(8.42 - 10.51)	7.18	(6.31 - 8.17)
Oklahoma	7.68	(6.29 - 9.36)	9.23	(7.63 - 11.13)	8.93	(7.27 - 10.93)	7.46	(5.92 - 9.36)
Oregon	8.41	(6.91 - 10.20)	12.65	(10.44 - 15.26)	11.41	(9.39 - 13.80)	7.94	(6.30 - 9.95)
Pennsylvania	6.56	(5.85 - 7.36)	9.54	(8.49 - 10.70)	9.15	(8.14 - 10.26)	6.14	(5.34 - 7.04)
Rhode Island	8.46	(6.95 - 10.26)	11.32	(9.36 - 13.64)	9.74	(7.99 - 11.82)	8.21	(6.53 - 10.28)
South Carolina	6.46	(5.26 - 7.91)	9.44	(7.89 - 11.27)	8.05	(6.57 - 9.84)	6.19	(4.86 - 7.84)
South Dakota	5.63	(4.56 - 6.94)	8.61	(6.98 - 10.57)	7.99	(6.43 - 9.89)	5.22	(4.06 - 6.68)
Tennessee	7.04	(5.77 - 8.56)	9.39	(7.73 - 11.36)	8.52	(7.05 - 10.27)	6.80	(5.40 - 8.52)
Texas	6.99	(6.22 - 7.85)	10.47	(9.38 - 11.66)	8.44	(7.47 - 9.51)	6.72	(5.84 - 7.72)
Utah	9.45	(7.90 - 11.27)	11.45	(9.43 - 13.85)	12.90	(10.74 - 15.42)	8.66	(6.93 - 10.79)
Vermont	7.61	(6.35 - 9.10)	9.50	(7.79 - 11.54)	10.72	(8.89 - 12.88)	7.07	(5.71 - 8.74)
Virginia	7.08	(5.78 - 8.64)	10.96	(9.06 - 13.21)	9.54	(7.77 - 11.66)	6.66	(5.24 - 8.42)
Washington	7.28	(6.04 - 8.75)	11.08	(9.28 - 13.19)	10.33	(8.61 - 12.35)	6.78	(5.42 - 8.45)
West Virginia	7.48	(6.17 - 9.03)	9.34	(7.77 - 11.18)	8.91	(7.39 - 10.71)	7.26	(5.83 - 9.02)
Wisconsin	6.89	(5.63 - 8.41)	11.40	(9.44 - 13.70)	9.12	(7.46 - 11.11)	6.52	(5.15 - 8.23)
Wyoming	7.10	(5.85 - 8.58)	10.41	(8.72 - 12.38)	9.49	(7.81 - 11.48)	6.68	(5.32 - 8.36)

53

NOTE: Major depressive episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/population-data-nsduh/reports?tab=33>.

NOTE: There are minor wording differences in the questions in the adult and adolescent MDE modules. Therefore, data from youths aged 12 to 17 were not combined with data from adults aged 18 or older to produce an estimate for those aged 12 or older.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

