

**Table 1** *Needing But Not Receiving Treatment at a Specialty Facility for a Substance Use Problem in the Past Year, by Age Group and State: Percentages, Annual Averages, and P Values from Tests of Differences between Percentages, 2010-2011 and 2011-2012 NSDUHs*

State	12+	12+	12+	12-17	12-17	12-17	18-25	18-25	18-25	26+	26+	26+	18+	18+	18+
	(2010-2011)	(2011-2012)	(PValue)	(2010-2011)	(2011-2012)	(PValue)	(2010-2011)	(2011-2012)	(PValue)	(2010-2011)	(2011-2012)	(PValue)	(2010-2011)	(2011-2012)	(PValue)
Total U.S.	7.77	7.69	0.542	6.69 <sup>a</sup>	6.02	0.000	18.12	17.72	0.146	6.11	6.17	0.686	7.88	7.87	0.922
Northeast	8.13	7.86	0.188	6.88 <sup>a</sup>	6.13	0.003	18.87	18.34	0.249	6.47	6.31	0.506	8.26	8.04	0.317
Midwest	7.83	7.93	0.571	6.33 <sup>a</sup>	5.76	0.003	18.25	17.70	0.109	6.24	6.53	0.157	7.99	8.16	0.373
South	6.95	7.07	0.453	6.11 <sup>a</sup>	5.65	0.024	16.45	16.32	0.693	5.42	5.66	0.221	7.04	7.22	0.297
West	8.72 <sup>b</sup>	8.33	0.086	7.76 <sup>a</sup>	6.76	0.002	20.02	19.44	0.250	6.80	6.54	0.339	8.83	8.50	0.193
Alabama	5.93	5.92	0.984	5.60	5.14	0.435	14.19	13.84	0.737	4.51	4.63	0.818	5.96	6.00	0.928
Alaska	8.56	9.11	0.307	7.29	6.22	0.111	18.67	18.81	0.913	6.89	7.71	0.217	8.71	9.45	0.215
Arizona	9.59 <sup>b</sup>	8.61	0.085	8.16	7.18	0.182	20.14	18.09	0.115	7.95	7.16	0.250	9.75	8.78	0.114
Arkansas	6.19	6.47	0.507	5.62	5.26	0.534	14.41	15.90	0.163	4.86	5.02	0.743	6.26	6.61	0.447
California	8.77 <sup>a</sup>	8.07	0.033	8.18 <sup>a</sup>	6.96	0.011	20.32	19.80	0.502	6.68	6.02	0.103	8.84 <sup>b</sup>	8.20	0.073
Colorado	9.01	9.05	0.946	7.47	6.51	0.150	21.72	21.19	0.676	7.03	7.31	0.661	9.18	9.31	0.810
Connecticut	7.83 <sup>b</sup>	8.70	0.093	6.57	6.48	0.879	19.38	19.45	0.952	6.19 <sup>b</sup>	7.29	0.081	7.96 <sup>b</sup>	8.94	0.085
Delaware	6.93 <sup>a</sup>	8.06	0.010	5.47	5.61	0.806	18.01	19.05	0.390	5.20 <sup>a</sup>	6.47	0.016	7.07 <sup>a</sup>	8.30	0.010
District of Columbia	11.77	11.88	0.881	6.47	6.55	0.912	20.51	20.79	0.833	10.03	10.19	0.850	12.11	12.21	0.894
Florida	6.81	6.90	0.762	6.34 <sup>a</sup>	5.51	0.044	16.89	16.91	0.976	5.32	5.53	0.577	6.85	7.03	0.590
Georgia	6.05	6.48	0.290	5.69	5.29	0.485	15.03	15.18	0.879	4.50	5.08	0.232	6.09	6.61	0.235
Hawaii	8.11	7.96	0.797	7.60	7.00	0.447	20.44	20.51	0.959	6.29	6.12	0.799	8.15	8.06	0.869
Idaho	8.65	7.94	0.143	6.72	5.84	0.166	18.14	16.50	0.170	7.20	6.70	0.403	8.88	8.19	0.193
Illinois	7.83	8.07	0.466	6.07 <sup>b</sup>	5.46	0.081	20.06	19.11	0.214	5.97	6.53	0.165	8.02	8.36	0.365
Indiana	7.65	7.75	0.828	5.37	5.44	0.895	17.60	17.65	0.966	6.18	6.30	0.840	7.91	8.01	0.842
Iowa	8.34	7.63	0.130	6.62 <sup>a</sup>	5.14	0.015	19.60	18.05	0.208	6.58	6.09	0.378	8.52	7.89	0.213
Kansas	7.62	6.93	0.132	6.57 <sup>b</sup>	5.53	0.079	17.76 <sup>b</sup>	15.72	0.057	5.91	5.52	0.490	7.74	7.09	0.192
Kentucky	5.77 <sup>b</sup>	6.51	0.093	5.67	5.56	0.845	14.16	15.31	0.264	4.41	5.17	0.159	5.78 <sup>b</sup>	6.61	0.084
Louisiana	6.86 <sup>b</sup>	7.57	0.096	5.47	5.50	0.959	15.34	16.20	0.424	5.45	6.25	0.135	7.01 <sup>b</sup>	7.80	0.094
Maine	6.20 <sup>b</sup>	7.05	0.071	5.67	5.45	0.714	17.66	18.75	0.363	4.63 <sup>b</sup>	5.56	0.092	6.25 <sup>b</sup>	7.19	0.061
Maryland	6.21 <sup>b</sup>	7.07	0.051	5.37	5.25	0.809	16.67	17.44	0.484	4.57 <sup>b</sup>	5.57	0.062	6.30 <sup>a</sup>	7.26	0.043
Massachusetts	9.65 <sup>a</sup>	8.57	0.037	8.46 <sup>a</sup>	6.64	0.009	22.14 <sup>a</sup>	19.55	0.045	7.58	6.86	0.249	9.77 <sup>b</sup>	8.76	0.071
Michigan	7.76	8.13	0.275	6.68	6.61	0.869	16.94	16.41	0.413	6.33	6.90	0.179	7.88	8.30	0.264
Minnesota	8.07	8.09	0.972	6.91	6.11	0.164	19.31	18.50	0.493	6.36	6.63	0.644	8.20	8.30	0.847
Mississippi	6.46	6.59	0.762	5.50	5.42	0.882	14.58	14.03	0.580	5.10	5.38	0.586	6.57	6.72	0.743
Missouri	6.78	7.24	0.305	6.45	5.68	0.190	16.73	16.37	0.749	5.12	5.88	0.168	6.81	7.40	0.231
Montana	9.77	9.46	0.596	9.38 <sup>a</sup>	7.72	0.024	22.40	22.12	0.844	7.75	7.60	0.832	9.81	9.63	0.779

See notes at end of table.

(continued)

**Table 1** *Needing But Not Receiving Treatment at a Specialty Facility for a Substance Use Problem in the Past Year, by Age Group and State: Percentages, Annual Averages, and P Values from Tests of Differences between Percentages, 2010-2011 and 2011-2012 NSDUHs (continued)*

State	12+	12+	12+	12-17	12-17	12-17	18-25	18-25	18-25	26+	26+	26+	18+	18+	18+
	(2010-2011)	(2011-2012)	(PValue)	(2010-2011)	(2011-2012)	(PValue)	(2010-2011)	(2011-2012)	(PValue)	(2010-2011)	(2011-2012)	(PValue)	(2010-2011)	(2011-2012)	(PValue)
Nebraska	7.30 <sup>a</sup>	8.41	0.021	5.71	6.65	0.132	17.93	17.86	0.956	5.61 <sup>a</sup>	6.98	0.018	7.47 <sup>a</sup>	8.60	0.031
Nevada	9.85	9.66	0.758	7.57	6.56	0.181	19.48	19.14	0.797	8.58	8.52	0.935	10.10	9.99	0.875
New Hampshire	8.34	8.16	0.721	8.73 <sup>a</sup>	6.96	0.012	19.56	20.60	0.421	6.56	6.35	0.715	8.30	8.28	0.976
New Jersey	7.58	7.39	0.678	6.91	6.33	0.286	18.46	19.87	0.286	6.03	5.64	0.466	7.65	7.51	0.766
New Mexico	8.53	8.97	0.423	8.66	8.64	0.986	19.63	18.81	0.512	6.57	7.31	0.273	8.51	9.01	0.407
New York	7.89	7.78	0.736	6.44 <sup>b</sup>	5.69	0.091	18.08	17.16	0.219	6.26	6.37	0.789	8.04	7.98	0.880
North Carolina	6.30	6.42	0.759	6.10	5.49	0.260	15.68	15.96	0.791	4.78	4.96	0.709	6.32	6.52	0.646
North Dakota	8.75	8.89	0.767	6.28	5.73	0.344	22.02	21.38	0.609	6.25	6.59	0.547	8.99	9.19	0.693
Ohio	7.94	7.95	0.979	6.28 <sup>a</sup>	5.35	0.013	18.12	17.76	0.625	6.47	6.66	0.634	8.12	8.23	0.754
Oklahoma	8.36	9.17	0.140	6.15	6.20	0.936	17.63	18.16	0.679	6.97	7.94	0.147	8.60	9.50	0.137
Oregon	8.97	8.58	0.434	7.49 <sup>b</sup>	6.16	0.052	20.46	20.24	0.856	7.29	7.00	0.629	9.12	8.82	0.575
Pennsylvania	8.13 <sup>b</sup>	7.59	0.085	6.66	6.19	0.252	17.98	17.52	0.531	6.65	6.09	0.147	8.28	7.73	0.109
Rhode Island	10.29	9.63	0.240	7.28	6.38	0.187	22.23	22.09	0.910	8.33	7.59	0.275	10.58	9.94	0.290
South Carolina	7.67	7.34	0.488	6.82	6.25	0.332	16.16	16.07	0.935	6.32	5.99	0.558	7.76	7.45	0.552
South Dakota	9.12	8.97	0.771	7.60 <sup>a</sup>	6.28	0.038	18.19	18.94	0.553	7.73	7.56	0.798	9.28	9.25	0.957
Tennessee	7.63	7.01	0.137	6.47 <sup>b</sup>	5.44	0.064	17.50	15.83	0.127	6.17	5.74	0.404	7.75	7.17	0.201
Texas	7.64	7.67	0.928	6.36	6.16	0.628	16.82	16.54	0.690	6.09	6.21	0.749	7.80	7.85	0.875
Utah	5.85	6.17	0.465	5.33	4.28	0.124	12.94	13.68	0.488	4.26	4.76	0.373	5.92	6.44	0.295
Vermont	8.89	8.39	0.286	8.23	7.30	0.191	23.14	21.87	0.356	6.53	6.20	0.540	8.95	8.49	0.360
Virginia	7.50 <sup>b</sup>	6.76	0.074	6.67 <sup>a</sup>	5.28	0.019	19.24 <sup>b</sup>	17.06	0.072	5.59	5.18	0.395	7.59	6.91	0.129
Washington	8.06	8.83	0.116	6.44	6.49	0.933	20.85	20.25	0.617	6.13 <sup>b</sup>	7.22	0.064	8.23	9.07	0.113
West Virginia	6.37	6.65	0.518	5.61	5.71	0.876	17.84	17.12	0.510	4.72	5.18	0.357	6.44	6.73	0.522
Wisconsin	8.50	8.18	0.529	6.66	5.96	0.248	17.25	17.41	0.885	7.27	6.92	0.582	8.70	8.41	0.608
Wyoming	7.64	8.27	0.175	6.49	6.58	0.896	17.43	18.29	0.463	6.07	6.73	0.242	7.76	8.44	0.172

NOTE: State and census region estimates are based on a survey-weighted hierarchical Bayes estimation approach, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2011 and 2011-2012 population percentages. The "Total U.S." estimates, along with the *p* values, are based on design-based (direct) estimation methods.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for a substance use problem, but not receiving treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between the 2010-2011 and 2011-2012 population percentages is statistically significant at the 0.05 level.

<sup>b</sup> Difference between the 2010-2011 and 2011-2012 population percentages is statistically significant at the 0.10 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012.

**Table 2** *Received Mental Health Services in the Past Year, by Age Group and State: Percentages, Annual Averages, and P Values from Tests of Differences between Percentages, 2010-2011 and 2011-2012 NSDUHs*

State	18+ (2010-2011)	18+ (2011-2012)	18+ (PValue)	18-25 (2010-2011)	18-25 (2011-2012)	18-25 (PValue)	26+ (2010-2011)	26+ (2011-2012)	26+ (PValue)
Total U.S.	13.70 <sup>a</sup>	14.10	0.043	11.17 <sup>a</sup>	11.68	0.012	14.14 <sup>b</sup>	14.51	0.098
Northeast	14.36	14.37	0.991	11.96 <sup>b</sup>	12.62	0.064	14.77	14.66	0.801
Midwest	15.13	15.55	0.158	12.56 <sup>a</sup>	13.16	0.033	15.56	15.96	0.258
South	13.10 <sup>a</sup>	13.72	0.025	10.41 <sup>b</sup>	10.90	0.071	13.56 <sup>a</sup>	14.21	0.043
West	12.81	13.12	0.393	10.51	10.87	0.291	13.22	13.52	0.478
Alabama	13.93	13.79	0.885	10.68 <sup>b</sup>	12.27	0.084	14.50	14.05	0.696
Alaska	13.62	14.17	0.586	12.76	11.85	0.438	13.78	14.61	0.488
Arizona	13.14	12.89	0.816	11.15	10.64	0.535	13.48	13.28	0.872
Arkansas	16.36	16.35	0.995	11.64	12.42	0.392	17.16	17.02	0.906
California	10.57 <sup>b</sup>	11.69	0.058	8.93	9.57	0.191	10.88 <sup>b</sup>	12.08	0.081
Colorado	16.25	15.54	0.472	11.96	13.27	0.170	16.98	15.93	0.348
Connecticut	13.82	15.30	0.162	13.91	13.64	0.819	13.80	15.57	0.149
Delaware	15.02	15.77	0.422	12.44	13.78	0.152	15.46	16.10	0.551
District of Columbia	13.19	14.38	0.217	12.56	13.43	0.451	13.35	14.61	0.277
Florida	11.68	11.75	0.912	8.76	9.53	0.178	12.13	12.09	0.959
Georgia	13.00	14.00	0.307	10.65	11.03	0.640	13.42	14.54	0.332
Hawaii	9.74	9.93	0.815	8.04	8.28	0.737	10.00	10.18	0.841
Idaho	16.28	15.56	0.506	13.02	13.10	0.930	16.87	16.00	0.491
Illinois	13.38	13.47	0.875	11.30	10.86	0.442	13.73	13.91	0.788
Indiana	15.39	14.99	0.699	12.87	13.27	0.640	15.84	15.30	0.653
Iowa	15.11 <sup>a</sup>	17.20	0.045	13.11 <sup>b</sup>	14.99	0.068	15.46 <sup>b</sup>	17.59	0.077
Kansas	14.52	15.48	0.330	11.77	13.03	0.168	15.02	15.93	0.428
Kentucky	15.91	15.48	0.695	10.62	10.98	0.683	16.77	16.23	0.661
Louisiana	11.84 <sup>a</sup>	13.65	0.041	10.67 <sup>b</sup>	12.01	0.100	12.06 <sup>b</sup>	13.95	0.066
Maine	17.11 <sup>b</sup>	19.46	0.054	15.16 <sup>b</sup>	16.99	0.099	17.39 <sup>b</sup>	19.81	0.078
Maryland	13.37	14.49	0.274	11.56	11.55	0.996	13.67	14.98	0.269
Massachusetts	15.82	15.92	0.917	13.09 <sup>b</sup>	14.77	0.090	16.30	16.13	0.884
Michigan	15.05 <sup>b</sup>	16.28	0.052	13.88 <sup>a</sup>	15.10	0.044	15.25 <sup>b</sup>	16.48	0.094
Minnesota	15.37	16.58	0.249	15.04	14.89	0.888	15.42	16.85	0.238
Mississippi	12.97	13.14	0.849	10.29	10.29	0.994	13.45	13.66	0.845
Missouri	15.95	15.85	0.927	12.23	12.41	0.829	16.58	16.44	0.903
Montana	17.14 <sup>a</sup>	14.91	0.036	12.88	12.15	0.445	17.84 <sup>a</sup>	15.36	0.042

See notes at end of table.

(continued)

**Table 2** *Received Mental Health Services in the Past Year, by Age Group and State: Percentages, Annual Averages, and P Values from Tests of Differences between Percentages, 2010-2011 and 2011-2012 NSDUHs (continued)*

State	18+ (2010-2011)	18+ (2011-2012)	18+ (PValue)	18-25 (2010-2011)	18-25 (2011-2012)	18-25 (PValue)	26+ (2010-2011)	26+ (2011-2012)	26+ (PValue)
Nebraska	16.32	16.57	0.802	12.10 <sup>b</sup>	13.57	0.087	17.07	17.10	0.983
Nevada	10.98	10.91	0.950	9.09	8.97	0.878	11.28	11.22	0.962
New Hampshire	18.67	16.89	0.102	15.16	15.46	0.769	19.21 <sup>b</sup>	17.11	0.097
New Jersey	11.87	11.24	0.556	10.79 <sup>a</sup>	8.87	0.031	12.03	11.60	0.722
New Mexico	14.06	14.37	0.745	9.91	10.65	0.364	14.78	15.02	0.833
New York	13.44	13.10	0.540	10.91	11.64	0.244	13.89	13.35	0.415
North Carolina	14.76	14.92	0.880	12.09	11.44	0.449	15.20	15.49	0.809
North Dakota	16.00	15.13	0.357	12.39	13.95	0.140	16.75	15.38	0.217
Ohio	16.51	16.43	0.898	12.14	12.95	0.178	17.23	17.01	0.749
Oklahoma	15.28	16.26	0.339	11.10 <sup>a</sup>	12.94	0.049	16.03	16.86	0.486
Oregon	15.83	17.10	0.197	13.04	14.11	0.267	16.28	17.57	0.251
Pennsylvania	15.55	16.13	0.346	12.13 <sup>a</sup>	14.05	0.002	16.12	16.48	0.614
Rhode Island	18.04	16.90	0.313	14.83	14.32	0.633	18.66	17.40	0.338
South Carolina	14.51	15.33	0.417	11.30 <sup>a</sup>	13.20	0.045	15.06	15.69	0.589
South Dakota	15.81	14.65	0.208	12.98	12.28	0.476	16.30	15.06	0.246
Tennessee	15.03	15.97	0.356	11.23	12.14	0.278	15.64	16.59	0.416
Texas	10.53 <sup>b</sup>	11.65	0.055	8.98	8.94	0.942	10.82 <sup>b</sup>	12.16	0.053
Utah	17.74	17.08	0.487	15.15	14.80	0.740	18.35	17.61	0.522
Vermont	19.52	18.66	0.440	16.31	16.34	0.983	20.07	19.06	0.438
Virginia	15.11	15.41	0.773	12.67	13.03	0.695	15.52	15.81	0.810
Washington	17.76 <sup>a</sup>	15.57	0.042	14.22	13.60	0.532	18.34 <sup>a</sup>	15.90	0.047
West Virginia	17.39	19.05	0.152	11.55 <sup>b</sup>	13.04	0.075	18.27	19.95	0.204
Wisconsin	14.70	15.52	0.439	11.83	13.31	0.119	15.18	15.88	0.568
Wyoming	15.47	15.11	0.722	14.94	13.50	0.276	15.56	15.39	0.882

NOTE: State and census region estimates are based on a survey-weighted hierarchical Bayes estimation approach, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2011 and 2011-2012 population percentages. The "Total U.S." estimates, along with the *p* values, are based on design-based (direct) estimation methods.

NOTE: Mental Health Services are defined as having received inpatient treatment/counseling or outpatient treatment/counseling or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use.

<sup>a</sup> Difference between the 2010-2011 and 2011-2012 population percentages is statistically significant at the 0.05 level.

<sup>b</sup> Difference between the 2010-2011 and 2011-2012 population percentages is statistically significant at the 0.10 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, and 2012.