

**Table 1** *Needing But Not Receiving Treatment at a Specialty Facility for a Substance Use Problem in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	7.81	(7.57 - 8.05)	5.27	(4.99 - 5.56)	17.16	(16.63 - 17.70)	6.51	(6.23 - 6.80)	8.07	(7.82 - 8.34)
Northeast	7.82	(7.37 - 8.30)	5.31	(4.87 - 5.79)	17.91	(17.03 - 18.83)	6.42	(5.90 - 6.99)	8.07	(7.58 - 8.58)
Midwest	7.83	(7.49 - 8.19)	5.05	(4.70 - 5.42)	17.14	(16.45 - 17.85)	6.59	(6.18 - 7.02)	8.13	(7.75 - 8.51)
South	7.48	(7.13 - 7.84)	5.19	(4.84 - 5.57)	16.08	(15.42 - 16.77)	6.29	(5.88 - 6.73)	7.72	(7.35 - 8.11)
West	8.30	(7.84 - 8.79)	5.56	(5.05 - 6.11)	18.27	(17.28 - 19.31)	6.87	(6.33 - 7.46)	8.60	(8.10 - 9.13)
Alabama	7.46	(6.32 - 8.78)	5.41	(4.25 - 6.85)	14.48	(12.28 - 17.01)	6.49	(5.22 - 8.05)	7.67	(6.47 - 9.08)
Alaska	8.03	(6.81 - 9.45)	4.45	(3.43 - 5.75)	17.95	(15.44 - 20.78)	6.66	(5.29 - 8.34)	8.45	(7.13 - 9.98)
Arizona	8.35	(7.09 - 9.80)	5.75	(4.54 - 7.25)	17.53	(14.91 - 20.50)	7.08	(5.68 - 8.81)	8.63	(7.29 - 10.20)
Arkansas	6.87	(5.78 - 8.13)	4.89	(3.80 - 6.27)	16.15	(13.78 - 18.84)	5.54	(4.35 - 7.02)	7.08	(5.94 - 8.43)
California	8.18	(7.47 - 8.95)	5.44	(4.67 - 6.33)	18.38	(16.86 - 20.01)	6.64	(5.81 - 7.57)	8.48	(7.71 - 9.31)
Colorado	8.74	(7.48 - 10.19)	5.95	(4.67 - 7.55)	20.00	(17.26 - 23.06)	7.18	(5.81 - 8.84)	9.03	(7.69 - 10.57)
Connecticut	8.09	(6.87 - 9.50)	5.22	(4.08 - 6.65)	17.70	(15.15 - 20.57)	6.91	(5.56 - 8.56)	8.39	(7.09 - 9.90)
Delaware	8.16	(6.97 - 9.54)	5.30	(4.15 - 6.75)	18.72	(16.13 - 21.62)	6.70	(5.39 - 8.29)	8.44	(7.17 - 9.90)
District of Columbia	12.46	(10.69 - 14.48)	6.08	(4.69 - 7.85)	21.91	(18.89 - 25.25)	10.82	(8.80 - 13.23)	12.84	(10.99 - 14.95)
Florida	7.19	(6.47 - 7.99)	5.44	(4.67 - 6.33)	15.40	(14.01 - 16.89)	6.14	(5.31 - 7.09)	7.35	(6.58 - 8.20)
Georgia	7.01	(5.89 - 8.32)	4.81	(3.77 - 6.13)	14.35	(12.14 - 16.88)	5.99	(4.76 - 7.52)	7.26	(6.07 - 8.66)
Hawaii	8.69	(7.30 - 10.31)	6.37	(4.85 - 8.34)	19.85	(16.96 - 23.10)	7.18	(5.64 - 9.11)	8.90	(7.43 - 10.63)
Idaho	7.86	(6.70 - 9.20)	5.70	(4.51 - 7.17)	15.46	(13.10 - 18.16)	6.83	(5.53 - 8.41)	8.12	(6.87 - 9.57)
Illinois	7.39	(6.70 - 8.14)	4.56	(3.89 - 5.33)	16.68	(15.25 - 18.22)	6.17	(5.37 - 7.09)	7.69	(6.95 - 8.51)
Indiana	8.36	(7.14 - 9.76)	5.33	(4.21 - 6.72)	18.15	(15.76 - 20.82)	7.02	(5.65 - 8.69)	8.69	(7.39 - 10.20)
Iowa	7.01	(5.85 - 8.36)	4.46	(3.42 - 5.81)	16.52	(14.00 - 19.39)	5.64	(4.38 - 7.22)	7.27	(6.04 - 8.72)
Kansas	7.81	(6.67 - 9.11)	4.84	(3.79 - 6.15)	15.93	(13.54 - 18.66)	6.73	(5.45 - 8.27)	8.14	(6.93 - 9.54)
Kentucky	7.11	(6.04 - 8.35)	4.83	(3.80 - 6.13)	15.83	(13.52 - 18.45)	5.94	(4.77 - 7.38)	7.34	(6.21 - 8.67)
Louisiana	7.67	(6.54 - 8.98)	5.54	(4.41 - 6.95)	15.48	(13.22 - 18.06)	6.53	(5.26 - 8.07)	7.91	(6.70 - 9.31)
Maine	7.53	(6.37 - 8.89)	5.10	(3.99 - 6.50)	18.81	(16.26 - 21.66)	6.20	(4.95 - 7.75)	7.75	(6.52 - 9.19)
Maryland	7.55	(6.36 - 8.93)	4.77	(3.71 - 6.12)	17.10	(14.63 - 19.89)	6.31	(5.03 - 7.89)	7.83	(6.58 - 9.30)
Massachusetts	8.31	(7.11 - 9.69)	5.24	(4.14 - 6.62)	19.10	(16.44 - 22.08)	6.76	(5.45 - 8.34)	8.60	(7.32 - 10.07)
Michigan	8.11	(7.38 - 8.91)	5.56	(4.82 - 6.42)	16.44	(15.03 - 17.95)	7.00	(6.14 - 7.97)	8.39	(7.60 - 9.25)
Minnesota	7.11	(5.99 - 8.43)	4.49	(3.48 - 5.77)	15.67	(13.37 - 18.28)	6.04	(4.80 - 7.56)	7.39	(6.19 - 8.79)
Mississippi	7.35	(6.17 - 8.73)	5.32	(4.20 - 6.72)	13.49	(11.36 - 15.95)	6.49	(5.15 - 8.15)	7.58	(6.32 - 9.06)
Missouri	7.75	(6.64 - 9.02)	5.24	(4.15 - 6.60)	17.17	(14.81 - 19.82)	6.46	(5.24 - 7.94)	8.01	(6.83 - 9.37)
Montana	9.20	(7.93 - 10.65)	6.28	(5.03 - 7.80)	21.76	(19.04 - 24.75)	7.47	(6.08 - 9.16)	9.48	(8.13 - 11.02)

(continued)

**Table 1 Needing But Not Receiving Treatment at a Specialty Facility for a Substance Use Problem in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	9.09	(7.84 - 10.52)	6.02	(4.79 - 7.55)	18.84	(16.28 - 21.68)	7.76	(6.34 - 9.47)	9.42	(8.08 - 10.95)
Nevada	8.69	(7.39 - 10.19)	5.60	(4.44 - 7.05)	18.23	(15.54 - 21.27)	7.55	(6.11 - 9.30)	9.02	(7.63 - 10.63)
New Hampshire	8.81	(7.61 - 10.19)	6.53	(5.16 - 8.22)	22.34	(19.52 - 25.44)	6.95	(5.64 - 8.54)	9.04	(7.76 - 10.50)
New Jersey	7.26	(6.12 - 8.60)	4.83	(3.73 - 6.23)	17.87	(15.33 - 20.72)	5.95	(4.71 - 7.50)	7.51	(6.30 - 8.94)
New Mexico	8.88	(7.53 - 10.46)	6.74	(5.37 - 8.42)	17.64	(15.06 - 20.56)	7.63	(6.12 - 9.47)	9.12	(7.67 - 10.80)
New York	7.77	(7.01 - 8.61)	5.49	(4.72 - 6.37)	16.79	(15.29 - 18.41)	6.46	(5.58 - 7.46)	7.99	(7.18 - 8.89)
North Carolina	7.70	(6.55 - 9.03)	5.27	(4.11 - 6.74)	17.96	(15.44 - 20.78)	6.28	(5.03 - 7.82)	7.95	(6.73 - 9.37)
North Dakota	8.54	(7.41 - 9.84)	5.06	(3.96 - 6.45)	19.08	(16.42 - 22.06)	6.64	(5.41 - 8.13)	8.86	(7.66 - 10.23)
Ohio	7.70	(7.00 - 8.47)	4.83	(4.17 - 5.59)	17.40	(15.97 - 18.93)	6.45	(5.63 - 7.38)	8.00	(7.25 - 8.83)
Oklahoma	7.53	(6.37 - 8.88)	4.61	(3.61 - 5.88)	16.72	(14.23 - 19.53)	6.26	(4.97 - 7.86)	7.85	(6.61 - 9.30)
Oregon	8.49	(7.26 - 9.91)	6.00	(4.71 - 7.61)	18.53	(15.88 - 21.51)	7.19	(5.85 - 8.82)	8.73	(7.43 - 10.24)
Pennsylvania	7.72	(7.01 - 8.50)	5.25	(4.53 - 6.08)	18.22	(16.72 - 19.82)	6.26	(5.44 - 7.19)	7.96	(7.19 - 8.80)
Rhode Island	9.51	(8.13 - 11.09)	5.97	(4.69 - 7.57)	21.04	(18.36 - 24.00)	7.69	(6.15 - 9.56)	9.84	(8.38 - 11.52)
South Carolina	7.36	(6.25 - 8.64)	5.33	(4.20 - 6.73)	15.70	(13.35 - 18.37)	6.18	(4.97 - 7.67)	7.56	(6.39 - 8.94)
South Dakota	7.89	(6.73 - 9.23)	4.71	(3.65 - 6.07)	18.15	(15.54 - 21.07)	6.48	(5.21 - 8.04)	8.22	(6.99 - 9.65)
Tennessee	6.70	(5.63 - 7.95)	4.78	(3.71 - 6.12)	15.09	(12.85 - 17.64)	5.55	(4.40 - 6.98)	6.90	(5.76 - 8.23)
Texas	7.74	(7.03 - 8.51)	5.32	(4.59 - 6.17)	16.07	(14.67 - 17.57)	6.52	(5.68 - 7.47)	8.03	(7.27 - 8.87)
Utah	6.69	(5.60 - 7.97)	4.30	(3.23 - 5.69)	14.28	(11.96 - 16.96)	5.36	(4.16 - 6.89)	7.03	(5.86 - 8.41)
Vermont	8.13	(6.98 - 9.47)	6.20	(4.87 - 7.86)	19.67	(16.97 - 22.69)	6.35	(5.10 - 7.89)	8.31	(7.09 - 9.72)
Virginia	8.22	(7.09 - 9.52)	5.22	(4.11 - 6.61)	19.21	(16.53 - 22.21)	6.71	(5.47 - 8.20)	8.53	(7.32 - 9.91)
Washington	8.69	(7.48 - 10.06)	5.53	(4.36 - 6.98)	18.96	(16.47 - 21.73)	7.37	(6.01 - 9.01)	9.00	(7.72 - 10.48)
West Virginia	7.17	(6.10 - 8.41)	5.43	(4.33 - 6.80)	15.34	(13.12 - 17.87)	6.12	(4.93 - 7.57)	7.33	(6.19 - 8.65)
Wisconsin	8.69	(7.37 - 10.21)	5.85	(4.63 - 7.37)	18.97	(16.48 - 21.74)	7.33	(5.87 - 9.12)	8.98	(7.58 - 10.61)
Wyoming	8.74	(7.49 - 10.18)	6.42	(5.11 - 8.04)	17.69	(15.07 - 20.67)	7.46	(6.07 - 9.14)	8.97	(7.64 - 10.50)

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for a substance use problem, but not receiving treatment for an illicit drug use or alcohol use problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2** *Received Mental Health Services in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	14.59	(14.20 - 15.00)	12.09	(11.67 - 12.52)	15.02	(14.56 - 15.49)
Northeast	15.04	(14.31 - 15.80)	14.22	(13.38 - 15.10)	15.17	(14.34 - 16.05)
Midwest	15.86	(15.26 - 16.49)	13.42	(12.79 - 14.07)	16.28	(15.59 - 16.99)
South	14.11	(13.53 - 14.71)	11.11	(10.52 - 11.74)	14.62	(13.96 - 15.31)
West	13.84	(13.06 - 14.67)	10.84	(10.08 - 11.64)	14.38	(13.48 - 15.33)
Alabama	14.17	(12.17 - 16.45)	12.26	(10.14 - 14.75)	14.50	(12.25 - 17.09)
Alaska	14.31	(12.29 - 16.61)	12.45	(10.15 - 15.19)	14.66	(12.34 - 17.34)
Arizona	13.69	(11.70 - 15.94)	10.31	(8.30 - 12.75)	14.27	(12.04 - 16.84)
Arkansas	15.68	(13.63 - 17.97)	12.91	(10.77 - 15.40)	16.15	(13.83 - 18.78)
California	12.96	(11.75 - 14.27)	9.72	(8.59 - 10.97)	13.56	(12.17 - 15.08)
Colorado	14.14	(12.14 - 16.40)	12.73	(10.43 - 15.46)	14.37	(12.15 - 16.92)
Connecticut	16.78	(14.64 - 19.16)	15.32	(12.53 - 18.59)	17.01	(14.62 - 19.70)
Delaware	15.65	(13.58 - 17.98)	14.95	(12.45 - 17.84)	15.77	(13.46 - 18.40)
District of Columbia	15.65	(13.63 - 17.90)	14.24	(11.75 - 17.17)	15.96	(13.62 - 18.63)
Florida	12.35	(11.15 - 13.67)	9.67	(8.52 - 10.95)	12.75	(11.40 - 14.25)
Georgia	14.52	(12.53 - 16.77)	11.33	(9.19 - 13.88)	15.09	(12.82 - 17.69)
Hawaii	10.97	(9.24 - 12.99)	8.78	(6.95 - 11.02)	11.32	(9.36 - 13.61)
Idaho	15.51	(13.49 - 17.77)	13.50	(11.23 - 16.14)	15.86	(13.58 - 18.45)
Illinois	13.55	(12.40 - 14.79)	11.72	(10.49 - 13.07)	13.86	(12.55 - 15.27)
Indiana	16.45	(14.33 - 18.82)	13.34	(11.03 - 16.06)	17.00	(14.60 - 19.71)
Iowa	17.54	(15.25 - 20.09)	15.46	(12.89 - 18.44)	17.91	(15.30 - 20.84)
Kansas	15.30	(13.24 - 17.62)	12.35	(10.22 - 14.85)	15.84	(13.51 - 18.49)
Kentucky	16.96	(14.85 - 19.30)	12.11	(9.95 - 14.65)	17.75	(15.38 - 20.41)
Louisiana	14.36	(12.41 - 16.57)	12.89	(10.72 - 15.41)	14.63	(12.42 - 17.15)
Maine	21.28	(18.64 - 24.18)	17.38	(14.86 - 20.22)	21.82	(18.87 - 25.09)
Maryland	13.60	(11.64 - 15.83)	12.04	(9.86 - 14.63)	13.85	(11.66 - 16.37)
Massachusetts	17.76	(15.59 - 20.15)	16.13	(13.54 - 19.11)	18.04	(15.58 - 20.79)
Michigan	16.73	(15.50 - 18.05)	14.96	(13.60 - 16.43)	17.04	(15.62 - 18.56)
Minnesota	17.08	(14.89 - 19.52)	14.74	(12.29 - 17.59)	17.46	(15.00 - 20.23)
Mississippi	13.83	(11.80 - 16.13)	10.04	(8.15 - 12.33)	14.52	(12.21 - 17.18)
Missouri	15.76	(13.69 - 18.08)	12.56	(10.43 - 15.06)	16.30	(13.95 - 18.96)
Montana	15.61	(13.49 - 18.00)	14.08	(11.82 - 16.70)	15.86	(13.47 - 18.58)

(continued)

**Table 2** *Received Mental Health Services in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs (continued)*

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	15.05	(13.08 - 17.26)	12.63	(10.44 - 15.20)	15.47	(13.24 - 18.01)
Nevada	12.52	(10.58 - 14.75)	8.66	(6.76 - 11.04)	13.13	(10.95 - 15.66)
New Hampshire	17.21	(15.19 - 19.43)	15.30	(12.79 - 18.21)	17.50	(15.24 - 20.02)
New Jersey	13.01	(11.03 - 15.28)	10.77	(8.77 - 13.17)	13.35	(11.13 - 15.93)
New Mexico	13.34	(11.35 - 15.62)	11.72	(9.58 - 14.25)	13.63	(11.38 - 16.24)
New York	13.06	(11.87 - 14.33)	13.76	(12.35 - 15.30)	12.93	(11.60 - 14.40)
North Carolina	15.97	(13.82 - 18.37)	12.40	(10.17 - 15.03)	16.56	(14.12 - 19.32)
North Dakota	14.89	(12.86 - 17.17)	16.86	(14.06 - 20.08)	14.46	(12.14 - 17.14)
Ohio	16.48	(15.22 - 17.82)	13.44	(12.16 - 14.83)	16.98	(15.55 - 18.52)
Oklahoma	14.39	(12.42 - 16.62)	12.24	(10.08 - 14.77)	14.78	(12.54 - 17.34)
Oregon	17.75	(15.47 - 20.29)	12.71	(10.45 - 15.38)	18.54	(15.95 - 21.44)
Pennsylvania	16.27	(14.99 - 17.64)	15.16	(13.80 - 16.63)	16.45	(14.99 - 18.03)
Rhode Island	17.63	(15.28 - 20.24)	13.74	(11.39 - 16.49)	18.37	(15.69 - 21.40)
South Carolina	14.49	(12.50 - 16.74)	11.77	(9.73 - 14.17)	14.95	(12.71 - 17.52)
South Dakota	14.30	(12.38 - 16.47)	12.54	(10.31 - 15.17)	14.61	(12.46 - 17.07)
Tennessee	16.14	(14.08 - 18.44)	12.39	(10.31 - 14.81)	16.76	(14.44 - 19.38)
Texas	12.71	(11.60 - 13.90)	9.10	(8.01 - 10.33)	13.38	(12.10 - 14.78)
Utah	17.27	(15.16 - 19.61)	14.84	(12.45 - 17.58)	17.83	(15.37 - 20.59)
Vermont	18.41	(16.08 - 21.00)	19.37	(16.45 - 22.67)	18.24	(15.62 - 21.20)
Virginia	15.18	(13.18 - 17.42)	13.03	(10.71 - 15.76)	15.54	(13.31 - 18.07)
Washington	15.43	(13.42 - 17.68)	13.07	(10.88 - 15.62)	15.81	(13.55 - 18.37)
West Virginia	17.33	(15.15 - 19.75)	12.84	(10.61 - 15.46)	18.01	(15.57 - 20.74)
Wisconsin	16.53	(14.36 - 18.95)	13.48	(11.13 - 16.25)	17.03	(14.60 - 19.77)
Wyoming	15.77	(13.57 - 18.24)	13.39	(10.82 - 16.47)	16.17	(13.72 - 18.98)

NOTE: Mental Health Services are defined as having received inpatient treatment/counseling or outpatient treatment/counseling or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.