

**2012-2013**  
**National Surveys on Drug Use and Health:**  
**Model-Based Estimated Totals**  
**(in Thousands)**  
**(50 States and the District of Columbia)**

**Table 1 *Illicit Drug Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs***

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	24,218	(23,525 - 24,930)	2,287	(2,201 - 2,376)	7,436	(7,242 - 7,633)	14,495	(13,873 - 15,143)	21,931	(21,248 - 22,635)
Northeast	4,530	(4,290 - 4,784)	392	(366 - 420)	1,450	(1,386 - 1,515)	2,688	(2,472 - 2,921)	4,138	(3,902 - 4,388)
Midwest	4,956	(4,737 - 5,182)	479	(452 - 507)	1,543	(1,485 - 1,602)	2,934	(2,740 - 3,139)	4,477	(4,264 - 4,697)
South	7,755	(7,404 - 8,121)	794	(749 - 841)	2,438	(2,342 - 2,538)	4,522	(4,218 - 4,847)	6,961	(6,622 - 7,316)
West	6,977	(6,605 - 7,367)	621	(577 - 669)	2,005	(1,908 - 2,105)	4,351	(4,008 - 4,720)	6,355	(5,990 - 6,740)
Alabama	304	(254 - 362)	30	(24 - 37)	94	(80 - 109)	180	(140 - 231)	274	(227 - 330)
Alaska	75	(63 - 87)	6	(5 - 7)	19	(17 - 22)	50	(40 - 61)	69	(58 - 81)
Arizona	564	(475 - 667)	60	(49 - 73)	159	(136 - 185)	345	(270 - 437)	504	(420 - 603)
Arkansas	194	(162 - 232)	21	(17 - 26)	55	(47 - 65)	118	(92 - 151)	173	(143 - 209)
California	3,527	(3,240 - 3,838)	305	(272 - 343)	1,075	(998 - 1,157)	2,147	(1,884 - 2,441)	3,222	(2,942 - 3,527)
Colorado	641	(552 - 740)	58	(48 - 70)	180	(159 - 202)	403	(326 - 495)	583	(498 - 679)
Connecticut	302	(257 - 354)	29	(23 - 35)	95	(83 - 110)	178	(141 - 223)	273	(230 - 323)
Delaware	74	(63 - 86)	7	(6 - 9)	24	(20 - 27)	43	(34 - 54)	67	(56 - 79)
District of Columbia	83	(73 - 95)	4	(3 - 5)	26	(23 - 30)	53	(44 - 64)	79	(69 - 91)
Florida	1,423	(1,297 - 1,560)	131	(116 - 147)	431	(398 - 466)	861	(750 - 987)	1,292	(1,170 - 1,427)
Georgia	771	(647 - 915)	79	(64 - 97)	222	(190 - 258)	470	(369 - 597)	692	(575 - 830)
Hawaii	117	(98 - 138)	11	(9 - 13)	32	(27 - 37)	74	(58 - 94)	106	(88 - 127)
Idaho	89	(74 - 107)	11	(9 - 13)	28	(23 - 33)	50	(39 - 66)	78	(64 - 95)
Illinois	934	(852 - 1,024)	85	(75 - 96)	311	(287 - 335)	538	(466 - 620)	849	(769 - 937)
Indiana	430	(365 - 505)	43	(34 - 53)	147	(127 - 169)	240	(189 - 305)	387	(325 - 459)
Iowa	188	(156 - 225)	19	(15 - 24)	65	(55 - 76)	104	(80 - 136)	169	(139 - 205)
Kansas	141	(116 - 171)	16	(13 - 20)	48	(39 - 57)	78	(58 - 103)	125	(101 - 154)
Kentucky	263	(221 - 312)	24	(19 - 30)	87	(75 - 101)	151	(118 - 194)	239	(199 - 286)
Louisiana	295	(248 - 350)	31	(25 - 38)	90	(77 - 106)	173	(135 - 221)	264	(219 - 317)
Maine	130	(110 - 153)	11	(9 - 13)	34	(30 - 38)	86	(68 - 107)	119	(100 - 142)
Maryland	440	(373 - 518)	44	(36 - 53)	141	(122 - 162)	255	(200 - 324)	396	(332 - 471)
Massachusetts	658	(568 - 760)	52	(43 - 63)	223	(197 - 250)	384	(308 - 475)	606	(519 - 706)
Michigan	954	(880 - 1,034)	92	(82 - 102)	264	(246 - 283)	598	(531 - 674)	862	(790 - 940)
Minnesota	343	(284 - 411)	33	(26 - 42)	106	(90 - 124)	203	(157 - 263)	309	(254 - 375)
Mississippi	176	(147 - 211)	19	(16 - 24)	59	(51 - 69)	97	(74 - 127)	157	(129 - 190)
Missouri	443	(378 - 519)	45	(36 - 55)	147	(128 - 168)	252	(199 - 317)	398	(336 - 471)
Montana	94	(80 - 110)	8	(6 - 9)	27	(23 - 30)	60	(48 - 74)	87	(73 - 102)

(continued)

**Table 1 Illicit Drug Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	103	(86 - 124)	12	(9 - 15)	35	(30 - 42)	56	(43 - 74)	92	(75 - 111)
Nevada	247	(208 - 293)	23	(18 - 28)	62	(53 - 72)	163	(130 - 204)	225	(187 - 269)
New Hampshire	128	(110 - 148)	12	(10 - 14)	42	(37 - 47)	74	(59 - 93)	116	(99 - 136)
New Jersey	552	(456 - 666)	50	(40 - 64)	175	(149 - 203)	327	(248 - 430)	502	(410 - 612)
New Mexico	182	(153 - 215)	21	(17 - 25)	51	(44 - 59)	110	(86 - 141)	161	(133 - 193)
New York	1,645	(1,497 - 1,807)	140	(125 - 157)	515	(477 - 556)	990	(857 - 1,140)	1,505	(1,360 - 1,664)
North Carolina	607	(504 - 731)	67	(54 - 83)	196	(166 - 229)	345	(263 - 449)	541	(443 - 658)
North Dakota	38	(32 - 46)	3	(2 - 4)	15	(13 - 18)	20	(15 - 26)	35	(29 - 42)
Ohio	939	(861 - 1,024)	85	(76 - 96)	268	(248 - 289)	586	(515 - 665)	854	(777 - 937)
Oklahoma	240	(199 - 289)	23	(18 - 29)	79	(67 - 92)	138	(105 - 180)	217	(178 - 264)
Oregon	461	(394 - 537)	36	(30 - 44)	106	(92 - 120)	319	(260 - 390)	425	(361 - 498)
Pennsylvania	904	(823 - 993)	81	(71 - 91)	302	(280 - 325)	522	(450 - 605)	824	(745 - 911)
Rhode Island	141	(123 - 162)	12	(10 - 14)	42	(37 - 47)	88	(72 - 106)	130	(112 - 150)
South Carolina	347	(293 - 409)	37	(31 - 45)	111	(95 - 128)	199	(156 - 252)	309	(258 - 369)
South Dakota	42	(34 - 52)	4	(3 - 5)	13	(10 - 15)	25	(19 - 34)	38	(30 - 47)
Tennessee	386	(322 - 461)	42	(33 - 52)	122	(105 - 142)	222	(171 - 288)	345	(284 - 416)
Texas	1,509	(1,371 - 1,660)	179	(157 - 204)	491	(448 - 538)	838	(721 - 974)	1,329	(1,199 - 1,474)
Utah	156	(130 - 187)	20	(16 - 25)	52	(43 - 62)	84	(64 - 109)	136	(112 - 165)
Vermont	69	(59 - 79)	6	(5 - 7)	22	(19 - 25)	41	(33 - 50)	63	(54 - 73)
Virginia	544	(453 - 652)	48	(38 - 60)	177	(150 - 207)	319	(247 - 411)	496	(409 - 599)
Washington	792	(691 - 906)	61	(50 - 73)	204	(180 - 230)	527	(437 - 634)	732	(633 - 843)
West Virginia	100	(82 - 120)	9	(7 - 11)	33	(28 - 39)	58	(44 - 76)	91	(74 - 110)
Wisconsin	401	(334 - 480)	42	(34 - 52)	126	(108 - 146)	233	(179 - 301)	359	(295 - 434)
Wyoming	32	(26 - 38)	3	(3 - 4)	10	(8 - 12)	18	(14 - 24)	28	(23 - 34)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2 Marijuana Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	32,231	(31,447 - 33,036)	3,355	(3,253 - 3,460)	10,944	(10,700 - 11,190)	17,933	(17,258 - 18,635)	28,877	(28,106 - 29,668)
Northeast	6,281	(5,994 - 6,582)	602	(569 - 637)	2,173	(2,097 - 2,250)	3,506	(3,252 - 3,779)	5,679	(5,401 - 5,972)
Midwest	6,735	(6,472 - 7,004)	709	(675 - 744)	2,311	(2,242 - 2,380)	3,716	(3,483 - 3,961)	6,027	(5,774 - 6,286)
South	10,328	(9,906 - 10,766)	1,154	(1,097 - 1,213)	3,643	(3,533 - 3,754)	5,531	(5,159 - 5,928)	9,174	(8,766 - 9,599)
West	8,887	(8,468 - 9,326)	890	(834 - 949)	2,818	(2,711 - 2,926)	5,179	(4,801 - 5,586)	7,997	(7,588 - 8,426)
Alabama	389	(332 - 455)	40	(32 - 49)	136	(120 - 154)	213	(166 - 273)	350	(295 - 412)
Alaska	114	(100 - 129)	9	(8 - 11)	29	(26 - 33)	75	(62 - 89)	104	(91 - 119)
Arizona	699	(599 - 813)	81	(68 - 96)	225	(200 - 252)	392	(307 - 498)	618	(522 - 728)
Arkansas	235	(201 - 275)	30	(25 - 36)	78	(68 - 88)	128	(100 - 163)	205	(173 - 243)
California	4,384	(4,057 - 4,736)	444	(400 - 492)	1,519	(1,429 - 1,612)	2,421	(2,131 - 2,745)	3,940	(3,622 - 4,283)
Colorado	814	(715 - 922)	75	(64 - 89)	240	(218 - 262)	499	(412 - 602)	739	(643 - 844)
Connecticut	425	(372 - 486)	46	(39 - 55)	148	(134 - 163)	231	(186 - 286)	379	(328 - 437)
Delaware	108	(95 - 122)	11	(10 - 13)	39	(35 - 43)	57	(46 - 70)	96	(84 - 110)
District of Columbia	116	(104 - 128)	6	(5 - 6)	41	(38 - 45)	69	(58 - 81)	110	(98 - 123)
Florida	1,885	(1,737 - 2,044)	189	(170 - 209)	632	(596 - 670)	1,063	(929 - 1,215)	1,696	(1,552 - 1,851)
Georgia	925	(790 - 1,080)	105	(88 - 125)	303	(267 - 341)	518	(406 - 657)	820	(691 - 969)
Hawaii	151	(130 - 175)	15	(12 - 18)	44	(39 - 49)	93	(74 - 115)	137	(116 - 160)
Idaho	127	(109 - 148)	18	(15 - 21)	44	(38 - 49)	66	(52 - 84)	110	(93 - 129)
Illinois	1,247	(1,154 - 1,347)	132	(119 - 146)	438	(413 - 465)	677	(595 - 770)	1,115	(1,025 - 1,212)
Indiana	598	(518 - 689)	66	(55 - 78)	232	(207 - 258)	300	(236 - 380)	532	(457 - 618)
Iowa	266	(227 - 311)	29	(24 - 35)	104	(92 - 117)	133	(102 - 174)	237	(200 - 280)
Kansas	192	(163 - 226)	24	(20 - 29)	78	(68 - 89)	90	(68 - 120)	168	(141 - 201)
Kentucky	334	(287 - 388)	34	(28 - 42)	125	(110 - 141)	175	(136 - 224)	300	(255 - 352)
Louisiana	405	(346 - 472)	45	(38 - 54)	140	(124 - 158)	219	(171 - 280)	359	(303 - 424)
Maine	186	(161 - 214)	15	(13 - 18)	50	(45 - 55)	121	(99 - 148)	171	(147 - 198)
Maryland	565	(487 - 654)	66	(56 - 79)	216	(194 - 240)	282	(219 - 363)	499	(425 - 584)
Massachusetts	885	(779 - 1,004)	74	(62 - 87)	324	(295 - 355)	487	(396 - 596)	812	(709 - 926)
Michigan	1,268	(1,180 - 1,361)	130	(119 - 142)	383	(362 - 404)	755	(675 - 842)	1,138	(1,053 - 1,229)
Minnesota	536	(461 - 621)	51	(42 - 61)	183	(163 - 205)	302	(239 - 379)	485	(413 - 567)
Mississippi	213	(180 - 251)	25	(21 - 31)	86	(75 - 98)	102	(75 - 136)	188	(157 - 224)
Missouri	581	(501 - 673)	65	(54 - 78)	210	(187 - 233)	307	(241 - 388)	516	(440 - 604)
Montana	134	(116 - 153)	12	(10 - 14)	38	(34 - 42)	84	(69 - 102)	122	(105 - 141)

(continued)

**Table 2 Marijuana Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	152	(130 - 176)	19	(16 - 23)	58	(51 - 64)	75	(58 - 96)	133	(113 - 155)
Nevada	324	(278 - 376)	35	(29 - 41)	88	(78 - 99)	200	(160 - 249)	289	(244 - 339)
New Hampshire	175	(155 - 197)	18	(16 - 21)	62	(56 - 67)	95	(77 - 116)	156	(137 - 178)
New Jersey	759	(644 - 892)	85	(71 - 102)	274	(244 - 306)	400	(305 - 522)	674	(565 - 801)
New Mexico	257	(222 - 297)	31	(26 - 36)	73	(65 - 81)	153	(122 - 191)	226	(192 - 265)
New York	2,342	(2,171 - 2,525)	213	(193 - 235)	762	(718 - 808)	1,367	(1,212 - 1,539)	2,129	(1,961 - 2,309)
North Carolina	877	(745 - 1,029)	97	(80 - 117)	300	(265 - 337)	480	(370 - 620)	780	(656 - 926)
North Dakota	58	(50 - 67)	5	(4 - 6)	27	(23 - 30)	27	(21 - 34)	53	(46 - 62)
Ohio	1,237	(1,145 - 1,336)	123	(112 - 135)	385	(361 - 409)	729	(645 - 823)	1,114	(1,024 - 1,212)
Oklahoma	310	(263 - 365)	32	(26 - 39)	115	(102 - 130)	163	(124 - 213)	278	(233 - 331)
Oregon	630	(548 - 720)	50	(42 - 59)	148	(133 - 163)	432	(358 - 518)	580	(501 - 668)
Pennsylvania	1,223	(1,133 - 1,321)	125	(113 - 139)	458	(432 - 486)	640	(559 - 732)	1,098	(1,010 - 1,193)
Rhode Island	181	(161 - 203)	16	(13 - 18)	60	(54 - 65)	106	(88 - 126)	166	(146 - 187)
South Carolina	460	(396 - 534)	49	(41 - 58)	166	(148 - 186)	245	(192 - 312)	411	(350 - 482)
South Dakota	66	(56 - 77)	6	(5 - 8)	23	(20 - 26)	36	(28 - 47)	59	(50 - 70)
Tennessee	535	(458 - 623)	63	(52 - 76)	182	(161 - 204)	290	(228 - 369)	472	(399 - 556)
Texas	1,972	(1,816 - 2,142)	259	(231 - 289)	742	(691 - 795)	972	(840 - 1,123)	1,714	(1,564 - 1,877)
Utah	196	(166 - 231)	27	(22 - 34)	75	(65 - 87)	93	(70 - 123)	169	(141 - 201)
Vermont	104	(92 - 116)	9	(8 - 10)	34	(31 - 37)	60	(50 - 72)	95	(83 - 107)
Virginia	839	(729 - 963)	88	(74 - 103)	291	(258 - 325)	460	(368 - 573)	751	(646 - 871)
Washington	1,008	(895 - 1,132)	87	(75 - 102)	277	(253 - 303)	643	(542 - 761)	921	(811 - 1,041)
West Virginia	159	(137 - 185)	15	(12 - 18)	50	(44 - 57)	94	(75 - 118)	145	(123 - 170)
Wisconsin	534	(455 - 624)	59	(49 - 71)	190	(170 - 212)	284	(218 - 368)	475	(400 - 562)
Wyoming	48	(41 - 56)	5	(4 - 6)	16	(14 - 19)	27	(21 - 34)	43	(36 - 51)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 3 Marijuana Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	19,332	(18,726 - 19,958)	1,781	(1,706 - 1,859)	6,560	(6,372 - 6,753)	10,991	(10,453 - 11,556)	17,551	(16,954 - 18,169)
Northeast	3,709	(3,490 - 3,942)	323	(299 - 349)	1,289	(1,230 - 1,350)	2,096	(1,900 - 2,312)	3,385	(3,172 - 3,614)
Midwest	3,976	(3,777 - 4,182)	376	(354 - 399)	1,384	(1,330 - 1,440)	2,216	(2,043 - 2,401)	3,600	(3,407 - 3,801)
South	5,946	(5,633 - 6,275)	589	(550 - 630)	2,100	(2,009 - 2,194)	3,257	(2,985 - 3,552)	5,357	(5,053 - 5,678)
West	5,702	(5,369 - 6,054)	493	(454 - 534)	1,787	(1,695 - 1,883)	3,422	(3,122 - 3,749)	5,209	(4,883 - 5,555)
Alabama	199	(160 - 246)	18	(14 - 24)	75	(62 - 89)	105	(76 - 147)	180	(143 - 226)
Alaska	69	(58 - 81)	5	(4 - 7)	17	(15 - 20)	46	(37 - 58)	63	(53 - 76)
Arizona	426	(349 - 518)	45	(36 - 55)	134	(113 - 158)	248	(185 - 329)	381	(308 - 470)
Arkansas	138	(110 - 173)	13	(10 - 17)	46	(38 - 55)	79	(57 - 110)	125	(98 - 158)
California	2,822	(2,562 - 3,107)	243	(213 - 277)	965	(888 - 1,047)	1,614	(1,383 - 1,880)	2,579	(2,325 - 2,860)
Colorado	547	(467 - 636)	45	(37 - 55)	164	(144 - 186)	338	(269 - 420)	502	(425 - 589)
Connecticut	272	(228 - 323)	25	(20 - 31)	92	(79 - 106)	156	(121 - 200)	247	(206 - 297)
Delaware	61	(52 - 73)	6	(5 - 8)	21	(18 - 25)	34	(26 - 44)	55	(46 - 66)
District of Columbia	66	(56 - 77)	3	(3 - 4)	24	(21 - 28)	39	(31 - 49)	63	(54 - 74)
Florida	1,153	(1,034 - 1,286)	104	(91 - 119)	377	(346 - 409)	673	(568 - 794)	1,049	(934 - 1,178)
Georgia	624	(510 - 759)	59	(47 - 74)	199	(170 - 233)	365	(272 - 487)	564	(456 - 695)
Hawaii	98	(81 - 118)	9	(7 - 11)	26	(22 - 31)	62	(47 - 81)	88	(72 - 108)
Idaho	72	(58 - 89)	8	(6 - 10)	24	(20 - 29)	40	(29 - 54)	64	(51 - 80)
Illinois	744	(670 - 825)	65	(57 - 75)	280	(258 - 303)	398	(335 - 473)	678	(607 - 757)
Indiana	340	(280 - 411)	32	(26 - 40)	130	(110 - 153)	177	(131 - 239)	307	(250 - 376)
Iowa	153	(124 - 188)	15	(12 - 19)	57	(48 - 68)	81	(59 - 111)	138	(110 - 172)
Kansas	103	(82 - 129)	12	(9 - 15)	40	(32 - 48)	52	(36 - 73)	91	(71 - 116)
Kentucky	194	(159 - 235)	17	(13 - 22)	77	(65 - 90)	99	(73 - 135)	176	(144 - 216)
Louisiana	191	(153 - 237)	19	(15 - 24)	76	(63 - 91)	96	(68 - 134)	172	(136 - 216)
Maine	114	(96 - 136)	9	(7 - 11)	32	(28 - 36)	73	(57 - 94)	105	(87 - 126)
Maryland	342	(283 - 412)	34	(28 - 42)	126	(108 - 147)	181	(136 - 241)	308	(252 - 375)
Massachusetts	563	(476 - 664)	44	(35 - 54)	206	(180 - 235)	313	(242 - 402)	519	(435 - 618)
Michigan	809	(739 - 886)	74	(65 - 83)	245	(227 - 265)	490	(426 - 563)	735	(667 - 811)
Minnesota	279	(227 - 343)	28	(23 - 36)	98	(82 - 116)	153	(112 - 207)	251	(201 - 312)
Mississippi	124	(101 - 152)	13	(10 - 16)	51	(43 - 60)	60	(43 - 83)	111	(89 - 137)
Missouri	355	(295 - 426)	34	(27 - 42)	132	(113 - 153)	189	(141 - 251)	321	(264 - 390)
Montana	88	(73 - 104)	6	(5 - 8)	25	(22 - 29)	56	(44 - 71)	81	(67 - 97)

(continued)

**Table 3 Marijuana Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	83	(68 - 102)	9	(7 - 12)	31	(26 - 37)	43	(31 - 58)	74	(59 - 91)
Nevada	183	(150 - 223)	18	(15 - 23)	53	(45 - 63)	112	(84 - 148)	165	(133 - 204)
New Hampshire	111	(95 - 129)	10	(8 - 12)	39	(34 - 44)	62	(49 - 79)	101	(86 - 119)
New Jersey	389	(309 - 487)	38	(29 - 49)	137	(114 - 163)	214	(151 - 301)	351	(275 - 445)
New Mexico	154	(128 - 185)	15	(13 - 19)	44	(38 - 51)	95	(72 - 123)	139	(113 - 169)
New York	1,373	(1,241 - 1,518)	118	(105 - 134)	457	(421 - 495)	798	(681 - 933)	1,255	(1,127 - 1,396)
North Carolina	497	(402 - 612)	51	(40 - 64)	173	(145 - 206)	273	(199 - 372)	446	(356 - 556)
North Dakota	30	(25 - 37)	3	(2 - 3)	14	(11 - 16)	14	(10 - 20)	28	(22 - 34)
Ohio	734	(666 - 809)	68	(60 - 77)	232	(214 - 251)	434	(372 - 505)	666	(599 - 740)
Oklahoma	173	(138 - 218)	16	(12 - 20)	62	(51 - 74)	96	(68 - 134)	157	(123 - 200)
Oregon	395	(333 - 466)	28	(23 - 35)	96	(83 - 110)	270	(215 - 337)	367	(307 - 436)
Pennsylvania	697	(627 - 775)	65	(56 - 74)	266	(244 - 289)	366	(305 - 439)	632	(564 - 708)
Rhode Island	126	(109 - 146)	10	(8 - 12)	39	(35 - 44)	77	(62 - 95)	116	(99 - 136)
South Carolina	270	(220 - 329)	26	(21 - 32)	97	(82 - 114)	147	(108 - 198)	244	(197 - 301)
South Dakota	34	(27 - 43)	3	(3 - 4)	12	(10 - 14)	19	(14 - 27)	31	(24 - 39)
Tennessee	292	(235 - 361)	31	(24 - 39)	104	(87 - 123)	158	(115 - 216)	262	(208 - 328)
Texas	1,117	(995 - 1,254)	134	(116 - 155)	411	(370 - 456)	572	(471 - 693)	983	(866 - 1,116)
Utah	114	(91 - 142)	15	(11 - 19)	40	(32 - 50)	59	(42 - 82)	99	(77 - 125)
Vermont	64	(54 - 74)	5	(4 - 6)	21	(19 - 24)	38	(30 - 47)	59	(50 - 69)
Virginia	425	(346 - 521)	38	(29 - 48)	152	(127 - 181)	236	(174 - 318)	388	(313 - 480)
Washington	708	(610 - 819)	52	(43 - 63)	189	(166 - 214)	468	(380 - 572)	656	(561 - 765)
West Virginia	80	(64 - 99)	7	(5 - 9)	28	(24 - 34)	45	(32 - 61)	73	(58 - 91)
Wisconsin	311	(255 - 380)	32	(26 - 40)	114	(96 - 134)	165	(120 - 225)	279	(225 - 345)
Wyoming	28	(22 - 35)	3	(2 - 3)	9	(7 - 11)	16	(12 - 22)	25	(20 - 32)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	77,132	(75,730 - 78,432)	6,312	(6,174 - 6,453)	5,484	(5,310 - 5,661)	65,337	(64,033 - 66,650)	70,820	(69,437 - 72,094)
Northeast	13,126	(12,653 - 13,584)	992	(947 - 1,039)	813	(764 - 864)	11,320	(10,871 - 11,778)	12,133	(11,665 - 12,587)
Midwest	15,231	(14,791 - 15,654)	1,409	(1,365 - 1,453)	1,038	(991 - 1,088)	12,784	(12,370 - 13,206)	13,822	(13,389 - 14,239)
South	32,721	(31,957 - 33,457)	2,614	(2,536 - 2,695)	2,357	(2,266 - 2,452)	27,749	(27,029 - 28,481)	30,107	(29,349 - 30,833)
West	16,055	(15,438 - 16,656)	1,297	(1,235 - 1,361)	1,275	(1,198 - 1,356)	13,483	(12,897 - 14,080)	14,758	(14,148 - 15,351)
Alabama	1,577	(1,441 - 1,716)	123	(110 - 137)	106	(92 - 123)	1,347	(1,217 - 1,480)	1,454	(1,320 - 1,590)
Alaska	113	(98 - 130)	11	(10 - 13)	11	(9 - 13)	91	(77 - 106)	102	(87 - 118)
Arizona	1,404	(1,245 - 1,573)	117	(102 - 134)	104	(87 - 124)	1,183	(1,033 - 1,344)	1,287	(1,132 - 1,451)
Arkansas	865	(788 - 944)	73	(65 - 81)	53	(45 - 63)	739	(666 - 814)	792	(717 - 869)
California	8,957	(8,448 - 9,468)	653	(603 - 706)	741	(676 - 810)	7,563	(7,077 - 8,067)	8,304	(7,802 - 8,808)
Colorado	946	(832 - 1,071)	79	(68 - 91)	60	(49 - 74)	807	(698 - 927)	868	(755 - 990)
Connecticut	752	(669 - 841)	66	(58 - 76)	46	(37 - 56)	640	(561 - 725)	686	(604 - 773)
Delaware	223	(200 - 247)	15	(13 - 17)	13	(11 - 16)	195	(173 - 218)	208	(186 - 232)
District of Columbia	123	(108 - 139)	7	(6 - 8)	11	(9 - 13)	105	(91 - 121)	116	(102 - 132)
Florida	5,416	(5,137 - 5,695)	365	(340 - 391)	348	(320 - 378)	4,703	(4,434 - 4,979)	5,051	(4,774 - 5,328)
Georgia	2,880	(2,626 - 3,141)	249	(223 - 277)	221	(191 - 255)	2,409	(2,166 - 2,660)	2,630	(2,381 - 2,886)
Hawaii	300	(266 - 336)	21	(18 - 24)	18	(15 - 22)	261	(228 - 296)	279	(246 - 314)
Idaho	382	(344 - 423)	39	(35 - 44)	29	(25 - 35)	314	(278 - 353)	343	(306 - 383)
Illinois	3,169	(2,995 - 3,344)	274	(256 - 293)	207	(188 - 227)	2,688	(2,521 - 2,861)	2,895	(2,723 - 3,068)
Indiana	1,595	(1,430 - 1,769)	153	(136 - 172)	105	(88 - 125)	1,337	(1,182 - 1,502)	1,442	(1,282 - 1,611)
Iowa	717	(637 - 802)	66	(59 - 75)	49	(41 - 58)	602	(526 - 683)	651	(573 - 733)
Kansas	623	(554 - 697)	62	(55 - 70)	55	(47 - 65)	506	(441 - 576)	561	(494 - 633)
Kentucky	1,193	(1,081 - 1,310)	104	(93 - 116)	80	(69 - 94)	1,008	(900 - 1,122)	1,089	(978 - 1,204)
Louisiana	1,349	(1,235 - 1,467)	110	(98 - 123)	106	(92 - 122)	1,133	(1,024 - 1,246)	1,240	(1,127 - 1,355)
Maine	230	(200 - 262)	21	(19 - 24)	12	(10 - 15)	196	(167 - 228)	208	(179 - 240)
Maryland	1,478	(1,319 - 1,644)	108	(95 - 122)	95	(79 - 113)	1,275	(1,124 - 1,437)	1,370	(1,214 - 1,534)
Massachusetts	1,180	(1,029 - 1,344)	95	(82 - 109)	66	(53 - 82)	1,019	(876 - 1,178)	1,085	(937 - 1,246)
Michigan	2,016	(1,890 - 2,143)	184	(171 - 198)	137	(123 - 152)	1,694	(1,574 - 1,821)	1,831	(1,707 - 1,958)
Minnesota	1,124	(986 - 1,273)	104	(92 - 118)	69	(57 - 83)	951	(820 - 1,095)	1,020	(885 - 1,166)
Mississippi	899	(821 - 978)	81	(73 - 90)	82	(72 - 94)	735	(662 - 810)	817	(742 - 895)
Missouri	1,431	(1,279 - 1,590)	125	(111 - 140)	87	(73 - 103)	1,219	(1,076 - 1,372)	1,306	(1,158 - 1,462)
Montana	213	(188 - 239)	18	(16 - 21)	11	(9 - 14)	183	(160 - 209)	195	(171 - 221)

(continued)



**Table 4 Perceptions of Great Risk of Smoking Marijuana Once a Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	425	(377 - 475)	39	(34 - 44)	31	(26 - 36)	355	(310 - 403)	386	(340 - 435)
Nevada	656	(584 - 732)	49	(43 - 57)	45	(38 - 54)	562	(493 - 635)	607	(537 - 681)
New Hampshire	226	(198 - 256)	20	(18 - 23)	11	(9 - 14)	195	(168 - 224)	206	(179 - 235)
New Jersey	2,480	(2,232 - 2,737)	174	(152 - 199)	132	(111 - 157)	2,173	(1,935 - 2,423)	2,305	(2,062 - 2,559)
New Mexico	469	(416 - 525)	39	(34 - 45)	36	(31 - 43)	394	(344 - 447)	430	(378 - 485)
New York	4,782	(4,501 - 5,065)	333	(308 - 360)	319	(289 - 353)	4,129	(3,859 - 4,409)	4,449	(4,171 - 4,729)
North Carolina	2,475	(2,209 - 2,755)	192	(169 - 217)	172	(144 - 204)	2,111	(1,859 - 2,379)	2,283	(2,023 - 2,557)
North Dakota	170	(154 - 188)	16	(14 - 17)	15	(12 - 18)	140	(124 - 157)	155	(138 - 172)
Ohio	2,512	(2,358 - 2,667)	244	(228 - 260)	176	(160 - 194)	2,092	(1,944 - 2,247)	2,268	(2,116 - 2,422)
Oklahoma	910	(815 - 1,010)	90	(79 - 101)	81	(69 - 95)	739	(649 - 837)	820	(727 - 919)
Oregon	647	(560 - 743)	59	(50 - 68)	47	(38 - 57)	542	(460 - 635)	589	(504 - 682)
Pennsylvania	3,155	(2,986 - 3,325)	257	(240 - 274)	204	(185 - 224)	2,695	(2,533 - 2,861)	2,899	(2,732 - 3,065)
Rhode Island	199	(174 - 227)	16	(13 - 18)	14	(12 - 17)	169	(145 - 196)	183	(159 - 210)
South Carolina	1,293	(1,171 - 1,419)	100	(89 - 112)	92	(78 - 107)	1,101	(985 - 1,223)	1,193	(1,073 - 1,317)
South Dakota	200	(181 - 221)	19	(17 - 21)	16	(13 - 19)	165	(147 - 185)	181	(162 - 201)
Tennessee	1,931	(1,763 - 2,104)	147	(130 - 164)	129	(112 - 149)	1,655	(1,494 - 1,822)	1,784	(1,620 - 1,954)
Texas	7,815	(7,467 - 8,160)	658	(616 - 700)	614	(567 - 663)	6,544	(6,210 - 6,883)	7,158	(6,814 - 7,497)
Utah	751	(681 - 824)	97	(87 - 108)	77	(66 - 89)	577	(513 - 644)	654	(587 - 724)
Vermont	122	(107 - 138)	9	(8 - 11)	7	(6 - 9)	105	(91 - 120)	112	(98 - 128)
Virginia	1,772	(1,575 - 1,982)	156	(138 - 176)	122	(100 - 148)	1,493	(1,307 - 1,695)	1,616	(1,422 - 1,821)
Washington	1,080	(943 - 1,229)	101	(88 - 116)	84	(69 - 101)	895	(767 - 1,039)	979	(845 - 1,125)
West Virginia	523	(476 - 571)	37	(33 - 42)	31	(26 - 36)	454	(409 - 502)	485	(439 - 533)
Wisconsin	1,248	(1,101 - 1,404)	122	(108 - 137)	92	(77 - 109)	1,034	(895 - 1,185)	1,126	(983 - 1,279)
Wyoming	135	(121 - 149)	13	(11 - 14)	10	(8 - 12)	112	(99 - 126)	122	(109 - 136)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5 Average Annual Marijuana Initiates, by Age Group and State: Estimated Numbers (in Thousands), Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	2,857	(2,755 - 2,961)	1,268	(1,224 - 1,314)	1,348	(1,288 - 1,411)	240	(192 - 300)	1,588	(1,502 - 1,679)
Northeast	531	(499 - 566)	223	(208 - 238)	262	(241 - 283)	47	(33 - 66)	309	(281 - 339)
Midwest	619	(586 - 653)	277	(262 - 292)	293	(273 - 314)	49	(36 - 67)	342	(314 - 372)
South	999	(943 - 1,058)	456	(431 - 483)	463	(429 - 499)	80	(58 - 110)	543	(496 - 595)
West	707	(662 - 756)	313	(290 - 336)	330	(301 - 363)	64	(45 - 92)	395	(356 - 437)
Alabama	39	(34 - 45)	18	(15 - 22)	18	(15 - 23)	3	(1 - 5)	21	(17 - 26)
Alaska	7	(6 - 8)	3	(2 - 3)	3	(2 - 4)	1	(0 - 1)	4	(3 - 5)
Arizona	58	(49 - 68)	28	(23 - 34)	24	(19 - 31)	5	(3 - 10)	30	(24 - 38)
Arkansas	26	(22 - 30)	12	(10 - 15)	11	(9 - 14)	2	(1 - 4)	14	(11 - 17)
California	389	(354 - 428)	164	(146 - 184)	193	(169 - 220)	32	(19 - 54)	225	(197 - 259)
Colorado	49	(42 - 58)	24	(19 - 29)	20	(16 - 26)	5	(3 - 9)	26	(20 - 32)
Connecticut	37	(32 - 43)	18	(15 - 22)	16	(13 - 20)	3	(2 - 6)	19	(15 - 24)
Delaware	9	(8 - 11)	4	(3 - 5)	4	(3 - 5)	1	(0 - 2)	5	(4 - 6)
District of Columbia	7	(6 - 9)	2	(2 - 3)	4	(4 - 5)	1	(0 - 2)	5	(4 - 6)
Florida	163	(147 - 180)	75	(67 - 84)	73	(64 - 84)	15	(9 - 24)	88	(76 - 102)
Georgia	85	(73 - 100)	41	(33 - 50)	39	(31 - 49)	6	(3 - 12)	45	(36 - 55)
Hawaii	11	(9 - 14)	5	(4 - 6)	5	(4 - 7)	2	(1 - 4)	7	(5 - 9)
Idaho	14	(12 - 16)	7	(6 - 9)	6	(4 - 7)	1	(1 - 2)	7	(5 - 9)
Illinois	115	(104 - 126)	51	(45 - 57)	54	(47 - 62)	9	(6 - 16)	64	(55 - 74)
Indiana	60	(51 - 70)	26	(21 - 31)	30	(24 - 37)	4	(2 - 8)	34	(28 - 42)
Iowa	29	(25 - 34)	12	(10 - 15)	14	(12 - 18)	3	(1 - 5)	17	(14 - 21)
Kansas	25	(21 - 30)	10	(8 - 13)	13	(10 - 16)	2	(1 - 4)	15	(12 - 19)
Kentucky	35	(30 - 41)	15	(12 - 18)	17	(13 - 21)	3	(1 - 5)	20	(16 - 25)
Louisiana	41	(35 - 48)	17	(14 - 21)	19	(15 - 24)	4	(2 - 8)	23	(18 - 29)
Maine	12	(10 - 14)	5	(4 - 6)	6	(5 - 7)	1	(1 - 2)	7	(6 - 9)
Maryland	58	(50 - 67)	27	(22 - 32)	26	(21 - 32)	5	(3 - 9)	31	(25 - 38)
Massachusetts	72	(62 - 84)	27	(22 - 33)	40	(32 - 49)	5	(3 - 10)	45	(37 - 55)
Michigan	102	(93 - 112)	48	(43 - 53)	48	(42 - 54)	7	(4 - 11)	54	(47 - 62)
Minnesota	43	(36 - 51)	19	(15 - 23)	20	(15 - 25)	4	(2 - 8)	24	(19 - 30)
Mississippi	23	(20 - 28)	11	(8 - 13)	11	(9 - 14)	2	(1 - 4)	13	(10 - 16)
Missouri	58	(50 - 67)	26	(22 - 31)	27	(22 - 33)	5	(3 - 9)	32	(26 - 39)
Montana	9	(8 - 10)	4	(3 - 5)	4	(3 - 5)	1	(0 - 1)	5	(4 - 6)

(continued)

**Table 5 Average Annual Marijuana Initiates, by Age Group and State: Estimated Numbers (in Thousands), Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	16	(13 - 18)	8	(6 - 9)	7	(6 - 9)	1	(1 - 2)	8	(7 - 10)
Nevada	24	(20 - 28)	11	(9 - 14)	10	(8 - 13)	2	(1 - 5)	13	(10 - 16)
New Hampshire	15	(13 - 17)	6	(5 - 8)	8	(6 - 9)	1	(1 - 2)	9	(7 - 11)
New Jersey	78	(67 - 92)	36	(29 - 44)	35	(28 - 44)	7	(3 - 13)	42	(34 - 52)
New Mexico	18	(16 - 22)	10	(8 - 12)	7	(5 - 8)	2	(1 - 3)	8	(6 - 11)
New York	182	(164 - 202)	74	(65 - 83)	88	(76 - 101)	20	(12 - 34)	108	(93 - 126)
North Carolina	78	(66 - 93)	37	(29 - 45)	36	(28 - 45)	6	(3 - 12)	42	(33 - 52)
North Dakota	6	(5 - 7)	2	(2 - 3)	4	(3 - 5)	1	(0 - 1)	4	(3 - 5)
Ohio	106	(97 - 117)	48	(43 - 53)	51	(45 - 58)	8	(5 - 13)	59	(51 - 67)
Oklahoma	30	(25 - 35)	14	(11 - 17)	13	(10 - 17)	3	(1 - 5)	16	(13 - 20)
Oregon	36	(31 - 42)	16	(13 - 19)	16	(13 - 20)	4	(2 - 7)	20	(16 - 25)
Pennsylvania	116	(105 - 128)	48	(43 - 54)	60	(52 - 68)	8	(5 - 14)	68	(59 - 78)
Rhode Island	12	(10 - 14)	5	(4 - 6)	6	(5 - 7)	1	(1 - 2)	7	(6 - 9)
South Carolina	42	(36 - 49)	21	(17 - 25)	19	(15 - 23)	3	(1 - 6)	21	(17 - 27)
South Dakota	7	(6 - 8)	3	(2 - 3)	3	(3 - 4)	1	(0 - 1)	4	(3 - 5)
Tennessee	52	(44 - 60)	24	(20 - 30)	23	(19 - 29)	4	(2 - 8)	28	(22 - 34)
Texas	226	(204 - 251)	102	(90 - 116)	108	(93 - 124)	16	(9 - 28)	124	(107 - 144)
Utah	23	(19 - 28)	10	(8 - 13)	11	(8 - 14)	2	(1 - 4)	13	(10 - 16)
Vermont	6	(5 - 7)	3	(2 - 3)	3	(2 - 4)	0	(0 - 1)	4	(3 - 4)
Virginia	70	(60 - 82)	30	(25 - 37)	34	(27 - 43)	6	(3 - 11)	40	(32 - 50)
Washington	64	(55 - 74)	29	(24 - 35)	28	(23 - 35)	6	(3 - 12)	35	(28 - 43)
West Virginia	15	(12 - 17)	7	(6 - 8)	6	(5 - 8)	1	(1 - 3)	8	(6 - 10)
Wisconsin	53	(45 - 62)	25	(21 - 31)	23	(18 - 28)	5	(2 - 9)	27	(22 - 34)
Wyoming	5	(4 - 6)	2	(2 - 3)	2	(2 - 3)	0	(0 - 1)	3	(2 - 3)

NOTE: Average annual number of marijuana initiates =  $X_1 \div 2$ , where  $X_1$  is the number of marijuana initiates in the past 24 months.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs***

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	8,774	(8,359 - 9,209)	837	(782 - 896)	2,386	(2,273 - 2,504)	5,551	(5,162 - 5,967)	7,937	(7,523 - 8,372)
Northeast	1,451	(1,322 - 1,592)	120	(105 - 136)	432	(397 - 470)	899	(785 - 1,027)	1,331	(1,207 - 1,467)
Midwest	1,748	(1,624 - 1,880)	172	(157 - 189)	495	(461 - 530)	1,081	(969 - 1,205)	1,576	(1,456 - 1,704)
South	3,252	(3,026 - 3,494)	330	(301 - 362)	872	(815 - 933)	2,049	(1,846 - 2,274)	2,922	(2,703 - 3,157)
West	2,324	(2,113 - 2,554)	215	(191 - 242)	587	(535 - 643)	1,522	(1,331 - 1,738)	2,109	(1,904 - 2,334)
Alabama	155	(121 - 198)	15	(11 - 20)	40	(31 - 51)	100	(72 - 138)	140	(108 - 181)
Alaska	17	(13 - 23)	2	(1 - 3)	5	(4 - 7)	10	(7 - 15)	15	(11 - 20)
Arizona	210	(161 - 272)	21	(15 - 28)	49	(39 - 63)	140	(99 - 197)	189	(144 - 249)
Arkansas	91	(70 - 118)	10	(7 - 13)	23	(18 - 29)	58	(41 - 82)	81	(62 - 106)
California	1,226	(1,058 - 1,418)	112	(93 - 135)	305	(265 - 352)	808	(661 - 988)	1,114	(953 - 1,301)
Colorado	170	(131 - 219)	15	(11 - 20)	45	(36 - 58)	109	(77 - 154)	155	(118 - 202)
Connecticut	82	(61 - 110)	7	(5 - 11)	25	(20 - 33)	49	(33 - 74)	75	(55 - 101)
Delaware	26	(20 - 34)	2	(2 - 3)	9	(7 - 11)	15	(11 - 22)	24	(18 - 31)
District of Columbia	32	(25 - 40)	2	(1 - 2)	7	(5 - 9)	23	(17 - 31)	30	(23 - 39)
Florida	504	(431 - 590)	42	(35 - 52)	145	(126 - 167)	317	(252 - 396)	462	(392 - 545)
Georgia	330	(254 - 427)	34	(25 - 46)	76	(60 - 97)	220	(156 - 307)	296	(225 - 389)
Hawaii	40	(30 - 52)	4	(3 - 5)	10	(7 - 12)	26	(18 - 38)	36	(27 - 48)
Idaho	35	(26 - 46)	4	(3 - 5)	12	(9 - 15)	19	(13 - 29)	31	(23 - 41)
Illinois	303	(258 - 355)	31	(25 - 37)	84	(72 - 97)	188	(150 - 236)	272	(230 - 323)
Indiana	186	(144 - 238)	17	(12 - 24)	59	(46 - 74)	110	(77 - 156)	168	(130 - 218)
Iowa	70	(52 - 92)	7	(5 - 10)	22	(17 - 29)	40	(27 - 61)	63	(46 - 84)
Kansas	64	(49 - 85)	7	(5 - 10)	18	(14 - 24)	39	(26 - 58)	57	(43 - 77)
Kentucky	115	(89 - 148)	9	(7 - 13)	36	(28 - 45)	70	(49 - 99)	106	(81 - 137)
Louisiana	152	(118 - 196)	16	(12 - 22)	35	(28 - 45)	101	(72 - 140)	136	(104 - 177)
Maine	32	(25 - 42)	3	(2 - 4)	10	(8 - 13)	20	(13 - 29)	30	(22 - 39)
Maryland	154	(116 - 203)	15	(11 - 21)	42	(33 - 53)	97	(66 - 142)	139	(103 - 186)
Massachusetts	173	(131 - 228)	15	(11 - 21)	53	(41 - 68)	105	(71 - 153)	158	(118 - 210)
Michigan	294	(254 - 340)	31	(26 - 37)	74	(64 - 86)	189	(154 - 231)	263	(225 - 307)
Minnesota	111	(82 - 149)	11	(8 - 15)	34	(25 - 44)	66	(44 - 101)	100	(73 - 136)
Mississippi	88	(68 - 114)	10	(7 - 13)	23	(18 - 29)	55	(39 - 79)	78	(59 - 103)
Missouri	156	(120 - 203)	16	(12 - 22)	46	(36 - 58)	94	(66 - 135)	140	(107 - 184)
Montana	24	(18 - 31)	2	(2 - 3)	8	(6 - 10)	14	(9 - 20)	22	(16 - 29)

(continued)

**Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)***

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	36	(26 - 49)	4	(3 - 5)	11	(8 - 15)	21	(13 - 32)	32	(23 - 44)
Nevada	92	(69 - 121)	8	(6 - 11)	20	(16 - 26)	63	(44 - 90)	84	(62 - 112)
New Hampshire	40	(31 - 51)	3	(2 - 4)	14	(11 - 17)	23	(16 - 33)	37	(29 - 48)
New Jersey	215	(161 - 285)	20	(14 - 28)	65	(51 - 84)	130	(87 - 193)	195	(145 - 262)
New Mexico	64	(48 - 85)	7	(5 - 10)	14	(11 - 18)	43	(29 - 63)	57	(42 - 77)
New York	513	(437 - 602)	39	(32 - 49)	153	(132 - 176)	321	(255 - 403)	474	(401 - 560)
North Carolina	269	(203 - 355)	27	(19 - 37)	77	(60 - 99)	165	(112 - 242)	242	(181 - 323)
North Dakota	16	(12 - 22)	1	(1 - 2)	6	(4 - 7)	10	(7 - 14)	15	(11 - 20)
Ohio	348	(305 - 397)	31	(26 - 37)	94	(82 - 106)	224	(185 - 270)	318	(276 - 365)
Oklahoma	106	(82 - 136)	10	(7 - 13)	31	(24 - 40)	65	(45 - 93)	96	(74 - 125)
Oregon	135	(104 - 173)	12	(9 - 16)	32	(25 - 41)	91	(65 - 126)	123	(94 - 160)
Pennsylvania	339	(291 - 395)	28	(23 - 34)	95	(82 - 109)	216	(174 - 268)	311	(265 - 365)
Rhode Island	38	(30 - 49)	3	(2 - 4)	11	(9 - 14)	24	(17 - 34)	35	(27 - 46)
South Carolina	145	(111 - 189)	15	(11 - 20)	37	(29 - 46)	94	(65 - 134)	130	(98 - 172)
South Dakota	17	(12 - 23)	2	(1 - 2)	5	(4 - 7)	10	(7 - 15)	15	(11 - 21)
Tennessee	170	(131 - 221)	17	(13 - 23)	48	(38 - 60)	105	(74 - 150)	153	(116 - 201)
Texas	679	(580 - 795)	84	(69 - 102)	177	(151 - 207)	418	(335 - 523)	596	(502 - 706)
Utah	71	(55 - 91)	8	(6 - 11)	23	(18 - 30)	40	(28 - 57)	63	(48 - 81)
Vermont	18	(14 - 24)	2	(1 - 2)	6	(5 - 7)	11	(7 - 16)	17	(13 - 22)
Virginia	196	(149 - 259)	19	(14 - 26)	54	(41 - 69)	123	(85 - 179)	177	(132 - 237)
Washington	232	(183 - 293)	20	(15 - 26)	59	(47 - 75)	153	(112 - 208)	212	(166 - 270)
West Virginia	39	(29 - 51)	3	(2 - 4)	13	(10 - 16)	23	(15 - 34)	35	(26 - 47)
Wisconsin	148	(112 - 195)	15	(11 - 22)	43	(33 - 54)	90	(61 - 133)	132	(99 - 177)
Wyoming	11	(8 - 15)	1	(1 - 2)	3	(2 - 4)	6	(4 - 10)	10	(7 - 13)

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 7 Cocaine Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	4,427	(4,153 - 4,718)	156	(133 - 182)	1,572	(1,468 - 1,682)	2,699	(2,457 - 2,965)	4,271	(3,998 - 4,562)
Northeast	912	(811 - 1,026)	25	(20 - 32)	324	(292 - 359)	563	(474 - 669)	887	(787 - 1,000)
Midwest	782	(693 - 881)	26	(20 - 33)	259	(234 - 287)	496	(417 - 590)	756	(669 - 854)
South	1,511	(1,365 - 1,673)	58	(47 - 71)	498	(455 - 545)	955	(825 - 1,105)	1,453	(1,309 - 1,614)
West	1,222	(1,082 - 1,378)	47	(36 - 61)	490	(438 - 548)	684	(566 - 827)	1,174	(1,037 - 1,328)
Alabama	48	(32 - 72)	2	(1 - 3)	14	(9 - 20)	32	(19 - 54)	46	(30 - 70)
Alaska	9	(7 - 13)	0	(0 - 1)	4	(3 - 5)	5	(3 - 8)	9	(6 - 12)
Arizona	120	(87 - 165)	6	(3 - 11)	44	(33 - 58)	70	(44 - 112)	114	(82 - 158)
Arkansas	32	(22 - 46)	1	(1 - 2)	10	(7 - 14)	21	(13 - 33)	30	(21 - 44)
California	663	(557 - 789)	25	(17 - 36)	278	(236 - 327)	361	(273 - 478)	639	(535 - 763)
Colorado	115	(86 - 154)	4	(2 - 6)	46	(35 - 60)	66	(43 - 100)	112	(83 - 150)
Connecticut	60	(44 - 82)	2	(1 - 3)	24	(18 - 32)	35	(22 - 54)	59	(43 - 80)
Delaware	13	(9 - 18)	0	(0 - 1)	5	(4 - 7)	8	(5 - 13)	13	(9 - 18)
District of Columbia	18	(13 - 24)	0	(0 - 0)	5	(4 - 7)	13	(9 - 19)	18	(13 - 24)
Florida	300	(245 - 368)	10	(6 - 14)	102	(86 - 120)	189	(141 - 254)	291	(236 - 358)
Georgia	147	(105 - 207)	4	(3 - 8)	37	(27 - 53)	106	(69 - 160)	143	(101 - 202)
Hawaii	18	(13 - 26)	1	(0 - 1)	6	(5 - 8)	11	(7 - 19)	18	(12 - 26)
Idaho	15	(10 - 21)	1	(0 - 1)	6	(4 - 8)	8	(5 - 14)	14	(9 - 20)
Illinois	183	(147 - 227)	5	(3 - 8)	54	(44 - 66)	124	(92 - 167)	178	(143 - 222)
Indiana	75	(53 - 106)	3	(2 - 6)	30	(22 - 42)	42	(24 - 70)	72	(50 - 103)
Iowa	35	(24 - 49)	1	(1 - 2)	13	(9 - 18)	20	(13 - 33)	33	(23 - 48)
Kansas	32	(22 - 46)	1	(1 - 2)	11	(8 - 16)	19	(12 - 31)	31	(21 - 44)
Kentucky	56	(40 - 78)	2	(1 - 3)	20	(14 - 27)	35	(22 - 54)	54	(39 - 76)
Louisiana	66	(47 - 93)	2	(1 - 4)	18	(13 - 24)	46	(30 - 71)	64	(45 - 91)
Maine	17	(12 - 24)	1	(0 - 1)	6	(5 - 9)	10	(6 - 16)	17	(12 - 23)
Maryland	72	(49 - 105)	2	(1 - 4)	24	(17 - 33)	46	(27 - 76)	70	(47 - 102)
Massachusetts	129	(95 - 176)	4	(2 - 6)	46	(35 - 62)	79	(52 - 121)	126	(92 - 171)
Michigan	90	(68 - 119)	3	(2 - 5)	30	(24 - 38)	57	(38 - 86)	88	(66 - 116)
Minnesota	59	(41 - 85)	2	(1 - 4)	19	(13 - 27)	38	(23 - 61)	57	(39 - 82)
Mississippi	34	(23 - 50)	1	(1 - 2)	9	(6 - 13)	24	(15 - 38)	33	(22 - 49)
Missouri	53	(34 - 82)	2	(1 - 4)	18	(12 - 27)	33	(18 - 60)	51	(33 - 79)
Montana	13	(10 - 18)	1	(0 - 1)	5	(4 - 7)	7	(5 - 12)	12	(9 - 17)

(continued)

**Table 7 Cocaine Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	19	(13 - 27)	1	(0 - 1)	7	(5 - 10)	11	(6 - 18)	18	(13 - 26)
Nevada	34	(24 - 48)	1	(1 - 2)	11	(8 - 16)	21	(13 - 34)	32	(22 - 46)
New Hampshire	22	(17 - 30)	1	(0 - 1)	10	(7 - 12)	12	(7 - 19)	21	(16 - 29)
New Jersey	125	(89 - 176)	5	(3 - 8)	45	(33 - 61)	76	(47 - 121)	120	(85 - 170)
New Mexico	36	(26 - 50)	2	(1 - 3)	12	(9 - 16)	23	(14 - 36)	35	(25 - 49)
New York	345	(284 - 419)	9	(6 - 13)	124	(105 - 147)	212	(160 - 282)	336	(276 - 410)
North Carolina	131	(93 - 187)	5	(3 - 9)	44	(32 - 61)	82	(51 - 131)	126	(88 - 180)
North Dakota	8	(6 - 12)	0	(0 - 1)	3	(2 - 5)	5	(3 - 8)	8	(6 - 11)
Ohio	153	(124 - 189)	4	(3 - 7)	49	(41 - 59)	100	(74 - 134)	149	(120 - 184)
Oklahoma	35	(24 - 52)	1	(1 - 3)	13	(9 - 18)	21	(12 - 36)	34	(23 - 50)
Oregon	59	(43 - 81)	2	(1 - 4)	24	(18 - 32)	33	(21 - 52)	57	(41 - 79)
Pennsylvania	183	(147 - 227)	4	(3 - 7)	57	(47 - 69)	122	(90 - 164)	179	(143 - 222)
Rhode Island	19	(14 - 26)	0	(0 - 1)	7	(5 - 10)	12	(8 - 18)	19	(14 - 26)
South Carolina	63	(43 - 91)	2	(1 - 3)	19	(14 - 27)	42	(26 - 68)	61	(42 - 89)
South Dakota	7	(5 - 11)	0	(0 - 1)	3	(2 - 4)	5	(3 - 8)	7	(5 - 11)
Tennessee	73	(52 - 104)	3	(2 - 5)	22	(16 - 31)	48	(30 - 75)	70	(49 - 100)
Texas	298	(243 - 365)	17	(12 - 25)	119	(98 - 144)	162	(116 - 224)	281	(227 - 347)
Utah	35	(24 - 49)	1	(1 - 3)	13	(9 - 18)	20	(13 - 33)	33	(23 - 48)
Vermont	11	(8 - 15)	0	(0 - 1)	5	(4 - 6)	6	(4 - 9)	10	(8 - 14)
Virginia	101	(70 - 145)	3	(2 - 5)	30	(21 - 44)	67	(43 - 106)	98	(68 - 141)
Washington	98	(72 - 134)	4	(2 - 6)	39	(29 - 52)	55	(35 - 87)	94	(69 - 129)
West Virginia	23	(16 - 32)	1	(0 - 1)	7	(5 - 10)	14	(9 - 23)	22	(15 - 31)
Wisconsin	67	(46 - 97)	2	(1 - 4)	21	(15 - 30)	44	(26 - 72)	65	(45 - 95)
Wyoming	6	(4 - 9)	0	(0 - 0)	2	(2 - 3)	3	(2 - 6)	6	(4 - 8)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 8 Nonmedical Use of Pain Relievers in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	11,786	(11,302 - 12,289)	1,245	(1,181 - 1,312)	3,284	(3,150 - 3,423)	7,257	(6,815 - 7,727)	10,541	(10,068 - 11,035)
Northeast	1,844	(1,694 - 2,007)	171	(153 - 190)	531	(493 - 573)	1,142	(1,013 - 1,286)	1,673	(1,529 - 1,831)
Midwest	2,433	(2,287 - 2,587)	261	(241 - 282)	695	(655 - 737)	1,477	(1,350 - 1,615)	2,172	(2,032 - 2,321)
South	4,375	(4,118 - 4,646)	481	(446 - 519)	1,207	(1,139 - 1,279)	2,686	(2,459 - 2,934)	3,893	(3,646 - 4,157)
West	3,135	(2,885 - 3,403)	332	(299 - 369)	850	(783 - 923)	1,952	(1,733 - 2,197)	2,802	(2,560 - 3,064)
Alabama	218	(177 - 267)	24	(19 - 31)	59	(48 - 72)	135	(102 - 177)	194	(155 - 241)
Alaska	28	(23 - 35)	3	(2 - 4)	9	(7 - 11)	16	(12 - 22)	25	(20 - 31)
Arizona	314	(252 - 390)	38	(29 - 49)	80	(64 - 98)	197	(146 - 264)	276	(218 - 349)
Arkansas	131	(106 - 160)	17	(13 - 22)	37	(30 - 45)	77	(57 - 103)	114	(91 - 142)
California	1,643	(1,451 - 1,860)	164	(139 - 192)	459	(405 - 519)	1,021	(853 - 1,219)	1,480	(1,293 - 1,692)
Colorado	218	(177 - 269)	26	(19 - 33)	61	(49 - 74)	132	(99 - 177)	193	(153 - 242)
Connecticut	108	(85 - 137)	11	(8 - 15)	32	(25 - 40)	65	(47 - 90)	97	(75 - 125)
Delaware	38	(31 - 46)	4	(3 - 5)	11	(9 - 13)	23	(17 - 30)	34	(27 - 42)
District of Columbia	25	(20 - 32)	2	(1 - 2)	7	(6 - 9)	16	(12 - 22)	24	(19 - 30)
Florida	595	(515 - 686)	62	(52 - 73)	154	(135 - 177)	379	(311 - 461)	533	(457 - 622)
Georgia	371	(296 - 462)	42	(32 - 55)	96	(76 - 120)	232	(173 - 310)	329	(259 - 416)
Hawaii	51	(41 - 65)	5	(4 - 7)	14	(11 - 17)	32	(23 - 44)	46	(36 - 59)
Idaho	58	(47 - 71)	8	(6 - 10)	17	(14 - 21)	33	(24 - 44)	50	(40 - 63)
Illinois	382	(331 - 441)	40	(33 - 48)	112	(98 - 127)	230	(187 - 283)	342	(293 - 399)
Indiana	286	(233 - 349)	31	(24 - 40)	90	(74 - 109)	165	(124 - 219)	255	(205 - 316)
Iowa	101	(80 - 125)	11	(8 - 15)	32	(26 - 39)	58	(42 - 78)	89	(71 - 113)
Kansas	85	(68 - 108)	11	(8 - 14)	25	(19 - 31)	50	(37 - 69)	75	(58 - 96)
Kentucky	167	(134 - 206)	16	(12 - 21)	45	(36 - 56)	106	(80 - 139)	151	(120 - 189)
Louisiana	182	(149 - 223)	21	(16 - 27)	47	(37 - 58)	115	(88 - 150)	162	(130 - 201)
Maine	44	(35 - 54)	4	(3 - 5)	11	(9 - 14)	28	(21 - 38)	39	(31 - 50)
Maryland	206	(164 - 258)	20	(16 - 27)	54	(43 - 67)	132	(98 - 177)	186	(146 - 236)
Massachusetts	211	(167 - 265)	20	(15 - 27)	66	(53 - 83)	124	(91 - 170)	191	(149 - 243)
Michigan	397	(353 - 447)	47	(41 - 54)	112	(100 - 126)	238	(200 - 283)	350	(308 - 398)
Minnesota	161	(127 - 205)	17	(12 - 23)	45	(35 - 58)	99	(73 - 135)	145	(112 - 186)
Mississippi	113	(91 - 140)	13	(10 - 17)	32	(26 - 40)	67	(50 - 90)	100	(79 - 126)
Missouri	235	(193 - 287)	25	(19 - 32)	72	(58 - 88)	139	(105 - 182)	210	(170 - 260)
Montana	33	(27 - 42)	4	(3 - 5)	10	(8 - 13)	19	(14 - 26)	29	(23 - 37)

(continued)



**Table 8 Nonmedical Use of Pain Relievers in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	55	(43 - 69)	7	(5 - 9)	16	(13 - 21)	32	(23 - 44)	48	(37 - 62)
Nevada	121	(96 - 152)	12	(9 - 15)	30	(24 - 37)	80	(59 - 107)	109	(85 - 139)
New Hampshire	48	(40 - 59)	5	(4 - 6)	15	(12 - 18)	29	(22 - 38)	44	(35 - 54)
New Jersey	296	(234 - 373)	29	(21 - 39)	84	(67 - 104)	183	(133 - 250)	267	(208 - 341)
New Mexico	89	(71 - 111)	11	(9 - 15)	21	(17 - 27)	56	(41 - 76)	78	(61 - 99)
New York	645	(555 - 748)	52	(42 - 63)	175	(153 - 201)	418	(339 - 513)	593	(506 - 695)
North Carolina	409	(326 - 511)	42	(32 - 54)	112	(91 - 138)	255	(188 - 344)	367	(289 - 465)
North Dakota	24	(19 - 29)	2	(2 - 3)	8	(6 - 10)	14	(10 - 18)	22	(17 - 27)
Ohio	473	(418 - 535)	43	(36 - 51)	121	(108 - 136)	309	(259 - 367)	430	(376 - 491)
Oklahoma	169	(137 - 208)	19	(14 - 24)	50	(40 - 60)	101	(75 - 135)	151	(120 - 188)
Oregon	180	(146 - 221)	18	(14 - 24)	46	(37 - 56)	116	(88 - 153)	162	(129 - 201)
Pennsylvania	425	(373 - 484)	43	(37 - 51)	127	(112 - 144)	254	(210 - 308)	382	(332 - 439)
Rhode Island	47	(38 - 59)	4	(3 - 5)	14	(11 - 17)	29	(22 - 39)	43	(34 - 54)
South Carolina	177	(143 - 218)	21	(17 - 28)	51	(41 - 63)	104	(78 - 139)	155	(124 - 195)
South Dakota	27	(21 - 33)	3	(2 - 4)	8	(7 - 10)	15	(11 - 21)	23	(19 - 30)
Tennessee	238	(192 - 294)	26	(20 - 34)	66	(53 - 82)	146	(110 - 194)	212	(169 - 266)
Texas	929	(821 - 1,051)	115	(98 - 135)	269	(238 - 303)	545	(453 - 655)	814	(710 - 932)
Utah	92	(73 - 114)	12	(9 - 16)	29	(22 - 36)	51	(38 - 70)	80	(63 - 101)
Vermont	20	(16 - 25)	2	(2 - 3)	7	(5 - 8)	11	(8 - 16)	18	(14 - 23)
Virginia	347	(281 - 428)	33	(25 - 43)	101	(81 - 124)	214	(160 - 284)	314	(251 - 392)
Washington	289	(235 - 354)	30	(24 - 39)	71	(57 - 87)	188	(143 - 245)	258	(207 - 322)
West Virginia	60	(48 - 75)	5	(4 - 7)	16	(13 - 20)	39	(29 - 51)	55	(43 - 69)
Wisconsin	207	(164 - 260)	24	(19 - 31)	54	(43 - 68)	128	(94 - 174)	183	(143 - 233)
Wyoming	17	(14 - 22)	2	(1 - 3)	5	(4 - 6)	11	(8 - 14)	15	(12 - 20)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 9 Alcohol Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	136,188	(134,680 - 137,688)	3,047	(2,946 - 3,151)	20,783	(20,531 - 21,034)	112,358	(110,923 - 113,782)	133,141	(131,655 - 134,617)
Northeast	27,304	(26,809 - 27,794)	586	(553 - 621)	3,973	(3,895 - 4,050)	22,744	(22,263 - 23,219)	26,718	(26,225 - 27,205)
Midwest	30,964	(30,514 - 31,416)	673	(641 - 706)	4,710	(4,640 - 4,779)	25,581	(25,142 - 26,018)	30,291	(29,842 - 30,739)
South	46,833	(46,069 - 47,589)	1,087	(1,035 - 1,141)	7,277	(7,157 - 7,396)	38,470	(37,726 - 39,203)	45,747	(44,984 - 46,498)
West	31,087	(30,451 - 31,726)	701	(654 - 750)	4,823	(4,719 - 4,925)	25,563	(24,944 - 26,184)	30,386	(29,752 - 31,021)
Alabama	1,752	(1,620 - 1,886)	43	(36 - 51)	273	(253 - 294)	1,435	(1,309 - 1,563)	1,709	(1,577 - 1,841)
Alaska	306	(287 - 325)	6	(5 - 8)	47	(43 - 50)	253	(235 - 271)	299	(281 - 318)
Arizona	2,762	(2,579 - 2,945)	70	(59 - 82)	416	(386 - 444)	2,277	(2,103 - 2,448)	2,692	(2,510 - 2,872)
Arkansas	1,007	(930 - 1,085)	26	(22 - 31)	176	(163 - 188)	805	(732 - 880)	981	(905 - 1,057)
California	15,611	(15,076 - 16,145)	362	(324 - 403)	2,567	(2,476 - 2,656)	12,683	(12,161 - 13,202)	15,249	(14,716 - 15,781)
Colorado	2,623	(2,492 - 2,754)	53	(44 - 62)	387	(367 - 407)	2,183	(2,055 - 2,305)	2,571	(2,438 - 2,697)
Connecticut	1,846	(1,749 - 1,940)	41	(34 - 49)	250	(235 - 265)	1,555	(1,461 - 1,644)	1,805	(1,708 - 1,897)
Delaware	424	(400 - 448)	8	(7 - 10)	63	(59 - 67)	353	(329 - 376)	416	(391 - 440)
District of Columbia	357	(341 - 373)	4	(3 - 4)	70	(66 - 73)	284	(268 - 299)	353	(337 - 369)
Florida	8,540	(8,259 - 8,818)	177	(160 - 196)	1,151	(1,110 - 1,192)	7,211	(6,934 - 7,486)	8,362	(8,082 - 8,640)
Georgia	3,810	(3,533 - 4,090)	94	(79 - 111)	582	(538 - 624)	3,135	(2,868 - 3,400)	3,716	(3,439 - 3,992)
Hawaii	568	(531 - 606)	11	(9 - 13)	80	(75 - 86)	477	(441 - 513)	557	(520 - 595)
Idaho	625	(584 - 667)	16	(13 - 19)	86	(79 - 93)	523	(484 - 563)	609	(568 - 650)
Illinois	5,935	(5,760 - 6,109)	129	(118 - 142)	891	(864 - 918)	4,915	(4,745 - 5,081)	5,806	(5,631 - 5,978)
Indiana	2,794	(2,618 - 2,970)	65	(55 - 77)	461	(433 - 487)	2,268	(2,101 - 2,432)	2,729	(2,553 - 2,901)
Iowa	1,470	(1,386 - 1,553)	30	(25 - 35)	236	(223 - 248)	1,204	(1,122 - 1,283)	1,440	(1,355 - 1,522)
Kansas	1,253	(1,174 - 1,331)	27	(23 - 32)	191	(178 - 204)	1,035	(959 - 1,108)	1,226	(1,147 - 1,302)
Kentucky	1,607	(1,497 - 1,720)	34	(28 - 41)	261	(243 - 279)	1,312	(1,205 - 1,419)	1,573	(1,463 - 1,684)
Louisiana	1,825	(1,704 - 1,947)	48	(40 - 57)	292	(272 - 312)	1,485	(1,370 - 1,600)	1,777	(1,657 - 1,897)
Maine	627	(588 - 665)	12	(10 - 14)	83	(78 - 87)	532	(495 - 569)	615	(576 - 652)
Maryland	2,876	(2,714 - 3,034)	61	(52 - 72)	409	(385 - 433)	2,405	(2,249 - 2,555)	2,815	(2,653 - 2,971)
Massachusetts	3,682	(3,511 - 3,846)	71	(61 - 83)	545	(516 - 572)	3,066	(2,902 - 3,219)	3,611	(3,439 - 3,772)
Michigan	4,546	(4,410 - 4,680)	104	(95 - 114)	703	(682 - 723)	3,739	(3,607 - 3,870)	4,442	(4,307 - 4,575)
Minnesota	2,642	(2,501 - 2,781)	51	(42 - 60)	370	(347 - 391)	2,222	(2,085 - 2,353)	2,591	(2,450 - 2,728)
Mississippi	1,036	(957 - 1,117)	29	(24 - 34)	192	(179 - 205)	816	(740 - 893)	1,007	(929 - 1,087)
Missouri	2,584	(2,425 - 2,741)	59	(49 - 69)	398	(373 - 422)	2,127	(1,976 - 2,276)	2,525	(2,367 - 2,681)
Montana	506	(478 - 533)	10	(8 - 12)	73	(69 - 77)	423	(396 - 449)	496	(468 - 523)

(continued)

**Table 9 Alcohol Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	855	(805 - 905)	17	(14 - 20)	131	(123 - 139)	707	(658 - 754)	838	(788 - 887)
Nevada	1,255	(1,176 - 1,332)	28	(23 - 34)	168	(157 - 179)	1,058	(982 - 1,132)	1,226	(1,148 - 1,302)
New Hampshire	740	(706 - 773)	15	(13 - 17)	103	(98 - 107)	623	(590 - 654)	725	(691 - 757)
New Jersey	4,139	(3,878 - 4,395)	96	(81 - 114)	523	(487 - 557)	3,520	(3,266 - 3,764)	4,042	(3,781 - 4,296)
New Mexico	858	(800 - 916)	20	(17 - 24)	129	(120 - 137)	709	(654 - 765)	838	(780 - 895)
New York	9,340	(9,037 - 9,640)	209	(190 - 230)	1,427	(1,378 - 1,475)	7,704	(7,408 - 7,994)	9,131	(8,829 - 9,428)
North Carolina	3,931	(3,658 - 4,203)	89	(75 - 106)	597	(555 - 638)	3,245	(2,985 - 3,503)	3,842	(3,571 - 4,110)
North Dakota	346	(327 - 364)	6	(5 - 7)	68	(65 - 72)	272	(254 - 289)	340	(321 - 358)
Ohio	5,199	(5,037 - 5,360)	111	(100 - 122)	777	(752 - 801)	4,312	(4,154 - 4,468)	5,089	(4,928 - 5,247)
Oklahoma	1,482	(1,379 - 1,585)	31	(26 - 37)	242	(225 - 258)	1,210	(1,112 - 1,307)	1,451	(1,349 - 1,554)
Oregon	1,917	(1,808 - 2,024)	37	(31 - 44)	255	(239 - 271)	1,624	(1,520 - 1,724)	1,880	(1,771 - 1,984)
Pennsylvania	6,079	(5,899 - 6,257)	125	(113 - 137)	900	(873 - 928)	5,054	(4,878 - 5,227)	5,955	(5,775 - 6,132)
Rhode Island	532	(503 - 561)	11	(9 - 13)	92	(86 - 97)	430	(402 - 456)	521	(492 - 549)
South Carolina	1,947	(1,818 - 2,076)	42	(35 - 50)	314	(293 - 333)	1,591	(1,468 - 1,714)	1,905	(1,777 - 2,032)
South Dakota	386	(366 - 406)	7	(6 - 8)	59	(56 - 63)	320	(300 - 339)	379	(359 - 399)
Tennessee	2,079	(1,908 - 2,257)	50	(41 - 60)	333	(307 - 358)	1,697	(1,533 - 1,865)	2,029	(1,858 - 2,204)
Texas	9,827	(9,497 - 10,158)	263	(236 - 292)	1,652	(1,594 - 1,711)	7,912	(7,592 - 8,231)	9,564	(9,236 - 9,892)
Utah	700	(633 - 770)	22	(17 - 28)	127	(113 - 141)	552	(489 - 619)	679	(612 - 748)
Vermont	319	(302 - 336)	7	(6 - 8)	51	(48 - 53)	261	(245 - 277)	312	(295 - 329)
Virginia	3,734	(3,512 - 3,952)	74	(63 - 88)	571	(535 - 606)	3,088	(2,877 - 3,294)	3,660	(3,439 - 3,875)
Washington	3,093	(2,916 - 3,269)	61	(52 - 72)	448	(420 - 475)	2,584	(2,414 - 2,751)	3,032	(2,855 - 3,205)
West Virginia	601	(553 - 650)	15	(12 - 17)	99	(92 - 107)	487	(441 - 534)	586	(539 - 635)
Wisconsin	2,955	(2,793 - 3,111)	68	(58 - 80)	426	(404 - 447)	2,461	(2,305 - 2,608)	2,887	(2,725 - 3,040)
Wyoming	262	(246 - 277)	5	(4 - 7)	41	(38 - 43)	216	(201 - 230)	256	(241 - 271)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 10 *Binge Alcohol Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs***

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	59,876	(58,746 - 61,019)	1,678	(1,604 - 1,754)	13,424	(13,164 - 13,687)	44,774	(43,713 - 45,851)	58,199	(57,077 - 59,332)
Northeast	11,496	(11,102 - 11,900)	312	(288 - 337)	2,645	(2,564 - 2,727)	8,539	(8,164 - 8,926)	11,184	(10,790 - 11,588)
Midwest	14,321	(13,931 - 14,718)	372	(350 - 396)	3,182	(3,105 - 3,259)	10,767	(10,396 - 11,145)	13,949	(13,559 - 14,344)
South	20,792	(20,190 - 21,405)	601	(563 - 642)	4,529	(4,401 - 4,659)	15,662	(15,097 - 16,240)	20,191	(19,592 - 20,800)
West	13,267	(12,752 - 13,798)	392	(360 - 428)	3,069	(2,957 - 3,182)	9,806	(9,324 - 10,308)	12,875	(12,363 - 13,402)
Alabama	860	(766 - 963)	25	(20 - 31)	170	(152 - 189)	665	(577 - 763)	835	(741 - 937)
Alaska	128	(114 - 143)	3	(3 - 4)	30	(27 - 33)	94	(82 - 108)	124	(110 - 139)
Arizona	1,242	(1,106 - 1,389)	37	(30 - 46)	275	(246 - 304)	930	(805 - 1,069)	1,205	(1,069 - 1,351)
Arkansas	511	(454 - 572)	16	(13 - 20)	114	(103 - 126)	381	(328 - 440)	495	(438 - 557)
California	6,684	(6,280 - 7,107)	198	(173 - 227)	1,591	(1,503 - 1,680)	4,895	(4,513 - 5,300)	6,486	(6,084 - 6,908)
Colorado	1,097	(987 - 1,215)	28	(23 - 35)	248	(227 - 271)	821	(719 - 932)	1,069	(958 - 1,186)
Connecticut	728	(653 - 809)	22	(17 - 27)	167	(152 - 183)	539	(469 - 616)	706	(632 - 787)
Delaware	172	(153 - 193)	4	(3 - 5)	42	(38 - 46)	127	(109 - 146)	168	(149 - 189)
District of Columbia	185	(169 - 201)	2	(1 - 2)	47	(43 - 51)	137	(122 - 152)	183	(168 - 200)
Florida	3,424	(3,202 - 3,656)	88	(77 - 101)	687	(649 - 726)	2,648	(2,436 - 2,874)	3,336	(3,114 - 3,568)
Georgia	1,598	(1,407 - 1,809)	53	(43 - 66)	337	(300 - 377)	1,207	(1,032 - 1,405)	1,545	(1,354 - 1,754)
Hawaii	261	(233 - 291)	6	(5 - 8)	55	(50 - 61)	200	(174 - 229)	255	(227 - 285)
Idaho	254	(225 - 286)	10	(8 - 12)	56	(49 - 62)	189	(162 - 218)	244	(216 - 276)
Illinois	2,845	(2,684 - 3,012)	71	(62 - 81)	615	(587 - 644)	2,158	(2,005 - 2,318)	2,773	(2,613 - 2,940)
Indiana	1,206	(1,080 - 1,342)	38	(31 - 47)	300	(274 - 327)	868	(751 - 997)	1,168	(1,042 - 1,304)
Iowa	672	(605 - 744)	18	(14 - 22)	168	(155 - 182)	486	(424 - 555)	655	(587 - 726)
Kansas	582	(520 - 650)	17	(14 - 20)	126	(114 - 139)	439	(382 - 502)	566	(503 - 633)
Kentucky	798	(715 - 887)	21	(17 - 26)	185	(168 - 202)	592	(515 - 677)	777	(695 - 865)
Louisiana	955	(859 - 1,058)	27	(22 - 34)	187	(168 - 206)	741	(652 - 837)	928	(833 - 1,030)
Maine	247	(221 - 276)	7	(5 - 8)	56	(51 - 61)	185	(160 - 213)	241	(214 - 269)
Maryland	1,138	(1,015 - 1,271)	31	(25 - 38)	249	(225 - 273)	858	(744 - 984)	1,107	(984 - 1,239)
Massachusetts	1,470	(1,330 - 1,619)	40	(33 - 49)	358	(328 - 388)	1,072	(943 - 1,213)	1,430	(1,290 - 1,579)
Michigan	2,027	(1,914 - 2,144)	52	(46 - 59)	462	(440 - 484)	1,514	(1,406 - 1,626)	1,975	(1,863 - 2,092)
Minnesota	1,216	(1,099 - 1,341)	28	(22 - 34)	260	(238 - 282)	929	(819 - 1,047)	1,188	(1,071 - 1,312)
Mississippi	482	(424 - 544)	16	(13 - 20)	112	(100 - 125)	353	(300 - 413)	466	(409 - 528)
Missouri	1,218	(1,089 - 1,356)	35	(29 - 43)	267	(242 - 292)	916	(795 - 1,048)	1,183	(1,055 - 1,320)
Montana	214	(192 - 237)	5	(4 - 7)	49	(45 - 53)	160	(140 - 182)	209	(187 - 232)

(continued)

**Table 10 Binge Alcohol Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	361	(323 - 401)	10	(8 - 13)	88	(80 - 96)	262	(228 - 301)	350	(312 - 390)
Nevada	574	(510 - 643)	15	(12 - 18)	107	(96 - 118)	452	(393 - 518)	559	(495 - 628)
New Hampshire	283	(256 - 311)	8	(7 - 10)	69	(63 - 74)	206	(181 - 234)	275	(248 - 303)
New Jersey	1,608	(1,429 - 1,802)	51	(41 - 63)	362	(328 - 398)	1,195	(1,030 - 1,378)	1,557	(1,379 - 1,750)
New Mexico	417	(372 - 465)	12	(9 - 14)	88	(79 - 97)	317	(275 - 363)	405	(360 - 453)
New York	4,104	(3,859 - 4,360)	110	(96 - 125)	924	(876 - 972)	3,071	(2,837 - 3,318)	3,994	(3,750 - 4,250)
North Carolina	1,614	(1,416 - 1,831)	50	(40 - 62)	349	(311 - 389)	1,215	(1,032 - 1,421)	1,563	(1,367 - 1,780)
North Dakota	178	(163 - 194)	4	(3 - 4)	52	(48 - 56)	123	(109 - 138)	175	(160 - 190)
Ohio	2,396	(2,263 - 2,533)	63	(56 - 72)	509	(485 - 533)	1,823	(1,697 - 1,957)	2,332	(2,201 - 2,469)
Oklahoma	725	(644 - 814)	18	(14 - 22)	163	(147 - 179)	545	(469 - 629)	708	(626 - 796)
Oregon	717	(639 - 802)	22	(18 - 28)	160	(145 - 176)	535	(463 - 615)	695	(617 - 779)
Pennsylvania	2,695	(2,549 - 2,847)	65	(58 - 74)	612	(584 - 641)	2,017	(1,879 - 2,162)	2,630	(2,484 - 2,781)
Rhode Island	246	(223 - 272)	6	(5 - 7)	64	(59 - 70)	176	(155 - 200)	241	(217 - 266)
South Carolina	902	(803 - 1,009)	23	(19 - 29)	202	(182 - 222)	677	(585 - 779)	879	(780 - 986)
South Dakota	181	(164 - 199)	4	(3 - 5)	42	(39 - 46)	134	(119 - 151)	177	(160 - 195)
Tennessee	911	(799 - 1,034)	31	(24 - 38)	205	(183 - 229)	675	(572 - 792)	880	(768 - 1,003)
Texas	4,710	(4,456 - 4,974)	147	(127 - 169)	1,044	(988 - 1,102)	3,519	(3,277 - 3,774)	4,563	(4,311 - 4,826)
Utah	364	(316 - 416)	16	(12 - 21)	96	(84 - 110)	252	(210 - 300)	348	(301 - 399)
Vermont	115	(102 - 128)	4	(3 - 5)	33	(30 - 36)	78	(66 - 91)	111	(98 - 124)
Virginia	1,502	(1,342 - 1,675)	39	(31 - 48)	367	(330 - 404)	1,097	(951 - 1,257)	1,463	(1,304 - 1,635)
Washington	1,200	(1,072 - 1,338)	36	(29 - 45)	286	(259 - 313)	878	(759 - 1,010)	1,164	(1,036 - 1,301)
West Virginia	306	(272 - 344)	10	(8 - 12)	70	(63 - 76)	226	(194 - 262)	296	(262 - 333)
Wisconsin	1,439	(1,299 - 1,587)	32	(26 - 40)	292	(268 - 316)	1,115	(981 - 1,258)	1,407	(1,267 - 1,554)
Wyoming	116	(105 - 128)	3	(3 - 4)	29	(26 - 32)	84	(74 - 96)	113	(102 - 125)

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 11 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	109,291	(107,946 - 110,619)	9,802	(9,646 - 9,959)	11,735	(11,514 - 11,957)	87,754	(86,470 - 89,038)	99,489	(98,157 - 100,795)
Northeast	19,083	(18,604 - 19,561)	1,623	(1,576 - 1,671)	1,938	(1,869 - 2,008)	15,522	(15,062 - 15,985)	17,460	(16,987 - 17,931)
Midwest	20,994	(20,549 - 21,438)	1,992	(1,942 - 2,043)	2,177	(2,114 - 2,242)	16,824	(16,399 - 17,252)	19,001	(18,563 - 19,438)
South	42,491	(41,719 - 43,262)	3,862	(3,777 - 3,948)	4,679	(4,566 - 4,793)	33,950	(33,200 - 34,704)	38,629	(37,864 - 39,389)
West	26,723	(26,059 - 27,380)	2,324	(2,249 - 2,401)	2,940	(2,835 - 3,048)	21,458	(20,814 - 22,098)	24,398	(23,739 - 25,049)
Alabama	1,835	(1,709 - 1,962)	162	(149 - 175)	198	(180 - 216)	1,475	(1,355 - 1,595)	1,673	(1,549 - 1,797)
Alaska	223	(206 - 241)	22	(20 - 24)	25	(22 - 28)	176	(160 - 193)	201	(184 - 218)
Arizona	2,309	(2,133 - 2,489)	210	(192 - 229)	239	(214 - 266)	1,860	(1,694 - 2,029)	2,099	(1,927 - 2,274)
Arkansas	958	(885 - 1,033)	90	(82 - 98)	103	(92 - 114)	765	(696 - 836)	868	(796 - 941)
California	14,547	(13,994 - 15,101)	1,237	(1,174 - 1,300)	1,682	(1,594 - 1,771)	11,629	(11,096 - 12,163)	13,311	(12,763 - 13,858)
Colorado	1,640	(1,510 - 1,775)	143	(129 - 158)	152	(134 - 172)	1,345	(1,223 - 1,471)	1,497	(1,370 - 1,628)
Connecticut	1,294	(1,202 - 1,387)	111	(101 - 122)	119	(105 - 133)	1,064	(976 - 1,153)	1,183	(1,092 - 1,274)
Delaware	315	(293 - 339)	27	(25 - 29)	35	(31 - 39)	253	(232 - 275)	288	(266 - 311)
District of Columbia	222	(206 - 239)	15	(14 - 16)	30	(27 - 34)	177	(162 - 193)	207	(191 - 224)
Florida	7,496	(7,206 - 7,786)	589	(562 - 616)	765	(727 - 804)	6,142	(5,859 - 6,427)	6,907	(6,620 - 7,194)
Georgia	3,696	(3,447 - 3,947)	362	(333 - 391)	428	(390 - 468)	2,906	(2,670 - 3,144)	3,334	(3,091 - 3,580)
Hawaii	455	(421 - 491)	40	(36 - 43)	47	(42 - 52)	369	(336 - 403)	416	(382 - 451)
Idaho	530	(492 - 570)	50	(45 - 54)	56	(51 - 63)	424	(388 - 462)	481	(443 - 520)
Illinois	4,222	(4,050 - 4,394)	393	(373 - 413)	444	(418 - 470)	3,385	(3,221 - 3,551)	3,829	(3,660 - 3,998)
Indiana	2,061	(1,901 - 2,226)	212	(194 - 232)	217	(194 - 242)	1,632	(1,481 - 1,788)	1,849	(1,692 - 2,011)
Iowa	877	(803 - 955)	82	(74 - 90)	93	(83 - 105)	702	(631 - 776)	795	(722 - 871)
Kansas	854	(783 - 927)	83	(75 - 90)	87	(77 - 98)	684	(618 - 753)	771	(702 - 843)
Kentucky	1,484	(1,380 - 1,590)	119	(108 - 130)	152	(137 - 168)	1,213	(1,112 - 1,315)	1,365	(1,262 - 1,470)
Louisiana	1,578	(1,474 - 1,683)	151	(139 - 163)	191	(174 - 210)	1,236	(1,138 - 1,335)	1,427	(1,325 - 1,531)
Maine	421	(386 - 456)	34	(31 - 38)	36	(32 - 40)	351	(318 - 385)	386	(352 - 421)
Maryland	2,070	(1,923 - 2,221)	190	(174 - 206)	222	(200 - 245)	1,659	(1,519 - 1,801)	1,880	(1,735 - 2,028)
Massachusetts	2,089	(1,926 - 2,257)	168	(152 - 184)	206	(180 - 233)	1,715	(1,560 - 1,876)	1,921	(1,761 - 2,086)
Michigan	3,367	(3,232 - 3,503)	303	(288 - 319)	357	(337 - 378)	2,707	(2,576 - 2,839)	3,064	(2,930 - 3,199)
Minnesota	1,601	(1,463 - 1,745)	146	(132 - 161)	142	(124 - 162)	1,313	(1,181 - 1,450)	1,455	(1,319 - 1,596)
Mississippi	1,105	(1,030 - 1,180)	103	(95 - 111)	134	(123 - 147)	868	(797 - 939)	1,002	(929 - 1,076)
Missouri	1,789	(1,648 - 1,934)	178	(162 - 194)	203	(182 - 225)	1,408	(1,275 - 1,547)	1,611	(1,473 - 1,754)
Montana	309	(284 - 334)	26	(24 - 29)	27	(24 - 31)	255	(231 - 279)	282	(258 - 307)

(continued)

**Table 11 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	593	(548 - 639)	57	(52 - 62)	56	(50 - 63)	480	(437 - 523)	536	(493 - 581)
Nevada	1,016	(942 - 1,091)	85	(78 - 93)	104	(94 - 115)	826	(757 - 897)	931	(858 - 1,004)
New Hampshire	398	(366 - 431)	32	(29 - 36)	30	(26 - 34)	335	(305 - 367)	365	(334 - 398)
New Jersey	3,192	(2,953 - 3,434)	268	(244 - 292)	298	(266 - 332)	2,626	(2,399 - 2,857)	2,924	(2,691 - 3,161)
New Mexico	775	(723 - 828)	63	(57 - 69)	89	(81 - 98)	623	(573 - 672)	712	(661 - 764)
New York	7,157	(6,863 - 7,452)	597	(568 - 626)	784	(740 - 829)	5,776	(5,493 - 6,062)	6,560	(6,270 - 6,851)
North Carolina	3,416	(3,167 - 3,669)	312	(284 - 341)	385	(348 - 424)	2,719	(2,484 - 2,958)	3,104	(2,860 - 3,352)
North Dakota	200	(183 - 217)	18	(16 - 19)	24	(21 - 28)	157	(142 - 174)	182	(166 - 199)
Ohio	3,536	(3,387 - 3,686)	343	(327 - 359)	357	(335 - 379)	2,836	(2,692 - 2,984)	3,193	(3,045 - 3,342)
Oklahoma	1,275	(1,182 - 1,369)	115	(105 - 125)	146	(132 - 162)	1,013	(925 - 1,103)	1,160	(1,068 - 1,253)
Oregon	1,268	(1,169 - 1,370)	104	(94 - 115)	125	(111 - 140)	1,039	(946 - 1,135)	1,164	(1,066 - 1,264)
Pennsylvania	3,993	(3,814 - 4,176)	370	(353 - 388)	410	(386 - 435)	3,213	(3,039 - 3,390)	3,623	(3,445 - 3,804)
Rhode Island	335	(308 - 362)	29	(26 - 32)	37	(33 - 41)	269	(244 - 295)	306	(279 - 333)
South Carolina	1,711	(1,591 - 1,833)	152	(140 - 165)	174	(157 - 193)	1,385	(1,270 - 1,501)	1,559	(1,441 - 1,679)
South Dakota	243	(223 - 263)	24	(22 - 26)	25	(22 - 29)	194	(175 - 213)	219	(200 - 239)
Tennessee	2,491	(2,321 - 2,662)	213	(196 - 231)	267	(243 - 292)	2,010	(1,847 - 2,175)	2,278	(2,110 - 2,447)
Texas	9,412	(9,067 - 9,756)	952	(906 - 999)	1,098	(1,041 - 1,156)	7,361	(7,030 - 7,695)	8,459	(8,119 - 8,799)
Utah	1,012	(947 - 1,078)	126	(115 - 137)	141	(128 - 154)	746	(685 - 807)	886	(823 - 950)
Vermont	205	(189 - 222)	14	(12 - 15)	19	(17 - 21)	173	(157 - 189)	192	(175 - 208)
Virginia	2,772	(2,565 - 2,982)	262	(240 - 284)	286	(254 - 320)	2,224	(2,030 - 2,423)	2,510	(2,307 - 2,717)
Washington	2,463	(2,289 - 2,639)	203	(185 - 221)	234	(209 - 261)	2,026	(1,860 - 2,194)	2,260	(2,089 - 2,434)
West Virginia	658	(611 - 705)	50	(46 - 54)	62	(56 - 69)	546	(501 - 591)	608	(561 - 655)
Wisconsin	1,652	(1,509 - 1,802)	154	(139 - 170)	171	(152 - 191)	1,327	(1,191 - 1,471)	1,498	(1,357 - 1,646)
Wyoming	174	(160 - 188)	16	(14 - 17)	18	(16 - 20)	141	(128 - 154)	159	(145 - 172)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 12 Alcohol Use and Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	Alcohol Use in Past Month (Estimate)	Alcohol Use in Past Month (95% Confidence Interval)	Binge Alcohol Use in Past Month (Estimate)	Binge Alcohol Use in Past Month (95% Confidence Interval)
Total U.S.	8,973	(8,732 - 9,218)	5,626	(5,424 - 5,834)
Northeast	1,738	(1,678 - 1,799)	1,083	(1,034 - 1,134)
Midwest	2,020	(1,962 - 2,081)	1,302	(1,256 - 1,350)
South	3,015	(2,917 - 3,115)	1,875	(1,801 - 1,953)
West	2,200	(2,108 - 2,293)	1,365	(1,296 - 1,437)
Alabama	113	(100 - 127)	71	(61 - 82)
Alaska	19	(17 - 22)	12	(10 - 14)
Arizona	190	(170 - 212)	119	(103 - 137)
Arkansas	70	(62 - 79)	48	(42 - 55)
California	1,193	(1,119 - 1,269)	722	(665 - 783)
Colorado	156	(141 - 172)	95	(83 - 108)
Connecticut	123	(111 - 135)	77	(68 - 87)
Delaware	25	(22 - 27)	15	(13 - 17)
District of Columbia	19	(17 - 21)	11	(9 - 13)
Florida	493	(464 - 523)	279	(256 - 302)
Georgia	270	(238 - 304)	168	(145 - 194)
Hawaii	29	(26 - 33)	18	(15 - 21)
Idaho	40	(36 - 45)	26	(22 - 29)
Illinois	376	(354 - 398)	241	(224 - 260)
Indiana	193	(175 - 213)	123	(109 - 139)
Iowa	89	(80 - 98)	60	(52 - 68)
Kansas	85	(76 - 95)	57	(50 - 64)
Kentucky	103	(92 - 116)	74	(65 - 83)
Louisiana	124	(110 - 138)	81	(71 - 93)
Maine	35	(31 - 39)	23	(20 - 26)
Maryland	150	(134 - 167)	87	(76 - 99)
Massachusetts	214	(194 - 234)	133	(117 - 151)
Michigan	321	(303 - 339)	198	(184 - 213)
Minnesota	150	(134 - 166)	97	(85 - 111)
Mississippi	84	(75 - 93)	49	(42 - 57)
Missouri	162	(146 - 180)	108	(95 - 123)
Montana	35	(32 - 38)	22	(20 - 25)

(continued)



**Table 12 Alcohol Use and Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	Alcohol Use in Past Month (Estimate)	Alcohol Use in Past Month (95% Confidence Interval)	Binge Alcohol Use in Past Month (Estimate)	Binge Alcohol Use in Past Month (95% Confidence Interval)
Nebraska	56	(51 - 62)	38	(33 - 43)
Nevada	81	(72 - 91)	48	(42 - 55)
New Hampshire	63	(59 - 68)	41	(37 - 45)
New Jersey	242	(216 - 270)	153	(134 - 174)
New Mexico	53	(47 - 59)	35	(31 - 40)
New York	608	(573 - 645)	360	(332 - 389)
North Carolina	205	(180 - 232)	128	(109 - 149)
North Dakota	27	(25 - 30)	20	(18 - 22)
Ohio	345	(326 - 365)	220	(204 - 237)
Oklahoma	110	(97 - 123)	75	(65 - 85)
Oregon	116	(104 - 129)	78	(68 - 88)
Pennsylvania	388	(368 - 409)	254	(237 - 272)
Rhode Island	43	(40 - 47)	28	(25 - 32)
South Carolina	118	(106 - 132)	74	(64 - 85)
South Dakota	25	(22 - 28)	18	(16 - 21)
Tennessee	126	(111 - 143)	86	(74 - 100)
Texas	745	(699 - 793)	458	(422 - 496)
Utah	59	(50 - 70)	46	(38 - 54)
Vermont	21	(19 - 23)	14	(12 - 16)
Virginia	213	(189 - 238)	135	(117 - 155)
Washington	208	(187 - 231)	132	(116 - 150)
West Virginia	49	(44 - 55)	38	(34 - 43)
Wisconsin	191	(174 - 210)	122	(108 - 137)
Wyoming	18	(16 - 20)	13	(11 - 14)

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple hours of each other) on at least 1 day in the past 30 days.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 13 Tobacco Product Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages  
Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	68,182	(66,942 - 69,449)	2,052	(1,969 - 2,138)	13,024	(12,787 - 13,263)	53,106	(51,927 - 54,314)	66,131	(64,900 - 67,387)
Northeast	11,648	(11,270 - 12,036)	343	(320 - 367)	2,260	(2,185 - 2,336)	9,045	(8,681 - 9,419)	11,305	(10,930 - 11,691)
Midwest	16,431	(16,040 - 16,827)	510	(481 - 540)	3,108	(3,030 - 3,187)	12,813	(12,437 - 13,194)	15,922	(15,533 - 16,313)
South	26,620	(25,996 - 27,261)	788	(744 - 836)	4,903	(4,777 - 5,031)	20,928	(20,331 - 21,543)	25,831	(25,213 - 26,467)
West	13,483	(13,005 - 13,979)	411	(378 - 447)	2,752	(2,647 - 2,860)	10,320	(9,863 - 10,799)	13,072	(12,599 - 13,563)
Alabama	1,266	(1,156 - 1,382)	34	(28 - 41)	226	(207 - 247)	1,006	(902 - 1,115)	1,232	(1,123 - 1,346)
Alaska	174	(158 - 191)	6	(5 - 7)	35	(31 - 38)	133	(119 - 149)	168	(152 - 184)
Arizona	1,278	(1,142 - 1,425)	38	(31 - 48)	254	(228 - 282)	985	(860 - 1,122)	1,240	(1,106 - 1,384)
Arkansas	808	(738 - 883)	25	(21 - 30)	134	(123 - 146)	649	(582 - 719)	783	(713 - 856)
California	6,016	(5,635 - 6,415)	177	(152 - 205)	1,301	(1,218 - 1,389)	4,538	(4,176 - 4,924)	5,839	(5,463 - 6,234)
Colorado	1,196	(1,087 - 1,311)	35	(28 - 44)	247	(225 - 270)	913	(813 - 1,021)	1,160	(1,053 - 1,273)
Connecticut	661	(591 - 737)	20	(16 - 25)	128	(114 - 143)	513	(449 - 584)	642	(573 - 716)
Delaware	217	(197 - 239)	6	(5 - 7)	41	(37 - 44)	171	(152 - 191)	211	(191 - 232)
District of Columbia	151	(137 - 166)	2	(2 - 3)	34	(30 - 37)	116	(103 - 130)	149	(135 - 164)
Florida	3,921	(3,690 - 4,164)	101	(88 - 115)	680	(642 - 719)	3,141	(2,919 - 3,374)	3,821	(3,591 - 4,061)
Georgia	2,168	(1,949 - 2,401)	69	(56 - 85)	404	(364 - 446)	1,695	(1,491 - 1,915)	2,099	(1,884 - 2,327)
Hawaii	229	(204 - 257)	8	(6 - 10)	44	(39 - 50)	177	(154 - 203)	222	(197 - 249)
Idaho	324	(291 - 359)	11	(9 - 14)	61	(55 - 67)	251	(221 - 285)	313	(280 - 347)
Illinois	2,795	(2,647 - 2,948)	79	(69 - 89)	541	(513 - 568)	2,176	(2,034 - 2,323)	2,716	(2,569 - 2,869)
Indiana	1,748	(1,600 - 1,903)	56	(46 - 68)	331	(304 - 358)	1,361	(1,224 - 1,506)	1,692	(1,546 - 1,844)
Iowa	703	(638 - 772)	23	(18 - 28)	151	(138 - 164)	529	(470 - 594)	680	(616 - 747)
Kansas	660	(599 - 724)	21	(17 - 25)	135	(123 - 147)	504	(448 - 564)	639	(579 - 702)
Kentucky	1,278	(1,181 - 1,378)	41	(34 - 49)	227	(211 - 244)	1,009	(918 - 1,104)	1,237	(1,141 - 1,335)
Louisiana	1,177	(1,077 - 1,281)	40	(33 - 48)	210	(191 - 230)	927	(834 - 1,026)	1,137	(1,039 - 1,240)
Maine	310	(280 - 343)	9	(7 - 10)	55	(50 - 59)	247	(218 - 278)	301	(271 - 334)
Maryland	1,087	(973 - 1,211)	30	(24 - 38)	222	(199 - 245)	835	(729 - 951)	1,057	(944 - 1,179)
Massachusetts	1,300	(1,168 - 1,443)	39	(31 - 48)	264	(237 - 292)	998	(876 - 1,131)	1,261	(1,131 - 1,402)
Michigan	2,468	(2,349 - 2,590)	78	(70 - 87)	458	(436 - 480)	1,932	(1,819 - 2,050)	2,390	(2,272 - 2,512)
Minnesota	1,202	(1,090 - 1,321)	38	(31 - 46)	248	(225 - 270)	916	(813 - 1,028)	1,164	(1,054 - 1,281)
Mississippi	890	(818 - 964)	30	(25 - 37)	159	(147 - 171)	700	(633 - 770)	859	(789 - 932)
Missouri	1,675	(1,535 - 1,822)	54	(45 - 64)	296	(273 - 320)	1,325	(1,192 - 1,465)	1,621	(1,483 - 1,765)
Montana	263	(240 - 287)	9	(7 - 11)	51	(47 - 55)	203	(182 - 225)	254	(232 - 278)

(continued)

**Table 13 Tobacco Product Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	400	(362 - 441)	14	(11 - 17)	84	(77 - 92)	303	(267 - 340)	387	(349 - 426)
Nevada	628	(565 - 696)	18	(15 - 23)	108	(98 - 119)	501	(443 - 565)	610	(547 - 676)
New Hampshire	290	(263 - 319)	10	(8 - 12)	59	(54 - 64)	222	(196 - 249)	280	(254 - 309)
New Jersey	1,521	(1,347 - 1,713)	48	(38 - 59)	293	(262 - 326)	1,181	(1,020 - 1,360)	1,474	(1,302 - 1,662)
New Mexico	468	(422 - 517)	17	(14 - 21)	96	(88 - 105)	354	(312 - 401)	451	(406 - 498)
New York	3,967	(3,735 - 4,209)	105	(92 - 120)	771	(726 - 816)	3,092	(2,869 - 3,326)	3,862	(3,632 - 4,102)
North Carolina	2,175	(1,959 - 2,406)	61	(49 - 75)	395	(359 - 433)	1,719	(1,515 - 1,940)	2,114	(1,901 - 2,342)
North Dakota	181	(166 - 196)	6	(5 - 7)	45	(41 - 49)	130	(117 - 145)	175	(160 - 190)
Ohio	3,046	(2,907 - 3,188)	94	(84 - 105)	540	(516 - 565)	2,411	(2,278 - 2,549)	2,952	(2,815 - 3,092)
Oklahoma	1,094	(1,004 - 1,188)	30	(25 - 37)	200	(184 - 216)	864	(779 - 952)	1,064	(974 - 1,156)
Oregon	892	(806 - 984)	25	(21 - 31)	149	(135 - 165)	717	(636 - 804)	866	(781 - 956)
Pennsylvania	3,209	(3,060 - 3,362)	102	(91 - 113)	608	(580 - 636)	2,499	(2,357 - 2,645)	3,107	(2,960 - 3,258)
Rhode Island	241	(218 - 266)	7	(5 - 8)	50	(45 - 55)	185	(163 - 208)	235	(212 - 259)
South Carolina	1,201	(1,098 - 1,309)	36	(30 - 43)	221	(201 - 241)	944	(848 - 1,046)	1,165	(1,063 - 1,272)
South Dakota	210	(193 - 228)	6	(5 - 8)	42	(38 - 45)	162	(146 - 179)	204	(186 - 222)
Tennessee	1,676	(1,529 - 1,830)	52	(43 - 63)	280	(256 - 304)	1,344	(1,206 - 1,490)	1,624	(1,478 - 1,775)
Texas	5,045	(4,775 - 5,324)	161	(141 - 185)	1,030	(972 - 1,089)	3,854	(3,600 - 4,120)	4,884	(4,617 - 5,160)
Utah	456	(403 - 513)	16	(13 - 21)	95	(84 - 108)	345	(297 - 398)	440	(388 - 496)
Vermont	148	(133 - 163)	5	(4 - 6)	33	(30 - 36)	110	(96 - 124)	143	(128 - 158)
Virginia	1,871	(1,705 - 2,046)	53	(44 - 65)	348	(316 - 382)	1,469	(1,317 - 1,632)	1,817	(1,654 - 1,990)
Washington	1,403	(1,267 - 1,548)	44	(36 - 54)	278	(252 - 305)	1,081	(954 - 1,217)	1,359	(1,225 - 1,501)
West Virginia	594	(551 - 639)	17	(14 - 20)	93	(86 - 100)	485	(443 - 528)	578	(535 - 622)
Wisconsin	1,345	(1,216 - 1,481)	43	(35 - 52)	239	(218 - 261)	1,063	(942 - 1,192)	1,302	(1,175 - 1,435)
Wyoming	157	(144 - 170)	5	(4 - 6)	31	(29 - 34)	120	(108 - 133)	151	(139 - 164)

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 14 Cigarette Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	56,648	(55,472 - 57,849)	1,516	(1,442 - 1,593)	10,832	(10,600 - 11,067)	44,300	(43,182 - 45,446)	55,132	(53,963 - 56,326)
Northeast	9,561	(9,210 - 9,924)	247	(227 - 268)	1,882	(1,808 - 1,957)	7,433	(7,091 - 7,787)	9,314	(8,966 - 9,675)
Midwest	13,707	(13,348 - 14,072)	385	(362 - 409)	2,543	(2,469 - 2,618)	10,780	(10,426 - 11,139)	13,323	(12,966 - 13,683)
South	22,140	(21,560 - 22,738)	573	(536 - 612)	4,059	(3,935 - 4,186)	17,508	(16,939 - 18,096)	21,567	(20,990 - 22,162)
West	11,239	(10,786 - 11,708)	312	(283 - 343)	2,348	(2,246 - 2,454)	8,579	(8,140 - 9,040)	10,927	(10,479 - 11,392)
Alabama	1,045	(941 - 1,156)	24	(19 - 30)	181	(163 - 201)	840	(743 - 945)	1,021	(918 - 1,131)
Alaska	131	(118 - 146)	4	(3 - 5)	28	(25 - 31)	100	(87 - 113)	127	(114 - 141)
Arizona	1,071	(951 - 1,202)	30	(23 - 37)	215	(190 - 242)	827	(715 - 950)	1,041	(922 - 1,172)
Arkansas	651	(592 - 714)	18	(15 - 22)	108	(97 - 120)	525	(469 - 585)	634	(575 - 696)
California	5,147	(4,790 - 5,522)	134	(113 - 160)	1,152	(1,069 - 1,238)	3,861	(3,522 - 4,226)	5,013	(4,660 - 5,385)
Colorado	914	(819 - 1,015)	25	(20 - 32)	193	(172 - 214)	695	(608 - 792)	888	(795 - 989)
Connecticut	545	(486 - 610)	14	(11 - 18)	109	(96 - 123)	422	(368 - 483)	531	(472 - 595)
Delaware	179	(161 - 198)	5	(4 - 6)	35	(31 - 39)	139	(123 - 157)	174	(157 - 193)
District of Columbia	129	(116 - 143)	1	(1 - 2)	30	(26 - 33)	98	(86 - 111)	128	(115 - 141)
Florida	3,330	(3,120 - 3,552)	69	(59 - 80)	553	(517 - 590)	2,708	(2,503 - 2,926)	3,261	(3,053 - 3,482)
Georgia	1,751	(1,565 - 1,953)	50	(40 - 63)	331	(294 - 371)	1,370	(1,195 - 1,562)	1,701	(1,516 - 1,900)
Hawaii	195	(171 - 221)	5	(4 - 7)	37	(33 - 42)	152	(130 - 177)	189	(166 - 215)
Idaho	275	(246 - 307)	10	(8 - 12)	52	(47 - 58)	214	(187 - 243)	266	(237 - 297)
Illinois	2,426	(2,286 - 2,571)	62	(54 - 71)	462	(434 - 490)	1,902	(1,768 - 2,044)	2,364	(2,226 - 2,508)
Indiana	1,393	(1,267 - 1,526)	42	(34 - 51)	265	(240 - 292)	1,085	(968 - 1,211)	1,351	(1,227 - 1,482)
Iowa	592	(531 - 657)	18	(14 - 22)	124	(111 - 137)	451	(394 - 513)	574	(514 - 639)
Kansas	537	(482 - 598)	15	(12 - 18)	102	(91 - 114)	421	(368 - 478)	523	(467 - 582)
Kentucky	1,098	(1,003 - 1,198)	32	(27 - 39)	189	(171 - 207)	877	(786 - 973)	1,066	(971 - 1,165)
Louisiana	962	(871 - 1,059)	30	(24 - 37)	180	(161 - 199)	753	(668 - 844)	932	(842 - 1,028)
Maine	265	(238 - 294)	7	(6 - 8)	43	(39 - 48)	215	(190 - 243)	258	(232 - 287)
Maryland	898	(794 - 1,013)	23	(18 - 29)	177	(156 - 199)	699	(601 - 808)	875	(772 - 989)
Massachusetts	1,046	(928 - 1,175)	27	(22 - 35)	214	(189 - 241)	804	(695 - 926)	1,018	(902 - 1,146)
Michigan	2,107	(1,997 - 2,222)	58	(51 - 65)	379	(358 - 401)	1,670	(1,564 - 1,781)	2,050	(1,940 - 2,163)
Minnesota	964	(861 - 1,075)	30	(24 - 37)	203	(181 - 226)	732	(636 - 837)	934	(833 - 1,044)
Mississippi	742	(675 - 813)	20	(16 - 25)	132	(120 - 146)	590	(525 - 659)	722	(655 - 793)
Missouri	1,410	(1,279 - 1,548)	41	(34 - 49)	252	(228 - 276)	1,117	(994 - 1,250)	1,369	(1,239 - 1,506)
Montana	207	(187 - 229)	6	(5 - 7)	40	(36 - 44)	162	(143 - 183)	202	(182 - 223)

(continued)

**Table 14 Cigarette Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	333	(298 - 372)	10	(8 - 12)	63	(56 - 71)	260	(227 - 297)	323	(288 - 362)
Nevada	554	(494 - 619)	13	(11 - 17)	94	(84 - 105)	447	(391 - 508)	541	(481 - 605)
New Hampshire	228	(203 - 254)	7	(6 - 9)	47	(42 - 52)	173	(151 - 199)	220	(196 - 247)
New Jersey	1,277	(1,124 - 1,448)	36	(28 - 46)	252	(222 - 283)	990	(846 - 1,152)	1,241	(1,089 - 1,410)
New Mexico	389	(348 - 433)	12	(10 - 16)	80	(72 - 89)	296	(258 - 339)	376	(336 - 420)
New York	3,302	(3,092 - 3,523)	74	(64 - 86)	651	(608 - 696)	2,577	(2,375 - 2,792)	3,228	(3,020 - 3,447)
North Carolina	1,855	(1,663 - 2,062)	47	(38 - 59)	332	(296 - 371)	1,475	(1,294 - 1,673)	1,808	(1,617 - 2,013)
North Dakota	147	(133 - 161)	4	(3 - 5)	34	(30 - 37)	109	(96 - 123)	143	(129 - 157)
Ohio	2,556	(2,428 - 2,688)	68	(60 - 77)	434	(409 - 459)	2,054	(1,931 - 2,183)	2,488	(2,361 - 2,619)
Oklahoma	911	(827 - 999)	20	(16 - 25)	161	(145 - 178)	729	(650 - 814)	891	(808 - 978)
Oregon	699	(625 - 780)	18	(14 - 23)	121	(106 - 136)	561	(491 - 637)	681	(608 - 761)
Pennsylvania	2,597	(2,457 - 2,744)	72	(64 - 82)	501	(474 - 529)	2,024	(1,890 - 2,165)	2,525	(2,386 - 2,670)
Rhode Island	184	(164 - 206)	5	(4 - 6)	40	(36 - 45)	140	(121 - 160)	180	(160 - 201)
South Carolina	1,023	(927 - 1,125)	26	(21 - 32)	185	(166 - 206)	811	(721 - 908)	996	(902 - 1,097)
South Dakota	177	(161 - 194)	5	(4 - 6)	34	(30 - 37)	138	(123 - 154)	172	(156 - 189)
Tennessee	1,359	(1,235 - 1,492)	39	(32 - 47)	228	(205 - 252)	1,093	(974 - 1,221)	1,321	(1,197 - 1,452)
Texas	4,196	(3,931 - 4,472)	119	(101 - 140)	881	(824 - 939)	3,196	(2,945 - 3,464)	4,077	(3,815 - 4,351)
Utah	392	(345 - 443)	15	(11 - 19)	87	(75 - 99)	291	(248 - 339)	377	(331 - 428)
Vermont	116	(105 - 128)	4	(3 - 4)	26	(23 - 28)	87	(76 - 98)	113	(101 - 125)
Virginia	1,531	(1,375 - 1,699)	38	(30 - 48)	284	(251 - 319)	1,209	(1,066 - 1,365)	1,493	(1,338 - 1,659)
Washington	1,144	(1,025 - 1,273)	35	(28 - 44)	226	(202 - 253)	882	(772 - 1,003)	1,108	(991 - 1,236)
West Virginia	480	(439 - 524)	12	(10 - 14)	73	(66 - 80)	396	(357 - 438)	468	(428 - 511)
Wisconsin	1,066	(958 - 1,182)	33	(27 - 41)	192	(172 - 214)	840	(738 - 952)	1,032	(925 - 1,148)
Wyoming	121	(110 - 132)	4	(3 - 5)	24	(21 - 26)	93	(83 - 104)	117	(106 - 128)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 15 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	186,092	(184,890 - 187,288)	16,183	(16,030 - 16,335)	23,006	(22,796 - 23,215)	146,903	(145,734 - 148,045)	169,909	(168,709 - 171,078)
Northeast	34,656	(34,267 - 35,038)	2,772	(2,726 - 2,818)	4,183	(4,116 - 4,249)	27,701	(27,328 - 28,063)	31,884	(31,497 - 32,259)
Midwest	38,037	(37,633 - 38,439)	3,472	(3,420 - 3,522)	4,636	(4,569 - 4,701)	29,930	(29,541 - 30,312)	34,565	(34,168 - 34,956)
South	68,469	(67,827 - 69,105)	6,020	(5,936 - 6,103)	8,401	(8,292 - 8,510)	54,048	(53,430 - 54,651)	62,449	(61,811 - 63,071)
West	44,930	(44,390 - 45,459)	3,920	(3,849 - 3,989)	5,786	(5,687 - 5,883)	35,224	(34,703 - 35,727)	41,010	(40,475 - 41,527)
Alabama	2,748	(2,640 - 2,852)	236	(223 - 249)	333	(315 - 350)	2,179	(2,076 - 2,276)	2,512	(2,406 - 2,612)
Alaska	379	(362 - 395)	36	(33 - 38)	49	(46 - 52)	295	(279 - 310)	343	(327 - 359)
Arizona	3,800	(3,656 - 3,936)	332	(313 - 350)	469	(444 - 493)	2,998	(2,863 - 3,124)	3,468	(3,328 - 3,599)
Arkansas	1,583	(1,514 - 1,649)	142	(133 - 150)	197	(187 - 207)	1,244	(1,179 - 1,306)	1,441	(1,374 - 1,505)
California	24,049	(23,609 - 24,473)	2,089	(2,030 - 2,147)	3,237	(3,154 - 3,315)	18,723	(18,299 - 19,123)	21,960	(21,524 - 22,374)
Colorado	3,137	(3,028 - 3,241)	268	(253 - 282)	376	(356 - 395)	2,493	(2,391 - 2,588)	2,869	(2,764 - 2,969)
Connecticut	2,250	(2,174 - 2,322)	198	(188 - 207)	260	(247 - 272)	1,793	(1,720 - 1,860)	2,052	(1,978 - 2,122)
Delaware	563	(544 - 582)	45	(42 - 47)	72	(68 - 75)	447	(428 - 464)	519	(499 - 537)
District of Columbia	416	(403 - 428)	19	(17 - 20)	69	(66 - 72)	329	(316 - 340)	397	(384 - 410)
Florida	12,382	(12,139 - 12,617)	976	(949 - 1,002)	1,373	(1,335 - 1,409)	10,034	(9,798 - 10,258)	11,406	(11,165 - 11,637)
Georgia	5,816	(5,600 - 6,020)	536	(506 - 564)	739	(701 - 774)	4,541	(4,339 - 4,728)	5,280	(5,069 - 5,477)
Hawaii	830	(800 - 857)	62	(58 - 65)	96	(91 - 101)	672	(644 - 698)	768	(739 - 795)
Idaho	891	(858 - 923)	89	(84 - 94)	112	(106 - 117)	691	(659 - 720)	802	(770 - 833)
Illinois	7,514	(7,355 - 7,668)	672	(651 - 692)	906	(879 - 932)	5,936	(5,785 - 6,082)	6,842	(6,686 - 6,992)
Indiana	3,672	(3,527 - 3,811)	351	(332 - 370)	462	(437 - 485)	2,859	(2,721 - 2,989)	3,320	(3,178 - 3,456)
Iowa	1,727	(1,655 - 1,797)	159	(151 - 167)	215	(203 - 227)	1,353	(1,285 - 1,417)	1,568	(1,497 - 1,635)
Kansas	1,601	(1,540 - 1,659)	153	(146 - 161)	203	(191 - 214)	1,244	(1,187 - 1,298)	1,447	(1,388 - 1,504)
Kentucky	2,266	(2,163 - 2,367)	204	(192 - 215)	263	(247 - 279)	1,799	(1,701 - 1,894)	2,063	(1,961 - 2,161)
Louisiana	2,654	(2,554 - 2,748)	232	(219 - 244)	342	(324 - 358)	2,080	(1,988 - 2,167)	2,422	(2,325 - 2,514)
Maine	780	(749 - 811)	61	(58 - 64)	79	(75 - 83)	640	(610 - 669)	719	(688 - 749)
Maryland	3,660	(3,539 - 3,775)	302	(286 - 317)	424	(403 - 443)	2,935	(2,819 - 3,041)	3,358	(3,239 - 3,469)
Massachusetts	4,112	(3,969 - 4,248)	321	(305 - 337)	526	(501 - 551)	3,265	(3,129 - 3,391)	3,791	(3,650 - 3,923)
Michigan	5,655	(5,536 - 5,773)	517	(501 - 532)	695	(675 - 716)	4,443	(4,327 - 4,556)	5,139	(5,020 - 5,254)
Minnesota	3,084	(2,961 - 3,203)	273	(258 - 287)	363	(344 - 382)	2,448	(2,330 - 2,558)	2,811	(2,690 - 2,926)
Mississippi	1,586	(1,514 - 1,655)	147	(138 - 156)	212	(200 - 223)	1,227	(1,159 - 1,291)	1,439	(1,368 - 1,506)
Missouri	3,293	(3,156 - 3,426)	289	(273 - 305)	392	(369 - 414)	2,612	(2,482 - 2,736)	3,004	(2,869 - 3,134)
Montana	571	(548 - 594)	47	(44 - 49)	67	(63 - 71)	458	(436 - 479)	525	(502 - 547)

(continued)

**Table 15 Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	1,015	(973 - 1,056)	97	(91 - 102)	129	(122 - 135)	790	(750 - 828)	919	(878 - 958)
Nevada	1,602	(1,540 - 1,661)	143	(135 - 151)	188	(178 - 198)	1,271	(1,213 - 1,326)	1,459	(1,399 - 1,516)
New Hampshire	818	(789 - 846)	67	(64 - 70)	95	(91 - 99)	656	(628 - 682)	751	(722 - 778)
New Jersey	5,683	(5,497 - 5,856)	459	(435 - 483)	635	(605 - 663)	4,589	(4,413 - 4,749)	5,224	(5,042 - 5,390)
New Mexico	1,235	(1,190 - 1,277)	106	(100 - 111)	149	(141 - 156)	980	(938 - 1,020)	1,129	(1,085 - 1,170)
New York	12,568	(12,340 - 12,789)	989	(961 - 1,016)	1,567	(1,523 - 1,610)	10,012	(9,796 - 10,217)	11,579	(11,354 - 11,794)
North Carolina	5,498	(5,262 - 5,723)	482	(454 - 510)	661	(625 - 695)	4,355	(4,130 - 4,565)	5,016	(4,784 - 5,235)
North Dakota	385	(370 - 400)	32	(30 - 33)	58	(55 - 62)	295	(280 - 308)	353	(338 - 368)
Ohio	6,341	(6,196 - 6,483)	592	(575 - 608)	758	(734 - 781)	4,991	(4,851 - 5,128)	5,749	(5,606 - 5,889)
Oklahoma	2,032	(1,946 - 2,115)	187	(176 - 197)	259	(244 - 273)	1,586	(1,505 - 1,663)	1,845	(1,761 - 1,926)
Oregon	2,346	(2,259 - 2,429)	185	(175 - 195)	272	(258 - 285)	1,889	(1,806 - 1,967)	2,161	(2,076 - 2,241)
Pennsylvania	7,403	(7,242 - 7,560)	597	(579 - 616)	882	(857 - 907)	5,923	(5,767 - 6,074)	6,806	(6,646 - 6,961)
Rhode Island	653	(630 - 674)	49	(46 - 51)	91	(86 - 95)	514	(492 - 534)	604	(582 - 625)
South Carolina	2,744	(2,644 - 2,839)	227	(214 - 239)	332	(315 - 349)	2,185	(2,091 - 2,273)	2,517	(2,420 - 2,610)
South Dakota	441	(422 - 459)	42	(40 - 44)	57	(54 - 60)	341	(324 - 358)	399	(380 - 416)
Tennessee	3,648	(3,503 - 3,788)	320	(301 - 337)	442	(419 - 463)	2,887	(2,750 - 3,016)	3,329	(3,186 - 3,464)
Texas	14,993	(14,686 - 15,293)	1,475	(1,430 - 1,519)	1,985	(1,930 - 2,039)	11,533	(11,241 - 11,813)	13,518	(13,217 - 13,809)
Utah	1,627	(1,572 - 1,679)	191	(182 - 200)	258	(245 - 269)	1,177	(1,128 - 1,224)	1,435	(1,382 - 1,485)
Vermont	387	(373 - 401)	30	(29 - 32)	48	(45 - 50)	310	(296 - 322)	357	(344 - 370)
Virginia	4,888	(4,718 - 5,050)	412	(391 - 432)	589	(557 - 620)	3,887	(3,727 - 4,036)	4,476	(4,309 - 4,633)
Washington	4,145	(4,005 - 4,280)	345	(326 - 362)	476	(451 - 500)	3,325	(3,192 - 3,449)	3,801	(3,663 - 3,931)
West Virginia	992	(948 - 1,034)	81	(76 - 85)	111	(105 - 118)	800	(758 - 840)	911	(868 - 953)
Wisconsin	3,308	(3,174 - 3,436)	295	(279 - 310)	397	(376 - 416)	2,616	(2,490 - 2,735)	3,013	(2,882 - 3,138)
Wyoming	318	(306 - 330)	28	(26 - 29)	38	(36 - 41)	252	(241 - 263)	290	(278 - 302)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 16 Alcohol Dependence or Abuse in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	17,506	(16,929 - 18,102)	776	(725 - 830)	4,742	(4,577 - 4,913)	11,988	(11,462 - 12,536)	16,731	(16,162 - 17,317)
Northeast	3,174	(2,974 - 3,388)	136	(121 - 153)	872	(822 - 924)	2,166	(1,980 - 2,369)	3,038	(2,840 - 3,250)
Midwest	3,804	(3,609 - 4,009)	171	(156 - 188)	1,040	(993 - 1,089)	2,593	(2,412 - 2,786)	3,633	(3,440 - 3,836)
South	6,093	(5,779 - 6,422)	276	(252 - 303)	1,619	(1,541 - 1,701)	4,197	(3,905 - 4,508)	5,816	(5,507 - 6,141)
West	4,436	(4,142 - 4,747)	192	(169 - 218)	1,212	(1,137 - 1,290)	3,032	(2,759 - 3,330)	4,244	(3,954 - 4,551)
Alabama	248	(208 - 296)	13	(10 - 18)	65	(54 - 77)	170	(135 - 213)	235	(196 - 281)
Alaska	41	(34 - 49)	2	(1 - 2)	11	(9 - 13)	29	(23 - 36)	40	(33 - 48)
Arizona	388	(323 - 465)	19	(14 - 25)	97	(81 - 116)	272	(215 - 343)	369	(305 - 445)
Arkansas	135	(111 - 164)	7	(5 - 9)	38	(32 - 46)	91	(70 - 117)	129	(105 - 157)
California	2,307	(2,079 - 2,557)	95	(77 - 118)	653	(590 - 721)	1,559	(1,352 - 1,794)	2,212	(1,988 - 2,458)
Colorado	325	(275 - 382)	14	(10 - 18)	92	(78 - 108)	219	(177 - 269)	311	(263 - 366)
Connecticut	214	(180 - 254)	8	(6 - 12)	54	(45 - 64)	152	(121 - 189)	206	(172 - 245)
Delaware	54	(46 - 64)	2	(2 - 3)	16	(13 - 19)	36	(29 - 45)	52	(44 - 62)
District of Columbia	66	(56 - 77)	1	(1 - 1)	17	(15 - 20)	48	(39 - 59)	65	(55 - 76)
Florida	1,009	(897 - 1,134)	38	(32 - 47)	236	(211 - 263)	734	(630 - 854)	970	(860 - 1,095)
Georgia	446	(368 - 539)	19	(14 - 27)	121	(100 - 147)	305	(240 - 387)	426	(351 - 517)
Hawaii	86	(71 - 103)	3	(2 - 5)	22	(19 - 26)	60	(47 - 76)	82	(68 - 100)
Idaho	86	(73 - 102)	5	(4 - 7)	23	(19 - 27)	59	(47 - 73)	81	(68 - 97)
Illinois	689	(618 - 767)	27	(22 - 33)	190	(172 - 210)	472	(406 - 547)	662	(592 - 739)
Indiana	378	(318 - 447)	19	(14 - 25)	107	(90 - 126)	252	(202 - 315)	359	(301 - 427)
Iowa	159	(133 - 190)	8	(6 - 10)	48	(40 - 57)	103	(81 - 131)	151	(126 - 181)
Kansas	165	(138 - 198)	8	(6 - 10)	44	(36 - 52)	114	(90 - 143)	158	(131 - 189)
Kentucky	214	(180 - 255)	10	(8 - 14)	60	(50 - 72)	144	(114 - 180)	204	(170 - 243)
Louisiana	227	(190 - 271)	11	(9 - 15)	60	(50 - 73)	155	(124 - 194)	216	(180 - 259)
Maine	73	(61 - 87)	3	(2 - 4)	19	(16 - 23)	50	(40 - 63)	70	(58 - 83)
Maryland	320	(267 - 383)	13	(9 - 17)	83	(69 - 98)	224	(179 - 281)	307	(255 - 369)
Massachusetts	404	(340 - 478)	16	(12 - 21)	115	(97 - 136)	272	(218 - 339)	387	(325 - 460)
Michigan	570	(514 - 632)	25	(21 - 30)	150	(135 - 166)	396	(344 - 455)	546	(490 - 607)
Minnesota	296	(248 - 353)	13	(10 - 18)	79	(66 - 94)	204	(163 - 254)	283	(235 - 338)
Mississippi	141	(117 - 169)	7	(5 - 9)	38	(32 - 46)	96	(76 - 121)	134	(111 - 162)
Missouri	333	(282 - 394)	17	(13 - 22)	90	(75 - 106)	227	(183 - 281)	317	(266 - 376)
Montana	70	(59 - 82)	4	(3 - 5)	20	(17 - 23)	47	(38 - 58)	66	(56 - 78)

(continued)



**Table 16 Alcohol Dependence or Abuse in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	119	(101 - 140)	6	(4 - 8)	34	(29 - 40)	79	(64 - 98)	113	(95 - 133)
Nevada	176	(147 - 211)	7	(5 - 9)	40	(33 - 48)	129	(103 - 161)	169	(141 - 203)
New Hampshire	87	(74 - 102)	5	(4 - 6)	27	(23 - 31)	55	(44 - 69)	82	(69 - 97)
New Jersey	493	(408 - 595)	20	(14 - 28)	126	(105 - 150)	347	(273 - 440)	473	(390 - 573)
New Mexico	126	(106 - 149)	7	(5 - 9)	32	(27 - 38)	87	(70 - 109)	119	(99 - 142)
New York	1,090	(978 - 1,215)	47	(39 - 57)	289	(260 - 321)	754	(651 - 872)	1,043	(933 - 1,166)
North Carolina	471	(387 - 572)	23	(17 - 31)	129	(107 - 156)	319	(248 - 408)	448	(367 - 547)
North Dakota	49	(42 - 58)	2	(2 - 3)	17	(14 - 20)	30	(24 - 37)	47	(40 - 55)
Ohio	621	(560 - 689)	28	(23 - 33)	168	(152 - 185)	426	(370 - 490)	594	(533 - 661)
Oklahoma	226	(188 - 270)	10	(7 - 13)	57	(48 - 68)	159	(126 - 200)	216	(179 - 259)
Oregon	235	(197 - 279)	10	(7 - 13)	60	(50 - 70)	165	(132 - 205)	225	(188 - 268)
Pennsylvania	700	(628 - 780)	32	(27 - 39)	205	(187 - 226)	462	(397 - 538)	668	(597 - 746)
Rhode Island	76	(65 - 89)	2	(2 - 3)	24	(20 - 28)	50	(40 - 62)	74	(62 - 87)
South Carolina	235	(196 - 281)	11	(8 - 15)	62	(51 - 74)	163	(130 - 204)	225	(186 - 270)
South Dakota	54	(46 - 64)	2	(2 - 3)	16	(13 - 18)	36	(29 - 45)	52	(44 - 61)
Tennessee	300	(251 - 358)	16	(12 - 21)	81	(67 - 96)	204	(162 - 256)	284	(237 - 341)
Texas	1,404	(1,269 - 1,552)	71	(59 - 85)	389	(351 - 430)	945	(823 - 1,083)	1,334	(1,201 - 1,479)
Utah	120	(98 - 146)	7	(5 - 10)	42	(35 - 51)	71	(54 - 92)	113	(92 - 138)
Vermont	37	(31 - 44)	2	(1 - 3)	12	(10 - 14)	23	(19 - 29)	35	(29 - 42)
Virginia	500	(422 - 591)	20	(15 - 26)	143	(120 - 169)	337	(271 - 418)	480	(404 - 569)
Washington	438	(371 - 517)	18	(14 - 24)	110	(92 - 129)	310	(251 - 383)	420	(354 - 497)
West Virginia	95	(80 - 113)	5	(3 - 6)	24	(20 - 28)	67	(54 - 83)	91	(76 - 108)
Wisconsin	370	(314 - 434)	17	(13 - 23)	99	(84 - 115)	254	(205 - 313)	352	(298 - 416)
Wyoming	39	(33 - 46)	2	(2 - 3)	11	(9 - 13)	26	(21 - 32)	37	(31 - 43)

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 17 Alcohol Dependence in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	8,312	(7,916 - 8,728)	286	(256 - 320)	2,001	(1,897 - 2,111)	6,025	(5,644 - 6,431)	8,026	(7,634 - 8,438)
Northeast	1,459	(1,335 - 1,594)	49	(42 - 57)	365	(331 - 403)	1,045	(931 - 1,171)	1,410	(1,287 - 1,544)
Midwest	1,783	(1,660 - 1,916)	62	(53 - 71)	422	(392 - 453)	1,300	(1,185 - 1,425)	1,722	(1,599 - 1,853)
South	2,955	(2,749 - 3,175)	102	(88 - 117)	676	(628 - 727)	2,177	(1,985 - 2,387)	2,853	(2,649 - 3,072)
West	2,116	(1,929 - 2,319)	74	(61 - 89)	538	(487 - 595)	1,503	(1,333 - 1,695)	2,042	(1,857 - 2,243)
Alabama	132	(104 - 167)	5	(3 - 7)	27	(21 - 35)	100	(75 - 133)	127	(99 - 162)
Alaska	19	(15 - 24)	1	(0 - 1)	5	(4 - 7)	13	(10 - 17)	18	(14 - 23)
Arizona	186	(146 - 236)	7	(5 - 11)	42	(33 - 55)	136	(101 - 183)	179	(139 - 228)
Arkansas	72	(56 - 91)	2	(2 - 4)	17	(13 - 22)	52	(39 - 70)	69	(54 - 88)
California	1,118	(970 - 1,289)	37	(28 - 49)	296	(255 - 344)	785	(650 - 947)	1,081	(935 - 1,250)
Colorado	151	(120 - 188)	5	(3 - 7)	36	(28 - 47)	109	(83 - 144)	146	(116 - 183)
Connecticut	98	(75 - 127)	3	(2 - 4)	22	(16 - 30)	73	(53 - 99)	95	(73 - 123)
Delaware	25	(20 - 32)	1	(0 - 1)	7	(5 - 9)	18	(13 - 24)	25	(19 - 31)
District of Columbia	28	(23 - 35)	0	(0 - 1)	8	(6 - 11)	19	(15 - 26)	28	(22 - 35)
Florida	479	(406 - 565)	15	(11 - 20)	89	(75 - 105)	376	(307 - 459)	464	(392 - 549)
Georgia	221	(171 - 286)	8	(5 - 12)	52	(40 - 69)	161	(118 - 220)	214	(164 - 277)
Hawaii	44	(34 - 57)	2	(1 - 3)	12	(9 - 15)	31	(22 - 43)	43	(33 - 56)
Idaho	38	(30 - 49)	2	(1 - 2)	9	(7 - 12)	28	(21 - 37)	37	(29 - 47)
Illinois	326	(279 - 380)	11	(8 - 14)	79	(67 - 92)	236	(194 - 288)	315	(269 - 369)
Indiana	169	(134 - 213)	7	(5 - 10)	44	(34 - 56)	119	(88 - 159)	162	(128 - 206)
Iowa	77	(61 - 98)	3	(2 - 4)	20	(15 - 26)	55	(40 - 73)	74	(58 - 95)
Kansas	80	(63 - 101)	3	(2 - 4)	18	(13 - 24)	59	(44 - 79)	77	(60 - 98)
Kentucky	112	(88 - 142)	4	(3 - 6)	25	(19 - 32)	83	(62 - 111)	108	(84 - 137)
Louisiana	116	(92 - 146)	4	(3 - 5)	29	(22 - 37)	83	(62 - 111)	112	(88 - 142)
Maine	38	(30 - 49)	1	(1 - 2)	8	(6 - 10)	30	(22 - 40)	37	(29 - 48)
Maryland	147	(116 - 186)	5	(3 - 7)	37	(29 - 48)	105	(78 - 141)	142	(112 - 181)
Massachusetts	173	(137 - 217)	5	(4 - 8)	48	(37 - 62)	119	(89 - 160)	167	(132 - 211)
Michigan	275	(237 - 318)	10	(7 - 12)	65	(55 - 76)	200	(166 - 241)	265	(228 - 308)
Minnesota	137	(107 - 176)	4	(3 - 7)	32	(24 - 42)	101	(75 - 137)	133	(103 - 171)
Mississippi	72	(57 - 92)	2	(2 - 4)	17	(13 - 22)	53	(40 - 72)	70	(55 - 89)
Missouri	156	(123 - 198)	5	(4 - 8)	35	(27 - 46)	116	(86 - 154)	151	(119 - 192)
Montana	32	(26 - 41)	1	(1 - 2)	8	(6 - 10)	23	(17 - 31)	31	(25 - 40)

(continued)

**Table 17 Alcohol Dependence in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	54	(43 - 68)	2	(1 - 3)	14	(10 - 17)	39	(29 - 51)	52	(41 - 66)
Nevada	84	(66 - 107)	3	(2 - 5)	20	(15 - 25)	62	(46 - 83)	81	(63 - 103)
New Hampshire	40	(31 - 50)	1	(1 - 2)	11	(9 - 14)	28	(20 - 37)	38	(30 - 49)
New Jersey	212	(165 - 272)	7	(5 - 11)	51	(39 - 67)	154	(112 - 210)	205	(159 - 264)
New Mexico	55	(44 - 70)	2	(1 - 3)	13	(10 - 17)	40	(30 - 54)	53	(42 - 68)
New York	535	(459 - 625)	18	(14 - 24)	128	(108 - 150)	389	(320 - 473)	517	(441 - 605)
North Carolina	222	(171 - 289)	8	(6 - 12)	52	(39 - 68)	163	(117 - 226)	214	(163 - 280)
North Dakota	22	(17 - 27)	1	(1 - 1)	7	(5 - 9)	14	(11 - 18)	21	(17 - 26)
Ohio	290	(249 - 338)	10	(8 - 13)	64	(54 - 74)	217	(179 - 262)	280	(240 - 328)
Oklahoma	102	(80 - 131)	3	(2 - 5)	22	(17 - 29)	77	(57 - 104)	99	(77 - 128)
Oregon	115	(91 - 145)	4	(2 - 5)	27	(21 - 34)	85	(64 - 113)	112	(88 - 141)
Pennsylvania	310	(264 - 364)	11	(8 - 15)	82	(70 - 96)	217	(175 - 268)	299	(253 - 352)
Rhode Island	36	(28 - 45)	1	(1 - 1)	11	(9 - 14)	24	(17 - 32)	35	(27 - 44)
South Carolina	121	(94 - 156)	4	(2 - 5)	24	(18 - 32)	94	(69 - 127)	118	(91 - 152)
South Dakota	24	(20 - 30)	1	(1 - 1)	7	(5 - 8)	17	(13 - 22)	24	(19 - 29)
Tennessee	155	(121 - 197)	5	(4 - 8)	34	(26 - 45)	115	(85 - 154)	149	(116 - 191)
Texas	666	(577 - 770)	26	(20 - 34)	164	(141 - 192)	476	(396 - 572)	640	(552 - 742)
Utah	59	(44 - 78)	2	(2 - 4)	16	(12 - 22)	41	(29 - 57)	56	(42 - 75)
Vermont	17	(14 - 22)	1	(0 - 1)	5	(4 - 6)	12	(9 - 16)	17	(13 - 21)
Virginia	235	(188 - 293)	7	(5 - 11)	63	(49 - 81)	164	(124 - 217)	227	(181 - 284)
Washington	194	(157 - 240)	7	(5 - 11)	49	(38 - 62)	138	(106 - 180)	187	(150 - 232)
West Virginia	48	(38 - 60)	2	(1 - 2)	9	(7 - 12)	37	(28 - 49)	47	(37 - 59)
Wisconsin	174	(137 - 219)	6	(4 - 9)	39	(31 - 50)	128	(96 - 171)	167	(132 - 212)
Wyoming	19	(15 - 23)	1	(0 - 1)	5	(4 - 7)	13	(10 - 17)	18	(14 - 22)

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 18 *Illicit Drug Dependence or Abuse in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs***

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	7,082	(6,746 - 7,434)	936	(876 - 999)	2,632	(2,510 - 2,759)	3,514	(3,214 - 3,843)	6,146	(5,818 - 6,493)
Northeast	1,269	(1,164 - 1,384)	152	(135 - 170)	493	(456 - 534)	624	(537 - 724)	1,117	(1,017 - 1,228)
Midwest	1,466	(1,361 - 1,579)	188	(171 - 206)	528	(494 - 565)	750	(661 - 850)	1,278	(1,178 - 1,386)
South	2,561	(2,383 - 2,753)	342	(311 - 375)	907	(848 - 969)	1,313	(1,161 - 1,485)	2,219	(2,049 - 2,404)
West	1,786	(1,637 - 1,947)	255	(225 - 288)	704	(643 - 769)	827	(706 - 969)	1,531	(1,389 - 1,686)
Alabama	106	(82 - 138)	11	(8 - 15)	32	(24 - 41)	64	(44 - 93)	95	(72 - 126)
Alaska	16	(13 - 20)	2	(1 - 3)	7	(5 - 8)	7	(5 - 11)	14	(11 - 18)
Arizona	164	(129 - 210)	26	(19 - 35)	52	(40 - 67)	86	(60 - 124)	138	(106 - 180)
Arkansas	73	(58 - 93)	10	(7 - 13)	24	(19 - 30)	40	(27 - 57)	64	(49 - 82)
California	915	(800 - 1,047)	131	(108 - 158)	399	(349 - 456)	385	(297 - 498)	784	(676 - 910)
Colorado	136	(108 - 170)	19	(14 - 26)	54	(43 - 69)	62	(42 - 91)	116	(91 - 148)
Connecticut	76	(60 - 97)	10	(7 - 14)	31	(25 - 39)	34	(23 - 52)	66	(51 - 85)
Delaware	24	(19 - 30)	3	(2 - 4)	9	(7 - 11)	12	(8 - 18)	21	(16 - 27)
District of Columbia	21	(17 - 27)	1	(1 - 2)	8	(6 - 10)	12	(8 - 17)	20	(16 - 26)
Florida	413	(355 - 481)	55	(46 - 67)	146	(127 - 167)	212	(164 - 274)	358	(303 - 422)
Georgia	250	(196 - 318)	33	(24 - 45)	83	(65 - 105)	135	(93 - 194)	217	(168 - 281)
Hawaii	30	(23 - 39)	4	(3 - 6)	11	(8 - 14)	15	(10 - 24)	26	(19 - 35)
Idaho	30	(24 - 39)	5	(4 - 7)	12	(9 - 15)	14	(9 - 20)	25	(19 - 33)
Illinois	241	(207 - 280)	34	(28 - 42)	94	(82 - 109)	113	(87 - 147)	207	(175 - 245)
Indiana	162	(128 - 205)	21	(15 - 28)	63	(51 - 79)	78	(53 - 114)	142	(110 - 182)
Iowa	56	(42 - 73)	6	(4 - 9)	23	(18 - 30)	26	(17 - 41)	50	(37 - 66)
Kansas	51	(38 - 68)	7	(5 - 9)	19	(14 - 26)	25	(16 - 39)	45	(33 - 60)
Kentucky	96	(75 - 123)	10	(7 - 14)	33	(26 - 42)	53	(37 - 76)	86	(66 - 111)
Louisiana	110	(87 - 139)	14	(11 - 19)	37	(29 - 47)	59	(41 - 84)	96	(75 - 123)
Maine	30	(23 - 38)	3	(2 - 4)	11	(9 - 14)	15	(10 - 23)	27	(21 - 35)
Maryland	129	(101 - 165)	15	(11 - 21)	51	(41 - 64)	62	(41 - 93)	113	(87 - 147)
Massachusetts	161	(127 - 203)	18	(13 - 24)	63	(50 - 80)	79	(55 - 115)	143	(111 - 183)
Michigan	250	(217 - 289)	33	(28 - 40)	75	(65 - 87)	142	(113 - 178)	217	(185 - 254)
Minnesota	109	(84 - 141)	12	(9 - 17)	39	(30 - 50)	57	(39 - 85)	96	(73 - 127)
Mississippi	68	(53 - 88)	9	(6 - 12)	21	(17 - 27)	38	(26 - 56)	60	(45 - 78)
Missouri	133	(105 - 168)	17	(13 - 23)	51	(40 - 65)	65	(45 - 93)	116	(90 - 149)
Montana	22	(17 - 27)	3	(2 - 4)	9	(7 - 11)	11	(7 - 15)	19	(15 - 24)

(continued)

**Table 18 Illicit Drug Dependence or Abuse in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	41	(31 - 52)	6	(4 - 8)	14	(11 - 18)	20	(14 - 31)	35	(26 - 45)
Nevada	60	(47 - 77)	9	(6 - 12)	21	(17 - 27)	30	(20 - 45)	51	(39 - 67)
New Hampshire	33	(26 - 41)	4	(3 - 6)	13	(11 - 16)	15	(10 - 22)	28	(22 - 36)
New Jersey	166	(128 - 214)	22	(16 - 31)	70	(55 - 88)	74	(48 - 114)	143	(109 - 188)
New Mexico	56	(43 - 71)	8	(6 - 11)	18	(14 - 23)	30	(20 - 43)	47	(36 - 62)
New York	450	(388 - 521)	56	(46 - 68)	178	(156 - 204)	215	(167 - 278)	394	(336 - 462)
North Carolina	272	(213 - 348)	32	(24 - 44)	94	(75 - 118)	145	(100 - 210)	240	(185 - 311)
North Dakota	16	(12 - 20)	2	(1 - 2)	7	(5 - 8)	8	(5 - 11)	14	(11 - 18)
Ohio	282	(246 - 324)	33	(27 - 40)	96	(84 - 109)	154	(123 - 192)	249	(215 - 289)
Oklahoma	67	(51 - 90)	7	(5 - 11)	27	(21 - 36)	33	(20 - 52)	60	(44 - 81)
Oregon	107	(84 - 136)	15	(11 - 20)	34	(27 - 43)	58	(41 - 84)	92	(71 - 119)
Pennsylvania	305	(264 - 353)	33	(27 - 39)	107	(94 - 122)	165	(130 - 210)	273	(233 - 319)
Rhode Island	33	(26 - 42)	4	(3 - 5)	12	(9 - 15)	18	(12 - 25)	30	(23 - 38)
South Carolina	114	(90 - 144)	14	(10 - 19)	38	(30 - 48)	62	(43 - 88)	100	(77 - 128)
South Dakota	15	(11 - 19)	2	(1 - 2)	5	(4 - 7)	8	(5 - 12)	13	(10 - 17)
Tennessee	134	(104 - 173)	17	(12 - 23)	48	(38 - 61)	69	(46 - 103)	118	(90 - 154)
Texas	462	(395 - 541)	83	(68 - 102)	173	(148 - 202)	206	(155 - 274)	379	(317 - 453)
Utah	64	(51 - 81)	10	(7 - 14)	26	(20 - 33)	29	(19 - 42)	54	(42 - 70)
Vermont	16	(13 - 20)	2	(1 - 2)	7	(5 - 8)	7	(5 - 11)	14	(11 - 18)
Virginia	177	(139 - 225)	22	(16 - 30)	70	(54 - 89)	86	(59 - 124)	155	(120 - 200)
Washington	174	(137 - 221)	21	(15 - 28)	58	(46 - 73)	95	(67 - 135)	153	(119 - 197)
West Virginia	43	(33 - 55)	4	(3 - 6)	13	(10 - 17)	25	(18 - 36)	39	(29 - 50)
Wisconsin	110	(85 - 143)	16	(11 - 22)	41	(32 - 52)	54	(36 - 82)	95	(71 - 125)
Wyoming	11	(8 - 14)	1	(1 - 2)	4	(3 - 5)	5	(4 - 8)	9	(7 - 12)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 19 Illicit Drug Dependence in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages  
Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	4,986	(4,704 - 5,285)	489	(449 - 534)	1,865	(1,764 - 1,971)	2,632	(2,376 - 2,915)	4,497	(4,219 - 4,793)
Northeast	939	(850 - 1,038)	81	(70 - 93)	354	(323 - 389)	504	(428 - 593)	858	(771 - 955)
Midwest	1,031	(946 - 1,123)	103	(92 - 116)	380	(351 - 412)	547	(475 - 631)	928	(845 - 1,017)
South	1,771	(1,623 - 1,933)	185	(166 - 207)	629	(582 - 680)	957	(826 - 1,108)	1,586	(1,442 - 1,745)
West	1,245	(1,118 - 1,385)	120	(103 - 139)	501	(449 - 559)	624	(522 - 746)	1,125	(1,003 - 1,262)
Alabama	68	(51 - 91)	7	(5 - 9)	23	(17 - 31)	39	(26 - 59)	62	(46 - 83)
Alaska	10	(8 - 13)	1	(1 - 1)	5	(3 - 6)	5	(3 - 7)	9	(7 - 12)
Arizona	92	(70 - 120)	10	(7 - 14)	34	(25 - 46)	49	(33 - 71)	82	(62 - 109)
Arkansas	47	(35 - 62)	5	(3 - 6)	15	(11 - 20)	27	(18 - 40)	42	(31 - 56)
California	675	(575 - 791)	63	(50 - 80)	290	(246 - 340)	322	(245 - 422)	611	(515 - 725)
Colorado	90	(70 - 115)	8	(6 - 12)	38	(29 - 49)	44	(30 - 65)	82	(63 - 106)
Connecticut	56	(43 - 72)	5	(4 - 8)	24	(18 - 32)	27	(17 - 41)	50	(38 - 66)
Delaware	17	(13 - 23)	1	(1 - 2)	6	(5 - 8)	10	(7 - 14)	16	(12 - 21)
District of Columbia	17	(13 - 22)	1	(1 - 1)	6	(4 - 8)	10	(7 - 14)	16	(12 - 21)
Florida	305	(258 - 361)	30	(24 - 37)	103	(87 - 121)	172	(132 - 224)	275	(229 - 330)
Georgia	159	(120 - 211)	16	(11 - 21)	52	(39 - 70)	91	(61 - 136)	143	(106 - 194)
Hawaii	21	(15 - 28)	2	(1 - 2)	7	(5 - 10)	12	(8 - 18)	19	(14 - 26)
Idaho	21	(16 - 27)	3	(2 - 4)	8	(6 - 11)	10	(6 - 15)	18	(14 - 24)
Illinois	176	(149 - 208)	19	(15 - 23)	66	(55 - 78)	92	(70 - 120)	158	(132 - 189)
Indiana	113	(88 - 143)	11	(8 - 15)	46	(36 - 60)	55	(38 - 80)	102	(78 - 131)
Iowa	38	(29 - 51)	4	(3 - 6)	14	(10 - 20)	20	(13 - 31)	34	(25 - 46)
Kansas	33	(24 - 45)	3	(2 - 5)	13	(9 - 18)	17	(11 - 27)	30	(21 - 41)
Kentucky	73	(57 - 94)	6	(4 - 8)	26	(20 - 34)	41	(29 - 59)	67	(52 - 88)
Louisiana	79	(62 - 101)	8	(6 - 10)	29	(21 - 38)	43	(30 - 61)	71	(55 - 92)
Maine	21	(17 - 28)	2	(1 - 2)	8	(6 - 11)	11	(8 - 17)	20	(15 - 26)
Maryland	101	(78 - 130)	9	(7 - 13)	38	(29 - 50)	54	(37 - 78)	92	(70 - 120)
Massachusetts	121	(94 - 156)	10	(7 - 14)	47	(35 - 61)	64	(45 - 93)	111	(85 - 145)
Michigan	165	(141 - 194)	18	(14 - 22)	55	(47 - 65)	93	(72 - 119)	148	(124 - 175)
Minnesota	77	(58 - 101)	7	(5 - 10)	27	(19 - 36)	43	(29 - 64)	69	(51 - 93)
Mississippi	46	(35 - 60)	5	(4 - 7)	14	(10 - 20)	26	(18 - 39)	41	(30 - 54)
Missouri	97	(76 - 125)	9	(7 - 13)	39	(30 - 51)	49	(33 - 72)	88	(68 - 115)
Montana	16	(12 - 20)	2	(1 - 2)	6	(5 - 8)	8	(5 - 12)	14	(11 - 19)

(continued)

**Table 19 Illicit Drug Dependence in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	24	(18 - 31)	3	(2 - 4)	10	(7 - 13)	12	(8 - 18)	21	(16 - 28)
Nevada	45	(34 - 58)	5	(3 - 6)	16	(12 - 21)	24	(16 - 35)	40	(30 - 53)
New Hampshire	24	(19 - 31)	2	(2 - 3)	10	(8 - 13)	12	(8 - 17)	22	(17 - 28)
New Jersey	133	(102 - 173)	12	(8 - 17)	52	(39 - 69)	69	(46 - 103)	121	(92 - 160)
New Mexico	39	(29 - 52)	4	(3 - 6)	13	(10 - 18)	22	(14 - 33)	35	(26 - 47)
New York	334	(281 - 396)	27	(22 - 35)	124	(105 - 146)	182	(140 - 237)	306	(256 - 367)
North Carolina	156	(121 - 202)	15	(11 - 21)	59	(45 - 78)	82	(56 - 120)	141	(108 - 185)
North Dakota	11	(9 - 15)	1	(1 - 1)	5	(4 - 6)	6	(4 - 8)	11	(8 - 14)
Ohio	212	(181 - 247)	20	(16 - 25)	73	(62 - 85)	119	(93 - 152)	192	(162 - 226)
Oklahoma	47	(35 - 63)	5	(3 - 7)	18	(13 - 25)	24	(16 - 37)	42	(31 - 57)
Oregon	73	(56 - 94)	7	(5 - 9)	25	(19 - 32)	41	(29 - 60)	66	(50 - 87)
Pennsylvania	215	(183 - 251)	19	(16 - 24)	75	(64 - 89)	120	(94 - 154)	195	(165 - 231)
Rhode Island	23	(17 - 30)	2	(1 - 3)	8	(6 - 11)	13	(8 - 19)	21	(16 - 28)
South Carolina	82	(64 - 105)	8	(6 - 10)	29	(22 - 38)	45	(31 - 66)	74	(57 - 97)
South Dakota	9	(7 - 13)	1	(1 - 1)	3	(2 - 5)	5	(3 - 8)	8	(6 - 11)
Tennessee	102	(79 - 131)	10	(7 - 13)	36	(27 - 47)	57	(39 - 82)	92	(71 - 121)
Texas	318	(265 - 383)	47	(37 - 59)	118	(97 - 143)	154	(113 - 210)	272	(221 - 333)
Utah	40	(30 - 54)	5	(3 - 7)	17	(13 - 23)	18	(12 - 29)	36	(27 - 48)
Vermont	12	(10 - 16)	1	(1 - 1)	5	(4 - 7)	6	(4 - 9)	11	(9 - 15)
Virginia	123	(95 - 160)	12	(9 - 17)	47	(35 - 62)	65	(44 - 95)	111	(84 - 146)
Washington	116	(90 - 149)	11	(8 - 14)	39	(29 - 52)	66	(46 - 95)	105	(80 - 138)
West Virginia	30	(23 - 39)	2	(2 - 3)	10	(7 - 13)	18	(12 - 27)	28	(21 - 37)
Wisconsin	75	(57 - 99)	8	(6 - 11)	29	(21 - 39)	38	(25 - 58)	67	(50 - 90)
Wyoming	8	(6 - 10)	1	(1 - 1)	3	(2 - 4)	4	(3 - 6)	7	(5 - 9)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 20 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	21,873	(21,224 - 22,542)	1,410	(1,338 - 1,485)	6,275	(6,086 - 6,468)	14,189	(13,603 - 14,799)	20,464	(19,826 - 21,121)
Northeast	3,935	(3,729 - 4,154)	238	(218 - 260)	1,175	(1,118 - 1,234)	2,523	(2,336 - 2,724)	3,697	(3,496 - 3,911)
Midwest	4,748	(4,546 - 4,959)	292	(272 - 314)	1,358	(1,306 - 1,412)	3,098	(2,912 - 3,296)	4,456	(4,259 - 4,662)
South	7,745	(7,414 - 8,089)	523	(486 - 562)	2,151	(2,066 - 2,240)	5,070	(4,765 - 5,393)	7,222	(6,897 - 7,560)
West	5,445	(5,146 - 5,758)	356	(323 - 393)	1,591	(1,506 - 1,678)	3,498	(3,228 - 3,788)	5,088	(4,796 - 5,396)
Alabama	309	(265 - 359)	22	(17 - 28)	81	(69 - 94)	206	(168 - 252)	287	(245 - 336)
Alaska	53	(45 - 61)	3	(2 - 4)	16	(14 - 18)	34	(28 - 42)	50	(43 - 58)
Arizona	487	(422 - 560)	34	(27 - 44)	132	(113 - 153)	320	(265 - 386)	452	(390 - 523)
Arkansas	187	(162 - 216)	13	(10 - 17)	55	(47 - 64)	119	(97 - 145)	174	(150 - 202)
California	2,765	(2,534 - 3,014)	182	(156 - 211)	854	(784 - 930)	1,729	(1,526 - 1,956)	2,583	(2,358 - 2,828)
Colorado	420	(364 - 483)	27	(21 - 34)	121	(105 - 139)	272	(224 - 328)	393	(339 - 453)
Connecticut	253	(218 - 293)	15	(12 - 20)	71	(61 - 82)	167	(136 - 204)	238	(204 - 277)
Delaware	71	(62 - 82)	4	(3 - 5)	21	(18 - 24)	46	(38 - 56)	67	(58 - 78)
District of Columbia	76	(66 - 87)	2	(2 - 2)	21	(18 - 24)	53	(45 - 63)	74	(65 - 85)
Florida	1,299	(1,178 - 1,431)	79	(68 - 92)	319	(292 - 348)	901	(789 - 1,026)	1,219	(1,101 - 1,350)
Georgia	589	(505 - 686)	43	(33 - 55)	164	(139 - 193)	383	(312 - 469)	547	(466 - 640)
Hawaii	98	(83 - 116)	7	(5 - 9)	28	(24 - 33)	63	(51 - 79)	92	(77 - 109)
Idaho	108	(93 - 124)	8	(7 - 11)	28	(24 - 32)	71	(59 - 86)	99	(85 - 115)
Illinois	825	(749 - 908)	50	(43 - 59)	246	(225 - 268)	529	(461 - 607)	775	(701 - 856)
Indiana	477	(415 - 546)	32	(25 - 41)	148	(129 - 170)	296	(244 - 358)	444	(385 - 512)
Iowa	202	(172 - 236)	11	(9 - 15)	62	(54 - 72)	128	(103 - 159)	191	(162 - 224)
Kansas	197	(169 - 228)	12	(9 - 15)	54	(47 - 63)	130	(107 - 159)	185	(158 - 215)
Kentucky	286	(248 - 331)	17	(14 - 22)	82	(70 - 95)	187	(154 - 226)	269	(231 - 312)
Louisiana	307	(267 - 353)	22	(18 - 28)	85	(73 - 98)	200	(165 - 241)	285	(246 - 329)
Maine	98	(85 - 114)	5	(4 - 6)	26	(22 - 29)	68	(55 - 83)	93	(80 - 109)
Maryland	395	(343 - 455)	24	(19 - 30)	115	(99 - 133)	256	(211 - 309)	371	(321 - 429)
Massachusetts	507	(441 - 581)	27	(22 - 34)	155	(134 - 177)	325	(268 - 392)	479	(415 - 552)
Michigan	731	(671 - 796)	47	(41 - 54)	193	(177 - 210)	491	(435 - 553)	684	(625 - 748)
Minnesota	378	(325 - 438)	21	(16 - 27)	104	(89 - 121)	253	(208 - 306)	357	(306 - 416)
Mississippi	189	(161 - 220)	14	(11 - 18)	49	(42 - 58)	125	(102 - 153)	174	(148 - 205)
Missouri	419	(363 - 483)	27	(22 - 34)	118	(102 - 136)	273	(225 - 331)	392	(338 - 453)
Montana	86	(75 - 98)	5	(4 - 6)	25	(22 - 28)	56	(47 - 68)	81	(70 - 93)

(continued)



**Table 20 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	143	(124 - 164)	10	(8 - 12)	41	(36 - 47)	92	(76 - 111)	133	(115 - 154)
Nevada	211	(182 - 245)	13	(10 - 16)	53	(45 - 62)	145	(119 - 176)	198	(170 - 231)
New Hampshire	106	(92 - 121)	7	(5 - 9)	33	(29 - 38)	66	(54 - 80)	99	(86 - 114)
New Jersey	566	(484 - 660)	36	(28 - 47)	170	(147 - 197)	359	(290 - 444)	530	(451 - 621)
New Mexico	163	(141 - 188)	12	(10 - 15)	42	(36 - 48)	109	(90 - 132)	151	(130 - 176)
New York	1,365	(1,245 - 1,496)	85	(73 - 99)	400	(365 - 436)	881	(773 - 1,003)	1,280	(1,163 - 1,409)
North Carolina	679	(587 - 785)	45	(35 - 58)	192	(166 - 221)	442	(363 - 537)	634	(546 - 736)
North Dakota	58	(51 - 66)	3	(2 - 4)	20	(17 - 23)	35	(29 - 42)	55	(48 - 62)
Ohio	807	(738 - 881)	48	(41 - 55)	227	(209 - 246)	532	(469 - 602)	759	(692 - 832)
Oklahoma	262	(225 - 305)	15	(12 - 19)	75	(64 - 87)	173	(140 - 212)	247	(211 - 289)
Oregon	307	(265 - 355)	19	(15 - 24)	79	(69 - 91)	209	(172 - 253)	288	(247 - 335)
Pennsylvania	894	(818 - 976)	55	(47 - 63)	275	(253 - 297)	564	(495 - 643)	839	(765 - 920)
Rhode Island	97	(85 - 110)	5	(4 - 6)	30	(26 - 34)	62	(51 - 74)	92	(80 - 105)
South Carolina	315	(271 - 364)	21	(16 - 26)	86	(73 - 100)	208	(171 - 254)	294	(252 - 343)
South Dakota	61	(53 - 70)	3	(3 - 4)	18	(16 - 21)	40	(33 - 48)	58	(50 - 67)
Tennessee	399	(343 - 462)	26	(20 - 34)	112	(95 - 130)	261	(214 - 317)	373	(319 - 434)
Texas	1,676	(1,537 - 1,825)	134	(116 - 154)	490	(448 - 534)	1,052	(929 - 1,191)	1,542	(1,408 - 1,689)
Utah	158	(134 - 187)	13	(10 - 17)	56	(47 - 66)	90	(71 - 114)	146	(123 - 173)
Vermont	50	(43 - 58)	3	(2 - 4)	15	(13 - 18)	32	(26 - 39)	47	(41 - 54)
Virginia	576	(501 - 662)	35	(28 - 44)	174	(149 - 202)	367	(305 - 442)	541	(469 - 625)
Washington	542	(471 - 622)	31	(24 - 39)	144	(125 - 165)	367	(305 - 441)	511	(442 - 589)
West Virginia	129	(111 - 150)	7	(6 - 9)	32	(27 - 37)	90	(74 - 110)	122	(104 - 142)
Wisconsin	451	(390 - 521)	28	(22 - 35)	125	(109 - 143)	298	(245 - 362)	423	(364 - 491)
Wyoming	46	(40 - 53)	3	(2 - 4)	12	(10 - 14)	31	(26 - 37)	43	(37 - 50)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 21** *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	6,316	(6,002 - 6,647)	869	(812 - 929)	2,407	(2,292 - 2,526)	3,041	(2,757 - 3,354)	5,448	(5,140 - 5,773)
Northeast	1,139	(1,036 - 1,252)	139	(124 - 156)	441	(406 - 480)	558	(472 - 660)	1,000	(901 - 1,109)
Midwest	1,294	(1,192 - 1,405)	171	(156 - 189)	480	(448 - 515)	643	(556 - 742)	1,123	(1,025 - 1,229)
South	2,297	(2,114 - 2,495)	320	(292 - 350)	839	(782 - 899)	1,138	(984 - 1,316)	1,977	(1,802 - 2,170)
West	1,587	(1,436 - 1,753)	239	(211 - 270)	646	(587 - 711)	702	(583 - 844)	1,348	(1,206 - 1,507)
Alabama	97	(75 - 126)	11	(8 - 16)	31	(23 - 40)	55	(38 - 81)	86	(65 - 113)
Alaska	14	(11 - 18)	2	(1 - 2)	6	(5 - 8)	6	(4 - 9)	12	(10 - 16)
Arizona	147	(116 - 186)	24	(18 - 32)	50	(39 - 64)	73	(50 - 106)	123	(95 - 159)
Arkansas	60	(47 - 76)	8	(6 - 11)	22	(17 - 28)	30	(20 - 43)	52	(40 - 67)
California	822	(713 - 948)	124	(103 - 149)	366	(317 - 421)	333	(253 - 439)	699	(597 - 818)
Colorado	117	(92 - 149)	19	(14 - 25)	48	(38 - 61)	50	(33 - 76)	98	(76 - 127)
Connecticut	68	(53 - 87)	10	(7 - 13)	28	(22 - 35)	31	(20 - 46)	58	(45 - 76)
Delaware	20	(15 - 25)	2	(2 - 3)	8	(6 - 10)	10	(7 - 15)	18	(14 - 23)
District of Columbia	19	(15 - 24)	1	(1 - 2)	7	(6 - 9)	10	(7 - 15)	17	(13 - 22)
Florida	369	(316 - 430)	53	(44 - 63)	130	(112 - 151)	185	(143 - 240)	316	(266 - 374)
Georgia	218	(170 - 278)	30	(22 - 40)	76	(59 - 96)	112	(77 - 164)	188	(144 - 244)
Hawaii	27	(20 - 36)	4	(3 - 5)	10	(7 - 13)	13	(8 - 21)	23	(17 - 32)
Idaho	27	(21 - 34)	5	(4 - 7)	11	(9 - 14)	11	(8 - 17)	22	(17 - 29)
Illinois	227	(193 - 267)	33	(27 - 40)	87	(76 - 100)	107	(80 - 143)	194	(163 - 232)
Indiana	137	(108 - 173)	18	(13 - 25)	54	(43 - 68)	64	(44 - 95)	119	(93 - 152)
Iowa	50	(38 - 66)	6	(4 - 9)	21	(17 - 28)	23	(14 - 36)	44	(33 - 59)
Kansas	46	(35 - 59)	6	(5 - 9)	18	(14 - 23)	21	(14 - 33)	39	(30 - 52)
Kentucky	83	(65 - 107)	10	(7 - 13)	28	(22 - 36)	46	(31 - 66)	74	(57 - 96)
Louisiana	100	(78 - 127)	13	(9 - 17)	36	(28 - 45)	51	(35 - 75)	87	(67 - 113)
Maine	26	(20 - 33)	3	(2 - 4)	10	(8 - 13)	13	(9 - 19)	23	(18 - 30)
Maryland	115	(90 - 146)	14	(10 - 19)	45	(35 - 57)	56	(38 - 83)	101	(78 - 130)
Massachusetts	141	(110 - 179)	17	(12 - 23)	57	(45 - 72)	67	(45 - 98)	124	(96 - 160)
Michigan	215	(185 - 249)	31	(26 - 36)	71	(61 - 82)	113	(89 - 145)	184	(156 - 217)
Minnesota	90	(70 - 117)	11	(8 - 15)	31	(24 - 40)	48	(32 - 72)	79	(60 - 104)
Mississippi	62	(47 - 80)	8	(6 - 11)	20	(15 - 25)	34	(23 - 51)	54	(40 - 71)
Missouri	112	(88 - 144)	14	(10 - 19)	47	(37 - 60)	51	(34 - 79)	98	(76 - 128)
Montana	19	(15 - 23)	2	(2 - 3)	8	(6 - 10)	8	(6 - 12)	16	(13 - 21)

(continued)

**Table 21 Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	35	(27 - 45)	5	(4 - 7)	13	(10 - 16)	17	(11 - 25)	30	(23 - 39)
Nevada	54	(42 - 69)	8	(6 - 11)	20	(16 - 26)	26	(17 - 39)	46	(35 - 60)
New Hampshire	28	(22 - 36)	4	(3 - 5)	12	(10 - 15)	12	(8 - 18)	24	(19 - 31)
New Jersey	145	(112 - 188)	21	(15 - 28)	59	(46 - 76)	65	(41 - 103)	125	(94 - 165)
New Mexico	49	(38 - 62)	8	(6 - 11)	16	(13 - 20)	24	(16 - 36)	40	(31 - 53)
New York	423	(363 - 492)	51	(42 - 62)	164	(141 - 189)	208	(159 - 272)	371	(315 - 438)
North Carolina	244	(189 - 314)	31	(22 - 42)	89	(70 - 113)	123	(83 - 184)	213	(162 - 279)
North Dakota	13	(10 - 17)	1	(1 - 2)	6	(4 - 7)	7	(4 - 10)	12	(9 - 16)
Ohio	258	(223 - 298)	30	(25 - 37)	89	(78 - 102)	138	(109 - 175)	227	(194 - 266)
Oklahoma	59	(44 - 78)	7	(5 - 10)	25	(19 - 33)	26	(16 - 43)	51	(38 - 69)
Oregon	95	(73 - 123)	13	(10 - 18)	31	(24 - 40)	50	(34 - 75)	82	(61 - 108)
Pennsylvania	267	(230 - 311)	29	(24 - 35)	95	(82 - 110)	143	(112 - 183)	238	(202 - 281)
Rhode Island	27	(21 - 34)	3	(2 - 4)	11	(8 - 13)	13	(9 - 19)	24	(18 - 30)
South Carolina	99	(78 - 125)	13	(10 - 17)	35	(27 - 45)	51	(36 - 74)	86	(67 - 111)
South Dakota	13	(10 - 17)	2	(1 - 2)	5	(4 - 6)	6	(4 - 10)	11	(8 - 15)
Tennessee	122	(96 - 155)	15	(11 - 21)	46	(36 - 57)	61	(42 - 89)	107	(83 - 137)
Texas	432	(366 - 510)	79	(64 - 97)	165	(141 - 193)	188	(138 - 255)	353	(292 - 426)
Utah	57	(45 - 71)	10	(7 - 13)	24	(18 - 30)	24	(16 - 35)	47	(37 - 60)
Vermont	14	(11 - 17)	2	(1 - 2)	6	(5 - 7)	6	(4 - 9)	12	(9 - 16)
Virginia	161	(127 - 203)	20	(15 - 27)	64	(50 - 82)	76	(52 - 111)	140	(109 - 180)
Washington	150	(117 - 192)	20	(15 - 26)	53	(42 - 67)	78	(53 - 113)	131	(100 - 170)
West Virginia	39	(30 - 50)	4	(3 - 5)	12	(10 - 16)	23	(16 - 32)	35	(27 - 45)
Wisconsin	98	(76 - 127)	14	(10 - 19)	38	(29 - 49)	46	(30 - 69)	84	(64 - 110)
Wyoming	10	(7 - 12)	1	(1 - 2)	4	(3 - 5)	5	(3 - 7)	8	(6 - 11)

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 22 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs***

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	16,714	(16,151 - 17,294)	738	(688 - 790)	4,629	(4,465 - 4,797)	11,348	(10,836 - 11,882)	15,976	(15,423 - 16,548)
Northeast	3,010	(2,824 - 3,210)	131	(117 - 146)	847	(796 - 901)	2,033	(1,863 - 2,218)	2,880	(2,696 - 3,077)
Midwest	3,658	(3,474 - 3,852)	162	(147 - 178)	1,005	(955 - 1,057)	2,491	(2,318 - 2,677)	3,496	(3,314 - 3,688)
South	5,908	(5,593 - 6,239)	263	(239 - 289)	1,604	(1,524 - 1,688)	4,040	(3,749 - 4,351)	5,645	(5,333 - 5,973)
West	4,137	(3,875 - 4,414)	182	(160 - 207)	1,172	(1,095 - 1,253)	2,783	(2,546 - 3,041)	3,955	(3,696 - 4,230)
Alabama	245	(203 - 295)	13	(9 - 17)	65	(54 - 77)	168	(131 - 213)	232	(191 - 281)
Alaska	38	(32 - 46)	2	(1 - 2)	11	(9 - 13)	26	(20 - 33)	37	(30 - 44)
Arizona	362	(299 - 436)	17	(13 - 23)	93	(77 - 111)	251	(198 - 318)	344	(284 - 417)
Arkansas	130	(107 - 157)	6	(5 - 8)	39	(32 - 46)	85	(65 - 109)	124	(102 - 150)
California	2,144	(1,929 - 2,381)	91	(73 - 113)	640	(577 - 709)	1,413	(1,222 - 1,632)	2,053	(1,841 - 2,287)
Colorado	299	(251 - 355)	12	(9 - 17)	84	(71 - 99)	202	(161 - 253)	287	(240 - 341)
Connecticut	206	(171 - 249)	8	(6 - 11)	54	(45 - 64)	144	(113 - 183)	198	(163 - 240)
Delaware	51	(43 - 61)	2	(1 - 3)	15	(13 - 18)	34	(27 - 43)	49	(41 - 59)
District of Columbia	63	(53 - 73)	1	(1 - 1)	17	(14 - 20)	45	(37 - 55)	62	(52 - 73)
Florida	964	(857 - 1,083)	37	(30 - 45)	233	(209 - 260)	693	(595 - 807)	927	(821 - 1,046)
Georgia	432	(351 - 530)	19	(14 - 26)	116	(95 - 141)	297	(229 - 385)	413	(334 - 509)
Hawaii	82	(68 - 99)	3	(2 - 5)	22	(18 - 27)	57	(44 - 73)	79	(65 - 96)
Idaho	85	(71 - 102)	5	(4 - 7)	22	(18 - 26)	59	(47 - 74)	80	(67 - 96)
Illinois	662	(589 - 744)	26	(21 - 32)	185	(166 - 206)	451	(386 - 527)	636	(564 - 717)
Indiana	373	(314 - 442)	18	(13 - 23)	103	(86 - 121)	253	(202 - 315)	356	(298 - 423)
Iowa	150	(123 - 182)	7	(5 - 9)	46	(39 - 55)	97	(74 - 125)	143	(117 - 174)
Kansas	160	(133 - 191)	8	(6 - 10)	42	(35 - 50)	110	(87 - 139)	152	(126 - 183)
Kentucky	212	(176 - 256)	10	(8 - 13)	61	(51 - 73)	141	(110 - 181)	202	(167 - 245)
Louisiana	223	(185 - 269)	11	(8 - 14)	61	(51 - 73)	152	(119 - 194)	213	(175 - 258)
Maine	70	(59 - 84)	3	(2 - 4)	18	(16 - 22)	49	(39 - 62)	67	(56 - 81)
Maryland	313	(260 - 377)	12	(9 - 17)	83	(70 - 99)	218	(171 - 276)	301	(248 - 364)
Massachusetts	375	(317 - 444)	16	(12 - 21)	110	(92 - 131)	249	(200 - 310)	360	(302 - 427)
Michigan	552	(496 - 613)	24	(20 - 29)	146	(133 - 161)	381	(330 - 439)	528	(473 - 588)
Minnesota	276	(228 - 333)	13	(9 - 17)	74	(62 - 89)	189	(149 - 240)	264	(217 - 319)
Mississippi	143	(119 - 172)	7	(5 - 9)	37	(31 - 45)	99	(78 - 125)	136	(112 - 164)
Missouri	324	(270 - 389)	16	(12 - 21)	87	(73 - 103)	222	(175 - 281)	309	(255 - 372)
Montana	66	(55 - 78)	3	(2 - 4)	18	(16 - 21)	44	(35 - 55)	62	(52 - 74)

(continued)

**Table 22 Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	116	(98 - 137)	5	(4 - 7)	33	(28 - 38)	78	(62 - 97)	110	(93 - 131)
Nevada	166	(136 - 201)	7	(5 - 9)	39	(33 - 47)	120	(94 - 152)	159	(130 - 194)
New Hampshire	84	(71 - 99)	4	(3 - 6)	26	(22 - 30)	54	(43 - 68)	80	(67 - 95)
New Jersey	465	(385 - 559)	20	(14 - 27)	124	(104 - 147)	321	(252 - 407)	445	(367 - 538)
New Mexico	121	(100 - 147)	6	(5 - 8)	30	(25 - 36)	85	(66 - 108)	115	(94 - 140)
New York	1,034	(925 - 1,156)	45	(38 - 55)	282	(253 - 315)	706	(606 - 822)	989	(880 - 1,110)
North Carolina	450	(366 - 551)	21	(15 - 29)	129	(107 - 155)	300	(229 - 390)	428	(347 - 528)
North Dakota	47	(40 - 55)	2	(1 - 3)	16	(14 - 19)	28	(23 - 35)	45	(38 - 52)
Ohio	589	(526 - 659)	25	(21 - 31)	162	(147 - 180)	401	(343 - 468)	564	(502 - 633)
Oklahoma	208	(171 - 252)	9	(7 - 12)	58	(49 - 69)	141	(109 - 181)	199	(163 - 242)
Oregon	220	(183 - 264)	9	(7 - 13)	58	(48 - 68)	153	(121 - 193)	211	(175 - 254)
Pennsylvania	669	(600 - 746)	30	(25 - 36)	198	(179 - 219)	441	(379 - 513)	639	(571 - 715)
Rhode Island	71	(60 - 84)	2	(2 - 3)	22	(19 - 26)	46	(36 - 58)	69	(58 - 81)
South Carolina	229	(189 - 278)	10	(8 - 14)	60	(50 - 72)	159	(124 - 203)	219	(180 - 267)
South Dakota	50	(42 - 59)	2	(2 - 3)	15	(13 - 18)	33	(26 - 41)	48	(40 - 57)
Tennessee	293	(239 - 357)	14	(11 - 19)	81	(68 - 97)	197	(152 - 255)	278	(226 - 341)
Texas	1,379	(1,244 - 1,526)	68	(56 - 82)	386	(349 - 426)	925	(804 - 1,063)	1,311	(1,178 - 1,457)
Utah	113	(92 - 138)	7	(5 - 10)	38	(31 - 46)	68	(52 - 89)	106	(86 - 129)
Vermont	35	(29 - 42)	2	(1 - 2)	11	(9 - 13)	23	(18 - 29)	34	(28 - 40)
Virginia	480	(401 - 574)	19	(14 - 25)	139	(117 - 163)	323	(255 - 407)	461	(384 - 553)
Washington	403	(340 - 477)	17	(13 - 22)	107	(91 - 125)	279	(225 - 346)	386	(324 - 459)
West Virginia	93	(77 - 112)	4	(3 - 6)	24	(20 - 29)	64	(50 - 82)	88	(73 - 107)
Wisconsin	360	(302 - 427)	17	(12 - 22)	95	(81 - 111)	248	(197 - 310)	343	(287 - 410)
Wyoming	37	(32 - 44)	2	(1 - 2)	10	(9 - 12)	25	(20 - 32)	36	(30 - 42)

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 23 Serious Mental Illness in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	9,793	(9,305 - 10,307)	1,446	(1,365 - 1,531)	8,347	(7,867 - 8,857)
Northeast	1,661	(1,511 - 1,824)	257	(233 - 283)	1,404	(1,260 - 1,564)
Midwest	2,162	(2,013 - 2,322)	340	(315 - 367)	1,822	(1,676 - 1,981)
South	3,683	(3,421 - 3,964)	494	(456 - 536)	3,189	(2,935 - 3,464)
West	2,287	(2,081 - 2,513)	355	(320 - 393)	1,933	(1,732 - 2,156)
Alabama	138	(106 - 177)	20	(16 - 26)	117	(88 - 157)
Alaska	22	(18 - 28)	4	(3 - 5)	19	(14 - 24)
Arizona	206	(162 - 262)	30	(23 - 38)	176	(134 - 232)
Arkansas	115	(92 - 145)	14	(11 - 18)	101	(78 - 130)
California	1,103	(942 - 1,290)	175	(148 - 207)	928	(773 - 1,113)
Colorado	153	(119 - 195)	25	(20 - 32)	128	(96 - 170)
Connecticut	93	(72 - 120)	15	(12 - 20)	78	(58 - 104)
Delaware	29	(23 - 37)	4	(3 - 6)	25	(19 - 32)
District of Columbia	20	(16 - 25)	3	(3 - 4)	17	(13 - 22)
Florida	597	(510 - 700)	74	(63 - 88)	523	(438 - 624)
Georgia	288	(224 - 369)	40	(32 - 51)	247	(186 - 328)
Hawaii	36	(27 - 47)	6	(4 - 8)	30	(22 - 41)
Idaho	55	(44 - 69)	9	(7 - 11)	46	(35 - 60)
Illinois	326	(276 - 384)	58	(49 - 68)	268	(220 - 325)
Indiana	221	(175 - 277)	37	(30 - 46)	184	(140 - 240)
Iowa	101	(79 - 129)	15	(12 - 19)	86	(65 - 114)
Kansas	91	(71 - 117)	13	(10 - 17)	78	(59 - 103)
Kentucky	163	(128 - 207)	21	(17 - 27)	142	(108 - 186)
Louisiana	144	(113 - 182)	20	(15 - 25)	124	(95 - 162)
Maine	52	(41 - 65)	6	(5 - 8)	46	(35 - 59)
Maryland	146	(112 - 189)	25	(19 - 31)	121	(89 - 164)
Massachusetts	221	(174 - 279)	35	(27 - 44)	186	(142 - 243)
Michigan	353	(306 - 408)	59	(51 - 69)	294	(248 - 348)
Minnesota	170	(134 - 215)	25	(19 - 32)	145	(111 - 190)
Mississippi	103	(80 - 132)	13	(10 - 17)	89	(67 - 119)
Missouri	211	(168 - 266)	31	(24 - 39)	180	(138 - 234)
Montana	36	(29 - 45)	6	(4 - 7)	30	(23 - 39)

(continued)

**Table 23 Serious Mental Illness in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	58	(46 - 73)	9	(7 - 12)	49	(37 - 63)
Nevada	85	(66 - 108)	12	(10 - 16)	73	(55 - 96)
New Hampshire	41	(32 - 51)	7	(5 - 9)	34	(26 - 44)
New Jersey	222	(172 - 285)	36	(28 - 46)	186	(139 - 248)
New Mexico	66	(51 - 85)	10	(8 - 13)	56	(42 - 75)
New York	566	(481 - 666)	88	(74 - 105)	478	(396 - 576)
North Carolina	346	(268 - 444)	43	(34 - 55)	303	(228 - 400)
North Dakota	22	(18 - 28)	5	(4 - 6)	18	(14 - 23)
Ohio	403	(348 - 466)	56	(48 - 66)	346	(293 - 409)
Oklahoma	140	(111 - 176)	17	(14 - 22)	122	(94 - 158)
Oregon	146	(115 - 183)	20	(16 - 26)	125	(96 - 163)
Pennsylvania	399	(340 - 467)	60	(51 - 71)	339	(283 - 405)
Rhode Island	40	(31 - 51)	6	(5 - 8)	34	(26 - 45)
South Carolina	156	(124 - 196)	22	(17 - 28)	134	(104 - 173)
South Dakota	22	(17 - 28)	4	(3 - 5)	18	(14 - 25)
Tennessee	224	(177 - 283)	29	(23 - 37)	195	(150 - 253)
Texas	759	(649 - 887)	103	(86 - 124)	656	(550 - 781)
Utah	107	(86 - 132)	21	(17 - 27)	85	(66 - 110)
Vermont	27	(22 - 34)	4	(3 - 5)	24	(18 - 31)
Virginia	240	(186 - 308)	35	(27 - 45)	205	(154 - 273)
Washington	255	(203 - 318)	34	(27 - 43)	221	(171 - 283)
West Virginia	75	(60 - 95)	9	(7 - 12)	66	(51 - 85)
Wisconsin	184	(144 - 233)	28	(22 - 36)	155	(118 - 204)
Wyoming	19	(15 - 23)	3	(2 - 4)	15	(12 - 20)

NOTE: Serious mental illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, as assessed by the Mental Health Surveillance Study (MHSS) *Structured Clinical Interview for the Diagnostic and Statistical Manual of Mental Disorders—Fourth Edition—Research Version—Axis I Disorders* (MHSS-SCID), which is based on the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). SMI includes individuals with diagnoses resulting in serious functional impairment. For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/population-data-nsduh/reports?tab=33>.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 24 Any Mental Illness in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	43,778	(42,774 - 44,804)	6,764	(6,592 - 6,939)	37,014	(36,026 - 38,027)
Northeast	7,808	(7,488 - 8,139)	1,224	(1,167 - 1,283)	6,584	(6,276 - 6,905)
Midwest	9,410	(9,088 - 9,740)	1,466	(1,412 - 1,522)	7,944	(7,630 - 8,267)
South	16,140	(15,599 - 16,698)	2,316	(2,224 - 2,410)	13,824	(13,295 - 14,372)
West	10,420	(9,968 - 10,888)	1,758	(1,669 - 1,851)	8,662	(8,225 - 9,118)
Alabama	703	(621 - 792)	98	(86 - 113)	604	(526 - 691)
Alaska	96	(85 - 108)	17	(15 - 19)	80	(69 - 91)
Arizona	892	(784 - 1,011)	138	(120 - 158)	754	(650 - 870)
Arkansas	449	(398 - 504)	60	(52 - 68)	389	(340 - 443)
California	5,278	(4,902 - 5,676)	937	(864 - 1,014)	4,341	(3,977 - 4,732)
Colorado	670	(589 - 760)	108	(93 - 124)	562	(485 - 649)
Connecticut	475	(417 - 539)	69	(59 - 80)	406	(351 - 468)
Delaware	129	(114 - 146)	20	(18 - 23)	109	(94 - 125)
District of Columbia	104	(92 - 117)	16	(14 - 18)	88	(77 - 100)
Florida	2,554	(2,352 - 2,769)	336	(308 - 365)	2,218	(2,018 - 2,432)
Georgia	1,364	(1,197 - 1,549)	186	(161 - 215)	1,178	(1,017 - 1,357)
Hawaii	188	(165 - 214)	29	(25 - 33)	159	(136 - 184)
Idaho	231	(204 - 260)	36	(31 - 41)	195	(170 - 224)
Illinois	1,610	(1,488 - 1,740)	259	(238 - 281)	1,351	(1,232 - 1,480)
Indiana	954	(847 - 1,071)	150	(131 - 171)	804	(701 - 918)
Iowa	418	(367 - 473)	69	(60 - 79)	349	(301 - 402)
Kansas	371	(325 - 422)	58	(50 - 67)	313	(269 - 362)
Kentucky	646	(574 - 724)	96	(85 - 109)	549	(480 - 626)
Louisiana	681	(604 - 765)	94	(82 - 108)	587	(513 - 669)
Maine	225	(199 - 253)	27	(23 - 30)	198	(173 - 226)
Maryland	740	(648 - 842)	117	(102 - 134)	623	(535 - 722)
Massachusetts	1,005	(892 - 1,127)	168	(146 - 194)	836	(729 - 955)
Michigan	1,509	(1,410 - 1,614)	233	(216 - 250)	1,277	(1,180 - 1,379)
Minnesota	730	(642 - 827)	113	(98 - 130)	617	(533 - 711)
Mississippi	416	(366 - 472)	55	(48 - 64)	361	(313 - 415)
Missouri	863	(764 - 971)	124	(108 - 142)	739	(643 - 844)
Montana	153	(136 - 172)	24	(21 - 27)	130	(113 - 148)

(continued)



**Table 24 Any Mental Illness in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	247	(217 - 279)	40	(35 - 45)	207	(179 - 238)
Nevada	381	(335 - 432)	57	(50 - 65)	324	(280 - 374)
New Hampshire	193	(171 - 217)	30	(26 - 34)	163	(142 - 186)
New Jersey	1,055	(915 - 1,211)	167	(144 - 192)	888	(754 - 1,040)
New Mexico	297	(263 - 334)	45	(39 - 52)	252	(219 - 288)
New York	2,825	(2,618 - 3,044)	429	(394 - 466)	2,396	(2,196 - 2,610)
North Carolina	1,347	(1,185 - 1,527)	185	(159 - 213)	1,163	(1,007 - 1,336)
North Dakota	88	(77 - 99)	19	(16 - 21)	69	(59 - 80)
Ohio	1,719	(1,607 - 1,837)	257	(239 - 276)	1,462	(1,353 - 1,578)
Oklahoma	575	(510 - 647)	86	(75 - 98)	489	(426 - 559)
Oregon	673	(597 - 756)	99	(86 - 113)	575	(502 - 655)
Pennsylvania	1,768	(1,645 - 1,898)	292	(270 - 314)	1,476	(1,357 - 1,604)
Rhode Island	165	(145 - 187)	26	(23 - 30)	139	(120 - 160)
South Carolina	644	(566 - 729)	92	(80 - 106)	551	(477 - 634)
South Dakota	105	(92 - 119)	18	(16 - 21)	87	(75 - 100)
Tennessee	1,001	(893 - 1,118)	135	(118 - 153)	867	(763 - 980)
Texas	3,394	(3,150 - 3,653)	526	(484 - 571)	2,868	(2,630 - 3,122)
Utah	437	(391 - 487)	99	(87 - 111)	339	(295 - 387)
Vermont	98	(87 - 110)	16	(14 - 18)	82	(71 - 94)
Virginia	1,080	(952 - 1,221)	176	(153 - 202)	904	(782 - 1,041)
Washington	1,039	(927 - 1,162)	158	(139 - 179)	881	(774 - 1,000)
West Virginia	314	(280 - 351)	38	(33 - 43)	276	(243 - 313)
Wisconsin	797	(700 - 904)	127	(111 - 144)	671	(578 - 774)
Wyoming	83	(74 - 93)	13	(11 - 15)	70	(61 - 79)

NOTE: Any mental illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, as assessed by the Mental Health Surveillance Study (MHSS) *Structured Clinical Interview for the Diagnostic and Statistical Manual of Mental Disorders—Fourth Edition—Research Version—Axis I Disorders* (MHSS-SCID), which is based on the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/population-data-nsduh/reports?tab=33>.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 25 Had Serious Thoughts of Suicide in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	9,196	(8,749 - 9,658)	2,543	(2,436 - 2,655)	6,652	(6,229 - 7,105)
Northeast	1,653	(1,523 - 1,794)	450	(416 - 486)	1,204	(1,079 - 1,343)
Midwest	2,019	(1,885 - 2,161)	567	(534 - 601)	1,452	(1,324 - 1,592)
South	3,341	(3,109 - 3,587)	869	(815 - 926)	2,472	(2,251 - 2,714)
West	2,182	(2,004 - 2,374)	658	(603 - 716)	1,524	(1,358 - 1,711)
Alabama	128	(102 - 160)	36	(29 - 45)	92	(68 - 124)
Alaska	22	(18 - 27)	6	(5 - 8)	15	(12 - 20)
Arizona	196	(158 - 244)	56	(45 - 68)	141	(105 - 188)
Arkansas	101	(80 - 126)	22	(18 - 27)	79	(59 - 104)
California	1,080	(944 - 1,233)	354	(310 - 403)	726	(600 - 876)
Colorado	148	(119 - 184)	40	(33 - 50)	108	(81 - 143)
Connecticut	102	(83 - 126)	25	(20 - 32)	77	(58 - 101)
Delaware	28	(22 - 35)	7	(5 - 8)	21	(16 - 28)
District of Columbia	21	(17 - 26)	6	(5 - 7)	15	(12 - 20)
Florida	530	(456 - 616)	134	(117 - 154)	396	(324 - 483)
Georgia	265	(214 - 328)	72	(58 - 90)	193	(146 - 254)
Hawaii	42	(34 - 53)	12	(9 - 14)	31	(23 - 41)
Idaho	49	(40 - 59)	13	(11 - 16)	35	(27 - 46)
Illinois	340	(296 - 389)	102	(90 - 116)	237	(197 - 286)
Indiana	201	(164 - 246)	59	(49 - 73)	142	(108 - 185)
Iowa	97	(79 - 119)	26	(21 - 31)	72	(54 - 94)
Kansas	81	(65 - 100)	22	(17 - 27)	59	(44 - 78)
Kentucky	133	(107 - 163)	35	(29 - 43)	97	(74 - 128)
Louisiana	147	(119 - 182)	37	(30 - 45)	111	(85 - 145)
Maine	47	(37 - 58)	10	(8 - 12)	37	(28 - 49)
Maryland	157	(127 - 194)	47	(38 - 58)	110	(83 - 145)
Massachusetts	212	(172 - 260)	60	(48 - 74)	152	(115 - 200)
Michigan	341	(297 - 391)	99	(87 - 111)	242	(201 - 291)
Minnesota	160	(128 - 200)	41	(32 - 51)	119	(89 - 159)
Mississippi	84	(68 - 104)	22	(18 - 28)	62	(47 - 82)
Missouri	183	(148 - 226)	45	(36 - 55)	139	(105 - 182)
Montana	32	(26 - 40)	10	(8 - 13)	22	(16 - 30)

(continued)

**Table 25 Had Serious Thoughts of Suicide in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	56	(46 - 69)	16	(13 - 20)	40	(30 - 52)
Nevada	80	(64 - 98)	23	(18 - 28)	57	(43 - 76)
New Hampshire	39	(32 - 48)	12	(10 - 14)	28	(21 - 36)
New Jersey	254	(202 - 319)	66	(54 - 82)	188	(140 - 252)
New Mexico	58	(46 - 73)	16	(13 - 20)	42	(31 - 56)
New York	555	(480 - 641)	152	(131 - 175)	403	(333 - 487)
North Carolina	316	(251 - 397)	74	(60 - 91)	242	(180 - 323)
North Dakota	21	(17 - 26)	7	(6 - 9)	14	(10 - 18)
Ohio	344	(299 - 394)	95	(83 - 108)	249	(207 - 299)
Oklahoma	113	(91 - 138)	32	(26 - 39)	81	(61 - 106)
Oregon	133	(107 - 163)	34	(28 - 42)	98	(75 - 129)
Pennsylvania	385	(336 - 441)	109	(95 - 124)	276	(231 - 331)
Rhode Island	36	(29 - 44)	10	(8 - 12)	26	(19 - 34)
South Carolina	145	(118 - 179)	37	(30 - 45)	108	(82 - 142)
South Dakota	23	(19 - 28)	7	(5 - 8)	16	(13 - 21)
Tennessee	195	(159 - 238)	53	(44 - 65)	141	(108 - 184)
Texas	676	(578 - 789)	173	(149 - 200)	503	(411 - 614)
Utah	95	(79 - 114)	34	(28 - 41)	61	(47 - 79)
Vermont	23	(18 - 28)	6	(5 - 7)	17	(13 - 23)
Virginia	233	(188 - 289)	66	(53 - 83)	167	(126 - 221)
Washington	230	(186 - 283)	55	(44 - 68)	175	(134 - 229)
West Virginia	68	(55 - 85)	15	(12 - 18)	53	(41 - 70)
Wisconsin	172	(138 - 213)	49	(40 - 59)	123	(92 - 165)
Wyoming	18	(15 - 22)	5	(4 - 6)	13	(10 - 17)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 26 Had at Least One Major Depressive Episode in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs**

State	18+ (Estimate)	18+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	15,989	(15,375 - 16,627)	2,457	(2,361 - 2,556)	3,058	(2,933 - 3,187)	12,932	(12,330 - 13,562)
Northeast	2,803	(2,606 - 3,013)	386	(360 - 414)	530	(493 - 570)	2,272	(2,084 - 2,477)
Midwest	3,470	(3,277 - 3,673)	527	(499 - 556)	676	(639 - 714)	2,794	(2,608 - 2,992)
South	5,929	(5,597 - 6,279)	912	(864 - 961)	1,063	(1,004 - 1,124)	4,866	(4,546 - 5,207)
West	3,788	(3,523 - 4,071)	633	(589 - 679)	789	(733 - 849)	2,999	(2,748 - 3,272)
Alabama	229	(185 - 282)	37	(30 - 44)	45	(37 - 55)	183	(143 - 235)
Alaska	38	(31 - 46)	6	(5 - 7)	8	(7 - 10)	29	(23 - 37)
Arizona	339	(273 - 418)	59	(49 - 71)	61	(50 - 75)	278	(216 - 355)
Arkansas	160	(131 - 196)	24	(20 - 29)	28	(23 - 34)	132	(105 - 166)
California	1,864	(1,653 - 2,101)	327	(292 - 365)	405	(359 - 455)	1,459	(1,261 - 1,687)
Colorado	246	(199 - 303)	39	(32 - 47)	48	(39 - 59)	198	(154 - 252)
Connecticut	173	(140 - 212)	27	(22 - 33)	31	(26 - 38)	141	(111 - 179)
Delaware	49	(40 - 60)	6	(5 - 8)	10	(8 - 11)	40	(31 - 50)
District of Columbia	36	(29 - 44)	2	(2 - 3)	7	(6 - 9)	29	(23 - 36)
Florida	910	(794 - 1,042)	134	(119 - 150)	149	(131 - 169)	762	(650 - 891)
Georgia	490	(397 - 602)	71	(58 - 86)	86	(70 - 105)	404	(318 - 512)
Hawaii	69	(56 - 86)	9	(8 - 12)	13	(11 - 16)	56	(43 - 72)
Idaho	86	(72 - 103)	15	(12 - 18)	18	(15 - 22)	68	(55 - 84)
Illinois	538	(471 - 613)	97	(86 - 109)	112	(99 - 127)	426	(361 - 500)
Indiana	351	(292 - 421)	53	(44 - 64)	69	(57 - 83)	282	(227 - 349)
Iowa	168	(139 - 203)	24	(20 - 29)	35	(29 - 42)	133	(106 - 166)
Kansas	143	(117 - 174)	23	(19 - 28)	28	(23 - 34)	115	(91 - 144)
Kentucky	230	(188 - 279)	31	(26 - 37)	40	(33 - 48)	190	(151 - 238)
Louisiana	213	(172 - 262)	34	(28 - 41)	39	(31 - 48)	174	(136 - 222)
Maine	84	(70 - 102)	11	(9 - 13)	13	(11 - 15)	72	(58 - 89)
Maryland	283	(228 - 351)	47	(39 - 57)	55	(45 - 67)	229	(177 - 294)
Massachusetts	346	(285 - 418)	42	(35 - 52)	66	(54 - 80)	280	(224 - 349)
Michigan	560	(500 - 625)	82	(73 - 92)	114	(102 - 127)	445	(389 - 509)
Minnesota	267	(216 - 328)	35	(28 - 43)	50	(41 - 62)	216	(169 - 276)
Mississippi	159	(129 - 196)	22	(18 - 27)	26	(21 - 32)	134	(105 - 169)
Missouri	333	(273 - 404)	47	(39 - 56)	61	(51 - 74)	271	(215 - 341)
Montana	55	(45 - 66)	7	(6 - 8)	11	(9 - 13)	44	(35 - 55)

(continued)

**Table 26 Had at Least One Major Depressive Episode in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2012 and 2013 NSDUHs (continued)**

State	18+ (Estimate)	18+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	90	(74 - 109)	13	(11 - 16)	18	(15 - 21)	72	(57 - 91)
Nevada	132	(108 - 161)	21	(18 - 26)	25	(21 - 31)	106	(84 - 134)
New Hampshire	71	(59 - 86)	10	(9 - 12)	14	(11 - 16)	58	(46 - 72)
New Jersey	413	(333 - 511)	64	(53 - 77)	76	(62 - 92)	337	(263 - 431)
New Mexico	108	(88 - 133)	18	(15 - 22)	22	(18 - 26)	86	(67 - 110)
New York	962	(843 - 1,095)	128	(112 - 145)	182	(160 - 208)	779	(667 - 909)
North Carolina	526	(428 - 643)	74	(60 - 90)	88	(71 - 107)	438	(346 - 553)
North Dakota	32	(26 - 39)	4	(3 - 5)	8	(6 - 10)	24	(19 - 31)
Ohio	655	(587 - 730)	91	(82 - 101)	116	(104 - 130)	539	(473 - 612)
Oklahoma	216	(176 - 263)	28	(23 - 34)	38	(31 - 47)	178	(141 - 223)
Oregon	254	(209 - 308)	37	(30 - 45)	47	(39 - 57)	207	(164 - 259)
Pennsylvania	646	(576 - 724)	91	(81 - 102)	128	(114 - 143)	519	(451 - 595)
Rhode Island	69	(57 - 84)	9	(7 - 10)	13	(11 - 16)	56	(45 - 71)
South Carolina	230	(188 - 282)	34	(28 - 41)	42	(34 - 51)	189	(148 - 239)
South Dakota	35	(28 - 43)	6	(5 - 7)	7	(6 - 9)	27	(21 - 35)
Tennessee	344	(282 - 418)	47	(39 - 57)	59	(49 - 71)	285	(226 - 357)
Texas	1,310	(1,165 - 1,472)	240	(215 - 268)	250	(222 - 282)	1,060	(921 - 1,218)
Utah	185	(155 - 221)	32	(26 - 38)	47	(39 - 57)	138	(110 - 172)
Vermont	38	(32 - 45)	4	(4 - 5)	8	(7 - 9)	30	(24 - 37)
Virginia	435	(355 - 531)	68	(56 - 82)	85	(69 - 104)	350	(276 - 443)
Washington	381	(316 - 458)	59	(49 - 70)	76	(64 - 91)	305	(244 - 380)
West Virginia	108	(89 - 130)	12	(10 - 15)	17	(14 - 20)	91	(73 - 113)
Wisconsin	300	(245 - 366)	51	(42 - 62)	56	(46 - 69)	243	(192 - 307)
Wyoming	31	(25 - 37)	5	(4 - 5)	6	(5 - 7)	25	(20 - 31)

NOTE: Major depressive episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/population-data-nsduh/reports?tab=33>.

NOTE: There are minor wording differences in the questions in the adult and adolescent MDE modules. Therefore, data from youths aged 12 to 17 were not combined with data from adults aged 18 or older to produce an estimate for those aged 12 or older.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

