

2013-2014
National Surveys on Drug Use and Health:
Model-Based Estimated Totals
(in Thousands)
(50 States and the District of Columbia)

Table 1 *Illicit Drug Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs*

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	25,779	(25,102 - 26,471)	2,267	(2,175 - 2,363)	7,583	(7,375 - 7,796)	15,928	(15,321 - 16,556)	23,511	(22,848 - 24,191)
Northeast	4,899	(4,656 - 5,154)	386	(357 - 416)	1,454	(1,386 - 1,525)	3,059	(2,842 - 3,291)	4,513	(4,276 - 4,764)
Midwest	5,150	(4,922 - 5,386)	452	(423 - 484)	1,592	(1,525 - 1,661)	3,106	(2,908 - 3,315)	4,698	(4,477 - 4,927)
South	8,422	(8,070 - 8,786)	800	(751 - 852)	2,531	(2,429 - 2,636)	5,091	(4,785 - 5,415)	7,621	(7,280 - 7,976)
West	7,309	(6,953 - 7,679)	629	(581 - 681)	2,006	(1,906 - 2,110)	4,673	(4,348 - 5,019)	6,679	(6,331 - 7,043)
Alabama	325	(271 - 388)	30	(24 - 37)	98	(83 - 116)	197	(154 - 251)	296	(244 - 356)
Alaska	77	(66 - 88)	6	(5 - 7)	20	(18 - 23)	50	(42 - 61)	71	(61 - 82)
Arizona	614	(524 - 717)	57	(46 - 69)	172	(147 - 199)	385	(310 - 477)	557	(471 - 657)
Arkansas	215	(183 - 252)	22	(18 - 27)	60	(51 - 70)	133	(107 - 165)	193	(163 - 228)
California	3,671	(3,394 - 3,969)	320	(283 - 361)	1,059	(979 - 1,145)	2,292	(2,044 - 2,567)	3,351	(3,081 - 3,643)
Colorado	737	(643 - 843)	60	(49 - 72)	195	(173 - 218)	483	(400 - 580)	678	(586 - 780)
Connecticut	302	(258 - 353)	27	(22 - 34)	93	(79 - 108)	182	(147 - 225)	275	(233 - 324)
Delaware	82	(71 - 96)	7	(6 - 8)	26	(22 - 30)	50	(40 - 61)	76	(64 - 88)
District of Columbia	85	(74 - 97)	4	(3 - 5)	24	(20 - 27)	57	(48 - 68)	81	(70 - 93)
Florida	1,552	(1,418 - 1,697)	127	(112 - 144)	460	(424 - 498)	964	(847 - 1,097)	1,425	(1,295 - 1,567)
Georgia	794	(681 - 923)	70	(57 - 86)	218	(188 - 252)	506	(411 - 620)	724	(617 - 847)
Hawaii	110	(93 - 130)	9	(7 - 11)	26	(21 - 31)	75	(61 - 93)	101	(85 - 120)
Idaho	102	(86 - 121)	12	(10 - 15)	28	(24 - 33)	62	(49 - 78)	90	(75 - 108)
Illinois	1,024	(933 - 1,123)	88	(76 - 102)	314	(285 - 345)	622	(543 - 710)	935	(847 - 1,032)
Indiana	497	(426 - 577)	46	(37 - 56)	166	(143 - 191)	285	(229 - 354)	451	(384 - 529)
Iowa	162	(132 - 197)	15	(12 - 20)	56	(46 - 67)	91	(68 - 120)	146	(118 - 180)
Kansas	188	(158 - 223)	18	(14 - 23)	57	(48 - 67)	113	(89 - 142)	170	(141 - 204)
Kentucky	306	(257 - 362)	24	(19 - 30)	90	(76 - 106)	191	(152 - 240)	281	(235 - 336)
Louisiana	324	(273 - 383)	31	(25 - 39)	93	(79 - 109)	199	(158 - 250)	293	(245 - 349)
Maine	155	(134 - 179)	10	(8 - 12)	37	(33 - 42)	108	(89 - 130)	145	(124 - 169)
Maryland	535	(458 - 623)	49	(40 - 60)	161	(139 - 184)	325	(261 - 402)	485	(412 - 571)
Massachusetts	759	(661 - 869)	47	(39 - 58)	243	(214 - 275)	469	(387 - 565)	712	(617 - 819)
Michigan	975	(895 - 1,061)	78	(69 - 90)	278	(255 - 301)	619	(549 - 697)	897	(819 - 980)
Minnesota	403	(345 - 471)	33	(26 - 41)	127	(110 - 146)	244	(195 - 303)	371	(314 - 436)
Mississippi	207	(175 - 245)	23	(19 - 28)	64	(53 - 75)	121	(95 - 153)	184	(154 - 220)
Missouri	465	(395 - 548)	37	(30 - 46)	153	(131 - 178)	275	(218 - 345)	428	(361 - 507)
Montana	95	(81 - 110)	7	(6 - 9)	25	(21 - 28)	63	(51 - 77)	87	(74 - 103)

(continued)

Table 1 Illicit Drug Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	105	(88 - 126)	11	(8 - 13)	37	(31 - 44)	57	(44 - 74)	95	(78 - 114)
Nevada	223	(188 - 264)	21	(17 - 26)	57	(49 - 67)	144	(114 - 181)	202	(168 - 241)
New Hampshire	144	(125 - 165)	11	(9 - 13)	45	(40 - 51)	88	(72 - 106)	133	(115 - 153)
New Jersey	597	(507 - 702)	56	(45 - 69)	171	(147 - 197)	370	(294 - 465)	541	(455 - 642)
New Mexico	189	(160 - 222)	17	(14 - 21)	49	(42 - 58)	122	(98 - 152)	172	(144 - 204)
New York	1,737	(1,588 - 1,898)	136	(119 - 154)	494	(450 - 540)	1,108	(977 - 1,255)	1,601	(1,456 - 1,760)
North Carolina	704	(600 - 823)	67	(54 - 82)	202	(173 - 234)	435	(351 - 536)	637	(538 - 751)
North Dakota	44	(37 - 52)	3	(3 - 4)	16	(14 - 19)	24	(19 - 30)	40	(34 - 48)
Ohio	847	(768 - 933)	76	(66 - 88)	253	(229 - 279)	517	(450 - 594)	770	(694 - 854)
Oklahoma	266	(223 - 317)	25	(20 - 32)	85	(72 - 99)	156	(122 - 199)	241	(200 - 290)
Oregon	462	(400 - 532)	37	(30 - 44)	108	(94 - 122)	318	(263 - 383)	426	(366 - 493)
Pennsylvania	995	(903 - 1,097)	84	(72 - 97)	307	(281 - 336)	604	(524 - 696)	912	(822 - 1,010)
Rhode Island	131	(114 - 149)	9	(8 - 11)	41	(36 - 46)	81	(67 - 97)	121	(106 - 139)
South Carolina	320	(271 - 378)	33	(27 - 40)	95	(81 - 112)	192	(152 - 242)	287	(240 - 343)
South Dakota	40	(33 - 49)	4	(3 - 5)	13	(11 - 16)	23	(17 - 30)	36	(29 - 44)
Tennessee	393	(329 - 468)	38	(30 - 47)	118	(98 - 141)	237	(188 - 298)	355	(294 - 427)
Texas	1,629	(1,479 - 1,792)	195	(170 - 223)	523	(474 - 576)	911	(788 - 1,052)	1,434	(1,292 - 1,591)
Utah	167	(138 - 200)	20	(16 - 25)	54	(44 - 65)	93	(72 - 119)	146	(120 - 178)
Vermont	79	(69 - 90)	6	(5 - 7)	24	(21 - 27)	49	(41 - 59)	73	(63 - 84)
Virginia	562	(479 - 659)	46	(37 - 57)	178	(153 - 205)	339	(271 - 421)	516	(436 - 610)
Washington	828	(724 - 943)	60	(50 - 73)	202	(176 - 230)	566	(475 - 671)	767	(666 - 880)
West Virginia	123	(104 - 145)	9	(8 - 12)	36	(30 - 43)	78	(62 - 97)	114	(95 - 135)
Wisconsin	401	(336 - 476)	42	(34 - 52)	123	(104 - 144)	236	(185 - 301)	359	(297 - 432)
Wyoming	34	(28 - 40)	3	(3 - 4)	11	(9 - 13)	19	(15 - 25)	30	(25 - 37)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 2 Marijuana Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	34,038	(33,271 - 34,819)	3,304	(3,195 - 3,417)	11,077	(10,836 - 11,321)	19,657	(18,992 - 20,341)	30,734	(29,983 - 31,500)
Northeast	6,594	(6,311 - 6,890)	583	(548 - 620)	2,132	(2,047 - 2,218)	3,879	(3,627 - 4,147)	6,011	(5,733 - 6,301)
Midwest	6,986	(6,721 - 7,258)	670	(635 - 707)	2,383	(2,296 - 2,472)	3,932	(3,708 - 4,168)	6,316	(6,060 - 6,579)
South	11,034	(10,632 - 11,446)	1,128	(1,071 - 1,187)	3,732	(3,597 - 3,869)	6,175	(5,835 - 6,532)	9,906	(9,519 - 10,305)
West	9,424	(9,049 - 9,813)	923	(867 - 982)	2,831	(2,712 - 2,951)	5,671	(5,334 - 6,026)	8,501	(8,134 - 8,884)
Alabama	404	(344 - 470)	38	(31 - 46)	145	(127 - 164)	221	(174 - 280)	366	(309 - 429)
Alaska	114	(101 - 127)	10	(9 - 12)	30	(27 - 34)	73	(62 - 85)	103	(91 - 116)
Arizona	752	(652 - 865)	82	(69 - 97)	231	(204 - 259)	439	(355 - 539)	670	(575 - 777)
Arkansas	277	(239 - 321)	30	(25 - 36)	85	(74 - 96)	162	(131 - 201)	247	(211 - 288)
California	4,633	(4,337 - 4,948)	463	(419 - 511)	1,506	(1,414 - 1,601)	2,664	(2,400 - 2,953)	4,170	(3,880 - 4,479)
Colorado	909	(813 - 1,014)	85	(73 - 99)	253	(231 - 275)	571	(486 - 668)	824	(732 - 925)
Connecticut	427	(372 - 489)	45	(38 - 53)	148	(132 - 165)	234	(188 - 290)	382	(330 - 442)
Delaware	109	(95 - 125)	10	(9 - 12)	39	(35 - 43)	60	(48 - 74)	99	(85 - 114)
District of Columbia	121	(109 - 135)	6	(5 - 7)	38	(35 - 42)	77	(66 - 90)	115	(103 - 129)
Florida	1,990	(1,843 - 2,146)	196	(176 - 217)	666	(625 - 709)	1,128	(997 - 1,273)	1,794	(1,652 - 1,946)
Georgia	963	(832 - 1,110)	94	(79 - 111)	308	(273 - 346)	561	(452 - 693)	869	(744 - 1,010)
Hawaii	144	(124 - 167)	13	(11 - 16)	38	(33 - 44)	92	(74 - 113)	130	(111 - 153)
Idaho	152	(132 - 175)	20	(17 - 24)	47	(41 - 53)	85	(69 - 105)	132	(113 - 154)
Illinois	1,305	(1,205 - 1,412)	125	(110 - 141)	434	(401 - 468)	746	(659 - 842)	1,180	(1,083 - 1,284)
Indiana	700	(613 - 798)	68	(57 - 81)	264	(235 - 294)	369	(299 - 453)	632	(550 - 725)
Iowa	251	(216 - 291)	24	(20 - 30)	103	(90 - 117)	124	(97 - 158)	227	(194 - 264)
Kansas	259	(224 - 298)	28	(23 - 33)	93	(82 - 104)	138	(110 - 172)	231	(198 - 268)
Kentucky	398	(342 - 463)	35	(29 - 43)	132	(116 - 149)	231	(184 - 289)	363	(309 - 425)
Louisiana	425	(367 - 491)	43	(35 - 51)	143	(127 - 162)	239	(191 - 297)	382	(327 - 445)
Maine	224	(198 - 254)	16	(14 - 19)	54	(49 - 59)	155	(130 - 183)	208	(183 - 237)
Maryland	670	(581 - 769)	68	(57 - 81)	229	(206 - 254)	372	(299 - 461)	601	(518 - 697)
Massachusetts	989	(875 - 1,114)	76	(64 - 90)	334	(303 - 366)	579	(479 - 696)	913	(802 - 1,035)
Michigan	1,304	(1,214 - 1,399)	120	(108 - 134)	391	(364 - 418)	793	(714 - 879)	1,183	(1,097 - 1,275)
Minnesota	553	(480 - 635)	50	(41 - 60)	188	(168 - 210)	315	(255 - 389)	504	(434 - 582)
Mississippi	229	(195 - 267)	26	(21 - 31)	86	(75 - 98)	117	(91 - 150)	203	(172 - 239)
Missouri	639	(555 - 734)	59	(49 - 70)	219	(194 - 245)	362	(291 - 447)	580	(500 - 672)
Montana	120	(105 - 138)	10	(8 - 12)	33	(30 - 37)	77	(63 - 93)	110	(95 - 127)

(continued)

Table 2 Marijuana Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	158	(136 - 183)	17	(14 - 21)	61	(54 - 69)	80	(63 - 102)	141	(121 - 165)
Nevada	304	(262 - 351)	32	(27 - 38)	90	(79 - 101)	182	(147 - 225)	272	(232 - 317)
New Hampshire	194	(172 - 217)	18	(15 - 21)	63	(57 - 68)	113	(94 - 135)	176	(155 - 198)
New Jersey	844	(732 - 970)	90	(76 - 106)	268	(240 - 298)	485	(390 - 601)	754	(647 - 875)
New Mexico	267	(230 - 308)	27	(22 - 31)	72	(64 - 81)	168	(136 - 206)	240	(206 - 280)
New York	2,372	(2,203 - 2,553)	201	(180 - 224)	728	(676 - 782)	1,443	(1,292 - 1,611)	2,172	(2,006 - 2,349)
North Carolina	986	(863 - 1,124)	98	(83 - 116)	307	(274 - 343)	580	(475 - 707)	888	(770 - 1,021)
North Dakota	62	(53 - 71)	5	(4 - 6)	27	(24 - 30)	29	(23 - 37)	56	(49 - 65)
Ohio	1,122	(1,033 - 1,217)	105	(93 - 119)	381	(353 - 411)	635	(559 - 721)	1,017	(931 - 1,109)
Oklahoma	338	(291 - 391)	36	(29 - 43)	121	(107 - 136)	181	(143 - 229)	302	(258 - 353)
Oregon	649	(574 - 732)	53	(46 - 62)	157	(142 - 174)	439	(371 - 516)	596	(523 - 676)
Pennsylvania	1,265	(1,166 - 1,372)	116	(103 - 131)	445	(413 - 478)	704	(618 - 801)	1,149	(1,052 - 1,253)
Rhode Island	170	(152 - 191)	13	(11 - 15)	58	(52 - 64)	100	(84 - 118)	158	(139 - 178)
South Carolina	460	(399 - 529)	45	(38 - 54)	149	(131 - 168)	265	(214 - 327)	414	(356 - 480)
South Dakota	62	(53 - 72)	7	(5 - 8)	23	(20 - 26)	33	(26 - 42)	55	(47 - 65)
Tennessee	560	(479 - 650)	59	(48 - 71)	179	(155 - 205)	322	(258 - 401)	501	(425 - 587)
Texas	2,043	(1,883 - 2,216)	251	(224 - 281)	760	(701 - 822)	1,032	(898 - 1,183)	1,792	(1,639 - 1,959)
Utah	224	(192 - 262)	29	(23 - 35)	84	(72 - 98)	111	(87 - 142)	196	(166 - 231)
Vermont	108	(97 - 121)	8	(7 - 9)	34	(31 - 37)	66	(56 - 78)	100	(89 - 113)
Virginia	891	(785 - 1,010)	79	(66 - 93)	290	(260 - 322)	523	(433 - 630)	813	(711 - 927)
Washington	1,105	(984 - 1,236)	93	(79 - 109)	271	(242 - 300)	741	(635 - 861)	1,012	(896 - 1,138)
West Virginia	172	(148 - 199)	14	(12 - 17)	54	(47 - 62)	104	(84 - 128)	158	(135 - 184)
Wisconsin	572	(497 - 657)	63	(52 - 75)	200	(178 - 225)	309	(247 - 384)	509	(438 - 590)
Wyoming	51	(44 - 60)	5	(4 - 6)	18	(15 - 20)	29	(23 - 36)	46	(39 - 54)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 3 Marijuana Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	20,999	(20,405 - 21,609)	1,796	(1,712 - 1,884)	6,736	(6,535 - 6,942)	12,467	(11,943 - 13,011)	19,203	(18,620 - 19,803)
Northeast	4,077	(3,863 - 4,304)	320	(295 - 348)	1,303	(1,238 - 1,371)	2,454	(2,266 - 2,656)	3,757	(3,547 - 3,979)
Midwest	4,228	(4,028 - 4,436)	357	(333 - 384)	1,426	(1,365 - 1,490)	2,445	(2,271 - 2,630)	3,871	(3,677 - 4,073)
South	6,622	(6,319 - 6,938)	593	(552 - 636)	2,218	(2,125 - 2,316)	3,811	(3,545 - 4,097)	6,030	(5,734 - 6,338)
West	6,072	(5,758 - 6,400)	526	(483 - 572)	1,788	(1,696 - 1,884)	3,757	(3,476 - 4,060)	5,546	(5,238 - 5,869)
Alabama	225	(182 - 277)	19	(15 - 24)	81	(67 - 96)	126	(93 - 170)	206	(165 - 256)
Alaska	69	(59 - 80)	6	(4 - 7)	18	(15 - 21)	45	(37 - 56)	63	(54 - 74)
Arizona	483	(404 - 577)	45	(36 - 56)	147	(125 - 172)	291	(226 - 374)	438	(362 - 528)
Arkansas	163	(135 - 197)	15	(12 - 19)	52	(44 - 61)	97	(74 - 126)	149	(122 - 181)
California	2,942	(2,704 - 3,199)	269	(236 - 306)	941	(863 - 1,023)	1,733	(1,523 - 1,969)	2,673	(2,442 - 2,925)
Colorado	654	(571 - 747)	51	(42 - 62)	180	(159 - 202)	423	(349 - 510)	603	(522 - 694)
Connecticut	259	(216 - 310)	23	(18 - 28)	86	(72 - 100)	151	(117 - 195)	237	(195 - 285)
Delaware	64	(54 - 76)	6	(5 - 7)	21	(18 - 25)	37	(29 - 48)	59	(49 - 70)
District of Columbia	71	(61 - 82)	3	(3 - 4)	23	(20 - 27)	44	(36 - 54)	67	(58 - 78)
Florida	1,270	(1,147 - 1,407)	104	(91 - 120)	402	(368 - 439)	764	(654 - 890)	1,166	(1,046 - 1,299)
Georgia	636	(532 - 757)	51	(40 - 64)	195	(167 - 228)	390	(305 - 496)	585	(486 - 702)
Hawaii	90	(74 - 110)	7	(6 - 9)	22	(18 - 27)	60	(46 - 78)	83	(67 - 102)
Idaho	83	(69 - 100)	9	(7 - 12)	25	(21 - 29)	50	(38 - 64)	74	(61 - 91)
Illinois	819	(740 - 907)	70	(60 - 81)	274	(247 - 302)	476	(409 - 553)	750	(673 - 835)
Indiana	410	(345 - 486)	35	(28 - 44)	150	(128 - 175)	224	(174 - 288)	375	(313 - 447)
Iowa	129	(104 - 161)	13	(10 - 16)	49	(40 - 60)	67	(49 - 93)	117	(93 - 147)
Kansas	149	(123 - 181)	14	(11 - 18)	49	(41 - 58)	86	(65 - 113)	135	(110 - 165)
Kentucky	246	(202 - 299)	19	(15 - 24)	82	(69 - 98)	144	(109 - 190)	227	(184 - 278)
Louisiana	231	(190 - 282)	20	(16 - 26)	83	(70 - 98)	128	(96 - 170)	211	(172 - 259)
Maine	145	(124 - 170)	9	(8 - 11)	36	(32 - 41)	100	(81 - 123)	136	(115 - 160)
Maryland	425	(359 - 502)	37	(29 - 46)	148	(127 - 171)	241	(188 - 307)	388	(325 - 463)
Massachusetts	674	(579 - 783)	43	(35 - 53)	225	(197 - 255)	406	(326 - 503)	631	(538 - 737)
Michigan	851	(777 - 932)	64	(56 - 75)	258	(236 - 282)	528	(462 - 603)	787	(714 - 866)
Minnesota	330	(275 - 394)	29	(23 - 36)	113	(96 - 132)	188	(145 - 243)	301	(249 - 363)
Mississippi	142	(117 - 172)	14	(11 - 17)	56	(46 - 66)	73	(55 - 97)	129	(105 - 157)
Missouri	401	(332 - 482)	30	(24 - 38)	142	(121 - 166)	228	(174 - 297)	370	(305 - 449)
Montana	86	(72 - 101)	6	(5 - 8)	23	(20 - 26)	57	(45 - 71)	80	(67 - 95)

(continued)

Table 3 Marijuana Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	89	(73 - 107)	8	(6 - 11)	34	(28 - 40)	46	(35 - 61)	80	(65 - 98)
Nevada	181	(149 - 220)	18	(14 - 22)	52	(43 - 61)	112	(85 - 147)	164	(133 - 201)
New Hampshire	131	(113 - 152)	10	(8 - 12)	42	(37 - 48)	79	(64 - 98)	122	(104 - 142)
New Jersey	472	(393 - 567)	45	(36 - 55)	148	(126 - 173)	280	(216 - 362)	428	(352 - 519)
New Mexico	163	(136 - 196)	13	(11 - 16)	44	(37 - 52)	106	(83 - 135)	150	(124 - 182)
New York	1,420	(1,289 - 1,564)	112	(97 - 128)	438	(398 - 482)	870	(758 - 998)	1,309	(1,181 - 1,450)
North Carolina	547	(453 - 660)	50	(40 - 63)	171	(144 - 201)	326	(250 - 425)	497	(407 - 606)
North Dakota	35	(29 - 42)	3	(2 - 4)	14	(12 - 17)	18	(13 - 23)	32	(26 - 39)
Ohio	671	(601 - 749)	56	(47 - 65)	221	(199 - 245)	395	(335 - 465)	616	(548 - 691)
Oklahoma	196	(159 - 240)	17	(13 - 22)	68	(57 - 80)	111	(81 - 150)	178	(143 - 222)
Oregon	415	(355 - 482)	30	(24 - 36)	103	(89 - 117)	282	(229 - 345)	385	(327 - 451)
Pennsylvania	788	(710 - 873)	66	(57 - 76)	268	(242 - 295)	454	(388 - 530)	722	(647 - 805)
Rhode Island	115	(99 - 132)	8	(7 - 10)	38	(33 - 43)	69	(56 - 84)	107	(91 - 124)
South Carolina	262	(215 - 317)	22	(18 - 28)	88	(74 - 104)	151	(115 - 198)	239	(195 - 293)
South Dakota	33	(27 - 41)	3	(3 - 4)	12	(10 - 15)	17	(13 - 24)	30	(24 - 37)
Tennessee	301	(245 - 369)	29	(23 - 37)	103	(85 - 125)	170	(127 - 225)	273	(219 - 338)
Texas	1,275	(1,147 - 1,416)	142	(123 - 165)	453	(407 - 504)	679	(574 - 802)	1,132	(1,009 - 1,269)
Utah	127	(103 - 156)	15	(12 - 20)	43	(35 - 53)	69	(52 - 92)	112	(90 - 139)
Vermont	72	(62 - 83)	5	(4 - 6)	23	(20 - 26)	44	(36 - 54)	67	(57 - 78)
Virginia	469	(394 - 557)	37	(29 - 46)	160	(136 - 188)	272	(213 - 347)	432	(361 - 517)
Washington	747	(644 - 863)	53	(44 - 65)	181	(157 - 208)	512	(423 - 618)	693	(594 - 807)
West Virginia	99	(82 - 120)	7	(6 - 9)	32	(27 - 39)	60	(45 - 78)	92	(75 - 112)
Wisconsin	311	(255 - 379)	32	(26 - 40)	109	(91 - 129)	171	(127 - 228)	279	(226 - 344)
Wyoming	30	(25 - 37)	3	(2 - 3)	10	(9 - 12)	17	(13 - 23)	28	(22 - 34)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 4 Perceptions of Great Risk from Smoking Marijuana Once a Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	72,203	(70,910 - 73,387)	5,857	(5,721 - 5,997)	4,958	(4,789 - 5,131)	61,388	(60,201 - 62,590)	66,345	(65,068 - 67,512)
Northeast	12,143	(11,680 - 12,595)	931	(886 - 978)	733	(682 - 787)	10,480	(10,048 - 10,920)	11,213	(10,753 - 11,659)
Midwest	14,097	(13,653 - 14,523)	1,271	(1,224 - 1,320)	912	(862 - 964)	11,914	(11,512 - 12,325)	12,825	(12,389 - 13,245)
South	30,531	(29,755 - 31,276)	2,451	(2,370 - 2,533)	2,207	(2,114 - 2,302)	25,874	(25,157 - 26,604)	28,081	(27,310 - 28,820)
West	15,431	(14,835 - 16,011)	1,205	(1,143 - 1,270)	1,106	(1,033 - 1,184)	13,120	(12,567 - 13,686)	14,227	(13,637 - 14,798)
Alabama	1,455	(1,331 - 1,585)	119	(106 - 133)	110	(94 - 128)	1,226	(1,109 - 1,347)	1,336	(1,214 - 1,463)
Alaska	107	(93 - 121)	10	(9 - 12)	9	(7 - 11)	87	(75 - 101)	96	(83 - 111)
Arizona	1,424	(1,274 - 1,583)	110	(95 - 128)	99	(82 - 117)	1,215	(1,075 - 1,366)	1,314	(1,167 - 1,469)
Arkansas	794	(726 - 865)	66	(59 - 75)	56	(48 - 65)	672	(608 - 738)	728	(661 - 796)
California	8,670	(8,203 - 9,135)	618	(567 - 672)	642	(581 - 709)	7,410	(6,976 - 7,859)	8,052	(7,594 - 8,509)
Colorado	790	(688 - 900)	70	(58 - 83)	48	(39 - 59)	672	(577 - 778)	720	(621 - 828)
Connecticut	776	(689 - 867)	62	(53 - 72)	45	(36 - 55)	668	(588 - 755)	713	(629 - 803)
Delaware	206	(185 - 230)	16	(14 - 18)	12	(10 - 15)	179	(158 - 201)	191	(169 - 214)
District of Columbia	100	(87 - 114)	5	(4 - 6)	8	(7 - 10)	87	(75 - 101)	95	(82 - 109)
Florida	5,238	(4,956 - 5,521)	353	(328 - 380)	309	(280 - 341)	4,575	(4,304 - 4,854)	4,884	(4,605 - 5,164)
Georgia	2,587	(2,350 - 2,833)	222	(198 - 249)	193	(167 - 223)	2,171	(1,949 - 2,405)	2,365	(2,133 - 2,606)
Hawaii	303	(271 - 337)	21	(18 - 24)	19	(15 - 22)	264	(234 - 297)	283	(251 - 316)
Idaho	355	(320 - 392)	37	(33 - 42)	25	(21 - 29)	293	(261 - 327)	318	(284 - 353)
Illinois	2,901	(2,733 - 3,070)	239	(219 - 261)	190	(169 - 213)	2,471	(2,314 - 2,635)	2,661	(2,496 - 2,828)
Indiana	1,418	(1,272 - 1,571)	136	(119 - 155)	90	(75 - 107)	1,192	(1,055 - 1,338)	1,281	(1,139 - 1,431)
Iowa	722	(650 - 796)	64	(55 - 72)	51	(43 - 61)	607	(541 - 678)	658	(589 - 731)
Kansas	564	(502 - 630)	53	(46 - 61)	39	(33 - 47)	471	(414 - 534)	511	(451 - 575)
Kentucky	1,092	(986 - 1,203)	96	(85 - 107)	73	(62 - 87)	923	(823 - 1,029)	996	(892 - 1,105)
Louisiana	1,222	(1,116 - 1,330)	104	(93 - 117)	94	(81 - 109)	1,023	(925 - 1,126)	1,117	(1,014 - 1,224)
Maine	219	(191 - 249)	19	(16 - 22)	10	(8 - 12)	190	(164 - 220)	200	(173 - 230)
Maryland	1,332	(1,192 - 1,479)	108	(93 - 123)	85	(70 - 102)	1,139	(1,008 - 1,280)	1,224	(1,087 - 1,368)
Massachusetts	1,133	(991 - 1,287)	98	(84 - 114)	66	(53 - 83)	968	(836 - 1,115)	1,034	(896 - 1,185)
Michigan	1,926	(1,794 - 2,061)	170	(155 - 187)	119	(104 - 135)	1,637	(1,512 - 1,769)	1,756	(1,625 - 1,889)
Minnesota	1,008	(895 - 1,130)	96	(84 - 109)	63	(53 - 76)	849	(743 - 965)	913	(802 - 1,032)
Mississippi	918	(843 - 994)	70	(62 - 79)	77	(67 - 88)	771	(701 - 844)	848	(775 - 923)
Missouri	1,293	(1,157 - 1,436)	112	(98 - 128)	78	(64 - 94)	1,102	(976 - 1,238)	1,180	(1,048 - 1,320)
Montana	200	(177 - 225)	17	(15 - 19)	11	(9 - 13)	173	(151 - 197)	184	(161 - 208)

(continued)

Table 4 Perceptions of Great Risk from Smoking Marijuana Once a Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	412	(370 - 457)	37	(32 - 42)	29	(24 - 34)	347	(308 - 389)	376	(335 - 419)
Nevada	622	(557 - 691)	43	(37 - 50)	40	(33 - 49)	539	(478 - 604)	579	(515 - 646)
New Hampshire	176	(151 - 204)	19	(17 - 22)	8	(7 - 11)	148	(125 - 175)	157	(133 - 184)
New Jersey	2,143	(1,941 - 2,353)	161	(142 - 182)	120	(101 - 142)	1,862	(1,671 - 2,064)	1,982	(1,783 - 2,189)
New Mexico	462	(415 - 510)	36	(31 - 42)	34	(29 - 41)	391	(348 - 437)	425	(380 - 473)
New York	4,538	(4,271 - 4,807)	307	(281 - 334)	288	(255 - 323)	3,943	(3,690 - 4,206)	4,231	(3,965 - 4,498)
North Carolina	2,365	(2,139 - 2,601)	179	(156 - 204)	156	(133 - 182)	2,031	(1,817 - 2,256)	2,186	(1,964 - 2,418)
North Dakota	149	(134 - 165)	14	(12 - 16)	13	(11 - 16)	121	(107 - 137)	135	(120 - 151)
Ohio	2,361	(2,208 - 2,517)	228	(210 - 246)	146	(129 - 165)	1,988	(1,842 - 2,142)	2,134	(1,982 - 2,288)
Oklahoma	895	(805 - 989)	79	(68 - 90)	67	(56 - 80)	749	(666 - 837)	816	(729 - 907)
Oregon	595	(512 - 685)	52	(45 - 61)	36	(29 - 45)	506	(430 - 593)	542	(462 - 631)
Pennsylvania	2,869	(2,687 - 3,053)	242	(223 - 261)	179	(159 - 201)	2,448	(2,275 - 2,628)	2,627	(2,447 - 2,809)
Rhode Island	190	(167 - 215)	14	(12 - 17)	12	(9 - 15)	164	(143 - 188)	176	(153 - 200)
South Carolina	1,203	(1,094 - 1,315)	100	(88 - 112)	90	(76 - 105)	1,013	(912 - 1,120)	1,103	(996 - 1,214)
South Dakota	184	(166 - 204)	17	(15 - 19)	14	(11 - 16)	154	(137 - 172)	168	(150 - 187)
Tennessee	1,585	(1,432 - 1,746)	129	(113 - 146)	109	(91 - 128)	1,348	(1,204 - 1,500)	1,456	(1,307 - 1,614)
Texas	7,318	(6,989 - 7,641)	617	(575 - 662)	624	(571 - 680)	6,077	(5,768 - 6,391)	6,700	(6,377 - 7,019)
Utah	706	(645 - 770)	92	(82 - 104)	70	(59 - 82)	544	(488 - 603)	614	(554 - 676)
Vermont	101	(88 - 115)	8	(7 - 10)	5	(4 - 7)	87	(75 - 101)	93	(80 - 106)
Virginia	1,718	(1,550 - 1,895)	153	(135 - 171)	113	(94 - 135)	1,453	(1,294 - 1,623)	1,566	(1,400 - 1,740)
Washington	1,071	(939 - 1,215)	86	(73 - 101)	66	(53 - 82)	919	(796 - 1,056)	985	(856 - 1,126)
West Virginia	503	(458 - 549)	34	(30 - 39)	30	(25 - 36)	438	(396 - 483)	468	(424 - 514)
Wisconsin	1,158	(1,031 - 1,294)	105	(91 - 120)	80	(66 - 97)	973	(855 - 1,102)	1,053	(929 - 1,186)
Wyoming	126	(113 - 140)	11	(10 - 13)	8	(7 - 10)	106	(95 - 119)	115	(102 - 128)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 5 Average Annual Marijuana Initiates, by Age Group and State: Estimated Numbers (in Thousands), Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	2,879	(2,781 - 2,981)	1,233	(1,185 - 1,283)	1,385	(1,322 - 1,452)	261	(219 - 310)	1,646	(1,564 - 1,733)
Northeast	527	(493 - 564)	215	(199 - 232)	261	(237 - 287)	51	(39 - 67)	312	(283 - 344)
Midwest	616	(580 - 653)	256	(240 - 273)	307	(282 - 334)	52	(41 - 67)	360	(329 - 393)
South	1,002	(943 - 1,063)	441	(415 - 469)	473	(433 - 517)	87	(68 - 111)	560	(511 - 614)
West	735	(688 - 785)	321	(297 - 346)	344	(311 - 379)	70	(54 - 92)	414	(375 - 457)
Alabama	38	(32 - 45)	17	(13 - 21)	18	(14 - 23)	3	(2 - 5)	21	(17 - 26)
Alaska	7	(6 - 8)	3	(2 - 4)	3	(3 - 4)	1	(1 - 1)	4	(3 - 5)
Arizona	63	(54 - 74)	29	(23 - 36)	28	(23 - 36)	5	(3 - 8)	34	(27 - 42)
Arkansas	26	(22 - 30)	12	(10 - 15)	11	(9 - 14)	2	(1 - 4)	14	(11 - 17)
California	398	(362 - 438)	165	(146 - 185)	195	(170 - 224)	38	(26 - 54)	233	(204 - 267)
Colorado	55	(47 - 65)	28	(23 - 35)	22	(17 - 28)	5	(3 - 8)	27	(22 - 34)
Connecticut	39	(33 - 46)	19	(15 - 23)	17	(13 - 21)	3	(2 - 5)	20	(16 - 25)
Delaware	8	(7 - 10)	4	(3 - 4)	4	(3 - 5)	1	(0 - 1)	5	(4 - 6)
District of Columbia	7	(6 - 8)	2	(2 - 3)	4	(3 - 5)	1	(0 - 1)	5	(4 - 6)
Florida	165	(148 - 183)	73	(64 - 83)	76	(66 - 89)	16	(11 - 23)	92	(79 - 106)
Georgia	84	(72 - 98)	38	(31 - 47)	39	(32 - 49)	7	(4 - 11)	46	(38 - 57)
Hawaii	11	(9 - 14)	5	(4 - 6)	5	(4 - 6)	2	(1 - 4)	7	(5 - 9)
Idaho	16	(14 - 19)	8	(7 - 10)	7	(5 - 8)	1	(1 - 2)	8	(6 - 10)
Illinois	114	(101 - 128)	45	(39 - 52)	58	(49 - 68)	10	(7 - 15)	69	(59 - 80)
Indiana	65	(55 - 76)	26	(21 - 32)	34	(27 - 42)	5	(3 - 8)	39	(32 - 48)
Iowa	28	(24 - 33)	11	(8 - 13)	15	(12 - 19)	3	(1 - 4)	18	(14 - 22)
Kansas	27	(23 - 31)	11	(9 - 14)	13	(11 - 16)	2	(1 - 4)	15	(13 - 19)
Kentucky	33	(28 - 39)	14	(11 - 17)	16	(13 - 21)	3	(2 - 5)	19	(15 - 24)
Louisiana	43	(36 - 50)	18	(15 - 22)	21	(17 - 26)	4	(2 - 6)	24	(20 - 30)
Maine	13	(11 - 16)	5	(4 - 7)	7	(6 - 9)	1	(1 - 2)	8	(7 - 10)
Maryland	55	(47 - 65)	25	(20 - 30)	26	(21 - 33)	5	(3 - 7)	31	(25 - 38)
Massachusetts	70	(60 - 82)	27	(22 - 33)	37	(30 - 46)	6	(4 - 10)	43	(35 - 53)
Michigan	102	(92 - 113)	46	(40 - 52)	48	(41 - 56)	8	(5 - 12)	56	(48 - 65)
Minnesota	42	(36 - 50)	18	(14 - 23)	20	(16 - 26)	4	(3 - 7)	24	(19 - 30)
Mississippi	23	(20 - 28)	11	(8 - 13)	11	(8 - 14)	2	(1 - 3)	13	(10 - 16)
Missouri	55	(47 - 64)	23	(19 - 28)	27	(22 - 34)	5	(3 - 7)	32	(26 - 39)
Montana	8	(7 - 9)	3	(3 - 4)	4	(3 - 5)	1	(1 - 1)	4	(4 - 5)

(continued)

Table 5 Average Annual Marijuana Initiates, by Age Group and State: Estimated Numbers (in Thousands), Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	15	(12 - 17)	6	(5 - 8)	7	(6 - 9)	1	(1 - 2)	9	(7 - 11)
Nevada	26	(22 - 31)	11	(9 - 14)	12	(10 - 15)	3	(2 - 4)	15	(12 - 18)
New Hampshire	14	(12 - 17)	6	(5 - 7)	7	(6 - 8)	1	(1 - 2)	8	(7 - 10)
New Jersey	79	(68 - 92)	35	(29 - 43)	37	(30 - 45)	8	(5 - 12)	44	(37 - 53)
New Mexico	18	(15 - 21)	9	(7 - 11)	7	(5 - 9)	2	(1 - 3)	8	(7 - 11)
New York	186	(167 - 207)	72	(63 - 82)	93	(80 - 109)	21	(14 - 30)	114	(98 - 132)
North Carolina	82	(70 - 95)	37	(30 - 46)	38	(30 - 47)	7	(4 - 11)	45	(36 - 55)
North Dakota	7	(6 - 8)	2	(2 - 3)	4	(3 - 5)	1	(0 - 1)	4	(3 - 5)
Ohio	101	(91 - 113)	41	(36 - 48)	52	(44 - 61)	8	(5 - 12)	60	(51 - 70)
Oklahoma	33	(28 - 39)	16	(12 - 20)	14	(11 - 18)	3	(2 - 5)	17	(14 - 22)
Oregon	37	(32 - 43)	17	(14 - 21)	17	(13 - 21)	4	(2 - 6)	20	(17 - 25)
Pennsylvania	109	(97 - 122)	45	(38 - 52)	54	(47 - 64)	10	(7 - 15)	64	(55 - 75)
Rhode Island	10	(9 - 12)	4	(3 - 5)	6	(5 - 7)	1	(1 - 1)	7	(5 - 8)
South Carolina	43	(37 - 50)	20	(17 - 25)	19	(15 - 24)	4	(2 - 6)	22	(18 - 28)
South Dakota	7	(6 - 8)	3	(2 - 4)	4	(3 - 4)	1	(0 - 1)	4	(3 - 5)
Tennessee	49	(41 - 58)	20	(16 - 25)	24	(19 - 31)	4	(3 - 7)	29	(23 - 36)
Texas	227	(204 - 252)	103	(90 - 118)	105	(90 - 123)	19	(13 - 27)	124	(106 - 145)
Utah	25	(21 - 30)	11	(8 - 14)	12	(9 - 15)	2	(1 - 4)	14	(11 - 18)
Vermont	6	(5 - 7)	2	(2 - 3)	3	(3 - 4)	1	(0 - 1)	4	(3 - 5)
Virginia	73	(62 - 84)	27	(22 - 34)	39	(31 - 47)	7	(4 - 10)	45	(37 - 55)
Washington	66	(57 - 77)	29	(24 - 36)	30	(24 - 38)	7	(4 - 10)	37	(30 - 45)
West Virginia	14	(12 - 16)	6	(5 - 7)	7	(5 - 8)	1	(1 - 2)	8	(6 - 10)
Wisconsin	54	(46 - 64)	24	(20 - 30)	25	(20 - 32)	5	(3 - 8)	30	(24 - 37)
Wyoming	5	(4 - 6)	2	(2 - 3)	2	(2 - 3)	0	(0 - 1)	3	(2 - 3)

NOTE: Average annual number of marijuana initiates = $X_1 \div 2$, where X_1 is the number of marijuana initiates in the past 24 months. For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/>.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	8,692	(8,306 - 9,095)	820	(764 - 881)	2,293	(2,176 - 2,416)	5,579	(5,217 - 5,964)	7,872	(7,491 - 8,271)
Northeast	1,499	(1,365 - 1,647)	120	(105 - 137)	400	(363 - 440)	979	(862 - 1,113)	1,379	(1,250 - 1,522)
Midwest	1,710	(1,585 - 1,844)	161	(145 - 180)	499	(461 - 540)	1,050	(942 - 1,170)	1,549	(1,428 - 1,679)
South	3,110	(2,900 - 3,333)	325	(295 - 359)	823	(765 - 886)	1,961	(1,777 - 2,164)	2,784	(2,581 - 3,002)
West	2,373	(2,168 - 2,597)	214	(187 - 244)	571	(518 - 629)	1,588	(1,404 - 1,795)	2,160	(1,959 - 2,378)
Alabama	146	(115 - 185)	14	(10 - 19)	42	(33 - 54)	90	(64 - 126)	133	(103 - 170)
Alaska	20	(16 - 26)	2	(1 - 2)	6	(5 - 8)	12	(9 - 17)	19	(14 - 24)
Arizona	222	(172 - 285)	20	(15 - 28)	51	(39 - 66)	151	(109 - 207)	201	(154 - 262)
Arkansas	91	(71 - 116)	10	(7 - 14)	20	(16 - 27)	60	(44 - 83)	81	(62 - 105)
California	1,302	(1,136 - 1,490)	117	(96 - 142)	307	(263 - 357)	878	(730 - 1,054)	1,185	(1,024 - 1,370)
Colorado	184	(145 - 234)	14	(10 - 19)	45	(35 - 58)	125	(92 - 170)	170	(132 - 219)
Connecticut	95	(72 - 125)	8	(6 - 12)	24	(18 - 32)	63	(44 - 90)	87	(65 - 116)
Delaware	29	(23 - 37)	2	(2 - 3)	9	(7 - 12)	18	(13 - 25)	27	(21 - 35)
District of Columbia	28	(22 - 35)	1	(1 - 2)	5	(4 - 7)	21	(15 - 27)	26	(20 - 33)
Florida	520	(443 - 611)	41	(33 - 52)	151	(130 - 176)	327	(260 - 411)	479	(404 - 567)
Georgia	284	(220 - 366)	31	(22 - 42)	60	(46 - 77)	194	(139 - 269)	253	(193 - 331)
Hawaii	34	(26 - 45)	3	(2 - 5)	7	(5 - 10)	23	(16 - 34)	31	(23 - 42)
Idaho	35	(27 - 45)	4	(3 - 6)	9	(7 - 12)	22	(15 - 31)	31	(24 - 41)
Illinois	322	(273 - 380)	28	(22 - 36)	95	(79 - 113)	199	(158 - 251)	294	(247 - 350)
Indiana	171	(132 - 221)	16	(12 - 22)	50	(38 - 65)	104	(74 - 148)	154	(118 - 202)
Iowa	69	(53 - 90)	7	(5 - 10)	21	(16 - 28)	42	(29 - 59)	62	(47 - 82)
Kansas	77	(61 - 98)	8	(6 - 10)	22	(17 - 28)	48	(34 - 66)	70	(54 - 90)
Kentucky	115	(90 - 147)	9	(6 - 12)	33	(25 - 43)	73	(52 - 102)	106	(82 - 137)
Louisiana	138	(108 - 177)	14	(10 - 20)	34	(26 - 44)	90	(65 - 125)	124	(95 - 161)
Maine	33	(25 - 43)	3	(2 - 4)	9	(7 - 12)	21	(15 - 30)	30	(23 - 40)
Maryland	175	(135 - 225)	17	(13 - 23)	39	(30 - 51)	118	(85 - 164)	157	(120 - 206)
Massachusetts	160	(121 - 211)	12	(9 - 18)	48	(36 - 64)	99	(68 - 144)	147	(110 - 197)
Michigan	263	(225 - 307)	24	(19 - 30)	76	(63 - 91)	163	(132 - 201)	239	(203 - 282)
Minnesota	127	(99 - 164)	12	(9 - 16)	37	(29 - 48)	78	(55 - 111)	116	(88 - 151)
Mississippi	95	(74 - 121)	12	(9 - 16)	22	(16 - 28)	62	(44 - 85)	83	(64 - 108)
Missouri	146	(114 - 187)	13	(9 - 19)	47	(36 - 61)	86	(61 - 122)	133	(102 - 172)
Montana	20	(15 - 26)	2	(1 - 3)	6	(5 - 8)	11	(8 - 17)	18	(13 - 24)

(continued)

Table 6 *Illicit Drug Use Other Than Marijuana in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)*

State	12+	12+	12-17	12-17	18-25	18-25	26+	26+	18+	18+
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	35	(26 - 47)	4	(3 - 5)	10	(8 - 14)	21	(14 - 31)	31	(23 - 43)
Nevada	74	(57 - 96)	8	(6 - 11)	17	(13 - 23)	48	(35 - 68)	66	(50 - 86)
New Hampshire	42	(33 - 53)	3	(2 - 4)	16	(13 - 20)	23	(16 - 33)	39	(31 - 50)
New Jersey	205	(158 - 266)	18	(13 - 26)	56	(43 - 72)	131	(92 - 186)	187	(142 - 245)
New Mexico	59	(45 - 77)	6	(4 - 8)	14	(11 - 19)	39	(28 - 56)	54	(40 - 71)
New York	566	(483 - 663)	43	(35 - 54)	138	(116 - 165)	385	(312 - 474)	523	(443 - 617)
North Carolina	276	(219 - 348)	27	(20 - 36)	77	(61 - 97)	172	(125 - 236)	249	(195 - 317)
North Dakota	17	(14 - 22)	1	(1 - 2)	6	(4 - 7)	10	(7 - 14)	16	(12 - 21)
Ohio	299	(256 - 350)	29	(23 - 36)	84	(71 - 100)	186	(150 - 231)	270	(229 - 319)
Oklahoma	118	(92 - 152)	12	(8 - 17)	34	(26 - 44)	73	(52 - 102)	106	(82 - 138)
Oregon	120	(93 - 155)	11	(8 - 15)	28	(22 - 37)	81	(58 - 112)	109	(83 - 143)
Pennsylvania	345	(295 - 402)	28	(23 - 36)	92	(78 - 109)	224	(181 - 277)	316	(269 - 372)
Rhode Island	33	(26 - 43)	3	(2 - 3)	9	(7 - 12)	21	(15 - 30)	31	(23 - 40)
South Carolina	112	(84 - 150)	14	(10 - 19)	27	(20 - 37)	71	(49 - 104)	99	(72 - 134)
South Dakota	15	(11 - 20)	2	(1 - 2)	5	(3 - 6)	9	(6 - 13)	13	(10 - 18)
Tennessee	152	(117 - 197)	15	(11 - 21)	45	(34 - 59)	92	(65 - 131)	137	(104 - 180)
Texas	589	(506 - 685)	84	(68 - 102)	163	(135 - 195)	343	(275 - 427)	506	(428 - 597)
Utah	68	(52 - 89)	8	(6 - 12)	20	(15 - 27)	39	(27 - 57)	59	(44 - 79)
Vermont	20	(16 - 25)	1	(1 - 2)	6	(5 - 8)	12	(9 - 17)	19	(15 - 24)
Virginia	194	(151 - 249)	19	(14 - 25)	49	(37 - 64)	126	(91 - 175)	175	(134 - 228)
Washington	226	(178 - 286)	18	(13 - 25)	57	(44 - 73)	151	(112 - 205)	208	(163 - 266)
West Virginia	47	(36 - 60)	4	(3 - 5)	13	(10 - 17)	30	(21 - 42)	43	(33 - 56)
Wisconsin	167	(129 - 215)	17	(12 - 24)	46	(35 - 60)	103	(73 - 146)	149	(113 - 196)
Wyoming	10	(7 - 14)	1	(1 - 2)	3	(2 - 4)	6	(4 - 9)	9	(6 - 13)

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 7 Cocaine Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	4,368	(4,115 - 4,635)	149	(125 - 179)	1,573	(1,470 - 1,683)	2,645	(2,421 - 2,889)	4,218	(3,967 - 4,485)
Northeast	920	(816 - 1,036)	25	(20 - 32)	319	(286 - 355)	576	(486 - 681)	894	(793 - 1,009)
Midwest	769	(688 - 860)	26	(20 - 33)	283	(256 - 313)	461	(393 - 540)	743	(664 - 832)
South	1,426	(1,293 - 1,572)	49	(40 - 62)	486	(443 - 533)	890	(777 - 1,019)	1,376	(1,246 - 1,520)
West	1,253	(1,116 - 1,406)	49	(38 - 64)	486	(433 - 543)	718	(605 - 852)	1,204	(1,070 - 1,353)
Alabama	50	(33 - 74)	2	(1 - 3)	17	(12 - 23)	31	(19 - 52)	48	(32 - 72)
Alaska	9	(6 - 13)	0	(0 - 1)	3	(2 - 4)	5	(3 - 9)	9	(6 - 12)
Arizona	124	(89 - 171)	5	(3 - 9)	46	(34 - 61)	72	(47 - 111)	118	(85 - 164)
Arkansas	23	(15 - 35)	1	(1 - 2)	8	(6 - 12)	14	(8 - 24)	22	(14 - 33)
California	683	(578 - 806)	28	(19 - 39)	273	(231 - 322)	382	(298 - 491)	656	(553 - 776)
Colorado	112	(83 - 152)	4	(2 - 6)	42	(32 - 54)	67	(44 - 102)	109	(80 - 148)
Connecticut	66	(47 - 92)	2	(1 - 3)	25	(19 - 34)	39	(25 - 61)	64	(46 - 90)
Delaware	14	(10 - 20)	0	(0 - 1)	5	(4 - 7)	9	(6 - 14)	14	(10 - 20)
District of Columbia	19	(14 - 26)	0	(0 - 0)	5	(4 - 7)	14	(10 - 21)	19	(14 - 26)
Florida	331	(275 - 399)	10	(7 - 15)	110	(93 - 129)	211	(163 - 274)	321	(266 - 388)
Georgia	118	(79 - 175)	4	(2 - 7)	33	(24 - 45)	81	(50 - 132)	114	(77 - 170)
Hawaii	18	(12 - 26)	0	(0 - 1)	6	(4 - 8)	11	(7 - 18)	17	(12 - 25)
Idaho	13	(9 - 19)	1	(0 - 1)	5	(4 - 8)	7	(4 - 11)	12	(8 - 18)
Illinois	184	(149 - 229)	6	(4 - 8)	63	(51 - 77)	116	(87 - 154)	179	(144 - 222)
Indiana	66	(45 - 95)	2	(1 - 5)	28	(20 - 39)	35	(21 - 59)	63	(44 - 92)
Iowa	33	(22 - 48)	1	(1 - 2)	14	(10 - 19)	18	(11 - 30)	32	(22 - 46)
Kansas	32	(22 - 47)	2	(1 - 3)	12	(9 - 17)	18	(11 - 31)	31	(21 - 45)
Kentucky	57	(40 - 81)	2	(1 - 3)	20	(14 - 27)	35	(22 - 56)	55	(39 - 79)
Louisiana	62	(42 - 90)	2	(1 - 3)	16	(11 - 22)	44	(28 - 70)	60	(40 - 88)
Maine	16	(11 - 23)	0	(0 - 1)	6	(4 - 8)	10	(6 - 16)	16	(11 - 23)
Maryland	67	(45 - 100)	2	(1 - 3)	23	(16 - 32)	42	(25 - 70)	65	(43 - 97)
Massachusetts	134	(99 - 182)	3	(2 - 6)	49	(37 - 65)	82	(54 - 124)	131	(96 - 178)
Michigan	87	(67 - 113)	3	(1 - 5)	35	(28 - 45)	49	(34 - 72)	85	(65 - 110)
Minnesota	56	(38 - 82)	2	(1 - 4)	21	(15 - 29)	33	(20 - 56)	54	(36 - 80)
Mississippi	24	(15 - 38)	1	(0 - 2)	6	(4 - 10)	17	(9 - 29)	23	(14 - 37)
Missouri	57	(38 - 85)	2	(1 - 4)	22	(16 - 31)	33	(19 - 57)	55	(37 - 83)
Montana	10	(7 - 15)	0	(0 - 1)	4	(3 - 5)	6	(4 - 10)	10	(7 - 15)

(continued)

Table 7 Cocaine Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	18	(12 - 26)	1	(0 - 1)	7	(5 - 10)	10	(6 - 17)	17	(11 - 26)
Nevada	37	(26 - 55)	2	(1 - 3)	12	(9 - 17)	24	(15 - 39)	36	(25 - 53)
New Hampshire	28	(21 - 38)	1	(0 - 1)	12	(9 - 15)	15	(10 - 23)	27	(21 - 37)
New Jersey	99	(70 - 140)	3	(2 - 6)	36	(27 - 48)	60	(38 - 95)	96	(68 - 136)
New Mexico	37	(27 - 51)	1	(1 - 2)	14	(10 - 18)	22	(14 - 34)	36	(26 - 49)
New York	380	(315 - 460)	10	(7 - 15)	120	(99 - 144)	250	(194 - 323)	370	(305 - 448)
North Carolina	117	(82 - 168)	4	(2 - 7)	42	(31 - 57)	71	(44 - 115)	113	(79 - 163)
North Dakota	8	(5 - 11)	0	(0 - 0)	3	(2 - 5)	4	(3 - 7)	7	(5 - 11)
Ohio	134	(107 - 168)	4	(3 - 7)	47	(38 - 58)	83	(62 - 113)	130	(104 - 163)
Oklahoma	30	(20 - 46)	1	(1 - 2)	13	(9 - 18)	16	(9 - 29)	29	(19 - 44)
Oregon	67	(49 - 92)	2	(1 - 4)	25	(19 - 34)	39	(26 - 60)	65	(47 - 89)
Pennsylvania	165	(132 - 206)	5	(3 - 7)	58	(47 - 70)	103	(76 - 139)	160	(128 - 201)
Rhode Island	18	(13 - 25)	0	(0 - 1)	8	(6 - 10)	10	(6 - 16)	18	(13 - 25)
South Carolina	45	(29 - 69)	1	(1 - 3)	15	(10 - 21)	29	(17 - 49)	44	(28 - 67)
South Dakota	6	(4 - 10)	0	(0 - 0)	2	(2 - 3)	4	(2 - 6)	6	(4 - 9)
Tennessee	60	(40 - 89)	2	(1 - 4)	23	(16 - 32)	35	(20 - 59)	57	(38 - 86)
Texas	283	(227 - 353)	14	(9 - 20)	111	(89 - 137)	159	(116 - 218)	270	(215 - 338)
Utah	25	(16 - 38)	1	(0 - 2)	12	(8 - 18)	12	(6 - 21)	24	(15 - 36)
Vermont	12	(9 - 16)	0	(0 - 1)	5	(4 - 7)	6	(4 - 10)	12	(9 - 16)
Virginia	108	(77 - 149)	3	(2 - 5)	34	(25 - 45)	71	(46 - 107)	104	(75 - 145)
Washington	112	(81 - 155)	4	(2 - 7)	41	(31 - 55)	67	(44 - 103)	108	(78 - 150)
West Virginia	19	(12 - 28)	1	(0 - 1)	7	(5 - 10)	11	(7 - 19)	18	(12 - 27)
Wisconsin	88	(62 - 125)	3	(2 - 6)	29	(21 - 39)	56	(36 - 88)	85	(59 - 121)
Wyoming	6	(4 - 9)	0	(0 - 0)	2	(2 - 3)	3	(2 - 5)	6	(4 - 8)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 8 Nonmedical Use of Pain Relievers in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	10,709	(10,299 - 11,135)	1,161	(1,094 - 1,231)	2,900	(2,772 - 3,033)	6,648	(6,278 - 7,040)	9,548	(9,146 - 9,969)
Northeast	1,733	(1,601 - 1,875)	168	(151 - 187)	482	(443 - 525)	1,082	(970 - 1,207)	1,564	(1,438 - 1,702)
Midwest	2,251	(2,118 - 2,391)	241	(222 - 262)	641	(600 - 684)	1,369	(1,256 - 1,492)	2,009	(1,881 - 2,146)
South	4,019	(3,789 - 4,262)	456	(421 - 493)	1,088	(1,022 - 1,159)	2,475	(2,276 - 2,691)	3,563	(3,341 - 3,799)
West	2,707	(2,504 - 2,925)	295	(265 - 329)	689	(631 - 751)	1,723	(1,546 - 1,918)	2,411	(2,216 - 2,622)
Alabama	197	(160 - 241)	21	(16 - 26)	59	(48 - 72)	118	(89 - 156)	177	(141 - 219)
Alaska	26	(21 - 31)	3	(2 - 3)	8	(6 - 9)	15	(12 - 20)	23	(18 - 29)
Arizona	260	(210 - 321)	28	(22 - 37)	62	(49 - 78)	169	(128 - 223)	231	(184 - 290)
Arkansas	111	(90 - 137)	15	(11 - 19)	31	(25 - 38)	66	(49 - 87)	97	(77 - 121)
California	1,376	(1,220 - 1,552)	150	(127 - 176)	359	(313 - 411)	868	(734 - 1,024)	1,226	(1,076 - 1,398)
Colorado	216	(175 - 267)	23	(17 - 29)	54	(43 - 67)	140	(105 - 185)	193	(154 - 242)
Connecticut	114	(91 - 143)	12	(9 - 15)	33	(26 - 41)	70	(52 - 94)	103	(81 - 130)
Delaware	34	(27 - 42)	3	(2 - 4)	10	(8 - 12)	21	(16 - 28)	31	(24 - 39)
District of Columbia	23	(19 - 29)	1	(1 - 2)	7	(5 - 9)	15	(12 - 20)	22	(18 - 27)
Florida	568	(492 - 655)	61	(51 - 73)	144	(124 - 167)	363	(298 - 441)	507	(434 - 592)
Georgia	353	(286 - 435)	44	(35 - 56)	88	(71 - 108)	221	(167 - 293)	309	(246 - 387)
Hawaii	48	(38 - 61)	5	(4 - 6)	11	(8 - 13)	33	(24 - 45)	43	(34 - 56)
Idaho	51	(42 - 62)	7	(5 - 9)	14	(11 - 18)	30	(23 - 39)	44	(35 - 55)
Illinois	381	(331 - 440)	40	(33 - 49)	106	(90 - 124)	236	(194 - 286)	342	(294 - 397)
Indiana	240	(197 - 291)	27	(21 - 35)	71	(57 - 86)	142	(109 - 185)	213	(173 - 262)
Iowa	94	(75 - 118)	10	(8 - 14)	26	(20 - 33)	58	(43 - 78)	84	(66 - 106)
Kansas	101	(81 - 124)	11	(8 - 14)	28	(22 - 34)	62	(47 - 82)	90	(72 - 112)
Kentucky	151	(123 - 186)	15	(11 - 19)	43	(34 - 53)	94	(71 - 124)	137	(109 - 170)
Louisiana	178	(144 - 219)	19	(15 - 25)	46	(37 - 56)	112	(85 - 148)	158	(126 - 198)
Maine	36	(29 - 46)	4	(3 - 5)	9	(7 - 12)	23	(17 - 32)	32	(25 - 42)
Maryland	223	(180 - 277)	21	(16 - 27)	58	(46 - 72)	145	(109 - 192)	203	(161 - 254)
Massachusetts	201	(160 - 253)	18	(14 - 24)	59	(46 - 76)	123	(91 - 166)	183	(143 - 233)
Michigan	333	(292 - 379)	37	(31 - 44)	103	(89 - 118)	193	(159 - 234)	296	(257 - 340)
Minnesota	161	(130 - 200)	17	(13 - 22)	48	(39 - 59)	96	(72 - 129)	144	(115 - 181)
Mississippi	104	(85 - 128)	14	(11 - 18)	30	(24 - 37)	60	(45 - 80)	90	(72 - 113)
Missouri	202	(163 - 248)	21	(16 - 27)	61	(49 - 76)	120	(90 - 159)	181	(145 - 226)
Montana	28	(22 - 35)	3	(2 - 4)	8	(6 - 10)	17	(13 - 23)	25	(19 - 31)

(continued)

Table 8 Nonmedical Use of Pain Relievers in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	56	(45 - 69)	6	(5 - 8)	17	(13 - 21)	33	(24 - 43)	49	(39 - 62)
Nevada	104	(84 - 129)	12	(9 - 16)	25	(20 - 30)	68	(51 - 89)	92	(73 - 116)
New Hampshire	48	(39 - 59)	5	(4 - 6)	14	(11 - 17)	30	(22 - 39)	43	(35 - 54)
New Jersey	263	(214 - 322)	27	(20 - 35)	70	(57 - 86)	167	(127 - 219)	236	(190 - 293)
New Mexico	76	(61 - 95)	9	(7 - 11)	18	(14 - 23)	49	(37 - 66)	67	(53 - 86)
New York	590	(514 - 677)	56	(46 - 67)	161	(137 - 188)	374	(310 - 451)	534	(461 - 618)
North Carolina	349	(283 - 430)	37	(29 - 48)	94	(76 - 115)	218	(164 - 288)	312	(249 - 389)
North Dakota	23	(19 - 28)	2	(2 - 3)	7	(6 - 9)	13	(10 - 17)	21	(17 - 26)
Ohio	447	(389 - 512)	45	(38 - 54)	114	(99 - 131)	287	(238 - 346)	401	(346 - 466)
Oklahoma	156	(125 - 193)	17	(13 - 21)	44	(35 - 54)	96	(71 - 128)	139	(110 - 175)
Oregon	159	(127 - 197)	15	(12 - 20)	38	(30 - 47)	105	(79 - 139)	143	(113 - 180)
Pennsylvania	425	(370 - 487)	42	(35 - 51)	121	(104 - 140)	262	(216 - 316)	382	(330 - 442)
Rhode Island	37	(30 - 46)	3	(2 - 4)	11	(9 - 14)	23	(17 - 31)	34	(27 - 43)
South Carolina	151	(122 - 187)	19	(15 - 24)	42	(34 - 53)	90	(67 - 120)	132	(105 - 166)
South Dakota	24	(19 - 30)	3	(2 - 4)	7	(5 - 9)	14	(11 - 19)	21	(17 - 27)
Tennessee	213	(173 - 263)	23	(18 - 30)	58	(46 - 73)	132	(100 - 173)	190	(152 - 238)
Texas	833	(734 - 945)	111	(93 - 131)	238	(206 - 275)	484	(404 - 580)	722	(629 - 829)
Utah	89	(72 - 110)	12	(9 - 16)	26	(20 - 34)	51	(39 - 67)	77	(61 - 97)
Vermont	18	(14 - 22)	2	(1 - 2)	6	(4 - 7)	11	(8 - 14)	16	(13 - 21)
Virginia	313	(256 - 382)	30	(24 - 38)	83	(67 - 102)	200	(153 - 260)	283	(228 - 350)
Washington	259	(212 - 316)	28	(21 - 35)	63	(50 - 79)	168	(130 - 217)	231	(187 - 286)
West Virginia	61	(49 - 76)	6	(4 - 7)	16	(13 - 20)	40	(30 - 52)	56	(44 - 70)
Wisconsin	190	(154 - 233)	22	(18 - 29)	53	(43 - 66)	114	(86 - 151)	168	(134 - 209)
Wyoming	16	(13 - 20)	2	(1 - 2)	5	(4 - 6)	9	(7 - 13)	14	(11 - 18)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 9 Alcohol Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	138,279	(136,915 - 139,629)	2,875	(2,769 - 2,983)	20,777	(20,512 - 21,039)	114,627	(113,344 - 115,894)	135,404	(134,073 - 136,719)
Northeast	27,463	(27,011 - 27,911)	550	(516 - 586)	3,923	(3,842 - 4,003)	22,991	(22,551 - 23,426)	26,913	(26,464 - 27,358)
Midwest	31,066	(30,631 - 31,500)	609	(575 - 644)	4,681	(4,601 - 4,760)	25,776	(25,356 - 26,193)	30,457	(30,025 - 30,887)
South	47,855	(47,122 - 48,584)	1,020	(968 - 1,073)	7,320	(7,193 - 7,447)	39,515	(38,803 - 40,219)	46,835	(46,106 - 47,556)
West	31,894	(31,318 - 32,468)	696	(650 - 745)	4,853	(4,743 - 4,961)	26,345	(25,789 - 26,897)	31,198	(30,624 - 31,769)
Alabama	1,803	(1,676 - 1,933)	40	(33 - 49)	275	(254 - 296)	1,488	(1,366 - 1,610)	1,763	(1,636 - 1,890)
Alaska	313	(296 - 329)	6	(4 - 7)	50	(46 - 53)	257	(241 - 273)	307	(290 - 324)
Arizona	2,846	(2,676 - 3,016)	65	(54 - 77)	425	(396 - 453)	2,357	(2,194 - 2,516)	2,782	(2,613 - 2,948)
Arkansas	1,035	(965 - 1,107)	23	(19 - 29)	176	(163 - 188)	836	(770 - 904)	1,012	(943 - 1,082)
California	16,204	(15,747 - 16,661)	370	(331 - 412)	2,577	(2,483 - 2,671)	13,257	(12,816 - 13,695)	15,834	(15,380 - 16,286)
Colorado	2,698	(2,572 - 2,820)	58	(48 - 70)	388	(367 - 408)	2,251	(2,131 - 2,366)	2,640	(2,515 - 2,759)
Connecticut	1,828	(1,734 - 1,919)	37	(29 - 45)	250	(234 - 266)	1,541	(1,452 - 1,626)	1,791	(1,698 - 1,880)
Delaware	441	(417 - 465)	7	(6 - 9)	64	(60 - 68)	370	(347 - 392)	434	(410 - 457)
District of Columbia	381	(365 - 396)	4	(3 - 5)	68	(64 - 72)	309	(294 - 323)	377	(361 - 392)
Florida	8,917	(8,637 - 9,195)	170	(152 - 190)	1,155	(1,112 - 1,197)	7,592	(7,319 - 7,862)	8,747	(8,468 - 9,022)
Georgia	3,980	(3,740 - 4,223)	89	(74 - 106)	596	(557 - 635)	3,295	(3,066 - 3,523)	3,891	(3,653 - 4,128)
Hawaii	566	(531 - 602)	11	(9 - 13)	83	(77 - 89)	472	(438 - 506)	556	(520 - 591)
Idaho	620	(581 - 659)	15	(13 - 19)	87	(80 - 93)	518	(481 - 554)	605	(566 - 643)
Illinois	5,959	(5,781 - 6,135)	114	(100 - 128)	857	(824 - 890)	4,988	(4,817 - 5,156)	5,846	(5,669 - 6,020)
Indiana	2,782	(2,612 - 2,950)	62	(52 - 74)	457	(429 - 483)	2,263	(2,104 - 2,419)	2,720	(2,552 - 2,885)
Iowa	1,445	(1,369 - 1,521)	26	(21 - 32)	241	(228 - 253)	1,178	(1,105 - 1,250)	1,419	(1,343 - 1,493)
Kansas	1,264	(1,195 - 1,333)	27	(22 - 32)	200	(187 - 212)	1,038	(972 - 1,102)	1,237	(1,169 - 1,305)
Kentucky	1,548	(1,440 - 1,659)	31	(25 - 38)	259	(240 - 278)	1,258	(1,155 - 1,363)	1,518	(1,410 - 1,627)
Louisiana	1,860	(1,748 - 1,973)	45	(38 - 54)	291	(270 - 311)	1,524	(1,418 - 1,631)	1,815	(1,703 - 1,926)
Maine	679	(644 - 713)	11	(9 - 13)	85	(80 - 89)	583	(549 - 616)	668	(633 - 701)
Maryland	2,883	(2,732 - 3,032)	57	(48 - 68)	399	(373 - 424)	2,427	(2,284 - 2,564)	2,826	(2,676 - 2,971)
Massachusetts	3,566	(3,398 - 3,728)	65	(54 - 78)	549	(520 - 576)	2,952	(2,793 - 3,104)	3,501	(3,335 - 3,660)
Michigan	4,558	(4,420 - 4,695)	92	(82 - 104)	703	(677 - 728)	3,763	(3,630 - 3,894)	4,466	(4,329 - 4,601)
Minnesota	2,660	(2,523 - 2,794)	45	(37 - 55)	370	(348 - 391)	2,245	(2,114 - 2,370)	2,615	(2,479 - 2,746)
Mississippi	1,025	(952 - 1,099)	24	(20 - 29)	178	(165 - 192)	822	(753 - 892)	1,001	(929 - 1,074)
Missouri	2,554	(2,398 - 2,708)	51	(43 - 62)	394	(369 - 418)	2,108	(1,961 - 2,253)	2,502	(2,348 - 2,654)
Montana	499	(471 - 526)	8	(7 - 10)	72	(68 - 76)	418	(392 - 444)	490	(463 - 517)

(continued)

Table 9 Alcohol Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	875	(831 - 920)	16	(13 - 19)	136	(127 - 144)	724	(682 - 765)	860	(815 - 903)
Nevada	1,277	(1,204 - 1,348)	30	(25 - 36)	168	(156 - 179)	1,079	(1,010 - 1,146)	1,246	(1,174 - 1,317)
New Hampshire	734	(700 - 767)	15	(12 - 17)	100	(95 - 105)	620	(587 - 650)	720	(686 - 752)
New Jersey	4,272	(4,058 - 4,481)	100	(85 - 118)	541	(508 - 573)	3,630	(3,424 - 3,830)	4,171	(3,958 - 4,378)
New Mexico	830	(775 - 885)	16	(13 - 20)	128	(119 - 136)	686	(634 - 738)	814	(759 - 868)
New York	9,353	(9,079 - 9,624)	185	(165 - 207)	1,369	(1,315 - 1,422)	7,799	(7,536 - 8,057)	9,168	(8,896 - 9,435)
North Carolina	3,840	(3,603 - 4,078)	78	(65 - 94)	582	(545 - 619)	3,179	(2,954 - 3,404)	3,761	(3,526 - 3,996)
North Dakota	353	(336 - 369)	6	(5 - 7)	70	(67 - 74)	277	(261 - 292)	347	(331 - 363)
Ohio	5,215	(5,049 - 5,380)	102	(90 - 114)	766	(736 - 795)	4,348	(4,189 - 4,505)	5,114	(4,949 - 5,277)
Oklahoma	1,537	(1,440 - 1,635)	34	(28 - 41)	254	(237 - 270)	1,250	(1,158 - 1,341)	1,503	(1,406 - 1,600)
Oregon	1,913	(1,808 - 2,016)	38	(32 - 44)	260	(245 - 275)	1,615	(1,515 - 1,711)	1,875	(1,770 - 1,976)
Pennsylvania	6,180	(5,990 - 6,366)	121	(108 - 136)	891	(859 - 922)	5,168	(4,984 - 5,348)	6,058	(5,871 - 6,243)
Rhode Island	520	(493 - 547)	10	(8 - 12)	86	(80 - 91)	425	(399 - 450)	510	(483 - 537)
South Carolina	1,913	(1,798 - 2,027)	35	(29 - 42)	305	(285 - 326)	1,572	(1,464 - 1,681)	1,878	(1,764 - 1,991)
South Dakota	380	(360 - 400)	6	(5 - 7)	60	(57 - 63)	314	(294 - 333)	374	(354 - 394)
Tennessee	2,335	(2,170 - 2,504)	47	(39 - 57)	371	(341 - 401)	1,916	(1,761 - 2,074)	2,287	(2,122 - 2,454)
Texas	10,143	(9,810 - 10,478)	252	(223 - 283)	1,689	(1,624 - 1,754)	8,202	(7,884 - 8,520)	9,892	(9,561 - 10,223)
Utah	727	(663 - 794)	19	(14 - 25)	136	(121 - 152)	572	(512 - 635)	708	(645 - 775)
Vermont	332	(316 - 348)	6	(5 - 7)	53	(50 - 55)	273	(257 - 288)	326	(310 - 342)
Virginia	3,607	(3,410 - 3,802)	70	(59 - 82)	556	(523 - 588)	2,981	(2,793 - 3,165)	3,537	(3,342 - 3,729)
Washington	3,136	(2,967 - 3,303)	55	(46 - 67)	438	(409 - 466)	2,643	(2,481 - 2,801)	3,080	(2,912 - 3,245)
West Virginia	607	(562 - 653)	13	(10 - 15)	101	(93 - 109)	493	(451 - 537)	594	(550 - 639)
Wisconsin	3,020	(2,880 - 3,156)	63	(53 - 74)	427	(403 - 450)	2,530	(2,396 - 2,657)	2,958	(2,818 - 3,090)
Wyoming	266	(251 - 281)	5	(4 - 6)	41	(38 - 43)	221	(207 - 235)	261	(246 - 276)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 10 *Binge Alcohol Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs*

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	60,505	(59,470 - 61,548)	1,534	(1,456 - 1,615)	13,185	(12,923 - 13,450)	45,786	(44,822 - 46,759)	58,971	(57,942 - 60,008)
Northeast	11,310	(10,922 - 11,708)	291	(267 - 318)	2,494	(2,411 - 2,579)	8,524	(8,159 - 8,901)	11,019	(10,634 - 11,413)
Midwest	14,233	(13,853 - 14,618)	332	(306 - 359)	3,143	(3,061 - 3,227)	10,758	(10,401 - 11,122)	13,901	(13,524 - 14,284)
South	21,107	(20,535 - 21,688)	535	(496 - 577)	4,460	(4,330 - 4,592)	16,112	(15,584 - 16,650)	20,572	(20,003 - 21,149)
West	13,855	(13,392 - 14,329)	376	(342 - 413)	3,087	(2,978 - 3,198)	10,392	(9,960 - 10,837)	13,479	(13,019 - 13,951)
Alabama	872	(778 - 973)	23	(18 - 29)	178	(159 - 199)	670	(585 - 764)	849	(756 - 948)
Alaska	133	(120 - 147)	3	(2 - 4)	32	(29 - 36)	97	(86 - 110)	130	(117 - 144)
Arizona	1,281	(1,152 - 1,421)	35	(27 - 44)	271	(243 - 300)	976	(858 - 1,104)	1,247	(1,119 - 1,384)
Arkansas	506	(456 - 561)	14	(11 - 18)	117	(105 - 129)	375	(330 - 425)	492	(443 - 546)
California	7,173	(6,799 - 7,563)	197	(170 - 228)	1,637	(1,548 - 1,727)	5,340	(4,991 - 5,706)	6,977	(6,605 - 7,364)
Colorado	1,121	(1,016 - 1,232)	28	(22 - 36)	239	(217 - 260)	854	(758 - 957)	1,092	(988 - 1,203)
Connecticut	718	(649 - 792)	18	(14 - 23)	161	(144 - 178)	539	(476 - 607)	700	(632 - 774)
Delaware	179	(161 - 198)	4	(3 - 5)	41	(37 - 45)	134	(118 - 152)	175	(158 - 194)
District of Columbia	190	(175 - 206)	2	(1 - 2)	46	(41 - 50)	143	(129 - 157)	188	(174 - 204)
Florida	3,506	(3,293 - 3,729)	78	(66 - 92)	665	(627 - 704)	2,763	(2,560 - 2,977)	3,428	(3,216 - 3,649)
Georgia	1,709	(1,530 - 1,902)	45	(36 - 57)	359	(324 - 395)	1,304	(1,144 - 1,481)	1,663	(1,487 - 1,853)
Hawaii	279	(252 - 309)	6	(4 - 8)	59	(53 - 65)	215	(189 - 242)	273	(246 - 303)
Idaho	264	(237 - 292)	9	(7 - 11)	57	(51 - 63)	198	(174 - 224)	255	(229 - 283)
Illinois	2,831	(2,676 - 2,992)	57	(48 - 69)	571	(538 - 605)	2,202	(2,059 - 2,352)	2,774	(2,620 - 2,933)
Indiana	1,184	(1,068 - 1,309)	34	(27 - 43)	292	(264 - 321)	858	(753 - 974)	1,150	(1,035 - 1,274)
Iowa	653	(594 - 716)	16	(12 - 20)	166	(152 - 180)	472	(418 - 529)	638	(578 - 700)
Kansas	560	(506 - 619)	16	(12 - 20)	132	(120 - 144)	413	(364 - 466)	545	(491 - 602)
Kentucky	715	(636 - 801)	17	(14 - 22)	162	(145 - 180)	535	(464 - 614)	697	(620 - 782)
Louisiana	902	(813 - 998)	25	(20 - 32)	176	(158 - 194)	701	(619 - 791)	877	(789 - 972)
Maine	261	(236 - 289)	6	(5 - 8)	54	(49 - 59)	200	(176 - 227)	255	(229 - 283)
Maryland	1,122	(1,006 - 1,248)	28	(23 - 36)	221	(198 - 246)	872	(767 - 988)	1,094	(979 - 1,218)
Massachusetts	1,390	(1,260 - 1,528)	34	(27 - 43)	343	(312 - 375)	1,012	(895 - 1,141)	1,355	(1,227 - 1,493)
Michigan	2,054	(1,939 - 2,175)	49	(42 - 58)	464	(437 - 490)	1,542	(1,434 - 1,655)	2,005	(1,890 - 2,125)
Minnesota	1,090	(986 - 1,201)	22	(17 - 28)	242	(220 - 264)	826	(731 - 929)	1,068	(964 - 1,178)
Mississippi	482	(429 - 539)	12	(9 - 16)	107	(95 - 119)	363	(316 - 415)	470	(417 - 526)
Missouri	1,261	(1,147 - 1,381)	32	(25 - 40)	271	(246 - 297)	958	(855 - 1,069)	1,229	(1,117 - 1,348)
Montana	207	(188 - 228)	5	(4 - 6)	47	(43 - 51)	155	(137 - 175)	202	(183 - 223)

(continued)

Table 10 Binge Alcohol Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	369	(333 - 406)	9	(7 - 12)	91	(82 - 99)	269	(237 - 303)	359	(324 - 396)
Nevada	570	(512 - 632)	15	(12 - 19)	107	(96 - 118)	448	(395 - 506)	555	(497 - 617)
New Hampshire	282	(256 - 310)	7	(6 - 9)	65	(59 - 70)	210	(186 - 236)	275	(249 - 302)
New Jersey	1,692	(1,525 - 1,871)	56	(45 - 69)	341	(310 - 372)	1,295	(1,140 - 1,463)	1,635	(1,470 - 1,813)
New Mexico	417	(376 - 460)	10	(8 - 13)	85	(77 - 94)	321	(284 - 361)	407	(366 - 449)
New York	3,971	(3,747 - 4,206)	97	(84 - 113)	851	(799 - 904)	3,023	(2,813 - 3,244)	3,874	(3,651 - 4,107)
North Carolina	1,657	(1,485 - 1,844)	43	(34 - 54)	346	(310 - 384)	1,268	(1,111 - 1,441)	1,614	(1,443 - 1,799)
North Dakota	168	(155 - 183)	4	(3 - 4)	49	(46 - 53)	116	(103 - 129)	165	(151 - 179)
Ohio	2,446	(2,308 - 2,589)	58	(49 - 68)	513	(484 - 543)	1,875	(1,746 - 2,011)	2,388	(2,251 - 2,531)
Oklahoma	751	(676 - 832)	19	(14 - 24)	160	(144 - 177)	572	(504 - 647)	733	(658 - 813)
Oregon	740	(666 - 820)	22	(17 - 27)	164	(149 - 180)	555	(487 - 629)	719	(645 - 797)
Pennsylvania	2,643	(2,490 - 2,803)	65	(56 - 75)	589	(558 - 620)	1,990	(1,845 - 2,143)	2,579	(2,427 - 2,737)
Rhode Island	226	(204 - 249)	4	(3 - 6)	56	(51 - 62)	165	(146 - 186)	221	(200 - 244)
South Carolina	873	(789 - 964)	20	(16 - 25)	188	(169 - 208)	666	(589 - 750)	854	(770 - 944)
South Dakota	176	(161 - 193)	4	(3 - 5)	42	(38 - 45)	130	(116 - 146)	172	(156 - 189)
Tennessee	975	(866 - 1,095)	26	(20 - 33)	218	(192 - 246)	731	(634 - 839)	949	(840 - 1,068)
Texas	4,782	(4,516 - 5,058)	135	(115 - 158)	1,037	(974 - 1,101)	3,610	(3,366 - 3,867)	4,647	(4,384 - 4,922)
Utah	363	(319 - 411)	15	(11 - 20)	97	(84 - 112)	251	(213 - 294)	348	(305 - 396)
Vermont	127	(114 - 140)	3	(3 - 4)	35	(32 - 38)	89	(78 - 101)	123	(111 - 137)
Virginia	1,578	(1,436 - 1,730)	36	(28 - 45)	369	(335 - 403)	1,174	(1,046 - 1,313)	1,543	(1,402 - 1,693)
Washington	1,187	(1,071 - 1,312)	30	(23 - 38)	264	(237 - 293)	893	(790 - 1,007)	1,158	(1,043 - 1,281)
West Virginia	307	(275 - 341)	8	(6 - 10)	70	(63 - 78)	228	(200 - 260)	298	(267 - 332)
Wisconsin	1,440	(1,305 - 1,581)	32	(25 - 40)	311	(285 - 337)	1,096	(973 - 1,229)	1,408	(1,274 - 1,549)
Wyoming	120	(110 - 132)	3	(3 - 4)	28	(25 - 30)	89	(80 - 100)	117	(106 - 128)

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 11 Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	107,583	(106,328 - 108,827)	9,726	(9,568 - 9,885)	11,630	(11,411 - 11,852)	86,227	(85,031 - 87,430)	97,858	(96,620 - 99,078)
Northeast	18,659	(18,221 - 19,097)	1,595	(1,543 - 1,648)	1,911	(1,836 - 1,987)	15,154	(14,737 - 15,573)	17,064	(16,632 - 17,494)
Midwest	20,811	(20,388 - 21,232)	1,986	(1,931 - 2,042)	2,172	(2,099 - 2,246)	16,653	(16,249 - 17,061)	18,825	(18,407 - 19,241)
South	42,110	(41,382 - 42,838)	3,836	(3,742 - 3,931)	4,706	(4,585 - 4,827)	33,568	(32,872 - 34,270)	38,274	(37,553 - 38,992)
West	26,003	(25,443 - 26,560)	2,308	(2,235 - 2,384)	2,843	(2,734 - 2,953)	20,852	(20,316 - 21,389)	23,695	(23,140 - 24,245)
Alabama	1,758	(1,643 - 1,876)	163	(149 - 177)	193	(175 - 212)	1,403	(1,294 - 1,513)	1,596	(1,484 - 1,710)
Alaska	225	(210 - 240)	21	(19 - 23)	24	(21 - 27)	180	(165 - 194)	204	(189 - 219)
Arizona	2,230	(2,070 - 2,392)	209	(190 - 230)	233	(208 - 260)	1,787	(1,637 - 1,940)	2,020	(1,864 - 2,179)
Arkansas	956	(892 - 1,022)	90	(81 - 99)	106	(95 - 118)	760	(700 - 822)	867	(804 - 931)
California	14,195	(13,728 - 14,662)	1,228	(1,167 - 1,291)	1,628	(1,536 - 1,722)	11,339	(10,894 - 11,786)	12,967	(12,506 - 13,427)
Colorado	1,600	(1,482 - 1,721)	143	(128 - 158)	150	(133 - 169)	1,307	(1,195 - 1,423)	1,457	(1,342 - 1,577)
Connecticut	1,235	(1,150 - 1,321)	113	(102 - 124)	117	(103 - 132)	1,005	(925 - 1,086)	1,122	(1,039 - 1,207)
Delaware	305	(283 - 328)	27	(25 - 30)	33	(29 - 37)	245	(224 - 267)	278	(256 - 301)
District of Columbia	227	(212 - 242)	14	(13 - 15)	31	(27 - 35)	182	(168 - 196)	213	(198 - 228)
Florida	7,326	(7,052 - 7,602)	576	(546 - 607)	736	(694 - 778)	6,014	(5,748 - 6,282)	6,750	(6,478 - 7,022)
Georgia	3,716	(3,485 - 3,949)	370	(341 - 401)	427	(392 - 464)	2,918	(2,700 - 3,139)	3,346	(3,120 - 3,574)
Hawaii	462	(429 - 494)	38	(34 - 42)	47	(42 - 52)	377	(346 - 408)	424	(392 - 456)
Idaho	531	(495 - 569)	52	(47 - 57)	56	(50 - 62)	424	(390 - 460)	480	(444 - 517)
Illinois	4,155	(3,976 - 4,337)	398	(375 - 422)	437	(406 - 469)	3,320	(3,150 - 3,493)	3,757	(3,580 - 3,936)
Indiana	2,085	(1,936 - 2,238)	205	(186 - 225)	216	(192 - 241)	1,664	(1,524 - 1,808)	1,880	(1,734 - 2,029)
Iowa	918	(853 - 986)	87	(78 - 96)	97	(86 - 110)	734	(672 - 798)	831	(767 - 897)
Kansas	861	(798 - 926)	83	(75 - 91)	87	(77 - 98)	691	(632 - 753)	778	(717 - 842)
Kentucky	1,478	(1,378 - 1,580)	129	(118 - 140)	155	(139 - 173)	1,194	(1,100 - 1,290)	1,350	(1,251 - 1,450)
Louisiana	1,625	(1,522 - 1,729)	149	(136 - 163)	198	(180 - 217)	1,277	(1,180 - 1,376)	1,475	(1,374 - 1,578)
Maine	402	(369 - 435)	33	(30 - 37)	35	(31 - 39)	334	(303 - 366)	368	(337 - 401)
Maryland	2,077	(1,938 - 2,218)	195	(178 - 213)	238	(214 - 263)	1,643	(1,513 - 1,776)	1,881	(1,745 - 2,020)
Massachusetts	2,200	(2,045 - 2,359)	177	(160 - 195)	218	(193 - 246)	1,805	(1,659 - 1,955)	2,023	(1,871 - 2,179)
Michigan	3,196	(3,058 - 3,336)	283	(265 - 301)	351	(326 - 376)	2,563	(2,432 - 2,697)	2,914	(2,778 - 3,051)
Minnesota	1,583	(1,460 - 1,710)	156	(141 - 172)	143	(126 - 162)	1,284	(1,168 - 1,404)	1,427	(1,307 - 1,551)
Mississippi	1,142	(1,072 - 1,212)	104	(95 - 113)	142	(130 - 155)	896	(830 - 961)	1,038	(970 - 1,106)
Missouri	1,768	(1,631 - 1,908)	174	(158 - 192)	199	(177 - 222)	1,394	(1,267 - 1,527)	1,593	(1,460 - 1,731)
Montana	297	(273 - 322)	28	(25 - 30)	28	(25 - 31)	242	(219 - 266)	270	(246 - 295)

(continued)

Table 11 Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	588	(546 - 631)	56	(51 - 62)	61	(54 - 68)	471	(431 - 512)	532	(490 - 574)
Nevada	996	(928 - 1,064)	85	(77 - 94)	103	(93 - 114)	807	(744 - 873)	910	(845 - 977)
New Hampshire	391	(361 - 422)	33	(30 - 37)	31	(27 - 36)	326	(297 - 356)	357	(328 - 388)
New Jersey	3,099	(2,900 - 3,301)	266	(243 - 290)	304	(275 - 335)	2,528	(2,339 - 2,722)	2,833	(2,638 - 3,030)
New Mexico	766	(718 - 815)	66	(60 - 72)	90	(82 - 99)	610	(565 - 657)	700	(653 - 748)
New York	6,825	(6,548 - 7,104)	576	(544 - 608)	770	(719 - 823)	5,479	(5,215 - 5,747)	6,249	(5,976 - 6,525)
North Carolina	3,429	(3,200 - 3,661)	311	(285 - 339)	383	(349 - 418)	2,734	(2,519 - 2,953)	3,117	(2,893 - 3,345)
North Dakota	205	(190 - 221)	18	(16 - 20)	25	(22 - 28)	163	(149 - 177)	188	(173 - 203)
Ohio	3,554	(3,395 - 3,716)	341	(321 - 362)	355	(328 - 382)	2,858	(2,707 - 3,013)	3,213	(3,056 - 3,372)
Oklahoma	1,262	(1,175 - 1,351)	112	(101 - 124)	135	(121 - 150)	1,015	(933 - 1,099)	1,150	(1,064 - 1,237)
Oregon	1,235	(1,143 - 1,330)	97	(87 - 108)	116	(103 - 130)	1,022	(934 - 1,113)	1,138	(1,048 - 1,231)
Pennsylvania	3,968	(3,788 - 4,150)	354	(332 - 376)	379	(350 - 409)	3,235	(3,063 - 3,410)	3,614	(3,436 - 3,794)
Rhode Island	340	(315 - 365)	29	(26 - 32)	38	(34 - 43)	273	(250 - 296)	311	(287 - 336)
South Carolina	1,702	(1,597 - 1,808)	150	(138 - 163)	188	(170 - 207)	1,363	(1,264 - 1,463)	1,551	(1,449 - 1,655)
South Dakota	240	(222 - 258)	24	(22 - 27)	27	(23 - 30)	189	(173 - 206)	216	(199 - 234)
Tennessee	2,421	(2,262 - 2,583)	192	(174 - 211)	236	(210 - 263)	1,993	(1,841 - 2,146)	2,229	(2,073 - 2,387)
Texas	9,232	(8,907 - 9,557)	948	(897 - 1,000)	1,159	(1,094 - 1,225)	7,125	(6,815 - 7,437)	8,283	(7,965 - 8,602)
Utah	1,012	(946 - 1,080)	131	(119 - 143)	137	(122 - 152)	745	(685 - 805)	882	(818 - 946)
Vermont	201	(185 - 217)	14	(12 - 16)	18	(16 - 20)	169	(154 - 184)	187	(172 - 203)
Virginia	2,808	(2,624 - 2,996)	254	(234 - 275)	283	(254 - 314)	2,271	(2,095 - 2,451)	2,554	(2,372 - 2,740)
Washington	2,271	(2,123 - 2,422)	196	(177 - 215)	213	(190 - 239)	1,862	(1,720 - 2,007)	2,075	(1,929 - 2,224)
West Virginia	646	(603 - 690)	50	(45 - 54)	61	(55 - 69)	535	(494 - 577)	596	(554 - 640)
Wisconsin	1,657	(1,530 - 1,789)	161	(145 - 177)	175	(156 - 196)	1,321	(1,200 - 1,447)	1,497	(1,372 - 1,626)
Wyoming	183	(170 - 197)	16	(14 - 17)	18	(16 - 20)	150	(138 - 162)	168	(155 - 181)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 12 Alcohol Use and Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	Alcohol Use in Past Month (Estimate)	Alcohol Use in Past Month (95% Confidence Interval)	Binge Alcohol Use in Past Month (Estimate)	Binge Alcohol Use in Past Month (95% Confidence Interval)
Total U.S.	8,656	(8,432 - 8,884)	5,325	(5,139 - 5,516)
Northeast	1,682	(1,616 - 1,750)	1,014	(956 - 1,074)
Midwest	1,938	(1,867 - 2,010)	1,230	(1,165 - 1,298)
South	2,910	(2,801 - 3,023)	1,761	(1,660 - 1,868)
West	2,126	(2,030 - 2,224)	1,320	(1,237 - 1,407)
Alabama	109	(96 - 124)	73	(62 - 85)
Alaska	20	(17 - 22)	12	(10 - 14)
Arizona	178	(158 - 199)	106	(91 - 124)
Arkansas	62	(55 - 70)	42	(36 - 49)
California	1,144	(1,067 - 1,226)	702	(640 - 770)
Colorado	167	(151 - 183)	98	(85 - 112)
Connecticut	113	(101 - 126)	70	(61 - 80)
Delaware	24	(22 - 27)	15	(13 - 17)
District of Columbia	15	(13 - 17)	9	(7 - 10)
Florida	460	(429 - 493)	246	(222 - 273)
Georgia	253	(227 - 281)	151	(130 - 173)
Hawaii	31	(27 - 35)	19	(16 - 23)
Idaho	41	(36 - 46)	26	(22 - 30)
Illinois	355	(330 - 381)	221	(199 - 244)
Indiana	183	(164 - 203)	113	(97 - 130)
Iowa	104	(94 - 115)	70	(61 - 80)
Kansas	78	(70 - 87)	51	(44 - 59)
Kentucky	102	(90 - 115)	67	(57 - 78)
Louisiana	133	(119 - 149)	85	(73 - 98)
Maine	36	(32 - 39)	22	(19 - 25)
Maryland	151	(135 - 169)	84	(72 - 98)
Massachusetts	241	(220 - 263)	140	(122 - 160)
Michigan	290	(269 - 311)	175	(158 - 193)
Minnesota	153	(139 - 169)	93	(80 - 107)
Mississippi	75	(66 - 84)	45	(38 - 53)
Missouri	154	(137 - 172)	103	(89 - 119)
Montana	28	(25 - 31)	19	(16 - 21)

(continued)

Table 12 Alcohol Use and Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	Alcohol Use in Past Month (Estimate)	Alcohol Use in Past Month (95% Confidence Interval)	Binge Alcohol Use in Past Month (Estimate)	Alcohol Use in Past Month (95% Confidence Interval)
Nebraska	51	(46 - 58)	35	(31 - 41)
Nevada	81	(73 - 91)	49	(42 - 57)
New Hampshire	49	(45 - 53)	31	(27 - 35)
New Jersey	260	(236 - 287)	161	(139 - 184)
New Mexico	48	(42 - 54)	33	(28 - 38)
New York	535	(499 - 573)	307	(277 - 341)
North Carolina	203	(179 - 229)	128	(109 - 150)
North Dakota	24	(22 - 27)	17	(15 - 19)
Ohio	335	(312 - 359)	217	(197 - 238)
Oklahoma	102	(91 - 114)	66	(57 - 77)
Oregon	117	(106 - 129)	75	(65 - 86)
Pennsylvania	384	(360 - 409)	242	(221 - 265)
Rhode Island	42	(38 - 46)	26	(23 - 30)
South Carolina	107	(95 - 121)	67	(57 - 79)
South Dakota	26	(24 - 29)	19	(17 - 21)
Tennessee	142	(124 - 161)	88	(74 - 105)
Texas	727	(679 - 777)	439	(397 - 486)
Utah	57	(47 - 69)	45	(37 - 54)
Vermont	21	(19 - 23)	14	(13 - 16)
Virginia	204	(183 - 227)	126	(109 - 145)
Washington	201	(180 - 223)	125	(108 - 145)
West Virginia	41	(36 - 47)	30	(26 - 35)
Wisconsin	185	(167 - 203)	117	(102 - 133)
Wyoming	15	(13 - 17)	10	(9 - 12)

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple hours of each other) on at least 1 day in the past 30 days.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

**Table 13 Tobacco Product Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages
Based on 2013 and 2014 NSDUHs**

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	66,885	(65,803 - 67,987)	1,847	(1,765 - 1,932)	12,563	(12,314 - 12,814)	52,476	(51,454 - 53,519)	65,039	(63,961 - 66,135)
Northeast	11,286	(10,914 - 11,669)	300	(276 - 325)	2,129	(2,050 - 2,209)	8,857	(8,496 - 9,230)	10,986	(10,619 - 11,364)
Midwest	16,098	(15,697 - 16,504)	462	(431 - 494)	3,022	(2,939 - 3,107)	12,614	(12,217 - 13,018)	15,636	(15,238 - 16,039)
South	26,415	(25,784 - 27,062)	710	(668 - 755)	4,807	(4,675 - 4,940)	20,898	(20,272 - 21,541)	25,705	(25,078 - 26,345)
West	13,087	(12,608 - 13,579)	375	(343 - 410)	2,605	(2,498 - 2,715)	10,107	(9,640 - 10,593)	12,712	(12,239 - 13,199)
Alabama	1,275	(1,169 - 1,386)	32	(26 - 40)	232	(212 - 252)	1,011	(913 - 1,114)	1,243	(1,138 - 1,351)
Alaska	170	(155 - 185)	6	(5 - 8)	34	(31 - 38)	129	(116 - 143)	163	(149 - 178)
Arizona	1,217	(1,091 - 1,352)	37	(29 - 47)	240	(214 - 268)	940	(825 - 1,065)	1,180	(1,056 - 1,313)
Arkansas	868	(802 - 936)	26	(21 - 31)	139	(127 - 151)	703	(640 - 767)	842	(777 - 909)
California	5,882	(5,519 - 6,262)	154	(130 - 182)	1,235	(1,152 - 1,322)	4,493	(4,146 - 4,863)	5,729	(5,370 - 6,103)
Colorado	1,128	(1,023 - 1,239)	37	(29 - 46)	235	(213 - 257)	856	(759 - 961)	1,091	(989 - 1,200)
Connecticut	645	(579 - 718)	20	(15 - 25)	136	(121 - 152)	490	(430 - 556)	626	(560 - 697)
Delaware	222	(202 - 244)	6	(4 - 7)	41	(37 - 45)	175	(156 - 196)	217	(196 - 238)
District of Columbia	152	(138 - 166)	2	(1 - 2)	31	(27 - 35)	119	(107 - 132)	150	(136 - 164)
Florida	4,063	(3,831 - 4,307)	92	(79 - 106)	653	(613 - 694)	3,318	(3,091 - 3,556)	3,971	(3,740 - 4,213)
Georgia	2,103	(1,912 - 2,306)	58	(47 - 72)	398	(362 - 436)	1,647	(1,469 - 1,839)	2,045	(1,856 - 2,245)
Hawaii	235	(209 - 264)	6	(5 - 8)	43	(38 - 49)	185	(161 - 212)	229	(203 - 257)
Idaho	325	(295 - 358)	12	(9 - 15)	61	(55 - 68)	252	(224 - 283)	314	(283 - 346)
Illinois	2,718	(2,565 - 2,877)	69	(59 - 81)	513	(481 - 547)	2,136	(1,990 - 2,288)	2,649	(2,498 - 2,806)
Indiana	1,620	(1,483 - 1,765)	49	(39 - 60)	320	(292 - 348)	1,252	(1,125 - 1,386)	1,572	(1,436 - 1,713)
Iowa	709	(646 - 775)	23	(18 - 28)	144	(131 - 157)	542	(484 - 604)	686	(624 - 751)
Kansas	644	(586 - 707)	21	(17 - 26)	134	(123 - 146)	489	(436 - 547)	623	(566 - 684)
Kentucky	1,242	(1,143 - 1,344)	37	(31 - 45)	214	(197 - 231)	990	(898 - 1,087)	1,205	(1,107 - 1,306)
Louisiana	1,123	(1,029 - 1,222)	36	(29 - 44)	212	(192 - 232)	876	(788 - 968)	1,087	(995 - 1,184)
Maine	301	(272 - 332)	8	(7 - 10)	52	(47 - 57)	241	(213 - 270)	292	(264 - 323)
Maryland	1,086	(972 - 1,209)	27	(21 - 35)	206	(184 - 229)	853	(749 - 968)	1,059	(947 - 1,180)
Massachusetts	1,233	(1,103 - 1,373)	32	(25 - 41)	269	(241 - 299)	931	(814 - 1,060)	1,200	(1,073 - 1,338)
Michigan	2,386	(2,262 - 2,513)	65	(56 - 75)	440	(414 - 466)	1,881	(1,763 - 2,003)	2,321	(2,198 - 2,447)
Minnesota	1,196	(1,086 - 1,314)	32	(26 - 40)	228	(207 - 249)	937	(834 - 1,047)	1,164	(1,056 - 1,280)
Mississippi	822	(755 - 891)	25	(21 - 31)	149	(136 - 163)	647	(585 - 712)	796	(731 - 864)
Missouri	1,665	(1,531 - 1,805)	50	(41 - 61)	304	(279 - 330)	1,311	(1,185 - 1,443)	1,615	(1,483 - 1,753)
Montana	244	(222 - 267)	7	(6 - 9)	46	(42 - 50)	191	(170 - 212)	237	(216 - 260)

(continued)

Table 13 Tobacco Product Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	428	(391 - 468)	13	(11 - 17)	88	(80 - 96)	327	(293 - 364)	415	(378 - 454)
Nevada	619	(560 - 683)	17	(13 - 21)	100	(90 - 111)	502	(447 - 562)	602	(544 - 664)
New Hampshire	278	(251 - 306)	9	(7 - 11)	59	(54 - 65)	210	(185 - 236)	269	(243 - 297)
New Jersey	1,613	(1,459 - 1,779)	50	(41 - 62)	280	(251 - 310)	1,283	(1,139 - 1,440)	1,563	(1,411 - 1,726)
New Mexico	450	(408 - 494)	13	(10 - 16)	91	(82 - 100)	346	(307 - 387)	437	(395 - 481)
New York	3,901	(3,676 - 4,135)	85	(72 - 100)	698	(649 - 749)	3,118	(2,902 - 3,344)	3,816	(3,592 - 4,049)
North Carolina	2,087	(1,889 - 2,298)	57	(46 - 70)	377	(341 - 414)	1,653	(1,470 - 1,851)	2,030	(1,836 - 2,237)
North Dakota	181	(167 - 195)	5	(4 - 6)	45	(42 - 49)	130	(118 - 144)	176	(162 - 190)
Ohio	3,019	(2,870 - 3,173)	86	(75 - 99)	525	(495 - 555)	2,408	(2,266 - 2,554)	2,933	(2,785 - 3,085)
Oklahoma	1,069	(983 - 1,158)	34	(27 - 42)	200	(184 - 217)	835	(755 - 918)	1,035	(951 - 1,122)
Oregon	852	(770 - 940)	25	(20 - 31)	146	(132 - 161)	680	(604 - 763)	827	(746 - 913)
Pennsylvania	2,957	(2,796 - 3,125)	86	(75 - 98)	558	(527 - 590)	2,313	(2,160 - 2,473)	2,871	(2,712 - 3,037)
Rhode Island	218	(195 - 242)	5	(4 - 7)	46	(41 - 52)	166	(146 - 188)	212	(190 - 236)
South Carolina	1,147	(1,046 - 1,253)	28	(22 - 34)	205	(186 - 224)	914	(821 - 1,014)	1,119	(1,020 - 1,223)
South Dakota	194	(177 - 212)	7	(5 - 8)	39	(35 - 42)	149	(134 - 166)	188	(171 - 206)
Tennessee	1,598	(1,461 - 1,743)	50	(41 - 60)	294	(267 - 321)	1,254	(1,125 - 1,392)	1,548	(1,412 - 1,690)
Texas	5,092	(4,825 - 5,366)	137	(117 - 160)	1,024	(961 - 1,090)	3,931	(3,680 - 4,193)	4,955	(4,691 - 5,227)
Utah	403	(356 - 455)	15	(11 - 20)	88	(75 - 102)	301	(259 - 348)	389	(342 - 439)
Vermont	141	(127 - 155)	4	(3 - 5)	30	(28 - 33)	106	(93 - 120)	136	(123 - 151)
Virginia	1,883	(1,723 - 2,051)	48	(39 - 59)	336	(306 - 367)	1,499	(1,350 - 1,657)	1,834	(1,678 - 2,000)
Washington	1,410	(1,282 - 1,547)	41	(33 - 50)	256	(229 - 284)	1,113	(995 - 1,240)	1,369	(1,242 - 1,504)
West Virginia	585	(543 - 629)	16	(13 - 19)	96	(89 - 104)	472	(432 - 514)	569	(527 - 612)
Wisconsin	1,336	(1,215 - 1,464)	42	(34 - 51)	243	(220 - 267)	1,051	(939 - 1,171)	1,294	(1,176 - 1,420)
Wyoming	151	(139 - 164)	5	(4 - 6)	28	(26 - 31)	118	(107 - 130)	146	(135 - 159)

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 14 Cigarette Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	55,507	(54,475 - 56,558)	1,305	(1,236 - 1,378)	10,281	(10,041 - 10,523)	43,921	(42,942 - 44,922)	54,202	(53,177 - 55,246)
Northeast	9,355	(9,001 - 9,722)	213	(193 - 234)	1,744	(1,666 - 1,824)	7,399	(7,049 - 7,761)	9,142	(8,792 - 9,505)
Midwest	13,433	(13,053 - 13,819)	332	(308 - 357)	2,436	(2,354 - 2,520)	10,665	(10,287 - 11,052)	13,101	(12,725 - 13,483)
South	21,958	(21,345 - 22,587)	489	(454 - 528)	3,901	(3,774 - 4,031)	17,567	(16,956 - 18,197)	21,468	(20,863 - 22,089)
West	10,761	(10,310 - 11,228)	271	(244 - 301)	2,200	(2,094 - 2,309)	8,291	(7,854 - 8,748)	10,490	(10,044 - 10,952)
Alabama	1,045	(948 - 1,148)	22	(17 - 28)	184	(166 - 203)	839	(748 - 938)	1,023	(926 - 1,125)
Alaska	127	(115 - 141)	4	(3 - 5)	28	(25 - 32)	95	(84 - 108)	124	(111 - 137)
Arizona	1,029	(915 - 1,154)	27	(21 - 34)	203	(177 - 230)	800	(696 - 916)	1,002	(889 - 1,126)
Arkansas	696	(637 - 758)	17	(13 - 21)	109	(97 - 121)	570	(514 - 629)	679	(620 - 740)
California	4,882	(4,541 - 5,241)	113	(93 - 136)	1,073	(992 - 1,159)	3,696	(3,374 - 4,043)	4,769	(4,432 - 5,125)
Colorado	866	(774 - 967)	25	(19 - 32)	187	(166 - 209)	655	(569 - 750)	842	(751 - 941)
Connecticut	516	(457 - 580)	13	(10 - 17)	113	(98 - 128)	391	(337 - 451)	503	(445 - 567)
Delaware	185	(167 - 205)	4	(3 - 5)	35	(31 - 39)	146	(129 - 164)	181	(163 - 200)
District of Columbia	127	(113 - 141)	1	(1 - 2)	26	(22 - 29)	100	(88 - 113)	125	(112 - 139)
Florida	3,465	(3,245 - 3,698)	61	(51 - 73)	534	(495 - 576)	2,869	(2,655 - 3,096)	3,404	(3,185 - 3,635)
Georgia	1,689	(1,513 - 1,880)	36	(28 - 46)	302	(268 - 338)	1,352	(1,187 - 1,532)	1,653	(1,478 - 1,842)
Hawaii	195	(173 - 220)	4	(3 - 6)	37	(32 - 43)	154	(133 - 177)	191	(168 - 215)
Idaho	270	(243 - 299)	9	(7 - 11)	49	(44 - 55)	212	(187 - 240)	261	(235 - 290)
Illinois	2,358	(2,212 - 2,512)	51	(43 - 61)	441	(409 - 475)	1,866	(1,726 - 2,013)	2,307	(2,162 - 2,459)
Indiana	1,351	(1,229 - 1,481)	36	(28 - 45)	257	(230 - 285)	1,059	(945 - 1,181)	1,315	(1,194 - 1,443)
Iowa	586	(528 - 648)	16	(12 - 20)	116	(104 - 129)	454	(401 - 513)	570	(513 - 631)
Kansas	518	(467 - 573)	13	(10 - 17)	97	(85 - 109)	408	(361 - 460)	505	(455 - 559)
Kentucky	1,049	(958 - 1,145)	28	(22 - 34)	175	(158 - 193)	846	(760 - 938)	1,021	(931 - 1,116)
Louisiana	939	(854 - 1,029)	26	(21 - 33)	178	(159 - 197)	735	(654 - 822)	913	(828 - 1,002)
Maine	254	(229 - 281)	6	(5 - 7)	39	(35 - 44)	209	(185 - 235)	248	(223 - 275)
Maryland	907	(803 - 1,022)	19	(15 - 25)	164	(143 - 187)	724	(628 - 831)	888	(785 - 1,002)
Massachusetts	1,001	(888 - 1,126)	23	(17 - 29)	215	(189 - 244)	763	(659 - 881)	979	(866 - 1,102)
Michigan	2,027	(1,911 - 2,147)	45	(38 - 53)	355	(330 - 381)	1,627	(1,515 - 1,744)	1,981	(1,867 - 2,101)
Minnesota	938	(843 - 1,041)	23	(18 - 30)	178	(157 - 200)	737	(649 - 833)	915	(820 - 1,017)
Mississippi	669	(608 - 732)	17	(13 - 21)	123	(110 - 136)	529	(472 - 590)	652	(592 - 715)
Missouri	1,411	(1,286 - 1,543)	38	(30 - 48)	256	(230 - 282)	1,117	(999 - 1,244)	1,373	(1,249 - 1,504)
Montana	185	(166 - 206)	5	(4 - 6)	34	(30 - 38)	146	(128 - 166)	180	(162 - 201)

(continued)

Table 14 Cigarette Use in the Past Month, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	350	(316 - 386)	9	(7 - 12)	65	(57 - 72)	276	(244 - 310)	340	(306 - 376)
Nevada	538	(483 - 598)	12	(9 - 15)	87	(77 - 99)	439	(386 - 496)	526	(471 - 586)
New Hampshire	223	(200 - 247)	7	(5 - 8)	46	(41 - 51)	170	(149 - 193)	216	(194 - 240)
New Jersey	1,336	(1,190 - 1,496)	34	(26 - 43)	230	(201 - 261)	1,073	(937 - 1,223)	1,302	(1,158 - 1,460)
New Mexico	376	(338 - 419)	9	(7 - 12)	78	(70 - 87)	289	(252 - 329)	367	(328 - 408)
New York	3,292	(3,083 - 3,512)	63	(52 - 75)	588	(541 - 637)	2,642	(2,442 - 2,854)	3,230	(3,021 - 3,448)
North Carolina	1,755	(1,588 - 1,934)	43	(34 - 54)	304	(271 - 340)	1,408	(1,250 - 1,580)	1,712	(1,547 - 1,889)
North Dakota	147	(134 - 161)	4	(3 - 5)	35	(31 - 38)	109	(97 - 121)	143	(130 - 157)
Ohio	2,513	(2,372 - 2,660)	59	(51 - 69)	413	(384 - 443)	2,041	(1,906 - 2,182)	2,454	(2,314 - 2,599)
Oklahoma	868	(789 - 950)	23	(18 - 29)	159	(142 - 176)	686	(614 - 764)	845	(768 - 926)
Oregon	660	(588 - 738)	18	(14 - 23)	117	(103 - 133)	525	(458 - 598)	642	(571 - 719)
Pennsylvania	2,437	(2,287 - 2,595)	62	(53 - 72)	452	(422 - 484)	1,923	(1,778 - 2,076)	2,375	(2,226 - 2,532)
Rhode Island	181	(161 - 202)	4	(3 - 5)	37	(32 - 42)	141	(123 - 160)	177	(158 - 198)
South Carolina	958	(872 - 1,049)	19	(15 - 24)	169	(150 - 188)	770	(690 - 856)	938	(854 - 1,028)
South Dakota	158	(142 - 174)	5	(4 - 6)	30	(27 - 34)	123	(108 - 138)	153	(138 - 169)
Tennessee	1,240	(1,122 - 1,367)	33	(26 - 41)	229	(203 - 257)	978	(868 - 1,097)	1,207	(1,090 - 1,332)
Texas	4,344	(4,092 - 4,606)	100	(83 - 120)	862	(801 - 925)	3,383	(3,144 - 3,635)	4,245	(3,995 - 4,504)
Utah	354	(309 - 403)	13	(9 - 18)	78	(65 - 91)	264	(225 - 308)	342	(298 - 390)
Vermont	115	(104 - 128)	3	(2 - 4)	24	(21 - 27)	88	(77 - 100)	112	(101 - 125)
Virginia	1,543	(1,397 - 1,700)	31	(24 - 39)	273	(242 - 306)	1,240	(1,103 - 1,388)	1,512	(1,367 - 1,667)
Washington	1,160	(1,041 - 1,288)	30	(23 - 38)	207	(181 - 235)	923	(812 - 1,045)	1,130	(1,013 - 1,257)
West Virginia	481	(442 - 521)	11	(8 - 13)	77	(69 - 85)	393	(356 - 432)	470	(432 - 510)
Wisconsin	1,076	(967 - 1,193)	32	(25 - 39)	195	(172 - 219)	849	(748 - 961)	1,044	(936 - 1,160)
Wyoming	118	(107 - 130)	4	(3 - 5)	21	(19 - 24)	93	(82 - 104)	114	(103 - 126)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 15 Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	187,424	(186,347 - 188,499)	16,244	(16,087 - 16,400)	23,158	(22,942 - 23,372)	148,022	(146,982 - 149,042)	171,180	(170,110 - 172,223)
Northeast	34,800	(34,409 - 35,185)	2,754	(2,702 - 2,805)	4,191	(4,116 - 4,264)	27,855	(27,483 - 28,217)	32,046	(31,663 - 32,419)
Midwest	38,138	(37,746 - 38,528)	3,455	(3,400 - 3,510)	4,655	(4,580 - 4,730)	30,027	(29,657 - 30,391)	34,683	(34,298 - 35,060)
South	69,020	(68,370 - 69,664)	6,159	(6,066 - 6,250)	8,542	(8,427 - 8,657)	54,319	(53,705 - 54,919)	62,861	(62,223 - 63,484)
West	45,466	(44,976 - 45,947)	3,876	(3,799 - 3,952)	5,770	(5,670 - 5,867)	35,820	(35,351 - 36,274)	41,590	(41,110 - 42,055)
Alabama	2,715	(2,606 - 2,821)	240	(225 - 254)	334	(316 - 353)	2,141	(2,038 - 2,238)	2,476	(2,369 - 2,578)
Alaska	387	(373 - 401)	35	(32 - 37)	51	(48 - 54)	302	(289 - 315)	353	(339 - 366)
Arizona	3,858	(3,713 - 3,997)	330	(307 - 351)	493	(468 - 517)	3,036	(2,898 - 3,164)	3,529	(3,387 - 3,662)
Arkansas	1,593	(1,529 - 1,656)	142	(132 - 152)	201	(190 - 212)	1,250	(1,191 - 1,307)	1,451	(1,389 - 1,511)
California	24,324	(23,939 - 24,697)	2,054	(1,991 - 2,115)	3,183	(3,098 - 3,265)	19,087	(18,723 - 19,434)	22,270	(21,893 - 22,631)
Colorado	3,188	(3,081 - 3,290)	260	(244 - 275)	384	(364 - 402)	2,545	(2,445 - 2,638)	2,928	(2,824 - 3,026)
Connecticut	2,288	(2,217 - 2,354)	194	(183 - 205)	266	(253 - 279)	1,827	(1,762 - 1,887)	2,093	(2,025 - 2,157)
Delaware	564	(545 - 582)	44	(42 - 46)	71	(67 - 74)	449	(431 - 466)	520	(501 - 537)
District of Columbia	422	(409 - 434)	18	(17 - 19)	68	(65 - 71)	336	(324 - 347)	404	(392 - 416)
Florida	12,486	(12,238 - 12,726)	996	(967 - 1,023)	1,400	(1,361 - 1,438)	10,090	(9,847 - 10,321)	11,490	(11,243 - 11,726)
Georgia	5,944	(5,749 - 6,130)	559	(529 - 587)	757	(723 - 790)	4,628	(4,442 - 4,801)	5,385	(5,195 - 5,565)
Hawaii	826	(797 - 853)	61	(57 - 65)	97	(92 - 102)	668	(641 - 693)	765	(736 - 791)
Idaho	909	(876 - 941)	91	(86 - 96)	113	(107 - 118)	705	(675 - 734)	818	(786 - 848)
Illinois	7,509	(7,349 - 7,665)	666	(641 - 691)	892	(859 - 924)	5,951	(5,801 - 6,096)	6,843	(6,686 - 6,995)
Indiana	3,748	(3,610 - 3,880)	347	(327 - 366)	478	(451 - 502)	2,924	(2,794 - 3,046)	3,401	(3,266 - 3,530)
Iowa	1,733	(1,666 - 1,797)	158	(149 - 168)	221	(208 - 234)	1,353	(1,292 - 1,410)	1,574	(1,510 - 1,636)
Kansas	1,591	(1,532 - 1,649)	148	(139 - 157)	203	(191 - 214)	1,240	(1,186 - 1,292)	1,443	(1,386 - 1,498)
Kentucky	2,277	(2,174 - 2,377)	207	(194 - 220)	269	(251 - 286)	1,801	(1,705 - 1,893)	2,069	(1,969 - 2,167)
Louisiana	2,630	(2,539 - 2,717)	233	(219 - 246)	338	(321 - 354)	2,059	(1,974 - 2,140)	2,397	(2,309 - 2,481)
Maine	784	(753 - 813)	60	(57 - 64)	82	(77 - 86)	642	(613 - 669)	723	(693 - 752)
Maryland	3,647	(3,522 - 3,765)	309	(291 - 326)	425	(403 - 447)	2,912	(2,797 - 3,020)	3,338	(3,217 - 3,451)
Massachusetts	4,190	(4,049 - 4,323)	325	(306 - 342)	534	(508 - 560)	3,330	(3,198 - 3,453)	3,865	(3,727 - 3,994)
Michigan	5,618	(5,492 - 5,740)	507	(488 - 524)	689	(663 - 714)	4,422	(4,304 - 4,537)	5,111	(4,988 - 5,230)
Minnesota	3,140	(3,027 - 3,248)	270	(254 - 286)	368	(347 - 388)	2,501	(2,394 - 2,602)	2,869	(2,758 - 2,975)
Mississippi	1,613	(1,551 - 1,672)	143	(134 - 153)	208	(196 - 220)	1,261	(1,204 - 1,315)	1,469	(1,408 - 1,527)
Missouri	3,215	(3,080 - 3,347)	282	(263 - 300)	386	(361 - 411)	2,547	(2,422 - 2,667)	2,934	(2,802 - 3,061)
Montana	599	(576 - 620)	48	(45 - 51)	69	(65 - 73)	482	(460 - 501)	551	(529 - 572)

(continued)

Table 15 Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	1,001	(958 - 1,043)	97	(91 - 103)	128	(120 - 136)	776	(736 - 813)	904	(862 - 944)
Nevada	1,637	(1,575 - 1,696)	137	(128 - 146)	189	(179 - 199)	1,311	(1,253 - 1,364)	1,500	(1,440 - 1,556)
New Hampshire	829	(802 - 855)	67	(63 - 70)	94	(89 - 98)	669	(643 - 692)	762	(736 - 787)
New Jersey	5,652	(5,485 - 5,810)	467	(443 - 490)	628	(600 - 654)	4,557	(4,400 - 4,703)	5,185	(5,022 - 5,337)
New Mexico	1,201	(1,157 - 1,243)	99	(92 - 105)	145	(137 - 153)	957	(916 - 996)	1,103	(1,060 - 1,143)
New York	12,512	(12,285 - 12,731)	967	(937 - 996)	1,577	(1,528 - 1,623)	9,968	(9,754 - 10,172)	11,545	(11,322 - 11,758)
North Carolina	5,689	(5,489 - 5,881)	503	(475 - 529)	676	(642 - 710)	4,510	(4,323 - 4,686)	5,187	(4,991 - 5,372)
North Dakota	386	(371 - 401)	32	(30 - 33)	62	(58 - 65)	293	(279 - 306)	354	(340 - 369)
Ohio	6,371	(6,212 - 6,527)	597	(575 - 618)	765	(736 - 793)	5,010	(4,859 - 5,157)	5,775	(5,619 - 5,927)
Oklahoma	2,082	(1,997 - 2,164)	193	(180 - 205)	273	(258 - 287)	1,617	(1,536 - 1,693)	1,889	(1,806 - 1,969)
Oregon	2,356	(2,271 - 2,438)	187	(176 - 197)	272	(257 - 285)	1,898	(1,817 - 1,973)	2,169	(2,086 - 2,248)
Pennsylvania	7,488	(7,320 - 7,652)	593	(571 - 615)	869	(837 - 900)	6,026	(5,865 - 6,181)	6,895	(6,730 - 7,055)
Rhode Island	666	(644 - 687)	50	(47 - 53)	93	(88 - 97)	523	(502 - 542)	616	(594 - 636)
South Carolina	2,606	(2,500 - 2,708)	233	(219 - 247)	326	(308 - 344)	2,046	(1,947 - 2,141)	2,372	(2,269 - 2,471)
South Dakota	456	(438 - 473)	44	(41 - 46)	59	(55 - 62)	354	(337 - 370)	412	(395 - 429)
Tennessee	3,643	(3,504 - 3,778)	321	(301 - 339)	443	(417 - 467)	2,880	(2,750 - 3,004)	3,322	(3,186 - 3,453)
Texas	15,238	(14,942 - 15,527)	1,519	(1,468 - 1,568)	2,055	(1,994 - 2,114)	11,664	(11,388 - 11,931)	13,719	(13,431 - 13,998)
Utah	1,680	(1,625 - 1,731)	201	(190 - 211)	263	(250 - 275)	1,216	(1,167 - 1,261)	1,479	(1,427 - 1,528)
Vermont	392	(378 - 405)	30	(28 - 31)	49	(46 - 51)	314	(301 - 325)	362	(349 - 375)
Virginia	4,867	(4,700 - 5,025)	418	(396 - 438)	584	(553 - 614)	3,865	(3,711 - 4,009)	4,449	(4,286 - 4,603)
Washington	4,179	(4,034 - 4,316)	347	(326 - 367)	472	(444 - 498)	3,360	(3,228 - 3,483)	3,832	(3,692 - 3,963)
West Virginia	1,003	(962 - 1,043)	81	(76 - 85)	113	(106 - 120)	810	(771 - 847)	923	(883 - 962)
Wisconsin	3,370	(3,247 - 3,487)	308	(292 - 323)	405	(382 - 427)	2,657	(2,542 - 2,765)	3,062	(2,941 - 3,177)
Wyoming	322	(309 - 333)	27	(25 - 29)	39	(37 - 41)	255	(244 - 266)	294	(282 - 306)

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 16 Alcohol Dependence or Abuse in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	17,147	(16,614 - 17,695)	688	(636 - 744)	4,407	(4,241 - 4,578)	12,052	(11,562 - 12,561)	16,459	(15,931 - 17,003)
Northeast	3,154	(2,958 - 3,363)	120	(105 - 137)	807	(754 - 863)	2,227	(2,046 - 2,424)	3,034	(2,840 - 3,240)
Midwest	3,711	(3,523 - 3,909)	146	(130 - 163)	1,006	(954 - 1,060)	2,560	(2,387 - 2,744)	3,566	(3,380 - 3,761)
South	6,085	(5,781 - 6,404)	249	(225 - 275)	1,501	(1,426 - 1,579)	4,336	(4,054 - 4,636)	5,837	(5,536 - 6,152)
West	4,196	(3,945 - 4,461)	173	(150 - 200)	1,094	(1,023 - 1,168)	2,929	(2,697 - 3,180)	4,023	(3,775 - 4,285)
Alabama	233	(196 - 276)	11	(8 - 15)	57	(48 - 69)	164	(132 - 204)	222	(186 - 264)
Alaska	39	(33 - 46)	1	(1 - 2)	11	(9 - 13)	27	(22 - 34)	38	(32 - 45)
Arizona	418	(352 - 494)	18	(13 - 25)	96	(80 - 114)	304	(245 - 375)	399	(335 - 474)
Arkansas	128	(106 - 153)	6	(5 - 9)	33	(27 - 40)	89	(70 - 112)	121	(101 - 146)
California	2,127	(1,925 - 2,348)	85	(67 - 107)	582	(522 - 647)	1,460	(1,278 - 1,667)	2,042	(1,843 - 2,260)
Colorado	329	(280 - 385)	14	(10 - 19)	81	(69 - 96)	234	(190 - 287)	315	(267 - 370)
Connecticut	206	(175 - 242)	8	(5 - 11)	54	(45 - 65)	144	(116 - 179)	198	(168 - 234)
Delaware	48	(41 - 57)	2	(1 - 2)	14	(12 - 17)	32	(25 - 41)	46	(39 - 55)
District of Columbia	55	(47 - 64)	1	(1 - 1)	14	(12 - 17)	40	(33 - 49)	54	(46 - 63)
Florida	1,008	(899 - 1,129)	39	(31 - 48)	214	(189 - 241)	755	(654 - 871)	969	(862 - 1,089)
Georgia	506	(428 - 596)	20	(14 - 27)	131	(111 - 154)	355	(286 - 441)	486	(410 - 575)
Hawaii	78	(64 - 93)	2	(2 - 4)	18	(15 - 22)	57	(45 - 72)	75	(62 - 91)
Idaho	88	(75 - 102)	5	(4 - 7)	22	(18 - 26)	61	(50 - 75)	83	(71 - 97)
Illinois	661	(589 - 741)	23	(18 - 30)	183	(163 - 206)	454	(389 - 530)	637	(567 - 716)
Indiana	364	(311 - 426)	16	(12 - 23)	98	(82 - 117)	250	(204 - 306)	348	(296 - 408)
Iowa	160	(135 - 189)	6	(4 - 9)	49	(41 - 58)	105	(84 - 131)	154	(129 - 182)
Kansas	174	(148 - 205)	7	(5 - 9)	45	(38 - 53)	122	(99 - 151)	167	(142 - 197)
Kentucky	202	(167 - 243)	8	(6 - 12)	56	(46 - 67)	138	(108 - 176)	193	(159 - 234)
Louisiana	228	(192 - 272)	10	(7 - 13)	53	(43 - 64)	166	(134 - 206)	219	(183 - 261)
Maine	65	(55 - 79)	3	(2 - 4)	17	(14 - 20)	46	(36 - 58)	63	(52 - 76)
Maryland	331	(277 - 394)	12	(9 - 17)	75	(62 - 91)	243	(195 - 303)	319	(266 - 381)
Massachusetts	383	(325 - 450)	15	(11 - 20)	112	(94 - 134)	255	(206 - 315)	368	(312 - 433)
Michigan	510	(457 - 569)	19	(15 - 25)	142	(126 - 160)	349	(301 - 403)	491	(439 - 549)
Minnesota	286	(240 - 339)	10	(7 - 14)	77	(65 - 92)	198	(158 - 248)	276	(231 - 328)
Mississippi	141	(118 - 169)	6	(4 - 8)	34	(28 - 42)	101	(81 - 126)	135	(113 - 163)
Missouri	320	(271 - 377)	13	(9 - 17)	85	(71 - 102)	222	(179 - 274)	307	(260 - 363)
Montana	65	(56 - 76)	3	(2 - 4)	17	(15 - 20)	45	(37 - 56)	63	(53 - 73)

(continued)

Table 16 Alcohol Dependence or Abuse in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	115	(98 - 135)	4	(3 - 6)	33	(28 - 39)	78	(63 - 96)	111	(94 - 130)
Nevada	158	(133 - 188)	7	(5 - 10)	36	(30 - 43)	116	(93 - 143)	152	(127 - 180)
New Hampshire	87	(74 - 102)	4	(3 - 5)	24	(20 - 29)	59	(48 - 73)	83	(70 - 98)
New Jersey	486	(412 - 573)	23	(17 - 32)	106	(89 - 126)	357	(290 - 438)	463	(391 - 548)
New Mexico	118	(100 - 140)	4	(3 - 6)	30	(25 - 36)	84	(67 - 104)	114	(96 - 135)
New York	1,101	(985 - 1,229)	39	(31 - 50)	267	(235 - 302)	795	(690 - 915)	1,062	(948 - 1,188)
North Carolina	501	(422 - 593)	20	(14 - 27)	129	(108 - 153)	352	(283 - 438)	481	(404 - 572)
North Dakota	47	(40 - 54)	2	(1 - 3)	15	(13 - 17)	30	(25 - 36)	45	(39 - 52)
Ohio	646	(575 - 724)	25	(20 - 32)	160	(142 - 181)	460	(396 - 533)	620	(551 - 698)
Oklahoma	200	(166 - 241)	7	(5 - 9)	48	(40 - 58)	146	(115 - 184)	194	(160 - 234)
Oregon	233	(197 - 276)	10	(7 - 13)	56	(47 - 67)	167	(135 - 207)	223	(188 - 265)
Pennsylvania	717	(638 - 806)	25	(20 - 32)	194	(172 - 217)	499	(427 - 582)	692	(615 - 779)
Rhode Island	69	(59 - 82)	2	(2 - 3)	21	(18 - 26)	46	(37 - 56)	67	(57 - 79)
South Carolina	235	(197 - 279)	9	(7 - 13)	55	(46 - 67)	170	(137 - 212)	226	(189 - 269)
South Dakota	53	(45 - 62)	2	(1 - 3)	14	(12 - 17)	36	(29 - 44)	51	(43 - 59)
Tennessee	293	(244 - 350)	13	(9 - 18)	81	(66 - 98)	200	(158 - 252)	280	(233 - 336)
Texas	1,396	(1,263 - 1,541)	66	(53 - 81)	349	(311 - 391)	981	(859 - 1,118)	1,330	(1,200 - 1,473)
Utah	124	(104 - 148)	7	(5 - 10)	42	(34 - 51)	75	(59 - 95)	117	(97 - 140)
Vermont	39	(33 - 46)	2	(1 - 2)	11	(9 - 13)	26	(21 - 33)	37	(32 - 44)
Virginia	484	(415 - 563)	17	(13 - 24)	136	(114 - 160)	331	(272 - 402)	466	(399 - 544)
Washington	383	(324 - 453)	15	(11 - 21)	94	(79 - 112)	273	(220 - 338)	368	(310 - 436)
West Virginia	100	(84 - 118)	4	(3 - 6)	23	(19 - 27)	72	(58 - 90)	95	(80 - 114)
Wisconsin	376	(319 - 441)	17	(13 - 23)	103	(87 - 120)	256	(206 - 316)	358	(303 - 422)
Wyoming	36	(31 - 43)	2	(1 - 2)	9	(8 - 11)	25	(21 - 31)	35	(29 - 41)

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 17 Alcohol Dependence in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	8,031	(7,668 - 8,409)	250	(219 - 285)	1,955	(1,850 - 2,067)	5,825	(5,482 - 6,188)	7,780	(7,420 - 8,158)
Northeast	1,430	(1,311 - 1,559)	42	(35 - 51)	334	(300 - 371)	1,054	(944 - 1,175)	1,387	(1,269 - 1,516)
Midwest	1,725	(1,608 - 1,850)	55	(47 - 65)	433	(400 - 469)	1,237	(1,130 - 1,353)	1,670	(1,554 - 1,794)
South	2,868	(2,674 - 3,075)	90	(76 - 107)	665	(614 - 721)	2,113	(1,935 - 2,306)	2,778	(2,587 - 2,983)
West	2,008	(1,846 - 2,184)	63	(51 - 77)	523	(473 - 578)	1,422	(1,274 - 1,586)	1,945	(1,785 - 2,120)
Alabama	121	(95 - 153)	4	(3 - 5)	25	(19 - 34)	92	(69 - 122)	117	(91 - 149)
Alaska	19	(15 - 23)	0	(0 - 1)	5	(4 - 7)	13	(10 - 17)	18	(14 - 23)
Arizona	189	(148 - 240)	6	(4 - 9)	42	(32 - 54)	141	(105 - 190)	183	(143 - 234)
Arkansas	67	(52 - 85)	2	(2 - 3)	16	(12 - 21)	48	(36 - 65)	64	(50 - 82)
California	1,062	(929 - 1,213)	32	(23 - 43)	299	(257 - 348)	731	(613 - 872)	1,030	(899 - 1,180)
Colorado	141	(113 - 177)	5	(3 - 7)	32	(25 - 42)	104	(79 - 137)	137	(109 - 171)
Connecticut	89	(71 - 112)	3	(2 - 4)	23	(17 - 30)	64	(47 - 85)	86	(68 - 109)
Delaware	22	(17 - 28)	1	(0 - 1)	5	(4 - 7)	16	(12 - 21)	21	(17 - 27)
District of Columbia	24	(19 - 31)	0	(0 - 0)	6	(4 - 8)	18	(14 - 24)	24	(19 - 30)
Florida	464	(391 - 550)	13	(9 - 18)	90	(75 - 109)	361	(293 - 444)	451	(379 - 537)
Georgia	253	(203 - 314)	8	(5 - 12)	65	(51 - 83)	180	(137 - 236)	245	(196 - 306)
Hawaii	40	(31 - 51)	1	(1 - 1)	9	(7 - 12)	29	(22 - 40)	39	(30 - 50)
Idaho	41	(33 - 52)	2	(1 - 2)	10	(8 - 13)	30	(23 - 39)	40	(32 - 50)
Illinois	318	(273 - 370)	10	(7 - 13)	84	(70 - 100)	224	(184 - 272)	308	(264 - 360)
Indiana	177	(142 - 221)	6	(4 - 9)	46	(36 - 60)	125	(95 - 164)	171	(136 - 214)
Iowa	74	(58 - 93)	3	(2 - 4)	19	(15 - 25)	52	(39 - 69)	71	(56 - 90)
Kansas	78	(63 - 98)	3	(2 - 4)	18	(14 - 24)	57	(43 - 76)	76	(60 - 95)
Kentucky	93	(71 - 121)	3	(2 - 5)	22	(16 - 29)	68	(49 - 94)	90	(69 - 118)
Louisiana	120	(95 - 151)	3	(2 - 5)	29	(22 - 38)	88	(66 - 116)	117	(92 - 148)
Maine	31	(24 - 40)	1	(1 - 1)	6	(5 - 8)	24	(17 - 32)	30	(23 - 38)
Maryland	151	(119 - 192)	4	(3 - 6)	33	(24 - 43)	115	(87 - 153)	148	(116 - 188)
Massachusetts	160	(125 - 205)	5	(3 - 7)	41	(31 - 55)	114	(84 - 155)	156	(121 - 200)
Michigan	253	(218 - 295)	8	(6 - 10)	67	(56 - 80)	179	(146 - 218)	246	(210 - 287)
Minnesota	121	(95 - 155)	4	(3 - 6)	29	(22 - 38)	88	(65 - 119)	117	(91 - 151)
Mississippi	74	(59 - 93)	2	(1 - 3)	18	(14 - 24)	54	(41 - 72)	72	(57 - 91)
Missouri	141	(111 - 179)	5	(3 - 7)	34	(26 - 45)	102	(76 - 137)	136	(107 - 174)
Montana	30	(24 - 37)	1	(1 - 1)	7	(6 - 10)	21	(16 - 28)	29	(23 - 36)

(continued)

Table 17 Alcohol Dependence in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	53	(42 - 66)	2	(1 - 2)	15	(11 - 19)	37	(28 - 49)	51	(41 - 64)
Nevada	76	(60 - 96)	2	(2 - 3)	17	(13 - 23)	56	(42 - 74)	74	(58 - 93)
New Hampshire	40	(32 - 50)	1	(1 - 2)	10	(8 - 13)	29	(22 - 38)	39	(31 - 49)
New Jersey	210	(165 - 268)	7	(5 - 10)	43	(32 - 56)	160	(120 - 215)	203	(158 - 260)
New Mexico	58	(46 - 75)	2	(1 - 3)	13	(10 - 18)	43	(32 - 58)	57	(44 - 73)
New York	546	(470 - 634)	15	(11 - 21)	125	(103 - 151)	406	(336 - 489)	531	(455 - 618)
North Carolina	237	(187 - 299)	7	(5 - 10)	51	(40 - 66)	178	(134 - 237)	230	(181 - 291)
North Dakota	21	(17 - 26)	1	(0 - 1)	7	(5 - 9)	14	(11 - 18)	21	(17 - 26)
Ohio	302	(258 - 352)	9	(7 - 12)	62	(51 - 75)	230	(190 - 279)	293	(250 - 343)
Oklahoma	90	(70 - 115)	3	(2 - 4)	20	(15 - 26)	67	(50 - 92)	87	(68 - 112)
Oregon	107	(85 - 135)	3	(2 - 5)	25	(19 - 32)	79	(60 - 105)	104	(82 - 131)
Pennsylvania	302	(256 - 356)	9	(7 - 12)	73	(60 - 87)	220	(179 - 271)	293	(248 - 346)
Rhode Island	33	(26 - 41)	1	(1 - 1)	9	(7 - 12)	23	(17 - 30)	32	(25 - 40)
South Carolina	117	(92 - 149)	3	(2 - 5)	28	(21 - 37)	86	(64 - 116)	114	(89 - 146)
South Dakota	24	(19 - 29)	1	(0 - 1)	6	(5 - 8)	16	(12 - 22)	23	(18 - 29)
Tennessee	136	(105 - 176)	5	(3 - 7)	33	(25 - 45)	98	(72 - 134)	132	(101 - 171)
Texas	627	(542 - 724)	25	(19 - 34)	154	(129 - 183)	448	(373 - 537)	601	(518 - 698)
Utah	62	(48 - 79)	3	(2 - 4)	18	(14 - 24)	40	(29 - 56)	59	(45 - 76)
Vermont	18	(15 - 23)	1	(0 - 1)	5	(3 - 6)	13	(10 - 18)	18	(14 - 23)
Virginia	224	(182 - 275)	6	(4 - 9)	60	(47 - 76)	159	(123 - 204)	218	(177 - 269)
Washington	166	(132 - 208)	6	(4 - 8)	40	(30 - 52)	120	(91 - 159)	160	(126 - 202)
West Virginia	48	(38 - 61)	2	(1 - 2)	10	(8 - 13)	36	(27 - 48)	46	(37 - 59)
Wisconsin	163	(130 - 203)	6	(4 - 9)	44	(34 - 57)	113	(85 - 149)	157	(125 - 197)
Wyoming	17	(14 - 22)	1	(0 - 1)	4	(3 - 6)	12	(9 - 16)	17	(13 - 21)

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 18 Illicit Drug Dependence or Abuse in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	6,964	(6,652 - 7,291)	871	(813 - 934)	2,439	(2,317 - 2,566)	3,654	(3,383 - 3,948)	6,093	(5,788 - 6,414)
Northeast	1,328	(1,217 - 1,450)	136	(120 - 154)	466	(428 - 508)	726	(631 - 836)	1,192	(1,084 - 1,312)
Midwest	1,434	(1,332 - 1,544)	174	(157 - 193)	513	(476 - 552)	748	(662 - 844)	1,261	(1,162 - 1,367)
South	2,484	(2,325 - 2,654)	322	(293 - 353)	845	(790 - 905)	1,317	(1,180 - 1,470)	2,163	(2,009 - 2,328)
West	1,717	(1,576 - 1,871)	240	(211 - 272)	615	(560 - 674)	863	(748 - 995)	1,478	(1,341 - 1,627)
Alabama	107	(84 - 135)	11	(8 - 15)	32	(25 - 42)	63	(45 - 89)	96	(74 - 124)
Alaska	19	(15 - 23)	2	(1 - 3)	7	(6 - 9)	9	(7 - 13)	17	(13 - 21)
Arizona	177	(140 - 222)	24	(18 - 33)	55	(43 - 70)	97	(69 - 136)	152	(118 - 196)
Arkansas	58	(46 - 74)	8	(6 - 11)	19	(15 - 24)	31	(22 - 44)	50	(38 - 65)
California	876	(768 - 998)	125	(104 - 150)	336	(292 - 387)	415	(331 - 519)	751	(647 - 871)
Colorado	128	(102 - 159)	18	(14 - 24)	45	(36 - 57)	64	(46 - 90)	110	(85 - 140)
Connecticut	88	(70 - 110)	9	(7 - 13)	35	(27 - 44)	44	(31 - 62)	78	(61 - 100)
Delaware	27	(21 - 34)	2	(2 - 3)	10	(8 - 12)	15	(11 - 21)	25	(19 - 31)
District of Columbia	20	(16 - 25)	1	(1 - 2)	7	(6 - 9)	11	(8 - 16)	19	(14 - 24)
Florida	410	(353 - 477)	58	(48 - 70)	136	(117 - 158)	216	(168 - 277)	352	(297 - 418)
Georgia	238	(191 - 297)	28	(21 - 36)	80	(64 - 99)	131	(94 - 182)	211	(165 - 268)
Hawaii	26	(20 - 35)	3	(2 - 4)	9	(7 - 12)	14	(10 - 21)	24	(18 - 32)
Idaho	31	(25 - 39)	5	(4 - 7)	10	(8 - 13)	16	(11 - 23)	26	(20 - 33)
Illinois	267	(230 - 311)	35	(29 - 43)	98	(83 - 114)	134	(105 - 172)	232	(196 - 274)
Indiana	155	(124 - 192)	16	(12 - 22)	61	(48 - 77)	77	(55 - 109)	138	(109 - 176)
Iowa	56	(44 - 71)	7	(5 - 10)	22	(17 - 28)	27	(18 - 39)	49	(37 - 64)
Kansas	55	(43 - 71)	8	(6 - 11)	19	(15 - 25)	28	(19 - 41)	47	(36 - 62)
Kentucky	96	(76 - 122)	10	(7 - 13)	31	(25 - 40)	55	(40 - 77)	87	(67 - 111)
Louisiana	112	(88 - 142)	13	(10 - 18)	36	(28 - 45)	63	(44 - 88)	98	(76 - 128)
Maine	30	(24 - 38)	3	(2 - 4)	10	(8 - 13)	17	(12 - 24)	27	(21 - 35)
Maryland	140	(111 - 175)	17	(13 - 23)	52	(41 - 66)	71	(49 - 101)	122	(95 - 158)
Massachusetts	173	(138 - 217)	18	(13 - 23)	65	(52 - 82)	90	(64 - 127)	156	(122 - 199)
Michigan	205	(174 - 242)	26	(21 - 32)	67	(56 - 79)	112	(86 - 146)	179	(149 - 215)
Minnesota	107	(84 - 136)	12	(9 - 17)	38	(30 - 48)	57	(39 - 82)	95	(73 - 123)
Mississippi	65	(51 - 83)	8	(6 - 10)	22	(17 - 28)	36	(25 - 52)	58	(44 - 75)
Missouri	129	(102 - 163)	14	(11 - 19)	50	(39 - 64)	65	(46 - 92)	115	(89 - 148)
Montana	18	(14 - 23)	2	(2 - 3)	7	(5 - 9)	9	(6 - 13)	16	(12 - 21)

(continued)

Table 18 Illicit Drug Dependence or Abuse in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	37	(30 - 47)	5	(4 - 7)	14	(11 - 18)	18	(13 - 26)	32	(25 - 41)
Nevada	62	(49 - 78)	9	(7 - 12)	20	(16 - 26)	33	(23 - 47)	53	(41 - 69)
New Hampshire	32	(25 - 40)	4	(3 - 5)	12	(9 - 15)	16	(11 - 23)	28	(22 - 36)
New Jersey	178	(142 - 222)	22	(17 - 28)	64	(51 - 80)	92	(65 - 129)	156	(122 - 199)
New Mexico	51	(40 - 66)	7	(5 - 9)	14	(11 - 18)	31	(22 - 43)	45	(34 - 59)
New York	483	(416 - 561)	47	(38 - 59)	159	(135 - 186)	278	(221 - 348)	436	(371 - 513)
North Carolina	229	(186 - 282)	28	(21 - 37)	75	(60 - 94)	126	(93 - 171)	202	(161 - 253)
North Dakota	14	(11 - 18)	1	(1 - 2)	6	(5 - 8)	6	(4 - 9)	12	(9 - 16)
Ohio	267	(230 - 310)	28	(23 - 35)	89	(76 - 105)	149	(119 - 188)	239	(203 - 281)
Oklahoma	74	(57 - 95)	9	(7 - 13)	27	(21 - 36)	37	(25 - 55)	65	(49 - 85)
Oregon	99	(79 - 124)	13	(10 - 17)	32	(26 - 40)	54	(38 - 75)	86	(67 - 110)
Pennsylvania	297	(256 - 345)	28	(23 - 35)	105	(90 - 122)	164	(130 - 208)	269	(229 - 316)
Rhode Island	30	(24 - 38)	3	(2 - 4)	11	(8 - 14)	17	(12 - 23)	27	(21 - 35)
South Carolina	102	(81 - 128)	12	(9 - 15)	35	(28 - 45)	55	(39 - 77)	90	(70 - 116)
South Dakota	15	(12 - 19)	2	(1 - 3)	6	(4 - 8)	7	(5 - 11)	13	(10 - 17)
Tennessee	125	(98 - 158)	17	(13 - 22)	41	(32 - 53)	67	(47 - 96)	108	(83 - 141)
Texas	464	(397 - 543)	78	(63 - 96)	163	(137 - 193)	224	(171 - 291)	387	(323 - 462)
Utah	61	(49 - 76)	10	(8 - 13)	23	(18 - 30)	28	(20 - 40)	51	(40 - 66)
Vermont	17	(13 - 21)	2	(1 - 2)	7	(5 - 8)	9	(6 - 12)	15	(12 - 19)
Virginia	171	(138 - 211)	18	(14 - 24)	65	(52 - 81)	88	(64 - 120)	153	(121 - 193)
Washington	159	(127 - 197)	20	(15 - 26)	52	(41 - 66)	87	(63 - 119)	139	(109 - 177)
West Virginia	46	(37 - 59)	4	(3 - 6)	14	(11 - 18)	28	(20 - 39)	42	(33 - 54)
Wisconsin	126	(100 - 159)	17	(13 - 23)	43	(33 - 55)	66	(46 - 93)	109	(84 - 141)
Wyoming	11	(8 - 13)	2	(1 - 2)	4	(3 - 5)	5	(4 - 8)	9	(7 - 12)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 19 Illicit Drug Dependence in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	4,954	(4,686 - 5,237)	467	(426 - 513)	1,735	(1,632 - 1,844)	2,752	(2,515 - 3,010)	4,486	(4,223 - 4,766)
Northeast	992	(896 - 1,099)	73	(63 - 86)	342	(307 - 380)	577	(497 - 671)	919	(825 - 1,024)
Midwest	1,037	(957 - 1,123)	98	(87 - 111)	369	(336 - 405)	569	(503 - 644)	939	(861 - 1,023)
South	1,739	(1,596 - 1,894)	176	(156 - 199)	584	(536 - 636)	978	(854 - 1,120)	1,562	(1,422 - 1,716)
West	1,186	(1,073 - 1,310)	119	(102 - 139)	440	(390 - 495)	627	(536 - 733)	1,066	(957 - 1,187)
Alabama	78	(60 - 100)	6	(4 - 9)	24	(18 - 33)	47	(33 - 66)	71	(54 - 93)
Alaska	13	(10 - 16)	1	(1 - 2)	5	(4 - 7)	6	(4 - 9)	12	(9 - 15)
Arizona	104	(81 - 132)	11	(8 - 16)	34	(25 - 47)	58	(41 - 82)	92	(70 - 121)
Arkansas	41	(32 - 53)	5	(3 - 6)	14	(10 - 19)	23	(16 - 32)	36	(27 - 48)
California	627	(539 - 729)	62	(49 - 79)	249	(207 - 298)	316	(248 - 402)	565	(479 - 665)
Colorado	84	(67 - 107)	9	(6 - 12)	31	(23 - 42)	44	(31 - 62)	76	(59 - 97)
Connecticut	68	(53 - 87)	5	(4 - 7)	28	(20 - 38)	34	(24 - 49)	63	(48 - 81)
Delaware	21	(17 - 27)	1	(1 - 2)	8	(6 - 10)	12	(8 - 17)	20	(15 - 25)
District of Columbia	16	(12 - 21)	1	(0 - 1)	5	(4 - 7)	10	(7 - 14)	15	(12 - 20)
Florida	291	(243 - 349)	32	(25 - 41)	103	(86 - 123)	156	(116 - 209)	259	(212 - 317)
Georgia	165	(129 - 210)	16	(12 - 21)	53	(39 - 70)	96	(68 - 136)	149	(114 - 194)
Hawaii	20	(15 - 26)	2	(1 - 2)	7	(5 - 9)	12	(8 - 17)	18	(13 - 24)
Idaho	20	(16 - 26)	3	(2 - 4)	7	(5 - 9)	11	(8 - 16)	18	(13 - 24)
Illinois	190	(160 - 225)	18	(14 - 23)	69	(56 - 85)	103	(80 - 132)	172	(143 - 207)
Indiana	109	(86 - 137)	10	(8 - 14)	43	(32 - 58)	55	(40 - 77)	98	(77 - 126)
Iowa	40	(31 - 52)	4	(3 - 6)	15	(11 - 21)	21	(15 - 30)	36	(27 - 47)
Kansas	37	(29 - 48)	4	(3 - 6)	13	(9 - 18)	21	(14 - 29)	33	(25 - 44)
Kentucky	72	(55 - 93)	6	(4 - 8)	22	(16 - 30)	44	(31 - 63)	66	(50 - 88)
Louisiana	71	(56 - 92)	7	(5 - 9)	23	(16 - 31)	42	(30 - 59)	65	(49 - 85)
Maine	21	(17 - 27)	2	(1 - 2)	8	(6 - 10)	12	(8 - 17)	20	(15 - 26)
Maryland	103	(81 - 130)	10	(7 - 14)	36	(26 - 48)	57	(41 - 80)	93	(72 - 120)
Massachusetts	122	(95 - 156)	9	(7 - 13)	46	(34 - 61)	67	(47 - 95)	113	(87 - 147)
Michigan	144	(120 - 173)	14	(11 - 19)	45	(37 - 56)	84	(64 - 111)	130	(106 - 159)
Minnesota	76	(59 - 98)	7	(5 - 9)	24	(18 - 33)	45	(32 - 64)	70	(53 - 92)
Mississippi	46	(35 - 59)	5	(3 - 7)	15	(11 - 21)	26	(18 - 37)	41	(31 - 54)
Missouri	101	(80 - 126)	9	(7 - 13)	40	(30 - 53)	51	(37 - 72)	91	(72 - 117)
Montana	14	(11 - 18)	1	(1 - 2)	5	(4 - 7)	7	(5 - 11)	12	(9 - 17)

(continued)

Table 19 Illicit Drug Dependence in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	26	(21 - 34)	3	(2 - 4)	11	(8 - 15)	13	(9 - 19)	24	(18 - 31)
Nevada	43	(34 - 55)	5	(3 - 7)	15	(11 - 20)	24	(17 - 34)	39	(30 - 51)
New Hampshire	22	(18 - 28)	2	(1 - 3)	8	(6 - 11)	12	(9 - 17)	20	(16 - 26)
New Jersey	131	(103 - 168)	11	(8 - 15)	44	(33 - 57)	77	(55 - 108)	121	(93 - 156)
New Mexico	32	(25 - 42)	3	(2 - 4)	9	(7 - 13)	20	(14 - 28)	29	(22 - 39)
New York	375	(316 - 446)	24	(19 - 32)	119	(97 - 144)	232	(182 - 296)	351	(292 - 421)
North Carolina	143	(112 - 182)	14	(10 - 19)	46	(33 - 62)	83	(60 - 116)	129	(99 - 168)
North Dakota	10	(8 - 13)	1	(1 - 1)	4	(3 - 6)	5	(3 - 7)	9	(7 - 12)
Ohio	203	(172 - 239)	17	(13 - 22)	68	(56 - 83)	118	(92 - 150)	186	(156 - 222)
Oklahoma	49	(37 - 64)	5	(3 - 7)	17	(12 - 24)	27	(18 - 39)	44	(33 - 59)
Oregon	69	(55 - 87)	6	(5 - 9)	24	(18 - 32)	39	(28 - 54)	63	(49 - 81)
Pennsylvania	219	(187 - 257)	17	(13 - 22)	77	(63 - 92)	125	(99 - 159)	202	(170 - 239)
Rhode Island	20	(16 - 26)	2	(1 - 2)	7	(5 - 10)	11	(8 - 16)	18	(14 - 24)
South Carolina	75	(59 - 95)	7	(5 - 10)	26	(19 - 35)	42	(30 - 59)	68	(52 - 88)
South Dakota	10	(8 - 13)	1	(1 - 2)	4	(3 - 5)	5	(4 - 8)	9	(7 - 12)
Tennessee	93	(72 - 121)	9	(7 - 13)	29	(21 - 41)	55	(38 - 78)	84	(63 - 112)
Texas	323	(271 - 383)	40	(31 - 52)	111	(90 - 138)	171	(130 - 224)	282	(233 - 342)
Utah	41	(32 - 54)	5	(3 - 7)	15	(11 - 21)	22	(15 - 31)	37	(27 - 49)
Vermont	13	(10 - 16)	1	(1 - 1)	6	(4 - 7)	6	(5 - 9)	12	(9 - 15)
Virginia	120	(94 - 153)	11	(8 - 15)	42	(31 - 56)	67	(48 - 95)	109	(84 - 142)
Washington	110	(87 - 139)	11	(8 - 15)	36	(27 - 49)	63	(46 - 88)	99	(77 - 128)
West Virginia	33	(26 - 42)	2	(2 - 3)	11	(8 - 15)	20	(14 - 27)	30	(23 - 39)
Wisconsin	91	(71 - 116)	10	(7 - 14)	33	(24 - 46)	47	(33 - 67)	80	(61 - 106)
Wyoming	8	(6 - 10)	1	(1 - 1)	3	(2 - 4)	4	(3 - 6)	7	(5 - 9)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 20 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs*

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	21,521	(20,937 - 22,119)	1,276	(1,205 - 1,352)	5,855	(5,668 - 6,046)	14,390	(13,857 - 14,941)	20,245	(19,668 - 20,837)
Northeast	3,969	(3,763 - 4,187)	207	(188 - 227)	1,087	(1,030 - 1,147)	2,676	(2,485 - 2,879)	3,763	(3,560 - 3,977)
Midwest	4,635	(4,439 - 4,838)	266	(244 - 289)	1,305	(1,245 - 1,368)	3,064	(2,886 - 3,253)	4,369	(4,177 - 4,569)
South	7,664	(7,338 - 8,002)	476	(440 - 516)	2,002	(1,914 - 2,093)	5,186	(4,888 - 5,501)	7,188	(6,868 - 7,520)
West	5,252	(4,982 - 5,535)	328	(296 - 363)	1,461	(1,380 - 1,545)	3,464	(3,215 - 3,731)	4,925	(4,660 - 5,202)
Alabama	296	(253 - 345)	20	(15 - 25)	76	(64 - 88)	201	(164 - 245)	276	(235 - 324)
Alaska	53	(47 - 61)	3	(2 - 4)	16	(14 - 19)	35	(29 - 42)	51	(44 - 58)
Arizona	522	(451 - 601)	33	(25 - 42)	132	(113 - 154)	357	(295 - 430)	489	(421 - 566)
Arkansas	173	(148 - 202)	13	(10 - 17)	46	(39 - 55)	113	(92 - 139)	159	(136 - 187)
California	2,643	(2,434 - 2,867)	167	(143 - 195)	778	(712 - 850)	1,697	(1,510 - 1,906)	2,475	(2,272 - 2,696)
Colorado	415	(360 - 477)	26	(20 - 34)	106	(92 - 122)	283	(235 - 339)	389	(336 - 448)
Connecticut	257	(222 - 298)	13	(10 - 18)	73	(62 - 85)	171	(140 - 207)	244	(209 - 283)
Delaware	65	(56 - 75)	3	(2 - 4)	20	(17 - 23)	42	(34 - 52)	62	(53 - 72)
District of Columbia	68	(60 - 77)	2	(1 - 2)	18	(16 - 21)	48	(41 - 57)	66	(58 - 75)
Florida	1,308	(1,184 - 1,444)	80	(68 - 94)	293	(264 - 326)	934	(821 - 1,062)	1,227	(1,106 - 1,361)
Georgia	629	(548 - 720)	40	(31 - 51)	169	(145 - 196)	420	(351 - 502)	589	(511 - 677)
Hawaii	94	(79 - 110)	5	(4 - 7)	24	(20 - 28)	65	(53 - 81)	89	(75 - 105)
Idaho	109	(94 - 126)	8	(6 - 10)	25	(22 - 30)	76	(62 - 91)	101	(87 - 118)
Illinois	820	(740 - 907)	49	(40 - 59)	240	(216 - 266)	531	(461 - 610)	771	(693 - 856)
Indiana	464	(403 - 534)	28	(21 - 35)	137	(118 - 158)	299	(247 - 362)	436	(377 - 504)
Iowa	200	(172 - 232)	11	(8 - 14)	61	(52 - 71)	128	(104 - 157)	189	(162 - 220)
Kansas	207	(179 - 238)	12	(10 - 16)	56	(48 - 65)	138	(114 - 167)	194	(168 - 225)
Kentucky	269	(231 - 313)	15	(11 - 19)	76	(65 - 89)	178	(145 - 219)	254	(217 - 297)
Louisiana	309	(266 - 359)	20	(16 - 26)	77	(65 - 90)	212	(174 - 257)	289	(247 - 336)
Maine	88	(75 - 103)	5	(3 - 6)	23	(19 - 26)	61	(49 - 75)	83	(71 - 98)
Maryland	423	(366 - 488)	26	(20 - 33)	112	(96 - 130)	286	(236 - 345)	398	(343 - 461)
Massachusetts	496	(433 - 567)	25	(19 - 32)	152	(131 - 175)	319	(265 - 383)	471	(409 - 540)
Michigan	647	(586 - 713)	38	(31 - 45)	182	(164 - 202)	427	(373 - 488)	609	(550 - 675)
Minnesota	360	(310 - 418)	18	(13 - 24)	102	(87 - 118)	241	(197 - 293)	343	(294 - 398)
Mississippi	187	(162 - 216)	12	(9 - 16)	48	(40 - 56)	127	(105 - 153)	175	(150 - 203)
Missouri	399	(344 - 462)	23	(18 - 30)	112	(96 - 131)	263	(216 - 320)	376	(323 - 437)
Montana	78	(67 - 90)	4	(3 - 5)	21	(19 - 24)	53	(43 - 64)	74	(64 - 86)

(continued)

Table 20 Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	140	(122 - 161)	8	(6 - 10)	40	(35 - 46)	92	(76 - 111)	132	(114 - 152)
Nevada	199	(172 - 230)	12	(9 - 16)	49	(42 - 58)	138	(114 - 166)	187	(161 - 217)
New Hampshire	109	(94 - 125)	6	(5 - 8)	30	(26 - 34)	73	(60 - 87)	102	(89 - 118)
New Jersey	580	(501 - 671)	36	(28 - 46)	147	(127 - 169)	397	(327 - 481)	544	(467 - 633)
New Mexico	149	(127 - 175)	9	(7 - 12)	37	(32 - 44)	104	(84 - 127)	141	(119 - 165)
New York	1,402	(1,273 - 1,542)	71	(60 - 84)	367	(330 - 407)	964	(848 - 1,095)	1,331	(1,205 - 1,469)
North Carolina	663	(573 - 765)	40	(31 - 51)	178	(154 - 205)	445	(366 - 539)	623	(536 - 722)
North Dakota	53	(46 - 60)	3	(2 - 3)	17	(15 - 20)	33	(27 - 39)	50	(43 - 57)
Ohio	829	(754 - 909)	45	(38 - 54)	213	(192 - 236)	570	(504 - 644)	784	(711 - 863)
Oklahoma	239	(203 - 280)	13	(9 - 17)	67	(56 - 78)	159	(128 - 197)	226	(191 - 266)
Oregon	305	(264 - 352)	18	(14 - 23)	76	(66 - 88)	211	(174 - 255)	287	(246 - 333)
Pennsylvania	897	(813 - 990)	44	(36 - 53)	255	(231 - 280)	599	(523 - 685)	853	(770 - 945)
Rhode Island	90	(78 - 103)	4	(3 - 5)	27	(23 - 32)	58	(48 - 71)	86	(74 - 99)
South Carolina	305	(261 - 355)	18	(14 - 23)	76	(64 - 89)	211	(173 - 257)	287	(245 - 335)
South Dakota	61	(53 - 70)	3	(3 - 4)	18	(16 - 21)	40	(33 - 48)	58	(50 - 66)
Tennessee	378	(322 - 443)	24	(18 - 31)	103	(86 - 121)	251	(204 - 310)	354	(300 - 417)
Texas	1,651	(1,507 - 1,807)	115	(96 - 136)	444	(401 - 491)	1,092	(962 - 1,240)	1,536	(1,397 - 1,689)
Utah	159	(136 - 186)	13	(10 - 17)	54	(45 - 65)	92	(74 - 115)	146	(124 - 172)
Vermont	51	(44 - 59)	3	(2 - 3)	14	(12 - 16)	34	(28 - 41)	48	(42 - 56)
Virginia	568	(496 - 648)	29	(23 - 38)	169	(145 - 196)	369	(308 - 441)	538	(469 - 617)
Washington	483	(422 - 552)	27	(21 - 35)	130	(112 - 152)	326	(273 - 388)	456	(397 - 523)
West Virginia	135	(116 - 157)	7	(6 - 9)	32	(27 - 37)	96	(79 - 117)	128	(109 - 149)
Wisconsin	456	(397 - 523)	28	(22 - 36)	125	(108 - 145)	302	(250 - 364)	427	(370 - 493)
Wyoming	42	(37 - 49)	3	(2 - 3)	10	(9 - 12)	29	(24 - 35)	40	(34 - 46)

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 21 *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs*

State	12+		12-17		18-25		26+		18+	
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Total U.S.	6,202	(5,904 - 6,514)	819	(763 - 879)	2,231	(2,115 - 2,352)	3,152	(2,892 - 3,435)	5,383	(5,092 - 5,689)
Northeast	1,157	(1,054 - 1,270)	126	(112 - 143)	408	(373 - 447)	622	(534 - 725)	1,030	(930 - 1,141)
Midwest	1,270	(1,172 - 1,375)	164	(148 - 181)	469	(433 - 508)	637	(556 - 729)	1,106	(1,012 - 1,208)
South	2,234	(2,072 - 2,409)	306	(279 - 336)	791	(735 - 852)	1,137	(998 - 1,295)	1,928	(1,772 - 2,098)
West	1,541	(1,405 - 1,689)	223	(196 - 253)	563	(511 - 619)	756	(645 - 885)	1,318	(1,189 - 1,461)
Alabama	98	(76 - 125)	11	(8 - 15)	31	(25 - 40)	55	(38 - 80)	87	(66 - 113)
Alaska	16	(13 - 20)	2	(1 - 2)	7	(5 - 9)	8	(5 - 11)	14	(11 - 18)
Arizona	157	(123 - 199)	22	(16 - 30)	51	(40 - 65)	83	(58 - 119)	135	(103 - 175)
Arkansas	53	(43 - 67)	8	(6 - 10)	19	(15 - 24)	27	(19 - 39)	46	(36 - 59)
California	791	(692 - 903)	119	(99 - 142)	303	(262 - 350)	369	(292 - 466)	672	(579 - 780)
Colorado	113	(91 - 141)	17	(12 - 23)	42	(33 - 53)	54	(38 - 77)	96	(75 - 123)
Connecticut	75	(60 - 95)	9	(7 - 12)	29	(23 - 37)	37	(26 - 53)	66	(51 - 85)
Delaware	20	(16 - 26)	2	(1 - 3)	8	(6 - 9)	11	(8 - 16)	18	(14 - 24)
District of Columbia	18	(14 - 23)	1	(1 - 2)	7	(6 - 9)	10	(7 - 14)	17	(13 - 22)
Florida	369	(319 - 428)	56	(46 - 67)	125	(107 - 146)	189	(148 - 242)	314	(266 - 371)
Georgia	208	(168 - 258)	27	(21 - 36)	72	(58 - 89)	109	(77 - 154)	181	(142 - 229)
Hawaii	25	(19 - 33)	3	(2 - 4)	9	(7 - 12)	14	(9 - 20)	23	(17 - 30)
Idaho	28	(22 - 35)	5	(3 - 6)	9	(7 - 12)	14	(9 - 20)	23	(18 - 29)
Illinois	246	(212 - 286)	35	(28 - 43)	90	(76 - 106)	122	(95 - 157)	212	(179 - 250)
Indiana	132	(105 - 166)	16	(12 - 22)	54	(43 - 68)	62	(43 - 91)	117	(91 - 149)
Iowa	52	(41 - 66)	7	(5 - 9)	21	(16 - 26)	25	(17 - 36)	45	(35 - 59)
Kansas	49	(39 - 62)	7	(6 - 10)	18	(14 - 24)	23	(16 - 34)	42	(32 - 54)
Kentucky	82	(64 - 105)	9	(7 - 12)	27	(21 - 35)	46	(32 - 66)	73	(56 - 95)
Louisiana	96	(77 - 121)	12	(9 - 16)	34	(27 - 43)	50	(35 - 72)	85	(66 - 108)
Maine	26	(21 - 33)	3	(2 - 4)	9	(7 - 12)	14	(10 - 20)	23	(18 - 30)
Maryland	123	(99 - 154)	16	(12 - 22)	47	(37 - 58)	60	(42 - 86)	107	(84 - 136)
Massachusetts	156	(124 - 196)	17	(13 - 22)	59	(46 - 74)	80	(56 - 115)	139	(108 - 177)
Michigan	181	(155 - 212)	24	(20 - 30)	64	(54 - 75)	93	(72 - 121)	157	(132 - 187)
Minnesota	97	(76 - 124)	11	(8 - 15)	34	(27 - 44)	52	(36 - 75)	87	(67 - 112)
Mississippi	59	(47 - 73)	7	(5 - 10)	20	(16 - 25)	31	(22 - 44)	51	(40 - 65)
Missouri	112	(89 - 142)	13	(10 - 18)	45	(35 - 58)	54	(37 - 78)	99	(77 - 127)
Montana	17	(13 - 21)	2	(2 - 3)	7	(5 - 8)	8	(6 - 12)	15	(12 - 19)

(continued)

Table 21 Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+	12+	12-17	12-17	18-25	18-25	26+	26+	18+	18+
	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)	(Estimate)	(95% Confidence Interval)
Nebraska	33	(26 - 41)	5	(4 - 7)	12	(10 - 16)	16	(11 - 23)	28	(22 - 36)
Nevada	55	(43 - 70)	8	(6 - 10)	19	(15 - 24)	29	(20 - 42)	47	(36 - 62)
New Hampshire	27	(22 - 34)	4	(3 - 5)	10	(8 - 13)	13	(9 - 20)	24	(18 - 31)
New Jersey	160	(127 - 201)	21	(15 - 28)	58	(46 - 71)	82	(57 - 118)	139	(109 - 179)
New Mexico	44	(34 - 57)	6	(4 - 8)	13	(10 - 17)	25	(17 - 37)	38	(28 - 51)
New York	420	(360 - 490)	44	(35 - 54)	140	(118 - 165)	237	(187 - 300)	376	(318 - 445)
North Carolina	201	(162 - 249)	26	(20 - 34)	71	(57 - 88)	105	(75 - 145)	175	(139 - 221)
North Dakota	12	(10 - 15)	1	(1 - 2)	5	(4 - 7)	6	(4 - 8)	11	(9 - 14)
Ohio	229	(196 - 267)	27	(22 - 33)	80	(68 - 95)	122	(95 - 155)	202	(171 - 239)
Oklahoma	64	(50 - 81)	8	(6 - 11)	25	(20 - 32)	30	(20 - 46)	56	(43 - 73)
Oregon	89	(71 - 111)	12	(9 - 15)	30	(24 - 37)	48	(34 - 68)	78	(61 - 99)
Pennsylvania	253	(215 - 297)	26	(21 - 33)	88	(75 - 104)	138	(107 - 179)	227	(190 - 270)
Rhode Island	26	(20 - 33)	3	(2 - 4)	9	(7 - 12)	14	(10 - 19)	23	(18 - 30)
South Carolina	89	(70 - 113)	11	(8 - 15)	33	(26 - 43)	45	(31 - 65)	78	(61 - 102)
South Dakota	13	(10 - 17)	2	(1 - 2)	5	(4 - 7)	6	(4 - 9)	12	(9 - 15)
Tennessee	116	(92 - 146)	15	(11 - 21)	41	(31 - 52)	60	(42 - 86)	101	(78 - 130)
Texas	441	(376 - 516)	76	(61 - 94)	159	(134 - 189)	206	(157 - 269)	365	(304 - 437)
Utah	55	(44 - 69)	10	(7 - 13)	21	(17 - 27)	24	(17 - 35)	46	(36 - 58)
Vermont	14	(12 - 18)	1	(1 - 2)	6	(5 - 7)	7	(5 - 10)	13	(10 - 17)
Virginia	154	(123 - 193)	17	(13 - 23)	59	(47 - 74)	78	(54 - 110)	137	(107 - 175)
Washington	141	(113 - 177)	17	(13 - 23)	48	(37 - 61)	77	(55 - 107)	124	(97 - 159)
West Virginia	42	(33 - 52)	4	(3 - 5)	14	(11 - 18)	24	(17 - 34)	38	(30 - 48)
Wisconsin	112	(88 - 140)	16	(12 - 21)	39	(31 - 50)	56	(39 - 80)	96	(74 - 123)
Wyoming	9	(7 - 12)	1	(1 - 2)	3	(3 - 5)	5	(3 - 7)	8	(6 - 10)

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], or mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 22 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	16,351	(15,831 - 16,886)	653	(603 - 707)	4,258	(4,096 - 4,426)	11,440	(10,959 - 11,939)	15,698	(15,182 - 16,229)
Northeast	2,964	(2,784 - 3,155)	114	(100 - 130)	766	(716 - 819)	2,084	(1,918 - 2,263)	2,850	(2,673 - 3,038)
Midwest	3,559	(3,386 - 3,741)	136	(121 - 153)	958	(905 - 1,014)	2,465	(2,302 - 2,639)	3,423	(3,251 - 3,604)
South	5,871	(5,591 - 6,163)	236	(213 - 261)	1,478	(1,400 - 1,560)	4,156	(3,889 - 4,440)	5,635	(5,357 - 5,925)
West	3,957	(3,726 - 4,200)	167	(145 - 191)	1,056	(987 - 1,128)	2,735	(2,522 - 2,964)	3,790	(3,562 - 4,031)
Alabama	225	(189 - 267)	10	(7 - 14)	57	(47 - 69)	157	(125 - 197)	215	(179 - 256)
Alaska	37	(32 - 44)	1	(1 - 2)	11	(9 - 13)	25	(20 - 31)	36	(31 - 42)
Arizona	383	(321 - 454)	17	(12 - 23)	91	(76 - 108)	275	(220 - 343)	366	(306 - 437)
Arkansas	126	(105 - 150)	6	(4 - 9)	33	(27 - 40)	87	(69 - 109)	119	(99 - 143)
California	2,030	(1,851 - 2,226)	84	(67 - 106)	569	(512 - 630)	1,377	(1,215 - 1,561)	1,946	(1,769 - 2,139)
Colorado	304	(259 - 356)	13	(9 - 17)	76	(64 - 90)	215	(175 - 263)	291	(248 - 342)
Connecticut	199	(169 - 235)	8	(5 - 11)	52	(43 - 63)	139	(112 - 172)	191	(162 - 227)
Delaware	46	(39 - 54)	2	(1 - 2)	14	(12 - 16)	30	(24 - 38)	44	(37 - 52)
District of Columbia	52	(44 - 60)	1	(0 - 1)	14	(11 - 16)	38	(31 - 46)	51	(44 - 60)
Florida	976	(868 - 1,098)	38	(30 - 47)	216	(191 - 243)	723	(622 - 840)	939	(832 - 1,060)
Georgia	482	(408 - 569)	18	(13 - 25)	121	(101 - 144)	343	(276 - 424)	464	(391 - 549)
Hawaii	73	(61 - 87)	2	(2 - 3)	18	(15 - 22)	52	(42 - 65)	70	(59 - 84)
Idaho	83	(71 - 97)	5	(3 - 6)	20	(17 - 24)	59	(48 - 72)	78	(67 - 92)
Illinois	636	(566 - 713)	23	(18 - 29)	174	(154 - 196)	439	(377 - 512)	613	(544 - 690)
Indiana	347	(296 - 408)	14	(10 - 19)	91	(76 - 109)	242	(196 - 298)	333	(282 - 393)
Iowa	154	(130 - 182)	6	(4 - 9)	46	(39 - 55)	102	(81 - 127)	148	(124 - 175)
Kansas	166	(140 - 195)	6	(5 - 9)	43	(36 - 51)	117	(94 - 144)	159	(134 - 188)
Kentucky	200	(168 - 237)	8	(6 - 11)	55	(45 - 66)	137	(109 - 172)	192	(160 - 228)
Louisiana	222	(186 - 264)	8	(6 - 12)	55	(45 - 66)	159	(127 - 198)	214	(178 - 255)
Maine	64	(54 - 77)	2	(2 - 3)	16	(14 - 20)	46	(36 - 57)	62	(52 - 74)
Maryland	311	(263 - 367)	12	(9 - 16)	75	(62 - 89)	224	(181 - 277)	299	(252 - 354)
Massachusetts	361	(305 - 426)	15	(11 - 20)	107	(89 - 128)	239	(191 - 298)	346	(291 - 410)
Michigan	497	(444 - 555)	19	(15 - 24)	138	(122 - 156)	339	(292 - 394)	478	(426 - 535)
Minnesota	274	(230 - 325)	10	(7 - 14)	74	(62 - 89)	190	(151 - 238)	264	(222 - 315)
Mississippi	138	(115 - 165)	5	(4 - 7)	33	(27 - 40)	100	(80 - 125)	133	(111 - 159)
Missouri	310	(264 - 363)	12	(8 - 16)	82	(68 - 97)	217	(176 - 266)	298	(253 - 351)
Montana	59	(50 - 70)	2	(2 - 3)	16	(14 - 19)	41	(33 - 51)	57	(48 - 67)

(continued)

Table 22 Needing But Not Receiving Treatment for Alcohol Use in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	110	(94 - 128)	4	(3 - 5)	31	(26 - 36)	75	(61 - 93)	106	(91 - 124)
Nevada	150	(127 - 178)	7	(5 - 9)	35	(29 - 42)	108	(87 - 133)	143	(120 - 170)
New Hampshire	83	(71 - 97)	3	(3 - 5)	23	(20 - 27)	56	(45 - 69)	79	(67 - 93)
New Jersey	459	(387 - 544)	23	(17 - 31)	105	(88 - 124)	332	(267 - 411)	436	(366 - 520)
New Mexico	113	(95 - 134)	4	(3 - 6)	28	(23 - 34)	80	(64 - 100)	109	(91 - 129)
New York	1,014	(908 - 1,132)	36	(29 - 45)	252	(221 - 287)	726	(629 - 836)	978	(873 - 1,094)
North Carolina	476	(404 - 560)	18	(13 - 25)	126	(106 - 149)	332	(267 - 411)	458	(387 - 540)
North Dakota	44	(38 - 51)	2	(1 - 2)	15	(13 - 18)	28	(23 - 34)	43	(37 - 50)
Ohio	619	(553 - 692)	24	(19 - 30)	155	(137 - 174)	440	(380 - 509)	595	(530 - 667)
Oklahoma	183	(153 - 217)	6	(4 - 9)	47	(39 - 57)	129	(103 - 161)	177	(148 - 211)
Oregon	217	(184 - 256)	9	(7 - 13)	53	(44 - 63)	155	(125 - 192)	208	(175 - 246)
Pennsylvania	684	(614 - 762)	24	(19 - 30)	179	(160 - 200)	481	(417 - 555)	660	(591 - 738)
Rhode Island	64	(54 - 75)	2	(1 - 3)	20	(17 - 24)	41	(33 - 51)	62	(52 - 72)
South Carolina	229	(193 - 273)	9	(6 - 12)	53	(44 - 65)	168	(134 - 208)	221	(185 - 264)
South Dakota	47	(40 - 55)	2	(1 - 2)	13	(11 - 16)	33	(27 - 40)	46	(39 - 53)
Tennessee	290	(243 - 346)	12	(9 - 17)	81	(67 - 98)	197	(156 - 248)	278	(232 - 333)
Texas	1,358	(1,222 - 1,508)	63	(51 - 78)	346	(308 - 389)	949	(825 - 1,091)	1,296	(1,162 - 1,443)
Utah	118	(98 - 141)	7	(5 - 10)	36	(30 - 45)	75	(58 - 95)	111	(92 - 133)
Vermont	36	(31 - 43)	1	(1 - 2)	10	(9 - 12)	24	(20 - 30)	35	(29 - 41)
Virginia	464	(397 - 541)	16	(12 - 22)	130	(109 - 155)	317	(259 - 388)	448	(382 - 524)
Washington	355	(304 - 414)	14	(10 - 19)	93	(78 - 111)	248	(203 - 302)	341	(291 - 398)
West Virginia	92	(77 - 109)	4	(3 - 5)	22	(18 - 27)	66	(53 - 82)	88	(74 - 105)
Wisconsin	356	(302 - 418)	16	(11 - 22)	96	(81 - 114)	244	(197 - 301)	340	(287 - 401)
Wyoming	35	(30 - 40)	1	(1 - 2)	9	(7 - 11)	24	(20 - 30)	33	(28 - 39)

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], or mental health centers).

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 23 *Serious Mental Illness in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs*

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	9,919	(9,463 - 10,398)	1,575	(1,483 - 1,671)	8,345	(7,899 - 8,816)
Northeast	1,702	(1,562 - 1,854)	287	(262 - 315)	1,414	(1,280 - 1,562)
Midwest	2,269	(2,116 - 2,432)	365	(339 - 394)	1,904	(1,755 - 2,064)
South	3,704	(3,461 - 3,964)	539	(499 - 583)	3,164	(2,930 - 3,418)
West	2,245	(2,059 - 2,448)	382	(345 - 424)	1,863	(1,685 - 2,059)
Alabama	165	(134 - 204)	23	(18 - 29)	142	(112 - 180)
Alaska	20	(16 - 25)	4	(3 - 5)	16	(13 - 21)
Arizona	203	(162 - 252)	33	(26 - 41)	170	(132 - 218)
Arkansas	115	(94 - 142)	14	(11 - 18)	101	(80 - 127)
California	1,090	(950 - 1,250)	191	(162 - 224)	900	(767 - 1,054)
Colorado	148	(119 - 184)	25	(20 - 32)	123	(96 - 158)
Connecticut	97	(78 - 122)	17	(13 - 22)	80	(62 - 103)
Delaware	28	(22 - 34)	5	(4 - 6)	23	(18 - 29)
District of Columbia	21	(17 - 25)	4	(3 - 5)	17	(14 - 22)
Florida	576	(492 - 674)	81	(68 - 96)	495	(414 - 590)
Georgia	306	(246 - 380)	45	(36 - 56)	262	(205 - 334)
Hawaii	38	(30 - 48)	6	(5 - 8)	32	(25 - 42)
Idaho	59	(48 - 72)	9	(7 - 11)	50	(40 - 63)
Illinois	363	(312 - 423)	59	(50 - 71)	304	(255 - 362)
Indiana	237	(193 - 291)	40	(32 - 50)	197	(156 - 249)
Iowa	107	(87 - 131)	17	(14 - 21)	90	(71 - 114)
Kansas	87	(70 - 107)	14	(11 - 17)	73	(57 - 93)
Kentucky	168	(136 - 208)	23	(18 - 29)	145	(114 - 184)
Louisiana	154	(126 - 189)	21	(17 - 27)	133	(106 - 166)
Maine	56	(45 - 70)	6	(5 - 8)	50	(39 - 64)
Maryland	147	(118 - 183)	28	(22 - 35)	119	(92 - 153)
Massachusetts	222	(179 - 275)	38	(30 - 48)	184	(144 - 235)
Michigan	336	(291 - 389)	57	(48 - 67)	280	(236 - 331)
Minnesota	185	(151 - 225)	28	(23 - 36)	156	(125 - 195)
Mississippi	109	(88 - 134)	14	(11 - 18)	95	(75 - 119)
Missouri	230	(186 - 284)	34	(28 - 43)	196	(154 - 248)
Montana	36	(29 - 45)	5	(4 - 7)	31	(24 - 39)

(continued)

Table 23 Serious Mental Illness in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	61	(49 - 75)	11	(9 - 13)	50	(39 - 63)
Nevada	91	(73 - 113)	14	(11 - 18)	77	(60 - 98)
New Hampshire	49	(40 - 61)	9	(7 - 11)	40	(31 - 51)
New Jersey	242	(197 - 297)	43	(35 - 54)	199	(157 - 252)
New Mexico	67	(54 - 83)	10	(8 - 13)	57	(44 - 73)
New York	573	(493 - 665)	97	(81 - 115)	476	(401 - 565)
North Carolina	361	(294 - 443)	48	(38 - 59)	314	(250 - 393)
North Dakota	22	(18 - 27)	5	(4 - 6)	17	(13 - 22)
Ohio	434	(377 - 499)	67	(57 - 78)	367	(312 - 431)
Oklahoma	123	(99 - 153)	19	(15 - 24)	105	(82 - 133)
Oregon	145	(118 - 178)	22	(18 - 27)	123	(97 - 155)
Pennsylvania	395	(338 - 461)	67	(57 - 79)	328	(274 - 392)
Rhode Island	39	(31 - 49)	6	(5 - 8)	33	(26 - 42)
South Carolina	156	(127 - 191)	22	(18 - 28)	133	(106 - 167)
South Dakota	25	(19 - 31)	4	(3 - 5)	21	(16 - 27)
Tennessee	233	(190 - 284)	33	(26 - 41)	200	(160 - 250)
Texas	723	(626 - 833)	112	(93 - 133)	611	(519 - 718)
Utah	97	(79 - 118)	23	(18 - 28)	74	(58 - 94)
Vermont	27	(22 - 34)	4	(3 - 5)	24	(18 - 30)
Virginia	239	(196 - 291)	39	(31 - 50)	199	(160 - 249)
Washington	232	(188 - 286)	38	(30 - 47)	194	(153 - 246)
West Virginia	79	(64 - 97)	9	(7 - 12)	70	(55 - 88)
Wisconsin	183	(146 - 228)	29	(23 - 36)	154	(119 - 197)
Wyoming	19	(15 - 23)	3	(3 - 4)	16	(12 - 20)

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, as assessed by the Mental Health Surveillance Study (MHSS) *Structured Clinical Interview for the Diagnostic and Statistical Manual of Mental Disorders—Fourth Edition—Research Version—Axis I Disorders* (MHSS-SCID), which is based on the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). SMI includes individuals with diagnoses resulting in serious functional impairment. For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/>.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 24 Any Mental Illness in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	43,697	(42,805 - 44,608)	6,884	(6,703 - 7,068)	36,813	(35,934 - 37,713)
Northeast	7,746	(7,430 - 8,073)	1,279	(1,216 - 1,345)	6,466	(6,161 - 6,785)
Midwest	9,481	(9,154 - 9,816)	1,517	(1,455 - 1,581)	7,964	(7,648 - 8,289)
South	15,986	(15,456 - 16,533)	2,350	(2,259 - 2,444)	13,636	(13,117 - 14,174)
West	10,485	(10,054 - 10,929)	1,738	(1,650 - 1,829)	8,747	(8,335 - 9,176)
Alabama	712	(630 - 803)	97	(84 - 112)	615	(537 - 702)
Alaska	94	(84 - 106)	17	(15 - 20)	77	(67 - 88)
Arizona	920	(812 - 1,039)	137	(118 - 160)	783	(681 - 897)
Arkansas	441	(393 - 492)	64	(55 - 74)	377	(332 - 426)
California	5,241	(4,899 - 5,602)	883	(811 - 959)	4,359	(4,032 - 4,706)
Colorado	710	(629 - 800)	122	(106 - 140)	588	(512 - 673)
Connecticut	454	(400 - 514)	69	(58 - 81)	386	(335 - 442)
Delaware	136	(120 - 153)	20	(18 - 23)	115	(100 - 132)
District of Columbia	102	(91 - 114)	17	(14 - 19)	86	(75 - 97)
Florida	2,463	(2,275 - 2,664)	343	(312 - 377)	2,120	(1,938 - 2,316)
Georgia	1,365	(1,209 - 1,536)	206	(179 - 235)	1,159	(1,010 - 1,325)
Hawaii	178	(157 - 201)	29	(25 - 34)	149	(129 - 171)
Idaho	244	(218 - 273)	38	(34 - 44)	206	(180 - 233)
Illinois	1,587	(1,463 - 1,719)	264	(239 - 291)	1,323	(1,205 - 1,449)
Indiana	993	(880 - 1,117)	167	(145 - 190)	827	(719 - 946)
Iowa	392	(344 - 447)	65	(56 - 76)	327	(282 - 379)
Kansas	371	(327 - 420)	57	(49 - 67)	314	(272 - 360)
Kentucky	663	(587 - 746)	95	(83 - 109)	568	(495 - 649)
Louisiana	678	(604 - 758)	93	(80 - 108)	585	(515 - 661)
Maine	217	(192 - 244)	28	(24 - 32)	189	(165 - 216)
Maryland	735	(648 - 833)	124	(107 - 144)	611	(528 - 705)
Massachusetts	1,056	(938 - 1,186)	168	(145 - 194)	888	(775 - 1,013)
Michigan	1,441	(1,342 - 1,545)	245	(225 - 266)	1,196	(1,101 - 1,297)
Minnesota	806	(717 - 903)	122	(106 - 139)	684	(600 - 778)
Mississippi	422	(373 - 476)	55	(47 - 64)	367	(319 - 420)
Missouri	862	(766 - 968)	138	(119 - 158)	725	(633 - 826)
Montana	154	(137 - 173)	24	(21 - 28)	130	(113 - 148)

(continued)

Table 24 Any Mental Illness in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	251	(221 - 284)	41	(35 - 47)	210	(182 - 242)
Nevada	392	(347 - 440)	58	(50 - 67)	333	(291 - 380)
New Hampshire	217	(194 - 243)	37	(33 - 42)	180	(158 - 204)
New Jersey	1,106	(977 - 1,249)	183	(160 - 208)	923	(799 - 1,062)
New Mexico	309	(274 - 347)	47	(40 - 54)	262	(229 - 299)
New York	2,684	(2,488 - 2,893)	466	(424 - 510)	2,219	(2,031 - 2,420)
North Carolina	1,429	(1,275 - 1,597)	198	(172 - 227)	1,231	(1,083 - 1,394)
North Dakota	89	(78 - 100)	20	(17 - 23)	69	(60 - 79)
Ohio	1,777	(1,652 - 1,909)	257	(234 - 282)	1,520	(1,398 - 1,648)
Oklahoma	540	(479 - 607)	81	(70 - 93)	459	(400 - 524)
Oregon	692	(617 - 774)	102	(89 - 117)	590	(518 - 669)
Pennsylvania	1,731	(1,602 - 1,868)	285	(259 - 313)	1,446	(1,321 - 1,580)
Rhode Island	178	(158 - 200)	28	(24 - 32)	150	(131 - 172)
South Carolina	636	(561 - 719)	88	(75 - 103)	548	(477 - 628)
South Dakota	104	(92 - 118)	17	(15 - 20)	87	(76 - 100)
Tennessee	1,005	(894 - 1,127)	139	(120 - 160)	866	(759 - 984)
Texas	3,229	(3,006 - 3,464)	517	(470 - 569)	2,712	(2,497 - 2,940)
Utah	417	(372 - 466)	97	(84 - 110)	320	(279 - 366)
Vermont	102	(90 - 114)	16	(14 - 18)	86	(75 - 98)
Virginia	1,124	(1,002 - 1,257)	174	(151 - 199)	950	(833 - 1,079)
Washington	1,049	(937 - 1,171)	169	(147 - 192)	880	(774 - 997)
West Virginia	305	(273 - 340)	39	(34 - 45)	266	(235 - 300)
Wisconsin	807	(711 - 911)	125	(107 - 144)	682	(591 - 783)
Wyoming	83	(75 - 93)	14	(12 - 16)	70	(62 - 79)

NOTE: Any Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, as assessed by the Mental Health Surveillance Study (MHSS) *Structured Clinical Interview for the Diagnostic and Statistical Manual of Mental Disorders—Fourth Edition—Research Version—Axis I Disorders* (MHSS-SCID), which is based on the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/>.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 25 Had Serious Thoughts of Suicide in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	9,406	(8,978 - 9,848)	2,595	(2,478 - 2,717)	6,812	(6,410 - 7,238)
Northeast	1,652	(1,525 - 1,790)	467	(432 - 506)	1,185	(1,067 - 1,317)
Midwest	2,093	(1,955 - 2,240)	581	(544 - 619)	1,513	(1,384 - 1,653)
South	3,415	(3,187 - 3,656)	889	(831 - 950)	2,526	(2,312 - 2,760)
West	2,245	(2,071 - 2,432)	658	(604 - 717)	1,587	(1,428 - 1,763)
Alabama	145	(119 - 177)	39	(32 - 48)	106	(82 - 137)
Alaska	22	(18 - 27)	7	(6 - 9)	15	(11 - 19)
Arizona	210	(170 - 258)	52	(41 - 65)	158	(121 - 206)
Arkansas	101	(83 - 123)	21	(17 - 27)	80	(62 - 101)
California	1,093	(960 - 1,243)	350	(306 - 399)	744	(625 - 884)
Colorado	158	(131 - 189)	43	(35 - 53)	115	(90 - 146)
Connecticut	92	(75 - 113)	26	(21 - 33)	66	(51 - 86)
Delaware	27	(22 - 33)	7	(6 - 9)	20	(15 - 25)
District of Columbia	21	(17 - 25)	6	(5 - 7)	15	(12 - 19)
Florida	529	(456 - 612)	138	(120 - 159)	390	(322 - 472)
Georgia	293	(243 - 353)	75	(61 - 92)	218	(171 - 277)
Hawaii	43	(34 - 54)	10	(8 - 13)	33	(25 - 43)
Idaho	53	(43 - 64)	13	(10 - 16)	40	(31 - 51)
Illinois	355	(308 - 407)	101	(86 - 117)	254	(212 - 304)
Indiana	203	(168 - 244)	61	(49 - 75)	142	(110 - 182)
Iowa	94	(78 - 114)	27	(22 - 34)	67	(52 - 86)
Kansas	81	(66 - 99)	21	(17 - 26)	60	(46 - 77)
Kentucky	143	(117 - 174)	35	(28 - 43)	107	(83 - 138)
Louisiana	144	(119 - 175)	37	(29 - 46)	108	(84 - 137)
Maine	45	(37 - 56)	10	(8 - 12)	35	(27 - 46)
Maryland	157	(129 - 192)	47	(38 - 58)	110	(85 - 143)
Massachusetts	208	(170 - 253)	57	(46 - 72)	151	(116 - 194)
Michigan	340	(295 - 391)	94	(82 - 108)	246	(205 - 296)
Minnesota	173	(142 - 211)	42	(34 - 53)	131	(101 - 168)
Mississippi	88	(73 - 107)	22	(18 - 28)	66	(51 - 84)
Missouri	191	(157 - 232)	52	(42 - 65)	139	(108 - 179)
Montana	36	(29 - 43)	9	(8 - 12)	26	(20 - 34)

(continued)

Table 25 Had Serious Thoughts of Suicide in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	56	(46 - 68)	17	(14 - 21)	39	(30 - 50)
Nevada	92	(75 - 113)	24	(19 - 30)	68	(53 - 88)
New Hampshire	43	(36 - 52)	15	(12 - 18)	28	(22 - 37)
New Jersey	245	(204 - 293)	71	(58 - 87)	174	(136 - 221)
New Mexico	61	(50 - 74)	16	(13 - 20)	45	(35 - 58)
New York	565	(494 - 645)	161	(138 - 188)	404	(340 - 479)
North Carolina	330	(270 - 402)	76	(61 - 93)	254	(198 - 326)
North Dakota	21	(18 - 26)	7	(6 - 9)	14	(11 - 18)
Ohio	385	(336 - 441)	103	(89 - 119)	282	(237 - 336)
Oklahoma	111	(91 - 135)	31	(25 - 38)	80	(62 - 103)
Oregon	138	(115 - 166)	34	(28 - 42)	104	(82 - 131)
Pennsylvania	396	(343 - 458)	111	(96 - 129)	285	(236 - 344)
Rhode Island	35	(29 - 42)	10	(8 - 13)	24	(19 - 31)
South Carolina	150	(124 - 182)	36	(29 - 45)	114	(89 - 146)
South Dakota	24	(20 - 29)	7	(6 - 9)	17	(14 - 22)
Tennessee	216	(177 - 262)	53	(42 - 66)	163	(127 - 208)
Texas	658	(571 - 758)	185	(158 - 217)	473	(394 - 567)
Utah	97	(81 - 116)	37	(30 - 46)	60	(47 - 77)
Vermont	23	(19 - 29)	5	(4 - 7)	18	(14 - 23)
Virginia	242	(201 - 290)	66	(53 - 81)	176	(139 - 223)
Washington	226	(188 - 272)	59	(47 - 72)	168	(132 - 213)
West Virginia	60	(49 - 73)	14	(11 - 18)	46	(36 - 59)
Wisconsin	170	(139 - 206)	47	(38 - 59)	123	(95 - 158)
Wyoming	17	(14 - 20)	5	(4 - 6)	12	(9 - 15)

NOTE: Respondents were asked, "At any time in the past 12 months, did you seriously think about trying to kill yourself?" If they answered "Yes," they were categorized as having serious thoughts of suicide in the past year.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 26 Major Depressive Episode in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs

State	18+ (Estimate)	18+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	15,826	(15,276 - 16,394)	2,739	(2,635 - 2,847)	3,139	(3,009 - 3,274)	12,687	(12,155 - 13,243)
Northeast	2,888	(2,701 - 3,087)	443	(414 - 475)	591	(548 - 637)	2,297	(2,120 - 2,488)
Midwest	3,472	(3,290 - 3,663)	582	(550 - 616)	696	(655 - 740)	2,776	(2,605 - 2,957)
South	5,746	(5,459 - 6,048)	1,011	(957 - 1,067)	1,071	(1,009 - 1,138)	4,675	(4,400 - 4,966)
West	3,720	(3,469 - 3,988)	703	(655 - 753)	781	(721 - 845)	2,939	(2,703 - 3,196)
Alabama	250	(208 - 300)	41	(34 - 49)	44	(36 - 54)	206	(167 - 253)
Alaska	34	(29 - 41)	6	(5 - 7)	8	(6 - 9)	26	(21 - 32)
Arizona	362	(299 - 438)	72	(59 - 87)	65	(53 - 80)	297	(238 - 370)
Arkansas	161	(135 - 192)	28	(23 - 34)	30	(25 - 37)	131	(107 - 159)
California	1,819	(1,630 - 2,027)	355	(319 - 395)	393	(346 - 446)	1,426	(1,249 - 1,626)
Colorado	250	(206 - 302)	48	(39 - 58)	48	(39 - 60)	202	(161 - 251)
Connecticut	167	(138 - 201)	28	(23 - 34)	32	(25 - 40)	135	(108 - 167)
Delaware	49	(40 - 59)	7	(6 - 9)	9	(8 - 12)	39	(31 - 49)
District of Columbia	37	(31 - 44)	3	(2 - 3)	7	(6 - 9)	29	(24 - 36)
Florida	894	(789 - 1,012)	146	(130 - 164)	157	(138 - 180)	736	(636 - 851)
Georgia	491	(410 - 588)	82	(67 - 100)	92	(75 - 111)	400	(323 - 493)
Hawaii	61	(50 - 74)	9	(7 - 11)	12	(10 - 15)	49	(39 - 62)
Idaho	86	(72 - 102)	17	(14 - 20)	18	(15 - 22)	68	(55 - 83)
Illinois	574	(505 - 652)	105	(92 - 120)	119	(103 - 138)	455	(390 - 529)
Indiana	380	(321 - 448)	66	(55 - 79)	79	(64 - 95)	301	(248 - 365)
Iowa	158	(132 - 190)	25	(21 - 30)	32	(25 - 39)	127	(103 - 156)
Kansas	145	(121 - 174)	27	(22 - 32)	27	(22 - 33)	118	(96 - 146)
Kentucky	224	(185 - 270)	32	(26 - 39)	43	(35 - 53)	180	(144 - 224)
Louisiana	210	(175 - 252)	37	(30 - 45)	41	(33 - 51)	169	(137 - 208)
Maine	87	(72 - 104)	11	(9 - 14)	14	(11 - 17)	73	(59 - 89)
Maryland	281	(233 - 337)	52	(42 - 63)	63	(51 - 78)	217	(173 - 271)
Massachusetts	394	(330 - 468)	54	(45 - 65)	82	(67 - 100)	312	(254 - 382)
Michigan	501	(442 - 566)	84	(74 - 95)	105	(91 - 120)	396	(342 - 458)
Minnesota	299	(252 - 354)	47	(39 - 56)	58	(47 - 70)	241	(198 - 293)
Mississippi	155	(129 - 185)	26	(21 - 31)	27	(22 - 34)	127	(103 - 157)
Missouri	312	(261 - 373)	51	(42 - 61)	58	(46 - 71)	254	(207 - 312)
Montana	51	(42 - 62)	8	(6 - 9)	10	(8 - 12)	42	(33 - 52)

(continued)

Table 26 Major Depressive Episode in the Past Year, by Age Group and State: Estimated Numbers (in Thousands), Annual Averages Based on 2013 and 2014 NSDUHs (continued)

State	18+ (Estimate)	18+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	98	(82 - 117)	16	(13 - 20)	20	(16 - 24)	78	(63 - 96)
Nevada	132	(110 - 159)	26	(21 - 31)	26	(21 - 32)	107	(86 - 132)
New Hampshire	82	(69 - 98)	12	(10 - 14)	17	(14 - 20)	66	(53 - 80)
New Jersey	440	(372 - 520)	72	(59 - 86)	86	(71 - 104)	354	(290 - 431)
New Mexico	96	(80 - 116)	16	(13 - 20)	20	(16 - 25)	77	(61 - 95)
New York	963	(852 - 1,087)	151	(133 - 170)	206	(180 - 236)	757	(654 - 876)
North Carolina	542	(457 - 642)	88	(74 - 105)	94	(77 - 115)	448	(368 - 544)
North Dakota	34	(28 - 40)	5	(4 - 6)	8	(7 - 10)	25	(21 - 31)
Ohio	643	(572 - 721)	95	(84 - 108)	127	(111 - 145)	516	(449 - 591)
Oklahoma	178	(148 - 214)	32	(26 - 39)	33	(27 - 41)	145	(117 - 179)
Oregon	252	(211 - 301)	43	(35 - 51)	48	(39 - 58)	205	(167 - 251)
Pennsylvania	653	(577 - 737)	101	(89 - 115)	134	(117 - 153)	519	(447 - 601)
Rhode Island	63	(53 - 76)	10	(8 - 12)	13	(10 - 16)	50	(41 - 62)
South Carolina	210	(174 - 253)	36	(30 - 43)	38	(31 - 47)	172	(139 - 212)
South Dakota	33	(27 - 41)	6	(5 - 7)	6	(5 - 8)	27	(21 - 34)
Tennessee	344	(287 - 410)	50	(41 - 61)	62	(50 - 77)	282	(229 - 345)
Texas	1,181	(1,052 - 1,324)	262	(233 - 294)	224	(194 - 259)	956	(833 - 1,096)
Utah	159	(135 - 187)	35	(29 - 42)	44	(36 - 54)	115	(94 - 141)
Vermont	40	(33 - 47)	5	(4 - 6)	7	(6 - 9)	32	(26 - 40)
Virginia	435	(369 - 514)	75	(63 - 89)	85	(69 - 104)	350	(289 - 424)
Washington	385	(324 - 456)	64	(54 - 76)	84	(68 - 102)	301	(246 - 368)
West Virginia	105	(89 - 125)	14	(12 - 17)	18	(15 - 22)	87	(71 - 106)
Wisconsin	296	(247 - 353)	55	(46 - 66)	59	(47 - 73)	237	(192 - 292)
Wyoming	31	(26 - 37)	5	(4 - 6)	6	(5 - 7)	25	(21 - 31)

NOTE: Major depressive episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when an individual experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at <http://www.samhsa.gov/data/>.

NOTE: There are minor wording differences in the questions in the adult and adolescent MDE modules. Therefore, data from youths aged 12 to 17 were not combined with data from adults aged 18 or older to produce an estimate for those aged 12 or older.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

