

Substate Region Estimates Categorized into Seven Groups from Lowest to Highest Estimate, by Age Group: Annual Averages Based on 2012, 2013, and 2014 NSDUHs									
Table	Age Group	Number of Estimates Suppressed ¹	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7
Table 1. Illicit Drug Use in the Past Month	12 to 17	14	6.56 or Lower	6.57 - 7.30	7.31 - 8.36	8.37 - 9.86	9.87 - 11.22	11.23 - 12.78	12.79 or Higher
	18 to 25	123	14.12 or Lower	14.13 - 16.11	16.12 - 19.00	19.01 - 23.17	23.18 - 26.69	26.70 - 30.22	30.23 or Higher
	26 or Older	3	4.41 or Lower	4.42 - 5.13	5.14 - 6.09	6.10 - 8.10	8.11 - 10.85	10.86 - 12.21	12.22 or Higher
	18 or Older	0	5.99 or Lower	6.00 - 6.68	6.69 - 7.98	7.99 - 10.35	10.36 - 12.99	13.00 - 14.94	14.95 or Higher
Table 2. Marijuana Use in the Past Year	12 to 17	14	9.68 or Lower	9.69 - 10.55	10.56 - 12.08	12.09 - 14.58	14.59 - 16.59	16.60 - 18.24	18.25 or Higher
	18 to 25	83	22.02 or Lower	22.03 - 24.79	24.80 - 28.41	28.42 - 34.01	34.02 - 38.81	38.82 - 42.73	42.74 or Higher
	26 or Older	5	5.47 or Lower	5.48 - 6.34	6.35 - 7.62	7.63 - 10.12	10.13 - 13.41	13.42 - 16.51	16.52 or Higher
	18 or Older	0	8.09 or Lower	8.10 - 8.89	8.90 - 10.61	10.62 - 13.60	13.61 - 17.06	17.07 - 20.45	20.46 or Higher
Table 3. Marijuana Use in the Past Month	12 to 17	14	5.10 or Lower	5.11 - 5.51	5.52 - 6.27	6.28 - 7.98	7.99 - 9.32	9.33 - 10.39	10.40 or Higher
	18 to 25	97	12.03 or Lower	12.04 - 13.90	13.91 - 16.64	16.65 - 20.61	20.62 - 24.53	24.54 - 28.25	28.26 or Higher
	26 or Older	6	3.26 or Lower	3.27 - 3.78	3.79 - 4.55	4.56 - 6.37	6.38 - 8.88	8.89 - 10.77	10.78 or Higher
	18 or Older	0	4.70 or Lower	4.71 - 5.23	5.24 - 6.25	6.26 - 8.39	8.40 - 11.29	11.30 - 13.25	13.26 or Higher
Table 4. Perceptions of Great Risk from Smoking Marijuana Once a Month	12 to 17	14	17.88 or Lower	17.89 - 19.62	19.63 - 22.59	22.60 - 26.54	26.55 - 29.29	29.30 - 32.21	32.22 or Higher
	18 to 25	17	7.67 or Lower	7.68 - 10.44	10.45 - 12.59	12.60 - 15.83	15.84 - 18.96	18.97 - 21.78	21.79 or Higher
	26 or Older	7	18.98 or Lower	18.99 - 23.14	23.15 - 27.70	27.71 - 32.61	32.62 - 37.04	37.05 - 42.07	42.08 or Higher
	18 or Older	0	17.44 or Lower	17.45 - 21.14	21.15 - 25.41	25.42 - 30.20	30.21 - 34.17	34.18 - 38.70	38.71 or Higher
Table 5. First Use of Marijuana	12 to 17	14	3.66 or Lower	3.67 - 4.27	4.28 - 5.16	5.17 - 6.28	6.29 - 7.45	7.46 - 8.47	8.48 or Higher
	18 to 25	10	4.78 or Lower	4.79 - 5.77	5.78 - 6.82	6.83 - 8.42	8.43 - 9.88	9.89 - 11.41	11.42 or Higher
	26 or Older ²	--	--	--	--	--	--	--	--
	18 or Older	5	0.78 or Lower	0.79 - 0.88	0.89 - 1.07	1.08 - 1.42	1.43 - 1.67	1.68 - 2.04	2.05 or Higher
Table 6. Illicit Drug Use Other Than Marijuana in the Past Month	12 to 17	16	2.41 or Lower	2.42 - 2.59	2.60 - 2.98	2.99 - 3.60	3.61 - 4.09	4.10 - 4.72	4.73 or Higher
	18 to 25	10	5.05 or Lower	5.06 - 5.64	5.65 - 6.22	6.23 - 7.08	7.09 - 7.86	7.87 - 8.70	8.71 or Higher
	26 or Older	10	1.75 or Lower	1.76 - 1.99	2.00 - 2.35	2.36 - 2.86	2.87 - 3.38	3.39 - 3.95	3.96 or Higher
	18 or Older	0	2.33 or Lower	2.34 - 2.59	2.60 - 2.95	2.96 - 3.50	3.51 - 3.93	3.94 - 4.50	4.51 or Higher
Table 7. Cocaine Use in the Past Year	12 to 17	183	0.38 or Lower	0.39 - 0.45	0.46 - 0.52	0.53 - 0.65	0.66 - 0.82	0.83 - 0.97	0.98 or Higher
	18 to 25	20	2.37 or Lower	2.38 - 2.98	2.99 - 3.51	3.52 - 4.76	4.77 - 6.14	6.15 - 7.30	7.31 or Higher
	26 or Older	42	0.71 or Lower	0.72 - 0.84	0.85 - 1.01	1.02 - 1.33	1.34 - 1.70	1.71 - 2.18	2.19 or Higher
	18 or Older	1	1.03 or Lower	1.04 - 1.18	1.19 - 1.40	1.41 - 1.86	1.87 - 2.32	2.33 - 2.82	2.83 or Higher
Table 8. Nonmedical Use of Pain Relievers in the Past Year	12 to 17	14	3.66 or Lower	3.67 - 4.06	4.07 - 4.44	4.45 - 5.15	5.16 - 5.84	5.85 - 6.31	6.32 or Higher
	18 to 25	10	7.18 or Lower	7.19 - 7.91	7.92 - 8.51	8.52 - 9.34	9.35 - 10.28	10.29 - 11.10	11.11 or Higher
	26 or Older	3	2.59 or Lower	2.60 - 2.72	2.73 - 3.11	3.12 - 3.69	3.70 - 4.05	4.06 - 4.32	4.33 or Higher
	18 or Older	0	3.28 or Lower	3.29 - 3.46	3.47 - 3.93	3.94 - 4.52	4.53 - 4.92	4.93 - 5.20	5.21 or Higher

Substate Region Estimates Categorized into Seven Groups from Lowest to Highest Estimate, by Age Group: Annual Averages Based on 2012, 2013, and 2014 NSDUHs

Table	Age Group	Number of Estimates Suppressed ¹	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7
Table 9. Alcohol Use in the Past Month	12 to 17	14	9.23 or Lower	9.24 - 10.44	10.45 - 11.34	11.35 - 12.47	12.48 - 13.87	13.88 - 14.80	14.81 or Higher
	18 to 25	105	47.89 or Lower	47.90 - 52.54	52.55 - 57.77	57.78 - 63.32	63.33 - 67.41	67.42 - 71.43	71.44 or Higher
	26 or Older	101	39.13 or Lower	39.14 - 46.23	46.24 - 52.79	52.80 - 60.01	60.02 - 64.08	64.09 - 68.16	68.17 or Higher
	18 or Older	38	39.86 or Lower	39.87 - 47.24	47.25 - 53.54	53.55 - 60.66	60.67 - 64.55	64.56 - 68.35	68.36 or Higher
Table 10. Binge Alcohol Use in the Past Month	12 to 17	14	5.33 or Lower	5.34 - 5.75	5.76 - 6.28	6.29 - 7.00	7.01 - 7.57	7.58 - 8.19	8.20 or Higher
	18 to 25	137	29.21 or Lower	29.22 - 32.57	32.58 - 36.65	36.66 - 41.89	41.90 - 46.09	46.10 - 50.42	50.43 or Higher
	26 or Older	2	16.99 or Lower	17.00 - 19.10	19.11 - 21.10	21.11 - 23.43	23.44 - 25.44	25.45 - 27.20	27.21 or Higher
	18 or Older	0	18.94 or Lower	18.95 - 21.22	21.23 - 23.64	23.65 - 26.17	26.18 - 28.26	28.27 - 30.48	30.49 or Higher
Table 11. Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week	12 to 17	14	32.59 or Lower	32.60 - 34.33	34.34 - 36.28	36.29 - 39.45	39.46 - 42.83	42.84 - 45.15	45.16 or Higher
	18 to 25	18	23.89 or Lower	23.90 - 26.18	26.19 - 29.29	29.30 - 34.64	34.65 - 38.56	38.57 - 42.19	42.20 or Higher
	26 or Older	2	35.03 or Lower	35.04 - 36.75	36.76 - 39.21	39.22 - 43.38	43.39 - 46.75	46.76 - 49.04	49.05 or Higher
	18 or Older	0	33.59 or Lower	33.60 - 35.28	35.29 - 37.85	37.86 - 42.20	42.21 - 45.17	45.18 - 48.18	48.19 or Higher
Table 12. Tobacco Use in the Past Month	12 to 17	14	4.90 or Lower	4.91 - 5.99	6.00 - 7.73	7.74 - 9.92	9.93 - 11.61	11.62 - 13.12	13.13 or Higher
	18 to 25	56	26.63 or Lower	26.64 - 30.72	30.73 - 37.40	37.41 - 43.20	43.21 - 47.06	47.07 - 50.30	50.31 or Higher
	26 or Older	3	18.61 or Lower	18.62 - 21.52	21.53 - 25.63	25.64 - 30.33	30.34 - 33.75	33.76 - 37.83	37.84 or Higher
	18 or Older	0	20.13 or Lower	20.14 - 23.19	23.20 - 27.27	27.28 - 32.09	32.10 - 35.31	35.32 - 39.22	39.23 or Higher
Table 13. Cigarette Use in the Past Month	12 to 17	14	3.72 or Lower	3.73 - 4.34	4.35 - 5.52	5.53 - 7.16	7.17 - 8.21	8.22 - 9.37	9.38 or Higher
	18 to 25	132	23.00 or Lower	23.01 - 25.90	25.91 - 29.99	30.00 - 34.50	34.51 - 37.66	37.67 - 40.32	40.33 or Higher
	26 or Older	2	15.60 or Lower	15.61 - 17.99	18.00 - 21.10	21.11 - 25.29	25.30 - 28.70	28.71 - 30.91	30.92 or Higher
	18 or Older	0	16.71 or Lower	16.72 - 19.55	19.56 - 22.43	22.44 - 26.57	26.58 - 29.74	29.75 - 31.91	31.92 or Higher
Table 14. Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day	12 to 17	14	59.30 or Lower	59.31 - 61.14	61.15 - 62.87	62.88 - 65.73	65.74 - 68.18	68.19 - 71.03	71.04 or Higher
	18 to 25	10	57.70 or Lower	57.71 - 60.01	60.02 - 62.37	62.38 - 66.61	66.62 - 70.31	70.32 - 73.28	73.29 or Higher
	26 or Older	2	63.56 or Lower	63.57 - 65.88	65.89 - 68.63	68.64 - 73.07	73.08 - 76.28	76.29 - 79.14	79.15 or Higher
	18 or Older	0	62.86 or Lower	62.87 - 65.16	65.17 - 67.78	67.79 - 72.14	72.15 - 75.36	75.37 - 78.25	78.26 or Higher
Table 15. Alcohol Dependence or Abuse in the Past Year	12 to 17	20	2.35 or Lower	2.36 - 2.59	2.60 - 2.89	2.90 - 3.24	3.25 - 3.59	3.60 - 3.96	3.97 or Higher
	18 to 25	11	10.41 or Lower	10.42 - 11.39	11.40 - 12.52	12.53 - 14.23	14.24 - 15.97	15.98 - 17.51	17.52 or Higher
	26 or Older	2	4.67 or Lower	4.68 - 5.08	5.09 - 5.57	5.58 - 6.25	6.26 - 6.84	6.85 - 7.47	7.48 or Higher
	18 or Older	0	5.61 or Lower	5.62 - 6.04	6.05 - 6.62	6.63 - 7.37	7.38 - 8.13	8.14 - 8.74	8.75 or Higher
Table 16. Alcohol Dependence in the Past Year	12 to 17	102	0.87 or Lower	0.88 - 0.95	0.96 - 1.03	1.04 - 1.14	1.15 - 1.26	1.27 - 1.36	1.37 or Higher
	18 to 25	10	4.55 or Lower	4.56 - 4.80	4.81 - 5.24	5.25 - 6.20	6.21 - 7.00	7.01 - 7.88	7.89 or Higher
	26 or Older	6	2.43 or Lower	2.44 - 2.62	2.63 - 2.82	2.83 - 3.06	3.07 - 3.36	3.37 - 3.59	3.60 or Higher
	18 or Older	0	2.77 or Lower	2.78 - 2.98	2.99 - 3.16	3.17 - 3.51	3.52 - 3.90	3.91 - 4.17	4.18 or Higher

Substate Region Estimates Categorized into Seven Groups from Lowest to Highest Estimate, by Age Group: Annual Averages Based on 2012, 2013, and 2014 NSDUHs									
Table	Age Group	Number of Estimates Suppressed¹	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7
Table 17. Illicit Drug Dependence or Abuse in the Past Year	12 to 17	17	2.83 or Lower	2.84 - 3.05	3.06 - 3.35	3.36 - 3.77	3.78 - 4.21	4.22 - 4.57	4.58 or Higher
	18 to 25	10	5.58 or Lower	5.59 - 6.01	6.02 - 6.67	6.68 - 7.60	7.61 - 8.41	8.42 - 9.30	9.31 or Higher
	26 or Older	18	1.32 or Lower	1.33 - 1.45	1.46 - 1.63	1.64 - 1.92	1.93 - 2.18	2.19 - 2.53	2.54 or Higher
	18 or Older	0	1.94 or Lower	1.95 - 2.12	2.13 - 2.41	2.42 - 2.75	2.76 - 3.06	3.07 - 3.42	3.43 or Higher
Table 18. Illicit Drug Dependence in the Past Year	12 to 17	43	1.53 or Lower	1.54 - 1.69	1.70 - 1.84	1.85 - 1.98	1.99 - 2.16	2.17 - 2.30	2.31 or Higher
	18 to 25	11	3.79 or Lower	3.80 - 4.17	4.18 - 4.67	4.68 - 5.56	5.57 - 6.23	6.24 - 6.79	6.80 or Higher
	26 or Older	26	1.00 or Lower	1.01 - 1.07	1.08 - 1.21	1.22 - 1.40	1.41 - 1.58	1.59 - 1.94	1.95 or Higher
	18 or Older	1	1.43 or Lower	1.44 - 1.55	1.56 - 1.75	1.76 - 2.02	2.03 - 2.22	2.23 - 2.52	2.53 or Higher
Table 19. Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year	12 to 17	14	4.51 or Lower	4.52 - 4.85	4.86 - 5.18	5.19 - 5.71	5.72 - 6.20	6.21 - 6.63	6.64 or Higher
	18 to 25	12	13.97 or Lower	13.98 - 15.27	15.28 - 16.79	16.80 - 18.56	18.57 - 20.06	20.07 - 21.94	21.95 or Higher
	26 or Older	2	5.91 or Lower	5.92 - 6.37	6.38 - 6.84	6.85 - 7.50	7.51 - 8.06	8.07 - 8.93	8.94 or Higher
	18 or Older	0	7.25 or Lower	7.26 - 7.74	7.75 - 8.22	8.23 - 9.08	9.09 - 9.79	9.80 - 10.82	10.83 or Higher
Table 20. Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year	12 to 17	18	2.53 or Lower	2.54 - 2.79	2.80 - 3.07	3.08 - 3.52	3.53 - 3.96	3.97 - 4.22	4.23 or Higher
	18 to 25	10	5.21 or Lower	5.22 - 5.64	5.65 - 6.09	6.10 - 6.96	6.97 - 7.70	7.71 - 8.28	8.29 or Higher
	26 or Older	23	1.14 or Lower	1.15 - 1.24	1.25 - 1.37	1.38 - 1.63	1.64 - 1.85	1.86 - 2.19	2.20 or Higher
	18 or Older	0	1.73 or Lower	1.74 - 1.87	1.88 - 2.10	2.11 - 2.41	2.42 - 2.68	2.69 - 3.03	3.04 or Higher
Table 21. Needing But Not Receiving Treatment for Alcohol Use in the Past Year	12 to 17	22	2.21 or Lower	2.22 - 2.47	2.48 - 2.73	2.74 - 3.05	3.06 - 3.33	3.34 - 3.63	3.64 or Higher
	18 to 25	10	10.15 or Lower	10.16 - 11.07	11.08 - 12.22	12.23 - 13.83	13.84 - 15.34	15.35 - 16.70	16.71 or Higher
	26 or Older	2	4.60 or Lower	4.61 - 4.90	4.91 - 5.34	5.35 - 5.83	5.84 - 6.38	6.39 - 6.85	6.86 or Higher
	18 or Older	0	5.43 or Lower	5.44 - 5.86	5.87 - 6.33	6.34 - 6.98	6.99 - 7.59	7.60 - 8.23	8.24 or Higher
Table 22. Serious Mental Illness (SMI) in the Past Year	18 to 25	11	3.45 or Lower	3.46 - 3.84	3.85 - 4.26	4.27 - 4.83	4.84 - 5.32	5.33 - 5.68	5.69 or Higher
	26 or Older	2	3.23 or Lower	3.24 - 3.64	3.65 - 4.02	4.03 - 4.55	4.56 - 5.07	5.08 - 5.58	5.59 or Higher
	18 or Older	0	3.35 or Lower	3.36 - 3.69	3.70 - 4.08	4.09 - 4.58	4.59 - 5.07	5.08 - 5.49	5.50 or Higher
Table 23. Any Mental Illness (AMI) in the Past Year	18 to 25	10	16.76 or Lower	16.77 - 17.73	17.74 - 19.16	19.17 - 20.89	20.90 - 21.96	21.97 - 23.43	23.44 or Higher
	26 or Older	2	15.75 or Lower	15.76 - 16.81	16.82 - 17.92	17.93 - 19.53	19.54 - 20.59	20.60 - 21.39	21.40 or Higher
	18 or Older	0	16.23 or Lower	16.24 - 17.08	17.09 - 18.11	18.12 - 19.70	19.71 - 20.65	20.66 - 21.56	21.57 or Higher
Table 24. Had Serious Thoughts of Suicide in the Past Year	18 to 25	10	5.99 or Lower	6.00 - 6.69	6.70 - 7.25	7.26 - 7.82	7.83 - 8.34	8.35 - 8.82	8.83 or Higher
	26 or Older	2	2.83 or Lower	2.84 - 3.06	3.07 - 3.26	3.27 - 3.64	3.65 - 3.94	3.95 - 4.24	4.25 or Higher
	18 or Older	0	3.41 or Lower	3.42 - 3.61	3.62 - 3.86	3.87 - 4.23	4.24 - 4.49	4.50 - 4.76	4.77 or Higher

Substate Region Estimates Categorized into Seven Groups from Lowest to Highest Estimate, by Age Group: Annual Averages Based on 2012, 2013, and 2014 NSDUHs

Table	Age Group	Number of Estimates Suppressed ¹	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7
Table 25. Major Depressive Episode (MDE) in the Past Year	12 to 17	14	8.74 or Lower	8.75 - 9.29	9.30 - 9.87	9.88 - 10.65	10.66 - 11.39	11.40 - 11.87	11.88 or Higher
	18 to 25	10	7.29 or Lower	7.30 - 7.93	7.94 - 8.71	8.72 - 9.61	9.62 - 10.39	10.40 - 11.23	11.24 or Higher
	26 or Older	2	5.46 or Lower	5.47 - 5.82	5.83 - 6.24	6.25 - 6.76	6.77 - 7.16	7.17 - 7.55	7.56 or Higher
	18 or Older	0	5.82 or Lower	5.83 - 6.20	6.21 - 6.61	6.62 - 7.12	7.13 - 7.56	7.57 - 7.97	7.98 or Higher

-- Not available.

NOTE: These scales are a companion piece to the *2012-2014 National Surveys on Drug Use and Health: Substate Age Group Tables*. Estimates are based on a survey-weighted hierarchical Bayes estimation approach.

NOTE: All 384 substate regions were used to create these groups instead of the 362 substate regions that were used to create national maps representing the 12 or older age group. Estimates for these 384 substate regions have been ranked from lowest to highest for each measure and age group and divided into 7 categories. The three lowest groups (shown in dark blue, medium blue, and light blue) represent the lowest third of the estimates, with the lowest group having 17 substate regions, the next lowest group having 35 substate regions, and the next lowest group having 76 substate regions (except in cases of ties where the numbers may vary a little). The three highest groups (shown in dark red, medium red, and light red) were created similarly. The middle group (shown in white) represents the 128 substate regions that fall into the middle third. The only exceptions to the colors were the three perception-of-risk outcomes in the rows for Table 4 (marijuana), Table 11 (alcohol), and Table 14 (cigarettes), which have the highest estimates represented in blue and the lowest estimates represented in red to reflect the inverse relationship between substance use and perception of risk of using that substance. In some cases, a group (or category) could have more or fewer substate regions because two or more substate regions had the same estimate when rounded to two decimal places. When such ties occurred at the "boundary" between two groups, all substate regions that had the same estimate were assigned to the lower group. The upper and lower limits of each of the 7 categories define a continuum and are not necessarily the actual values of the particular area (i.e., the lower limit of group 2 is defined by adding 0.01 to the upper limit of group 1).

¹For details on the suppression criteria, see the *2012-2014 National Surveys on Drug Use and Health: Substate Age Group Tables*.

²The average annual rates for the first use of marijuana were low for the 26 or older age group and had an abbreviated range; therefore, no substate region grouping has been made for this age group.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012, 2013, and 2014.