National Survey on Drug Use and Health: Comparison of 2010-2012 and 2012-2014 Population Percentages (Substate Regions)

NOTE: The methodology used to conduct significance testing for substate estimates between the 2010-2012 and 2012-2014 NSDUHs and to calculate *p* values is provided here.

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	8.90[a]	(8.68 - 9.12)	9.58	(9.36 - 9.79)	0.000
Northeast	9.44[a]	(9.00 - 9.90)	10.08	(9.64 - 10.54)	0.005
Midwest	8.49[a]	(8.16 - 8.83)	8.99	(8.64 - 9.34)	0.004
South	7.64[a]	(7.33 - 7.95)	8.29	(7.98 - 8.62)	0.000
West	10.86[a]	(10.37 - 11.37)	11.77	(11.25 - 12.30)	0.001
Alabama	7.60	(6.53 - 8.83)	7.81	(6.70 - 9.09)	0.684
Region 1	7.05	(5.53 - 8.95)	6.81	(5.22 - 8.83)	0.753
Region 2	8.71	(7.05 - 10.71)	8.94	(7.22 - 11.02)	0.781
Region 3	6.33[b]	(4.87 - 8.19)	7.55	(5.96 - 9.51)	0.089
Region 4	7.70	(6.14 - 9.63)	7.67	(5.91 - 9.90)	0.966
Alaska	14.01	(12.25 - 15.98)	13.84	(12.23 - 15.62)	0.841
Anchorage	14.64	(12.44 - 17.14)	14.04	(11.90 - 16.48)	0.588
Northern	14.56	(11.85 - 17.76)	15.75	(12.64 - 19.46)	0.425
South Central	12.72	(10.04 - 15.99)	12.46	(9.94 - 15.51)	0.839
Southeast	13.65	(10.72 - 17.23)	12.50	(9.60 - 16.13)	0.360
Arizona	9.58	(8.20 - 11.16)	10.65	(9.25 - 12.23)	0.144
Maricopa	9.58	(8.02 - 11.41)	10.78	(9.13 - 12.70)	0.168
Pima	10.74	(8.34 - 13.73)	12.06	(9.34 - 15.44)	0.292
Rural North	9.71	(7.45 - 12.58)	10.09	(7.47 - 13.50)	0.747
Rural South	8.12	(5.95 - 11.00)	8.89	(6.65 - 11.80)	0.442
Arkansas	7.42[b]	(6.33 - 8.68)	8.37	(7.22 - 9.68)	0.054
Catchment Area 1	7.91	(6.12 - 10.16)	8.20	(6.41 - 10.43)	0.711
Catchment Area 2	6.59	(4.79 - 9.00)	7.45	(5.59 - 9.86)	0.294
Catchment Area 3	6.64[a]	(4.99 - 8.79)	8.65	(6.66 - 11.16)	0.019
Catchment Area 4	7.31	(5.39 - 9.84)	8.06	(5.96 - 10.81)	0.363
Catchment Area 5	6.90[a]	(5.21 - 9.10)	9.66	(7.52 - 12.33)	0.002
Catchment Area 6	7.67	(5.69 - 10.26)	8.80	(6.59 - 11.65)	0.209
Catchment Area 7	6.08[a]	(4.38 - 8.39)	7.84	(5.79 - 10.55)	0.032
Catchment Area 8	8.96	(7.09 - 11.27)	8.12	(6.18 - 10.60)	0.395

See notes at end of table. (continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	10.72[b]	(9.97 - 11.51)	11.49	(10.72 - 12.30)	0.053
Region 1R	16.89	(13.52 - 20.91)	15.80	(12.58 - 19.65)	0.476
Region 2R	12.88	(10.27 - 16.03)	13.96	(11.11 - 17.40)	0.391
Region 3R (Sacramento)	12.29	(9.81 - 15.28)	12.19	(9.87 - 14.96)	0.929
Region 4R	12.34	(9.98 - 15.17)	13.86	(11.39 - 16.77)	0.200
Region 5R (San Francisco)	16.83	(13.28 - 21.09)	19.46	(14.99 - 24.89)	0.168
Region 6 (Santa Clara)	7.93[b]	(6.20 - 10.09)	9.35	(7.48 - 11.63)	0.081
Region 7R (Contra Costa)	10.54	(8.29 - 13.32)	11.70	(9.18 - 14.78)	0.309
Region 8R (Alameda)	11.10[a]	(9.00 - 13.62)	13.46	(10.88 - 16.52)	0.040
Region 9R (San Mateo)	8.86[a]	(6.69 - 11.64)	11.21	(8.53 - 14.59)	0.026
Region 10	10.75	(8.49 - 13.53)	11.99	(9.48 - 15.05)	0.254
Region 11 (Los Angeles)	10.17	(9.13 - 11.30)	10.92	(9.86 - 12.09)	0.131
LA SPA 1 and 5	11.54	(9.05 - 14.59)	12.52	(9.90 - 15.72)	0.351
LA SPA 2	9.39	(7.58 - 11.57)	10.57	(8.62 - 12.90)	0.170
LA SPA 3	7.93	(6.35 - 9.87)	7.96	(6.19 - 10.18)	0.972
LA SPA 4	11.68	(9.11 - 14.86)	12.80	(10.15 - 16.01)	0.383
LA SPA 6	12.18	(9.62 - 15.31)	13.18	(10.43 - 16.52)	0.388
LA SPA 7	8.34[a]	(6.51 - 10.63)	10.27	(8.21 - 12.77)	0.026
LA SPA 8	12.05	(9.82 - 14.69)	11.46	(9.33 - 14.00)	0.567
Region 12R	9.52[a]	(7.15 - 12.57)	11.69	(8.98 - 15.08)	0.040
Regions 13 and 19R	10.34	(8.63 - 12.36)	10.19	(8.34 - 12.40)	0.865
Region 14 (Orange)	9.38	(7.89 - 11.11)	9.76	(8.07 - 11.76)	0.612
Region 15R (Fresno)	9.37	(7.24 - 12.03)	10.73	(8.47 - 13.49)	0.127
Region 16R (San Diego)	11.18	(9.44 - 13.19)	11.65	(9.70 - 13.92)	0.616
Region 17R	9.21	(7.32 - 11.52)	9.64	(7.74 - 11.94)	0.618
Region 18R (San Bernardino)	9.64	(7.89 - 11.74)	9.92	(8.07 - 12.14)	0.742
Region 20R	10.82	(8.51 - 13.66)	11.76	(9.30 - 14.76)	0.366
Region 21R	13.89	(11.12 - 17.21)	13.23	(10.40 - 16.69)	0.589
Colorado	13.85[a]	(12.23 - 15.66)	15.82	(14.08 - 17.74)	0.035
Region 1	12.67[b]	(10.15 - 15.70)	15.10	(12.02 - 18.80)	0.077
Regions 2 and 7	15.45	(13.28 - 17.92)	16.75	(14.49 - 19.29)	0.301
Region 3	11.08[b]	(8.71 - 14.01)	13.28	(10.49 - 16.67)	0.078
Region 4	10.81[a]	(8.03 - 14.40)	13.79	(10.28 - 18.25)	0.032
Regions 5 and 6	12.37[a]	(9.56 - 15.87)	16.34	(12.71 - 20.77)	0.011
Connecticut	9.95	(8.62 - 11.45)	10.38	(9.12 - 11.80)	0.472
Eastern	9.17[b]	(7.14 - 11.71)	11.08	(8.75 - 13.95)	0.056
North Central	9.76	(7.94 - 11.94)	10.33	(8.29 - 12.80)	0.536
Northwestern	9.59	(7.36 - 12.40)	8.57	(6.65 - 10.97)	0.278
South Central	11.83	(9.62 - 14.46)	11.89	(9.63 - 14.58)	0.958
Southwest	8.71	(6.71 - 11.24)	9.82	(7.68 - 12.47)	0.234

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	8.83[a]	(7.67 - 10.13)	10.02	(8.81 - 11.39)	0.041
Kent	7.89	(6.08 - 10.17)	9.19	(7.19 - 11.66)	0.137
New Castle (excluding Wilmington City)	9.05[a]	(7.67 - 10.65)	11.01	(9.40 - 12.84)	0.013
Sussex	7.68	(5.99 - 9.78)	7.48	(5.74 - 9.70)	0.803
Wilmington City	12.61	(9.61 - 16.38)	12.73	(9.47 - 16.89)	0.939
District of Columbia	14.12	(12.49 - 15.93)	14.81	(13.19 - 16.58)	0.414
Ward 1	14.55	(11.31 - 18.51)	14.81	(11.68 - 18.60)	0.864
Ward 2	14.78	(11.84 - 18.29)	16.55	(13.12 - 20.67)	0.268
Ward 3	13.24	(10.41 - 16.69)	13.22	(10.44 - 16.60)	0.988
Ward 4	12.59	(9.74 - 16.13)	14.14	(11.05 - 17.92)	0.300
Ward 5	14.53	(11.58 - 18.07)	14.55	(11.65 - 18.03)	0.986
Ward 6	14.47	(11.27 - 18.39)	14.58	(11.48 - 18.35)	0.942
Ward 7	13.21	(10.26 - 16.84)	14.44	(11.06 - 18.65)	0.383
Ward 8	15.68	(12.74 - 19.15)	16.21	(13.13 - 19.84)	0.715
Florida[1]	8.37[b]	(7.71 - 9.08)	8.97	(8.29 - 9.69)	0.088
Broward (Circuit 17)	7.35[b]	(6.01 - 8.97)	8.65	(7.02 - 10.60)	0.084
Central I	--	(-- - --)	9.20	(7.90 - 10.69)	--
Circuit 9	9.81	(8.14 - 11.79)	8.99	(7.42 - 10.86)	0.345
Circuit 18	9.17	(7.39 - 11.33)	9.50	(7.58 - 11.84)	0.710
Central II	--	(-- - --)	9.15	(8.13 - 10.28)	--
Circuit 6	9.72	(7.84 - 12.01)	9.72	(7.78 - 12.09)	0.998
Circuit 10	7.72	(6.19 - 9.59)	8.38	(6.58 - 10.61)	0.400
Circuit 12	9.26	(7.34 - 11.62)	7.83	(6.12 - 9.98)	0.107
Circuit 13 (Hillsborough)	8.28[a]	(6.82 - 10.01)	10.37	(8.49 - 12.62)	0.012
Circuit 20	8.46	(6.63 - 10.74)	8.50	(6.68 - 10.77)	0.959
Northeast	--	(-- - --)	9.84	(8.70 - 11.11)	--
Circuit 4	10.40	(8.35 - 12.89)	10.27	(8.30 - 12.63)	0.887
Circuit 5	7.00[b]	(5.49 - 8.87)	8.36	(6.55 - 10.60)	0.084
Circuit 7	7.87	(6.23 - 9.89)	9.24	(7.35 - 11.56)	0.109
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	12.97	(10.50 - 15.92)	--
Northwest	--	(-- - --)	11.20	(9.66 - 12.96)	--
Circuit 1	9.30	(7.47 - 11.53)	10.22	(8.02 - 12.94)	0.349
Circuit 2 plus Madison and Taylor	--	(-- - --)	13.83	(11.16 - 17.01)	--
Circuit 14	9.72	(7.44 - 12.61)	9.64	(7.35 - 12.56)	0.938
South (Circuits 11 and 16)	6.21	(5.24 - 7.33)	6.55	(5.47 - 7.82)	0.526
Southeast	--	(-- - --)	8.52	(7.12 - 10.16)	--
Circuit 15 (Palm Beach)	7.02	(5.62 - 8.74)	8.04	(6.45 - 9.99)	0.182
Circuit 19	8.11	(6.31 - 10.37)	9.57	(7.30 - 12.46)	0.139

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	7.05[a]	(6.05 - 8.20)	9.53	(8.30 - 10.92)	0.000
Region 1	6.18[a]	(4.86 - 7.82)	8.71	(6.92 - 10.92)	0.001
Region 2	6.31[a]	(4.75 - 8.34)	9.26	(7.16 - 11.89)	0.000
Region 3	8.54	(6.92 - 10.49)	9.94	(8.10 - 12.15)	0.118
Region 4	7.06[b]	(5.27 - 9.40)	8.61	(6.43 - 11.44)	0.065
Region 5	7.09[a]	(5.19 - 9.61)	10.14	(7.67 - 13.29)	0.002
Region 6	6.15[a]	(4.61 - 8.17)	10.33	(8.06 - 13.16)	0.000
Hawaii	9.13	(7.86 - 10.57)	10.16	(8.82 - 11.69)	0.137
Hawaii Island	10.94	(8.46 - 14.02)	11.22	(8.43 - 14.77)	0.828
Honolulu	8.40	(7.09 - 9.93)	9.54	(8.07 - 11.26)	0.132
Kauai	10.69	(7.70 - 14.65)	11.67	(8.54 - 15.74)	0.470
Maui	10.76	(8.11 - 14.13)	12.11	(9.25 - 15.69)	0.295
Idaho	8.40[b]	(7.22 - 9.75)	7.43	(6.39 - 8.61)	0.068
Region 1	7.65	(5.78 - 10.06)	6.88	(5.23 - 9.00)	0.330
Region 2	10.32	(7.59 - 13.87)	9.61	(7.07 - 12.95)	0.552
Region 3	8.03[a]	(6.21 - 10.33)	6.39	(4.88 - 8.33)	0.036
Region 4	10.15[b]	(8.26 - 12.42)	8.50	(6.85 - 10.50)	0.077
Region 5	6.21	(4.69 - 8.17)	6.57	(4.95 - 8.66)	0.606
Region 6	--	(-- - --)	7.70	(5.68 - 10.35)	--
Region 7	--	(-- - --)	6.51	(4.91 - 8.58)	--
Illinois	8.52[b]	(7.87 - 9.23)	9.20	(8.52 - 9.94)	0.064
Region I (Cook)	10.40	(9.31 - 11.61)	10.55	(9.39 - 11.84)	0.813
Region II	7.05[b]	(6.22 - 7.97)	7.87	(6.95 - 8.91)	0.086
Region III	7.83[b]	(6.63 - 9.22)	9.14	(7.67 - 10.85)	0.070
Region IV	5.93[a]	(4.67 - 7.50)	8.21	(6.65 - 10.08)	0.001
Region V	8.18	(6.86 - 9.73)	8.66	(7.15 - 10.45)	0.499
Indiana	8.56	(7.35 - 9.95)	8.87	(7.70 - 10.19)	0.588
Central	8.86	(7.01 - 11.13)	8.96	(7.12 - 11.20)	0.907
East	9.43	(7.19 - 12.28)	9.50	(7.32 - 12.24)	0.939
North Central	8.72	(6.76 - 11.17)	8.02	(6.29 - 10.17)	0.401
Northeast	7.33	(5.47 - 9.77)	8.48	(6.43 - 11.11)	0.201
Northwest	8.89	(6.79 - 11.57)	8.33	(6.31 - 10.92)	0.561
Southeast	7.50	(5.66 - 9.87)	8.75	(6.61 - 11.50)	0.201
Southwest	6.89[b]	(4.93 - 9.57)	8.38	(6.25 - 11.17)	0.096
West	9.96	(7.76 - 12.69)	10.59	(8.19 - 13.59)	0.561
Iowa	6.85	(5.85 - 8.01)	6.69	(5.70 - 7.84)	0.720
Central	6.87	(5.27 - 8.90)	5.81	(4.37 - 7.68)	0.144
North Central	8.66	(6.55 - 11.35)	8.30	(6.34 - 10.79)	0.658
Northeast	6.47	(5.15 - 8.10)	6.59	(5.14 - 8.41)	0.852
Northwest	5.41	(3.98 - 7.33)	6.28	(4.66 - 8.42)	0.186
Southeast	7.70	(6.03 - 9.78)	7.26	(5.56 - 9.41)	0.573
Southwest	6.14	(4.61 - 8.14)	6.14	(4.57 - 8.19)	0.992

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	5.72[a]	(4.82 - 6.77)	6.78	(5.78 - 7.95)	0.018
Kansas City Metro	6.03[a]	(4.80 - 7.55)	7.59	(6.03 - 9.52)	0.024
Northeast	5.27[b]	(3.96 - 7.00)	6.59	(5.00 - 8.63)	0.070
South Central	5.36	(3.90 - 7.33)	5.65	(4.23 - 7.52)	0.658
Southeast	6.18	(4.52 - 8.40)	7.38	(5.33 - 10.14)	0.128
West	5.46	(4.06 - 7.29)	5.83	(4.29 - 7.90)	0.551
Wichita (Sedgwick)	5.85	(4.43 - 7.69)	6.61	(5.01 - 8.67)	0.292
Kentucky	6.91[b]	(5.92 - 8.06)	7.86	(6.79 - 9.08)	0.069
Adanta, Cumberland River, and Lifeskills	5.66	(4.32 - 7.38)	6.41	(4.92 - 8.31)	0.249
Bluegrass, Comprehend, and North Key	7.15[b]	(5.73 - 8.89)	8.57	(6.83 - 10.71)	0.091
Communicare and River Valley	6.67	(4.94 - 8.95)	7.67	(5.77 - 10.13)	0.227
Four Rivers and Pennyroyal	6.17	(4.62 - 8.19)	6.65	(4.88 - 9.01)	0.465
Kentucky River, Mountain, and Pathways	5.51	(4.02 - 7.51)	6.68	(5.01 - 8.85)	0.111
Seven Counties	8.71	(6.93 - 10.90)	9.22	(7.26 - 11.63)	0.596
Louisiana	6.85[a]	(5.90 - 7.94)	8.11	(7.03 - 9.34)	0.006
Regions 1 and 10	8.72[b]	(7.03 - 10.78)	10.10	(8.08 - 12.56)	0.092
Region 1	9.49	(7.28 - 12.28)	11.03	(8.29 - 14.53)	0.154
Region 10 (Jefferson)	7.97	(5.97 - 10.55)	9.14	(6.78 - 12.22)	0.245
Regions 2 and 9	6.81[a]	(5.48 - 8.43)	8.43	(6.87 - 10.29)	0.026
Region 3	7.04	(5.27 - 9.34)	7.80	(5.76 - 10.48)	0.333
Regions 4, 5, and 6	6.11[b]	(4.83 - 7.71)	7.35	(5.68 - 9.46)	0.082
Regions 7 and 8	6.00	(4.68 - 7.66)	6.88	(5.35 - 8.82)	0.164
Maine	9.98[a]	(8.65 - 11.49)	12.85	(11.32 - 14.54)	0.000
Aroostook/Downeast	8.27[a]	(6.55 - 10.39)	11.79	(9.27 - 14.87)	0.000
Aroostook	7.85[a]	(5.77 - 10.60)	10.19	(7.65 - 13.46)	0.024
Downeast	8.62[a]	(6.46 - 11.40)	13.08	(9.55 - 17.66)	0.000
Central	9.69[a]	(7.53 - 12.39)	12.75	(10.12 - 15.94)	0.010
Cumberland	10.84[a]	(8.69 - 13.44)	13.96	(11.27 - 17.15)	0.012
Midcoast	9.36[a]	(7.07 - 12.29)	12.46	(9.40 - 16.32)	0.017
Penquis	10.64[a]	(8.37 - 13.43)	14.58	(11.54 - 18.26)	0.002
Western	11.13[b]	(8.88 - 13.87)	13.52	(10.81 - 16.78)	0.059
York	9.17	(7.14 - 11.71)	10.32	(7.92 - 13.35)	0.248

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	7.56[a]	(6.53 - 8.74)	9.69	(8.47 - 11.05)	0.000
Anne Arundel	7.09[a]	(5.23 - 9.55)	9.67	(7.35 - 12.62)	0.003
Baltimore City	10.51[a]	(8.24 - 13.31)	13.13	(10.31 - 16.57)	0.029
Baltimore County	7.53[a]	(5.80 - 9.72)	9.78	(7.51 - 12.63)	0.011
Montgomery	7.03[a]	(5.40 - 9.11)	8.91	(6.86 - 11.51)	0.020
North Central	6.97	(5.29 - 9.14)	7.76	(5.75 - 10.39)	0.288
Northeast	6.35[a]	(4.65 - 8.59)	9.55	(7.23 - 12.51)	0.000
Prince George's	7.46[a]	(5.71 - 9.68)	10.52	(8.25 - 13.33)	0.000
South	8.66	(6.61 - 11.28)	8.00	(5.94 - 10.68)	0.459
West	6.15[a]	(4.53 - 8.29)	9.21	(7.07 - 11.90)	0.000
Massachusetts	11.32	(9.99 - 12.80)	12.33	(10.94 - 13.87)	0.146
Boston	13.33	(10.63 - 16.58)	14.83	(11.91 - 18.32)	0.268
Central	11.79	(9.28 - 14.88)	12.57	(9.83 - 15.93)	0.530
Metrowest	11.24	(9.12 - 13.77)	11.59	(9.27 - 14.40)	0.746
Northeast	10.19	(8.22 - 12.58)	11.60	(9.30 - 14.39)	0.194
Southeast	11.28	(9.12 - 13.87)	12.17	(9.76 - 15.07)	0.422
Western	10.85	(8.56 - 13.66)	12.35	(9.90 - 15.31)	0.200
Michigan[1]	10.79	(10.05 - 11.59)	11.34	(10.56 - 12.18)	0.196
Region 1	13.05	(10.49 - 16.14)	11.33	(9.01 - 14.17)	0.124
Region 2	--	(-- - --)	9.42	(7.32 - 12.03)	--
Region 3	--	(-- - --)	10.65	(9.02 - 12.53)	--
Region 4	--	(-- - --)	10.83	(8.98 - 13.01)	--
Region 5	--	(-- - --)	12.20	(10.62 - 13.97)	--
Region 6	--	(-- - --)	9.88	(8.21 - 11.85)	--
Region 7	--	(-- - --)	13.14	(11.35 - 15.18)	--
Region 8	9.62	(8.12 - 11.37)	9.43	(7.82 - 11.32)	0.822
Region 9	9.29[a]	(7.67 - 11.21)	11.62	(9.67 - 13.91)	0.015
Region 10	--	(-- - --)	12.74	(10.53 - 15.35)	--
Minnesota	7.94	(6.84 - 9.20)	8.32	(7.17 - 9.62)	0.466
Regions 1 and 2	8.19	(6.03 - 11.03)	7.80	(5.68 - 10.62)	0.671
Regions 3 and 4	7.20	(5.60 - 9.22)	7.85	(6.07 - 10.10)	0.396
Regions 5 and 6	8.00	(6.30 - 10.13)	7.58	(5.89 - 9.72)	0.603
Region 7A (Hennepin)	8.36	(6.60 - 10.54)	8.91	(7.00 - 11.28)	0.540
Region 7B (Ramsey)	9.49	(6.97 - 12.80)	10.86	(8.10 - 14.41)	0.250
Region 7C	7.26	(5.72 - 9.18)	7.81	(6.23 - 9.77)	0.466
Mississippi	7.77	(6.70 - 8.99)	8.13	(6.99 - 9.43)	0.464
Region 1	7.44	(5.91 - 9.34)	8.52	(6.66 - 10.83)	0.170
Region 2	8.16	(6.18 - 10.69)	8.86	(6.78 - 11.50)	0.444
Region 3	7.53	(5.79 - 9.74)	6.88	(5.26 - 8.96)	0.374
Region 4	7.85	(6.21 - 9.88)	8.79	(6.81 - 11.29)	0.272
Region 5	7.16	(5.14 - 9.91)	7.47	(5.35 - 10.34)	0.716
Region 6	6.88	(5.21 - 9.05)	6.82	(5.17 - 8.94)	0.930
Region 7	8.84	(6.91 - 11.25)	8.45	(6.42 - 11.05)	0.681

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	7.33[a]	(6.33 - 8.48)	8.61	(7.51 - 9.85)	0.006
Central	6.44[a]	(4.93 - 8.36)	8.46	(6.71 - 10.61)	0.005
Eastern	8.42	(7.02 - 10.08)	8.97	(7.43 - 10.79)	0.412
Eastern (St. Louis City and County)	8.93	(7.18 - 11.05)	9.81	(7.80 - 12.27)	0.308
Eastern (excluding St. Louis)	7.54	(5.82 - 9.73)	7.53	(5.77 - 9.78)	0.991
Northwest	7.42[a]	(6.04 - 9.09)	9.43	(7.66 - 11.55)	0.004
Northwest (Jackson)	8.03[a]	(6.18 - 10.37)	10.66	(8.19 - 13.75)	0.011
Northwest (excluding Jackson)	6.91[b]	(5.29 - 8.98)	8.39	(6.37 - 10.98)	0.063
Southeast	5.61[a]	(4.18 - 7.50)	7.05	(5.32 - 9.28)	0.040
Southwest	6.87	(5.27 - 8.90)	7.85	(6.01 - 10.20)	0.186
Montana	11.95	(10.51 - 13.56)	11.17	(9.84 - 12.65)	0.277
Region 1	9.59	(7.29 - 12.51)	8.54	(6.24 - 11.58)	0.292
Region 2	10.93	(8.43 - 14.05)	11.38	(8.97 - 14.33)	0.696
Region 3	11.35	(9.10 - 14.06)	10.92	(8.73 - 13.59)	0.701
Region 4	13.52[a]	(11.25 - 16.16)	10.94	(8.80 - 13.52)	0.029
Region 5	12.08	(10.09 - 14.40)	12.11	(9.95 - 14.66)	0.979
Nebraska	6.39[b]	(5.46 - 7.46)	7.13	(6.10 - 8.31)	0.088
Regions 1 and 2	5.21[a]	(3.90 - 6.92)	7.26	(5.55 - 9.45)	0.000
Region 1	5.72[b]	(3.94 - 8.22)	7.14	(5.11 - 9.90)	0.059
Region 2	4.76[a]	(3.36 - 6.71)	7.37	(5.26 - 10.22)	0.000
Region 3	5.44	(4.10 - 7.19)	6.21	(4.72 - 8.13)	0.211
Region 4	3.92[a]	(2.74 - 5.60)	5.86	(4.20 - 8.12)	0.002
Region 5	5.93	(4.60 - 7.61)	6.54	(5.15 - 8.25)	0.327
Region 6	7.90	(6.56 - 9.49)	8.06	(6.57 - 9.84)	0.825
Nevada	10.86	(9.28 - 12.68)	10.43	(8.95 - 12.12)	0.568
Clark – Region 1	10.81	(9.05 - 12.87)	10.39	(8.71 - 12.34)	0.630
Region 3	9.26	(7.10 - 12.00)	9.25	(7.06 - 12.02)	0.983
Capital District	9.20	(6.72 - 12.46)	10.12	(7.18 - 14.08)	0.436
Rural/Frontier	9.32	(6.66 - 12.91)	8.45	(6.03 - 11.73)	0.376
Washoe – Region 2	12.35	(9.87 - 15.35)	11.55	(9.08 - 14.58)	0.490
New Hampshire	10.97[b]	(9.67 - 12.42)	12.12	(10.78 - 13.61)	0.091
Central	11.32[b]	(9.56 - 13.35)	12.85	(10.89 - 15.10)	0.074
Central 1	13.62	(11.11 - 16.59)	14.29	(11.66 - 17.40)	0.557
Central 2	9.09[a]	(7.09 - 11.58)	11.44	(9.10 - 14.28)	0.025
Northern	12.15	(9.65 - 15.18)	13.22	(10.48 - 16.56)	0.393
Southern	10.53	(9.06 - 12.21)	11.53	(9.98 - 13.28)	0.217
Southern 1 (Rockingham)	10.07	(8.15 - 12.38)	10.38	(8.42 - 12.72)	0.757
Southern 2	10.82	(8.99 - 12.97)	12.25	(10.24 - 14.58)	0.164

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	8.08	(6.91 - 9.43)	7.97	(6.87 - 9.23)	0.841
Central	7.60	(5.99 - 9.59)	7.45	(5.89 - 9.39)	0.842
Metropolitan	7.80	(6.17 - 9.83)	7.76	(6.08 - 9.86)	0.960
Northern	8.16	(6.52 - 10.17)	7.91	(6.28 - 9.92)	0.756
Southern	8.82	(6.94 - 11.15)	8.87	(7.02 - 11.14)	0.957
New Mexico	10.62	(9.23 - 12.20)	11.29	(9.86 - 12.91)	0.343
Region 1	10.80	(8.71 - 13.32)	11.27	(8.90 - 14.16)	0.668
Region 2	9.56	(7.26 - 12.49)	10.48	(7.95 - 13.70)	0.427
Region 3 (Bernalillo)	13.45	(11.10 - 16.20)	13.76	(11.25 - 16.73)	0.812
Region 4	8.03	(6.16 - 10.42)	9.20	(7.10 - 11.84)	0.210
Region 5	8.21	(6.39 - 10.48)	9.18	(7.23 - 11.59)	0.266
New York	9.63[a]	(8.88 - 10.44)	10.41	(9.65 - 11.22)	0.046
Region A	9.53[a]	(8.51 - 10.65)	10.57	(9.49 - 11.76)	0.047
Region 1	8.97	(7.27 - 11.01)	8.77	(7.09 - 10.80)	0.805
Region 2	9.61[a]	(8.12 - 11.35)	12.08	(10.22 - 14.22)	0.005
Region 3	11.14	(9.01 - 13.70)	12.81	(10.47 - 15.58)	0.142
Region 4	8.55	(6.99 - 10.40)	8.01	(6.47 - 9.89)	0.462
Region B	9.07[a]	(8.05 - 10.20)	10.19	(9.01 - 11.52)	0.044
Region 5	9.23[b]	(7.94 - 10.70)	10.48	(8.90 - 12.30)	0.093
Region 6	8.13[b]	(6.50 - 10.14)	9.42	(7.54 - 11.71)	0.097
Region 7	10.00	(8.16 - 12.20)	10.49	(8.34 - 13.10)	0.612
Region C	10.18	(9.13 - 11.33)	10.23	(9.20 - 11.37)	0.910
Region 8	9.59[b]	(7.85 - 11.67)	11.34	(9.29 - 13.79)	0.054
Region 9	10.66	(8.78 - 12.89)	9.31	(7.49 - 11.51)	0.146
Region 10	10.79	(8.53 - 13.56)	11.03	(8.60 - 14.05)	0.818
Region 11	10.25	(8.44 - 12.40)	10.49	(8.59 - 12.75)	0.794
Region 12	9.98	(8.14 - 12.17)	9.48	(7.79 - 11.49)	0.548
Region D	10.38	(8.93 - 12.03)	10.73	(9.19 - 12.48)	0.592
Region 13	10.69	(8.42 - 13.50)	11.35	(8.93 - 14.32)	0.530
Region 14	10.94	(8.65 - 13.75)	9.72	(7.44 - 12.60)	0.212
Region 15	9.54[b]	(7.54 - 12.01)	11.17	(8.88 - 13.97)	0.096

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	8.15	(7.00 - 9.47)	8.19	(7.10 - 9.43)	0.924
Alliance Behavioral Healthcare 1	--	(-- - --)	8.92	(6.84 - 11.54)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	7.06	(5.28 - 9.37)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	7.64	(5.72 - 10.14)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	8.10	(6.12 - 10.65)	--
Cardinal Innovations Healthcare Solutions 3	8.48	(6.33 - 11.28)	9.78	(7.37 - 12.86)	0.193
CenterPoint Human Services	7.89	(5.75 - 10.74)	7.56	(5.60 - 10.14)	0.710
Eastpointe	7.99	(6.02 - 10.54)	6.70	(4.95 - 9.03)	0.133
Partners Behavioral Health Management	8.09	(6.17 - 10.56)	8.26	(6.26 - 10.83)	0.856
Sandhills Center 1	7.40	(5.33 - 10.18)	7.51	(5.40 - 10.35)	0.901
Sandhills Center 2	8.24	(6.09 - 11.06)	9.45	(7.01 - 12.62)	0.239
Smoky Mountain Center 1	7.52	(5.49 - 10.22)	8.30	(6.11 - 11.18)	0.377
Smoky Mountain Center 2	9.01	(6.69 - 12.03)	7.97	(5.79 - 10.86)	0.295
Trillium Health Resources 1	8.03	(5.91 - 10.84)	8.26	(6.23 - 10.86)	0.803
Trillium Health Resources 2	8.95	(6.49 - 12.22)	9.39	(6.96 - 12.55)	0.674
North Dakota	5.65[a]	(4.77 - 6.69)	6.85	(5.91 - 7.94)	0.007
Badlands and West Central	4.73[a]	(3.56 - 6.25)	6.04	(4.74 - 7.67)	0.023
Lake Region	--	(-- - --)	5.53	(3.93 - 7.72)	--
North Central	--	(-- - --)	6.84	(5.10 - 9.11)	--
Northeast	6.89[a]	(5.36 - 8.80)	8.62	(6.79 - 10.88)	0.027
Northwest	--	(-- - --)	6.97	(4.96 - 9.72)	--
South Central	--	(-- - --)	6.16	(4.41 - 8.54)	--
Southeast	6.38	(5.04 - 8.04)	7.29	(5.86 - 9.03)	0.159

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	9.12	(8.45 - 9.84)	9.35	(8.64 - 10.11)	0.546
Boards 2, 46, 55, and 68	8.29	(6.66 - 10.28)	7.57	(5.82 - 9.79)	0.373
Boards 3, 52, and 85	7.90	(6.22 - 10.00)	8.28	(6.40 - 10.65)	0.616
Boards 4 and 78	8.70	(6.66 - 11.30)	9.82	(7.47 - 12.81)	0.237
Boards 5 and 60	11.03	(8.76 - 13.80)	11.61	(9.30 - 14.41)	0.588
Boards 7, 15, 41, 79, and 84	6.52	(5.11 - 8.28)	7.68	(5.92 - 9.90)	0.131
Boards 8, 13, and 83	7.33	(5.86 - 9.14)	7.32	(5.67 - 9.40)	0.992
Board 9 (Butler)	9.81	(7.86 - 12.17)	9.48	(7.29 - 12.25)	0.727
Board 12	7.82	(6.07 - 10.03)	9.19	(7.12 - 11.79)	0.106
Boards 18 and 47	9.83	(8.44 - 11.43)	8.98	(7.48 - 10.74)	0.286
Boards 20, 32, 54, and 69	6.28	(4.84 - 8.11)	6.75	(5.06 - 8.95)	0.494
Boards 21, 39, 51, 70, and 80	8.01	(6.36 - 10.05)	7.33	(5.75 - 9.30)	0.364
Boards 22, 74, and 87	7.94	(6.32 - 9.93)	8.00	(6.20 - 10.26)	0.934
Boards 23 and 45	8.17	(6.42 - 10.33)	8.66	(6.78 - 11.01)	0.547
Board 25 (Franklin)	11.86	(10.03 - 13.96)	13.06	(10.95 - 15.50)	0.219
Boards 27, 71, and 73	7.32[a]	(5.80 - 9.21)	9.45	(7.44 - 11.93)	0.014
Boards 28, 43, and 67	8.15	(6.61 - 10.00)	8.90	(7.10 - 11.10)	0.346
Board 31 (Hamilton)	9.98	(8.20 - 12.10)	10.46	(8.53 - 12.77)	0.593
Board 48 (Lucas)	10.62	(8.54 - 13.14)	10.09	(7.86 - 12.87)	0.592
Boards 50 and 76	8.74	(7.13 - 10.68)	8.61	(6.85 - 10.76)	0.875
Board 57 (Montgomery)	9.36	(7.47 - 11.66)	9.11	(7.14 - 11.55)	0.780
Board 77 (Summit)	10.86	(8.92 - 13.16)	10.79	(8.62 - 13.44)	0.945
Oklahoma	8.33	(7.17 - 9.66)	8.35	(7.21 - 9.66)	0.970
Central	7.70	(5.84 - 10.08)	8.45	(6.37 - 11.12)	0.376
East Central	7.80	(5.74 - 10.51)	7.12	(5.25 - 9.58)	0.412
Northeast	6.91	(5.24 - 9.07)	7.06	(5.31 - 9.33)	0.843
Northwest and Southwest	9.76	(7.46 - 12.67)	8.60	(6.52 - 11.26)	0.244
Oklahoma County	9.60	(7.56 - 12.11)	9.31	(7.29 - 11.81)	0.757
Southeast	7.75	(5.88 - 10.16)	6.49	(4.87 - 8.60)	0.105
Tulsa County	8.07[a]	(6.23 - 10.38)	10.42	(8.05 - 13.37)	0.021
Oregon	13.30	(11.75 - 15.03)	14.02	(12.42 - 15.80)	0.374
Region 1 (Multnomah)	19.41[b]	(15.96 - 23.40)	16.48	(13.47 - 20.01)	0.097
Region 2	12.07[b]	(9.72 - 14.90)	14.20	(11.53 - 17.36)	0.080
Region 3	12.49	(10.48 - 14.82)	13.86	(11.45 - 16.68)	0.211
Region 4	11.27	(8.83 - 14.28)	12.49	(9.67 - 15.97)	0.330
Region 5 (Central)	10.31[b]	(7.64 - 13.79)	12.44	(9.30 - 16.46)	0.095
Region 6 (Eastern)	10.16	(7.23 - 14.09)	11.24	(8.26 - 15.13)	0.368

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	8.02[b]	(7.36 - 8.73)	8.64	(7.97 - 9.37)	0.075
Region 1 (Allegheny)	10.54	(8.83 - 12.53)	10.65	(8.79 - 12.84)	0.905
Regions 3, 8, 9, and 51	6.83[a]	(5.43 - 8.55)	8.80	(7.07 - 10.91)	0.013
Regions 4, 11, 37, and 49	6.74	(5.37 - 8.41)	7.73	(6.20 - 9.59)	0.156
Regions 5, 18, 23, 24, and 46	7.06	(5.54 - 8.96)	6.71	(5.33 - 8.43)	0.625
Regions 6, 12, 16, 31, 35, 45, and 47	6.54[a]	(5.20 - 8.19)	7.99	(6.49 - 9.80)	0.037
Regions 7, 13, 20, and 33	7.81	(6.68 - 9.10)	8.13	(6.91 - 9.53)	0.607
Regions 10, 15, 27, 32, 43, and 44	6.39	(5.03 - 8.09)	6.94	(5.34 - 8.98)	0.451
Regions 17 and 21	8.39	(6.54 - 10.71)	8.02	(6.22 - 10.29)	0.658
Regions 19, 26, 28, and 42	5.92[b]	(4.85 - 7.20)	7.04	(5.76 - 8.57)	0.056
Regions 22, 38, 40, 41, and 48	6.15	(4.97 - 7.58)	5.62	(4.32 - 7.28)	0.392
Regions 29 and 34	7.85[b]	(6.20 - 9.89)	9.27	(7.34 - 11.65)	0.087
Regions 30 and 50	6.28[a]	(4.84 - 8.12)	8.20	(6.39 - 10.47)	0.023
Region 36 (Philadelphia)	13.13	(11.14 - 15.42)	13.45	(11.35 - 15.86)	0.770
Rhode Island	15.28	(13.56 - 17.18)	15.25	(13.58 - 17.09)	0.974
Bristol and Newport	13.79	(10.82 - 17.42)	15.15	(11.90 - 19.10)	0.351
Kent	13.86	(11.09 - 17.18)	15.24	(12.01 - 19.15)	0.389
Providence	15.89	(13.74 - 18.30)	15.07	(13.02 - 17.39)	0.493
Washington	15.78	(12.85 - 19.22)	16.24	(13.06 - 20.01)	0.751
South Carolina	8.34	(7.21 - 9.62)	8.65	(7.52 - 9.92)	0.565
Region 1	--	(-- - --)	8.62	(6.93 - 10.67)	--
Region 2	--	(-- - --)	8.46	(6.76 - 10.54)	--
Region 3	8.43	(6.51 - 10.86)	8.72	(6.77 - 11.17)	0.742
Region 4	8.91	(7.18 - 11.00)	8.80	(7.04 - 10.94)	0.893
South Dakota	6.23	(5.25 - 7.38)	6.13	(5.20 - 7.20)	0.811
Region 1	7.58	(5.84 - 9.77)	6.50	(5.01 - 8.39)	0.158
Region 2	6.28	(4.46 - 8.78)	6.40	(4.58 - 8.88)	0.869
Region 3	5.50	(4.19 - 7.19)	5.54	(4.28 - 7.15)	0.943
Region 4	5.41	(3.97 - 7.34)	6.20	(4.67 - 8.20)	0.188
Region 5	6.06	(4.75 - 7.71)	6.17	(4.84 - 7.85)	0.850
Tennessee	7.03	(5.98 - 8.26)	6.88	(5.90 - 8.01)	0.740
Region 1	5.87	(4.30 - 7.98)	6.30	(4.64 - 8.50)	0.529
Region 2	6.38	(4.78 - 8.45)	6.48	(4.93 - 8.48)	0.885
Region 3	6.76	(5.19 - 8.77)	5.98	(4.51 - 7.89)	0.273
Region 4 (Davidson)	8.55	(6.44 - 11.28)	7.66	(5.68 - 10.25)	0.312
Region 5	6.64	(5.13 - 8.55)	7.85	(6.22 - 9.87)	0.107
Region 6	6.45	(4.74 - 8.71)	6.12	(4.55 - 8.19)	0.646
Region 7 (Shelby)	8.87[a]	(6.84 - 11.42)	7.00	(5.28 - 9.24)	0.031

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	7.11	(6.53 - 7.74)	7.42	(6.84 - 8.05)	0.274
Region 1	7.19	(5.61 - 9.16)	7.55	(5.94 - 9.55)	0.609
Region 2	6.52[b]	(4.87 - 8.67)	7.86	(5.91 - 10.39)	0.091
Region 3	7.45	(6.60 - 8.41)	7.27	(6.39 - 8.25)	0.672
Region 3a	7.19	(6.15 - 8.39)	6.86	(5.78 - 8.12)	0.561
Region 3bc	7.91	(6.63 - 9.42)	7.98	(6.68 - 9.51)	0.912
Region 4	6.24	(4.83 - 8.01)	6.43	(4.93 - 8.34)	0.766
Region 5	6.50	(4.98 - 8.44)	7.55	(5.72 - 9.89)	0.184
Region 6	6.55	(5.62 - 7.62)	7.11	(6.11 - 8.25)	0.240
Region 6a	6.51	(5.53 - 7.65)	6.97	(5.92 - 8.20)	0.356
Region 6bc	6.92	(5.28 - 9.01)	8.22	(6.20 - 10.82)	0.106
Region 7	9.45	(8.16 - 10.92)	9.55	(8.14 - 11.17)	0.889
Region 7a	10.99	(9.15 - 13.14)	10.75	(8.82 - 13.04)	0.805
Region 7bcd	6.87	(5.49 - 8.57)	7.48	(5.92 - 9.41)	0.360
Region 8	7.10	(5.85 - 8.59)	8.15	(6.63 - 9.99)	0.126
Region 9	6.67[a]	(5.10 - 8.67)	8.22	(6.23 - 10.79)	0.041
Region 10	5.81	(4.51 - 7.46)	5.67	(4.38 - 7.32)	0.800
Region 11	5.68	(4.72 - 6.83)	5.59	(4.61 - 6.75)	0.825
Region 11abd	6.43	(5.13 - 8.03)	5.71	(4.49 - 7.24)	0.218
Region 11c (Hidalgo)	4.36[a]	(3.26 - 5.81)	5.37	(4.10 - 7.00)	0.048
Utah	5.41[a]	(4.57 - 6.39)	7.32	(6.32 - 8.46)	0.000
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.38[a]	(3.24 - 5.89)	5.79	(4.35 - 7.66)	0.007
Central, Four Corners, San Juan, and Southwest	4.57[a]	(3.28 - 6.33)	6.52	(4.80 - 8.78)	0.001
Davis County	5.25[a]	(3.93 - 6.99)	6.60	(4.98 - 8.69)	0.032
Salt Lake County	6.23[a]	(4.97 - 7.78)	8.81	(7.21 - 10.72)	0.001
Utah County	5.13	(3.90 - 6.71)	6.02	(4.62 - 7.80)	0.115
Weber, Morgan	5.21[a]	(3.73 - 7.23)	7.62	(5.69 - 10.14)	0.001
Vermont	14.27	(12.66 - 16.05)	13.80	(12.29 - 15.47)	0.586
Champlain Valley	16.71	(14.45 - 19.25)	15.04	(13.04 - 17.29)	0.160
Rural Northeast	13.01	(10.57 - 15.92)	13.23	(10.61 - 16.38)	0.867
Rural Southeast	12.56	(10.09 - 15.53)	13.67	(10.96 - 16.91)	0.409
Rural Southwest	12.26	(9.72 - 15.34)	11.69	(9.17 - 14.80)	0.661
Virginia	7.71	(6.66 - 8.90)	8.10	(7.06 - 9.27)	0.399
Region 1	9.32	(7.47 - 11.58)	9.71	(7.68 - 12.20)	0.677
Region 2	5.73	(4.39 - 7.44)	6.52	(5.15 - 8.22)	0.197
Region 3	7.96	(6.28 - 10.04)	8.63	(6.80 - 10.91)	0.405
Region 4	7.03	(5.30 - 9.27)	7.65	(5.79 - 10.04)	0.416
Region 5	9.34	(7.51 - 11.56)	8.90	(7.16 - 11.00)	0.604

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	12.11[a]	(10.69 - 13.68)	13.99	(12.47 - 15.66)	0.010
Region 1	9.69[a]	(7.83 - 11.93)	11.94	(9.86 - 14.38)	0.013
Greater Columbia and North Central	--	(-- - --)	10.12	(7.87 - 12.92)	--
Spokane	--	(-- - --)	14.59	(11.30 - 18.62)	--
Region 2	13.52[a]	(11.65 - 15.63)	15.47	(13.40 - 17.79)	0.049
King	13.57	(11.34 - 16.14)	14.67	(12.23 - 17.49)	0.350
North Sound	13.43[a]	(10.96 - 16.35)	16.88	(13.70 - 20.62)	0.015
Region 3	11.73[b]	(9.87 - 13.89)	13.26	(11.31 - 15.49)	0.081
Peninsula	--	(-- - --)	13.61	(10.32 - 17.75)	--
Pierce	--	(-- - --)	13.58	(10.81 - 16.94)	--
SW WA and Timberlands	--	(-- - --)	12.25	(9.42 - 15.78)	--
Thurston-Mason	--	(-- - --)	14.31	(10.63 - 19.00)	--
West Virginia	7.20	(6.24 - 8.29)	7.02	(6.01 - 8.18)	0.706
Region I	6.26	(4.61 - 8.46)	6.26	(4.46 - 8.72)	0.997
Region II	7.07	(5.29 - 9.38)	6.94	(5.15 - 9.29)	0.884
Region III	5.46	(4.00 - 7.40)	5.60	(4.03 - 7.73)	0.835
Region IV	10.50[a]	(8.80 - 12.49)	8.43	(6.80 - 10.39)	0.016
Region V	6.51	(5.22 - 8.10)	7.14	(5.63 - 9.01)	0.416
Region VI	5.72	(4.25 - 7.64)	6.24	(4.72 - 8.21)	0.462
Wisconsin	8.34	(7.14 - 9.72)	8.39	(7.21 - 9.74)	0.930
Milwaukee	11.44	(8.80 - 14.74)	10.40	(8.02 - 13.40)	0.352
Northeastern	7.34	(5.83 - 9.20)	6.88	(5.28 - 8.90)	0.524
Northern	6.82	(4.90 - 9.42)	7.25	(5.32 - 9.82)	0.599
Southeastern	8.20	(6.32 - 10.58)	8.20	(6.32 - 10.58)	0.998
Southern	8.30	(6.54 - 10.49)	8.90	(7.01 - 11.25)	0.469
Western	7.46	(5.68 - 9.74)	8.66	(6.60 - 11.30)	0.145

See notes at end of table.

(continued)

Table 1 *Illicit Drug Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	7.07	(6.03 - 8.28)	7.08	(6.02 - 8.31)	0.982
Judicial District 1 (Laramie)	6.98	(5.37 - 9.03)	7.26	(5.52 - 9.50)	0.710
Judicial District 2	9.39	(7.28 - 12.03)	9.47	(7.23 - 12.31)	0.938
Judicial District 3	5.02	(3.72 - 6.73)	5.56	(4.18 - 7.38)	0.388
Judicial District 4	6.43	(4.67 - 8.81)	6.96	(5.05 - 9.51)	0.506
Judicial District 5	6.30	(4.62 - 8.55)	5.83	(4.20 - 8.04)	0.490
Judicial District 6	6.13	(4.55 - 8.23)	6.29	(4.65 - 8.45)	0.822
Judicial District 7 (Natrona)	7.30	(5.52 - 9.59)	7.25	(5.42 - 9.63)	0.948
Judicial District 8	7.13	(5.28 - 9.57)	6.05	(4.43 - 8.22)	0.158
Judicial District 9	9.16	(6.77 - 12.29)	8.79	(6.43 - 11.90)	0.723

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	11.69[a]	(11.45 - 11.95)	12.65	(12.40 - 12.89)	0.000
Northeast	12.74[a]	(12.21 - 13.29)	13.74	(13.21 - 14.29)	0.000
Midwest	11.21[a]	(10.77 - 11.66)	12.21	(11.78 - 12.65)	0.000
South	9.97[a]	(9.57 - 10.40)	10.90	(10.51 - 11.30)	0.000
West	14.06[a]	(13.48 - 14.67)	14.98	(14.43 - 15.54)	0.005
Alabama	9.00	(7.79 - 10.36)	9.74	(8.50 - 11.13)	0.195
Region 1	7.90	(6.29 - 9.89)	9.12	(7.21 - 11.46)	0.130
Region 2	10.27	(8.42 - 12.48)	10.56	(8.70 - 12.76)	0.748
Region 3	8.31	(6.60 - 10.40)	9.56	(7.82 - 11.64)	0.112
Region 4	9.09	(7.27 - 11.30)	9.48	(7.58 - 11.80)	0.636
Alaska	18.72[b]	(16.76 - 20.86)	20.39	(18.47 - 22.45)	0.095
Anchorage	19.14	(16.69 - 21.85)	20.31	(17.72 - 23.16)	0.352
Northern	20.86	(17.52 - 24.65)	23.35	(19.58 - 27.60)	0.164
South Central	16.34	(13.38 - 19.80)	18.64	(15.66 - 22.03)	0.123
Southeast	18.54	(14.89 - 22.83)	18.83	(15.03 - 23.33)	0.852
Arizona	12.14	(10.63 - 13.83)	12.76	(11.26 - 14.43)	0.431
Maricopa	12.12	(10.41 - 14.06)	12.37	(10.63 - 14.35)	0.786
Pima	13.48	(10.75 - 16.77)	15.09	(12.07 - 18.70)	0.234
Rural North	11.85	(9.28 - 15.01)	12.86	(9.97 - 16.43)	0.400
Rural South	10.95	(8.30 - 14.32)	11.70	(9.22 - 14.75)	0.497
Arkansas	9.00[a]	(7.80 - 10.37)	10.41	(9.12 - 11.86)	0.013
Catchment Area 1	9.32[a]	(7.34 - 11.76)	11.25	(9.05 - 13.91)	0.047
Catchment Area 2	7.48	(5.63 - 9.88)	8.62	(6.65 - 11.12)	0.159
Catchment Area 3	7.41[a]	(5.66 - 9.64)	9.58	(7.40 - 12.32)	0.010
Catchment Area 4	9.00	(6.80 - 11.83)	9.38	(7.08 - 12.34)	0.677
Catchment Area 5	9.70[a]	(7.70 - 12.16)	12.17	(9.76 - 15.09)	0.009
Catchment Area 6	9.76	(7.51 - 12.58)	11.24	(8.71 - 14.40)	0.135
Catchment Area 7	7.13[a]	(5.25 - 9.63)	9.14	(6.84 - 12.11)	0.018
Catchment Area 8	10.75	(8.72 - 13.18)	10.71	(8.50 - 13.41)	0.969

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	13.98	(13.11 - 14.89)	14.32	(13.51 - 15.18)	0.471
Region 1R	21.60	(17.80 - 25.96)	19.40	(15.73 - 23.70)	0.210
Region 2R	15.56	(12.73 - 18.89)	16.51	(13.53 - 19.99)	0.490
Region 3R (Sacramento)	16.12	(13.28 - 19.42)	15.70	(12.99 - 18.86)	0.742
Region 4R	15.94	(13.28 - 19.01)	17.60	(14.86 - 20.72)	0.213
Region 5R (San Francisco)	22.85	(18.65 - 27.67)	22.56	(17.94 - 27.96)	0.885
Region 6 (Santa Clara)	10.58[b]	(8.61 - 12.93)	12.31	(10.08 - 14.96)	0.071
Region 7R (Contra Costa)	13.96	(11.35 - 17.05)	14.90	(12.12 - 18.19)	0.433
Region 8R (Alameda)	14.37	(11.91 - 17.24)	14.77	(12.19 - 17.79)	0.743
Region 9R (San Mateo)	12.34	(9.69 - 15.60)	13.61	(10.69 - 17.17)	0.277
Region 10	15.27	(12.61 - 18.37)	15.69	(12.89 - 18.97)	0.721
Region 11 (Los Angeles)	13.12	(11.95 - 14.38)	13.55	(12.40 - 14.78)	0.457
LA SPA 1 and 5	15.20	(12.30 - 18.63)	16.30	(13.17 - 20.00)	0.367
LA SPA 2	13.01	(10.77 - 15.64)	13.79	(11.56 - 16.38)	0.478
LA SPA 3	10.54	(8.70 - 12.72)	9.72	(7.83 - 12.01)	0.345
LA SPA 4	15.25	(12.38 - 18.66)	16.99	(13.92 - 20.57)	0.228
LA SPA 6	14.19	(11.46 - 17.44)	15.57	(12.65 - 19.01)	0.231
LA SPA 7	10.84	(8.83 - 13.24)	11.33	(9.23 - 13.84)	0.572
LA SPA 8	14.41	(11.90 - 17.36)	13.66	(11.36 - 16.34)	0.489
Region 12R	13.53	(10.66 - 17.02)	13.46	(10.60 - 16.94)	0.953
Regions 13 and 19R	12.44	(10.56 - 14.60)	11.93	(10.04 - 14.13)	0.583
Region 14 (Orange)	11.67	(9.99 - 13.60)	12.76	(10.83 - 14.97)	0.237
Region 15R (Fresno)	13.21	(10.53 - 16.45)	13.20	(10.69 - 16.20)	0.991
Region 16R (San Diego)	14.94	(12.79 - 17.38)	15.81	(13.65 - 18.24)	0.423
Region 17R	11.67	(9.56 - 14.18)	11.34	(9.31 - 13.76)	0.708
Region 18R (San Bernardino)	13.15	(11.11 - 15.50)	12.45	(10.42 - 14.82)	0.471
Region 20R	13.74	(11.09 - 16.90)	13.76	(11.23 - 16.74)	0.985
Region 21R	18.84	(15.63 - 22.54)	18.31	(14.78 - 22.47)	0.707
Colorado	17.55[a]	(15.74 - 19.53)	20.05	(18.20 - 22.04)	0.008
Region 1	16.24[a]	(13.31 - 19.68)	19.95	(16.31 - 24.17)	0.014
Regions 2 and 7	19.44	(16.98 - 22.16)	21.45	(19.02 - 24.10)	0.118
Region 3	14.73	(12.09 - 17.82)	16.75	(13.65 - 20.38)	0.121
Region 4	13.35[b]	(10.14 - 17.37)	15.90	(12.23 - 20.43)	0.067
Regions 5 and 6	15.41[a]	(12.28 - 19.15)	19.49	(15.69 - 23.96)	0.009
Connecticut	13.80	(12.21 - 15.57)	14.38	(12.85 - 16.06)	0.429
Eastern	13.26[a]	(10.71 - 16.31)	17.00	(14.02 - 20.46)	0.002
North Central	14.55	(12.17 - 17.32)	15.27	(12.77 - 18.15)	0.544
Northwestern	12.88	(10.40 - 15.84)	11.71	(9.38 - 14.53)	0.282
South Central	15.39	(12.78 - 18.42)	14.22	(11.83 - 17.01)	0.293
Southwest	11.90[b]	(9.54 - 14.73)	13.98	(11.29 - 17.19)	0.061

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	13.28	(11.89 - 14.81)	14.05	(12.59 - 15.66)	0.245
Kent	11.96	(9.70 - 14.65)	13.55	(11.16 - 16.36)	0.119
New Castle (excluding Wilmington City)	13.72	(12.03 - 15.61)	14.73	(12.90 - 16.76)	0.262
Sussex	11.84	(9.69 - 14.39)	11.68	(9.42 - 14.40)	0.875
Wilmington City	17.34	(13.87 - 21.47)	17.51	(13.61 - 22.25)	0.912
District of Columbia	19.41[b]	(17.49 - 21.48)	21.14	(19.19 - 23.24)	0.078
Ward 1	25.29	(20.94 - 30.19)	24.55	(20.43 - 29.20)	0.704
Ward 2	22.30[b]	(18.73 - 26.33)	25.77	(21.30 - 30.83)	0.071
Ward 3	17.70	(14.63 - 21.26)	19.17	(15.73 - 23.14)	0.308
Ward 4	16.54	(13.17 - 20.58)	18.76	(15.01 - 23.18)	0.185
Ward 5	19.15[b]	(15.87 - 22.93)	22.16	(18.56 - 26.23)	0.065
Ward 6	19.15	(15.33 - 23.66)	20.44	(16.72 - 24.74)	0.486
Ward 7	16.76	(13.50 - 20.63)	18.00	(14.39 - 22.29)	0.407
Ward 8	17.97	(14.81 - 21.62)	19.73	(16.35 - 23.63)	0.271
Florida[1]	11.11	(10.34 - 11.94)	11.56	(10.79 - 12.39)	0.266
Broward (Circuit 17)	9.60	(8.11 - 11.32)	10.68	(8.88 - 12.80)	0.180
Central I	--	(-- - --)	12.80	(11.23 - 14.55)	--
Circuit 9	13.38	(11.50 - 15.52)	12.73	(10.87 - 14.86)	0.491
Circuit 18	12.35	(10.25 - 14.82)	12.90	(10.61 - 15.61)	0.581
Central II	--	(-- - --)	11.60	(10.51 - 12.79)	--
Circuit 6	12.77	(10.58 - 15.34)	11.96	(9.98 - 14.28)	0.425
Circuit 10	9.36	(7.61 - 11.46)	9.99	(8.06 - 12.33)	0.436
Circuit 12	12.03	(9.71 - 14.81)	11.12	(8.89 - 13.84)	0.384
Circuit 13 (Hillsborough)	12.20	(10.35 - 14.34)	13.34	(11.32 - 15.64)	0.210
Circuit 20	10.89	(8.88 - 13.29)	10.66	(8.64 - 13.07)	0.794
Northeast	--	(-- - --)	12.78	(11.46 - 14.24)	--
Circuit 4	12.87	(10.67 - 15.44)	12.66	(10.40 - 15.33)	0.840
Circuit 5	9.80	(7.91 - 12.08)	10.66	(8.63 - 13.11)	0.347
Circuit 7	11.27	(9.26 - 13.65)	12.84	(10.57 - 15.50)	0.135
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	17.26	(14.44 - 20.49)	--
Northwest	--	(-- - --)	14.72	(12.89 - 16.76)	--
Circuit 1	12.35	(10.25 - 14.80)	13.52	(10.90 - 16.65)	0.300
Circuit 2 plus Madison and Taylor	--	(-- - --)	17.88	(14.97 - 21.22)	--
Circuit 14	12.30	(9.69 - 15.50)	12.86	(9.94 - 16.50)	0.607
South (Circuits 11 and 16)	7.87	(6.76 - 9.15)	7.96	(6.80 - 9.31)	0.876
Southeast	--	(-- - --)	11.05	(9.41 - 12.94)	--
Circuit 15 (Palm Beach)	9.48	(7.82 - 11.44)	10.55	(8.64 - 12.83)	0.220
Circuit 19	10.11[a]	(8.01 - 12.68)	12.14	(9.62 - 15.23)	0.050

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	9.51[a]	(8.33 - 10.83)	11.56	(10.26 - 13.01)	0.000
Region 1	8.23[a]	(6.68 - 10.10)	10.33	(8.42 - 12.60)	0.008
Region 2	8.53[a]	(6.68 - 10.83)	10.42	(8.30 - 13.01)	0.033
Region 3	11.32	(9.41 - 13.57)	12.38	(10.41 - 14.67)	0.273
Region 4	9.53[a]	(7.41 - 12.19)	11.67	(9.04 - 14.95)	0.024
Region 5	9.91[a]	(7.57 - 12.86)	12.39	(9.71 - 15.67)	0.016
Region 6	8.65[a]	(6.77 - 10.99)	12.44	(10.06 - 15.29)	0.000
Hawaii	12.30	(10.76 - 14.03)	13.10	(11.53 - 14.86)	0.318
Hawaii Island	15.81	(12.57 - 19.69)	15.23	(11.83 - 19.40)	0.726
Honolulu	10.89	(9.36 - 12.63)	12.18	(10.51 - 14.07)	0.127
Kauai	13.89	(10.35 - 18.39)	14.68	(10.95 - 19.42)	0.614
Maui	16.14	(12.66 - 20.35)	15.65	(12.29 - 19.72)	0.764
Idaho	11.22	(9.82 - 12.80)	10.90	(9.64 - 12.30)	0.607
Region 1	11.12	(8.67 - 14.15)	10.92	(8.66 - 13.70)	0.849
Region 2	12.56	(9.79 - 15.99)	14.58	(11.31 - 18.60)	0.129
Region 3	10.06	(7.87 - 12.79)	10.61	(8.40 - 13.32)	0.589
Region 4	13.72[b]	(11.43 - 16.39)	11.72	(9.76 - 14.01)	0.057
Region 5	9.29	(7.27 - 11.80)	9.57	(7.46 - 12.20)	0.761
Region 6	--	(-- - --)	11.47	(8.89 - 14.67)	--
Region 7	--	(-- - --)	8.69	(6.79 - 11.06)	--
Illinois	11.18	(10.42 - 11.99)	11.86	(11.07 - 12.69)	0.108
Region I (Cook)	13.13	(11.90 - 14.45)	13.30	(12.00 - 14.71)	0.807
Region II	9.49[b]	(8.49 - 10.60)	10.50	(9.42 - 11.68)	0.075
Region III	10.81	(9.39 - 12.42)	11.96	(10.33 - 13.80)	0.122
Region IV	8.70[a]	(7.20 - 10.46)	10.43	(8.67 - 12.50)	0.021
Region V	10.79	(9.26 - 12.54)	11.12	(9.34 - 13.18)	0.680
Indiana	10.66[a]	(9.34 - 12.16)	12.40	(11.01 - 13.93)	0.008
Central	11.65[b]	(9.47 - 14.26)	13.50	(11.19 - 16.21)	0.082
East	10.92[b]	(8.52 - 13.89)	12.83	(10.20 - 16.01)	0.067
North Central	10.89	(8.67 - 13.58)	10.44	(8.46 - 12.82)	0.634
Northeast	9.05[a]	(6.96 - 11.69)	11.69	(9.20 - 14.74)	0.009
Northwest	10.27	(8.01 - 13.09)	11.28	(8.96 - 14.10)	0.307
Southeast	8.50[a]	(6.64 - 10.83)	11.05	(8.60 - 14.08)	0.005
Southwest	8.39[a]	(6.28 - 11.11)	10.98	(8.45 - 14.16)	0.009
West	13.38[a]	(10.87 - 16.37)	15.97	(13.00 - 19.47)	0.027
Iowa	9.80	(8.61 - 11.13)	9.73	(8.49 - 11.14)	0.904
Central	11.10	(8.90 - 13.76)	9.88	(7.85 - 12.36)	0.220
North Central	12.44	(9.86 - 15.58)	12.57	(10.14 - 15.50)	0.898
Northeast	9.51	(7.89 - 11.44)	9.64	(7.78 - 11.88)	0.883
Northwest	6.77[a]	(5.16 - 8.84)	8.34	(6.38 - 10.83)	0.033
Southeast	10.43	(8.43 - 12.83)	9.97	(8.02 - 12.34)	0.596
Southwest	8.53	(6.62 - 10.94)	8.14	(6.31 - 10.44)	0.615

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	8.48[a]	(7.34 - 9.77)	9.57	(8.38 - 10.91)	0.045
Kansas City Metro	8.91	(7.38 - 10.74)	10.08	(8.37 - 12.08)	0.144
Northeast	8.98[b]	(7.12 - 11.26)	10.49	(8.50 - 12.88)	0.086
South Central	7.27	(5.47 - 9.61)	8.26	(6.44 - 10.54)	0.196
Southeast	8.21	(6.08 - 11.02)	9.36	(7.03 - 12.37)	0.201
West	7.48	(5.80 - 9.60)	8.57	(6.59 - 11.08)	0.177
Wichita (Sedgwick)	8.68	(6.86 - 10.94)	9.20	(7.25 - 11.61)	0.538
Kentucky	8.76[a]	(7.60 - 10.07)	10.16	(8.95 - 11.51)	0.013
Adanta, Cumberland River, and Lifeskills	6.20[a]	(4.78 - 8.00)	8.02	(6.27 - 10.21)	0.006
Bluegrass, Comprehend, and North Key	9.77	(8.11 - 11.73)	10.84	(8.99 - 13.02)	0.217
Communicare and River Valley	7.53[a]	(5.71 - 9.88)	10.09	(7.85 - 12.88)	0.004
Four Rivers and Pennyroyal	7.44	(5.63 - 9.78)	8.74	(6.70 - 11.32)	0.104
Kentucky River, Mountain, and Pathways	6.67[a]	(5.00 - 8.84)	8.84	(6.84 - 11.36)	0.004
Seven Counties	11.62	(9.51 - 14.12)	12.19	(9.99 - 14.79)	0.601
Louisiana	8.94[a]	(7.87 - 10.15)	11.23	(9.91 - 12.70)	0.000
Regions 1 and 10	10.98[a]	(9.05 - 13.25)	13.85	(11.31 - 16.84)	0.002
Region 1	12.53[a]	(9.89 - 15.76)	16.09	(12.37 - 20.66)	0.009
Region 10 (Jefferson)	9.43[a]	(7.31 - 12.09)	11.52	(8.90 - 14.78)	0.037
Regions 2 and 9	8.96[a]	(7.39 - 10.81)	11.00	(9.14 - 13.18)	0.017
Region 3	8.24[a]	(6.34 - 10.64)	10.02	(7.65 - 13.02)	0.044
Regions 4, 5, and 6	8.13[a]	(6.63 - 9.92)	10.60	(8.52 - 13.10)	0.002
Regions 7 and 8	8.35[a]	(6.70 - 10.36)	10.31	(8.39 - 12.63)	0.013
Maine	14.02[a]	(12.43 - 15.76)	18.31	(16.44 - 20.35)	0.000
Aroostook/Downeast	12.25[a]	(10.03 - 14.88)	15.96	(12.94 - 19.52)	0.001
Aroostook	10.96[a]	(8.31 - 14.32)	13.68	(10.42 - 17.76)	0.040
Downeast	13.31[a]	(10.47 - 16.78)	17.81	(13.54 - 23.05)	0.003
Central	12.21[a]	(9.84 - 15.04)	17.09	(13.84 - 20.91)	0.000
Cumberland	15.59[a]	(12.85 - 18.79)	21.09	(17.48 - 25.23)	0.000
Midcoast	13.34[a]	(10.33 - 17.07)	17.48	(13.78 - 21.92)	0.007
Penquis	15.73[a]	(13.00 - 18.92)	20.44	(16.86 - 24.55)	0.002
Western	14.74[a]	(12.09 - 17.86)	18.17	(14.87 - 22.01)	0.018
York	13.07[a]	(10.53 - 16.11)	16.22	(12.98 - 20.08)	0.028

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	10.08[a]	(8.88 - 11.43)	12.52	(11.04 - 14.16)	0.000
Anne Arundel	9.17[a]	(7.15 - 11.68)	12.44	(9.73 - 15.77)	0.001
Baltimore City	13.41[a]	(10.81 - 16.53)	16.83	(13.61 - 20.63)	0.013
Baltimore County	9.76[a]	(7.70 - 12.31)	12.00	(9.48 - 15.09)	0.023
Montgomery	9.07	(7.21 - 11.35)	10.47	(8.22 - 13.26)	0.123
North Central	8.74[a]	(6.77 - 11.23)	10.70	(8.21 - 13.83)	0.033
Northeast	9.15[a]	(7.10 - 11.70)	14.13	(11.08 - 17.86)	0.000
Prince George's	11.34[a]	(9.15 - 13.98)	13.82	(11.18 - 16.96)	0.025
South	11.03	(8.83 - 13.70)	10.78	(8.37 - 13.78)	0.805
West	8.34[a]	(6.42 - 10.77)	12.01	(9.39 - 15.24)	0.000
Massachusetts	15.54	(14.01 - 17.19)	16.42	(14.77 - 18.20)	0.256
Boston	19.47	(16.17 - 23.25)	20.58	(17.03 - 24.65)	0.465
Central	14.50	(11.82 - 17.67)	15.32	(12.40 - 18.77)	0.521
Metrowest	15.60	(13.15 - 18.41)	15.10	(12.45 - 18.20)	0.679
Northeast	14.88	(12.52 - 17.59)	15.04	(12.43 - 18.10)	0.886
Southeast	14.71[a]	(12.25 - 17.58)	17.73	(14.79 - 21.11)	0.019
Western	14.95	(12.31 - 18.05)	15.99	(13.16 - 19.29)	0.395
Michigan[1]	13.62[a]	(12.81 - 14.48)	15.07	(14.19 - 16.01)	0.002
Region 1	16.69	(13.91 - 19.90)	15.72	(12.88 - 19.05)	0.444
Region 2	--	(-- - --)	12.27	(9.77 - 15.30)	--
Region 3	--	(-- - --)	15.16	(13.17 - 17.40)	--
Region 4	--	(-- - --)	15.81	(13.51 - 18.41)	--
Region 5	--	(-- - --)	15.44	(13.73 - 17.33)	--
Region 6	--	(-- - --)	14.34	(12.25 - 16.70)	--
Region 7	--	(-- - --)	16.36	(14.40 - 18.53)	--
Region 8	12.42	(10.76 - 14.30)	13.10	(11.22 - 15.25)	0.433
Region 9	11.94[a]	(10.21 - 13.91)	15.36	(13.08 - 17.95)	0.000
Region 10	--	(-- - --)	15.69	(13.31 - 18.41)	--
Minnesota	11.28	(9.98 - 12.73)	12.31	(10.86 - 13.91)	0.104
Regions 1 and 2	10.73	(8.28 - 13.78)	11.07	(8.49 - 14.32)	0.740
Regions 3 and 4	10.00[b]	(8.11 - 12.27)	11.76	(9.39 - 14.63)	0.068
Regions 5 and 6	11.55	(9.56 - 13.88)	11.05	(8.96 - 13.55)	0.587
Region 7A (Hennepin)	12.45	(10.24 - 15.06)	14.17	(11.62 - 17.16)	0.129
Region 7B (Ramsey)	13.21	(10.22 - 16.90)	15.31	(11.96 - 19.39)	0.118
Region 7C	10.29	(8.54 - 12.36)	11.17	(9.24 - 13.45)	0.318
Mississippi	9.08	(7.93 - 10.38)	8.93	(7.79 - 10.23)	0.779
Region 1	8.76	(7.09 - 10.77)	8.84	(7.12 - 10.93)	0.912
Region 2	9.28	(7.19 - 11.91)	9.02	(6.97 - 11.59)	0.768
Region 3	8.82	(6.99 - 11.09)	8.39	(6.63 - 10.56)	0.575
Region 4	9.63	(7.83 - 11.80)	10.26	(8.16 - 12.83)	0.474
Region 5	7.33	(5.41 - 9.87)	7.25	(5.33 - 9.79)	0.911
Region 6	8.55	(6.62 - 10.97)	8.54	(6.62 - 10.95)	0.991
Region 7	10.00	(7.85 - 12.67)	8.85	(6.85 - 11.36)	0.233

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	10.22[a]	(9.02 - 11.56)	12.10	(10.72 - 13.63)	0.001
Central	8.75[a]	(6.84 - 11.14)	11.85	(9.68 - 14.43)	0.001
Eastern	11.61	(9.98 - 13.46)	12.57	(10.72 - 14.68)	0.220
Eastern (St. Louis City and County)	12.26	(10.22 - 14.64)	13.70	(11.33 - 16.47)	0.157
Eastern (excluding St. Louis)	10.47	(8.40 - 12.97)	10.63	(8.41 - 13.35)	0.866
Northwest	10.72[a]	(8.98 - 12.76)	13.66	(11.39 - 16.30)	0.001
Northwest (Jackson)	12.06[a]	(9.71 - 14.89)	15.44	(12.26 - 19.28)	0.008
Northwest (excluding Jackson)	9.59[a]	(7.49 - 12.20)	12.16	(9.58 - 15.33)	0.011
Southeast	7.43[a]	(5.70 - 9.64)	9.54	(7.37 - 12.27)	0.018
Southwest	9.77	(7.74 - 12.27)	10.80	(8.52 - 13.60)	0.282
Montana	16.36[b]	(14.76 - 18.09)	14.79	(13.15 - 16.59)	0.059
Region 1	13.82	(10.94 - 17.32)	11.88	(8.89 - 15.70)	0.129
Region 2	14.93	(12.04 - 18.36)	14.16	(11.27 - 17.64)	0.573
Region 3	14.96	(12.49 - 17.81)	14.73	(12.09 - 17.84)	0.864
Region 4	18.05[a]	(15.48 - 20.94)	14.03	(11.49 - 17.03)	0.004
Region 5	17.16	(14.72 - 19.90)	16.51	(13.94 - 19.45)	0.614
Nebraska	8.94[a]	(7.82 - 10.19)	10.37	(9.13 - 11.76)	0.010
Regions 1 and 2	7.86[a]	(6.17 - 9.97)	10.31	(8.11 - 13.01)	0.001
Region 1	8.16[a]	(6.00 - 11.01)	10.41	(7.76 - 13.82)	0.012
Region 2	7.59[a]	(5.61 - 10.20)	10.22	(7.54 - 13.70)	0.003
Region 3	6.66[a]	(5.14 - 8.58)	8.25	(6.53 - 10.38)	0.028
Region 4	5.71[a]	(4.17 - 7.79)	8.03	(6.10 - 10.52)	0.001
Region 5	9.09	(7.40 - 11.13)	9.86	(8.07 - 11.98)	0.347
Region 6	10.66	(9.07 - 12.49)	11.94	(10.16 - 13.99)	0.139
Nevada	13.94	(12.16 - 15.94)	13.60	(11.99 - 15.39)	0.683
Clark – Region 1	13.85	(11.83 - 16.15)	13.37	(11.53 - 15.45)	0.626
Region 3	12.07	(9.52 - 15.19)	12.38	(9.85 - 15.45)	0.742
Capital District	12.39	(9.36 - 16.24)	13.23	(9.86 - 17.52)	0.513
Rural/Frontier	11.78	(8.66 - 15.81)	11.61	(8.78 - 15.21)	0.886
Washoe – Region 2	15.83	(12.99 - 19.15)	15.62	(12.81 - 18.92)	0.874
New Hampshire	14.40[a]	(12.84 - 16.12)	16.31	(14.69 - 18.07)	0.018
Central	15.75	(13.56 - 18.22)	17.25	(14.99 - 19.77)	0.134
Central 1	18.63	(15.54 - 22.17)	19.92	(16.82 - 23.42)	0.357
Central 2	12.96	(10.48 - 15.91)	14.65	(11.91 - 17.88)	0.141
Northern	15.36	(12.50 - 18.73)	17.68	(14.30 - 21.67)	0.102
Southern	13.54[a]	(11.82 - 15.46)	15.55	(13.67 - 17.62)	0.027
Southern 1 (Rockingham)	12.36[a]	(10.19 - 14.90)	14.64	(12.15 - 17.53)	0.046
Southern 2	14.27	(12.19 - 16.64)	16.11	(13.85 - 18.67)	0.101

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	10.50	(9.20 - 11.95)	11.00	(9.65 - 12.51)	0.416
Central	10.11	(8.22 - 12.39)	10.47	(8.53 - 12.78)	0.701
Metropolitan	10.19	(8.37 - 12.35)	9.69	(7.85 - 11.89)	0.552
Northern	10.69	(8.80 - 12.93)	11.11	(9.03 - 13.60)	0.647
Southern	10.97[b]	(8.94 - 13.39)	12.93	(10.60 - 15.67)	0.062
New Mexico	13.70[b]	(12.15 - 15.42)	15.18	(13.43 - 17.12)	0.081
Region 1	13.20	(10.97 - 15.80)	14.68	(11.83 - 18.07)	0.253
Region 2	12.56	(9.87 - 15.86)	14.08	(11.01 - 17.83)	0.272
Region 3 (Bernalillo)	16.96	(14.38 - 19.89)	18.02	(15.21 - 21.22)	0.449
Region 4	11.26	(8.97 - 14.03)	12.98	(10.37 - 16.13)	0.129
Region 5	11.26[b]	(9.16 - 13.78)	13.24	(10.66 - 16.32)	0.073
New York	13.00[a]	(12.18 - 13.87)	14.35	(13.43 - 15.32)	0.003
Region A	12.92[a]	(11.76 - 14.18)	14.53	(13.27 - 15.89)	0.007
Region 1	11.88	(9.96 - 14.12)	11.77	(9.78 - 14.11)	0.908
Region 2	12.99[a]	(11.16 - 15.06)	15.13	(13.09 - 17.42)	0.023
Region 3	15.29[a]	(12.75 - 18.23)	20.37	(17.44 - 23.64)	0.000
Region 4	11.70	(9.88 - 13.80)	11.07	(9.23 - 13.22)	0.472
Region B	12.30[a]	(11.15 - 13.56)	14.08	(12.66 - 15.64)	0.005
Region 5	12.74[a]	(11.17 - 14.49)	14.64	(12.80 - 16.69)	0.032
Region 6	10.91[a]	(9.00 - 13.18)	13.22	(10.84 - 16.02)	0.018
Region 7	13.05	(10.97 - 15.46)	13.61	(11.08 - 16.60)	0.584
Region C	13.77	(12.60 - 15.03)	14.22	(12.99 - 15.54)	0.442
Region 8	13.79	(11.69 - 16.20)	15.47	(13.06 - 18.24)	0.126
Region 9	14.27	(12.18 - 16.65)	13.92	(11.73 - 16.43)	0.726
Region 10	14.67	(12.04 - 17.77)	15.60	(12.77 - 18.93)	0.448
Region 11	13.87	(11.67 - 16.41)	14.60	(12.33 - 17.20)	0.488
Region 12	12.89	(10.86 - 15.24)	12.47	(10.48 - 14.78)	0.664
Region D	13.33	(11.69 - 15.16)	14.58	(12.73 - 16.66)	0.101
Region 13	14.45	(11.77 - 17.60)	15.92	(12.93 - 19.43)	0.236
Region 14	13.78	(11.15 - 16.91)	13.06	(10.35 - 16.35)	0.497
Region 15	11.90[a]	(9.67 - 14.56)	14.92	(12.26 - 18.04)	0.006

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	10.57	(9.25 - 12.04)	11.08	(9.80 - 12.50)	0.348
Alliance Behavioral Healthcare 1	--	(-- - --)	11.10	(8.73 - 14.01)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	10.49	(8.15 - 13.40)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	10.85	(8.33 - 14.01)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	11.44	(9.00 - 14.44)	--
Cardinal Innovations Healthcare Solutions 3	11.26	(8.72 - 14.41)	12.28	(9.58 - 15.60)	0.355
CenterPoint Human Services	11.16	(8.45 - 14.61)	10.25	(7.86 - 13.26)	0.365
Eastpointe	10.07[b]	(7.79 - 12.92)	8.41	(6.44 - 10.91)	0.060
Partners Behavioral Health Management	10.39	(8.20 - 13.09)	10.97	(8.57 - 13.94)	0.547
Sandhills Center 1	10.02	(7.58 - 13.14)	10.24	(7.68 - 13.53)	0.822
Sandhills Center 2	11.75	(9.04 - 15.13)	13.33	(10.50 - 16.79)	0.176
Smoky Mountain Center 1	9.76	(7.35 - 12.85)	11.02	(8.31 - 14.47)	0.234
Smoky Mountain Center 2	10.79	(8.34 - 13.85)	10.82	(8.11 - 14.29)	0.977
Trillium Health Resources 1	10.24	(7.87 - 13.21)	11.23	(8.79 - 14.25)	0.283
Trillium Health Resources 2	12.55	(9.64 - 16.16)	13.39	(10.49 - 16.94)	0.465
North Dakota	8.90[a]	(7.82 - 10.11)	10.00	(8.90 - 11.22)	0.034
Badlands and West Central	7.52[a]	(5.97 - 9.44)	9.00	(7.33 - 11.00)	0.048
Lake Region	--	(-- - --)	7.24	(5.45 - 9.56)	--
North Central	--	(-- - --)	9.71	(7.69 - 12.19)	--
Northeast	11.22[a]	(9.18 - 13.64)	13.40	(11.09 - 16.10)	0.020
Northwest	--	(-- - --)	9.78	(7.34 - 12.91)	--
South Central	--	(-- - --)	8.23	(6.23 - 10.80)	--
Southeast	9.56	(8.00 - 11.38)	10.67	(8.98 - 12.64)	0.146

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	12.08	(11.30 - 12.91)	12.27	(11.46 - 13.14)	0.642
Boards 2, 46, 55, and 68	10.59	(8.72 - 12.79)	10.44	(8.27 - 13.10)	0.877
Boards 3, 52, and 85	9.61	(7.80 - 11.79)	10.77	(8.56 - 13.47)	0.193
Boards 4 and 78	11.82	(9.31 - 14.89)	10.83	(8.41 - 13.85)	0.323
Boards 5 and 60	13.96	(11.52 - 16.80)	13.06	(10.52 - 16.09)	0.399
Boards 7, 15, 41, 79, and 84	8.17[a]	(6.52 - 10.20)	9.90	(7.88 - 12.36)	0.041
Boards 8, 13, and 83	10.20	(8.38 - 12.38)	9.53	(7.57 - 11.93)	0.432
Board 9 (Butler)	11.38	(9.33 - 13.81)	12.21	(9.73 - 15.21)	0.364
Board 12	12.39	(10.05 - 15.18)	12.94	(10.36 - 16.04)	0.571
Boards 18 and 47	13.06	(11.42 - 14.89)	12.82	(11.09 - 14.78)	0.792
Boards 20, 32, 54, and 69	8.42	(6.68 - 10.57)	8.56	(6.70 - 10.88)	0.856
Boards 21, 39, 51, 70, and 80	10.95[a]	(9.07 - 13.16)	9.01	(7.26 - 11.13)	0.018
Boards 22, 74, and 87	10.36	(8.45 - 12.64)	10.68	(8.58 - 13.23)	0.714
Boards 23 and 45	10.61	(8.59 - 13.04)	10.98	(8.80 - 13.62)	0.681
Board 25 (Franklin)	15.97[b]	(13.92 - 18.27)	17.78	(15.36 - 20.48)	0.097
Boards 27, 71, and 73	9.42[a]	(7.55 - 11.68)	11.58	(9.31 - 14.32)	0.025
Boards 28, 43, and 67	10.47	(8.70 - 12.56)	11.37	(9.25 - 13.89)	0.302
Board 31 (Hamilton)	14.02	(11.93 - 16.41)	14.54	(12.21 - 17.23)	0.603
Board 48 (Lucas)	14.89	(12.40 - 17.78)	13.16	(10.51 - 16.35)	0.109
Boards 50 and 76	11.48	(9.65 - 13.60)	10.11	(8.20 - 12.41)	0.114
Board 57 (Montgomery)	12.17	(10.11 - 14.58)	11.45	(9.23 - 14.12)	0.450
Board 77 (Summit)	13.55	(11.31 - 16.15)	14.48	(11.72 - 17.77)	0.407
Oklahoma	10.07	(8.81 - 11.49)	10.68	(9.33 - 12.21)	0.318
Central	10.47	(8.25 - 13.21)	11.72	(9.42 - 14.50)	0.177
East Central	8.77	(6.61 - 11.55)	8.59	(6.54 - 11.21)	0.837
Northeast	9.16	(7.20 - 11.59)	9.41	(7.32 - 12.02)	0.786
Northwest and Southwest	11.06	(8.70 - 13.97)	10.51	(8.23 - 13.33)	0.592
Oklahoma County	11.63	(9.48 - 14.19)	12.43	(10.08 - 15.24)	0.427
Southeast	8.82	(6.85 - 11.28)	8.08	(6.24 - 10.42)	0.395
Tulsa County	9.76[a]	(7.68 - 12.34)	12.66	(10.02 - 15.88)	0.009
Oregon	16.66[a]	(14.97 - 18.50)	19.00	(17.12 - 21.04)	0.008
Region 1 (Multnomah)	23.65[b]	(20.02 - 27.71)	20.23	(16.74 - 24.22)	0.065
Region 2	13.79[a]	(11.41 - 16.57)	19.22	(15.99 - 22.93)	0.000
Region 3	17.17[a]	(14.77 - 19.86)	20.38	(17.46 - 23.64)	0.020
Region 4	13.97[b]	(11.22 - 17.26)	16.53	(13.17 - 20.55)	0.081
Region 5 (Central)	13.20[a]	(10.24 - 16.84)	16.22	(12.52 - 20.76)	0.029
Region 6 (Eastern)	12.19[a]	(8.86 - 16.55)	15.37	(11.59 - 20.11)	0.021

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	10.96	(10.20 - 11.77)	11.55	(10.76 - 12.40)	0.170
Region 1 (Allegheny)	12.73	(10.89 - 14.82)	13.28	(11.31 - 15.53)	0.567
Regions 3, 8, 9, and 51	8.91[a]	(7.26 - 10.90)	11.35	(9.39 - 13.65)	0.005
Regions 4, 11, 37, and 49	9.32	(7.70 - 11.25)	10.45	(8.53 - 12.72)	0.157
Regions 5, 18, 23, 24, and 46	9.53	(7.73 - 11.69)	8.83	(7.24 - 10.73)	0.387
Regions 6, 12, 16, 31, 35, 45, and 47	10.06[b]	(8.42 - 11.97)	11.50	(9.57 - 13.76)	0.087
Regions 7, 13, 20, and 33	11.77	(10.40 - 13.29)	12.02	(10.52 - 13.71)	0.742
Regions 10, 15, 27, 32, 43, and 44	9.06	(7.41 - 11.03)	9.95	(7.94 - 12.40)	0.300
Regions 17 and 21	11.79	(9.55 - 14.47)	12.15	(9.66 - 15.16)	0.733
Regions 19, 26, 28, and 42	8.79[b]	(7.47 - 10.33)	9.92	(8.46 - 11.60)	0.098
Regions 22, 38, 40, 41, and 48	8.10	(6.70 - 9.75)	7.60	(6.09 - 9.45)	0.485
Regions 29 and 34	10.27	(8.34 - 12.60)	11.82	(9.45 - 14.68)	0.116
Regions 30 and 50	8.60[a]	(6.80 - 10.82)	10.93	(8.86 - 13.40)	0.012
Region 36 (Philadelphia)	16.73	(14.63 - 19.06)	15.81	(13.54 - 18.39)	0.439
Rhode Island	19.24	(17.35 - 21.27)	19.74	(17.86 - 21.75)	0.593
Bristol and Newport	18.55	(15.15 - 22.50)	19.99	(16.20 - 24.40)	0.360
Kent	17.53	(14.48 - 21.07)	19.06	(15.62 - 23.04)	0.328
Providence	19.60	(17.31 - 22.11)	19.43	(17.14 - 21.93)	0.883
Washington	20.43	(17.09 - 24.22)	21.87	(18.13 - 26.13)	0.352
South Carolina	11.24	(9.96 - 12.65)	11.76	(10.43 - 13.24)	0.395
Region 1	--	(-- - --)	11.15	(9.21 - 13.43)	--
Region 2	--	(-- - --)	12.51	(10.34 - 15.07)	--
Region 3	11.21	(9.02 - 13.86)	11.67	(9.40 - 14.39)	0.647
Region 4	11.03	(9.12 - 13.28)	11.86	(9.83 - 14.24)	0.378
South Dakota	9.08	(7.90 - 10.42)	9.41	(8.23 - 10.74)	0.522
Region 1	11.04	(8.96 - 13.52)	10.83	(8.89 - 13.14)	0.834
Region 2	8.66	(6.43 - 11.55)	8.95	(6.63 - 11.98)	0.752
Region 3	8.54	(6.81 - 10.66)	8.63	(6.94 - 10.68)	0.907
Region 4	8.48	(6.49 - 11.01)	9.56	(7.54 - 12.03)	0.211
Region 5	8.26	(6.70 - 10.15)	8.91	(7.23 - 10.95)	0.364
Tennessee	9.06	(7.90 - 10.38)	9.64	(8.43 - 11.02)	0.275
Region 1	8.00	(6.10 - 10.42)	8.83	(6.75 - 11.47)	0.313
Region 2	7.72	(6.00 - 9.87)	8.58	(6.81 - 10.76)	0.266
Region 3	8.94	(7.07 - 11.25)	8.44	(6.59 - 10.74)	0.528
Region 4 (Davidson)	12.07	(9.60 - 15.08)	12.03	(9.39 - 15.29)	0.969
Region 5	8.74[a]	(6.95 - 10.94)	10.90	(8.84 - 13.37)	0.024
Region 6	8.23	(6.30 - 10.68)	7.73	(5.84 - 10.17)	0.517
Region 7 (Shelby)	10.60	(8.47 - 13.19)	10.30	(8.12 - 12.97)	0.746

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	9.39	(8.72 - 10.11)	9.59	(8.94 - 10.27)	0.561
Region 1	10.68	(8.66 - 13.10)	10.82	(8.82 - 13.19)	0.869
Region 2	8.23[a]	(6.32 - 10.66)	10.75	(8.47 - 13.56)	0.002
Region 3	9.80	(8.77 - 10.92)	9.16	(8.18 - 10.23)	0.212
Region 3a	9.24	(8.01 - 10.63)	9.05	(7.87 - 10.38)	0.758
Region 3bc	10.77[b]	(9.23 - 12.53)	9.35	(7.89 - 11.04)	0.070
Region 4	9.02	(7.23 - 11.19)	8.72	(7.04 - 10.76)	0.705
Region 5	8.98	(7.13 - 11.24)	9.99	(7.92 - 12.53)	0.234
Region 6	8.28	(7.26 - 9.43)	8.97	(7.87 - 10.21)	0.202
Region 6a	8.08	(6.99 - 9.32)	8.75	(7.58 - 10.08)	0.251
Region 6bc	9.99	(7.89 - 12.57)	10.85	(8.54 - 13.70)	0.328
Region 7	12.22	(10.81 - 13.79)	12.73	(11.18 - 14.47)	0.485
Region 7a	14.15	(12.13 - 16.44)	14.00	(11.92 - 16.37)	0.885
Region 7bcd	8.99[a]	(7.41 - 10.87)	10.55	(8.76 - 12.67)	0.041
Region 8	9.39	(7.95 - 11.06)	10.34	(8.80 - 12.11)	0.170
Region 9	9.00	(7.12 - 11.32)	10.05	(7.95 - 12.63)	0.183
Region 10	7.86	(6.30 - 9.76)	7.96	(6.41 - 9.84)	0.880
Region 11	8.03	(6.83 - 9.43)	7.21	(6.10 - 8.51)	0.120
Region 11abd	9.16[b]	(7.56 - 11.06)	7.89	(6.40 - 9.70)	0.077
Region 11c (Hidalgo)	6.05	(4.69 - 7.77)	6.04	(4.79 - 7.58)	0.989
Utah	7.28[a]	(6.31 - 8.40)	9.37	(8.19 - 10.70)	0.000
Bear River, Northeastern, Summit, Tooele, and Wasatch	6.59[a]	(5.11 - 8.45)	8.22	(6.40 - 10.51)	0.016
Central, Four Corners, San Juan, and Southwest	6.40[a]	(4.76 - 8.56)	9.14	(6.97 - 11.89)	0.000
Davis County	6.30[a]	(4.80 - 8.22)	8.28	(6.46 - 10.56)	0.005
Salt Lake County	8.56[a]	(7.09 - 10.31)	10.92	(9.13 - 13.02)	0.003
Utah County	6.55[a]	(5.14 - 8.31)	8.08	(6.45 - 10.07)	0.023
Weber, Morgan	6.67[a]	(4.97 - 8.90)	8.57	(6.50 - 11.23)	0.011
Vermont	18.65	(16.89 - 20.54)	19.82	(17.93 - 21.86)	0.241
Champlain Valley	21.63	(19.24 - 24.22)	21.47	(18.92 - 24.26)	0.906
Rural Northeast	17.24	(14.50 - 20.38)	18.73	(15.55 - 22.37)	0.318
Rural Southeast	16.57[a]	(13.72 - 19.88)	20.41	(16.98 - 24.32)	0.018
Rural Southwest	15.99	(13.19 - 19.25)	16.49	(13.29 - 20.29)	0.721
Virginia	10.13[a]	(8.92 - 11.48)	12.46	(11.10 - 13.96)	0.000
Region 1	12.28	(10.13 - 14.81)	13.74	(11.30 - 16.61)	0.169
Region 2	7.60[a]	(6.04 - 9.52)	9.74	(7.89 - 11.95)	0.011
Region 3	9.89[a]	(7.91 - 12.29)	13.71	(11.15 - 16.75)	0.001
Region 4	9.79[a]	(7.78 - 12.26)	12.77	(10.30 - 15.73)	0.002
Region 5	12.18	(10.10 - 14.63)	13.80	(11.47 - 16.51)	0.126

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	15.54[a]	(13.96 - 17.26)	18.32	(16.63 - 20.14)	0.001
Region 1	13.37[a]	(11.20 - 15.89)	15.43	(13.09 - 18.10)	0.032
Greater Columbia and North Central	--	(-- - --)	13.60	(11.00 - 16.69)	--
Spokane	--	(-- - --)	18.10	(14.42 - 22.47)	--
Region 2	17.01[a]	(14.95 - 19.29)	20.13	(17.85 - 22.62)	0.004
King	17.35	(14.79 - 20.25)	19.34	(16.64 - 22.37)	0.131
North Sound	16.43[a]	(13.74 - 19.52)	21.51	(18.00 - 25.49)	0.001
Region 3	14.91[a]	(12.79 - 17.30)	17.70	(15.47 - 20.18)	0.006
Peninsula	--	(-- - --)	18.35	(14.34 - 23.18)	--
Pierce	--	(-- - --)	18.61	(15.23 - 22.54)	--
SW WA and Timberlands	--	(-- - --)	15.89	(12.72 - 19.66)	--
Thurston-Mason	--	(-- - --)	18.71	(14.54 - 23.73)	--
West Virginia	9.79	(8.63 - 11.10)	10.46	(9.24 - 11.83)	0.231
Region I	8.74	(6.60 - 11.50)	9.32	(7.10 - 12.15)	0.504
Region II	9.93[a]	(7.80 - 12.55)	12.06	(9.48 - 15.23)	0.045
Region III	7.41	(5.63 - 9.69)	8.67	(6.50 - 11.48)	0.133
Region IV	13.38	(11.34 - 15.73)	12.22	(10.18 - 14.59)	0.246
Region V	8.77[b]	(7.26 - 10.56)	10.26	(8.41 - 12.45)	0.078
Region VI	8.66	(6.76 - 11.03)	8.84	(7.05 - 11.04)	0.827
Wisconsin	10.28[a]	(9.01 - 11.71)	11.53	(10.11 - 13.13)	0.037
Milwaukee	13.67	(10.85 - 17.09)	13.91	(11.15 - 17.23)	0.848
Northeastern	8.76	(7.08 - 10.79)	9.65	(7.75 - 11.95)	0.287
Northern	7.94	(5.94 - 10.54)	8.73	(6.54 - 11.56)	0.352
Southeastern	10.32	(8.22 - 12.89)	10.89	(8.73 - 13.50)	0.537
Southern	10.43[a]	(8.58 - 12.63)	12.84	(10.32 - 15.87)	0.017
Western	9.86[a]	(7.85 - 12.31)	12.59	(10.03 - 15.68)	0.005

See notes at end of table.

(continued)

Table 2 *Marijuana Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	10.04	(8.81 - 11.42)	10.77	(9.44 - 12.26)	0.215
Judicial District 1 (Laramie)	9.47	(7.50 - 11.89)	10.49	(8.34 - 13.11)	0.280
Judicial District 2	14.87	(12.15 - 18.07)	15.48	(12.60 - 18.87)	0.623
Judicial District 3	6.64[a]	(5.15 - 8.51)	8.26	(6.46 - 10.50)	0.030
Judicial District 4	9.48	(7.31 - 12.22)	10.43	(7.84 - 13.75)	0.349
Judicial District 5	7.98	(6.00 - 10.52)	8.90	(6.63 - 11.86)	0.279
Judicial District 6	8.59	(6.62 - 11.08)	9.21	(7.12 - 11.85)	0.470
Judicial District 7 (Natrona)	10.87	(8.77 - 13.39)	11.64	(9.27 - 14.52)	0.430
Judicial District 8	9.73	(7.46 - 12.58)	9.27	(7.04 - 12.11)	0.630
Judicial District 9	13.26	(10.21 - 17.05)	13.09	(9.96 - 17.00)	0.904

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	7.01[a]	(6.82 - 7.20)	7.73	(7.54 - 7.92)	0.000
Northeast	7.66[a]	(7.25 - 8.08)	8.36	(7.95 - 8.79)	0.001
Midwest	6.68[a]	(6.39 - 7.00)	7.28	(6.97 - 7.60)	0.000
South	5.74[a]	(5.47 - 6.01)	6.43	(6.15 - 6.73)	0.000
West	8.82[a]	(8.37 - 9.30)	9.70	(9.24 - 10.17)	0.001
Alabama	5.02	(4.21 - 5.98)	5.16	(4.29 - 6.20)	0.714
Region 1	5.07	(3.82 - 6.69)	4.71	(3.49 - 6.32)	0.532
Region 2	5.56	(4.34 - 7.09)	5.91	(4.58 - 7.59)	0.558
Region 3	4.28	(3.16 - 5.75)	4.83	(3.69 - 6.31)	0.271
Region 4	4.77	(3.60 - 6.30)	4.94	(3.64 - 6.66)	0.789
Alaska	12.34	(10.72 - 14.17)	12.59	(10.99 - 14.38)	0.771
Anchorage	12.48	(10.39 - 14.91)	12.37	(10.28 - 14.82)	0.927
Northern	13.14	(10.50 - 16.31)	14.93	(11.76 - 18.76)	0.234
South Central	11.42	(8.90 - 14.55)	11.49	(9.02 - 14.54)	0.954
Southeast	12.43	(9.38 - 16.31)	11.23	(8.40 - 14.86)	0.350
Arizona	6.97[b]	(5.86 - 8.27)	8.06	(6.90 - 9.39)	0.058
Maricopa	6.66	(5.44 - 8.12)	7.64	(6.34 - 9.18)	0.131
Pima	8.17	(6.10 - 10.86)	9.89	(7.40 - 13.10)	0.134
Rural North	7.43	(5.41 - 10.12)	8.22	(5.97 - 11.22)	0.422
Rural South	6.59	(4.57 - 9.41)	7.68	(5.57 - 10.50)	0.247
Arkansas	4.95[a]	(4.15 - 5.91)	6.24	(5.25 - 7.41)	0.003
Catchment Area 1	5.25[b]	(3.88 - 7.07)	6.46	(4.87 - 8.53)	0.066
Catchment Area 2	4.46	(3.11 - 6.35)	5.48	(3.91 - 7.61)	0.113
Catchment Area 3	3.99[a]	(2.83 - 5.58)	5.76	(4.21 - 7.83)	0.003
Catchment Area 4	4.98	(3.46 - 7.13)	6.10	(4.36 - 8.47)	0.113
Catchment Area 5	5.05[a]	(3.67 - 6.91)	7.42	(5.56 - 9.84)	0.001
Catchment Area 6	5.46[b]	(3.83 - 7.73)	6.96	(5.00 - 9.61)	0.068
Catchment Area 7	3.98[a]	(2.71 - 5.81)	5.49	(3.91 - 7.66)	0.010
Catchment Area 8	5.82	(4.48 - 7.53)	6.07	(4.51 - 8.13)	0.743

See notes at end of table. (continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	8.74	(8.06 - 9.48)	9.19	(8.53 - 9.90)	0.237
Region 1R	15.38	(11.77 - 19.86)	13.97	(10.71 - 18.04)	0.423
Region 2R	10.82	(8.40 - 13.83)	11.09	(8.54 - 14.28)	0.806
Region 3R (Sacramento)	10.46	(8.12 - 13.37)	10.19	(8.04 - 12.83)	0.786
Region 4R	10.30	(8.07 - 13.06)	11.34	(9.09 - 14.07)	0.335
Region 5R (San Francisco)	13.47	(10.18 - 17.61)	15.46	(11.52 - 20.44)	0.238
Region 6 (Santa Clara)	6.50[b]	(5.02 - 8.39)	7.78	(6.10 - 9.89)	0.069
Region 7R (Contra Costa)	8.80	(6.67 - 11.53)	9.55	(7.32 - 12.36)	0.454
Region 8R (Alameda)	9.06	(7.05 - 11.58)	10.67	(8.41 - 13.44)	0.120
Region 9R (San Mateo)	7.54[b]	(5.44 - 10.35)	9.07	(6.72 - 12.13)	0.100
Region 10	9.29	(7.10 - 12.06)	10.23	(7.92 - 13.10)	0.332
Region 11 (Los Angeles)	8.04	(7.13 - 9.05)	8.44	(7.55 - 9.43)	0.356
LA SPA 1 and 5	9.27	(7.01 - 12.16)	9.77	(7.52 - 12.61)	0.559
LA SPA 2	6.98	(5.40 - 8.97)	8.03	(6.39 - 10.05)	0.164
LA SPA 3	6.08	(4.72 - 7.81)	6.18	(4.71 - 8.07)	0.882
LA SPA 4	9.88	(7.52 - 12.88)	10.50	(8.15 - 13.42)	0.568
LA SPA 6	10.00	(7.71 - 12.88)	10.62	(8.18 - 13.68)	0.534
LA SPA 7	6.19	(4.65 - 8.18)	7.00	(5.48 - 8.92)	0.210
LA SPA 8	9.91	(7.85 - 12.43)	9.01	(7.10 - 11.37)	0.337
Region 12R	8.16	(5.95 - 11.09)	9.28	(6.92 - 12.33)	0.202
Regions 13 and 19R	8.12	(6.61 - 9.94)	7.99	(6.44 - 9.87)	0.855
Region 14 (Orange)	7.18	(5.85 - 8.78)	8.09	(6.58 - 9.89)	0.169
Region 15R (Fresno)	7.81	(5.83 - 10.38)	8.10	(6.17 - 10.58)	0.697
Region 16R (San Diego)	9.10	(7.48 - 11.03)	9.42	(7.70 - 11.47)	0.700
Region 17R	7.68	(5.91 - 9.92)	7.59	(5.90 - 9.71)	0.911
Region 18R (San Bernardino)	7.76	(6.21 - 9.65)	7.62	(6.03 - 9.59)	0.849
Region 20R	8.51	(6.47 - 11.11)	8.76	(6.80 - 11.23)	0.768
Region 21R	12.25	(9.43 - 15.77)	11.20	(8.66 - 14.36)	0.344
Colorado	11.66[a]	(10.17 - 13.34)	14.01	(12.32 - 15.88)	0.007
Region 1	9.59[a]	(7.39 - 12.35)	13.33	(10.30 - 17.07)	0.003
Regions 2 and 7	13.45	(11.36 - 15.84)	14.80	(12.61 - 17.30)	0.246
Region 3	9.08[a]	(6.92 - 11.82)	11.73	(9.10 - 14.99)	0.030
Region 4	8.50[a]	(5.84 - 12.21)	12.03	(8.79 - 16.26)	0.009
Regions 5 and 6	10.11[a]	(7.47 - 13.54)	14.84	(11.34 - 19.18)	0.003
Connecticut	8.32	(7.13 - 9.68)	9.21	(7.95 - 10.65)	0.138
Eastern	7.86[a]	(6.03 - 10.20)	10.12	(7.88 - 12.91)	0.015
North Central	8.33	(6.60 - 10.45)	9.21	(7.27 - 11.60)	0.317
Northwestern	7.44	(5.58 - 9.85)	7.66	(5.79 - 10.07)	0.796
South Central	10.06	(7.92 - 12.70)	10.12	(8.04 - 12.67)	0.949
Southwest	7.23[b]	(5.42 - 9.59)	8.92	(6.75 - 11.72)	0.055

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	7.00[a]	(6.02 - 8.13)	8.12	(7.03 - 9.35)	0.028
Kent	6.04	(4.48 - 8.11)	7.09	(5.39 - 9.27)	0.166
New Castle (excluding Wilmington City)	7.14[a]	(5.96 - 8.54)	8.87	(7.50 - 10.46)	0.008
Sussex	6.32	(4.80 - 8.29)	6.17	(4.60 - 8.23)	0.839
Wilmington City	10.11	(7.57 - 13.38)	11.01	(8.07 - 14.85)	0.467
District of Columbia	10.45[b]	(9.05 - 12.03)	11.88	(10.44 - 13.48)	0.058
Ward 1	11.77	(8.93 - 15.36)	12.60	(9.77 - 16.10)	0.545
Ward 2	10.75[a]	(8.34 - 13.75)	13.91	(10.72 - 17.84)	0.027
Ward 3	9.05	(6.93 - 11.73)	9.97	(7.62 - 12.94)	0.371
Ward 4	9.99	(7.31 - 13.51)	11.40	(8.67 - 14.84)	0.279
Ward 5	10.81	(8.35 - 13.88)	11.64	(9.15 - 14.69)	0.491
Ward 6	10.33	(7.64 - 13.83)	11.71	(9.02 - 15.07)	0.303
Ward 7	9.57	(7.13 - 12.72)	10.92	(8.20 - 14.40)	0.228
Ward 8	11.44	(8.99 - 14.44)	12.87	(10.11 - 16.26)	0.274
Florida[1]	6.48[a]	(5.91 - 7.11)	7.24	(6.63 - 7.91)	0.021
Broward (Circuit 17)	5.29[a]	(4.23 - 6.60)	6.92	(5.47 - 8.72)	0.015
Central I	--	(-- - --)	7.47	(6.32 - 8.82)	--
Circuit 9	7.63	(6.18 - 9.40)	7.42	(5.99 - 9.16)	0.776
Circuit 18	7.49	(5.81 - 9.61)	7.54	(5.92 - 9.56)	0.950
Central II	--	(-- - --)	7.38	(6.46 - 8.41)	--
Circuit 6	7.58	(5.96 - 9.61)	7.86	(6.14 - 10.01)	0.755
Circuit 10	6.10	(4.64 - 7.99)	6.63	(5.02 - 8.71)	0.462
Circuit 12	6.55	(4.84 - 8.81)	6.61	(4.96 - 8.76)	0.945
Circuit 13 (Hillsborough)	6.66[a]	(5.40 - 8.18)	8.37	(6.78 - 10.29)	0.023
Circuit 20	6.20	(4.70 - 8.15)	6.71	(5.12 - 8.75)	0.500
Northeast	--	(-- - --)	7.99	(6.93 - 9.19)	--
Circuit 4	7.81	(6.09 - 9.95)	8.00	(6.34 - 10.06)	0.808
Circuit 5	5.62	(4.25 - 7.38)	6.81	(5.20 - 8.88)	0.125
Circuit 7	6.28[b]	(4.84 - 8.11)	7.55	(5.80 - 9.78)	0.095
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	11.08	(8.62 - 14.12)	--
Northwest	--	(-- - --)	9.50	(8.08 - 11.15)	--
Circuit 1	7.43	(5.80 - 9.47)	8.63	(6.64 - 11.14)	0.163
Circuit 2 plus Madison and Taylor	--	(-- - --)	11.71	(9.37 - 14.53)	--
Circuit 14	8.23	(6.00 - 11.18)	8.30	(6.13 - 11.14)	0.932
South (Circuits 11 and 16)	4.82	(3.98 - 5.82)	5.23	(4.28 - 6.38)	0.392
Southeast	--	(-- - --)	6.60	(5.41 - 8.03)	--
Circuit 15 (Palm Beach)	5.20	(4.00 - 6.74)	6.04	(4.69 - 7.73)	0.198
Circuit 19	6.08[a]	(4.44 - 8.27)	7.85	(5.83 - 10.48)	0.045

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	5.34[a]	(4.49 - 6.33)	7.74	(6.65 - 8.99)	0.000
Region 1	4.50[a]	(3.42 - 5.88)	7.41	(5.77 - 9.47)	0.000
Region 2	4.54[a]	(3.28 - 6.26)	6.45	(4.79 - 8.63)	0.003
Region 3	6.50[b]	(5.10 - 8.26)	7.95	(6.34 - 9.93)	0.065
Region 4	5.62[a]	(3.95 - 7.93)	7.18	(5.26 - 9.74)	0.042
Region 5	5.77[a]	(4.00 - 8.27)	8.53	(6.29 - 11.47)	0.002
Region 6	4.70[a]	(3.40 - 6.47)	8.66	(6.54 - 11.38)	0.000
Hawaii	7.06[a]	(5.96 - 8.34)	8.26	(7.02 - 9.70)	0.040
Hawaii Island	9.27	(6.82 - 12.47)	9.66	(7.03 - 13.15)	0.756
Honolulu	6.21[a]	(5.11 - 7.52)	7.61	(6.30 - 9.16)	0.027
Kauai	8.78	(5.99 - 12.68)	10.00	(6.90 - 14.28)	0.347
Maui	8.88	(6.48 - 12.06)	9.93	(7.34 - 13.31)	0.366
Idaho	6.44	(5.43 - 7.62)	6.02	(5.10 - 7.10)	0.406
Region 1	5.60	(3.95 - 7.88)	5.64	(4.10 - 7.71)	0.954
Region 2	7.69	(5.53 - 10.58)	8.11	(5.80 - 11.21)	0.663
Region 3	6.18	(4.56 - 8.33)	5.10	(3.76 - 6.88)	0.125
Region 4	8.00	(6.29 - 10.13)	6.80	(5.35 - 8.60)	0.145
Region 5	4.70	(3.33 - 6.59)	5.43	(3.93 - 7.44)	0.311
Region 6	--	(-- - --)	6.11	(4.35 - 8.52)	--
Region 7	--	(-- - --)	5.33	(3.93 - 7.18)	--
Illinois	6.75	(6.21 - 7.34)	7.26	(6.65 - 7.93)	0.122
Region I (Cook)	8.21	(7.30 - 9.22)	8.31	(7.32 - 9.43)	0.850
Region II	5.53	(4.81 - 6.35)	6.08	(5.25 - 7.02)	0.225
Region III	6.12	(5.09 - 7.35)	7.09	(5.81 - 8.62)	0.105
Region IV	4.81[a]	(3.75 - 6.16)	6.37	(5.07 - 7.98)	0.006
Region V	6.75	(5.54 - 8.20)	7.54	(6.09 - 9.29)	0.234
Indiana	6.45	(5.46 - 7.59)	6.97	(5.96 - 8.14)	0.286
Central	6.76	(5.17 - 8.81)	6.64	(5.17 - 8.50)	0.866
East	6.79	(4.92 - 9.30)	7.41	(5.48 - 9.96)	0.451
North Central	6.83	(5.11 - 9.07)	6.56	(4.92 - 8.69)	0.736
Northeast	5.22[a]	(3.81 - 7.12)	6.70	(4.92 - 9.07)	0.032
Northwest	6.67	(4.85 - 9.11)	6.18	(4.60 - 8.25)	0.531
Southeast	5.42[a]	(4.00 - 7.30)	6.98	(5.09 - 9.51)	0.042
Southwest	5.30[a]	(3.70 - 7.54)	6.92	(5.08 - 9.36)	0.028
West	7.60	(5.66 - 10.12)	8.96	(6.81 - 11.70)	0.158
Iowa	5.69	(4.79 - 6.73)	5.48	(4.55 - 6.57)	0.605
Central	5.96[a]	(4.47 - 7.91)	4.76	(3.48 - 6.49)	0.049
North Central	7.79	(5.72 - 10.51)	7.19	(5.31 - 9.66)	0.439
Northeast	5.22	(4.03 - 6.74)	5.48	(4.16 - 7.17)	0.659
Northwest	3.79[b]	(2.65 - 5.39)	4.74	(3.36 - 6.65)	0.068
Southeast	6.52	(4.94 - 8.57)	6.01	(4.47 - 8.03)	0.483
Southwest	5.12	(3.68 - 7.09)	4.84	(3.47 - 6.70)	0.616

See notes at end of table. (continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	4.55[b]	(3.75 - 5.50)	5.25	(4.36 - 6.30)	0.098
Kansas City Metro	4.82	(3.74 - 6.19)	5.60	(4.37 - 7.16)	0.189
Northeast	4.31[b]	(3.11 - 5.94)	5.41	(3.98 - 7.32)	0.085
South Central	4.15	(2.88 - 5.94)	4.45	(3.19 - 6.16)	0.608
Southeast	4.95	(3.35 - 7.26)	5.45	(3.79 - 7.79)	0.465
West	4.34	(3.06 - 6.12)	4.70	(3.31 - 6.63)	0.549
Wichita (Sedgwick)	4.54	(3.30 - 6.22)	5.20	(3.79 - 7.10)	0.297
Kentucky	5.36[a]	(4.52 - 6.34)	6.19	(5.27 - 7.26)	0.048
Adanta, Cumberland River, and Lifeskills	3.78[a]	(2.71 - 5.24)	4.95	(3.66 - 6.66)	0.025
Bluegrass, Comprehend, and North Key	5.48	(4.32 - 6.92)	6.50	(5.11 - 8.24)	0.126
Communicare and River Valley	5.43	(3.84 - 7.63)	6.66	(4.78 - 9.21)	0.122
Four Rivers and Pennyroyal	5.06	(3.55 - 7.15)	5.37	(3.79 - 7.57)	0.620
Kentucky River, Mountain, and Pathways	4.04[a]	(2.82 - 5.77)	5.23	(3.78 - 7.20)	0.042
Seven Counties	7.16	(5.54 - 9.21)	7.32	(5.69 - 9.38)	0.840
Louisiana	4.50[a]	(3.80 - 5.33)	5.54	(4.64 - 6.60)	0.007
Regions 1 and 10	5.95	(4.65 - 7.58)	6.70	(5.12 - 8.74)	0.223
Region 1	6.39	(4.69 - 8.64)	7.67	(5.48 - 10.64)	0.125
Region 10 (Jefferson)	5.51	(3.96 - 7.62)	5.70	(4.07 - 7.93)	0.790
Regions 2 and 9	4.60[a]	(3.62 - 5.82)	5.84	(4.57 - 7.43)	0.020
Region 3	4.50	(3.16 - 6.37)	5.15	(3.60 - 7.32)	0.302
Regions 4, 5, and 6	3.74[a]	(2.77 - 5.05)	5.09	(3.82 - 6.76)	0.013
Regions 7 and 8	3.99	(2.96 - 5.35)	4.75	(3.59 - 6.25)	0.114
Maine	8.41[a]	(7.27 - 9.70)	11.72	(10.22 - 13.41)	0.000
Aroostook/Downeast	6.88[a]	(5.26 - 8.96)	10.74	(8.28 - 13.82)	0.000
Aroostook	6.49[a]	(4.56 - 9.17)	9.05	(6.57 - 12.34)	0.017
Downeast	7.20[a]	(5.10 - 10.06)	12.11	(8.54 - 16.91)	0.000
Central	8.24[a]	(6.34 - 10.65)	11.90	(9.13 - 15.36)	0.001
Cumberland	9.38[a]	(7.38 - 11.86)	12.88	(10.16 - 16.20)	0.004
Midcoast	7.76[a]	(5.67 - 10.53)	11.62	(8.74 - 15.30)	0.001
Penquis	8.55[a]	(6.64 - 10.95)	13.25	(10.36 - 16.80)	0.000
Western	9.47[a]	(7.33 - 12.15)	11.89	(9.32 - 15.04)	0.040
York	7.72	(5.85 - 10.12)	9.29	(6.95 - 12.32)	0.128

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	5.69[a]	(4.84 - 6.68)	7.76	(6.66 - 9.03)	0.000
Anne Arundel	5.12[a]	(3.64 - 7.16)	7.67	(5.69 - 10.27)	0.000
Baltimore City	8.17[b]	(6.27 - 10.58)	9.99	(7.67 - 12.91)	0.080
Baltimore County	5.21[a]	(3.81 - 7.09)	7.80	(5.80 - 10.43)	0.001
Montgomery	5.38[a]	(4.00 - 7.20)	6.91	(5.06 - 9.36)	0.030
North Central	5.25[b]	(3.78 - 7.25)	6.43	(4.65 - 8.83)	0.063
Northeast	4.85[a]	(3.41 - 6.85)	7.81	(5.79 - 10.45)	0.000
Prince George's	5.83[a]	(4.29 - 7.89)	8.55	(6.56 - 11.08)	0.000
South	6.63	(4.81 - 9.08)	6.55	(4.79 - 8.90)	0.913
West	4.59[a]	(3.27 - 6.40)	7.95	(5.87 - 10.67)	0.000
Massachusetts	9.73	(8.49 - 11.13)	10.77	(9.39 - 12.32)	0.142
Boston	11.54	(9.03 - 14.64)	13.12	(10.27 - 16.61)	0.220
Central	9.87	(7.58 - 12.77)	10.70	(8.16 - 13.91)	0.452
Metrowest	9.19	(7.29 - 11.53)	10.00	(7.81 - 12.72)	0.431
Northeast	9.10	(7.19 - 11.47)	10.04	(7.87 - 12.72)	0.369
Southeast	9.91	(7.82 - 12.47)	10.95	(8.64 - 13.79)	0.358
Western	9.52	(7.37 - 12.22)	10.77	(8.32 - 13.82)	0.276
Michigan[1]	8.74[a]	(8.07 - 9.47)	9.74	(9.00 - 10.54)	0.012
Region 1	11.44[b]	(9.04 - 14.38)	9.58	(7.29 - 12.48)	0.092
Region 2	--	(-- - --)	8.39	(6.34 - 11.01)	--
Region 3	--	(-- - --)	9.16	(7.60 - 11.01)	--
Region 4	--	(-- - --)	10.24	(8.29 - 12.58)	--
Region 5	--	(-- - --)	10.08	(8.69 - 11.65)	--
Region 6	--	(-- - --)	8.40	(6.84 - 10.27)	--
Region 7	--	(-- - --)	11.13	(9.46 - 13.05)	--
Region 8	7.90	(6.56 - 9.48)	8.14	(6.63 - 9.96)	0.750
Region 9	7.06[a]	(5.73 - 8.67)	9.87	(8.05 - 12.04)	0.001
Region 10	--	(-- - --)	11.15	(9.13 - 13.56)	--
Minnesota	6.24	(5.32 - 7.31)	6.84	(5.82 - 8.02)	0.168
Regions 1 and 2	6.21	(4.37 - 8.76)	6.14	(4.38 - 8.55)	0.921
Regions 3 and 4	5.86	(4.44 - 7.71)	6.76	(5.11 - 8.90)	0.190
Regions 5 and 6	6.69	(5.14 - 8.68)	6.50	(4.88 - 8.63)	0.804
Region 7A (Hennepin)	6.52	(5.07 - 8.34)	7.40	(5.66 - 9.60)	0.244
Region 7B (Ramsey)	7.19	(5.12 - 10.01)	8.61	(6.25 - 11.75)	0.150
Region 7C	5.46	(4.17 - 7.12)	6.16	(4.81 - 7.87)	0.246
Mississippi	5.46	(4.62 - 6.46)	5.54	(4.68 - 6.55)	0.852
Region 1	5.25	(4.00 - 6.87)	5.64	(4.29 - 7.38)	0.508
Region 2	5.99	(4.40 - 8.12)	5.86	(4.38 - 7.79)	0.849
Region 3	5.30	(3.84 - 7.27)	4.80	(3.56 - 6.44)	0.389
Region 4	5.41	(4.07 - 7.15)	6.18	(4.72 - 8.05)	0.226
Region 5	4.75	(3.21 - 6.96)	4.93	(3.45 - 7.00)	0.761
Region 6	4.81	(3.48 - 6.62)	4.95	(3.61 - 6.75)	0.819
Region 7	6.27	(4.65 - 8.40)	5.69	(4.17 - 7.72)	0.422

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	5.88[a]	(4.99 - 6.91)	7.20	(6.12 - 8.45)	0.008
Central	5.18[a]	(3.80 - 7.01)	7.15	(5.54 - 9.19)	0.005
Eastern	6.79	(5.52 - 8.32)	7.44	(6.01 - 9.19)	0.324
Eastern (St. Louis City and County)	7.29	(5.68 - 9.33)	8.30	(6.42 - 10.67)	0.242
Eastern (excluding St. Louis)	5.91	(4.43 - 7.83)	5.97	(4.48 - 7.91)	0.920
Northwest	5.83[a]	(4.62 - 7.31)	8.05	(6.34 - 10.19)	0.001
Northwest (Jackson)	6.47[a]	(4.89 - 8.52)	9.27	(6.86 - 12.40)	0.005
Northwest (excluding Jackson)	5.28[a]	(3.88 - 7.13)	7.03	(5.13 - 9.58)	0.019
Southeast	4.19[a]	(2.97 - 5.88)	5.48	(3.93 - 7.59)	0.042
Southwest	5.83	(4.29 - 7.86)	6.66	(4.91 - 8.98)	0.273
Montana	10.65	(9.32 - 12.15)	10.46	(9.07 - 12.03)	0.772
Region 1	7.68	(5.53 - 10.57)	7.88	(5.59 - 11.01)	0.835
Region 2	9.66	(7.25 - 12.76)	10.69	(8.12 - 13.95)	0.380
Region 3	10.13	(8.00 - 12.75)	10.26	(7.99 - 13.07)	0.910
Region 4	11.87	(9.71 - 14.42)	10.23	(8.15 - 12.78)	0.125
Region 5	11.17	(9.10 - 13.63)	11.34	(9.07 - 14.08)	0.883
Nebraska	5.32	(4.48 - 6.30)	5.97	(5.04 - 7.06)	0.116
Regions 1 and 2	4.21[a]	(3.00 - 5.89)	6.09	(4.47 - 8.25)	0.001
Region 1	4.49[a]	(2.94 - 6.80)	6.13	(4.20 - 8.86)	0.017
Region 2	3.96[a]	(2.63 - 5.92)	6.06	(4.13 - 8.81)	0.003
Region 3	4.44	(3.19 - 6.15)	5.33	(3.96 - 7.14)	0.156
Region 4	3.03[a]	(2.05 - 4.46)	4.93	(3.50 - 6.90)	0.000
Region 5	4.91	(3.76 - 6.39)	5.60	(4.33 - 7.22)	0.222
Region 6	6.71	(5.42 - 8.28)	6.63	(5.32 - 8.23)	0.898
Nevada	7.97	(6.63 - 9.54)	7.94	(6.67 - 9.42)	0.966
Clark – Region 1	7.71	(6.24 - 9.50)	7.60	(6.19 - 9.30)	0.882
Region 3	7.26	(5.36 - 9.77)	7.82	(5.83 - 10.40)	0.504
Capital District	7.25	(4.98 - 10.45)	8.30	(5.68 - 11.99)	0.331
Rural/Frontier	7.27	(4.94 - 10.59)	7.37	(5.15 - 10.45)	0.914
Washoe – Region 2	9.67	(7.35 - 12.64)	9.58	(7.36 - 12.39)	0.933
New Hampshire	8.72[a]	(7.60 - 9.99)	10.92	(9.62 - 12.37)	0.001
Central	9.19[a]	(7.59 - 11.10)	11.67	(9.77 - 13.88)	0.003
Central 1	11.24[b]	(8.95 - 14.03)	13.20	(10.63 - 16.27)	0.100
Central 2	7.21[a]	(5.51 - 9.37)	10.18	(7.87 - 13.08)	0.002
Northern	9.90[b]	(7.57 - 12.84)	12.40	(9.47 - 16.08)	0.052
Southern	8.23[a]	(7.00 - 9.65)	10.22	(8.73 - 11.93)	0.005
Southern 1 (Rockingham)	8.18	(6.52 - 10.20)	9.04	(7.14 - 11.37)	0.322
Southern 2	8.26[a]	(6.77 - 10.05)	10.96	(9.01 - 13.27)	0.004

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	6.30	(5.32 - 7.45)	6.01	(5.06 - 7.12)	0.525
Central	6.03	(4.61 - 7.85)	5.32	(4.02 - 7.01)	0.269
Metropolitan	5.82	(4.47 - 7.55)	5.56	(4.23 - 7.28)	0.682
Northern	6.50	(5.01 - 8.39)	6.19	(4.74 - 8.06)	0.681
Southern	6.83	(5.24 - 8.86)	6.99	(5.43 - 8.95)	0.826
New Mexico	8.59	(7.37 - 9.99)	9.61	(8.21 - 11.23)	0.146
Region 1	8.08	(6.33 - 10.28)	8.99	(6.82 - 11.76)	0.377
Region 2	7.75	(5.76 - 10.34)	8.76	(6.44 - 11.81)	0.322
Region 3 (Bernalillo)	11.16	(9.13 - 13.57)	12.00	(9.65 - 14.83)	0.484
Region 4	6.54	(4.83 - 8.78)	7.72	(5.72 - 10.35)	0.175
Region 5	6.82	(5.16 - 8.95)	8.15	(6.16 - 10.70)	0.136
New York	7.80[a]	(7.16 - 8.50)	8.59	(7.90 - 9.34)	0.023
Region A	7.40[a]	(6.54 - 8.35)	8.43	(7.46 - 9.50)	0.028
Region 1	7.02	(5.53 - 8.88)	7.05	(5.59 - 8.85)	0.968
Region 2	7.86[a]	(6.52 - 9.45)	9.60	(8.00 - 11.47)	0.029
Region 3	7.24[a]	(5.69 - 9.18)	9.75	(7.82 - 12.08)	0.006
Region 4	7.12	(5.78 - 8.75)	6.74	(5.32 - 8.49)	0.562
Region B	7.70[b]	(6.72 - 8.81)	8.74	(7.60 - 10.02)	0.055
Region 5	7.88	(6.64 - 9.32)	8.94	(7.40 - 10.76)	0.138
Region 6	6.93[b]	(5.36 - 8.92)	8.22	(6.44 - 10.44)	0.094
Region 7	8.33	(6.57 - 10.52)	8.89	(6.93 - 11.33)	0.521
Region C	8.31	(7.39 - 9.33)	8.53	(7.58 - 9.59)	0.636
Region 8	8.26	(6.66 - 10.20)	9.68	(7.74 - 12.04)	0.102
Region 9	8.87	(7.15 - 10.95)	7.72	(6.15 - 9.65)	0.147
Region 10	8.96	(6.93 - 11.52)	9.49	(7.22 - 12.38)	0.570
Region 11	7.90	(6.28 - 9.90)	8.64	(6.93 - 10.71)	0.357
Region 12	8.01	(6.40 - 9.99)	7.73	(6.16 - 9.65)	0.703
Region D	8.76	(7.37 - 10.37)	9.21	(7.80 - 10.85)	0.456
Region 13	9.36	(7.14 - 12.19)	9.95	(7.66 - 12.81)	0.566
Region 14	9.16	(6.99 - 11.92)	8.03	(6.07 - 10.56)	0.184
Region 15	7.82[a]	(5.96 - 10.18)	9.74	(7.52 - 12.52)	0.031

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	6.89	(5.83 - 8.13)	6.51	(5.52 - 7.67)	0.395
Alliance Behavioral Healthcare 1	--	(-- - --)	6.91	(5.11 - 9.29)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	5.68	(4.07 - 7.89)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	6.29	(4.50 - 8.73)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	6.59	(4.86 - 8.88)	--
Cardinal Innovations Healthcare Solutions 3	7.27	(5.17 - 10.13)	7.22	(5.23 - 9.89)	0.959
CenterPoint Human Services	6.74	(4.66 - 9.66)	5.98	(4.31 - 8.23)	0.344
Eastpointe	6.86[a]	(5.01 - 9.32)	5.19	(3.72 - 7.19)	0.020
Partners Behavioral Health Management	6.98	(5.13 - 9.44)	6.64	(4.84 - 9.05)	0.669
Sandhills Center 1	6.61	(4.66 - 9.31)	6.19	(4.29 - 8.85)	0.618
Sandhills Center 2	6.89	(4.92 - 9.57)	7.27	(5.31 - 9.89)	0.642
Smoky Mountain Center 1	6.57	(4.57 - 9.35)	6.81	(4.86 - 9.47)	0.773
Smoky Mountain Center 2	8.00[b]	(5.66 - 11.18)	6.43	(4.49 - 9.12)	0.099
Trillium Health Resources 1	6.83	(4.92 - 9.42)	6.69	(4.80 - 9.24)	0.846
Trillium Health Resources 2	7.50	(5.28 - 10.56)	7.68	(5.51 - 10.60)	0.845
North Dakota	4.54[a]	(3.77 - 5.46)	5.58	(4.72 - 6.59)	0.006
Badlands and West Central	3.59[a]	(2.61 - 4.92)	4.93	(3.75 - 6.45)	0.008
Lake Region	--	(-- - --)	4.14	(2.85 - 5.99)	--
North Central	--	(-- - --)	5.67	(4.16 - 7.69)	--
Northeast	5.71[a]	(4.32 - 7.51)	7.27	(5.56 - 9.44)	0.024
Northwest	--	(-- - --)	5.81	(3.98 - 8.39)	--
South Central	--	(-- - --)	4.67	(3.24 - 6.70)	--
Southeast	5.17	(3.98 - 6.69)	5.91	(4.65 - 7.49)	0.198

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	6.94	(6.38 - 7.55)	7.37	(6.74 - 8.05)	0.176
Boards 2, 46, 55, and 68	6.79	(5.29 - 8.68)	6.30	(4.65 - 8.49)	0.522
Boards 3, 52, and 85	5.58	(4.25 - 7.30)	6.06	(4.53 - 8.07)	0.420
Boards 4 and 78	6.47	(4.70 - 8.85)	7.29	(5.35 - 9.86)	0.304
Boards 5 and 60	8.65	(6.79 - 10.95)	8.83	(6.84 - 11.34)	0.837
Boards 7, 15, 41, 79, and 84	4.77	(3.59 - 6.32)	5.67	(4.23 - 7.57)	0.153
Boards 8, 13, and 83	5.49	(4.25 - 7.05)	5.57	(4.18 - 7.37)	0.897
Board 9 (Butler)	6.86	(5.30 - 8.82)	7.20	(5.43 - 9.49)	0.637
Board 12	6.21	(4.66 - 8.23)	7.28	(5.44 - 9.67)	0.158
Boards 18 and 47	7.32	(6.17 - 8.66)	7.10	(5.87 - 8.57)	0.716
Boards 20, 32, 54, and 69	4.79	(3.52 - 6.49)	5.70	(4.22 - 7.66)	0.140
Boards 21, 39, 51, 70, and 80	6.24	(4.80 - 8.09)	5.49	(4.18 - 7.19)	0.226
Boards 22, 74, and 87	6.39	(4.90 - 8.31)	6.48	(4.83 - 8.64)	0.896
Boards 23 and 45	6.43	(4.90 - 8.40)	6.95	(5.28 - 9.08)	0.463
Board 25 (Franklin)	9.30	(7.73 - 11.16)	10.61	(8.76 - 12.81)	0.129
Boards 27, 71, and 73	5.18[a]	(3.88 - 6.87)	7.34	(5.47 - 9.77)	0.006
Boards 28, 43, and 67	6.27	(4.91 - 7.96)	6.75	(5.26 - 8.63)	0.446
Board 31 (Hamilton)	7.82	(6.32 - 9.65)	8.37	(6.62 - 10.53)	0.517
Board 48 (Lucas)	7.69	(5.92 - 9.93)	8.12	(6.12 - 10.69)	0.629
Boards 50 and 76	7.04	(5.57 - 8.86)	6.62	(5.12 - 8.52)	0.559
Board 57 (Montgomery)	6.59	(5.07 - 8.54)	7.20	(5.47 - 9.42)	0.422
Board 77 (Summit)	8.22	(6.51 - 10.34)	8.81	(6.79 - 11.35)	0.498
Oklahoma	6.10	(5.12 - 7.26)	6.08	(5.08 - 7.27)	0.962
Central	5.66	(4.04 - 7.88)	6.50	(4.82 - 8.71)	0.210
East Central	5.60	(3.92 - 7.92)	5.16	(3.67 - 7.21)	0.499
Northeast	5.49	(3.97 - 7.55)	5.42	(3.94 - 7.41)	0.911
Northwest and Southwest	7.61[b]	(5.62 - 10.22)	6.07	(4.39 - 8.34)	0.068
Oklahoma County	6.84	(5.25 - 8.88)	7.02	(5.29 - 9.26)	0.829
Southeast	5.50[b]	(3.96 - 7.60)	4.32	(3.04 - 6.10)	0.069
Tulsa County	5.57[a]	(4.05 - 7.62)	7.32	(5.43 - 9.79)	0.034
Oregon	11.16	(9.71 - 12.80)	12.19	(10.69 - 13.87)	0.165
Region 1 (Multnomah)	16.05[b]	(12.91 - 19.78)	13.32	(10.57 - 16.64)	0.079
Region 2	9.68[a]	(7.56 - 12.31)	12.56	(10.02 - 15.62)	0.014
Region 3	10.66	(8.79 - 12.87)	12.03	(9.83 - 14.64)	0.159
Region 4	9.95	(7.45 - 13.16)	11.79	(8.83 - 15.58)	0.174
Region 5 (Central)	8.80	(6.33 - 12.11)	10.65	(7.65 - 14.64)	0.143
Region 6 (Eastern)	8.79	(5.74 - 13.24)	10.23	(7.22 - 14.28)	0.253

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	6.23[a]	(5.69 - 6.80)	6.84	(6.24 - 7.49)	0.041
Region 1 (Allegheny)	7.79	(6.41 - 9.43)	7.91	(6.43 - 9.70)	0.871
Regions 3, 8, 9, and 51	5.45[a]	(4.21 - 7.02)	6.82	(5.42 - 8.55)	0.028
Regions 4, 11, 37, and 49	5.07[a]	(3.98 - 6.45)	6.34	(4.95 - 8.10)	0.030
Regions 5, 18, 23, 24, and 46	5.60	(4.29 - 7.30)	5.30	(4.08 - 6.87)	0.604
Regions 6, 12, 16, 31, 35, 45, and 47	5.40[a]	(4.24 - 6.86)	6.96	(5.57 - 8.68)	0.006
Regions 7, 13, 20, and 33	6.15	(5.14 - 7.33)	6.70	(5.58 - 8.02)	0.326
Regions 10, 15, 27, 32, 43, and 44	4.89	(3.76 - 6.33)	5.57	(4.19 - 7.37)	0.241
Regions 17 and 21	6.57	(5.02 - 8.57)	6.20	(4.67 - 8.19)	0.591
Regions 19, 26, 28, and 42	4.68[b]	(3.76 - 5.82)	5.50	(4.48 - 6.75)	0.084
Regions 22, 38, 40, 41, and 48	4.70	(3.67 - 6.00)	4.27	(3.23 - 5.64)	0.393
Regions 29 and 34	6.19[b]	(4.73 - 8.07)	7.41	(5.63 - 9.70)	0.098
Regions 30 and 50	4.73[a]	(3.51 - 6.34)	6.44	(4.91 - 8.39)	0.010
Region 36 (Philadelphia)	10.19	(8.56 - 12.09)	10.44	(8.66 - 12.53)	0.797
Rhode Island	12.64	(11.11 - 14.33)	13.47	(11.94 - 15.16)	0.289
Bristol and Newport	11.82[b]	(9.07 - 15.27)	14.45	(11.07 - 18.63)	0.059
Kent	12.03	(9.45 - 15.20)	14.23	(11.15 - 17.98)	0.107
Providence	12.77	(10.87 - 14.93)	12.77	(10.93 - 14.87)	0.996
Washington	13.63	(10.85 - 16.99)	14.85	(11.81 - 18.50)	0.362
South Carolina	6.64	(5.66 - 7.77)	7.02	(5.97 - 8.24)	0.435
Region 1	--	(-- - --)	6.98	(5.38 - 9.01)	--
Region 2	--	(-- - --)	7.10	(5.53 - 9.08)	--
Region 3	6.94	(5.15 - 9.30)	6.99	(5.24 - 9.27)	0.953
Region 4	6.39	(4.99 - 8.17)	7.01	(5.48 - 8.93)	0.364
South Dakota	5.16	(4.24 - 6.25)	5.14	(4.28 - 6.16)	0.964
Region 1	6.69[b]	(5.03 - 8.86)	5.46	(4.08 - 7.26)	0.086
Region 2	5.12	(3.50 - 7.45)	5.29	(3.63 - 7.65)	0.802
Region 3	4.36	(3.17 - 5.95)	4.79	(3.63 - 6.29)	0.399
Region 4	4.51	(3.15 - 6.43)	5.41	(3.95 - 7.35)	0.121
Region 5	4.82	(3.65 - 6.34)	4.97	(3.79 - 6.49)	0.778
Tennessee	5.16	(4.29 - 6.20)	5.29	(4.40 - 6.35)	0.741
Region 1	4.49	(3.10 - 6.46)	4.75	(3.32 - 6.76)	0.670
Region 2	4.29	(3.08 - 5.94)	4.76	(3.49 - 6.46)	0.383
Region 3	4.82	(3.48 - 6.66)	4.77	(3.49 - 6.48)	0.927
Region 4 (Davidson)	6.60	(4.81 - 8.99)	6.00	(4.33 - 8.25)	0.410
Region 5	4.99	(3.71 - 6.69)	6.12	(4.61 - 8.09)	0.108
Region 6	4.88	(3.44 - 6.89)	4.69	(3.36 - 6.51)	0.733
Region 7 (Shelby)	6.51[b]	(4.86 - 8.68)	5.36	(3.91 - 7.29)	0.078

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	5.25	(4.76 - 5.77)	5.62	(5.13 - 6.16)	0.152
Region 1	5.49	(4.09 - 7.35)	6.08	(4.64 - 7.93)	0.361
Region 2	5.11[b]	(3.65 - 7.11)	6.40	(4.70 - 8.67)	0.053
Region 3	5.51	(4.80 - 6.33)	5.67	(4.90 - 6.55)	0.682
Region 3a	5.26	(4.39 - 6.28)	5.48	(4.55 - 6.58)	0.632
Region 3bc	5.96	(4.90 - 7.22)	6.00	(4.87 - 7.37)	0.939
Region 4	4.75	(3.52 - 6.37)	5.17	(3.88 - 6.84)	0.477
Region 5	5.11	(3.76 - 6.91)	5.98	(4.51 - 7.89)	0.173
Region 6	4.70	(3.94 - 5.60)	5.15	(4.35 - 6.09)	0.259
Region 6a	4.63	(3.83 - 5.60)	5.02	(4.17 - 6.03)	0.370
Region 6bc	5.27	(3.81 - 7.24)	6.24	(4.60 - 8.42)	0.139
Region 7	7.32	(6.21 - 8.60)	7.44	(6.25 - 8.83)	0.831
Region 7a	8.76	(7.19 - 10.63)	8.37	(6.73 - 10.35)	0.637
Region 7bcd	4.90[b]	(3.73 - 6.40)	5.84	(4.56 - 7.44)	0.099
Region 8	5.16	(4.17 - 6.38)	5.93	(4.78 - 7.34)	0.159
Region 9	4.67[a]	(3.39 - 6.42)	6.08	(4.50 - 8.17)	0.025
Region 10	4.01	(2.97 - 5.39)	4.23	(3.25 - 5.49)	0.596
Region 11	3.96	(3.18 - 4.92)	3.93	(3.16 - 4.87)	0.926
Region 11abd	4.55	(3.48 - 5.92)	4.18	(3.20 - 5.45)	0.411
Region 11c (Hidalgo)	2.92[b]	(2.09 - 4.07)	3.49	(2.59 - 4.68)	0.096
Utah	3.91[a]	(3.19 - 4.79)	5.39	(4.53 - 6.41)	0.000
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.16[a]	(2.19 - 4.53)	4.49	(3.26 - 6.16)	0.003
Central, Four Corners, San Juan, and Southwest	3.24[a]	(2.18 - 4.80)	4.89	(3.45 - 6.89)	0.002
Davis County	3.63[a]	(2.55 - 5.14)	4.72	(3.38 - 6.56)	0.030
Salt Lake County	4.62[a]	(3.53 - 6.02)	6.61	(5.25 - 8.29)	0.002
Utah County	3.65[b]	(2.63 - 5.06)	4.39	(3.24 - 5.92)	0.098
Weber, Morgan	3.72[a]	(2.56 - 5.38)	4.89	(3.43 - 6.93)	0.027
Vermont	12.75	(11.32 - 14.33)	13.01	(11.46 - 14.73)	0.748
Champlain Valley	14.85	(12.82 - 17.14)	13.87	(11.82 - 16.20)	0.385
Rural Northeast	11.75	(9.39 - 14.62)	12.68	(10.03 - 15.91)	0.472
Rural Southeast	11.15	(8.81 - 14.02)	13.01	(10.21 - 16.44)	0.170
Rural Southwest	11.09	(8.66 - 14.09)	11.31	(8.66 - 14.65)	0.854
Virginia	5.58[b]	(4.72 - 6.59)	6.40	(5.45 - 7.50)	0.062
Region 1	6.68	(5.13 - 8.64)	7.80	(5.97 - 10.12)	0.166
Region 2	4.08[b]	(3.02 - 5.49)	5.04	(3.81 - 6.63)	0.089
Region 3	5.69	(4.31 - 7.48)	6.83	(5.25 - 8.84)	0.119
Region 4	5.00[b]	(3.60 - 6.89)	6.15	(4.64 - 8.11)	0.088
Region 5	7.03	(5.45 - 9.03)	6.99	(5.42 - 8.96)	0.954

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	10.35[a]	(9.04 - 11.83)	12.74	(11.26 - 14.40)	0.001
Region 1	8.13[a]	(6.43 - 10.23)	10.53	(8.45 - 13.04)	0.007
Greater Columbia and North Central	--	(-- - --)	8.90	(6.68 - 11.77)	--
Spokane	--	(-- - --)	12.89	(9.75 - 16.86)	--
Region 2	11.80[a]	(9.99 - 13.89)	14.31	(12.29 - 16.58)	0.012
King	11.67	(9.48 - 14.28)	12.74	(10.45 - 15.44)	0.348
North Sound	12.04[a]	(9.61 - 14.98)	17.06	(13.70 - 21.04)	0.001
Region 3	9.80[a]	(8.05 - 11.87)	12.01	(10.06 - 14.28)	0.012
Peninsula	--	(-- - --)	12.91	(9.35 - 17.56)	--
Pierce	--	(-- - --)	12.23	(9.33 - 15.85)	--
SW WA and Timberlands	--	(-- - --)	10.74	(8.17 - 14.01)	--
Thurston-Mason	--	(-- - --)	13.27	(9.65 - 17.99)	--
West Virginia	5.55	(4.73 - 6.49)	5.76	(4.84 - 6.84)	0.621
Region I	4.56	(3.13 - 6.61)	4.89	(3.37 - 7.04)	0.599
Region II	5.59	(4.12 - 7.54)	5.89	(4.29 - 8.04)	0.655
Region III	4.22	(2.94 - 6.03)	4.45	(3.03 - 6.48)	0.688
Region IV	8.20	(6.69 - 10.02)	7.17	(5.61 - 9.11)	0.186
Region V	4.91	(3.81 - 6.29)	5.77	(4.40 - 7.52)	0.184
Region VI	4.45	(3.20 - 6.15)	4.98	(3.66 - 6.73)	0.382
Wisconsin	6.45	(5.44 - 7.64)	6.63	(5.62 - 7.79)	0.701
Milwaukee	8.96	(6.71 - 11.87)	7.69	(5.78 - 10.16)	0.160
Northeastern	5.62	(4.28 - 7.33)	5.53	(4.15 - 7.32)	0.884
Northern	5.28	(3.66 - 7.55)	5.12	(3.63 - 7.18)	0.808
Southeastern	6.68	(4.94 - 8.97)	6.45	(4.86 - 8.51)	0.742
Southern	6.27	(4.83 - 8.11)	7.49	(5.72 - 9.73)	0.107
Western	5.45[a]	(3.96 - 7.45)	7.12	(5.36 - 9.39)	0.020

See notes at end of table.

(continued)

Table 3 *Marijuana Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	5.49[b]	(4.56 - 6.61)	6.26	(5.26 - 7.43)	0.093
Judicial District 1 (Laramie)	5.60	(4.10 - 7.60)	6.58	(4.84 - 8.88)	0.172
Judicial District 2	7.82	(5.88 - 10.33)	8.84	(6.69 - 11.59)	0.291
Judicial District 3	3.74[a]	(2.69 - 5.17)	5.06	(3.68 - 6.93)	0.019
Judicial District 4	5.20	(3.62 - 7.41)	6.14	(4.26 - 8.78)	0.214
Judicial District 5	4.85	(3.28 - 7.12)	5.13	(3.59 - 7.28)	0.679
Judicial District 6	4.15[b]	(2.92 - 5.88)	5.07	(3.65 - 7.01)	0.096
Judicial District 7 (Natrona)	5.27	(3.80 - 7.26)	6.01	(4.37 - 8.20)	0.311
Judicial District 8	5.42	(3.74 - 7.79)	5.29	(3.71 - 7.48)	0.853
Judicial District 9	7.61	(5.31 - 10.79)	7.88	(5.64 - 10.89)	0.799

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 4 ***Perceptions of Great Risk from Smoking Marijuana Once a Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	31.82[a]	(31.37 - 32.27)	28.50	(28.11 - 28.89)	0.000
Northeast	30.05[a]	(29.25 - 30.87)	26.56	(25.77 - 27.38)	0.000
Midwest	30.07[a]	(29.45 - 30.70)	26.11	(25.47 - 26.76)	0.000
South	36.04[a]	(35.39 - 36.70)	32.60	(31.97 - 33.23)	0.000
West	28.11[a]	(27.27 - 28.97)	25.64	(24.89 - 26.42)	0.000
Alabama	39.11	(36.42 - 41.87)	37.74	(35.17 - 40.39)	0.299
Region 1	39.41	(35.06 - 43.94)	39.39	(35.08 - 43.87)	0.990
Region 2	36.22	(32.19 - 40.46)	33.73	(29.87 - 37.82)	0.207
Region 3	42.25	(37.66 - 46.98)	38.87	(34.89 - 43.00)	0.111
Region 4	40.42	(35.91 - 45.09)	40.55	(36.09 - 45.18)	0.951
Alaska	21.48[a]	(19.21 - 23.94)	18.90	(16.88 - 21.10)	0.017
Anchorage	20.26	(17.42 - 23.44)	18.68	(16.12 - 21.53)	0.238
Northern	20.73	(17.31 - 24.63)	18.71	(15.56 - 22.32)	0.203
South Central	23.83[a]	(19.76 - 28.43)	19.44	(16.28 - 23.05)	0.013
Southeast	21.94[b]	(17.75 - 26.80)	18.85	(15.26 - 23.06)	0.077
Arizona	28.62[b]	(26.03 - 31.34)	26.46	(24.06 - 29.00)	0.077
Maricopa	26.82	(23.82 - 30.06)	25.40	(22.54 - 28.50)	0.343
Pima	27.52	(22.85 - 32.73)	24.72	(20.73 - 29.18)	0.147
Rural North	31.88	(26.81 - 37.40)	29.06	(24.10 - 34.59)	0.191
Rural South	34.99[b]	(29.43 - 40.99)	30.88	(26.50 - 35.63)	0.055
Arkansas	36.71	(33.94 - 39.57)	34.99	(32.53 - 37.54)	0.163
Catchment Area 1	34.25	(29.49 - 39.35)	33.02	(28.65 - 37.71)	0.553
Catchment Area 2	36.07	(30.48 - 42.08)	33.08	(28.28 - 38.26)	0.190
Catchment Area 3	39.67	(34.34 - 45.27)	39.74	(35.22 - 44.45)	0.975
Catchment Area 4	37.23[a]	(31.57 - 43.26)	31.39	(26.72 - 36.48)	0.009
Catchment Area 5	34.36	(29.46 - 39.61)	32.94	(28.46 - 37.75)	0.516
Catchment Area 6	42.05	(36.06 - 48.29)	41.33	(36.20 - 46.65)	0.761
Catchment Area 7	40.91	(34.98 - 47.12)	39.01	(33.71 - 44.59)	0.425
Catchment Area 8	34.92	(30.33 - 39.81)	33.85	(29.40 - 38.60)	0.608

See notes at end of table.

(continued)

Table 4 *Perceptions of Great Risk from Smoking Marijuana Once a Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	29.61[a]	(28.27 - 30.99)	27.60	(26.39 - 28.84)	0.003
Region 1R	23.59	(19.51 - 28.22)	22.05	(18.36 - 26.24)	0.364
Region 2R	22.88	(18.93 - 27.37)	22.80	(19.25 - 26.78)	0.961
Region 3R (Sacramento)	26.20	(22.02 - 30.86)	24.40	(20.91 - 28.27)	0.305
Region 4R	23.59	(19.76 - 27.90)	22.34	(19.03 - 26.05)	0.443
Region 5R (San Francisco)	24.51	(19.97 - 29.69)	22.71	(18.66 - 27.35)	0.345
Region 6 (Santa Clara)	29.57	(25.42 - 34.09)	28.47	(24.77 - 32.48)	0.525
Region 7R (Contra Costa)	26.70	(22.30 - 31.61)	23.86	(20.20 - 27.95)	0.120
Region 8R (Alameda)	25.76	(21.78 - 30.18)	26.84	(23.28 - 30.74)	0.546
Region 9R (San Mateo)	28.22	(23.34 - 33.67)	26.15	(22.00 - 30.77)	0.289
Region 10	25.70	(21.64 - 30.23)	24.32	(20.73 - 28.32)	0.422
Region 11 (Los Angeles)	32.18[a]	(30.08 - 34.35)	29.38	(27.57 - 31.25)	0.004
LA SPA 1 and 5	24.01[b]	(19.97 - 28.58)	21.44	(17.89 - 25.47)	0.097
LA SPA 2	28.13	(24.15 - 32.47)	25.49	(22.17 - 29.11)	0.129
LA SPA 3	36.86	(32.40 - 41.56)	34.66	(30.36 - 39.23)	0.259
LA SPA 4	32.11	(27.30 - 37.34)	30.18	(26.06 - 34.65)	0.338
LA SPA 6	37.57[a]	(32.56 - 42.86)	32.00	(27.54 - 36.81)	0.007
LA SPA 7	37.09	(32.46 - 41.98)	35.10	(31.13 - 39.29)	0.299
LA SPA 8	30.78[b]	(26.59 - 35.32)	27.35	(23.78 - 31.24)	0.055
Region 12R	27.70	(23.16 - 32.75)	28.02	(23.80 - 32.67)	0.860
Regions 13 and 19R	31.01	(27.45 - 34.80)	29.72	(26.42 - 33.26)	0.436
Region 14 (Orange)	31.40[b]	(28.04 - 34.96)	28.48	(25.23 - 31.98)	0.077
Region 15R (Fresno)	31.41	(26.98 - 36.21)	28.94	(24.86 - 33.39)	0.161
Region 16R (San Diego)	29.03[a]	(25.86 - 32.42)	25.35	(22.48 - 28.45)	0.016
Region 17R	35.01[b]	(30.68 - 39.60)	31.83	(28.06 - 35.85)	0.091
Region 18R (San Bernardino)	32.10	(28.21 - 36.25)	32.11	(28.44 - 36.01)	0.996
Region 20R	31.64	(27.03 - 36.64)	31.26	(27.01 - 35.85)	0.846
Region 21R	27.91[a]	(23.69 - 32.55)	24.45	(20.61 - 28.74)	0.044
Colorado	22.10[a]	(19.89 - 24.49)	19.86	(17.73 - 22.18)	0.035
Region 1	21.39	(17.47 - 25.91)	19.96	(16.15 - 24.40)	0.400
Regions 2 and 7	19.63	(17.02 - 22.52)	18.37	(15.88 - 21.15)	0.328
Region 3	23.65	(19.68 - 28.15)	21.04	(17.40 - 25.19)	0.125
Region 4	36.31[a]	(30.20 - 42.90)	29.86	(24.65 - 35.66)	0.005
Regions 5 and 6	26.43[a]	(21.48 - 32.05)	20.91	(16.94 - 25.53)	0.004
Connecticut	27.83[a]	(25.29 - 30.53)	25.15	(22.74 - 27.73)	0.027
Eastern	25.13	(21.08 - 29.66)	22.78	(19.06 - 26.98)	0.185
North Central	27.30	(23.46 - 31.50)	25.51	(21.96 - 29.42)	0.310
Northwestern	31.25[a]	(26.60 - 36.32)	27.04	(23.00 - 31.51)	0.033
South Central	27.73[b]	(23.48 - 32.43)	24.20	(20.61 - 28.20)	0.069
Southwest	27.39	(23.09 - 32.15)	25.61	(21.38 - 30.36)	0.374

See notes at end of table. (continued)

Table 4 ***Perceptions of Great Risk from Smoking Marijuana Once a Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	30.49[a]	(27.92 - 33.18)	27.46	(25.16 - 29.89)	0.013
Kent	31.89[a]	(27.25 - 36.92)	26.85	(22.98 - 31.11)	0.007
New Castle (excluding Wilmington City)	28.74	(25.67 - 32.03)	27.28	(24.41 - 30.34)	0.342
Sussex	33.43[a]	(28.81 - 38.40)	28.07	(23.95 - 32.60)	0.012
Wilmington City	30.33	(24.97 - 36.29)	28.30	(23.33 - 33.87)	0.341
District of Columbia	25.11[a]	(22.64 - 27.75)	19.65	(17.56 - 21.91)	0.000
Ward 1	21.18[a]	(17.04 - 26.01)	17.46	(14.32 - 21.13)	0.021
Ward 2	16.91[a]	(13.56 - 20.89)	14.20	(11.31 - 17.68)	0.040
Ward 3	18.76[a]	(15.07 - 23.11)	14.15	(11.22 - 17.67)	0.002
Ward 4	28.16[a]	(23.33 - 33.56)	23.93	(19.90 - 28.49)	0.047
Ward 5	30.20[a]	(25.45 - 35.42)	21.84	(18.10 - 26.11)	0.000
Ward 6	23.66[a]	(19.29 - 28.68)	17.15	(13.98 - 20.88)	0.000
Ward 7	32.09[a]	(26.79 - 37.90)	25.55	(20.90 - 30.84)	0.003
Ward 8	32.42[a]	(27.61 - 37.62)	24.49	(20.64 - 28.81)	0.000
Florida[1]	37.16[a]	(35.75 - 38.59)	32.08	(30.70 - 33.50)	0.000
Broward (Circuit 17)	39.19[a]	(35.43 - 43.08)	32.23	(28.82 - 35.84)	0.000
Central I	--	(-- - --)	28.22	(25.62 - 30.96)	--
Circuit 9	35.76[a]	(32.18 - 39.51)	30.54	(27.30 - 33.99)	0.003
Circuit 18	34.04[a]	(29.48 - 38.92)	24.84	(21.23 - 28.84)	0.000
Central II	--	(-- - --)	29.86	(27.82 - 31.97)	--
Circuit 6	30.90[b]	(26.68 - 35.46)	27.24	(23.62 - 31.18)	0.067
Circuit 10	38.02[a]	(33.62 - 42.63)	32.52	(28.18 - 37.19)	0.008
Circuit 12	31.74	(26.92 - 36.98)	31.23	(27.04 - 35.75)	0.817
Circuit 13 (Hillsborough)	37.73[a]	(33.82 - 41.80)	29.66	(26.21 - 33.35)	0.000
Circuit 20	31.61	(27.25 - 36.32)	30.66	(26.63 - 35.01)	0.644
Northeast	--	(-- - --)	28.38	(26.16 - 30.70)	--
Circuit 4	35.85[a]	(31.57 - 40.36)	29.39	(25.81 - 33.25)	0.000
Circuit 5	33.30[a]	(28.49 - 38.48)	27.34	(23.48 - 31.57)	0.004
Circuit 7	35.36[a]	(30.89 - 40.11)	28.41	(24.42 - 32.78)	0.000
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	28.31	(24.27 - 32.73)	--
Northwest	--	(-- - --)	26.23	(23.52 - 29.14)	--
Circuit 1	34.15[a]	(30.10 - 38.45)	25.46	(21.58 - 29.78)	0.000
Circuit 2 plus Madison and Taylor	--	(-- - --)	26.02	(22.12 - 30.35)	--
Circuit 14	34.38[a]	(28.94 - 40.26)	28.36	(23.56 - 33.71)	0.006
South (Circuits 11 and 16)	52.72[a]	(49.55 - 55.88)	49.29	(46.10 - 52.49)	0.041
Southeast	--	(-- - --)	30.75	(27.68 - 34.00)	--
Circuit 15 (Palm Beach)	35.46[b]	(31.37 - 39.76)	31.98	(28.14 - 36.07)	0.063
Circuit 19	33.96[a]	(29.08 - 39.22)	28.05	(23.81 - 32.71)	0.004

See notes at end of table.

(continued)

Table 4 ***Perceptions of Great Risk from Smoking Marijuana Once a Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	35.92	(33.33 - 38.59)	34.03	(31.57 - 36.58)	0.127
Region 1	35.60	(31.35 - 40.08)	34.38	(30.45 - 38.53)	0.550
Region 2	35.70	(30.97 - 40.74)	34.73	(30.62 - 39.08)	0.622
Region 3	35.65	(31.79 - 39.71)	34.09	(30.42 - 37.97)	0.397
Region 4	38.07[b]	(32.42 - 44.05)	33.84	(28.96 - 39.09)	0.058
Region 5	36.32	(30.47 - 42.60)	32.94	(27.98 - 38.31)	0.119
Region 6	36.00	(31.11 - 41.21)	33.55	(28.86 - 38.58)	0.237
Hawaii	29.58[a]	(26.89 - 32.42)	26.53	(24.05 - 29.18)	0.028
Hawaii Island	23.16	(18.74 - 28.25)	22.86	(18.83 - 27.46)	0.885
Honolulu	31.44[a]	(28.42 - 34.61)	27.88	(25.03 - 30.91)	0.026
Kauai	29.21[a]	(23.14 - 36.13)	24.27	(19.55 - 29.71)	0.033
Maui	26.01	(21.03 - 31.71)	23.54	(19.50 - 28.11)	0.245
Idaho	30.27	(27.66 - 33.00)	28.41	(26.12 - 30.82)	0.122
Region 1	28.52	(23.84 - 33.70)	28.44	(24.07 - 33.26)	0.970
Region 2	24.12	(19.44 - 29.51)	22.93	(18.58 - 27.93)	0.533
Region 3	35.70[a]	(30.81 - 40.90)	31.38	(27.22 - 35.85)	0.044
Region 4	25.70	(21.82 - 29.99)	23.81	(20.63 - 27.33)	0.273
Region 5	34.31	(29.59 - 39.36)	32.92	(28.39 - 37.79)	0.502
Region 6	--	(-- - --)	28.77	(24.16 - 33.85)	--
Region 7	--	(-- - --)	32.84	(28.58 - 37.39)	--
Illinois	31.90[a]	(30.57 - 33.27)	28.34	(26.98 - 29.74)	0.000
Region I (Cook)	32.28[a]	(30.21 - 34.41)	29.54	(27.54 - 31.62)	0.015
Region II	30.61[a]	(28.44 - 32.87)	27.28	(25.15 - 29.53)	0.007
Region III	30.89[a]	(27.93 - 34.01)	26.57	(23.83 - 29.51)	0.003
Region IV	35.99[a]	(32.12 - 40.06)	30.18	(26.87 - 33.72)	0.001
Region V	32.76[a]	(29.28 - 36.44)	27.43	(24.13 - 31.00)	0.001
Indiana	31.33[a]	(28.77 - 34.00)	27.18	(24.85 - 29.65)	0.000
Central	31.56[a]	(27.22 - 36.24)	24.87	(21.35 - 28.75)	0.000
East	32.25	(27.09 - 37.89)	28.84	(24.31 - 33.85)	0.108
North Central	32.06[b]	(27.49 - 37.01)	28.30	(24.23 - 32.77)	0.056
Northeast	30.05	(25.13 - 35.48)	26.93	(22.38 - 32.03)	0.111
Northwest	31.45	(26.78 - 36.53)	30.91	(26.28 - 35.95)	0.805
Southeast	32.95	(27.85 - 38.49)	29.64	(24.73 - 35.06)	0.144
Southwest	33.77[a]	(28.38 - 39.62)	25.89	(21.52 - 30.79)	0.000
West	26.87	(22.33 - 31.95)	24.96	(20.89 - 29.52)	0.301
Iowa	31.42[a]	(28.78 - 34.18)	27.59	(25.20 - 30.11)	0.002
Central	28.73[b]	(24.49 - 33.38)	25.14	(21.29 - 29.42)	0.054
North Central	30.12[b]	(25.06 - 35.71)	26.01	(21.67 - 30.87)	0.053
Northeast	31.56[b]	(27.51 - 35.91)	28.35	(24.62 - 32.40)	0.083
Northwest	37.27[a]	(32.13 - 42.71)	29.85	(25.19 - 34.97)	0.001
Southeast	28.87	(24.74 - 33.39)	26.91	(23.17 - 31.01)	0.291
Southwest	33.70[b]	(28.21 - 39.66)	29.87	(25.31 - 34.88)	0.100

See notes at end of table.

(continued)

Table 4 *Perceptions of Great Risk from Smoking Marijuana Once a Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	30.94[a]	(28.36 - 33.65)	26.06	(23.83 - 28.41)	0.000
Kansas City Metro	30.61[a]	(26.92 - 34.57)	24.48	(21.46 - 27.77)	0.001
Northeast	29.93[a]	(25.41 - 34.88)	25.62	(21.73 - 29.93)	0.024
South Central	29.27[b]	(24.43 - 34.64)	25.50	(21.60 - 29.84)	0.061
Southeast	31.37[a]	(25.95 - 37.36)	27.06	(22.18 - 32.56)	0.040
West	33.93	(28.67 - 39.61)	31.38	(26.86 - 36.28)	0.207
Wichita (Sedgwick)	31.88[a]	(27.40 - 36.72)	26.28	(22.39 - 30.59)	0.003
Kentucky	36.87[a]	(34.23 - 39.58)	32.12	(29.64 - 34.71)	0.000
Adanta, Cumberland River, and Lifeskills	41.63[a]	(36.79 - 46.64)	34.00	(29.50 - 38.81)	0.001
Bluegrass, Comprehend, and North Key	32.06[a]	(27.97 - 36.44)	28.36	(24.89 - 32.10)	0.040
Communicare and River Valley	37.98	(32.53 - 43.75)	34.90	(30.16 - 39.95)	0.168
Four Rivers and Pennyroyal	41.44[a]	(35.87 - 47.23)	35.95	(30.47 - 41.82)	0.024
Kentucky River, Mountain, and Pathways	42.28[a]	(36.48 - 48.30)	37.40	(32.19 - 42.92)	0.043
Seven Counties	34.30[a]	(29.78 - 39.11)	29.97	(26.04 - 34.21)	0.039
Louisiana	40.19[a]	(37.71 - 42.72)	34.54	(32.10 - 37.07)	0.000
Regions 1 and 10	36.66[a]	(32.47 - 41.07)	32.06	(28.22 - 36.17)	0.007
Region 1	35.84[a]	(30.82 - 41.19)	29.44	(24.47 - 34.95)	0.003
Region 10 (Jefferson)	37.48	(31.84 - 43.49)	34.79	(29.90 - 40.02)	0.245
Regions 2 and 9	39.62[a]	(35.53 - 43.85)	33.43	(29.80 - 37.27)	0.001
Region 3	43.88[a]	(38.30 - 49.62)	35.30	(30.27 - 40.67)	0.000
Regions 4, 5, and 6	39.61[a]	(35.55 - 43.83)	34.28	(30.32 - 38.48)	0.007
Regions 7 and 8	43.45[a]	(39.12 - 47.89)	38.48	(34.35 - 42.79)	0.009
Maine	21.14[a]	(18.86 - 23.62)	18.00	(15.94 - 20.27)	0.005
Aroostook/Downeast	23.61[a]	(19.79 - 27.92)	20.16	(16.97 - 23.76)	0.043
Aroostook	25.79	(20.56 - 31.81)	23.56	(18.97 - 28.85)	0.312
Downeast	21.83[a]	(17.30 - 27.16)	17.39	(13.73 - 21.78)	0.020
Central	20.70	(16.73 - 25.32)	18.79	(15.47 - 22.63)	0.281
Cumberland	19.84[a]	(16.34 - 23.88)	16.45	(13.45 - 19.96)	0.031
Midcoast	21.29[a]	(16.95 - 26.39)	17.23	(13.64 - 21.53)	0.024
Penquis	21.67[a]	(17.88 - 26.00)	17.27	(13.90 - 21.25)	0.012
Western	22.56	(18.61 - 27.07)	20.63	(16.92 - 24.92)	0.318
York	19.42[b]	(15.45 - 24.12)	16.45	(13.16 - 20.37)	0.098

See notes at end of table.

(continued)

Table 4 *Perceptions of Great Risk from Smoking Marijuana Once a Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	33.10[a]	(30.47 - 35.83)	28.36	(25.81 - 31.05)	0.000
Anne Arundel	32.02[a]	(26.55 - 38.04)	25.50	(21.15 - 30.40)	0.001
Baltimore City	39.14[a]	(34.02 - 44.52)	31.86	(27.11 - 37.01)	0.001
Baltimore County	32.17[a]	(27.53 - 37.19)	26.83	(22.46 - 31.70)	0.009
Montgomery	31.73	(27.14 - 36.71)	29.35	(24.94 - 34.18)	0.234
North Central	27.15	(22.29 - 32.63)	24.68	(20.15 - 29.86)	0.230
Northeast	30.29	(24.99 - 36.17)	28.56	(23.68 - 33.99)	0.432
Prince George's	37.26[a]	(32.12 - 42.72)	30.51	(26.00 - 35.44)	0.001
South	33.56[a]	(28.26 - 39.31)	27.46	(23.13 - 32.25)	0.004
West	31.47	(26.45 - 36.97)	28.22	(23.72 - 33.21)	0.128
Massachusetts	23.46[a]	(21.09 - 26.00)	20.25	(18.16 - 22.52)	0.005
Boston	22.93[a]	(18.75 - 27.73)	19.36	(15.86 - 23.41)	0.040
Central	26.11[a]	(21.58 - 31.21)	20.29	(16.63 - 24.51)	0.001
Metrowest	20.02	(16.55 - 24.02)	17.91	(14.90 - 21.38)	0.183
Northeast	26.55[b]	(22.44 - 31.11)	23.15	(19.58 - 27.15)	0.074
Southeast	23.52[b]	(19.48 - 28.11)	20.14	(16.74 - 24.03)	0.060
Western	22.65	(18.82 - 27.00)	21.06	(17.43 - 25.23)	0.358
Michigan[1]	26.99[a]	(25.71 - 28.30)	23.52	(22.28 - 24.81)	0.000
Region 1	21.98	(18.22 - 26.28)	20.66	(17.27 - 24.53)	0.439
Region 2	--	(-- - --)	24.05	(20.22 - 28.34)	--
Region 3	--	(-- - --)	23.05	(20.37 - 25.98)	--
Region 4	--	(-- - --)	24.84	(21.73 - 28.24)	--
Region 5	--	(-- - --)	23.10	(20.68 - 25.71)	--
Region 6	--	(-- - --)	20.55	(17.82 - 23.57)	--
Region 7	--	(-- - --)	26.09	(23.31 - 29.09)	--
Region 8	26.07[a]	(23.07 - 29.31)	21.81	(19.09 - 24.81)	0.005
Region 9	28.20	(24.91 - 31.75)	25.56	(22.33 - 29.08)	0.115
Region 10	--	(-- - --)	22.18	(19.19 - 25.48)	--
Minnesota	28.19[a]	(25.70 - 30.81)	24.08	(21.84 - 26.49)	0.000
Regions 1 and 2	29.85[a]	(24.60 - 35.70)	25.76	(21.14 - 30.98)	0.039
Regions 3 and 4	30.49[a]	(26.04 - 35.33)	25.30	(21.37 - 29.69)	0.006
Regions 5 and 6	30.40	(25.97 - 35.22)	27.35	(23.25 - 31.87)	0.112
Region 7A (Hennepin)	25.30[b]	(21.50 - 29.52)	22.19	(18.67 - 26.16)	0.064
Region 7B (Ramsey)	25.40[b]	(20.58 - 30.92)	21.57	(17.48 - 26.31)	0.052
Region 7C	27.84[a]	(23.99 - 32.05)	22.63	(19.30 - 26.36)	0.003
Mississippi	41.14[a]	(38.51 - 43.82)	38.13	(35.54 - 40.80)	0.023
Region 1	40.31[a]	(35.81 - 44.97)	36.17	(32.08 - 40.47)	0.049
Region 2	47.79[a]	(42.45 - 53.18)	43.38	(38.41 - 48.48)	0.048
Region 3	38.63	(33.62 - 43.89)	38.60	(33.98 - 43.44)	0.989
Region 4	39.97	(35.58 - 44.52)	36.79	(32.09 - 41.76)	0.117
Region 5	42.67	(36.03 - 49.58)	42.34	(36.55 - 48.33)	0.895
Region 6	42.69	(37.38 - 48.18)	41.31	(36.60 - 46.19)	0.555
Region 7	39.02[a]	(33.97 - 44.32)	34.35	(29.48 - 39.58)	0.029

See notes at end of table.

(continued)

Table 4 ***Perceptions of Great Risk from Smoking Marijuana Once a Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	32.29[a]	(29.79 - 34.88)	27.56	(25.21 - 30.05)	0.000
Central	33.86[a]	(29.14 - 38.93)	29.22	(24.94 - 33.91)	0.020
Eastern	28.88[a]	(25.60 - 32.40)	25.95	(22.96 - 29.18)	0.041
Eastern (St. Louis City and County)	27.83[b]	(23.86 - 32.19)	24.89	(21.20 - 28.99)	0.095
Eastern (excluding St. Louis)	30.70	(25.91 - 35.94)	27.75	(23.65 - 32.26)	0.130
Northwest	32.77[a]	(28.87 - 36.92)	26.51	(23.07 - 30.27)	0.000
Northwest (Jackson)	33.13[a]	(28.33 - 38.32)	26.67	(22.31 - 31.53)	0.001
Northwest (excluding Jackson)	32.46[a]	(27.40 - 37.97)	26.38	(21.98 - 31.31)	0.003
Southeast	38.93[a]	(33.77 - 44.36)	32.27	(27.57 - 37.35)	0.003
Southwest	32.67[a]	(28.11 - 37.60)	27.77	(23.59 - 32.37)	0.011
Montana	24.27	(22.11 - 26.56)	23.75	(21.39 - 26.27)	0.652
Region 1	26.71	(22.10 - 31.90)	25.31	(20.72 - 30.53)	0.490
Region 2	28.69[b]	(23.95 - 33.94)	25.09	(21.19 - 29.44)	0.079
Region 3	27.71	(23.96 - 31.81)	27.00	(23.31 - 31.04)	0.700
Region 4	21.11	(17.80 - 24.85)	23.47	(19.81 - 27.58)	0.162
Region 5	22.03	(18.81 - 25.62)	20.78	(17.52 - 24.47)	0.452
Nebraska	30.15[a]	(27.65 - 32.78)	26.82	(24.44 - 29.35)	0.006
Regions 1 and 2	32.72[b]	(28.07 - 37.75)	29.26	(24.98 - 33.94)	0.058
Region 1	34.19[a]	(28.03 - 40.92)	29.21	(24.06 - 34.96)	0.025
Region 2	31.44	(25.73 - 37.77)	29.30	(23.97 - 35.27)	0.340
Region 3	40.27[a]	(34.95 - 45.82)	35.13	(30.39 - 40.17)	0.031
Region 4	33.52[b]	(28.25 - 39.24)	29.24	(24.45 - 34.54)	0.057
Region 5	27.52	(23.59 - 31.84)	25.58	(22.18 - 29.31)	0.271
Region 6	27.16[b]	(23.73 - 30.88)	23.88	(20.69 - 27.39)	0.051
Nevada	28.42	(25.63 - 31.39)	27.33	(24.78 - 30.04)	0.412
Clark – Region 1	29.02	(25.78 - 32.48)	27.83	(24.93 - 30.94)	0.452
Region 3	29.76	(24.93 - 35.09)	28.44	(24.15 - 33.16)	0.444
Capital District	30.34	(24.48 - 36.91)	27.39	(21.98 - 33.55)	0.189
Rural/Frontier	29.24	(23.26 - 36.04)	29.40	(24.19 - 35.21)	0.944
Washoe – Region 2	24.67	(20.42 - 29.48)	24.15	(20.33 - 28.44)	0.775
New Hampshire	22.50[a]	(20.22 - 24.97)	17.29	(15.47 - 19.28)	0.000
Central	21.72[a]	(18.53 - 25.28)	16.97	(14.52 - 19.73)	0.000
Central 1	21.91[a]	(17.90 - 26.52)	17.66	(14.54 - 21.29)	0.007
Central 2	21.54[a]	(17.33 - 26.44)	16.29	(13.31 - 19.78)	0.002
Northern	23.07[a]	(18.67 - 28.15)	17.26	(13.78 - 21.42)	0.001
Southern	22.76[a]	(20.14 - 25.60)	17.45	(15.32 - 19.81)	0.000
Southern 1 (Rockingham)	22.58[a]	(18.88 - 26.75)	17.73	(14.79 - 21.10)	0.003
Southern 2	22.87[a]	(19.72 - 26.35)	17.28	(14.70 - 20.21)	0.000

See notes at end of table.

(continued)

Table 4 ***Perceptions of Great Risk from Smoking Marijuana Once a Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	33.69[a]	(31.06 - 36.44)	30.72	(28.27 - 33.28)	0.015
Central	30.72	(26.46 - 35.33)	27.88	(24.05 - 32.05)	0.142
Metropolitan	36.02[b]	(31.78 - 40.49)	32.52	(28.73 - 36.55)	0.051
Northern	36.43[a]	(32.12 - 40.96)	32.28	(28.45 - 36.37)	0.032
Southern	30.15	(25.90 - 34.77)	29.36	(25.46 - 33.59)	0.693
New Mexico	31.61[a]	(28.99 - 34.36)	27.36	(25.01 - 29.85)	0.000
Region 1	31.24[a]	(27.05 - 35.76)	26.45	(22.79 - 30.46)	0.013
Region 2	32.77	(27.65 - 38.33)	30.41	(25.78 - 35.48)	0.294
Region 3 (Bernalillo)	27.34[b]	(23.38 - 31.69)	24.00	(20.60 - 27.77)	0.057
Region 4	34.90[a]	(30.15 - 39.98)	30.55	(26.32 - 35.12)	0.032
Region 5	36.08[a]	(31.70 - 40.72)	29.63	(25.76 - 33.82)	0.001
New York	31.53[a]	(30.10 - 32.99)	27.87	(26.54 - 29.24)	0.000
Region A	34.58[a]	(32.48 - 36.74)	31.05	(29.14 - 33.03)	0.001
Region 1	41.84[a]	(37.64 - 46.17)	37.25	(33.55 - 41.11)	0.014
Region 2	34.13[b]	(30.89 - 37.54)	31.23	(28.06 - 34.58)	0.069
Region 3	26.09[b]	(22.52 - 30.01)	23.53	(20.31 - 27.10)	0.097
Region 4	37.16[a]	(33.10 - 41.42)	32.72	(29.14 - 36.51)	0.018
Region B	30.41[a]	(28.20 - 32.72)	26.81	(24.73 - 28.99)	0.001
Region 5	29.55[a]	(26.63 - 32.64)	26.50	(23.71 - 29.48)	0.046
Region 6	32.47[a]	(28.23 - 37.02)	28.29	(24.67 - 32.20)	0.021
Region 7	30.05[a]	(25.99 - 34.44)	25.50	(21.72 - 29.70)	0.014
Region C	28.07[a]	(25.99 - 30.24)	24.13	(22.34 - 26.01)	0.000
Region 8	25.88[b]	(22.32 - 29.78)	22.74	(19.55 - 26.27)	0.062
Region 9	26.91[b]	(23.18 - 31.00)	24.28	(21.14 - 27.73)	0.097
Region 10	25.76[a]	(21.47 - 30.57)	21.83	(18.09 - 26.11)	0.020
Region 11	29.51[a]	(25.70 - 33.62)	24.71	(21.44 - 28.29)	0.003
Region 12	30.54[a]	(26.48 - 34.93)	25.59	(22.43 - 29.03)	0.004
Region D	29.42[a]	(26.47 - 32.56)	25.41	(22.86 - 28.13)	0.002
Region 13	28.55	(24.00 - 33.58)	25.53	(21.64 - 29.85)	0.116
Region 14	29.17[a]	(24.50 - 34.33)	24.60	(20.55 - 29.15)	0.014
Region 15	30.45[a]	(26.22 - 35.03)	26.10	(22.31 - 30.28)	0.023

See notes at end of table.

(continued)

Table 4 ***Perceptions of Great Risk from Smoking Marijuana Once a Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	33.35[a]	(30.73 - 36.08)	30.46	(28.08 - 32.95)	0.008
Alliance Behavioral Healthcare 1	--	(-- - --)	30.03	(25.75 - 34.69)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	23.83	(19.78 - 28.41)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	30.23	(25.23 - 35.74)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	31.06	(26.50 - 36.01)	--
Cardinal Innovations Healthcare Solutions 3	32.46[a]	(27.03 - 38.42)	28.35	(23.78 - 33.41)	0.035
CenterPoint Human Services	36.16	(30.03 - 42.76)	33.73	(28.60 - 39.27)	0.295
Eastpointe	37.79	(32.18 - 43.75)	37.38	(32.12 - 42.97)	0.853
Partners Behavioral Health Management	33.39	(28.57 - 38.59)	32.02	(27.33 - 37.10)	0.513
Sandhills Center 1	37.60[a]	(31.69 - 43.90)	33.09	(27.69 - 38.97)	0.048
Sandhills Center 2	31.00[a]	(25.32 - 37.32)	26.80	(22.33 - 31.78)	0.044
Smoky Mountain Center 1	36.38	(29.89 - 43.41)	32.58	(27.29 - 38.35)	0.112
Smoky Mountain Center 2	32.55	(26.95 - 38.70)	30.86	(25.81 - 36.41)	0.456
Trillium Health Resources 1	35.98[a]	(29.93 - 42.52)	30.03	(25.17 - 35.38)	0.007
Trillium Health Resources 2	30.90	(25.34 - 37.08)	28.55	(23.67 - 33.99)	0.267
North Dakota	34.13[a]	(31.64 - 36.71)	27.72	(25.43 - 30.13)	0.000
Badlands and West Central	35.93[a]	(31.59 - 40.52)	29.25	(25.65 - 33.12)	0.000
Lake Region	--	(-- - --)	35.32	(30.27 - 40.72)	--
North Central	--	(-- - --)	27.92	(23.83 - 32.41)	--
Northeast	30.87[a]	(26.24 - 35.91)	25.84	(21.92 - 30.19)	0.006
Northwest	--	(-- - --)	26.48	(21.77 - 31.79)	--
South Central	--	(-- - --)	31.14	(26.21 - 36.54)	--
Southeast	31.18[a]	(27.56 - 35.04)	24.68	(21.38 - 28.31)	0.000

See notes at end of table.

(continued)

Table 4 ***Perceptions of Great Risk from Smoking Marijuana Once a Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	29.99[a]	(28.70 - 31.30)	25.14	(23.84 - 26.48)	0.000
Boards 2, 46, 55, and 68	32.64[b]	(28.49 - 37.07)	29.03	(24.90 - 33.54)	0.058
Boards 3, 52, and 85	32.28[a]	(27.82 - 37.10)	27.00	(22.98 - 31.42)	0.007
Boards 4 and 78	29.41	(24.57 - 34.77)	27.15	(22.96 - 31.79)	0.271
Boards 5 and 60	30.41[a]	(25.92 - 35.30)	23.42	(19.79 - 27.49)	0.000
Boards 7, 15, 41, 79, and 84	36.03[a]	(31.63 - 40.67)	30.01	(25.91 - 34.45)	0.004
Boards 8, 13, and 83	30.12[a]	(26.01 - 34.57)	25.30	(21.62 - 29.37)	0.008
Board 9 (Butler)	30.24[a]	(25.85 - 35.02)	21.71	(18.04 - 25.89)	0.000
Board 12	26.69	(22.45 - 31.42)	24.51	(20.42 - 29.11)	0.215
Boards 18 and 47	28.82	(25.98 - 31.83)	26.55	(23.74 - 29.56)	0.145
Boards 20, 32, 54, and 69	37.05[a]	(32.37 - 41.97)	28.08	(24.15 - 32.38)	0.000
Boards 21, 39, 51, 70, and 80	28.91	(25.12 - 33.03)	26.58	(22.96 - 30.55)	0.198
Boards 22, 74, and 87	28.78[a]	(24.67 - 33.27)	22.69	(19.11 - 26.72)	0.001
Boards 23 and 45	31.61[a]	(27.50 - 36.03)	25.86	(22.07 - 30.06)	0.002
Board 25 (Franklin)	26.82[a]	(23.79 - 30.08)	20.46	(17.79 - 23.42)	0.000
Boards 27, 71, and 73	34.61[a]	(30.21 - 39.30)	28.48	(24.46 - 32.86)	0.001
Boards 28, 43, and 67	28.16[a]	(24.25 - 32.44)	23.40	(19.77 - 27.46)	0.008
Board 31 (Hamilton)	26.25[a]	(22.70 - 30.14)	20.46	(17.38 - 23.93)	0.000
Board 48 (Lucas)	29.98[a]	(25.64 - 34.72)	25.29	(21.55 - 29.44)	0.010
Boards 50 and 76	30.22	(26.49 - 34.24)	29.65	(25.76 - 33.86)	0.776
Board 57 (Montgomery)	33.19[a]	(28.87 - 37.80)	24.82	(21.21 - 28.83)	0.000
Board 77 (Summit)	28.55[a]	(24.67 - 32.77)	22.88	(19.27 - 26.95)	0.002
Oklahoma	34.00[a]	(31.43 - 36.68)	29.19	(26.75 - 31.75)	0.000
Central	29.09[a]	(24.26 - 34.43)	24.80	(20.78 - 29.31)	0.029
East Central	33.97	(28.73 - 39.64)	30.55	(26.04 - 35.46)	0.113
Northeast	33.94[a]	(29.36 - 38.84)	29.17	(24.78 - 33.97)	0.022
Northwest and Southwest	34.08[a]	(29.10 - 39.43)	29.43	(24.75 - 34.59)	0.031
Oklahoma County	35.14[a]	(30.59 - 39.98)	29.92	(25.84 - 34.33)	0.009
Southeast	37.95[a]	(32.96 - 43.20)	33.15	(28.72 - 37.90)	0.030
Tulsa County	33.09[a]	(28.52 - 38.00)	27.23	(23.14 - 31.75)	0.003
Oregon	20.57[a]	(18.36 - 22.96)	18.29	(16.26 - 20.52)	0.030
Region 1 (Multnomah)	16.94	(13.73 - 20.72)	15.81	(12.95 - 19.17)	0.435
Region 2	18.26	(14.91 - 22.15)	18.77	(15.65 - 22.34)	0.743
Region 3	22.36[a]	(19.19 - 25.89)	18.69	(15.83 - 21.93)	0.019
Region 4	21.43[b]	(17.32 - 26.21)	18.27	(14.75 - 22.40)	0.081
Region 5 (Central)	23.61[a]	(18.83 - 29.18)	19.76	(15.66 - 24.63)	0.047
Region 6 (Eastern)	26.98[a]	(21.33 - 33.49)	21.24	(17.00 - 26.19)	0.004

See notes at end of table.

(continued)

Table 4 *Perceptions of Great Risk from Smoking Marijuana Once a Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	31.90[a]	(30.54 - 33.28)	28.10	(26.72 - 29.52)	0.000
Region 1 (Allegheny)	29.38[a]	(25.94 - 33.08)	24.86	(21.86 - 28.13)	0.006
Regions 3, 8, 9, and 51	36.88[a]	(32.36 - 41.65)	29.31	(25.48 - 33.44)	0.000
Regions 4, 11, 37, and 49	37.59[a]	(33.39 - 41.97)	31.58	(27.90 - 35.50)	0.001
Regions 5, 18, 23, 24, and 46	36.88[a]	(32.43 - 41.56)	32.36	(28.58 - 36.39)	0.027
Regions 6, 12, 16, 31, 35, 45, and 47	31.42	(27.57 - 35.54)	28.96	(25.34 - 32.88)	0.150
Regions 7, 13, 20, and 33	26.62[a]	(23.94 - 29.50)	23.81	(21.23 - 26.60)	0.047
Regions 10, 15, 27, 32, 43, and 44	32.80	(28.70 - 37.18)	31.45	(27.26 - 35.97)	0.484
Regions 17 and 21	30.40	(25.72 - 35.52)	28.58	(24.51 - 33.04)	0.347
Regions 19, 26, 28, and 42	33.43[a]	(30.21 - 36.82)	29.17	(26.20 - 32.33)	0.008
Regions 22, 38, 40, 41, and 48	35.57[a]	(31.66 - 39.68)	30.57	(26.66 - 34.78)	0.007
Regions 29 and 34	29.42	(25.21 - 34.01)	27.65	(23.72 - 31.97)	0.345
Regions 30 and 50	35.22	(30.75 - 39.97)	32.14	(28.11 - 36.45)	0.133
Region 36 (Philadelphia)	30.86[a]	(27.68 - 34.24)	27.54	(24.44 - 30.87)	0.038
Rhode Island	24.66[a]	(22.13 - 27.38)	21.18	(18.93 - 23.62)	0.004
Bristol and Newport	21.69	(17.17 - 27.02)	19.32	(15.61 - 23.67)	0.198
Kent	23.40[a]	(19.08 - 28.37)	19.60	(15.97 - 23.83)	0.040
Providence	26.65[a]	(23.53 - 30.02)	23.00	(20.20 - 26.06)	0.017
Washington	19.84[a]	(15.78 - 24.64)	16.35	(13.10 - 20.22)	0.030
South Carolina	35.48[a]	(32.90 - 38.14)	31.36	(28.96 - 33.85)	0.001
Region 1	--	(-- - --)	31.88	(28.13 - 35.87)	--
Region 2	--	(-- - --)	29.28	(25.48 - 33.38)	--
Region 3	35.04[a]	(30.15 - 40.26)	30.58	(26.38 - 35.13)	0.030
Region 4	37.11[a]	(32.78 - 41.66)	33.16	(29.36 - 37.19)	0.049
South Dakota	31.58[a]	(29.16 - 34.10)	28.24	(25.95 - 30.66)	0.004
Region 1	28.79	(24.70 - 33.25)	26.74	(23.14 - 30.67)	0.269
Region 2	34.45	(28.94 - 40.41)	30.89	(26.20 - 36.00)	0.101
Region 3	33.16[b]	(29.12 - 37.48)	29.85	(26.05 - 33.94)	0.082
Region 4	31.98[b]	(27.21 - 37.16)	28.11	(23.71 - 32.97)	0.059
Region 5	31.53[a]	(27.80 - 35.52)	27.42	(24.08 - 31.03)	0.017
Tennessee	36.30[a]	(33.58 - 39.11)	32.71	(30.24 - 35.27)	0.005
Region 1	38.18[a]	(32.50 - 44.20)	33.50	(28.27 - 39.17)	0.041
Region 2	34.95	(30.25 - 39.96)	31.86	(27.73 - 36.29)	0.138
Region 3	37.85[a]	(32.85 - 43.13)	33.31	(28.85 - 38.09)	0.036
Region 4 (Davidson)	33.83[b]	(28.91 - 39.11)	30.00	(25.41 - 35.02)	0.065
Region 5	35.45[b]	(31.03 - 40.13)	31.74	(27.85 - 35.91)	0.059
Region 6	40.63	(34.84 - 46.69)	36.83	(31.86 - 42.10)	0.106
Region 7 (Shelby)	35.51	(30.42 - 40.94)	33.42	(28.85 - 38.32)	0.339

See notes at end of table.

(continued)

Table 4 *Perceptions of Great Risk from Smoking Marijuana Once a Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	37.65[a]	(36.29 - 39.04)	35.56	(34.26 - 36.88)	0.005
Region 1	36.61	(32.10 - 41.36)	33.96	(30.04 - 38.11)	0.143
Region 2	40.29[a]	(34.94 - 45.88)	35.15	(30.32 - 40.30)	0.020
Region 3	33.25	(31.08 - 35.50)	33.19	(31.18 - 35.26)	0.952
Region 3a	33.81	(31.06 - 36.67)	34.49	(31.91 - 37.16)	0.637
Region 3bc	32.29	(29.03 - 35.74)	30.91	(28.01 - 33.97)	0.376
Region 4	37.99	(33.20 - 43.01)	37.02	(32.97 - 41.27)	0.650
Region 5	36.84	(32.00 - 41.96)	37.17	(32.54 - 42.06)	0.878
Region 6	39.55[a]	(36.88 - 42.29)	34.40	(32.01 - 36.87)	0.000
Region 6a	39.90[a]	(37.02 - 42.85)	34.71	(32.13 - 37.39)	0.001
Region 6bc	36.59[a]	(31.45 - 42.06)	31.74	(27.26 - 36.58)	0.018
Region 7	31.22	(28.54 - 34.03)	29.46	(26.92 - 32.14)	0.160
Region 7a	30.65	(27.20 - 34.32)	28.77	(25.60 - 32.15)	0.239
Region 7bcd	32.18	(28.35 - 36.26)	30.66	(27.08 - 34.50)	0.357
Region 8	40.82	(37.27 - 44.46)	38.26	(35.07 - 41.57)	0.142
Region 9	36.72	(31.69 - 42.05)	37.32	(32.74 - 42.14)	0.772
Region 10	46.08	(41.74 - 50.47)	44.77	(40.59 - 49.02)	0.503
Region 11	48.69	(45.31 - 52.07)	47.71	(44.56 - 50.88)	0.524
Region 11abd	48.38	(44.12 - 52.67)	47.16	(43.08 - 51.27)	0.523
Region 11c (Hidalgo)	49.22	(44.49 - 53.97)	48.66	(44.27 - 53.07)	0.786
Utah	38.41[a]	(35.94 - 40.95)	32.76	(30.45 - 35.15)	0.000
Bear River, Northeastern, Summit, Tooele, and Wasatch	38.79[a]	(33.93 - 43.88)	32.53	(28.13 - 37.27)	0.003
Central, Four Corners, San Juan, and Southwest	40.62[a]	(35.16 - 46.32)	34.65	(29.88 - 39.76)	0.005
Davis County	37.46[a]	(32.54 - 42.66)	30.47	(25.98 - 35.37)	0.001
Salt Lake County	36.62[a]	(33.06 - 40.33)	32.06	(28.88 - 35.41)	0.009
Utah County	40.32[a]	(35.87 - 44.95)	34.53	(30.48 - 38.82)	0.003
Weber, Morgan	39.86[a]	(34.74 - 45.20)	32.58	(27.70 - 37.86)	0.001
Vermont	23.14[a]	(20.88 - 25.56)	19.70	(17.56 - 22.03)	0.001
Champlain Valley	21.82[a]	(18.81 - 25.16)	18.37	(15.70 - 21.38)	0.014
Rural Northeast	23.35[b]	(19.55 - 27.64)	20.18	(16.67 - 24.22)	0.065
Rural Southeast	21.51[a]	(17.91 - 25.60)	18.30	(15.09 - 22.02)	0.039
Rural Southwest	28.32[a]	(23.68 - 33.47)	24.22	(20.28 - 28.65)	0.036
Virginia	29.45[a]	(26.92 - 32.11)	25.44	(23.15 - 27.88)	0.000
Region 1	30.18[a]	(26.07 - 34.63)	26.31	(22.43 - 30.59)	0.040
Region 2	31.07[a]	(26.96 - 35.50)	26.61	(23.20 - 30.32)	0.015
Region 3	32.05[a]	(27.32 - 37.18)	26.73	(22.78 - 31.09)	0.010
Region 4	30.84[a]	(26.27 - 35.82)	24.00	(20.17 - 28.30)	0.000
Region 5	23.89	(20.05 - 28.21)	23.50	(20.09 - 27.29)	0.823

See notes at end of table. (continued)

Table 4 ***Perceptions of Great Risk from Smoking Marijuana Once a Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	23.33[a]	(21.15 - 25.66)	18.79	(16.83 - 20.91)	0.000
Region 1	26.27[a]	(22.77 - 30.09)	21.90	(18.78 - 25.38)	0.004
Greater Columbia and North Central	--	(-- - --)	24.03	(20.09 - 28.46)	--
Spokane	--	(-- - --)	18.81	(15.18 - 23.08)	--
Region 2	22.03[a]	(19.35 - 24.97)	17.48	(15.17 - 20.05)	0.000
King	21.56[a]	(18.22 - 25.33)	17.54	(14.78 - 20.70)	0.007
North Sound	22.85[a]	(19.13 - 27.05)	17.36	(14.35 - 20.85)	0.001
Region 3	23.20[a]	(20.21 - 26.49)	18.55	(16.17 - 21.20)	0.000
Peninsula	--	(-- - --)	17.21	(13.53 - 21.65)	--
Pierce	--	(-- - --)	18.63	(15.37 - 22.40)	--
SW WA and Timberlands	--	(-- - --)	19.13	(15.64 - 23.19)	--
Thurston-Mason	--	(-- - --)	18.60	(14.75 - 23.17)	--
West Virginia	37.09[a]	(34.36 - 39.91)	33.51	(31.09 - 36.01)	0.004
Region I	35.37	(29.35 - 41.90)	32.27	(27.06 - 37.96)	0.186
Region II	33.49	(28.52 - 38.85)	31.07	(26.61 - 35.91)	0.243
Region III	40.72[a]	(35.15 - 46.53)	35.95	(30.52 - 41.76)	0.043
Region IV	34.18[b]	(29.78 - 38.88)	31.03	(27.15 - 35.19)	0.089
Region V	37.58[a]	(33.74 - 41.59)	33.78	(30.05 - 37.73)	0.046
Region VI	41.47[b]	(36.07 - 47.09)	37.26	(33.11 - 41.61)	0.072
Wisconsin	27.64[a]	(25.13 - 30.29)	25.32	(22.95 - 27.85)	0.048
Milwaukee	26.60	(22.27 - 31.43)	24.63	(20.60 - 29.16)	0.284
Northeastern	28.56[a]	(24.72 - 32.73)	24.82	(21.14 - 28.91)	0.042
Northern	30.13[a]	(24.84 - 36.00)	24.43	(20.08 - 29.38)	0.007
Southeastern	26.88	(22.59 - 31.65)	28.05	(24.05 - 32.43)	0.554
Southern	25.49	(21.27 - 30.23)	23.22	(19.45 - 27.46)	0.233
Western	30.01[b]	(25.23 - 35.27)	26.46	(22.22 - 31.18)	0.084

See notes at end of table.

(continued)

Table 4 *Perceptions of Great Risk from Smoking Marijuana Once a Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	31.23[a]	(28.81 - 33.75)	27.53	(25.34 - 29.83)	0.001
Judicial District 1 (Laramie)	32.80[a]	(28.31 - 37.63)	27.21	(23.36 - 31.43)	0.003
Judicial District 2	24.26	(20.13 - 28.94)	22.69	(19.01 - 26.84)	0.338
Judicial District 3	37.85[a]	(33.01 - 42.94)	31.40	(27.34 - 35.76)	0.001
Judicial District 4	31.02[a]	(25.95 - 36.59)	25.66	(21.12 - 30.80)	0.010
Judicial District 5	31.76	(26.47 - 37.56)	30.46	(25.44 - 35.99)	0.536
Judicial District 6	32.45[a]	(27.49 - 37.84)	27.97	(23.82 - 32.54)	0.032
Judicial District 7 (Natrona)	26.73	(22.30 - 31.67)	23.68	(19.82 - 28.03)	0.104
Judicial District 8	34.52	(29.08 - 40.39)	31.81	(27.00 - 37.04)	0.242
Judicial District 9	28.75	(23.93 - 34.11)	27.50	(23.20 - 32.26)	0.536

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 5 ***Illicit Drug Use Other Than Marijuana in the Past Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	3.35	(3.22 - 3.48)	3.34	(3.21 - 3.46)	0.893
Northeast	3.32	(3.07 - 3.59)	3.15	(2.91 - 3.41)	0.181
Midwest	3.18	(2.98 - 3.39)	3.07	(2.89 - 3.27)	0.276
South	3.19	(3.01 - 3.39)	3.25	(3.07 - 3.44)	0.515
West	3.76	(3.47 - 4.07)	3.85	(3.57 - 4.15)	0.539
Alabama	3.54	(2.88 - 4.34)	3.80	(3.04 - 4.74)	0.387
Region 1	3.27	(2.42 - 4.41)	3.37	(2.41 - 4.69)	0.810
Region 2	3.97	(2.98 - 5.28)	4.35	(3.24 - 5.82)	0.426
Region 3	3.06	(2.23 - 4.19)	3.54	(2.56 - 4.88)	0.212
Region 4	3.64	(2.72 - 4.86)	3.77	(2.69 - 5.26)	0.769
Alaska	3.46	(2.74 - 4.35)	3.35	(2.66 - 4.21)	0.738
Anchorage	3.98	(3.00 - 5.26)	3.75	(2.81 - 4.98)	0.630
Northern	2.92	(2.08 - 4.08)	2.89	(2.00 - 4.16)	0.938
South Central	3.15	(2.20 - 4.50)	3.28	(2.34 - 4.58)	0.757
Southeast	3.32	(2.27 - 4.84)	2.92	(1.99 - 4.27)	0.318
Arizona	3.90	(3.10 - 4.90)	4.25	(3.39 - 5.31)	0.390
Maricopa	4.00	(3.06 - 5.21)	4.54	(3.51 - 5.87)	0.271
Pima	4.12	(2.89 - 5.84)	4.23	(2.94 - 6.05)	0.855
Rural North	3.91	(2.74 - 5.55)	3.94	(2.70 - 5.73)	0.954
Rural South	3.23	(2.19 - 4.73)	3.22	(2.19 - 4.69)	0.974
Arkansas	3.77	(3.08 - 4.60)	3.82	(3.07 - 4.74)	0.865
Catchment Area 1	4.02	(2.99 - 5.37)	3.72	(2.65 - 5.21)	0.495
Catchment Area 2	3.40	(2.40 - 4.80)	3.62	(2.51 - 5.18)	0.634
Catchment Area 3	3.61	(2.61 - 4.97)	3.91	(2.77 - 5.48)	0.476
Catchment Area 4	3.79	(2.68 - 5.35)	3.66	(2.53 - 5.27)	0.775
Catchment Area 5	3.57	(2.59 - 4.89)	4.29	(3.06 - 5.98)	0.127
Catchment Area 6	3.54	(2.48 - 5.02)	3.65	(2.48 - 5.33)	0.815
Catchment Area 7	3.35	(2.36 - 4.72)	3.77	(2.58 - 5.49)	0.325
Catchment Area 8	4.31	(3.17 - 5.85)	3.76	(2.63 - 5.35)	0.305

See notes at end of table.

(continued)

Table 5 *Illicit Drug Use Other Than Marijuana in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	3.60	(3.18 - 4.06)	3.93	(3.49 - 4.42)	0.122
Region 1R	4.54	(3.24 - 6.34)	4.51	(3.21 - 6.30)	0.955
Region 2R	4.00	(2.96 - 5.38)	4.76	(3.52 - 6.40)	0.140
Region 3R (Sacramento)	3.69	(2.75 - 4.95)	3.80	(2.78 - 5.18)	0.803
Region 4R	3.81	(2.85 - 5.09)	4.08	(3.05 - 5.45)	0.574
Region 5R (San Francisco)	4.68	(3.34 - 6.52)	5.40	(3.71 - 7.80)	0.310
Region 6 (Santa Clara)	2.86	(2.10 - 3.88)	3.24	(2.35 - 4.46)	0.287
Region 7R (Contra Costa)	3.44	(2.56 - 4.61)	3.37	(2.41 - 4.68)	0.860
Region 8R (Alameda)	3.49	(2.57 - 4.73)	4.14	(3.05 - 5.61)	0.148
Region 9R (San Mateo)	3.01[b]	(2.16 - 4.18)	3.78	(2.67 - 5.33)	0.074
Region 10	3.83	(2.85 - 5.14)	4.11	(3.01 - 5.58)	0.562
Region 11 (Los Angeles)	3.47[a]	(2.96 - 4.06)	4.02	(3.44 - 4.69)	0.040
LA SPA 1 and 5	3.77	(2.78 - 5.10)	4.27	(3.07 - 5.90)	0.273
LA SPA 2	3.59	(2.68 - 4.79)	4.21	(3.15 - 5.61)	0.168
LA SPA 3	3.09	(2.30 - 4.14)	3.29	(2.40 - 4.51)	0.594
LA SPA 4	3.61[b]	(2.61 - 4.95)	4.51	(3.24 - 6.24)	0.094
LA SPA 6	3.48	(2.55 - 4.72)	4.06	(2.89 - 5.67)	0.233
LA SPA 7	3.37[a]	(2.50 - 4.55)	4.32	(3.17 - 5.86)	0.040
LA SPA 8	3.52	(2.62 - 4.70)	3.75	(2.75 - 5.09)	0.618
Region 12R	3.44	(2.51 - 4.71)	3.65	(2.57 - 5.15)	0.624
Regions 13 and 19R	3.75	(2.91 - 4.82)	3.46	(2.58 - 4.63)	0.469
Region 14 (Orange)	3.19	(2.46 - 4.13)	3.52	(2.71 - 4.56)	0.335
Region 15R (Fresno)	3.44	(2.51 - 4.68)	3.90	(2.83 - 5.34)	0.282
Region 16R (San Diego)	3.73	(2.91 - 4.77)	4.04	(3.08 - 5.28)	0.453
Region 17R	4.01	(3.03 - 5.29)	4.01	(2.98 - 5.38)	0.997
Region 18R (San Bernardino)	3.32	(2.57 - 4.27)	3.76	(2.82 - 5.00)	0.239
Region 20R	3.78	(2.80 - 5.09)	4.12	(3.02 - 5.58)	0.461
Region 21R	4.45	(3.32 - 5.94)	4.10	(2.94 - 5.70)	0.481
Colorado	4.11	(3.33 - 5.06)	4.11	(3.32 - 5.09)	0.994
Region 1	4.66	(3.40 - 6.36)	4.43	(3.12 - 6.26)	0.673
Regions 2 and 7	4.17	(3.24 - 5.36)	4.35	(3.35 - 5.61)	0.725
Region 3	3.72	(2.65 - 5.21)	3.30	(2.28 - 4.75)	0.375
Region 4	3.63	(2.49 - 5.26)	3.44	(2.26 - 5.20)	0.718
Regions 5 and 6	3.89	(2.77 - 5.45)	3.97	(2.77 - 5.66)	0.894
Connecticut	3.39[b]	(2.70 - 4.25)	2.92	(2.30 - 3.69)	0.095
Eastern	3.37	(2.38 - 4.75)	3.06	(2.16 - 4.31)	0.429
North Central	3.23	(2.33 - 4.45)	3.03	(2.19 - 4.18)	0.622
Northwestern	3.61[a]	(2.53 - 5.13)	2.59	(1.80 - 3.70)	0.009
South Central	3.80[b]	(2.76 - 5.21)	3.04	(2.14 - 4.30)	0.089
Southwest	2.91	(2.07 - 4.09)	2.81	(1.94 - 4.07)	0.795

See notes at end of table.

(continued)

Table 5 *Illicit Drug Use Other Than Marijuana in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	3.80	(3.06 - 4.70)	3.56	(2.87 - 4.42)	0.481
Kent	3.79	(2.76 - 5.19)	3.26	(2.34 - 4.52)	0.188
New Castle (excluding Wilmington City)	4.10	(3.19 - 5.26)	4.05	(3.16 - 5.19)	0.917
Sussex	3.09	(2.20 - 4.33)	2.80	(1.92 - 4.06)	0.460
Wilmington City	3.83	(2.61 - 5.57)	3.22	(2.16 - 4.79)	0.240
District of Columbia	5.05	(4.06 - 6.27)	5.33	(4.30 - 6.60)	0.571
Ward 1	5.67	(4.00 - 7.99)	5.63	(3.89 - 8.10)	0.962
Ward 2	6.21	(4.55 - 8.42)	6.45	(4.45 - 9.26)	0.797
Ward 3	5.31	(3.77 - 7.42)	5.60	(3.97 - 7.85)	0.687
Ward 4	4.18	(2.84 - 6.12)	4.55	(3.07 - 6.70)	0.587
Ward 5	4.66	(3.25 - 6.64)	5.34	(3.77 - 7.51)	0.335
Ward 6	5.16	(3.58 - 7.39)	4.73	(3.23 - 6.89)	0.562
Ward 7	4.22	(2.91 - 6.09)	5.04	(3.41 - 7.39)	0.232
Ward 8	4.79	(3.34 - 6.83)	5.25	(3.67 - 7.44)	0.575
Florida[1]	3.10	(2.73 - 3.53)	3.05	(2.67 - 3.47)	0.752
Broward (Circuit 17)	2.80	(2.12 - 3.68)	2.87	(2.14 - 3.83)	0.825
Central I	--	(-- - --)	3.12	(2.50 - 3.88)	--
Circuit 9	3.36	(2.60 - 4.32)	3.03	(2.28 - 4.03)	0.343
Circuit 18	2.96	(2.21 - 3.96)	3.24	(2.40 - 4.36)	0.400
Central II	--	(-- - --)	3.00	(2.51 - 3.59)	--
Circuit 6	3.42	(2.52 - 4.63)	2.96	(2.20 - 3.97)	0.234
Circuit 10	3.19	(2.39 - 4.26)	3.26	(2.38 - 4.46)	0.855
Circuit 12	3.25[b]	(2.33 - 4.52)	2.63	(1.87 - 3.68)	0.098
Circuit 13 (Hillsborough)	3.00	(2.30 - 3.90)	3.09	(2.30 - 4.14)	0.795
Circuit 20	3.04	(2.19 - 4.20)	3.05	(2.21 - 4.21)	0.977
Northeast	--	(-- - --)	3.25	(2.70 - 3.91)	--
Circuit 4	3.68	(2.72 - 4.97)	3.32	(2.46 - 4.46)	0.343
Circuit 5	2.66	(1.91 - 3.69)	2.76	(1.98 - 3.83)	0.760
Circuit 7	2.81	(2.06 - 3.81)	3.08	(2.22 - 4.24)	0.461
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	4.42	(3.30 - 5.90)	--
Northwest	--	(-- - --)	3.46	(2.77 - 4.31)	--
Circuit 1	3.56	(2.65 - 4.76)	3.18	(2.28 - 4.42)	0.349
Circuit 2 plus Madison and Taylor	--	(-- - --)	4.10	(3.01 - 5.58)	--
Circuit 14	3.55	(2.52 - 4.98)	3.14	(2.20 - 4.47)	0.309
South (Circuits 11 and 16)	2.78	(2.17 - 3.55)	2.62	(1.99 - 3.43)	0.572
Southeast	--	(-- - --)	3.13	(2.45 - 4.00)	--
Circuit 15 (Palm Beach)	2.96	(2.20 - 3.96)	3.30	(2.44 - 4.45)	0.333
Circuit 19	2.88	(2.05 - 4.02)	2.76	(1.95 - 3.89)	0.739

See notes at end of table. (continued)

Table 5 ***Illicit Drug Use Other Than Marijuana in the Past Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	3.03[a]	(2.41 - 3.80)	3.71	(2.98 - 4.60)	0.019
Region 1	2.92	(2.16 - 3.95)	3.21	(2.33 - 4.40)	0.425
Region 2	3.13[a]	(2.25 - 4.32)	4.55	(3.20 - 6.43)	0.004
Region 3	3.10[b]	(2.23 - 4.30)	3.87	(2.88 - 5.20)	0.078
Region 4	3.20	(2.21 - 4.61)	3.51	(2.39 - 5.13)	0.489
Region 5	3.18	(2.23 - 4.50)	3.91	(2.66 - 5.72)	0.111
Region 6	2.77[b]	(1.95 - 3.91)	3.42	(2.40 - 4.85)	0.085
Hawaii	3.42	(2.69 - 4.32)	3.48	(2.73 - 4.43)	0.858
Hawaii Island	3.49	(2.41 - 5.02)	3.69	(2.46 - 5.49)	0.713
Honolulu	3.50	(2.69 - 4.53)	3.46	(2.63 - 4.54)	0.923
Kauai	3.49	(2.27 - 5.33)	3.73	(2.49 - 5.54)	0.646
Maui	2.79	(1.89 - 4.10)	3.25	(2.19 - 4.80)	0.286
Idaho	3.59[a]	(2.89 - 4.45)	2.70	(2.15 - 3.37)	0.001
Region 1	3.36[a]	(2.36 - 4.76)	2.35	(1.58 - 3.48)	0.010
Region 2	3.52[a]	(2.49 - 4.95)	2.55	(1.74 - 3.72)	0.009
Region 3	3.54[a]	(2.56 - 4.87)	2.48	(1.73 - 3.53)	0.004
Region 4	3.98[b]	(2.94 - 5.36)	3.15	(2.33 - 4.25)	0.051
Region 5	3.05	(2.18 - 4.26)	2.51	(1.70 - 3.68)	0.121
Region 6	--	(-- - --)	2.78	(1.89 - 4.09)	--
Region 7	--	(-- - --)	2.56	(1.80 - 3.63)	--
Illinois	3.06	(2.68 - 3.48)	3.00	(2.62 - 3.44)	0.783
Region I (Cook)	3.24	(2.66 - 3.94)	2.97	(2.41 - 3.67)	0.397
Region II	2.83	(2.32 - 3.45)	2.80	(2.27 - 3.44)	0.882
Region III	3.15	(2.47 - 4.01)	3.48	(2.70 - 4.47)	0.346
Region IV	2.56	(1.88 - 3.47)	3.01	(2.26 - 3.99)	0.145
Region V	3.30	(2.53 - 4.29)	3.24	(2.44 - 4.30)	0.873
Indiana	3.60	(2.88 - 4.49)	3.46	(2.83 - 4.22)	0.609
Central	3.32	(2.40 - 4.57)	3.61	(2.66 - 4.89)	0.434
East	4.03	(2.83 - 5.72)	3.42	(2.40 - 4.84)	0.153
North Central	3.58	(2.57 - 4.97)	2.95	(2.08 - 4.15)	0.102
Northeast	3.62	(2.52 - 5.18)	3.40	(2.36 - 4.88)	0.628
Northwest	3.63	(2.55 - 5.15)	3.59	(2.50 - 5.11)	0.915
Southeast	3.73	(2.65 - 5.23)	3.52	(2.45 - 5.02)	0.635
Southwest	3.23	(2.25 - 4.61)	3.13	(2.14 - 4.56)	0.817
West	4.00	(2.91 - 5.48)	3.87	(2.78 - 5.35)	0.784
Iowa	2.58	(2.05 - 3.24)	2.57	(2.01 - 3.29)	0.971
Central	2.52	(1.81 - 3.50)	2.36	(1.62 - 3.43)	0.606
North Central	3.02	(2.09 - 4.34)	2.88	(1.96 - 4.21)	0.687
Northeast	2.45	(1.78 - 3.38)	2.49	(1.78 - 3.47)	0.890
Northwest	2.60	(1.83 - 3.66)	2.74	(1.86 - 4.03)	0.650
Southeast	2.62	(1.90 - 3.59)	2.64	(1.82 - 3.81)	0.954
Southwest	2.38	(1.66 - 3.39)	2.40	(1.61 - 3.55)	0.956

See notes at end of table.

(continued)

Table 5 *Illicit Drug Use Other Than Marijuana in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	2.80	(2.23 - 3.51)	2.96	(2.36 - 3.72)	0.493
Kansas City Metro	2.68	(1.99 - 3.60)	3.27	(2.38 - 4.50)	0.106
Northeast	2.64	(1.87 - 3.71)	2.69	(1.90 - 3.80)	0.876
South Central	2.95	(2.08 - 4.16)	2.72	(1.89 - 3.91)	0.499
Southeast	3.05	(2.08 - 4.46)	3.13	(2.11 - 4.63)	0.841
West	2.79	(1.99 - 3.90)	2.66	(1.80 - 3.90)	0.683
Wichita (Sedgwick)	3.01	(2.13 - 4.24)	2.98	(2.07 - 4.26)	0.936
Kentucky	3.00	(2.40 - 3.73)	3.06	(2.44 - 3.82)	0.823
Adanta, Cumberland River, and Lifeskills	3.11	(2.23 - 4.32)	2.86	(2.00 - 4.09)	0.508
Bluegrass, Comprehend, and North Key	3.08	(2.28 - 4.14)	3.18	(2.33 - 4.32)	0.784
Communicare and River Valley	2.76	(1.96 - 3.88)	2.66	(1.84 - 3.84)	0.756
Four Rivers and Pennyroyal	2.76	(1.91 - 3.97)	2.89	(1.94 - 4.27)	0.734
Kentucky River, Mountain, and Pathways	3.12	(2.16 - 4.49)	2.90	(1.94 - 4.30)	0.597
Seven Counties	2.95	(2.12 - 4.11)	3.39	(2.45 - 4.66)	0.274
Louisiana	3.57	(2.92 - 4.36)	3.81	(3.09 - 4.69)	0.403
Regions 1 and 10	3.75	(2.82 - 4.96)	4.11	(3.01 - 5.57)	0.412
Region 1	3.98	(2.83 - 5.57)	4.29	(2.89 - 6.31)	0.556
Region 10 (Jefferson)	3.52	(2.47 - 5.00)	3.92	(2.69 - 5.66)	0.434
Regions 2 and 9	3.72	(2.82 - 4.89)	4.19	(3.13 - 5.59)	0.247
Region 3	3.78	(2.69 - 5.29)	3.65	(2.52 - 5.24)	0.768
Regions 4, 5, and 6	3.50	(2.62 - 4.66)	3.58	(2.59 - 4.93)	0.861
Regions 7 and 8	3.20	(2.36 - 4.33)	3.40	(2.45 - 4.71)	0.589
Maine	3.35[b]	(2.71 - 4.13)	2.88	(2.29 - 3.62)	0.093
Aroostook/Downeast	2.99	(2.22 - 4.02)	2.69	(1.92 - 3.75)	0.357
Aroostook	2.83	(1.99 - 4.02)	2.61	(1.74 - 3.89)	0.542
Downeast	3.13	(2.15 - 4.53)	2.76	(1.83 - 4.14)	0.377
Central	3.09	(2.20 - 4.34)	2.70	(1.90 - 3.83)	0.283
Cumberland	3.48	(2.50 - 4.83)	3.14	(2.21 - 4.44)	0.453
Midcoast	3.10	(2.15 - 4.45)	2.65	(1.81 - 3.85)	0.236
Penquis	4.13[a]	(3.02 - 5.62)	3.16	(2.22 - 4.48)	0.035
Western	3.54	(2.57 - 4.86)	3.12	(2.20 - 4.40)	0.288
York	2.97	(2.14 - 4.10)	2.51	(1.73 - 3.63)	0.189

See notes at end of table.

(continued)

Table 5 ***Illicit Drug Use Other Than Marijuana in the Past Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	2.75	(2.17 - 3.49)	3.15	(2.48 - 3.99)	0.103
Anne Arundel	2.98	(2.04 - 4.33)	3.43	(2.35 - 4.99)	0.296
Baltimore City	3.28	(2.25 - 4.77)	3.64	(2.47 - 5.33)	0.497
Baltimore County	2.84	(2.01 - 3.99)	3.18	(2.22 - 4.55)	0.323
Montgomery	2.31[a]	(1.64 - 3.25)	3.03	(2.08 - 4.40)	0.038
North Central	2.72	(1.89 - 3.89)	2.97	(2.01 - 4.37)	0.463
Northeast	2.82	(1.94 - 4.10)	3.26	(2.20 - 4.81)	0.292
Prince George's	2.32	(1.60 - 3.37)	2.78	(1.93 - 4.01)	0.144
South	3.07	(2.13 - 4.43)	3.06	(2.09 - 4.46)	0.971
West	2.93	(2.02 - 4.22)	3.21	(2.19 - 4.70)	0.485
Massachusetts	3.53[a]	(2.88 - 4.31)	2.96	(2.33 - 3.74)	0.028
Boston	4.24[b]	(3.08 - 5.82)	3.49	(2.45 - 4.95)	0.091
Central	3.65	(2.64 - 5.05)	3.11	(2.12 - 4.55)	0.201
Metrowest	3.43	(2.50 - 4.70)	2.93	(2.07 - 4.13)	0.193
Northeast	3.01	(2.17 - 4.17)	2.79	(1.94 - 3.99)	0.524
Southeast	3.25[b]	(2.36 - 4.46)	2.59	(1.76 - 3.79)	0.081
Western	4.10[a]	(2.99 - 5.59)	3.14	(2.22 - 4.42)	0.028
Michigan[1]	3.58	(3.18 - 4.03)	3.28	(2.86 - 3.76)	0.165
Region 1	3.30	(2.45 - 4.45)	3.15	(2.23 - 4.41)	0.659
Region 2	--	(-- - --)	2.78	(1.96 - 3.94)	--
Region 3	--	(-- - --)	3.54	(2.76 - 4.54)	--
Region 4	--	(-- - --)	2.90	(2.15 - 3.91)	--
Region 5	--	(-- - --)	3.75	(2.98 - 4.70)	--
Region 6	--	(-- - --)	3.26	(2.45 - 4.33)	--
Region 7	--	(-- - --)	3.34	(2.58 - 4.30)	--
Region 8	3.24	(2.53 - 4.13)	2.80	(2.11 - 3.72)	0.215
Region 9	3.21	(2.46 - 4.19)	3.06	(2.27 - 4.12)	0.679
Region 10	--	(-- - --)	3.63	(2.70 - 4.86)	--
Minnesota	2.76	(2.22 - 3.44)	2.49	(1.94 - 3.20)	0.207
Regions 1 and 2	2.98	(2.07 - 4.29)	2.61	(1.75 - 3.87)	0.296
Regions 3 and 4	2.69	(1.97 - 3.67)	2.38	(1.62 - 3.47)	0.300
Regions 5 and 6	2.90	(2.10 - 3.97)	2.43	(1.70 - 3.47)	0.133
Region 7A (Hennepin)	2.85	(2.05 - 3.94)	2.46	(1.68 - 3.59)	0.262
Region 7B (Ramsey)	2.95	(2.04 - 4.25)	2.71	(1.84 - 3.99)	0.487
Region 7C	2.44	(1.78 - 3.34)	2.50	(1.80 - 3.48)	0.825
Mississippi	3.57[b]	(2.91 - 4.38)	4.09	(3.29 - 5.08)	0.092
Region 1	3.83[a]	(2.86 - 5.12)	4.81	(3.52 - 6.55)	0.044
Region 2	3.41	(2.42 - 4.79)	3.97	(2.76 - 5.69)	0.224
Region 3	3.33	(2.38 - 4.65)	3.60	(2.53 - 5.11)	0.522
Region 4	3.43	(2.46 - 4.75)	4.02	(2.82 - 5.72)	0.233
Region 5	3.52	(2.45 - 5.04)	3.89	(2.62 - 5.74)	0.421
Region 6	3.76	(2.73 - 5.14)	3.73	(2.60 - 5.33)	0.955
Region 7	3.61	(2.60 - 4.98)	3.97	(2.78 - 5.63)	0.455

See notes at end of table.

(continued)

Table 5 *Illicit Drug Use Other Than Marijuana in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	2.78	(2.21 - 3.48)	2.80	(2.23 - 3.52)	0.897
Central	2.78	(1.97 - 3.91)	2.91	(2.06 - 4.08)	0.715
Eastern	2.75	(2.09 - 3.61)	2.69	(2.03 - 3.55)	0.813
Eastern (St. Louis City and County)	2.77	(2.02 - 3.79)	2.60	(1.86 - 3.63)	0.582
Eastern (excluding St. Louis)	2.72	(1.92 - 3.84)	2.84	(1.98 - 4.06)	0.703
Northwest	2.81	(2.14 - 3.69)	2.89	(2.11 - 3.95)	0.780
Northwest (Jackson)	2.80	(2.00 - 3.89)	2.94	(2.00 - 4.32)	0.693
Northwest (excluding Jackson)	2.82	(2.04 - 3.90)	2.85	(1.95 - 4.14)	0.941
Southeast	2.85	(2.01 - 4.01)	2.89	(1.98 - 4.19)	0.909
Southwest	2.72	(1.93 - 3.81)	2.77	(1.94 - 3.96)	0.866
Montana	3.27[a]	(2.64 - 4.03)	2.41	(1.90 - 3.05)	0.000
Region 1	3.01[a]	(2.12 - 4.27)	2.18	(1.46 - 3.23)	0.011
Region 2	3.43[a]	(2.43 - 4.81)	2.56	(1.77 - 3.70)	0.015
Region 3	3.15[a]	(2.31 - 4.28)	2.18	(1.52 - 3.11)	0.001
Region 4	3.74[a]	(2.78 - 5.01)	2.50	(1.80 - 3.47)	0.000
Region 5	2.93	(2.18 - 3.93)	2.46	(1.79 - 3.39)	0.108
Nebraska	2.49	(1.95 - 3.19)	2.28	(1.76 - 2.96)	0.334
Regions 1 and 2	2.25	(1.60 - 3.14)	2.33	(1.63 - 3.31)	0.730
Region 1	2.33	(1.56 - 3.47)	2.27	(1.50 - 3.41)	0.810
Region 2	2.17	(1.46 - 3.22)	2.38	(1.55 - 3.64)	0.454
Region 3	2.47	(1.71 - 3.54)	2.29	(1.56 - 3.35)	0.529
Region 4	2.15	(1.47 - 3.15)	2.19	(1.44 - 3.30)	0.909
Region 5	2.65	(1.90 - 3.67)	2.39	(1.67 - 3.40)	0.388
Region 6	2.56	(1.89 - 3.46)	2.23	(1.60 - 3.11)	0.244
Nevada	4.11	(3.23 - 5.22)	3.78	(2.96 - 4.81)	0.372
Clark – Region 1	3.89	(2.96 - 5.10)	3.79	(2.88 - 4.98)	0.812
Region 3	4.04	(2.90 - 5.58)	3.43	(2.44 - 4.80)	0.125
Capital District	4.05	(2.73 - 5.97)	3.40	(2.23 - 5.17)	0.187
Rural/Frontier	4.02	(2.72 - 5.91)	3.45	(2.33 - 5.10)	0.222
Washoe – Region 2	5.17[a]	(3.69 - 7.19)	3.99	(2.84 - 5.59)	0.040
New Hampshire	3.79	(3.10 - 4.61)	3.53	(2.87 - 4.35)	0.409
Central	3.70	(2.89 - 4.73)	3.31	(2.55 - 4.28)	0.234
Central 1	4.34[a]	(3.24 - 5.80)	3.31	(2.39 - 4.57)	0.020
Central 2	3.09	(2.23 - 4.26)	3.31	(2.39 - 4.55)	0.549
Northern	3.74	(2.71 - 5.13)	3.63	(2.59 - 5.06)	0.798
Southern	3.84	(3.04 - 4.84)	3.62	(2.83 - 4.62)	0.558
Southern 1 (Rockingham)	3.20	(2.34 - 4.36)	3.38	(2.48 - 4.60)	0.646
Southern 2	4.23	(3.21 - 5.55)	3.77	(2.81 - 5.04)	0.327

See notes at end of table.

(continued)

Table 5 ***Illicit Drug Use Other Than Marijuana in the Past Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	3.19	(2.54 - 4.01)	2.84	(2.23 - 3.61)	0.185
Central	3.10	(2.24 - 4.26)	3.10	(2.25 - 4.27)	0.980
Metropolitan	3.25	(2.35 - 4.47)	2.80	(1.98 - 3.94)	0.247
Northern	3.01	(2.17 - 4.15)	2.56	(1.81 - 3.62)	0.181
Southern	3.52	(2.58 - 4.79)	3.04	(2.18 - 4.22)	0.218
New Mexico	3.98	(3.19 - 4.95)	3.58	(2.81 - 4.55)	0.263
Region 1	3.99	(2.90 - 5.47)	3.51	(2.48 - 4.94)	0.318
Region 2	3.54	(2.42 - 5.14)	3.52	(2.36 - 5.22)	0.980
Region 3 (Bernalillo)	4.45	(3.28 - 6.02)	3.79	(2.72 - 5.26)	0.237
Region 4	3.83	(2.75 - 5.32)	3.67	(2.56 - 5.24)	0.749
Region 5	3.60	(2.59 - 4.98)	3.29	(2.32 - 4.64)	0.457
New York	3.31	(2.89 - 3.79)	3.35	(2.92 - 3.85)	0.863
Region A	3.24	(2.72 - 3.87)	3.51	(2.93 - 4.21)	0.356
Region 1	3.08	(2.23 - 4.22)	2.87	(2.05 - 4.01)	0.634
Region 2	3.07[b]	(2.35 - 4.02)	3.77	(2.87 - 4.94)	0.082
Region 3	4.60	(3.40 - 6.20)	5.14	(3.76 - 7.00)	0.460
Region 4	2.56	(1.91 - 3.43)	2.34	(1.67 - 3.28)	0.481
Region B	3.10	(2.55 - 3.77)	3.03	(2.48 - 3.69)	0.763
Region 5	3.28	(2.54 - 4.22)	3.18	(2.43 - 4.14)	0.770
Region 6	2.48	(1.78 - 3.44)	2.63	(1.90 - 3.63)	0.598
Region 7	3.50	(2.61 - 4.68)	3.16	(2.25 - 4.41)	0.380
Region C	3.57	(3.01 - 4.23)	3.45	(2.92 - 4.06)	0.626
Region 8	3.20	(2.43 - 4.21)	3.41	(2.52 - 4.59)	0.590
Region 9	3.69	(2.75 - 4.93)	3.29	(2.43 - 4.45)	0.353
Region 10	3.55	(2.61 - 4.80)	3.41	(2.45 - 4.72)	0.717
Region 11	3.74	(2.80 - 4.97)	3.62	(2.72 - 4.80)	0.774
Region 12	3.66	(2.75 - 4.85)	3.47	(2.62 - 4.57)	0.615
Region D	3.57	(2.90 - 4.38)	3.26	(2.60 - 4.08)	0.288
Region 13	3.25	(2.39 - 4.41)	3.12	(2.24 - 4.33)	0.724
Region 14	3.80	(2.79 - 5.15)	3.26	(2.28 - 4.65)	0.204
Region 15	3.62	(2.70 - 4.86)	3.39	(2.47 - 4.64)	0.573

See notes at end of table. (continued)

Table 5 ***Illicit Drug Use Other Than Marijuana in the Past Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	2.85	(2.27 - 3.59)	3.20	(2.58 - 3.97)	0.118
Alliance Behavioral Healthcare 1	--	(-- - --)	3.69	(2.56 - 5.28)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	3.02	(2.08 - 4.38)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	2.86	(1.97 - 4.14)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	3.05	(2.14 - 4.31)	--
Cardinal Innovations Healthcare Solutions 3	2.72[a]	(1.87 - 3.95)	3.54	(2.46 - 5.07)	0.020
CenterPoint Human Services	2.98	(2.06 - 4.29)	3.05	(2.09 - 4.42)	0.853
Eastpointe	2.59	(1.79 - 3.74)	2.84	(1.93 - 4.17)	0.478
Partners Behavioral Health Management	2.86	(2.00 - 4.07)	3.41	(2.34 - 4.95)	0.132
Sandhills Center 1	2.64	(1.82 - 3.80)	2.91	(1.95 - 4.32)	0.424
Sandhills Center 2	2.94	(2.04 - 4.23)	3.51	(2.43 - 5.06)	0.161
Smoky Mountain Center 1	2.86	(1.95 - 4.19)	3.29	(2.23 - 4.83)	0.242
Smoky Mountain Center 2	2.82	(1.93 - 4.08)	2.87	(1.93 - 4.26)	0.884
Trillium Health Resources 1	2.71	(1.84 - 3.96)	3.19	(2.17 - 4.65)	0.200
Trillium Health Resources 2	3.32	(2.29 - 4.78)	3.48	(2.40 - 5.02)	0.695
North Dakota	2.20[a]	(1.70 - 2.84)	2.67	(2.13 - 3.35)	0.034
Badlands and West Central	1.99	(1.39 - 2.84)	2.42	(1.74 - 3.38)	0.111
Lake Region	--	(-- - --)	2.25	(1.49 - 3.38)	--
North Central	--	(-- - --)	2.61	(1.79 - 3.79)	--
Northeast	2.55[b]	(1.79 - 3.60)	3.21	(2.25 - 4.56)	0.056
Northwest	--	(-- - --)	2.73	(1.81 - 4.11)	--
South Central	--	(-- - --)	2.60	(1.73 - 3.90)	--
Southeast	2.34	(1.68 - 3.26)	2.79	(2.02 - 3.84)	0.169

See notes at end of table.

(continued)

Table 5 *Illicit Drug Use Other Than Marijuana in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	3.60	(3.22 - 4.02)	3.50	(3.11 - 3.94)	0.599
Boards 2, 46, 55, and 68	3.16	(2.37 - 4.19)	3.24	(2.34 - 4.48)	0.807
Boards 3, 52, and 85	3.86	(2.87 - 5.17)	3.88	(2.81 - 5.35)	0.953
Boards 4 and 78	3.68	(2.68 - 5.02)	3.51	(2.53 - 4.83)	0.657
Boards 5 and 60	4.19	(3.18 - 5.52)	4.16	(3.10 - 5.58)	0.940
Boards 7, 15, 41, 79, and 84	3.24	(2.42 - 4.31)	3.53	(2.55 - 4.87)	0.445
Boards 8, 13, and 83	3.18	(2.42 - 4.19)	3.25	(2.37 - 4.44)	0.847
Board 9 (Butler)	3.89	(2.96 - 5.09)	3.66	(2.64 - 5.06)	0.580
Board 12	3.30	(2.44 - 4.44)	3.55	(2.56 - 4.91)	0.489
Boards 18 and 47	3.47[b]	(2.74 - 4.38)	2.93	(2.26 - 3.78)	0.093
Boards 20, 32, 54, and 69	3.08	(2.26 - 4.17)	2.82	(1.99 - 3.98)	0.451
Boards 21, 39, 51, 70, and 80	3.38	(2.56 - 4.46)	3.23	(2.39 - 4.35)	0.650
Boards 22, 74, and 87	3.52	(2.65 - 4.66)	3.06	(2.22 - 4.20)	0.182
Boards 23 and 45	3.53	(2.62 - 4.75)	3.51	(2.54 - 4.83)	0.949
Board 25 (Franklin)	4.30	(3.38 - 5.47)	4.09	(3.16 - 5.27)	0.615
Boards 27, 71, and 73	3.91	(2.91 - 5.24)	3.78	(2.78 - 5.13)	0.775
Boards 28, 43, and 67	3.47	(2.65 - 4.54)	3.77	(2.78 - 5.09)	0.440
Board 31 (Hamilton)	3.33	(2.57 - 4.32)	3.69	(2.75 - 4.94)	0.360
Board 48 (Lucas)	3.83	(2.90 - 5.06)	3.72	(2.68 - 5.14)	0.773
Boards 50 and 76	3.29	(2.53 - 4.27)	3.62	(2.69 - 4.85)	0.405
Board 57 (Montgomery)	3.54	(2.67 - 4.69)	3.18	(2.34 - 4.32)	0.329
Board 77 (Summit)	4.10	(3.08 - 5.45)	3.77	(2.72 - 5.20)	0.475
Oklahoma	3.68	(2.99 - 4.52)	3.73	(2.99 - 4.63)	0.875
Central	3.47	(2.52 - 4.76)	3.67	(2.55 - 5.25)	0.632
East Central	3.48	(2.43 - 4.97)	3.28	(2.27 - 4.71)	0.643
Northeast	3.39	(2.43 - 4.70)	3.51	(2.46 - 5.00)	0.759
Northwest and Southwest	3.79	(2.70 - 5.30)	4.02	(2.84 - 5.66)	0.643
Oklahoma County	4.03	(2.95 - 5.48)	3.68	(2.62 - 5.13)	0.469
Southeast	3.58	(2.52 - 5.07)	3.45	(2.41 - 4.91)	0.768
Tulsa County	3.78	(2.71 - 5.23)	4.30	(3.04 - 6.05)	0.296
Oregon	4.21	(3.42 - 5.19)	3.94	(3.17 - 4.89)	0.452
Region 1 (Multnomah)	5.29	(3.84 - 7.25)	4.39	(3.05 - 6.30)	0.211
Region 2	3.54	(2.58 - 4.84)	3.55	(2.58 - 4.86)	0.985
Region 3	4.41	(3.40 - 5.70)	4.35	(3.26 - 5.78)	0.904
Region 4	3.70	(2.58 - 5.27)	3.33	(2.29 - 4.81)	0.450
Region 5 (Central)	3.94	(2.73 - 5.66)	3.66	(2.49 - 5.35)	0.569
Region 6 (Eastern)	3.80	(2.58 - 5.56)	3.59	(2.39 - 5.36)	0.691

See notes at end of table.

(continued)

Table 5 *Illicit Drug Use Other Than Marijuana in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	3.09	(2.70 - 3.53)	3.13	(2.75 - 3.58)	0.805
Region 1 (Allegheny)	3.92	(2.99 - 5.14)	4.02	(3.05 - 5.29)	0.825
Regions 3, 8, 9, and 51	2.66	(1.96 - 3.60)	3.25	(2.36 - 4.46)	0.115
Regions 4, 11, 37, and 49	3.00	(2.23 - 4.02)	2.86	(2.11 - 3.86)	0.670
Regions 5, 18, 23, 24, and 46	2.80	(2.10 - 3.71)	2.58	(1.90 - 3.50)	0.463
Regions 6, 12, 16, 31, 35, 45, and 47	2.94	(2.19 - 3.92)	2.65	(1.91 - 3.66)	0.377
Regions 7, 13, 20, and 33	2.83	(2.23 - 3.57)	2.94	(2.30 - 3.76)	0.699
Regions 10, 15, 27, 32, 43, and 44	2.52	(1.84 - 3.46)	2.64	(1.90 - 3.66)	0.729
Regions 17 and 21	3.02	(2.19 - 4.15)	3.07	(2.19 - 4.28)	0.894
Regions 19, 26, 28, and 42	2.65	(2.01 - 3.50)	2.60	(1.96 - 3.44)	0.858
Regions 22, 38, 40, 41, and 48	3.05	(2.32 - 3.99)	2.53	(1.85 - 3.46)	0.113
Regions 29 and 34	2.89	(2.15 - 3.87)	3.30	(2.39 - 4.53)	0.223
Regions 30 and 50	2.74	(2.02 - 3.69)	3.02	(2.20 - 4.14)	0.377
Region 36 (Philadelphia)	4.20	(3.20 - 5.48)	4.35	(3.30 - 5.71)	0.769
Rhode Island	4.87[a]	(3.92 - 6.02)	4.02	(3.21 - 5.02)	0.045
Bristol and Newport	3.78	(2.62 - 5.42)	3.54	(2.41 - 5.16)	0.572
Kent	3.99[b]	(2.85 - 5.57)	3.12	(2.11 - 4.59)	0.080
Providence	5.30	(4.11 - 6.81)	4.39	(3.39 - 5.65)	0.113
Washington	5.05[a]	(3.65 - 6.96)	3.88	(2.74 - 5.47)	0.019
South Carolina	3.39	(2.75 - 4.16)	3.32	(2.67 - 4.14)	0.826
Region 1	--	(-- - --)	3.25	(2.37 - 4.44)	--
Region 2	--	(-- - --)	3.28	(2.38 - 4.51)	--
Region 3	3.40	(2.40 - 4.80)	3.34	(2.37 - 4.70)	0.880
Region 4	3.92	(2.92 - 5.24)	3.44	(2.50 - 4.71)	0.253
South Dakota	2.45	(1.90 - 3.17)	2.24	(1.74 - 2.87)	0.304
Region 1	2.51	(1.76 - 3.56)	2.16	(1.48 - 3.15)	0.237
Region 2	2.46	(1.65 - 3.65)	2.35	(1.55 - 3.57)	0.717
Region 3	2.22	(1.58 - 3.12)	2.07	(1.46 - 2.91)	0.526
Region 4	2.33	(1.62 - 3.33)	2.34	(1.61 - 3.37)	0.977
Region 5	2.66	(1.89 - 3.75)	2.36	(1.66 - 3.35)	0.328
Tennessee	3.56[a]	(2.90 - 4.36)	2.90	(2.31 - 3.64)	0.006
Region 1	3.31	(2.33 - 4.69)	2.78	(1.90 - 4.05)	0.136
Region 2	3.60	(2.63 - 4.91)	3.21	(2.25 - 4.55)	0.322
Region 3	3.59[a]	(2.61 - 4.93)	2.67	(1.87 - 3.80)	0.009
Region 4 (Davidson)	3.72[b]	(2.72 - 5.08)	3.00	(2.04 - 4.39)	0.077
Region 5	3.31	(2.45 - 4.46)	2.90	(2.10 - 3.99)	0.225
Region 6	3.33[b]	(2.34 - 4.71)	2.67	(1.80 - 3.95)	0.079
Region 7 (Shelby)	4.06[a]	(2.88 - 5.70)	2.90	(2.01 - 4.17)	0.006

See notes at end of table.

(continued)

Table 5 ***Illicit Drug Use Other Than Marijuana in the Past Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	3.09	(2.72 - 3.50)	3.00	(2.63 - 3.41)	0.598
Region 1	3.35	(2.52 - 4.45)	3.33	(2.45 - 4.50)	0.948
Region 2	3.03	(2.22 - 4.12)	3.41	(2.42 - 4.78)	0.273
Region 3	3.20[a]	(2.67 - 3.83)	2.69	(2.22 - 3.26)	0.026
Region 3a	3.17[a]	(2.52 - 3.96)	2.47	(1.93 - 3.17)	0.011
Region 3bc	3.26	(2.55 - 4.16)	3.08	(2.37 - 4.00)	0.571
Region 4	2.88	(2.12 - 3.89)	2.73	(2.01 - 3.70)	0.611
Region 5	3.11	(2.32 - 4.16)	3.13	(2.23 - 4.39)	0.953
Region 6	2.70	(2.19 - 3.32)	2.91	(2.36 - 3.59)	0.363
Region 6a	2.68	(2.14 - 3.35)	2.90	(2.31 - 3.63)	0.363
Region 6bc	2.88	(2.13 - 3.89)	2.99	(2.12 - 4.19)	0.738
Region 7	3.71	(3.05 - 4.52)	3.40	(2.71 - 4.26)	0.294
Region 7a	3.81	(2.96 - 4.90)	3.57	(2.69 - 4.71)	0.520
Region 7bcd	3.55	(2.71 - 4.63)	3.11	(2.28 - 4.23)	0.231
Region 8	3.04	(2.32 - 3.98)	3.36	(2.54 - 4.44)	0.333
Region 9	3.29	(2.41 - 4.47)	3.54	(2.50 - 4.99)	0.498
Region 10	3.00	(2.23 - 4.02)	2.90	(2.09 - 4.00)	0.769
Region 11	2.98	(2.38 - 3.75)	2.93	(2.29 - 3.75)	0.847
Region 11abd	3.08	(2.34 - 4.05)	2.86	(2.10 - 3.89)	0.497
Region 11c (Hidalgo)	2.82	(2.07 - 3.82)	3.05	(2.19 - 4.25)	0.474
Utah	2.92	(2.35 - 3.61)	3.16	(2.55 - 3.91)	0.298
Bear River, Northeastern, Summit, Tooele, and Wasatch	2.74	(1.98 - 3.80)	2.91	(2.05 - 4.14)	0.590
Central, Four Corners, San Juan, and Southwest	2.81	(2.01 - 3.91)	3.11	(2.16 - 4.47)	0.335
Davis County	2.88	(2.06 - 4.00)	3.12	(2.20 - 4.41)	0.450
Salt Lake County	2.85	(2.13 - 3.82)	3.10	(2.27 - 4.21)	0.489
Utah County	3.31	(2.44 - 4.49)	3.26	(2.37 - 4.47)	0.883
Weber, Morgan	2.81[a]	(1.97 - 3.99)	3.67	(2.50 - 5.35)	0.023
Vermont	4.01[b]	(3.28 - 4.89)	3.43	(2.76 - 4.26)	0.086
Champlain Valley	4.40	(3.43 - 5.64)	3.82	(2.93 - 4.97)	0.227
Rural Northeast	3.95	(2.90 - 5.38)	3.52	(2.54 - 4.86)	0.354
Rural Southeast	3.74	(2.70 - 5.16)	3.00	(2.08 - 4.30)	0.126
Rural Southwest	3.45	(2.43 - 4.87)	2.87	(1.99 - 4.13)	0.146
Virginia	3.18	(2.56 - 3.94)	3.06	(2.45 - 3.81)	0.629
Region 1	3.52	(2.56 - 4.81)	3.28	(2.34 - 4.57)	0.556
Region 2	2.57	(1.84 - 3.59)	2.70	(1.94 - 3.74)	0.707
Region 3	3.42	(2.47 - 4.72)	2.95	(2.07 - 4.19)	0.230
Region 4	3.22	(2.27 - 4.55)	3.08	(2.16 - 4.37)	0.698
Region 5	3.48	(2.55 - 4.73)	3.43	(2.47 - 4.76)	0.915

See notes at end of table.

(continued)

Table 5 ***Illicit Drug Use Other Than Marijuana in the Past Month*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	4.36	(3.56 - 5.33)	3.88	(3.11 - 4.82)	0.184
Region 1	4.14	(3.15 - 5.43)	3.64	(2.69 - 4.90)	0.244
Greater Columbia and North Central	--	(-- - --)	3.45	(2.38 - 4.96)	--
Spokane	--	(-- - --)	3.92	(2.67 - 5.71)	--
Region 2	4.51	(3.55 - 5.73)	4.18	(3.21 - 5.42)	0.467
King	4.63	(3.49 - 6.13)	4.47	(3.30 - 6.04)	0.780
North Sound	4.31	(3.15 - 5.86)	3.65	(2.61 - 5.08)	0.217
Region 3	4.29[b]	(3.33 - 5.51)	3.61	(2.75 - 4.72)	0.099
Peninsula	--	(-- - --)	3.76	(2.51 - 5.59)	--
Pierce	--	(-- - --)	3.71	(2.61 - 5.26)	--
SW WA and Timberlands	--	(-- - --)	3.32	(2.26 - 4.84)	--
Thurston-Mason	--	(-- - --)	3.83	(2.56 - 5.69)	--
West Virginia	3.22[a]	(2.62 - 3.95)	2.66	(2.12 - 3.34)	0.021
Region I	2.95	(2.05 - 4.22)	2.51	(1.67 - 3.75)	0.209
Region II	3.20	(2.29 - 4.48)	2.66	(1.86 - 3.81)	0.134
Region III	2.81	(2.00 - 3.94)	2.53	(1.71 - 3.73)	0.386
Region IV	4.16[a]	(3.17 - 5.44)	2.94	(2.17 - 3.96)	0.002
Region V	3.15	(2.36 - 4.20)	2.59	(1.86 - 3.60)	0.115
Region VI	2.56	(1.79 - 3.65)	2.57	(1.80 - 3.65)	0.978
Wisconsin	3.18	(2.57 - 3.93)	3.14	(2.48 - 3.98)	0.886
Milwaukee	3.44	(2.49 - 4.74)	3.71	(2.59 - 5.29)	0.570
Northeastern	2.88	(2.11 - 3.93)	2.85	(2.01 - 4.02)	0.914
Northern	3.08	(2.16 - 4.39)	3.22	(2.14 - 4.82)	0.750
Southeastern	3.19	(2.31 - 4.37)	3.10	(2.18 - 4.38)	0.810
Southern	3.34	(2.48 - 4.49)	3.05	(2.15 - 4.31)	0.456
Western	3.18	(2.26 - 4.44)	3.11	(2.18 - 4.42)	0.864

See notes at end of table.

(continued)

Table 5 *Illicit Drug Use Other Than Marijuana in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	2.81[a]	(2.22 - 3.55)	2.21	(1.69 - 2.89)	0.009
Judicial District 1 (Laramie)	2.68	(1.86 - 3.84)	2.19	(1.49 - 3.23)	0.136
Judicial District 2	3.30[a]	(2.39 - 4.54)	2.52	(1.73 - 3.66)	0.023
Judicial District 3	2.64[a]	(1.87 - 3.70)	1.93	(1.31 - 2.83)	0.020
Judicial District 4	2.40	(1.64 - 3.49)	2.01	(1.31 - 3.08)	0.219
Judicial District 5	2.50[b]	(1.72 - 3.62)	2.02	(1.33 - 3.06)	0.089
Judicial District 6	2.95[b]	(2.08 - 4.16)	2.38	(1.62 - 3.49)	0.097
Judicial District 7 (Natrona)	3.21[a]	(2.25 - 4.56)	2.43	(1.60 - 3.66)	0.030
Judicial District 8	2.66[b]	(1.83 - 3.86)	2.12	(1.40 - 3.21)	0.094
Judicial District 9	2.82	(1.94 - 4.08)	2.26	(1.48 - 3.44)	0.109

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	1.68	(1.60 - 1.77)	1.70	(1.62 - 1.79)	0.670
Northeast	1.96	(1.76 - 2.18)	1.99	(1.80 - 2.21)	0.766
Midwest	1.41	(1.27 - 1.56)	1.40	(1.28 - 1.54)	0.932
South	1.52	(1.39 - 1.67)	1.53	(1.41 - 1.66)	0.858
West	1.97	(1.77 - 2.19)	2.02	(1.82 - 2.24)	0.622
Alabama	1.06	(0.73 - 1.55)	1.22	(0.85 - 1.74)	0.294
Region 1	1.15	(0.73 - 1.79)	1.12	(0.69 - 1.83)	0.906
Region 2	1.10[b]	(0.70 - 1.72)	1.55	(0.97 - 2.46)	0.078
Region 3	0.90	(0.56 - 1.44)	0.96	(0.56 - 1.65)	0.716
Region 4	1.04	(0.66 - 1.63)	1.08	(0.64 - 1.81)	0.834
Alaska	1.77	(1.34 - 2.34)	1.65	(1.23 - 2.22)	0.515
Anchorage	2.00	(1.46 - 2.75)	1.76	(1.22 - 2.55)	0.412
Northern	1.60	(1.08 - 2.36)	1.42	(0.88 - 2.29)	0.494
South Central	1.55	(1.05 - 2.28)	1.66	(1.05 - 2.63)	0.653
Southeast	1.81	(1.21 - 2.69)	1.66	(1.01 - 2.72)	0.633
Arizona	2.02	(1.52 - 2.68)	2.19	(1.65 - 2.91)	0.472
Maricopa	2.05	(1.48 - 2.83)	2.19	(1.55 - 3.07)	0.664
Pima	2.30	(1.59 - 3.31)	2.58	(1.63 - 4.07)	0.497
Rural North	1.93	(1.30 - 2.86)	2.13	(1.28 - 3.50)	0.575
Rural South	1.66	(1.08 - 2.54)	1.81	(1.10 - 2.96)	0.602
Arkansas	1.24	(0.88 - 1.74)	1.26	(0.90 - 1.77)	0.841
Catchment Area 1	1.24	(0.81 - 1.88)	1.26	(0.78 - 2.04)	0.892
Catchment Area 2	1.03	(0.66 - 1.62)	1.04	(0.60 - 1.79)	0.994
Catchment Area 3	1.11	(0.70 - 1.75)	1.09	(0.63 - 1.88)	0.940
Catchment Area 4	1.12	(0.73 - 1.73)	1.19	(0.70 - 2.02)	0.703
Catchment Area 5	1.15[b]	(0.74 - 1.79)	1.58	(0.96 - 2.58)	0.056
Catchment Area 6	1.66	(1.00 - 2.73)	1.50	(0.84 - 2.65)	0.585
Catchment Area 7	1.05	(0.67 - 1.66)	1.05	(0.59 - 1.86)	0.978
Catchment Area 8	1.49	(0.97 - 2.29)	1.32	(0.76 - 2.27)	0.495

See notes at end of table. (continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	2.03	(1.72 - 2.38)	2.12	(1.82 - 2.46)	0.546
Region 1R	2.13	(1.53 - 2.95)	2.26	(1.49 - 3.42)	0.682
Region 2R	2.05	(1.47 - 2.84)	2.25	(1.50 - 3.35)	0.565
Region 3R (Sacramento)	1.93	(1.37 - 2.71)	1.91	(1.27 - 2.86)	0.934
Region 4R	1.89	(1.39 - 2.57)	1.79	(1.20 - 2.67)	0.707
Region 5R (San Francisco)	3.52	(2.51 - 4.91)	3.66	(2.33 - 5.69)	0.843
Region 6 (Santa Clara)	1.39	(0.99 - 1.94)	1.37	(0.87 - 2.15)	0.931
Region 7R (Contra Costa)	1.80	(1.29 - 2.52)	1.88	(1.21 - 2.92)	0.796
Region 8R (Alameda)	2.09	(1.52 - 2.87)	2.22	(1.48 - 3.32)	0.715
Region 9R (San Mateo)	1.59	(1.11 - 2.28)	1.46	(0.90 - 2.36)	0.636
Region 10	2.28[b]	(1.66 - 3.12)	3.00	(2.01 - 4.45)	0.086
Region 11 (Los Angeles)	2.05	(1.67 - 2.51)	2.17	(1.77 - 2.65)	0.552
LA SPA 1 and 5	2.40	(1.69 - 3.41)	2.32	(1.49 - 3.59)	0.831
LA SPA 2	1.90	(1.36 - 2.63)	2.24	(1.53 - 3.27)	0.293
LA SPA 3	1.69	(1.22 - 2.34)	1.78	(1.17 - 2.69)	0.763
LA SPA 4	2.58	(1.84 - 3.62)	3.32	(2.14 - 5.11)	0.199
LA SPA 6	2.23	(1.59 - 3.13)	1.97	(1.26 - 3.07)	0.462
LA SPA 7	1.88	(1.34 - 2.63)	1.88	(1.29 - 2.73)	0.987
LA SPA 8	2.05	(1.50 - 2.81)	1.89	(1.26 - 2.81)	0.598
Region 12R	1.91	(1.35 - 2.70)	1.89	(1.20 - 2.99)	0.959
Regions 13 and 19R	1.70	(1.26 - 2.29)	1.93	(1.32 - 2.81)	0.395
Region 14 (Orange)	1.91	(1.46 - 2.50)	2.26	(1.60 - 3.20)	0.240
Region 15R (Fresno)	2.04	(1.42 - 2.92)	1.93	(1.24 - 3.00)	0.760
Region 16R (San Diego)	2.20	(1.64 - 2.95)	2.04	(1.42 - 2.94)	0.624
Region 17R	2.44	(1.75 - 3.39)	2.26	(1.50 - 3.37)	0.615
Region 18R (San Bernardino)	2.00	(1.47 - 2.71)	1.94	(1.32 - 2.85)	0.864
Region 20R	1.88	(1.34 - 2.63)	2.13	(1.38 - 3.28)	0.416
Region 21R	2.25	(1.63 - 3.10)	2.19	(1.44 - 3.31)	0.859
Colorado	2.76	(2.15 - 3.53)	2.83	(2.19 - 3.66)	0.815
Region 1	3.00	(2.15 - 4.18)	2.73	(1.77 - 4.17)	0.547
Regions 2 and 7	2.95	(2.23 - 3.90)	3.21	(2.34 - 4.40)	0.569
Region 3	2.44	(1.68 - 3.54)	2.20	(1.41 - 3.42)	0.532
Region 4	2.37	(1.54 - 3.65)	2.32	(1.37 - 3.90)	0.904
Regions 5 and 6	2.08	(1.42 - 3.04)	2.09	(1.26 - 3.43)	0.995
Connecticut	1.89	(1.44 - 2.50)	1.94	(1.46 - 2.57)	0.830
Eastern	1.78	(1.21 - 2.61)	1.96	(1.25 - 3.07)	0.558
North Central	2.02	(1.43 - 2.84)	2.34	(1.56 - 3.52)	0.384
Northwestern	1.71	(1.15 - 2.52)	1.56	(0.96 - 2.51)	0.606
South Central	2.04	(1.46 - 2.86)	1.72	(1.09 - 2.69)	0.308
Southwest	1.78	(1.19 - 2.64)	1.95	(1.23 - 3.08)	0.594

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	1.81	(1.37 - 2.40)	1.79	(1.33 - 2.42)	0.927
Kent	1.63	(1.11 - 2.41)	1.52	(0.92 - 2.51)	0.686
New Castle (excluding Wilmington City)	2.06	(1.51 - 2.81)	1.95	(1.36 - 2.78)	0.697
Sussex	1.25	(0.85 - 1.84)	1.48	(0.91 - 2.41)	0.371
Wilmington City	2.17	(1.39 - 3.37)	2.30	(1.29 - 4.07)	0.790
District of Columbia	2.98	(2.26 - 3.92)	3.22	(2.48 - 4.17)	0.504
Ward 1	3.71	(2.56 - 5.35)	3.87	(2.49 - 5.98)	0.825
Ward 2	3.92	(2.76 - 5.54)	4.82	(3.12 - 7.37)	0.243
Ward 3	3.24	(2.29 - 4.55)	3.25	(2.12 - 4.94)	0.984
Ward 4	2.34	(1.55 - 3.54)	2.95	(1.81 - 4.77)	0.256
Ward 5	2.50	(1.66 - 3.75)	2.81	(1.78 - 4.41)	0.551
Ward 6	3.39	(2.29 - 4.97)	2.96	(1.83 - 4.76)	0.512
Ward 7	2.29	(1.42 - 3.67)	2.35	(1.31 - 4.17)	0.923
Ward 8	2.21	(1.38 - 3.51)	2.53	(1.49 - 4.24)	0.570
Florida[1]	1.79	(1.50 - 2.14)	2.00	(1.69 - 2.38)	0.155
Broward (Circuit 17)	1.63	(1.21 - 2.20)	1.95	(1.31 - 2.89)	0.285
Central I	--	(-- - --)	2.35	(1.77 - 3.11)	--
Circuit 9	2.25	(1.68 - 3.01)	2.27	(1.57 - 3.27)	0.949
Circuit 18	1.69[a]	(1.23 - 2.32)	2.47	(1.68 - 3.61)	0.021
Central II	--	(-- - --)	1.98	(1.57 - 2.49)	--
Circuit 6	2.38	(1.73 - 3.28)	2.17	(1.45 - 3.24)	0.591
Circuit 10	1.42	(1.03 - 1.96)	1.68	(1.04 - 2.68)	0.363
Circuit 12	1.91	(1.36 - 2.67)	1.85	(1.22 - 2.80)	0.855
Circuit 13 (Hillsborough)	1.91	(1.42 - 2.56)	1.83	(1.23 - 2.72)	0.801
Circuit 20	1.55[a]	(1.11 - 2.15)	2.17	(1.41 - 3.35)	0.044
Northeast	--	(-- - --)	2.03	(1.56 - 2.64)	--
Circuit 4	2.06	(1.46 - 2.90)	2.19	(1.42 - 3.36)	0.723
Circuit 5	1.21[b]	(0.85 - 1.73)	1.65	(1.06 - 2.55)	0.081
Circuit 7	1.66	(1.20 - 2.30)	2.17	(1.41 - 3.33)	0.128
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	2.25	(1.48 - 3.40)	--
Northwest	--	(-- - --)	2.40	(1.76 - 3.25)	--
Circuit 1	2.04	(1.47 - 2.83)	2.44	(1.56 - 3.81)	0.302
Circuit 2 plus Madison and Taylor	--	(-- - --)	2.66	(1.72 - 4.08)	--
Circuit 14	1.78	(1.24 - 2.55)	1.90	(1.13 - 3.17)	0.719
South (Circuits 11 and 16)	1.56	(1.20 - 2.04)	1.55	(1.08 - 2.23)	0.967
Southeast	--	(-- - --)	1.97	(1.42 - 2.73)	--
Circuit 15 (Palm Beach)	1.71	(1.26 - 2.33)	2.07	(1.40 - 3.05)	0.217
Circuit 19	1.27[b]	(0.89 - 1.80)	1.76	(1.09 - 2.83)	0.064

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	1.58	(1.15 - 2.18)	1.70	(1.25 - 2.31)	0.511
Region 1	1.36	(0.91 - 2.02)	1.33	(0.84 - 2.12)	0.920
Region 2	1.75	(1.13 - 2.71)	1.81	(1.10 - 2.97)	0.866
Region 3	1.72	(1.16 - 2.55)	2.15	(1.36 - 3.37)	0.210
Region 4	1.77	(1.13 - 2.77)	1.68	(0.96 - 2.92)	0.775
Region 5	1.51	(0.98 - 2.32)	1.53	(0.90 - 2.57)	0.961
Region 6	1.53	(0.99 - 2.35)	1.46	(0.86 - 2.46)	0.802
Hawaii	1.59	(1.15 - 2.19)	1.67	(1.18 - 2.34)	0.744
Hawaii Island	1.88	(1.21 - 2.91)	1.53	(0.88 - 2.67)	0.296
Honolulu	1.61	(1.15 - 2.27)	1.75	(1.19 - 2.57)	0.639
Kauai	1.41	(0.87 - 2.27)	1.49	(0.84 - 2.65)	0.776
Maui	1.19	(0.77 - 1.84)	1.39	(0.80 - 2.40)	0.435
Idaho	1.08	(0.77 - 1.52)	1.09	(0.78 - 1.51)	0.956
Region 1	0.82	(0.52 - 1.29)	0.87	(0.49 - 1.52)	0.735
Region 2	1.20	(0.78 - 1.87)	1.19	(0.70 - 2.03)	0.949
Region 3	1.08	(0.69 - 1.70)	0.99	(0.60 - 1.65)	0.605
Region 4	1.25	(0.82 - 1.91)	1.30	(0.83 - 2.02)	0.837
Region 5	1.03	(0.66 - 1.61)	0.94	(0.56 - 1.58)	0.584
Region 6	--	(-- - --)	1.18	(0.68 - 2.02)	--
Region 7	--	(-- - --)	1.00	(0.60 - 1.67)	--
Illinois	1.80	(1.50 - 2.15)	1.79	(1.49 - 2.15)	0.950
Region I (Cook)	2.21	(1.74 - 2.79)	2.05	(1.55 - 2.70)	0.563
Region II	1.42	(1.11 - 1.82)	1.56	(1.18 - 2.08)	0.482
Region III	1.84	(1.39 - 2.44)	1.73	(1.19 - 2.52)	0.706
Region IV	1.48	(1.06 - 2.07)	1.83	(1.21 - 2.77)	0.211
Region V	1.50	(1.09 - 2.06)	1.46	(0.95 - 2.24)	0.889
Indiana	1.06[b]	(0.73 - 1.53)	1.31	(0.97 - 1.78)	0.058
Central	1.07	(0.68 - 1.70)	1.41	(0.90 - 2.21)	0.109
East	1.04	(0.64 - 1.67)	1.22	(0.72 - 2.07)	0.350
North Central	0.97	(0.61 - 1.53)	1.04	(0.63 - 1.73)	0.647
Northeast	0.98	(0.61 - 1.55)	1.17	(0.70 - 1.93)	0.300
Northwest	1.03[b]	(0.63 - 1.67)	1.41	(0.85 - 2.32)	0.068
Southeast	1.02	(0.64 - 1.62)	1.21	(0.71 - 2.03)	0.317
Southwest	1.04	(0.63 - 1.71)	1.16	(0.67 - 2.01)	0.527
West	1.33	(0.85 - 2.07)	1.73	(1.10 - 2.73)	0.110
Iowa	1.10	(0.79 - 1.52)	1.27	(0.92 - 1.75)	0.150
Central	1.01	(0.64 - 1.58)	1.07	(0.64 - 1.80)	0.719
North Central	1.33[b]	(0.85 - 2.06)	1.74	(1.06 - 2.84)	0.090
Northeast	1.05	(0.70 - 1.57)	1.36	(0.83 - 2.22)	0.112
Northwest	0.92	(0.60 - 1.42)	1.02	(0.59 - 1.78)	0.567
Southeast	1.26	(0.85 - 1.87)	1.38	(0.85 - 2.21)	0.623
Southwest	1.01	(0.65 - 1.59)	1.02	(0.59 - 1.74)	0.978

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	1.36	(1.00 - 1.86)	1.33	(0.97 - 1.82)	0.814
Kansas City Metro	1.39	(0.96 - 2.02)	1.50	(0.96 - 2.34)	0.635
Northeast	1.22	(0.81 - 1.85)	1.23	(0.77 - 1.96)	0.954
South Central	1.24	(0.81 - 1.89)	1.13	(0.68 - 1.88)	0.604
Southeast	1.22	(0.79 - 1.89)	1.20	(0.69 - 2.07)	0.908
West	1.22	(0.81 - 1.83)	1.11	(0.66 - 1.87)	0.588
Wichita (Sedgwick)	1.70	(1.10 - 2.63)	1.43	(0.85 - 2.40)	0.365
Kentucky	1.29	(0.93 - 1.79)	1.52	(1.12 - 2.07)	0.108
Adanta, Cumberland River, and Lifeskills	1.28	(0.83 - 1.95)	1.44	(0.87 - 2.39)	0.457
Bluegrass, Comprehend, and North Key	1.37	(0.91 - 2.05)	1.56	(1.01 - 2.42)	0.409
Communicare and River Valley	1.14	(0.74 - 1.75)	1.35	(0.81 - 2.25)	0.289
Four Rivers and Pennyroyal	1.36	(0.88 - 2.11)	1.38	(0.80 - 2.36)	0.932
Kentucky River, Mountain, and Pathways	1.22	(0.77 - 1.93)	1.43	(0.87 - 2.37)	0.337
Seven Counties	1.27[b]	(0.83 - 1.93)	1.72	(1.06 - 2.76)	0.093
Louisiana	1.50	(1.10 - 2.04)	1.76	(1.28 - 2.41)	0.174
Regions 1 and 10	1.98	(1.37 - 2.85)	2.17	(1.38 - 3.41)	0.584
Region 1	2.21	(1.43 - 3.40)	2.64	(1.48 - 4.64)	0.422
Region 10 (Jefferson)	1.75	(1.17 - 2.62)	1.69	(0.99 - 2.87)	0.859
Regions 2 and 9	1.36	(0.92 - 2.01)	1.80	(1.12 - 2.88)	0.125
Region 3	1.39	(0.91 - 2.13)	1.56	(0.92 - 2.66)	0.522
Regions 4, 5, and 6	1.52	(1.04 - 2.22)	1.83	(1.16 - 2.86)	0.284
Regions 7 and 8	1.25	(0.83 - 1.87)	1.29	(0.77 - 2.14)	0.872
Maine	1.81	(1.38 - 2.35)	1.55	(1.15 - 2.09)	0.119
Aroostook/Downeast	1.78	(1.25 - 2.53)	1.46	(0.94 - 2.25)	0.138
Aroostook	1.79	(1.17 - 2.73)	1.47	(0.86 - 2.47)	0.246
Downeast	1.77	(1.18 - 2.63)	1.45	(0.85 - 2.48)	0.250
Central	1.61	(1.08 - 2.41)	1.38	(0.84 - 2.24)	0.335
Cumberland	2.58[b]	(1.83 - 3.61)	1.95	(1.25 - 3.03)	0.100
Midcoast	1.47	(0.98 - 2.21)	1.23	(0.72 - 2.08)	0.283
Penquis	1.98	(1.36 - 2.86)	1.70	(1.07 - 2.68)	0.355
Western	1.53	(1.05 - 2.23)	1.67	(1.02 - 2.73)	0.629
York	1.27	(0.86 - 1.86)	1.22	(0.73 - 2.02)	0.824

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	1.39	(0.98 - 1.96)	1.35	(0.97 - 1.89)	0.810
Anne Arundel	1.45	(0.92 - 2.26)	1.36	(0.80 - 2.30)	0.724
Baltimore City	2.10	(1.29 - 3.39)	2.03	(1.18 - 3.44)	0.868
Baltimore County	1.43	(0.91 - 2.24)	1.59	(0.94 - 2.69)	0.557
Montgomery	1.12	(0.74 - 1.69)	1.05	(0.61 - 1.81)	0.747
North Central	1.27	(0.80 - 2.00)	1.24	(0.71 - 2.15)	0.912
Northeast	1.42	(0.90 - 2.24)	1.46	(0.87 - 2.42)	0.881
Prince George's	1.11	(0.69 - 1.76)	1.05	(0.59 - 1.83)	0.774
South	1.44	(0.91 - 2.25)	1.27	(0.73 - 2.19)	0.509
West	1.44	(0.92 - 2.24)	1.36	(0.81 - 2.27)	0.749
Massachusetts	2.06	(1.58 - 2.66)	2.16	(1.66 - 2.81)	0.624
Boston	3.09	(2.17 - 4.39)	2.92	(1.89 - 4.49)	0.740
Central	2.25	(1.55 - 3.25)	2.00	(1.26 - 3.17)	0.508
Metrowest	1.84	(1.30 - 2.60)	1.93	(1.23 - 3.01)	0.787
Northeast	1.79	(1.24 - 2.57)	2.21	(1.45 - 3.35)	0.187
Southeast	1.85	(1.27 - 2.68)	1.92	(1.19 - 3.07)	0.836
Western	1.98	(1.37 - 2.86)	2.29	(1.45 - 3.59)	0.421
Michigan[1]	1.33[a]	(1.10 - 1.62)	1.08	(0.87 - 1.35)	0.033
Region 1	1.16	(0.82 - 1.64)	1.09	(0.68 - 1.74)	0.717
Region 2	--	(-- - --)	0.85	(0.53 - 1.38)	--
Region 3	--	(-- - --)	1.02	(0.68 - 1.52)	--
Region 4	--	(-- - --)	0.95	(0.61 - 1.47)	--
Region 5	--	(-- - --)	1.20	(0.84 - 1.70)	--
Region 6	--	(-- - --)	1.10	(0.74 - 1.64)	--
Region 7	--	(-- - --)	1.19	(0.77 - 1.83)	--
Region 8	1.27[a]	(0.95 - 1.70)	0.81	(0.51 - 1.29)	0.016
Region 9	1.13	(0.82 - 1.56)	1.24	(0.78 - 1.98)	0.622
Region 10	--	(-- - --)	1.25	(0.79 - 1.95)	--
Minnesota	1.28	(0.94 - 1.74)	1.22	(0.87 - 1.72)	0.686
Regions 1 and 2	1.20	(0.78 - 1.86)	1.13	(0.65 - 1.96)	0.744
Regions 3 and 4	1.09	(0.72 - 1.65)	1.09	(0.64 - 1.85)	0.973
Regions 5 and 6	1.27	(0.85 - 1.90)	1.21	(0.73 - 2.00)	0.768
Region 7A (Hennepin)	1.70	(1.16 - 2.48)	1.51	(0.93 - 2.45)	0.496
Region 7B (Ramsey)	1.41	(0.91 - 2.17)	1.54	(0.88 - 2.67)	0.626
Region 7C	0.98	(0.65 - 1.48)	0.95	(0.57 - 1.59)	0.882
Mississippi	1.47	(1.05 - 2.06)	1.28	(0.89 - 1.84)	0.236
Region 1	1.48	(0.98 - 2.24)	1.32	(0.79 - 2.20)	0.510
Region 2	1.51	(0.93 - 2.45)	1.30	(0.70 - 2.41)	0.516
Region 3	1.37	(0.89 - 2.11)	1.35	(0.78 - 2.33)	0.934
Region 4	1.54	(1.00 - 2.36)	1.26	(0.71 - 2.22)	0.317
Region 5	1.28	(0.80 - 2.04)	1.18	(0.63 - 2.21)	0.711
Region 6	1.42	(0.92 - 2.19)	1.19	(0.69 - 2.07)	0.348
Region 7	1.56	(1.03 - 2.34)	1.27	(0.73 - 2.20)	0.285

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	1.25	(0.91 - 1.73)	1.08	(0.75 - 1.54)	0.186
Central	1.24	(0.81 - 1.87)	1.20	(0.72 - 1.98)	0.859
Eastern	1.35[b]	(0.92 - 1.97)	1.02	(0.65 - 1.59)	0.080
Eastern (St. Louis City and County)	1.54[a]	(1.00 - 2.37)	1.03	(0.60 - 1.77)	0.050
Eastern (excluding St. Louis)	1.01	(0.65 - 1.57)	1.00	(0.58 - 1.71)	0.932
Northwest	1.23	(0.85 - 1.78)	1.14	(0.72 - 1.80)	0.616
Northwest (Jackson)	1.49	(0.96 - 2.32)	1.25	(0.71 - 2.21)	0.357
Northwest (excluding Jackson)	1.01	(0.65 - 1.55)	1.05	(0.61 - 1.78)	0.819
Southeast	1.08	(0.69 - 1.67)	0.94	(0.54 - 1.65)	0.452
Southwest	1.23	(0.81 - 1.87)	1.11	(0.65 - 1.89)	0.556
Montana	1.51	(1.15 - 1.98)	1.48	(1.10 - 2.01)	0.853
Region 1	1.11	(0.73 - 1.67)	1.21	(0.69 - 2.09)	0.638
Region 2	1.43	(0.95 - 2.14)	1.42	(0.87 - 2.32)	0.978
Region 3	1.41	(0.97 - 2.04)	1.10	(0.68 - 1.79)	0.146
Region 4	1.57	(1.10 - 2.22)	1.50	(0.95 - 2.36)	0.799
Region 5	1.68	(1.21 - 2.31)	1.82	(1.21 - 2.73)	0.567
Nebraska	1.39	(1.05 - 1.85)	1.27	(0.92 - 1.77)	0.399
Regions 1 and 2	1.24	(0.86 - 1.80)	1.14	(0.72 - 1.81)	0.534
Region 1	1.30	(0.84 - 2.03)	1.15	(0.66 - 1.99)	0.450
Region 2	1.19	(0.78 - 1.81)	1.13	(0.64 - 1.99)	0.796
Region 3	1.14	(0.75 - 1.71)	1.19	(0.72 - 1.96)	0.774
Region 4	1.09	(0.71 - 1.65)	1.02	(0.60 - 1.75)	0.728
Region 5	1.46	(1.02 - 2.08)	1.43	(0.89 - 2.27)	0.902
Region 6	1.56	(1.10 - 2.19)	1.31	(0.85 - 1.99)	0.267
Nevada	1.63[b]	(1.20 - 2.22)	1.31	(0.93 - 1.85)	0.082
Clark – Region 1	1.56[b]	(1.11 - 2.21)	1.16	(0.76 - 1.76)	0.063
Region 3	1.38	(0.95 - 2.01)	1.25	(0.78 - 1.97)	0.470
Capital District	1.50	(0.98 - 2.28)	1.37	(0.78 - 2.39)	0.625
Rural/Frontier	1.28	(0.82 - 1.99)	1.13	(0.63 - 2.01)	0.504
Washoe – Region 2	2.15	(1.50 - 3.07)	2.07	(1.29 - 3.30)	0.839
New Hampshire	1.99	(1.54 - 2.56)	2.26	(1.77 - 2.88)	0.234
Central	2.23	(1.66 - 2.99)	2.18	(1.60 - 2.98)	0.877
Central 1	2.43	(1.72 - 3.42)	2.19	(1.47 - 3.26)	0.527
Central 2	2.03	(1.40 - 2.95)	2.18	(1.46 - 3.24)	0.687
Northern	1.95	(1.37 - 2.77)	2.11	(1.39 - 3.20)	0.619
Southern	1.88[b]	(1.41 - 2.49)	2.33	(1.75 - 3.10)	0.100
Southern 1 (Rockingham)	1.56[b]	(1.11 - 2.17)	2.11	(1.42 - 3.11)	0.062
Southern 2	2.08	(1.49 - 2.89)	2.47	(1.75 - 3.48)	0.277

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	1.98[a]	(1.48 - 2.66)	1.57	(1.15 - 2.15)	0.034
Central	1.82	(1.24 - 2.66)	1.51	(0.94 - 2.40)	0.246
Metropolitan	2.48[b]	(1.70 - 3.61)	1.77	(1.11 - 2.79)	0.064
Northern	1.88	(1.33 - 2.67)	1.45	(0.92 - 2.28)	0.125
Southern	1.75	(1.17 - 2.61)	1.62	(1.03 - 2.55)	0.646
New Mexico	2.12	(1.60 - 2.81)	2.20	(1.63 - 2.96)	0.744
Region 1	1.74	(1.19 - 2.55)	1.79	(1.08 - 2.97)	0.875
Region 2	1.90	(1.27 - 2.83)	1.77	(1.04 - 3.00)	0.717
Region 3 (Bernalillo)	2.64	(1.89 - 3.68)	2.85	(1.93 - 4.19)	0.644
Region 4	1.70	(1.16 - 2.49)	1.67	(1.01 - 2.76)	0.933
Region 5	2.10	(1.45 - 3.04)	2.21	(1.42 - 3.43)	0.765
New York	2.06	(1.74 - 2.45)	2.35	(1.98 - 2.78)	0.107
Region A	2.35	(1.89 - 2.90)	2.60	(2.08 - 3.25)	0.346
Region 1	2.13	(1.47 - 3.08)	2.11	(1.35 - 3.28)	0.949
Region 2	2.19	(1.64 - 2.93)	2.63	(1.86 - 3.71)	0.240
Region 3	3.38	(2.48 - 4.58)	4.02	(2.79 - 5.77)	0.306
Region 4	1.91	(1.41 - 2.58)	1.79	(1.18 - 2.73)	0.715
Region B	1.79	(1.45 - 2.19)	2.07	(1.60 - 2.66)	0.174
Region 5	1.74	(1.35 - 2.24)	1.96	(1.40 - 2.75)	0.401
Region 6	1.63[b]	(1.17 - 2.27)	2.24	(1.47 - 3.40)	0.060
Region 7	2.19	(1.60 - 3.00)	2.14	(1.38 - 3.30)	0.878
Region C	1.97[b]	(1.61 - 2.41)	2.33	(1.88 - 2.89)	0.078
Region 8	2.09	(1.54 - 2.83)	2.32	(1.56 - 3.43)	0.519
Region 9	1.92	(1.41 - 2.62)	2.42	(1.65 - 3.54)	0.145
Region 10	1.79	(1.30 - 2.46)	2.27	(1.45 - 3.56)	0.155
Region 11	2.02	(1.48 - 2.74)	2.15	(1.48 - 3.13)	0.669
Region 12	1.94	(1.41 - 2.66)	2.46	(1.68 - 3.58)	0.135
Region D	1.76	(1.38 - 2.23)	1.98	(1.47 - 2.66)	0.289
Region 13	1.75	(1.26 - 2.44)	2.00	(1.28 - 3.11)	0.437
Region 14	1.75	(1.26 - 2.44)	1.90	(1.17 - 3.07)	0.641
Region 15	1.76	(1.24 - 2.49)	2.05	(1.32 - 3.15)	0.368

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	1.69	(1.24 - 2.31)	1.53	(1.12 - 2.08)	0.306
Alliance Behavioral Healthcare 1	--	(-- - --)	1.60	(0.94 - 2.72)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	1.47	(0.86 - 2.51)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	1.67	(0.98 - 2.82)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	1.36	(0.82 - 2.25)	--
Cardinal Innovations Healthcare Solutions 3	1.61	(1.04 - 2.48)	1.52	(0.89 - 2.58)	0.759
CenterPoint Human Services	1.65	(1.08 - 2.52)	1.52	(0.90 - 2.57)	0.659
Eastpointe	1.45	(0.93 - 2.26)	1.20	(0.68 - 2.10)	0.317
Partners Behavioral Health Management	1.58	(1.04 - 2.39)	1.62	(0.97 - 2.70)	0.895
Sandhills Center 1	1.42	(0.91 - 2.22)	1.29	(0.73 - 2.27)	0.600
Sandhills Center 2	1.58	(1.01 - 2.46)	1.62	(0.93 - 2.83)	0.882
Smoky Mountain Center 1	1.59	(1.03 - 2.45)	1.58	(0.94 - 2.62)	0.951
Smoky Mountain Center 2	1.67	(1.11 - 2.51)	1.34	(0.78 - 2.30)	0.232
Trillium Health Resources 1	1.72	(1.11 - 2.65)	1.76	(1.04 - 2.97)	0.881
Trillium Health Resources 2	2.11	(1.38 - 3.22)	1.89	(1.11 - 3.20)	0.543
North Dakota	0.97[a]	(0.68 - 1.39)	1.25	(0.92 - 1.68)	0.028
Badlands and West Central	0.84	(0.54 - 1.32)	0.99	(0.61 - 1.60)	0.333
Lake Region	--	(-- - --)	1.02	(0.58 - 1.77)	--
North Central	--	(-- - --)	1.28	(0.77 - 2.10)	--
Northeast	1.26[a]	(0.83 - 1.91)	1.79	(1.12 - 2.83)	0.024
Northwest	--	(-- - --)	1.22	(0.70 - 2.11)	--
South Central	--	(-- - --)	1.18	(0.70 - 1.97)	--
Southeast	1.09	(0.70 - 1.71)	1.30	(0.84 - 2.02)	0.302

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	1.54	(1.28 - 1.85)	1.53	(1.26 - 1.85)	0.925
Boards 2, 46, 55, and 68	1.44	(1.03 - 2.01)	1.37	(0.84 - 2.23)	0.806
Boards 3, 52, and 85	1.29	(0.90 - 1.85)	1.38	(0.84 - 2.26)	0.710
Boards 4 and 78	1.48	(1.03 - 2.11)	1.40	(0.85 - 2.29)	0.748
Boards 5 and 60	1.57	(1.12 - 2.20)	1.83	(1.20 - 2.79)	0.339
Boards 7, 15, 41, 79, and 84	1.25	(0.90 - 1.74)	1.58	(1.00 - 2.48)	0.177
Boards 8, 13, and 83	1.27	(0.91 - 1.77)	1.25	(0.77 - 2.04)	0.931
Board 9 (Butler)	1.23	(0.88 - 1.71)	1.43	(0.90 - 2.29)	0.370
Board 12	1.58	(1.10 - 2.26)	1.58	(0.97 - 2.57)	0.996
Boards 18 and 47	1.39	(1.03 - 1.89)	1.06	(0.67 - 1.66)	0.142
Boards 20, 32, 54, and 69	1.34	(0.95 - 1.87)	1.32	(0.81 - 2.12)	0.927
Boards 21, 39, 51, 70, and 80	1.20	(0.84 - 1.71)	1.20	(0.76 - 1.90)	0.971
Boards 22, 74, and 87	1.43	(1.03 - 1.98)	1.39	(0.87 - 2.21)	0.876
Boards 23 and 45	1.49	(1.06 - 2.09)	1.23	(0.77 - 1.98)	0.272
Board 25 (Franklin)	2.34	(1.74 - 3.14)	2.15	(1.47 - 3.13)	0.585
Boards 27, 71, and 73	1.54	(1.08 - 2.19)	1.78	(1.14 - 2.78)	0.377
Boards 28, 43, and 67	1.30	(0.94 - 1.81)	1.67	(1.08 - 2.59)	0.126
Board 31 (Hamilton)	1.82	(1.29 - 2.56)	1.72	(1.11 - 2.67)	0.736
Board 48 (Lucas)	1.52	(1.08 - 2.13)	1.52	(0.93 - 2.48)	0.998
Boards 50 and 76	1.35	(0.96 - 1.89)	1.64	(1.07 - 2.50)	0.253
Board 57 (Montgomery)	1.93	(1.34 - 2.76)	1.79	(1.14 - 2.81)	0.678
Board 77 (Summit)	1.41	(0.99 - 1.99)	1.62	(1.01 - 2.58)	0.461
Oklahoma	1.15	(0.82 - 1.62)	0.99	(0.68 - 1.43)	0.174
Central	1.17	(0.76 - 1.80)	0.98	(0.57 - 1.67)	0.310
East Central	0.96	(0.60 - 1.55)	0.86	(0.48 - 1.54)	0.534
Northeast	0.86	(0.56 - 1.33)	0.86	(0.49 - 1.49)	0.979
Northwest and Southwest	1.19	(0.76 - 1.86)	1.01	(0.58 - 1.74)	0.348
Oklahoma County	1.30	(0.85 - 1.99)	1.06	(0.63 - 1.76)	0.241
Southeast	1.16	(0.72 - 1.85)	0.92	(0.52 - 1.63)	0.203
Tulsa County	1.28	(0.82 - 2.00)	1.15	(0.67 - 1.97)	0.552
Oregon	1.93	(1.47 - 2.54)	1.92	(1.45 - 2.54)	0.953
Region 1 (Multnomah)	3.25	(2.27 - 4.63)	2.39	(1.51 - 3.76)	0.111
Region 2	1.56	(1.08 - 2.26)	1.64	(1.05 - 2.56)	0.767
Region 3	1.70	(1.21 - 2.39)	2.10	(1.45 - 3.02)	0.181
Region 4	1.55	(1.03 - 2.32)	1.46	(0.88 - 2.40)	0.724
Region 5 (Central)	1.53	(1.01 - 2.30)	1.68	(1.01 - 2.80)	0.572
Region 6 (Eastern)	1.59	(1.02 - 2.46)	1.87	(1.13 - 3.10)	0.336

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	1.72	(1.42 - 2.07)	1.66	(1.36 - 2.03)	0.699
Region 1 (Allegheny)	2.15	(1.57 - 2.93)	2.15	(1.46 - 3.17)	0.985
Regions 3, 8, 9, and 51	1.65	(1.16 - 2.35)	1.44	(0.91 - 2.27)	0.422
Regions 4, 11, 37, and 49	1.39	(1.01 - 1.92)	1.60	(1.05 - 2.44)	0.398
Regions 5, 18, 23, 24, and 46	1.34	(0.95 - 1.87)	1.13	(0.70 - 1.83)	0.354
Regions 6, 12, 16, 31, 35, 45, and 47	1.46	(1.05 - 2.02)	1.51	(1.00 - 2.28)	0.825
Regions 7, 13, 20, and 33	1.42	(1.09 - 1.84)	1.44	(1.00 - 2.05)	0.938
Regions 10, 15, 27, 32, 43, and 44	1.49	(1.05 - 2.10)	1.40	(0.87 - 2.24)	0.729
Regions 17 and 21	1.59	(1.13 - 2.24)	1.49	(0.91 - 2.42)	0.699
Regions 19, 26, 28, and 42	1.40	(1.02 - 1.91)	1.40	(0.94 - 2.08)	0.986
Regions 22, 38, 40, 41, and 48	1.66	(1.20 - 2.31)	1.33	(0.83 - 2.13)	0.209
Regions 29 and 34	1.74	(1.26 - 2.39)	1.45	(0.90 - 2.32)	0.298
Regions 30 and 50	1.47	(1.05 - 2.05)	1.51	(0.96 - 2.36)	0.867
Region 36 (Philadelphia)	2.93	(2.14 - 3.99)	2.80	(1.85 - 4.22)	0.814
Rhode Island	2.49	(1.89 - 3.26)	2.17	(1.62 - 2.91)	0.260
Bristol and Newport	1.66	(1.12 - 2.46)	1.76	(1.10 - 2.82)	0.714
Kent	2.04	(1.37 - 3.03)	1.79	(1.08 - 2.96)	0.467
Providence	2.74	(2.01 - 3.72)	2.36	(1.66 - 3.35)	0.332
Washington	2.72	(1.87 - 3.92)	2.18	(1.38 - 3.43)	0.210
South Carolina	1.72[a]	(1.26 - 2.34)	1.37	(0.97 - 1.92)	0.040
Region 1	--	(-- - --)	1.18	(0.71 - 1.96)	--
Region 2	--	(-- - --)	1.39	(0.86 - 2.26)	--
Region 3	1.74	(1.13 - 2.66)	1.38	(0.81 - 2.35)	0.200
Region 4	1.85	(1.26 - 2.69)	1.55	(0.98 - 2.46)	0.266
South Dakota	0.91	(0.63 - 1.31)	0.92	(0.63 - 1.34)	0.918
Region 1	0.90	(0.58 - 1.40)	0.94	(0.55 - 1.59)	0.799
Region 2	0.73	(0.45 - 1.18)	0.78	(0.43 - 1.41)	0.724
Region 3	0.85	(0.54 - 1.35)	0.78	(0.45 - 1.32)	0.570
Region 4	0.81	(0.50 - 1.31)	0.82	(0.47 - 1.43)	0.919
Region 5	1.08	(0.70 - 1.66)	1.12	(0.69 - 1.82)	0.821
Tennessee	1.43	(1.04 - 1.97)	1.25	(0.89 - 1.74)	0.181
Region 1	1.40	(0.92 - 2.13)	1.13	(0.64 - 1.99)	0.218
Region 2	1.60	(1.06 - 2.42)	1.33	(0.80 - 2.19)	0.254
Region 3	1.45	(0.96 - 2.20)	1.26	(0.75 - 2.11)	0.416
Region 4 (Davidson)	1.86	(1.22 - 2.84)	1.46	(0.86 - 2.48)	0.183
Region 5	1.13	(0.75 - 1.69)	1.23	(0.77 - 1.96)	0.596
Region 6	1.31	(0.83 - 2.04)	1.07	(0.62 - 1.84)	0.263
Region 7 (Shelby)	1.50	(0.95 - 2.38)	1.18	(0.67 - 2.08)	0.235

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	1.47	(1.24 - 1.75)	1.37	(1.15 - 1.64)	0.375
Region 1	1.76	(1.27 - 2.44)	1.67	(1.10 - 2.52)	0.750
Region 2	1.25	(0.85 - 1.82)	1.22	(0.76 - 1.96)	0.880
Region 3	1.50	(1.21 - 1.86)	1.32	(1.00 - 1.74)	0.281
Region 3a	1.56	(1.21 - 2.01)	1.25	(0.88 - 1.78)	0.161
Region 3bc	1.40	(1.03 - 1.89)	1.44	(1.01 - 2.05)	0.840
Region 4	1.22	(0.84 - 1.77)	1.16	(0.74 - 1.81)	0.752
Region 5	1.21	(0.85 - 1.71)	1.22	(0.74 - 1.98)	0.963
Region 6	1.38	(1.07 - 1.79)	1.17	(0.84 - 1.61)	0.216
Region 6a	1.38	(1.04 - 1.81)	1.16	(0.82 - 1.64)	0.251
Region 6bc	1.45	(1.01 - 2.08)	1.23	(0.76 - 1.98)	0.328
Region 7	1.79	(1.40 - 2.27)	1.98	(1.46 - 2.67)	0.423
Region 7a	1.95	(1.46 - 2.61)	2.41	(1.66 - 3.47)	0.198
Region 7bcd	1.50	(1.08 - 2.09)	1.24	(0.80 - 1.92)	0.231
Region 8	1.44	(1.06 - 1.96)	1.19	(0.79 - 1.80)	0.238
Region 9	1.74	(1.24 - 2.43)	2.18	(1.32 - 3.57)	0.231
Region 10	1.46	(1.04 - 2.06)	1.44	(0.92 - 2.26)	0.938
Region 11	1.35	(1.01 - 1.78)	1.34	(0.95 - 1.90)	0.999
Region 11abd	1.40	(1.00 - 1.96)	1.45	(0.94 - 2.21)	0.854
Region 11c (Hidalgo)	1.25	(0.87 - 1.80)	1.17	(0.74 - 1.85)	0.715
Utah	1.52	(1.15 - 1.99)	1.35	(0.98 - 1.86)	0.289
Bear River, Northeastern, Summit, Tooele, and Wasatch	1.30	(0.87 - 1.94)	1.12	(0.67 - 1.89)	0.360
Central, Four Corners, San Juan, and Southwest	1.21	(0.80 - 1.82)	1.13	(0.65 - 1.95)	0.697
Davis County	1.36	(0.89 - 2.07)	1.31	(0.78 - 2.19)	0.813
Salt Lake County	1.71	(1.22 - 2.38)	1.59	(1.05 - 2.42)	0.651
Utah County	1.50	(1.02 - 2.18)	1.27	(0.78 - 2.06)	0.310
Weber, Morgan	1.63[a]	(1.08 - 2.44)	1.14	(0.65 - 1.98)	0.050
Vermont	2.38	(1.87 - 3.01)	2.07	(1.59 - 2.70)	0.221
Champlain Valley	2.75	(2.09 - 3.59)	2.38	(1.72 - 3.27)	0.345
Rural Northeast	2.32	(1.65 - 3.27)	2.19	(1.43 - 3.33)	0.720
Rural Southeast	2.16	(1.51 - 3.07)	1.67	(1.03 - 2.67)	0.147
Rural Southwest	1.82	(1.26 - 2.62)	1.66	(1.03 - 2.66)	0.593
Virginia	1.36	(1.01 - 1.83)	1.53	(1.12 - 2.07)	0.292
Region 1	1.43	(1.00 - 2.06)	1.66	(1.04 - 2.63)	0.419
Region 2	1.23	(0.82 - 1.82)	1.18	(0.73 - 1.91)	0.841
Region 3	1.37	(0.93 - 2.00)	1.55	(0.95 - 2.52)	0.505
Region 4	1.44	(0.94 - 2.19)	1.86	(1.12 - 3.06)	0.152
Region 5	1.39	(0.93 - 2.06)	1.60	(0.99 - 2.56)	0.460

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	1.73	(1.32 - 2.27)	1.74	(1.30 - 2.31)	0.984
Region 1	1.46	(1.05 - 2.04)	1.53	(1.02 - 2.27)	0.774
Greater Columbia and North Central	--	(-- - --)	1.50	(0.93 - 2.41)	--
Spokane	--	(-- - --)	1.56	(0.91 - 2.65)	--
Region 2	1.93	(1.44 - 2.59)	1.93	(1.37 - 2.72)	0.999
King	2.04	(1.45 - 2.86)	2.04	(1.35 - 3.08)	0.984
North Sound	1.75	(1.23 - 2.49)	1.74	(1.12 - 2.68)	0.960
Region 3	1.63	(1.18 - 2.25)	1.60	(1.12 - 2.27)	0.879
Peninsula	--	(-- - --)	1.38	(0.80 - 2.38)	--
Pierce	--	(-- - --)	1.78	(1.11 - 2.84)	--
SW WA and Timberlands	--	(-- - --)	1.50	(0.89 - 2.52)	--
Thurston-Mason	--	(-- - --)	1.61	(0.94 - 2.75)	--
West Virginia	1.54	(1.15 - 2.06)	1.35	(0.99 - 1.85)	0.219
Region I	1.10	(0.72 - 1.70)	1.14	(0.66 - 1.98)	0.852
Region II	1.40	(0.92 - 2.11)	1.49	(0.89 - 2.49)	0.678
Region III	1.19	(0.77 - 1.83)	1.12	(0.64 - 1.97)	0.763
Region IV	2.27	(1.64 - 3.12)	1.89	(1.25 - 2.86)	0.262
Region V	1.49	(1.00 - 2.20)	1.11	(0.67 - 1.82)	0.112
Region VI	1.22	(0.80 - 1.86)	1.18	(0.71 - 1.96)	0.854
Wisconsin	1.40	(1.04 - 1.89)	1.69	(1.24 - 2.31)	0.105
Milwaukee	1.66	(1.07 - 2.56)	2.28	(1.40 - 3.70)	0.121
Northeastern	1.27	(0.87 - 1.86)	1.23	(0.75 - 2.01)	0.855
Northern	1.27	(0.84 - 1.93)	1.31	(0.75 - 2.28)	0.893
Southeastern	1.36[b]	(0.91 - 2.02)	2.03	(1.20 - 3.40)	0.059
Southern	1.52	(1.05 - 2.18)	1.69	(1.05 - 2.71)	0.534
Western	1.30	(0.86 - 1.94)	1.49	(0.90 - 2.44)	0.437

See notes at end of table.

(continued)

Table 6 *Cocaine Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	1.19	(0.86 - 1.65)	1.28	(0.93 - 1.76)	0.477
Judicial District 1 (Laramie)	1.26	(0.82 - 1.94)	1.43	(0.89 - 2.29)	0.425
Judicial District 2	1.90	(1.25 - 2.87)	1.78	(1.13 - 2.78)	0.693
Judicial District 3	0.99	(0.63 - 1.55)	1.07	(0.64 - 1.78)	0.660
Judicial District 4	1.04	(0.66 - 1.64)	0.97	(0.56 - 1.69)	0.729
Judicial District 5	0.93	(0.59 - 1.46)	1.08	(0.63 - 1.83)	0.404
Judicial District 6	1.14	(0.73 - 1.79)	1.23	(0.73 - 2.06)	0.675
Judicial District 7 (Natrona)	1.35	(0.88 - 2.05)	1.45	(0.86 - 2.42)	0.692
Judicial District 8	0.98	(0.63 - 1.52)	1.00	(0.59 - 1.71)	0.880
Judicial District 9	1.06	(0.67 - 1.68)	1.29	(0.75 - 2.21)	0.275

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	4.63[a]	(4.49 - 4.78)	4.31	(4.17 - 4.45)	0.000
Northeast	4.19[a]	(3.92 - 4.48)	3.82	(3.57 - 4.10)	0.007
Midwest	4.65[a]	(4.43 - 4.88)	4.21	(4.00 - 4.43)	0.000
South	4.45	(4.23 - 4.67)	4.30	(4.09 - 4.51)	0.151
West	5.24[a]	(4.92 - 5.59)	4.78	(4.48 - 5.10)	0.004
Alabama	4.92	(4.13 - 5.84)	5.24	(4.40 - 6.24)	0.375
Region 1	4.58	(3.49 - 5.99)	4.88	(3.77 - 6.29)	0.542
Region 2	5.27	(4.14 - 6.69)	5.62	(4.48 - 7.03)	0.524
Region 3	4.25[b]	(3.20 - 5.64)	5.12	(3.99 - 6.56)	0.081
Region 4	5.36	(4.15 - 6.90)	5.27	(4.13 - 6.72)	0.871
Alaska	5.21	(4.40 - 6.16)	4.72	(3.95 - 5.64)	0.183
Anchorage	5.81	(4.68 - 7.20)	5.02	(4.02 - 6.24)	0.129
Northern	5.00	(3.85 - 6.48)	4.61	(3.59 - 5.90)	0.393
South Central	4.75	(3.61 - 6.21)	4.58	(3.55 - 5.89)	0.726
Southeast	4.47	(3.31 - 6.01)	4.15	(3.10 - 5.53)	0.486
Arizona	5.70	(4.77 - 6.80)	5.18	(4.29 - 6.24)	0.235
Maricopa	6.07	(4.93 - 7.46)	5.37	(4.35 - 6.62)	0.200
Pima	5.89	(4.42 - 7.81)	5.09	(3.86 - 6.69)	0.175
Rural North	4.66	(3.40 - 6.37)	4.87	(3.59 - 6.56)	0.710
Rural South	4.72	(3.41 - 6.51)	4.67	(3.49 - 6.22)	0.921
Arkansas	5.74	(4.85 - 6.78)	5.21	(4.37 - 6.20)	0.186
Catchment Area 1	5.45	(4.16 - 7.11)	5.06	(3.94 - 6.47)	0.461
Catchment Area 2	5.59	(4.15 - 7.50)	4.83	(3.71 - 6.28)	0.179
Catchment Area 3	5.66	(4.23 - 7.53)	5.64	(4.36 - 7.28)	0.980
Catchment Area 4	5.92	(4.37 - 7.96)	5.25	(4.00 - 6.85)	0.253
Catchment Area 5	5.85	(4.49 - 7.60)	5.56	(4.34 - 7.11)	0.618
Catchment Area 6	5.73	(4.23 - 7.71)	5.18	(3.93 - 6.79)	0.305
Catchment Area 7	5.16	(3.85 - 6.89)	5.05	(3.80 - 6.67)	0.837
Catchment Area 8	6.20[b]	(4.79 - 7.99)	5.08	(3.93 - 6.54)	0.059

See notes at end of table. (continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	5.03	(4.55 - 5.56)	4.76	(4.30 - 5.26)	0.243
Region 1R	5.71	(4.41 - 7.36)	5.26	(4.14 - 6.66)	0.369
Region 2R	5.97	(4.61 - 7.69)	5.23	(4.15 - 6.59)	0.168
Region 3R (Sacramento)	5.23	(4.02 - 6.77)	4.78	(3.83 - 5.96)	0.331
Region 4R	5.66[a]	(4.42 - 7.23)	4.66	(3.70 - 5.84)	0.041
Region 5R (San Francisco)	5.47	(4.10 - 7.27)	4.76	(3.63 - 6.20)	0.192
Region 6 (Santa Clara)	4.49	(3.46 - 5.82)	4.36	(3.43 - 5.53)	0.759
Region 7R (Contra Costa)	4.75	(3.65 - 6.16)	4.54	(3.57 - 5.78)	0.626
Region 8R (Alameda)	4.95	(3.75 - 6.50)	4.56	(3.58 - 5.81)	0.411
Region 9R (San Mateo)	4.28	(3.13 - 5.81)	4.28	(3.29 - 5.55)	0.997
Region 10	5.48	(4.26 - 7.02)	4.93	(3.88 - 6.23)	0.218
Region 11 (Los Angeles)	4.81	(4.19 - 5.52)	4.72	(4.15 - 5.35)	0.718
LA SPA 1 and 5	5.18	(3.96 - 6.74)	4.92	(3.88 - 6.23)	0.573
LA SPA 2	4.91	(3.83 - 6.29)	4.76	(3.79 - 5.96)	0.724
LA SPA 3	4.21	(3.19 - 5.54)	4.23	(3.32 - 5.37)	0.966
LA SPA 4	4.91	(3.71 - 6.47)	4.81	(3.77 - 6.12)	0.834
LA SPA 6	5.06	(3.82 - 6.67)	5.49	(4.32 - 6.95)	0.363
LA SPA 7	4.96	(3.77 - 6.50)	4.76	(3.75 - 6.03)	0.674
LA SPA 8	4.76	(3.68 - 6.15)	4.49	(3.54 - 5.68)	0.499
Region 12R	5.59[b]	(4.25 - 7.33)	4.67	(3.68 - 5.92)	0.058
Regions 13 and 19R	5.17	(4.15 - 6.42)	4.84	(3.92 - 5.96)	0.445
Region 14 (Orange)	4.29	(3.41 - 5.40)	4.38	(3.52 - 5.43)	0.826
Region 15R (Fresno)	5.29	(4.05 - 6.88)	5.11	(4.08 - 6.40)	0.720
Region 16R (San Diego)	5.32	(4.30 - 6.56)	4.93	(4.00 - 6.06)	0.362
Region 17R	5.13	(3.99 - 6.58)	4.88	(3.90 - 6.09)	0.571
Region 18R (San Bernardino)	4.78	(3.77 - 6.04)	4.80	(3.86 - 5.97)	0.949
Region 20R	5.69	(4.40 - 7.33)	5.08	(4.00 - 6.42)	0.203
Region 21R	5.62	(4.28 - 7.34)	5.19	(4.10 - 6.55)	0.376
Colorado	5.55	(4.70 - 6.56)	5.03	(4.18 - 6.05)	0.215
Region 1	5.93	(4.54 - 7.71)	5.89	(4.49 - 7.70)	0.945
Regions 2 and 7	5.69	(4.63 - 6.98)	4.99	(3.98 - 6.23)	0.180
Region 3	5.17	(3.96 - 6.72)	4.73	(3.61 - 6.17)	0.375
Region 4	4.89	(3.55 - 6.70)	4.58	(3.43 - 6.08)	0.553
Regions 5 and 6	5.24	(3.91 - 6.98)	4.84	(3.67 - 6.37)	0.466
Connecticut	4.13[b]	(3.39 - 5.02)	3.55	(2.90 - 4.35)	0.068
Eastern	4.13	(3.07 - 5.53)	3.93	(3.00 - 5.14)	0.648
North Central	4.01	(3.03 - 5.29)	3.79	(2.89 - 4.96)	0.617
Northwestern	4.36[a]	(3.20 - 5.91)	3.26	(2.44 - 4.35)	0.015
South Central	4.40[a]	(3.35 - 5.77)	3.44	(2.59 - 4.55)	0.021
Southwest	3.78	(2.74 - 5.19)	3.36	(2.52 - 4.45)	0.310

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	5.28	(4.45 - 6.26)	4.70	(3.92 - 5.63)	0.135
Kent	5.26	(4.05 - 6.82)	4.77	(3.71 - 6.12)	0.320
New Castle (excluding Wilmington City)	5.37	(4.38 - 6.58)	4.85	(3.90 - 6.02)	0.267
Sussex	4.99	(3.80 - 6.53)	4.30	(3.25 - 5.66)	0.192
Wilmington City	5.56	(4.05 - 7.58)	4.73	(3.51 - 6.35)	0.149
District of Columbia	4.50	(3.73 - 5.41)	4.13	(3.41 - 4.99)	0.251
Ward 1	5.26	(3.83 - 7.19)	4.62	(3.44 - 6.18)	0.276
Ward 2	5.39	(4.03 - 7.17)	5.06	(3.80 - 6.69)	0.564
Ward 3	4.54	(3.38 - 6.08)	4.05	(3.03 - 5.39)	0.322
Ward 4	3.79	(2.73 - 5.24)	3.45	(2.55 - 4.65)	0.399
Ward 5	4.25	(3.14 - 5.73)	4.06	(3.06 - 5.36)	0.662
Ward 6	4.75	(3.45 - 6.50)	4.10	(3.05 - 5.50)	0.231
Ward 7	3.68	(2.62 - 5.15)	3.67	(2.73 - 4.91)	0.973
Ward 8	4.13	(3.02 - 5.63)	3.90	(2.97 - 5.11)	0.580
Florida[1]	3.95[a]	(3.50 - 4.45)	3.47	(3.07 - 3.92)	0.024
Broward (Circuit 17)	3.47	(2.71 - 4.44)	3.42	(2.73 - 4.29)	0.879
Central I	--	(-- - --)	3.61	(3.04 - 4.28)	--
Circuit 9	4.34[b]	(3.43 - 5.48)	3.71	(3.01 - 4.57)	0.093
Circuit 18	4.20[a]	(3.24 - 5.43)	3.47	(2.75 - 4.36)	0.037
Central II	--	(-- - --)	3.45	(2.94 - 4.03)	--
Circuit 6	4.22[a]	(3.19 - 5.55)	3.37	(2.60 - 4.35)	0.039
Circuit 10	4.14	(3.16 - 5.41)	3.55	(2.75 - 4.56)	0.110
Circuit 12	4.18[a]	(3.09 - 5.62)	3.06	(2.33 - 4.02)	0.008
Circuit 13 (Hillsborough)	3.93	(3.07 - 5.01)	3.67	(2.90 - 4.63)	0.514
Circuit 20	4.12	(3.07 - 5.51)	3.50	(2.68 - 4.56)	0.132
Northeast	--	(-- - --)	3.60	(3.07 - 4.21)	--
Circuit 4	4.31[b]	(3.34 - 5.53)	3.62	(2.87 - 4.57)	0.069
Circuit 5	3.51	(2.62 - 4.70)	3.19	(2.46 - 4.12)	0.372
Circuit 7	4.01	(3.07 - 5.22)	3.50	(2.74 - 4.45)	0.174
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	4.55	(3.56 - 5.79)	--
Northwest	--	(-- - --)	4.12	(3.45 - 4.92)	--
Circuit 1	4.96[a]	(3.90 - 6.30)	4.01	(3.12 - 5.14)	0.029
Circuit 2 plus Madison and Taylor	--	(-- - --)	4.42	(3.49 - 5.59)	--
Circuit 14	4.96[a]	(3.71 - 6.60)	3.96	(3.03 - 5.16)	0.023
South (Circuits 11 and 16)	3.07	(2.38 - 3.96)	2.95	(2.31 - 3.76)	0.734
Southeast	--	(-- - --)	3.40	(2.78 - 4.15)	--
Circuit 15 (Palm Beach)	3.40	(2.59 - 4.46)	3.41	(2.67 - 4.34)	0.973
Circuit 19	4.02[b]	(2.99 - 5.39)	3.38	(2.63 - 4.34)	0.091

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	3.99	(3.31 - 4.80)	4.47	(3.74 - 5.34)	0.119
Region 1	4.06	(3.11 - 5.28)	4.49	(3.52 - 5.70)	0.316
Region 2	4.48	(3.37 - 5.93)	4.96	(3.85 - 6.37)	0.311
Region 3	3.59	(2.72 - 4.72)	4.18	(3.25 - 5.37)	0.148
Region 4	4.23	(3.12 - 5.71)	4.59	(3.51 - 5.98)	0.416
Region 5	4.42	(3.22 - 6.03)	4.77	(3.62 - 6.27)	0.467
Region 6	3.80	(2.84 - 5.08)	4.30	(3.30 - 5.58)	0.217
Hawaii	4.32	(3.53 - 5.26)	4.64	(3.81 - 5.65)	0.440
Hawaii Island	4.52	(3.34 - 6.09)	4.37	(3.19 - 5.96)	0.795
Honolulu	4.32	(3.45 - 5.41)	4.73	(3.81 - 5.86)	0.395
Kauai	4.07	(2.88 - 5.73)	4.26	(3.08 - 5.85)	0.713
Maui	4.13	(3.00 - 5.65)	4.57	(3.34 - 6.21)	0.419
Idaho	5.70[a]	(4.83 - 6.73)	4.29	(3.60 - 5.10)	0.000
Region 1	5.29[a]	(3.94 - 7.05)	3.88	(2.97 - 5.06)	0.003
Region 2	5.95[a]	(4.43 - 7.94)	4.26	(3.23 - 5.60)	0.001
Region 3	5.24[a]	(3.99 - 6.85)	4.05	(3.14 - 5.20)	0.011
Region 4	6.40[a]	(5.02 - 8.11)	4.72	(3.73 - 5.95)	0.002
Region 5	4.90[b]	(3.66 - 6.53)	3.98	(3.01 - 5.23)	0.061
Region 6	--	(-- - --)	4.56	(3.49 - 5.94)	--
Region 7	--	(-- - --)	4.21	(3.24 - 5.46)	--
Illinois	3.90	(3.49 - 4.35)	3.59	(3.19 - 4.03)	0.136
Region I (Cook)	3.84	(3.24 - 4.54)	3.47	(2.92 - 4.12)	0.214
Region II	3.79	(3.20 - 4.48)	3.57	(2.98 - 4.26)	0.470
Region III	4.01	(3.26 - 4.93)	3.96	(3.23 - 4.85)	0.886
Region IV	3.66	(2.84 - 4.70)	3.56	(2.81 - 4.50)	0.783
Region V	4.56[a]	(3.69 - 5.62)	3.74	(3.02 - 4.63)	0.033
Indiana	5.69[b]	(4.85 - 6.66)	4.98	(4.20 - 5.90)	0.063
Central	5.54	(4.33 - 7.05)	5.08	(3.97 - 6.48)	0.375
East	6.49[a]	(4.92 - 8.51)	5.14	(3.98 - 6.64)	0.023
North Central	5.36	(4.08 - 7.01)	4.70	(3.63 - 6.06)	0.219
Northeast	5.27	(3.96 - 6.98)	4.87	(3.75 - 6.31)	0.466
Northwest	5.77	(4.38 - 7.57)	4.93	(3.80 - 6.38)	0.151
Southeast	5.90[b]	(4.46 - 7.77)	4.91	(3.80 - 6.33)	0.077
Southwest	5.20	(3.89 - 6.92)	4.62	(3.52 - 6.05)	0.249
West	6.26	(4.86 - 8.03)	5.46	(4.27 - 6.96)	0.150
Iowa	3.68	(3.05 - 4.44)	3.76	(3.10 - 4.55)	0.789
Central	3.75	(2.82 - 4.98)	3.61	(2.76 - 4.72)	0.728
North Central	4.07	(2.98 - 5.54)	3.98	(3.00 - 5.26)	0.822
Northeast	3.53	(2.73 - 4.56)	3.83	(2.95 - 4.95)	0.430
Northwest	3.39	(2.49 - 4.60)	3.65	(2.74 - 4.85)	0.524
Southeast	3.94	(3.01 - 5.14)	3.88	(2.99 - 5.02)	0.881
Southwest	3.35	(2.48 - 4.53)	3.50	(2.61 - 4.68)	0.702

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	4.13	(3.43 - 4.96)	4.03	(3.33 - 4.88)	0.748
Kansas City Metro	4.01	(3.13 - 5.13)	4.06	(3.15 - 5.21)	0.909
Northeast	3.89	(2.85 - 5.28)	4.09	(3.13 - 5.33)	0.626
South Central	4.38	(3.23 - 5.91)	3.91	(2.96 - 5.14)	0.277
Southeast	4.35	(3.23 - 5.83)	4.25	(3.16 - 5.68)	0.820
West	4.20	(3.09 - 5.69)	3.85	(2.91 - 5.08)	0.406
Wichita (Sedgwick)	4.31	(3.26 - 5.68)	4.02	(3.07 - 5.23)	0.503
Kentucky	4.44	(3.72 - 5.31)	4.31	(3.58 - 5.19)	0.683
Adanta, Cumberland River, and Lifeskills	4.66	(3.58 - 6.06)	4.11	(3.13 - 5.38)	0.217
Bluegrass, Comprehend, and North Key	4.73	(3.65 - 6.10)	4.53	(3.52 - 5.81)	0.672
Communicare and River Valley	4.15	(3.07 - 5.60)	4.15	(3.18 - 5.40)	0.994
Four Rivers and Pennyroyal	4.25	(3.16 - 5.71)	4.07	(3.07 - 5.37)	0.677
Kentucky River, Mountain, and Pathways	4.25	(3.13 - 5.75)	4.15	(3.14 - 5.48)	0.837
Seven Counties	4.23	(3.23 - 5.52)	4.43	(3.38 - 5.79)	0.667
Louisiana	5.03	(4.30 - 5.87)	4.79	(4.03 - 5.68)	0.491
Regions 1 and 10	4.73	(3.75 - 5.96)	4.61	(3.65 - 5.81)	0.769
Region 1	4.59	(3.44 - 6.09)	4.63	(3.50 - 6.09)	0.935
Region 10 (Jefferson)	4.88	(3.64 - 6.51)	4.60	(3.42 - 6.15)	0.585
Regions 2 and 9	5.41	(4.27 - 6.84)	5.30	(4.17 - 6.71)	0.826
Region 3	5.08	(3.84 - 6.69)	4.70	(3.59 - 6.13)	0.428
Regions 4, 5, and 6	5.13	(4.04 - 6.49)	4.59	(3.56 - 5.91)	0.277
Regions 7 and 8	4.63	(3.59 - 5.96)	4.56	(3.57 - 5.81)	0.871
Maine	4.22[a]	(3.52 - 5.05)	3.59	(2.94 - 4.36)	0.028
Aroostook/Downeast	3.84	(2.96 - 4.96)	3.41	(2.63 - 4.41)	0.215
Aroostook	3.75	(2.74 - 5.12)	3.35	(2.48 - 4.50)	0.281
Downeast	3.90	(2.84 - 5.34)	3.46	(2.53 - 4.72)	0.293
Central	4.26	(3.16 - 5.71)	3.63	(2.73 - 4.82)	0.132
Cumberland	4.07	(3.08 - 5.37)	3.55	(2.68 - 4.68)	0.189
Midcoast	3.70	(2.67 - 5.11)	3.18	(2.36 - 4.25)	0.179
Penquis	4.99[a]	(3.82 - 6.48)	3.83	(2.91 - 5.01)	0.009
Western	4.63[b]	(3.52 - 6.08)	3.87	(2.91 - 5.14)	0.057
York	4.00	(2.93 - 5.44)	3.55	(2.65 - 4.75)	0.291

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	3.79	(3.11 - 4.61)	4.07	(3.33 - 4.97)	0.359
Anne Arundel	4.03	(2.91 - 5.56)	4.14	(3.09 - 5.52)	0.808
Baltimore City	4.09	(3.01 - 5.52)	4.60	(3.42 - 6.16)	0.276
Baltimore County	4.01	(2.95 - 5.42)	4.26	(3.20 - 5.64)	0.591
Montgomery	3.41	(2.48 - 4.66)	3.70	(2.75 - 4.96)	0.492
North Central	3.78	(2.75 - 5.17)	3.75	(2.79 - 5.02)	0.947
Northeast	3.88	(2.81 - 5.34)	4.18	(3.13 - 5.57)	0.486
Prince George's	3.27[b]	(2.36 - 4.51)	3.96	(2.94 - 5.32)	0.074
South	4.05	(2.97 - 5.48)	4.12	(3.07 - 5.51)	0.863
West	4.09	(3.02 - 5.52)	4.12	(3.08 - 5.50)	0.935
Massachusetts	4.05[b]	(3.38 - 4.85)	3.49	(2.86 - 4.27)	0.052
Boston	4.89	(3.67 - 6.47)	4.15	(3.13 - 5.49)	0.103
Central	4.27	(3.21 - 5.66)	3.67	(2.75 - 4.88)	0.132
Metrowest	3.75	(2.82 - 4.97)	3.26	(2.45 - 4.32)	0.227
Northeast	3.63	(2.73 - 4.80)	3.29	(2.49 - 4.34)	0.376
Southeast	4.04[b]	(3.08 - 5.29)	3.40	(2.56 - 4.48)	0.094
Western	4.23	(3.14 - 5.67)	3.55	(2.67 - 4.72)	0.104
Michigan[1]	5.14[a]	(4.67 - 5.65)	4.36	(3.91 - 4.85)	0.001
Region 1	4.75[a]	(3.65 - 6.16)	3.96	(3.13 - 4.99)	0.043
Region 2	--	(-- - --)	3.68	(2.85 - 4.73)	--
Region 3	--	(-- - --)	4.34	(3.57 - 5.27)	--
Region 4	--	(-- - --)	4.41	(3.61 - 5.37)	--
Region 5	--	(-- - --)	4.74	(3.95 - 5.68)	--
Region 6	--	(-- - --)	4.12	(3.34 - 5.08)	--
Region 7	--	(-- - --)	4.37	(3.58 - 5.32)	--
Region 8	4.94[a]	(3.99 - 6.09)	4.07	(3.30 - 5.01)	0.030
Region 9	4.90	(3.94 - 6.07)	4.40	(3.56 - 5.44)	0.214
Region 10	--	(-- - --)	4.76	(3.84 - 5.89)	--
Minnesota	4.12[a]	(3.43 - 4.94)	3.41	(2.78 - 4.17)	0.011
Regions 1 and 2	4.27[b]	(3.15 - 5.78)	3.47	(2.57 - 4.68)	0.052
Regions 3 and 4	4.07	(3.08 - 5.35)	3.50	(2.67 - 4.56)	0.141
Regions 5 and 6	4.33[a]	(3.30 - 5.68)	3.43	(2.58 - 4.54)	0.020
Region 7A (Hennepin)	4.12[a]	(3.11 - 5.44)	3.19	(2.41 - 4.23)	0.018
Region 7B (Ramsey)	4.43[b]	(3.26 - 5.99)	3.69	(2.73 - 4.96)	0.068
Region 7C	3.77	(2.87 - 4.94)	3.37	(2.59 - 4.39)	0.276
Mississippi	4.78	(4.05 - 5.63)	4.76	(3.99 - 5.66)	0.940
Region 1	5.36	(4.19 - 6.85)	5.22	(4.07 - 6.67)	0.780
Region 2	4.25	(3.15 - 5.73)	4.73	(3.63 - 6.14)	0.295
Region 3	4.76	(3.64 - 6.20)	4.58	(3.57 - 5.87)	0.687
Region 4	4.24	(3.25 - 5.52)	4.48	(3.45 - 5.80)	0.568
Region 5	4.41	(3.25 - 5.97)	4.54	(3.43 - 5.99)	0.765
Region 6	4.91	(3.71 - 6.47)	4.75	(3.69 - 6.09)	0.733
Region 7	5.07	(3.86 - 6.62)	4.67	(3.57 - 6.09)	0.431

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	4.92[a]	(4.19 - 5.76)	4.21	(3.50 - 5.05)	0.022
Central	4.90	(3.72 - 6.43)	4.51	(3.49 - 5.80)	0.420
Eastern	4.73[b]	(3.84 - 5.83)	4.04	(3.23 - 5.04)	0.052
Eastern (St. Louis City and County)	4.72[b]	(3.62 - 6.12)	3.92	(3.01 - 5.09)	0.059
Eastern (excluding St. Louis)	4.76	(3.62 - 6.25)	4.26	(3.26 - 5.55)	0.266
Northwest	4.93[a]	(3.95 - 6.13)	4.14	(3.28 - 5.22)	0.037
Northwest (Jackson)	4.53	(3.40 - 5.99)	4.02	(3.00 - 5.35)	0.246
Northwest (excluding Jackson)	5.26[a]	(4.02 - 6.86)	4.25	(3.22 - 5.58)	0.027
Southeast	4.97	(3.76 - 6.55)	4.32	(3.28 - 5.68)	0.189
Southwest	5.29[a]	(4.09 - 6.81)	4.32	(3.33 - 5.58)	0.033
Montana	4.60[a]	(3.87 - 5.46)	3.46	(2.81 - 4.25)	0.001
Region 1	4.36[a]	(3.22 - 5.86)	3.17	(2.30 - 4.36)	0.005
Region 2	4.38[a]	(3.25 - 5.89)	3.46	(2.60 - 4.58)	0.026
Region 3	4.15[a]	(3.19 - 5.37)	3.29	(2.48 - 4.34)	0.040
Region 4	5.25[a]	(4.09 - 6.73)	3.64	(2.78 - 4.74)	0.001
Region 5	4.52[a]	(3.53 - 5.76)	3.50	(2.70 - 4.53)	0.015
Nebraska	3.86	(3.18 - 4.69)	3.61	(2.97 - 4.38)	0.372
Regions 1 and 2	3.75	(2.84 - 4.94)	3.59	(2.76 - 4.66)	0.640
Region 1	4.03	(2.85 - 5.67)	3.48	(2.57 - 4.70)	0.200
Region 2	3.51	(2.52 - 4.85)	3.69	(2.69 - 5.02)	0.654
Region 3	3.66	(2.70 - 4.94)	3.46	(2.64 - 4.54)	0.603
Region 4	3.33	(2.39 - 4.64)	3.47	(2.59 - 4.65)	0.707
Region 5	4.33	(3.32 - 5.63)	3.73	(2.90 - 4.78)	0.138
Region 6	3.82	(2.95 - 4.92)	3.62	(2.83 - 4.62)	0.594
Nevada	5.92	(4.87 - 7.17)	5.20	(4.26 - 6.33)	0.130
Clark – Region 1	5.92	(4.73 - 7.39)	5.37	(4.29 - 6.70)	0.322
Region 3	5.31	(4.03 - 6.97)	4.71	(3.63 - 6.08)	0.192
Capital District	5.14	(3.68 - 7.14)	4.56	(3.35 - 6.19)	0.286
Rural/Frontier	5.47	(3.95 - 7.52)	4.84	(3.57 - 6.52)	0.260
Washoe – Region 2	6.37[a]	(4.88 - 8.28)	4.83	(3.71 - 6.26)	0.005
New Hampshire	4.41	(3.72 - 5.23)	4.32	(3.62 - 5.14)	0.770
Central	4.37	(3.49 - 5.47)	4.44	(3.60 - 5.47)	0.850
Central 1	4.72	(3.62 - 6.14)	4.57	(3.55 - 5.85)	0.733
Central 2	4.03	(2.98 - 5.44)	4.32	(3.33 - 5.60)	0.531
Northern	4.30	(3.21 - 5.73)	4.11	(3.14 - 5.37)	0.653
Southern	4.46	(3.66 - 5.41)	4.30	(3.51 - 5.25)	0.676
Southern 1 (Rockingham)	3.94	(3.03 - 5.12)	4.02	(3.11 - 5.20)	0.848
Southern 2	4.77	(3.79 - 6.01)	4.47	(3.54 - 5.63)	0.498

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	4.37	(3.63 - 5.25)	3.92	(3.23 - 4.75)	0.144
Central	4.13	(3.12 - 5.45)	4.05	(3.10 - 5.29)	0.848
Metropolitan	4.06	(3.06 - 5.35)	3.58	(2.73 - 4.69)	0.232
Northern	4.55	(3.48 - 5.93)	4.00	(3.08 - 5.18)	0.193
Southern	4.70	(3.60 - 6.13)	4.02	(3.11 - 5.19)	0.121
New Mexico	5.60[b]	(4.70 - 6.66)	4.84	(3.98 - 5.87)	0.073
Region 1	5.23	(4.05 - 6.74)	4.44	(3.39 - 5.81)	0.124
Region 2	4.88	(3.58 - 6.62)	4.37	(3.23 - 5.89)	0.350
Region 3 (Bernalillo)	6.50[a]	(5.14 - 8.19)	5.07	(3.91 - 6.54)	0.020
Region 4	5.05	(3.81 - 6.66)	4.99	(3.83 - 6.49)	0.915
Region 5	5.39	(4.09 - 7.07)	5.12	(3.92 - 6.66)	0.624
New York	4.17	(3.72 - 4.68)	3.87	(3.41 - 4.38)	0.198
Region A	4.02	(3.45 - 4.68)	3.83	(3.27 - 4.49)	0.504
Region 1	4.10	(3.14 - 5.34)	3.84	(3.05 - 4.82)	0.482
Region 2	3.77	(2.98 - 4.74)	3.93	(3.16 - 4.87)	0.662
Region 3	4.72	(3.61 - 6.14)	4.27	(3.33 - 5.46)	0.370
Region 4	3.78	(2.92 - 4.87)	3.38	(2.61 - 4.37)	0.281
Region B	3.90	(3.31 - 4.58)	3.72	(3.15 - 4.38)	0.522
Region 5	3.76	(3.01 - 4.70)	3.73	(3.00 - 4.63)	0.932
Region 6	3.58	(2.70 - 4.74)	3.52	(2.78 - 4.47)	0.872
Region 7	4.83[a]	(3.81 - 6.11)	3.98	(3.12 - 5.06)	0.033
Region C	4.61[a]	(3.99 - 5.31)	4.02	(3.49 - 4.61)	0.031
Region 8	4.49	(3.54 - 5.68)	3.91	(3.08 - 4.95)	0.165
Region 9	4.77[a]	(3.76 - 6.03)	3.88	(3.10 - 4.85)	0.036
Region 10	4.91	(3.77 - 6.37)	4.42	(3.43 - 5.66)	0.284
Region 11	4.36	(3.42 - 5.54)	3.99	(3.21 - 4.96)	0.335
Region 12	4.70	(3.64 - 6.03)	4.09	(3.28 - 5.08)	0.124
Region D	4.58[b]	(3.85 - 5.44)	4.10	(3.44 - 4.87)	0.097
Region 13	4.25	(3.27 - 5.51)	3.86	(3.02 - 4.92)	0.287
Region 14	4.90[b]	(3.73 - 6.41)	4.11	(3.19 - 5.29)	0.060
Region 15	4.55	(3.52 - 5.87)	4.29	(3.37 - 5.46)	0.519

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	4.30	(3.60 - 5.13)	4.57	(3.81 - 5.48)	0.398
Alliance Behavioral Healthcare 1	--	(-- - --)	4.61	(3.51 - 6.02)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	4.14	(3.11 - 5.49)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	4.35	(3.25 - 5.80)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	4.55	(3.41 - 6.06)	--
Cardinal Innovations Healthcare Solutions 3	4.13	(3.03 - 5.61)	4.55	(3.45 - 5.99)	0.357
CenterPoint Human Services	4.45	(3.24 - 6.10)	4.40	(3.31 - 5.84)	0.914
Eastpointe	4.23	(3.08 - 5.76)	4.42	(3.31 - 5.88)	0.701
Partners Behavioral Health Management	4.82	(3.54 - 6.53)	5.06	(3.83 - 6.66)	0.635
Sandhills Center 1	4.43	(3.24 - 6.03)	4.32	(3.20 - 5.81)	0.809
Sandhills Center 2	4.30	(3.14 - 5.85)	4.70	(3.53 - 6.24)	0.403
Smoky Mountain Center 1	4.32	(3.16 - 5.88)	4.43	(3.26 - 6.00)	0.812
Smoky Mountain Center 2	4.41	(3.23 - 6.01)	4.86	(3.59 - 6.56)	0.411
Trillium Health Resources 1	4.27	(3.12 - 5.81)	4.66	(3.48 - 6.21)	0.397
Trillium Health Resources 2	4.90	(3.60 - 6.62)	4.99	(3.78 - 6.56)	0.852
North Dakota	3.60	(2.97 - 4.37)	3.69	(3.05 - 4.48)	0.747
Badlands and West Central	3.25	(2.44 - 4.32)	3.54	(2.68 - 4.65)	0.456
Lake Region	--	(-- - --)	3.00	(2.21 - 4.07)	--
North Central	--	(-- - --)	3.80	(2.86 - 5.03)	--
Northeast	4.12	(3.09 - 5.46)	4.21	(3.25 - 5.43)	0.831
Northwest	--	(-- - --)	3.66	(2.70 - 4.93)	--
South Central	--	(-- - --)	3.51	(2.59 - 4.75)	--
Southeast	3.88	(2.98 - 5.05)	3.76	(2.92 - 4.82)	0.749

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	5.22	(4.74 - 5.73)	4.98	(4.46 - 5.55)	0.355
Boards 2, 46, 55, and 68	5.22	(4.06 - 6.69)	4.87	(3.80 - 6.22)	0.475
Boards 3, 52, and 85	4.91	(3.79 - 6.33)	4.98	(3.91 - 6.31)	0.883
Boards 4 and 78	5.40	(4.12 - 7.05)	5.27	(4.07 - 6.80)	0.801
Boards 5 and 60	6.32	(5.01 - 7.95)	5.80	(4.57 - 7.33)	0.331
Boards 7, 15, 41, 79, and 84	4.69	(3.66 - 5.98)	4.98	(3.93 - 6.29)	0.539
Boards 8, 13, and 83	4.84	(3.80 - 6.15)	4.73	(3.71 - 6.00)	0.799
Board 9 (Butler)	5.33	(4.13 - 6.85)	5.15	(4.03 - 6.58)	0.731
Board 12	5.47	(4.25 - 7.01)	5.07	(3.98 - 6.44)	0.416
Boards 18 and 47	5.05	(4.19 - 6.08)	4.60	(3.76 - 5.62)	0.293
Boards 20, 32, 54, and 69	4.23	(3.19 - 5.58)	4.39	(3.41 - 5.65)	0.713
Boards 21, 39, 51, 70, and 80	4.99	(3.92 - 6.34)	4.93	(3.90 - 6.21)	0.900
Boards 22, 74, and 87	5.13	(4.01 - 6.53)	4.76	(3.75 - 6.04)	0.425
Boards 23 and 45	5.04	(3.89 - 6.52)	4.62	(3.63 - 5.86)	0.353
Board 25 (Franklin)	6.12	(5.00 - 7.47)	5.58	(4.54 - 6.85)	0.250
Boards 27, 71, and 73	5.05	(3.94 - 6.46)	5.41	(4.23 - 6.90)	0.506
Boards 28, 43, and 67	5.11	(4.05 - 6.41)	5.02	(3.96 - 6.36)	0.858
Board 31 (Hamilton)	4.74	(3.73 - 6.01)	4.76	(3.80 - 5.95)	0.959
Board 48 (Lucas)	5.77	(4.52 - 7.34)	5.15	(4.05 - 6.53)	0.210
Boards 50 and 76	4.93	(3.89 - 6.23)	4.83	(3.81 - 6.10)	0.824
Board 57 (Montgomery)	5.37	(4.22 - 6.80)	5.10	(4.03 - 6.43)	0.579
Board 77 (Summit)	5.44	(4.32 - 6.84)	4.82	(3.79 - 6.10)	0.190
Oklahoma	5.15	(4.37 - 6.07)	5.31	(4.43 - 6.35)	0.668
Central	5.46	(4.11 - 7.21)	5.65	(4.32 - 7.35)	0.734
East Central	5.02	(3.73 - 6.74)	4.88	(3.69 - 6.42)	0.792
Northeast	4.91	(3.76 - 6.40)	4.96	(3.78 - 6.49)	0.923
Northwest and Southwest	5.61	(4.22 - 7.43)	5.76	(4.40 - 7.50)	0.798
Oklahoma County	5.21	(4.03 - 6.72)	5.18	(4.02 - 6.65)	0.953
Southeast	4.71	(3.57 - 6.19)	5.11	(3.91 - 6.67)	0.430
Tulsa County	5.10	(3.85 - 6.74)	5.55	(4.28 - 7.16)	0.407
Oregon	6.14[a]	(5.21 - 7.23)	5.10	(4.26 - 6.10)	0.013
Region 1 (Multnomah)	7.11[a]	(5.47 - 9.18)	5.53	(4.25 - 7.17)	0.026
Region 2	5.86[b]	(4.50 - 7.60)	4.83	(3.75 - 6.22)	0.074
Region 3	6.19[b]	(4.97 - 7.69)	5.18	(4.10 - 6.54)	0.061
Region 4	5.52	(4.18 - 7.26)	5.01	(3.81 - 6.57)	0.384
Region 5 (Central)	5.80	(4.24 - 7.87)	4.90	(3.69 - 6.47)	0.130
Region 6 (Eastern)	5.70[b]	(4.13 - 7.81)	4.76	(3.54 - 6.37)	0.098

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	4.05	(3.63 - 4.53)	3.87	(3.46 - 4.33)	0.410
Region 1 (Allegheny)	4.79	(3.80 - 6.02)	4.21	(3.38 - 5.23)	0.194
Regions 3, 8, 9, and 51	3.79	(2.94 - 4.87)	4.08	(3.24 - 5.12)	0.455
Regions 4, 11, 37, and 49	3.69	(2.89 - 4.71)	3.77	(3.02 - 4.71)	0.815
Regions 5, 18, 23, 24, and 46	3.94	(3.05 - 5.06)	3.42	(2.71 - 4.31)	0.160
Regions 6, 12, 16, 31, 35, 45, and 47	3.63	(2.82 - 4.68)	3.91	(3.11 - 4.91)	0.439
Regions 7, 13, 20, and 33	3.77	(3.08 - 4.61)	3.66	(3.02 - 4.44)	0.759
Regions 10, 15, 27, 32, 43, and 44	3.76	(2.92 - 4.85)	3.47	(2.71 - 4.44)	0.421
Regions 17 and 21	4.31	(3.33 - 5.56)	4.01	(3.19 - 5.04)	0.447
Regions 19, 26, 28, and 42	3.65	(2.89 - 4.61)	3.61	(2.91 - 4.47)	0.900
Regions 22, 38, 40, 41, and 48	4.16[b]	(3.27 - 5.27)	3.46	(2.73 - 4.36)	0.071
Regions 29 and 34	3.96	(3.05 - 5.13)	4.06	(3.21 - 5.12)	0.789
Regions 30 and 50	3.88	(3.02 - 4.97)	3.96	(3.13 - 5.00)	0.826
Region 36 (Philadelphia)	4.99	(3.97 - 6.24)	4.57	(3.72 - 5.61)	0.333
Rhode Island	5.00	(4.17 - 5.98)	4.57	(3.78 - 5.52)	0.237
Bristol and Newport	4.65	(3.44 - 6.27)	4.34	(3.26 - 5.76)	0.484
Kent	5.33[a]	(4.01 - 7.06)	4.06	(3.06 - 5.37)	0.009
Providence	4.84	(3.89 - 6.01)	4.78	(3.84 - 5.93)	0.892
Washington	5.68[a]	(4.28 - 7.50)	4.45	(3.37 - 5.85)	0.011
South Carolina	4.91[b]	(4.13 - 5.83)	4.35	(3.63 - 5.19)	0.092
Region 1	--	(-- - --)	4.31	(3.39 - 5.46)	--
Region 2	--	(-- - --)	4.46	(3.51 - 5.64)	--
Region 3	4.92	(3.72 - 6.48)	4.19	(3.23 - 5.43)	0.119
Region 4	5.27[b]	(4.05 - 6.82)	4.40	(3.45 - 5.59)	0.073
South Dakota	3.48	(2.87 - 4.23)	3.50	(2.88 - 4.24)	0.968
Region 1	3.50	(2.61 - 4.68)	3.26	(2.50 - 4.24)	0.520
Region 2	3.39	(2.42 - 4.75)	3.30	(2.46 - 4.41)	0.793
Region 3	3.26	(2.44 - 4.35)	3.55	(2.73 - 4.60)	0.419
Region 4	3.44	(2.52 - 4.69)	3.73	(2.86 - 4.84)	0.462
Region 5	3.71	(2.83 - 4.85)	3.60	(2.78 - 4.66)	0.779
Tennessee	4.93[a]	(4.16 - 5.84)	4.18	(3.50 - 4.99)	0.018
Region 1	4.71	(3.51 - 6.29)	4.19	(3.13 - 5.59)	0.267
Region 2	4.58	(3.45 - 6.05)	4.23	(3.24 - 5.49)	0.429
Region 3	4.77[b]	(3.61 - 6.26)	3.97	(3.07 - 5.11)	0.068
Region 4 (Davidson)	5.15	(3.85 - 6.85)	4.38	(3.35 - 5.71)	0.106
Region 5	5.53[a]	(4.33 - 7.04)	4.26	(3.32 - 5.45)	0.010
Region 6	4.64	(3.44 - 6.24)	4.01	(3.04 - 5.28)	0.154
Region 7 (Shelby)	4.73	(3.55 - 6.28)	4.19	(3.21 - 5.47)	0.241

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	4.45	(4.01 - 4.93)	4.19	(3.77 - 4.64)	0.206
Region 1	4.90	(3.81 - 6.26)	4.50	(3.61 - 5.60)	0.331
Region 2	4.47	(3.39 - 5.87)	4.39	(3.44 - 5.60)	0.853
Region 3	4.59[b]	(3.93 - 5.35)	4.10	(3.53 - 4.75)	0.098
Region 3a	4.63	(3.79 - 5.65)	4.05	(3.38 - 4.85)	0.119
Region 3bc	4.51	(3.66 - 5.55)	4.19	(3.39 - 5.16)	0.374
Region 4	4.21	(3.23 - 5.48)	4.07	(3.25 - 5.09)	0.723
Region 5	4.37	(3.35 - 5.68)	4.17	(3.28 - 5.29)	0.616
Region 6	4.02	(3.36 - 4.81)	3.92	(3.30 - 4.65)	0.730
Region 6a	3.98	(3.26 - 4.84)	3.91	(3.24 - 4.70)	0.825
Region 6bc	4.41	(3.37 - 5.77)	4.05	(3.17 - 5.16)	0.367
Region 7	5.09	(4.27 - 6.06)	4.65	(3.90 - 5.52)	0.198
Region 7a	5.23	(4.16 - 6.54)	4.70	(3.76 - 5.86)	0.232
Region 7bcd	4.85	(3.81 - 6.17)	4.55	(3.65 - 5.65)	0.468
Region 8	4.53	(3.65 - 5.61)	4.52	(3.66 - 5.55)	0.975
Region 9	4.53	(3.43 - 5.97)	4.39	(3.46 - 5.56)	0.733
Region 10	4.45	(3.46 - 5.70)	4.10	(3.24 - 5.17)	0.377
Region 11	4.16	(3.39 - 5.10)	4.02	(3.33 - 4.84)	0.642
Region 11abd	4.31	(3.37 - 5.50)	4.03	(3.20 - 5.06)	0.451
Region 11c (Hidalgo)	3.90	(2.93 - 5.17)	4.00	(3.16 - 5.05)	0.804
Utah	4.11	(3.42 - 4.92)	4.06	(3.39 - 4.85)	0.877
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.93	(2.96 - 5.20)	3.91	(2.97 - 5.14)	0.956
Central, Four Corners, San Juan, and Southwest	3.88	(2.82 - 5.31)	4.02	(3.06 - 5.26)	0.734
Davis County	4.05	(3.00 - 5.46)	4.03	(3.09 - 5.24)	0.960
Salt Lake County	4.12	(3.22 - 5.25)	3.88	(3.08 - 4.89)	0.573
Utah County	4.36	(3.29 - 5.77)	4.38	(3.43 - 5.59)	0.965
Weber, Morgan	4.13	(3.02 - 5.62)	4.43	(3.32 - 5.89)	0.496
Vermont	4.73[a]	(4.00 - 5.58)	3.49	(2.87 - 4.23)	0.000
Champlain Valley	5.21[a]	(4.20 - 6.44)	3.66	(2.88 - 4.63)	0.000
Rural Northeast	4.69[a]	(3.61 - 6.07)	3.39	(2.58 - 4.43)	0.001
Rural Southeast	4.31[a]	(3.29 - 5.63)	3.32	(2.49 - 4.42)	0.014
Rural Southwest	4.11[b]	(3.11 - 5.43)	3.41	(2.58 - 4.50)	0.067
Virginia	4.58	(3.85 - 5.44)	4.61	(3.88 - 5.48)	0.913
Region 1	5.03	(3.89 - 6.49)	5.08	(3.94 - 6.53)	0.929
Region 2	3.80	(2.87 - 5.01)	4.27	(3.30 - 5.49)	0.282
Region 3	4.67	(3.58 - 6.07)	4.47	(3.46 - 5.76)	0.682
Region 4	5.24	(3.93 - 6.96)	4.97	(3.82 - 6.46)	0.594
Region 5	4.64	(3.56 - 6.04)	4.56	(3.55 - 5.84)	0.871

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	5.55[a]	(4.70 - 6.54)	4.68	(3.93 - 5.57)	0.018
Region 1	5.32[b]	(4.22 - 6.70)	4.57	(3.65 - 5.72)	0.065
Greater Columbia and North Central	--	(-- - --)	4.50	(3.43 - 5.87)	--
Spokane	--	(-- - --)	4.68	(3.55 - 6.14)	--
Region 2	5.34	(4.37 - 6.52)	4.75	(3.86 - 5.84)	0.171
King	5.18	(4.03 - 6.65)	4.67	(3.64 - 5.97)	0.294
North Sound	5.62	(4.29 - 7.33)	4.89	(3.75 - 6.36)	0.205
Region 3	5.98[a]	(4.83 - 7.38)	4.66	(3.81 - 5.70)	0.002
Peninsula	--	(-- - --)	4.65	(3.46 - 6.24)	--
Pierce	--	(-- - --)	4.76	(3.68 - 6.12)	--
SW WA and Timberlands	--	(-- - --)	4.60	(3.47 - 6.07)	--
Thurston-Mason	--	(-- - --)	4.57	(3.40 - 6.10)	--
West Virginia	4.56[a]	(3.87 - 5.37)	3.89	(3.24 - 4.67)	0.042
Region I	4.74[a]	(3.51 - 6.39)	3.70	(2.75 - 4.95)	0.021
Region II	4.50	(3.41 - 5.90)	3.95	(3.00 - 5.20)	0.226
Region III	4.09	(3.03 - 5.51)	3.82	(2.86 - 5.08)	0.510
Region IV	5.39[a]	(4.29 - 6.75)	4.26	(3.34 - 5.42)	0.015
Region V	4.33	(3.40 - 5.50)	3.72	(2.90 - 4.75)	0.152
Region VI	4.13	(3.07 - 5.54)	3.81	(2.91 - 4.96)	0.465
Wisconsin	4.74	(3.94 - 5.68)	4.38	(3.63 - 5.27)	0.274
Milwaukee	5.66	(4.21 - 7.56)	5.02	(3.80 - 6.60)	0.225
Northeastern	4.16	(3.13 - 5.51)	4.08	(3.11 - 5.32)	0.852
Northern	4.43	(3.25 - 6.02)	4.06	(2.99 - 5.49)	0.395
Southeastern	5.13[b]	(3.85 - 6.80)	4.35	(3.29 - 5.74)	0.100
Southern	4.37	(3.27 - 5.81)	4.30	(3.28 - 5.61)	0.877
Western	4.67	(3.53 - 6.16)	4.44	(3.45 - 5.69)	0.607

See notes at end of table.

(continued)

Table 7 *Nonmedical Use of Pain Relievers in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	4.36[a]	(3.66 - 5.18)	3.58	(2.93 - 4.36)	0.009
Judicial District 1 (Laramie)	4.17[a]	(3.20 - 5.43)	3.33	(2.51 - 4.39)	0.027
Judicial District 2	5.50[a]	(4.16 - 7.24)	4.52	(3.44 - 5.93)	0.047
Judicial District 3	4.05[b]	(3.07 - 5.32)	3.38	(2.56 - 4.47)	0.095
Judicial District 4	3.77	(2.75 - 5.16)	3.39	(2.48 - 4.61)	0.365
Judicial District 5	3.94	(2.85 - 5.41)	3.26	(2.40 - 4.42)	0.105
Judicial District 6	4.23	(3.16 - 5.65)	3.73	(2.80 - 4.95)	0.229
Judicial District 7 (Natrona)	4.85[a]	(3.64 - 6.43)	3.87	(2.92 - 5.12)	0.035
Judicial District 8	4.23[a]	(3.09 - 5.76)	3.37	(2.50 - 4.54)	0.039
Judicial District 9	4.35[a]	(3.19 - 5.91)	3.42	(2.53 - 4.61)	0.035

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	51.78[a]	(51.32 - 52.24)	52.32	(51.88 - 52.76)	0.037
Northeast	57.31	(56.47 - 58.14)	57.75	(56.93 - 58.55)	0.328
Midwest	54.51[a]	(53.84 - 55.17)	55.24	(54.58 - 55.89)	0.037
South	48.00[b]	(47.36 - 48.63)	48.57	(47.96 - 49.18)	0.094
West	50.94	(50.07 - 51.81)	51.41	(50.58 - 52.24)	0.313
Alabama	42.76	(40.16 - 45.40)	44.05	(41.43 - 46.71)	0.331
Region 1	38.98	(34.67 - 43.47)	39.10	(34.56 - 43.82)	0.954
Region 2	48.04	(43.83 - 52.27)	46.22	(42.12 - 50.38)	0.377
Region 3	38.87[a]	(34.44 - 43.49)	43.45	(38.89 - 48.12)	0.035
Region 4	43.01[a]	(38.57 - 47.58)	47.71	(42.88 - 52.58)	0.031
Alaska	52.68	(49.90 - 55.45)	53.93	(51.32 - 56.52)	0.378
Anchorage	57.75	(54.13 - 61.29)	57.00	(53.26 - 60.67)	0.692
Northern	44.73[a]	(39.93 - 49.63)	49.52	(44.52 - 54.52)	0.036
South Central	51.67	(46.52 - 56.78)	51.92	(47.17 - 56.64)	0.911
Southeast	52.25[b]	(46.63 - 57.81)	56.16	(50.84 - 61.34)	0.088
Arizona	49.92	(47.07 - 52.76)	51.87	(49.15 - 54.58)	0.155
Maricopa	52.39[b]	(48.90 - 55.86)	55.74	(52.34 - 59.08)	0.054
Pima	52.31	(46.85 - 57.73)	48.95	(43.51 - 54.41)	0.140
Rural North	45.11	(39.59 - 50.75)	43.46	(37.16 - 49.97)	0.490
Rural South	40.37[a]	(34.48 - 46.55)	45.30	(39.50 - 51.23)	0.035
Arkansas	39.61	(36.94 - 42.35)	41.43	(38.98 - 43.92)	0.140
Catchment Area 1	44.11	(38.96 - 49.38)	44.62	(39.61 - 49.75)	0.817
Catchment Area 2	36.89	(31.30 - 42.86)	39.60	(34.50 - 44.94)	0.239
Catchment Area 3	34.85	(29.82 - 40.23)	34.94	(30.07 - 40.14)	0.965
Catchment Area 4	38.06	(32.44 - 44.01)	37.39	(32.12 - 42.98)	0.764
Catchment Area 5	41.53[a]	(36.20 - 47.07)	46.11	(40.94 - 51.36)	0.039
Catchment Area 6	34.35[a]	(28.76 - 40.41)	39.60	(33.88 - 45.62)	0.018
Catchment Area 7	35.53	(29.88 - 41.61)	36.38	(30.56 - 42.62)	0.699
Catchment Area 8	43.82	(39.14 - 48.61)	45.28	(39.98 - 50.68)	0.513

See notes at end of table. (continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	49.67	(48.29 - 51.06)	50.16	(48.86 - 51.46)	0.506
Region 1R	57.28	(51.69 - 62.68)	57.04	(51.53 - 62.38)	0.914
Region 2R	57.11	(51.68 - 62.37)	58.27	(52.87 - 63.48)	0.581
Region 3R (Sacramento)	46.80	(41.86 - 51.80)	47.11	(42.55 - 51.72)	0.875
Region 4R	57.09	(52.13 - 61.91)	55.92	(51.51 - 60.24)	0.567
Region 5R (San Francisco)	61.06	(55.37 - 66.46)	60.64	(54.13 - 66.79)	0.846
Region 6 (Santa Clara)	50.59	(45.49 - 55.68)	50.99	(46.34 - 55.62)	0.847
Region 7R (Contra Costa)	55.81	(50.51 - 60.97)	56.56	(51.60 - 61.39)	0.720
Region 8R (Alameda)	53.88[a]	(49.04 - 58.64)	48.34	(43.36 - 53.36)	0.016
Region 9R (San Mateo)	54.99	(48.77 - 61.06)	55.29	(49.05 - 61.36)	0.897
Region 10	53.88	(48.80 - 58.88)	56.40	(51.31 - 61.36)	0.226
Region 11 (Los Angeles)	46.60	(44.45 - 48.77)	47.64	(45.55 - 49.73)	0.316
LA SPA 1 and 5	53.32[a]	(47.63 - 58.92)	58.60	(53.00 - 63.99)	0.016
LA SPA 2	49.20	(44.49 - 53.91)	50.30	(46.05 - 54.54)	0.583
LA SPA 3	39.78	(35.17 - 44.58)	41.30	(36.46 - 46.32)	0.479
LA SPA 4	49.32	(44.05 - 54.60)	50.62	(45.27 - 55.95)	0.533
LA SPA 6	40.61	(35.50 - 45.93)	39.63	(34.32 - 45.20)	0.653
LA SPA 7	44.26	(39.27 - 49.37)	44.45	(39.72 - 49.28)	0.933
LA SPA 8	49.79	(45.02 - 54.58)	48.90	(44.30 - 53.52)	0.658
Region 12R	50.14	(44.32 - 55.95)	47.62	(41.79 - 53.51)	0.242
Regions 13 and 19R	47.77	(43.83 - 51.74)	45.80	(41.78 - 49.87)	0.273
Region 14 (Orange)	48.80[a]	(45.06 - 52.55)	53.16	(49.35 - 56.93)	0.017
Region 15R (Fresno)	44.20	(38.88 - 49.67)	45.81	(40.63 - 51.09)	0.424
Region 16R (San Diego)	51.45[a]	(47.75 - 55.13)	55.47	(51.79 - 59.09)	0.024
Region 17R	45.03	(40.51 - 49.64)	44.60	(40.23 - 49.06)	0.829
Region 18R (San Bernardino)	44.28[b]	(40.17 - 48.47)	40.79	(36.61 - 45.10)	0.064
Region 20R	46.66	(41.22 - 52.19)	44.92	(39.74 - 50.22)	0.409
Region 21R	51.59	(46.39 - 56.76)	52.11	(46.29 - 57.86)	0.805
Colorado	59.80	(57.21 - 62.35)	60.73	(58.28 - 63.13)	0.457
Region 1	59.59[b]	(54.43 - 64.55)	63.47	(58.05 - 68.57)	0.067
Regions 2 and 7	61.59	(58.26 - 64.82)	60.75	(57.52 - 63.88)	0.594
Region 3	59.50	(54.64 - 64.18)	61.98	(57.05 - 66.67)	0.238
Region 4	46.57	(40.08 - 53.17)	47.56	(41.15 - 54.05)	0.681
Regions 5 and 6	57.95[b]	(51.89 - 63.78)	62.12	(56.50 - 67.43)	0.072
Connecticut	60.95	(58.26 - 63.58)	60.65	(58.05 - 63.19)	0.815
Eastern	59.23	(54.17 - 64.10)	60.87	(55.65 - 65.85)	0.433
North Central	58.67	(54.11 - 63.08)	60.53	(56.06 - 64.83)	0.357
Northwestern	61.08	(55.85 - 66.06)	60.31	(55.33 - 65.09)	0.729
South Central	63.66[b]	(58.91 - 68.15)	59.62	(55.06 - 64.03)	0.053
Southwest	61.97	(57.05 - 66.66)	62.26	(56.79 - 67.42)	0.897

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	53.70	(51.00 - 56.39)	55.43	(52.87 - 57.97)	0.213
Kent	52.26	(47.17 - 57.31)	54.64	(49.74 - 59.45)	0.287
New Castle (excluding Wilmington City)	54.94	(51.37 - 58.47)	56.81	(53.44 - 60.12)	0.298
Sussex	53.95	(49.09 - 58.73)	55.02	(50.01 - 59.94)	0.646
Wilmington City	48.36	(42.44 - 54.32)	49.56	(43.21 - 55.92)	0.623
District of Columbia	64.08[a]	(61.51 - 66.56)	66.90	(64.56 - 69.16)	0.023
Ward 1	71.49	(66.28 - 76.18)	73.40	(68.89 - 77.48)	0.315
Ward 2	80.21	(75.87 - 83.94)	80.18	(75.76 - 83.96)	0.984
Ward 3	76.48[a]	(71.87 - 80.55)	80.81	(76.41 - 84.56)	0.009
Ward 4	59.38[a]	(53.55 - 64.95)	64.73	(59.12 - 69.96)	0.020
Ward 5	55.83	(50.53 - 60.99)	59.37	(53.96 - 64.57)	0.135
Ward 6	69.73	(64.34 - 74.63)	71.79	(66.82 - 76.28)	0.295
Ward 7	47.21	(41.60 - 52.90)	49.46	(43.29 - 55.65)	0.366
Ward 8	46.57[a]	(41.50 - 51.71)	51.10	(45.77 - 56.41)	0.047
Florida[1]	51.22[a]	(49.79 - 52.64)	52.83	(51.40 - 54.26)	0.038
Broward (Circuit 17)	49.49	(45.61 - 53.37)	51.58	(47.43 - 55.72)	0.294
Central I	--	(-- - --)	53.64	(50.43 - 56.82)	--
Circuit 9	53.01[b]	(49.19 - 56.78)	49.48	(45.37 - 53.59)	0.070
Circuit 18	55.35[a]	(50.68 - 59.94)	59.68	(54.90 - 64.29)	0.034
Central II	--	(-- - --)	54.07	(51.73 - 56.39)	--
Circuit 6	56.64	(51.97 - 61.19)	54.76	(50.12 - 59.31)	0.381
Circuit 10	42.20	(37.50 - 47.05)	45.41	(40.36 - 50.56)	0.129
Circuit 12	59.84	(54.71 - 64.76)	58.79	(53.50 - 63.89)	0.642
Circuit 13 (Hillsborough)	51.20	(47.16 - 55.22)	51.80	(47.55 - 56.02)	0.747
Circuit 20	57.77	(53.08 - 62.32)	57.83	(53.06 - 62.45)	0.978
Northeast	--	(-- - --)	53.18	(50.53 - 55.81)	--
Circuit 4	47.70[a]	(43.10 - 52.34)	53.26	(48.72 - 57.76)	0.005
Circuit 5	49.18	(43.80 - 54.58)	52.97	(47.76 - 58.11)	0.117
Circuit 7	53.51	(48.63 - 58.32)	55.00	(49.77 - 60.13)	0.491
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	50.44	(45.08 - 55.78)	--
Northwest	--	(-- - --)	54.38	(51.05 - 57.67)	--
Circuit 1	50.78[a]	(46.33 - 55.23)	55.28	(49.94 - 60.50)	0.041
Circuit 2 plus Madison and Taylor	--	(-- - --)	57.20	(52.04 - 62.22)	--
Circuit 14	46.30	(40.24 - 52.47)	48.08	(41.60 - 54.63)	0.449
South (Circuits 11 and 16)	43.97[a]	(40.81 - 47.17)	47.70	(44.38 - 51.04)	0.023
Southeast	--	(-- - --)	54.72	(51.14 - 58.24)	--
Circuit 15 (Palm Beach)	51.26	(46.76 - 55.74)	54.16	(49.75 - 58.50)	0.148
Circuit 19	56.41	(50.85 - 61.81)	55.95	(50.24 - 61.50)	0.841

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	46.50	(43.94 - 49.08)	47.92	(45.34 - 50.51)	0.258
Region 1	47.94	(43.45 - 52.46)	48.97	(44.50 - 53.46)	0.625
Region 2	44.51	(39.60 - 49.53)	45.43	(40.47 - 50.48)	0.666
Region 3	50.63	(46.50 - 54.76)	49.91	(45.72 - 54.10)	0.714
Region 4	39.19	(33.57 - 45.11)	42.58	(36.44 - 48.94)	0.140
Region 5	41.89[a]	(35.72 - 48.31)	47.75	(41.59 - 53.97)	0.017
Region 6	43.96	(38.72 - 49.34)	46.54	(41.03 - 52.14)	0.260
Hawaii	49.04	(46.23 - 51.85)	48.95	(46.27 - 51.64)	0.952
Hawaii Island	54.60	(48.97 - 60.10)	56.43	(50.79 - 61.92)	0.463
Honolulu	47.23	(43.96 - 50.51)	46.24	(43.01 - 49.51)	0.567
Kauai	51.99	(44.84 - 59.05)	54.09	(47.35 - 60.68)	0.404
Maui	52.28	(46.19 - 58.30)	54.67	(49.03 - 60.19)	0.316
Idaho	49.19[b]	(46.52 - 51.88)	47.09	(44.67 - 49.52)	0.091
Region 1	56.03	(49.99 - 61.90)	53.83	(48.27 - 59.29)	0.351
Region 2	55.10	(48.99 - 61.06)	53.48	(46.82 - 60.02)	0.502
Region 3	43.05	(37.78 - 48.48)	39.98	(34.96 - 45.22)	0.179
Region 4	56.37	(51.93 - 60.71)	56.21	(52.15 - 60.20)	0.937
Region 5	47.36[a]	(42.18 - 52.59)	42.25	(36.77 - 47.94)	0.034
Region 6	--	(-- - --)	41.64	(35.68 - 47.85)	--
Region 7	--	(-- - --)	34.66	(29.97 - 39.67)	--
Illinois	54.89	(53.51 - 56.26)	55.47	(54.11 - 56.82)	0.452
Region I (Cook)	55.90	(53.73 - 58.05)	55.29	(53.06 - 57.49)	0.614
Region II	57.10	(54.86 - 59.32)	57.18	(54.96 - 59.38)	0.949
Region III	53.27	(49.94 - 56.57)	55.04	(51.58 - 58.45)	0.307
Region IV	49.34[a]	(45.28 - 53.42)	54.64	(50.70 - 58.51)	0.005
Region V	49.30	(45.47 - 53.13)	51.65	(47.73 - 55.56)	0.219
Indiana	51.19	(48.44 - 53.93)	51.02	(48.51 - 53.51)	0.893
Central	51.94	(47.18 - 56.66)	53.29	(48.68 - 57.84)	0.528
East	45.63	(40.09 - 51.29)	46.18	(40.64 - 51.81)	0.809
North Central	51.03	(45.77 - 56.27)	49.33	(44.26 - 54.41)	0.444
Northeast	51.24	(45.37 - 57.08)	53.56	(47.60 - 59.42)	0.329
Northwest	52.62	(47.26 - 57.92)	51.34	(45.69 - 56.95)	0.576
Southeast	46.71	(40.89 - 52.63)	45.90	(39.84 - 52.09)	0.754
Southwest	49.62	(43.34 - 55.92)	53.29	(47.34 - 59.14)	0.139
West	57.80[a]	(52.25 - 63.16)	52.22	(46.53 - 57.85)	0.015
Iowa	55.67	(53.03 - 58.28)	57.67	(55.10 - 60.20)	0.109
Central	59.62	(54.80 - 64.25)	60.51	(55.46 - 65.34)	0.666
North Central	53.65	(47.96 - 59.25)	56.77	(50.72 - 62.62)	0.171
Northeast	60.33	(55.86 - 64.64)	59.30	(55.00 - 63.47)	0.610
Northwest	50.85[a]	(45.52 - 56.16)	59.24	(53.24 - 64.99)	0.000
Southeast	53.01	(48.17 - 57.79)	54.52	(49.84 - 59.12)	0.473
Southwest	52.64	(46.78 - 58.44)	53.91	(48.05 - 59.66)	0.598

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	51.43[b]	(48.73 - 54.12)	53.67	(51.21 - 56.11)	0.076
Kansas City Metro	54.69[b]	(50.70 - 58.63)	58.12	(54.38 - 61.77)	0.068
Northeast	52.29[b]	(46.92 - 57.61)	55.87	(50.92 - 60.70)	0.096
South Central	45.83	(40.06 - 51.72)	46.05	(40.86 - 51.33)	0.930
Southeast	44.10	(37.63 - 50.78)	47.51	(40.47 - 54.66)	0.199
West	46.12	(40.47 - 51.86)	49.67	(43.80 - 55.55)	0.136
Wichita (Sedgwick)	54.47	(49.49 - 59.36)	52.93	(47.80 - 58.00)	0.489
Kentucky	43.44	(40.81 - 46.10)	43.88	(41.28 - 46.52)	0.740
Adanta, Cumberland River, and Lifeskills	32.72	(28.17 - 37.61)	35.08	(30.23 - 40.27)	0.255
Bluegrass, Comprehend, and North Key	51.11	(46.72 - 55.48)	50.19	(45.93 - 54.46)	0.667
Communicare and River Valley	43.01	(37.13 - 49.10)	43.54	(37.86 - 49.39)	0.827
Four Rivers and Pennyroyal	38.42	(32.92 - 44.24)	38.11	(32.36 - 44.21)	0.889
Kentucky River, Mountain, and Pathways	33.06	(27.55 - 39.09)	33.37	(27.97 - 39.25)	0.892
Seven Counties	49.14	(44.34 - 53.96)	50.16	(45.43 - 54.88)	0.646
Louisiana	47.70	(45.21 - 50.21)	48.53	(46.02 - 51.04)	0.505
Regions 1 and 10	50.33[b]	(45.91 - 54.75)	53.62	(49.09 - 58.09)	0.077
Region 1	48.46	(42.74 - 54.23)	51.90	(45.73 - 58.02)	0.139
Region 10 (Jefferson)	52.19	(46.35 - 57.97)	55.40	(49.65 - 61.01)	0.163
Regions 2 and 9	50.99	(46.69 - 55.27)	51.60	(47.26 - 55.92)	0.750
Region 3	46.78	(41.22 - 52.42)	49.62	(43.65 - 55.61)	0.220
Regions 4, 5, and 6	45.59	(41.46 - 49.79)	46.32	(41.84 - 50.86)	0.724
Regions 7 and 8	43.95	(39.63 - 48.36)	41.81	(37.23 - 46.53)	0.305
Maine	54.06[a]	(51.14 - 56.95)	57.01	(54.33 - 59.66)	0.031
Aroostook/Downeast	51.50	(46.40 - 56.58)	51.55	(46.03 - 57.03)	0.983
Aroostook	48.63	(41.74 - 55.57)	49.41	(42.52 - 56.32)	0.787
Downeast	53.86	(47.29 - 60.30)	53.29	(45.83 - 60.61)	0.834
Central	50.75[a]	(44.91 - 56.57)	55.46	(49.85 - 60.92)	0.045
Cumberland	58.87[a]	(53.61 - 63.94)	65.01	(60.19 - 69.54)	0.004
Midcoast	53.68	(46.92 - 60.30)	54.20	(47.87 - 60.39)	0.855
Penquis	53.09	(47.95 - 58.16)	56.12	(50.37 - 61.72)	0.209
Western	51.00	(45.73 - 56.24)	51.80	(46.31 - 57.24)	0.735
York	56.26	(50.48 - 61.88)	59.23	(53.53 - 64.70)	0.198

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	56.05	(53.37 - 58.70)	57.45	(54.81 - 60.05)	0.258
Anne Arundel	61.64	(55.36 - 67.55)	63.55	(57.93 - 68.82)	0.390
Baltimore City	48.91	(43.70 - 54.14)	50.92	(45.54 - 56.29)	0.355
Baltimore County	56.09	(50.78 - 61.27)	59.89	(54.16 - 65.35)	0.101
Montgomery	57.96	(52.68 - 63.06)	59.68	(54.17 - 64.95)	0.454
North Central	58.92	(53.09 - 64.52)	57.25	(50.71 - 63.54)	0.466
Northeast	55.82	(49.93 - 61.54)	58.40	(52.08 - 64.46)	0.261
Prince George's	53.01	(47.48 - 58.47)	53.70	(47.83 - 59.47)	0.771
South	58.53	(52.82 - 64.01)	56.58	(50.89 - 62.11)	0.390
West	55.14	(49.18 - 60.95)	57.07	(51.20 - 62.74)	0.418
Massachusetts	64.30	(61.84 - 66.68)	62.81	(60.27 - 65.28)	0.216
Boston	64.14	(59.10 - 68.89)	62.07	(56.44 - 67.39)	0.311
Central	62.41[a]	(57.05 - 67.48)	57.61	(52.10 - 62.94)	0.024
Metrowest	70.72[b]	(66.49 - 74.62)	67.61	(63.22 - 71.71)	0.097
Northeast	62.75	(58.43 - 66.87)	61.74	(56.99 - 66.28)	0.632
Southeast	63.61	(58.85 - 68.11)	64.99	(60.35 - 69.37)	0.490
Western	58.18	(53.00 - 63.18)	58.41	(53.36 - 63.30)	0.912
Michigan[1]	53.80	(52.44 - 55.16)	54.52	(53.11 - 55.92)	0.337
Region 1	55.28	(50.14 - 60.31)	57.60	(52.16 - 62.86)	0.302
Region 2	--	(-- - --)	55.42	(50.19 - 60.54)	--
Region 3	--	(-- - --)	56.10	(52.79 - 59.37)	--
Region 4	--	(-- - --)	50.93	(46.82 - 55.03)	--
Region 5	--	(-- - --)	53.94	(50.97 - 56.90)	--
Region 6	--	(-- - --)	58.45	(54.59 - 62.21)	--
Region 7	--	(-- - --)	48.39	(45.23 - 51.55)	--
Region 8	58.31	(54.91 - 61.63)	60.50	(56.83 - 64.05)	0.223
Region 9	60.02	(56.31 - 63.62)	57.14	(53.10 - 61.08)	0.119
Region 10	--	(-- - --)	52.60	(48.60 - 56.56)	--
Minnesota	58.64	(55.94 - 61.29)	59.26	(56.72 - 61.76)	0.612
Regions 1 and 2	53.52	(47.01 - 59.90)	54.77	(48.60 - 60.80)	0.607
Regions 3 and 4	58.51	(53.40 - 63.44)	57.69	(52.53 - 62.70)	0.704
Regions 5 and 6	56.60	(51.57 - 61.49)	58.35	(53.20 - 63.33)	0.415
Region 7A (Hennepin)	64.31	(59.84 - 68.54)	62.87	(58.06 - 67.44)	0.480
Region 7B (Ramsey)	54.31[b]	(48.14 - 60.35)	58.48	(52.79 - 63.96)	0.055
Region 7C	59.07	(54.76 - 63.25)	60.00	(55.73 - 64.12)	0.623
Mississippi	40.61	(38.18 - 43.09)	42.08	(39.47 - 44.75)	0.251
Region 1	37.47[b]	(33.27 - 41.87)	41.00	(36.67 - 45.47)	0.080
Region 2	38.27	(32.90 - 43.94)	39.33	(34.06 - 44.86)	0.646
Region 3	38.99	(34.08 - 44.12)	40.64	(35.60 - 45.89)	0.446
Region 4	43.82	(39.21 - 48.54)	44.12	(38.71 - 49.66)	0.898
Region 5	36.21	(30.01 - 42.90)	39.03	(32.73 - 45.72)	0.240
Region 6	43.41	(38.08 - 48.89)	42.92	(37.75 - 48.25)	0.828
Region 7	44.59	(39.51 - 49.79)	45.30	(39.73 - 50.99)	0.773

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	50.64	(47.97 - 53.30)	51.38	(48.84 - 53.92)	0.549
Central	49.99	(44.47 - 55.50)	51.00	(45.80 - 56.18)	0.663
Eastern	53.99	(50.30 - 57.64)	53.84	(50.24 - 57.40)	0.926
Eastern (St. Louis City and County)	52.06	(47.48 - 56.62)	52.40	(47.75 - 57.01)	0.871
Eastern (excluding St. Louis)	57.33	(51.97 - 62.52)	56.30	(51.21 - 61.27)	0.657
Northwest	52.58	(48.43 - 56.70)	52.93	(48.53 - 57.29)	0.842
Northwest (Jackson)	52.52[b]	(47.14 - 57.85)	56.52	(50.74 - 62.13)	0.080
Northwest (excluding Jackson)	52.64	(46.90 - 58.30)	49.91	(44.15 - 55.67)	0.236
Southeast	44.84	(39.44 - 50.35)	43.95	(38.23 - 49.83)	0.709
Southwest	45.13[b]	(39.72 - 50.65)	49.51	(44.07 - 54.97)	0.058
Montana	60.19	(57.69 - 62.64)	58.86	(56.37 - 61.31)	0.283
Region 1	56.64	(50.72 - 62.37)	55.38	(48.51 - 62.05)	0.625
Region 2	51.93	(46.56 - 57.26)	52.97	(47.72 - 58.16)	0.651
Region 3	56.68	(52.14 - 61.10)	56.47	(52.03 - 60.80)	0.919
Region 4	65.13	(60.88 - 69.16)	62.58	(58.07 - 66.87)	0.186
Region 5	62.99	(59.16 - 66.67)	60.85	(56.60 - 64.94)	0.256
Nebraska	53.43[a]	(50.69 - 56.15)	56.95	(54.36 - 59.50)	0.007
Regions 1 and 2	49.15	(43.94 - 54.39)	50.44	(45.02 - 55.84)	0.519
Region 1	47.40	(40.65 - 54.25)	46.74	(39.78 - 53.83)	0.791
Region 2	50.70	(44.01 - 57.36)	53.69	(46.26 - 60.96)	0.241
Region 3	48.40[a]	(43.03 - 53.80)	54.33	(48.88 - 59.68)	0.011
Region 4	48.90[a]	(42.85 - 54.98)	56.00	(49.91 - 61.91)	0.004
Region 5	59.38	(54.86 - 63.75)	59.64	(55.24 - 63.90)	0.898
Region 6	53.68[a]	(49.81 - 57.50)	57.97	(54.12 - 61.72)	0.020
Nevada	52.99	(49.97 - 55.98)	54.21	(51.51 - 56.90)	0.401
Clark – Region 1	51.43	(47.88 - 54.96)	52.78	(49.54 - 56.00)	0.437
Region 3	53.12	(47.72 - 58.44)	55.16	(49.72 - 60.49)	0.309
Capital District	57.61	(50.93 - 64.03)	57.66	(50.46 - 64.54)	0.986
Rural/Frontier	49.05	(41.83 - 56.31)	52.91	(46.10 - 59.61)	0.123
Washoe – Region 2	59.99	(54.96 - 64.81)	60.04	(55.09 - 64.79)	0.979
New Hampshire	63.12	(60.51 - 65.65)	65.16	(62.78 - 67.47)	0.112
Central	62.88	(58.72 - 66.86)	62.72	(58.93 - 66.36)	0.928
Central 1	64.97	(59.94 - 69.68)	61.85	(56.63 - 66.81)	0.154
Central 2	60.86	(55.19 - 66.24)	63.57	(58.60 - 68.27)	0.249
Northern	61.05[b]	(55.37 - 66.44)	65.18	(59.36 - 70.58)	0.080
Southern	63.70[b]	(60.64 - 66.65)	66.34	(63.51 - 69.06)	0.079
Southern 1 (Rockingham)	66.09	(61.63 - 70.28)	66.66	(62.45 - 70.63)	0.774
Southern 2	62.22[a]	(58.36 - 65.92)	66.14	(62.47 - 69.63)	0.029

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	56.74	(53.97 - 59.47)	56.91	(54.41 - 59.38)	0.891
Central	60.89	(55.92 - 65.65)	58.42	(53.87 - 62.83)	0.259
Metropolitan	55.49	(50.92 - 59.96)	53.91	(49.17 - 58.58)	0.463
Northern	56.63	(52.15 - 61.01)	58.18	(54.03 - 62.22)	0.424
Southern	53.78	(49.01 - 58.49)	56.76	(52.01 - 61.38)	0.156
New Mexico	45.19[a]	(42.39 - 48.03)	49.46	(46.96 - 51.96)	0.001
Region 1	37.76[a]	(33.53 - 42.17)	45.68	(41.34 - 50.08)	0.000
Region 2	47.86	(42.10 - 53.67)	49.23	(43.25 - 55.24)	0.554
Region 3 (Bernalillo)	50.51[a]	(45.78 - 55.24)	56.38	(52.27 - 60.40)	0.006
Region 4	42.85[a]	(37.60 - 48.26)	47.19	(42.02 - 52.42)	0.049
Region 5	43.71	(39.01 - 48.53)	43.62	(38.62 - 48.75)	0.965
New York	55.42	(53.96 - 56.87)	55.97	(54.57 - 57.36)	0.481
Region A	53.27	(51.20 - 55.32)	53.64	(51.42 - 55.85)	0.728
Region 1	45.41	(41.29 - 49.60)	43.75	(39.60 - 47.99)	0.396
Region 2	53.20	(49.72 - 56.64)	52.81	(49.20 - 56.39)	0.825
Region 3	63.47[a]	(59.22 - 67.53)	68.44	(64.20 - 72.39)	0.005
Region 4	50.43	(46.37 - 54.49)	49.62	(45.41 - 53.84)	0.680
Region B	60.56	(58.21 - 62.86)	59.70	(57.17 - 62.18)	0.489
Region 5	62.03	(58.98 - 64.98)	60.17	(56.74 - 63.51)	0.259
Region 6	59.88	(55.56 - 64.06)	59.07	(54.29 - 63.68)	0.689
Region 7	56.74	(52.11 - 61.25)	59.13	(53.97 - 64.10)	0.268
Region C	55.19	(52.89 - 57.48)	56.85	(54.69 - 58.99)	0.126
Region 8	57.16	(52.77 - 61.44)	56.35	(51.94 - 60.65)	0.666
Region 9	52.09	(47.49 - 56.65)	54.04	(49.61 - 58.41)	0.351
Region 10	56.39	(51.09 - 61.54)	58.08	(51.92 - 64.00)	0.467
Region 11	54.90[b]	(50.63 - 59.10)	58.35	(54.02 - 62.56)	0.076
Region 12	55.87	(51.44 - 60.21)	57.78	(53.81 - 61.65)	0.318
Region D	50.84[a]	(47.45 - 54.21)	53.68	(50.51 - 56.83)	0.049
Region 13	51.61[a]	(46.07 - 57.12)	56.20	(50.69 - 61.57)	0.045
Region 14	53.09	(47.43 - 58.68)	53.51	(47.66 - 59.26)	0.853
Region 15	47.91[b]	(43.04 - 52.83)	51.62	(46.67 - 56.54)	0.091

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	46.81	(43.99 - 49.64)	47.98	(45.36 - 50.61)	0.372
Alliance Behavioral Healthcare 1	--	(-- - --)	45.02	(39.35 - 50.82)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	60.68	(54.85 - 66.22)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	49.53	(42.81 - 56.26)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	45.97	(39.92 - 52.14)	--
Cardinal Innovations Healthcare Solutions 3	48.73[a]	(42.53 - 54.98)	54.25	(48.35 - 60.02)	0.018
CenterPoint Human Services	41.55	(34.73 - 48.71)	44.77	(38.73 - 50.97)	0.198
Eastpointe	35.05	(29.63 - 40.88)	32.73	(27.14 - 38.86)	0.307
Partners Behavioral Health Management	45.98	(40.45 - 51.61)	44.82	(39.34 - 50.43)	0.630
Sandhills Center 1	44.48	(37.89 - 51.28)	45.39	(38.18 - 52.79)	0.731
Sandhills Center 2	47.27	(41.04 - 53.59)	49.31	(43.16 - 55.49)	0.407
Smoky Mountain Center 1	45.63	(38.37 - 53.08)	45.98	(39.18 - 52.93)	0.889
Smoky Mountain Center 2	48.92	(42.26 - 55.63)	51.57	(44.62 - 58.46)	0.319
Trillium Health Resources 1	43.94	(37.17 - 50.95)	43.92	(37.12 - 50.95)	0.991
Trillium Health Resources 2	53.57	(46.70 - 60.31)	54.50	(47.40 - 61.43)	0.706
North Dakota	59.55	(56.86 - 62.19)	59.46	(57.00 - 61.87)	0.938
Badlands and West Central	59.33[a]	(54.44 - 64.05)	63.38	(59.25 - 67.33)	0.050
Lake Region	--	(-- - --)	43.91	(37.80 - 50.21)	--
North Central	--	(-- - --)	55.86	(50.28 - 61.30)	--
Northeast	61.35	(56.04 - 66.40)	62.26	(57.32 - 66.95)	0.659
Northwest	--	(-- - --)	54.01	(47.07 - 60.80)	--
South Central	--	(-- - --)	53.81	(47.39 - 60.10)	--
Southeast	65.90[a]	(62.24 - 69.39)	61.99	(57.79 - 66.02)	0.023

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	52.77	(51.42 - 54.11)	53.68	(52.32 - 55.04)	0.216
Boards 2, 46, 55, and 68	48.59	(43.90 - 53.30)	51.79	(46.30 - 57.25)	0.148
Boards 3, 52, and 85	55.40	(50.10 - 60.58)	56.30	(51.02 - 61.45)	0.660
Boards 4 and 78	53.74	(47.98 - 59.40)	51.23	(45.56 - 56.88)	0.269
Boards 5 and 60	50.31	(45.15 - 55.47)	50.44	(44.99 - 55.88)	0.955
Boards 7, 15, 41, 79, and 84	45.08	(40.44 - 49.82)	44.18	(38.97 - 49.52)	0.696
Boards 8, 13, and 83	52.83	(48.16 - 57.44)	52.14	(47.03 - 57.19)	0.756
Board 9 (Butler)	54.12	(49.12 - 59.05)	56.00	(50.12 - 61.72)	0.396
Board 12	53.65	(48.29 - 58.92)	52.55	(46.57 - 58.45)	0.636
Boards 18 and 47	57.20	(54.05 - 60.30)	56.48	(53.18 - 59.72)	0.673
Boards 20, 32, 54, and 69	51.68	(46.54 - 56.78)	51.17	(45.99 - 56.32)	0.811
Boards 21, 39, 51, 70, and 80	53.24	(48.45 - 57.97)	51.46	(46.69 - 56.21)	0.425
Boards 22, 74, and 87	54.27	(49.47 - 58.99)	57.11	(51.66 - 62.39)	0.178
Boards 23 and 45	50.78	(45.85 - 55.69)	52.71	(47.49 - 57.86)	0.371
Board 25 (Franklin)	54.64	(51.06 - 58.18)	56.51	(52.83 - 60.12)	0.295
Boards 27, 71, and 73	40.68	(35.69 - 45.87)	42.64	(37.56 - 47.89)	0.366
Boards 28, 43, and 67	60.00	(55.67 - 64.19)	58.96	(54.06 - 63.69)	0.601
Board 31 (Hamilton)	52.71	(48.72 - 56.67)	54.43	(50.12 - 58.67)	0.370
Board 48 (Lucas)	52.13	(46.92 - 57.30)	53.95	(48.73 - 59.09)	0.395
Boards 50 and 76	53.12	(48.71 - 57.48)	54.69	(50.00 - 59.30)	0.442
Board 57 (Montgomery)	48.06	(43.35 - 52.81)	51.31	(46.55 - 56.05)	0.121
Board 77 (Summit)	53.91[a]	(49.43 - 58.33)	58.82	(53.76 - 63.71)	0.018
Oklahoma	44.50[a]	(41.77 - 47.26)	47.95	(45.31 - 50.61)	0.007
Central	47.06[a]	(41.19 - 53.01)	51.67	(46.01 - 57.30)	0.044
East Central	39.89	(33.99 - 46.09)	41.93	(36.42 - 47.65)	0.398
Northeast	46.04[b]	(41.01 - 51.15)	50.09	(44.82 - 55.35)	0.073
Northwest and Southwest	40.65[a]	(35.21 - 46.33)	47.55	(41.41 - 53.77)	0.003
Oklahoma County	48.74[b]	(43.95 - 53.55)	52.77	(47.90 - 57.59)	0.062
Southeast	39.78	(34.45 - 45.37)	40.36	(35.38 - 45.56)	0.792
Tulsa County	47.11	(41.99 - 52.30)	48.69	(43.55 - 53.86)	0.478
Oregon	59.61	(56.98 - 62.19)	57.83	(55.38 - 60.25)	0.168
Region 1 (Multnomah)	66.57[a]	(61.93 - 70.90)	60.82	(55.84 - 65.59)	0.009
Region 2	61.47	(56.79 - 65.96)	59.86	(55.37 - 64.19)	0.404
Region 3	58.27	(54.36 - 62.08)	56.77	(52.89 - 60.57)	0.420
Region 4	54.96	(49.60 - 60.21)	54.73	(49.02 - 60.32)	0.926
Region 5 (Central)	60.63	(54.57 - 66.38)	57.16	(50.13 - 63.91)	0.178
Region 6 (Eastern)	47.56[a]	(40.28 - 54.95)	53.66	(46.90 - 60.29)	0.017

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	55.09[a]	(53.73 - 56.44)	56.60	(55.18 - 58.01)	0.044
Region 1 (Allegheny)	60.60	(56.92 - 64.17)	62.07	(58.34 - 65.67)	0.406
Regions 3, 8, 9, and 51	53.54[b]	(48.87 - 58.14)	57.48	(52.79 - 62.04)	0.052
Regions 4, 11, 37, and 49	52.65	(48.36 - 56.90)	55.51	(51.03 - 59.91)	0.154
Regions 5, 18, 23, 24, and 46	50.62	(45.90 - 55.33)	49.67	(45.16 - 54.17)	0.667
Regions 6, 12, 16, 31, 35, 45, and 47	52.71[a]	(48.45 - 56.92)	57.35	(52.62 - 61.94)	0.024
Regions 7, 13, 20, and 33	62.03	(59.11 - 64.86)	63.31	(60.36 - 66.17)	0.389
Regions 10, 15, 27, 32, 43, and 44	47.53	(42.89 - 52.22)	45.71	(40.48 - 51.04)	0.434
Regions 17 and 21	55.41	(50.04 - 60.65)	57.83	(52.20 - 63.26)	0.284
Regions 19, 26, 28, and 42	52.30	(48.71 - 55.88)	52.78	(49.05 - 56.48)	0.795
Regions 22, 38, 40, 41, and 48	52.35	(47.98 - 56.70)	53.16	(48.34 - 57.92)	0.702
Regions 29 and 34	54.12	(49.39 - 58.77)	56.72	(51.52 - 61.77)	0.224
Regions 30 and 50	53.83	(49.32 - 58.27)	53.29	(48.23 - 58.27)	0.804
Region 36 (Philadelphia)	52.31	(48.83 - 55.77)	54.64	(50.70 - 58.53)	0.185
Rhode Island	62.68[a]	(59.88 - 65.39)	59.34	(56.68 - 61.93)	0.013
Bristol and Newport	68.49	(62.97 - 73.53)	67.52	(62.06 - 72.54)	0.625
Kent	63.99	(58.85 - 68.83)	60.32	(55.06 - 65.35)	0.107
Providence	59.93[a]	(56.42 - 63.35)	56.00	(52.62 - 59.33)	0.021
Washington	68.08	(62.65 - 73.07)	65.70	(60.36 - 70.66)	0.267
South Carolina	49.02	(46.41 - 51.65)	48.48	(45.88 - 51.10)	0.679
Region 1	--	(-- - --)	46.85	(42.50 - 51.25)	--
Region 2	--	(-- - --)	49.42	(44.68 - 54.18)	--
Region 3	46.62	(41.38 - 51.94)	44.38	(39.46 - 49.42)	0.318
Region 4	51.64	(47.41 - 55.84)	52.21	(47.92 - 56.47)	0.771
South Dakota	57.00	(54.44 - 59.52)	57.04	(54.55 - 59.49)	0.977
Region 1	55.64	(50.88 - 60.31)	53.01	(48.64 - 57.34)	0.212
Region 2	52.31	(46.27 - 58.28)	53.14	(47.16 - 59.02)	0.736
Region 3	58.53	(54.10 - 62.82)	59.29	(54.84 - 63.60)	0.716
Region 4	55.59	(50.18 - 60.86)	57.61	(52.31 - 62.74)	0.344
Region 5	59.17	(55.19 - 63.03)	59.62	(55.48 - 63.62)	0.817
Tennessee	40.04	(37.45 - 42.70)	40.70	(38.19 - 43.25)	0.620
Region 1	35.57	(30.22 - 41.30)	37.77	(32.09 - 43.80)	0.359
Region 2	41.32	(36.49 - 46.31)	39.46	(34.71 - 44.43)	0.399
Region 3	36.13	(31.31 - 41.26)	37.92	(33.04 - 43.05)	0.419
Region 4 (Davidson)	44.45	(39.04 - 49.99)	46.46	(40.88 - 52.12)	0.383
Region 5	44.08	(39.31 - 48.95)	45.50	(40.95 - 50.12)	0.530
Region 6	34.70	(29.11 - 40.75)	32.25	(26.91 - 38.11)	0.282
Region 7 (Shelby)	38.93	(33.80 - 44.32)	40.59	(35.35 - 46.06)	0.459

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	48.51[b]	(47.11 - 49.91)	47.21	(45.92 - 48.50)	0.075
Region 1	48.69	(43.84 - 53.55)	48.13	(43.47 - 52.82)	0.784
Region 2	43.91	(38.38 - 49.58)	44.96	(39.30 - 50.75)	0.647
Region 3	51.19[a]	(48.97 - 53.39)	48.63	(46.50 - 50.77)	0.026
Region 3a	50.84[a]	(47.93 - 53.75)	47.78	(45.04 - 50.53)	0.035
Region 3bc	51.79	(48.45 - 55.11)	50.14	(46.73 - 53.54)	0.316
Region 4	43.97	(38.93 - 49.15)	43.10	(38.36 - 47.97)	0.694
Region 5	45.04	(40.18 - 50.00)	41.91	(36.36 - 47.68)	0.175
Region 6	48.50	(45.91 - 51.11)	48.77	(46.26 - 51.29)	0.842
Region 6a	48.34	(45.57 - 51.11)	48.08	(45.35 - 50.83)	0.860
Region 6bc	49.91[a]	(44.35 - 55.47)	54.58	(48.77 - 60.27)	0.037
Region 7	54.77[a]	(51.72 - 57.79)	51.79	(48.67 - 54.89)	0.037
Region 7a	57.92[a]	(53.94 - 61.80)	53.77	(49.69 - 57.80)	0.024
Region 7bcd	49.48	(45.06 - 53.90)	48.37	(43.88 - 52.89)	0.576
Region 8	47.20	(43.64 - 50.78)	46.30	(42.86 - 49.78)	0.598
Region 9	44.21	(38.81 - 49.76)	45.73	(40.34 - 51.23)	0.479
Region 10	45.27	(40.78 - 49.85)	42.04	(37.35 - 46.88)	0.117
Region 11	39.62	(36.31 - 43.03)	39.03	(35.51 - 42.66)	0.713
Region 11abd	41.43	(37.28 - 45.71)	40.90	(36.18 - 45.79)	0.797
Region 11c (Hidalgo)	36.41	(31.67 - 41.43)	35.79	(31.02 - 40.86)	0.750
Utah	27.68[a]	(25.33 - 30.16)	31.46	(29.22 - 33.79)	0.004
Bear River, Northeastern, Summit, Tooele, and Wasatch	22.76[a]	(18.83 - 27.25)	29.44	(24.78 - 34.58)	0.001
Central, Four Corners, San Juan, and Southwest	27.20[b]	(22.25 - 32.78)	31.40	(26.04 - 37.32)	0.054
Davis County	27.85[a]	(23.20 - 33.03)	33.57	(28.68 - 38.84)	0.008
Salt Lake County	32.79	(29.28 - 36.50)	35.44	(32.09 - 38.95)	0.153
Utah County	19.90	(16.42 - 23.90)	21.37	(17.87 - 25.35)	0.374
Weber, Morgan	28.69[a]	(23.94 - 33.97)	35.37	(29.69 - 41.49)	0.003
Vermont	59.86	(57.16 - 62.50)	60.10	(57.48 - 62.67)	0.852
Champlain Valley	65.12	(61.46 - 68.62)	63.56	(59.99 - 67.00)	0.370
Rural Northeast	57.79	(52.97 - 62.47)	60.94	(55.82 - 65.83)	0.141
Rural Southeast	58.12	(53.29 - 62.80)	58.35	(53.12 - 63.40)	0.919
Rural Southwest	51.99	(46.32 - 57.61)	52.33	(46.67 - 57.93)	0.894
Virginia	54.98	(52.32 - 57.61)	54.26	(51.75 - 56.75)	0.571
Region 1	55.00	(50.24 - 59.68)	52.88	(47.93 - 57.76)	0.323
Region 2	57.48	(53.11 - 61.74)	57.15	(52.59 - 61.58)	0.876
Region 3	48.04	(42.93 - 53.19)	48.76	(43.73 - 53.82)	0.736
Region 4	55.95	(50.67 - 61.10)	57.50	(52.32 - 62.51)	0.496
Region 5	56.48	(51.84 - 61.01)	53.30	(49.00 - 57.54)	0.123

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	56.28[b]	(53.62 - 58.91)	54.22	(51.78 - 56.63)	0.097
Region 1	51.00	(46.47 - 55.51)	48.74	(44.58 - 52.92)	0.212
Greater Columbia and North Central	--	(-- - --)	45.37	(39.88 - 50.98)	--
Spokane	--	(-- - --)	53.63	(47.65 - 59.50)	--
Region 2	59.95	(56.65 - 63.17)	57.47	(54.29 - 60.58)	0.101
King	60.30	(56.22 - 64.23)	59.16	(55.22 - 62.98)	0.535
North Sound	59.36[a]	(54.56 - 63.98)	54.50	(49.56 - 59.35)	0.025
Region 3	54.64	(50.73 - 58.48)	53.28	(49.73 - 56.80)	0.402
Peninsula	--	(-- - --)	55.24	(47.98 - 62.29)	--
Pierce	--	(-- - --)	54.17	(48.85 - 59.40)	--
SW WA and Timberlands	--	(-- - --)	50.27	(44.59 - 55.95)	--
Thurston-Mason	--	(-- - --)	55.51	(48.31 - 62.48)	--
West Virginia	39.30	(36.60 - 42.07)	38.43	(35.99 - 40.94)	0.509
Region I	45.22	(38.50 - 52.12)	45.52	(38.68 - 52.53)	0.908
Region II	42.91	(37.32 - 48.68)	44.40	(38.88 - 50.06)	0.554
Region III	36.22	(30.56 - 42.29)	35.50	(29.44 - 42.05)	0.768
Region IV	45.85	(41.25 - 50.53)	43.17	(38.82 - 47.63)	0.213
Region V	35.45	(31.53 - 39.58)	34.41	(30.63 - 38.40)	0.593
Region VI	33.71	(28.65 - 39.17)	32.77	(28.56 - 37.27)	0.658
Wisconsin	62.54	(59.82 - 65.18)	62.24	(59.63 - 64.78)	0.809
Milwaukee	59.69	(54.61 - 64.58)	60.84	(55.72 - 65.73)	0.581
Northeastern	59.83[b]	(55.38 - 64.12)	63.24	(58.80 - 67.47)	0.088
Northern	59.79	(53.46 - 65.81)	61.82	(55.28 - 67.95)	0.414
Southeastern	65.11	(60.10 - 69.80)	64.05	(59.21 - 68.61)	0.581
Southern	66.01[b]	(61.12 - 70.58)	62.37	(57.30 - 67.19)	0.074
Western	63.20	(58.08 - 68.05)	59.68	(54.28 - 64.86)	0.103

See notes at end of table.

(continued)

Table 8 *Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	51.87[a]	(49.24 - 54.49)	54.91	(52.34 - 57.45)	0.023
Judicial District 1 (Laramie)	50.18	(45.02 - 55.33)	53.43	(48.03 - 58.75)	0.166
Judicial District 2	57.66	(52.38 - 62.77)	60.76	(55.43 - 65.84)	0.137
Judicial District 3	42.90[a]	(37.88 - 48.08)	48.58	(43.66 - 53.53)	0.017
Judicial District 4	55.73[b]	(49.40 - 61.88)	59.98	(53.55 - 66.08)	0.095
Judicial District 5	49.98	(43.62 - 56.34)	52.35	(45.76 - 58.86)	0.360
Judicial District 6	54.07	(48.45 - 59.60)	57.59	(52.27 - 62.75)	0.130
Judicial District 7 (Natrona)	56.11	(50.65 - 61.41)	55.61	(49.91 - 61.16)	0.836
Judicial District 8	51.29	(45.13 - 57.41)	55.10	(49.20 - 60.87)	0.121
Judicial District 9	53.08	(47.23 - 58.85)	55.61	(50.01 - 61.07)	0.288

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	22.81	(22.47 - 23.16)	22.94	(22.61 - 23.28)	0.504
Northeast	24.61	(23.88 - 25.37)	24.14	(23.45 - 24.83)	0.218
Midwest	25.10	(24.49 - 25.73)	25.57	(24.99 - 26.15)	0.153
South	21.26	(20.69 - 21.83)	21.47	(20.98 - 21.96)	0.474
West	21.75	(21.03 - 22.50)	21.96	(21.31 - 22.62)	0.579
Alabama	20.18	(18.19 - 22.33)	21.32	(19.37 - 23.42)	0.254
Region 1	18.40	(15.56 - 21.61)	20.11	(17.14 - 23.46)	0.238
Region 2	22.71	(19.54 - 26.22)	21.67	(18.73 - 24.92)	0.529
Region 3	17.94[b]	(14.96 - 21.36)	20.76	(17.77 - 24.11)	0.059
Region 4	20.59	(17.51 - 24.04)	22.83	(19.54 - 26.50)	0.157
Alaska	23.27	(21.15 - 25.53)	23.18	(21.16 - 25.34)	0.938
Anchorage	25.29	(22.53 - 28.28)	24.19	(21.45 - 27.16)	0.453
Northern	21.97	(18.66 - 25.69)	23.44	(20.13 - 27.12)	0.361
South Central	21.92	(18.55 - 25.71)	21.94	(18.87 - 25.35)	0.990
Southeast	21.45	(17.78 - 25.65)	21.77	(18.10 - 25.95)	0.854
Arizona	22.44	(20.28 - 24.76)	22.65	(20.63 - 24.80)	0.848
Maricopa	23.28	(20.64 - 26.14)	23.61	(21.19 - 26.22)	0.804
Pima	23.46	(19.73 - 27.65)	22.08	(18.66 - 25.92)	0.428
Rural North	19.01	(15.56 - 23.01)	18.43	(15.03 - 22.38)	0.708
Rural South	20.50	(16.73 - 24.87)	22.59	(18.79 - 26.92)	0.251
Arkansas	19.46	(17.50 - 21.59)	20.64	(18.68 - 22.75)	0.224
Catchment Area 1	20.07	(16.78 - 23.82)	21.30	(18.17 - 24.81)	0.451
Catchment Area 2	18.51	(15.10 - 22.48)	21.01	(17.59 - 24.88)	0.121
Catchment Area 3	18.96	(15.73 - 22.69)	19.08	(15.93 - 22.67)	0.942
Catchment Area 4	18.89	(15.55 - 22.76)	20.52	(17.00 - 24.56)	0.321
Catchment Area 5	20.43	(17.16 - 24.15)	21.12	(17.87 - 24.78)	0.668
Catchment Area 6	18.94[a]	(15.40 - 23.07)	22.55	(18.80 - 26.81)	0.037
Catchment Area 7	17.88	(14.48 - 21.89)	18.60	(15.21 - 22.54)	0.666
Catchment Area 8	20.27	(17.05 - 23.92)	20.75	(17.43 - 24.50)	0.772

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	21.35	(20.24 - 22.51)	21.75	(20.75 - 22.78)	0.493
Region 1R	24.16	(20.50 - 28.24)	22.36	(19.05 - 26.06)	0.295
Region 2R	22.53	(19.19 - 26.27)	23.49	(20.11 - 27.25)	0.548
Region 3R (Sacramento)	20.63	(17.63 - 23.99)	21.95	(18.85 - 25.39)	0.378
Region 4R	22.24	(19.02 - 25.84)	22.08	(19.27 - 25.18)	0.914
Region 5R (San Francisco)	24.96	(21.18 - 29.15)	26.07	(22.19 - 30.36)	0.544
Region 6 (Santa Clara)	19.39	(16.47 - 22.69)	18.79	(16.06 - 21.85)	0.671
Region 7R (Contra Costa)	21.26	(17.88 - 25.08)	22.72	(19.39 - 26.43)	0.359
Region 8R (Alameda)	20.36	(17.24 - 23.89)	20.20	(17.29 - 23.46)	0.916
Region 9R (San Mateo)	17.76[a]	(14.50 - 21.57)	20.96	(17.75 - 24.58)	0.036
Region 10	21.91	(18.56 - 25.68)	22.45	(19.06 - 26.25)	0.752
Region 11 (Los Angeles)	20.99	(19.52 - 22.53)	21.76	(20.32 - 23.27)	0.290
LA SPA 1 and 5	23.19	(19.73 - 27.06)	24.52	(20.90 - 28.54)	0.434
LA SPA 2	19.50	(16.65 - 22.71)	20.20	(17.49 - 23.23)	0.614
LA SPA 3	17.46	(14.80 - 20.49)	17.93	(15.20 - 21.02)	0.735
LA SPA 4	23.64	(20.14 - 27.55)	24.63	(21.28 - 28.32)	0.557
LA SPA 6	21.98	(18.62 - 25.74)	23.45	(19.97 - 27.33)	0.367
LA SPA 7	23.01	(19.68 - 26.73)	22.88	(19.62 - 26.51)	0.939
LA SPA 8	21.34	(18.30 - 24.73)	22.36	(19.40 - 25.63)	0.497
Region 12R	21.84	(18.22 - 25.94)	21.78	(18.14 - 25.91)	0.972
Regions 13 and 19R	22.51	(19.58 - 25.73)	21.19	(18.48 - 24.18)	0.367
Region 14 (Orange)	18.16[a]	(15.80 - 20.79)	20.89	(18.38 - 23.63)	0.037
Region 15R (Fresno)	21.26	(17.98 - 24.95)	21.84	(18.43 - 25.68)	0.704
Region 16R (San Diego)	22.83	(20.14 - 25.75)	22.73	(20.16 - 25.53)	0.946
Region 17R	22.91	(19.72 - 26.44)	22.34	(19.34 - 25.67)	0.711
Region 18R (San Bernardino)	21.52	(18.75 - 24.57)	21.11	(18.31 - 24.19)	0.775
Region 20R	21.71	(18.28 - 25.60)	21.41	(18.14 - 25.08)	0.852
Region 21R	23.92	(20.40 - 27.82)	22.55	(19.06 - 26.47)	0.394
Colorado	24.36	(22.20 - 26.65)	25.16	(23.01 - 27.43)	0.466
Region 1	23.52	(20.03 - 27.41)	25.17	(21.49 - 29.24)	0.341
Regions 2 and 7	25.98	(23.13 - 29.05)	25.80	(23.14 - 28.66)	0.906
Region 3	21.57	(18.24 - 25.33)	23.79	(20.27 - 27.72)	0.189
Region 4	20.34	(16.50 - 24.81)	22.22	(18.32 - 26.69)	0.306
Regions 5 and 6	22.87	(18.97 - 27.29)	25.11	(21.04 - 29.67)	0.227
Connecticut	25.22	(22.99 - 27.59)	23.74	(21.74 - 25.87)	0.163
Eastern	25.45	(22.02 - 29.21)	24.85	(21.39 - 28.67)	0.724
North Central	23.11	(19.85 - 26.73)	23.37	(20.38 - 26.64)	0.878
Northwestern	24.28	(20.51 - 28.48)	21.97	(18.53 - 25.85)	0.200
South Central	28.13[a]	(24.34 - 32.26)	23.90	(20.66 - 27.47)	0.020
Southwest	25.43	(21.65 - 29.62)	25.01	(21.22 - 29.22)	0.820

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	22.41	(20.31 - 24.65)	22.36	(20.32 - 24.53)	0.961
Kent	21.15	(17.74 - 25.01)	22.41	(19.09 - 26.12)	0.465
New Castle (excluding Wilmington City)	23.35	(20.68 - 26.25)	22.64	(20.17 - 25.33)	0.612
Sussex	21.08	(17.79 - 24.78)	21.41	(18.15 - 25.07)	0.845
Wilmington City	22.85	(18.86 - 27.39)	23.05	(18.99 - 27.69)	0.911
District of Columbia	32.09	(29.72 - 34.55)	33.63	(31.36 - 35.98)	0.169
Ward 1	39.48	(34.65 - 44.53)	43.07	(38.34 - 47.92)	0.128
Ward 2	43.87	(39.41 - 48.43)	44.96	(40.14 - 49.87)	0.604
Ward 3	35.69	(31.62 - 39.98)	34.50	(30.45 - 38.78)	0.557
Ward 4	24.41	(20.34 - 29.01)	27.58	(23.62 - 31.93)	0.107
Ward 5	27.47	(23.60 - 31.70)	30.17	(26.23 - 34.42)	0.164
Ward 6	36.02	(31.17 - 41.18)	34.99	(30.66 - 39.58)	0.638
Ward 7	23.15	(19.09 - 27.78)	25.31	(21.13 - 30.02)	0.259
Ward 8	23.64	(19.89 - 27.86)	26.33	(22.59 - 30.44)	0.144
Florida[1]	20.46	(19.34 - 21.64)	21.23	(20.12 - 22.38)	0.208
Broward (Circuit 17)	20.08	(17.60 - 22.81)	20.07	(17.37 - 23.07)	0.993
Central I	--	(-- - --)	21.72	(19.69 - 23.91)	--
Circuit 9	22.62	(19.91 - 25.59)	21.93	(19.29 - 24.83)	0.618
Circuit 18	20.25	(17.28 - 23.59)	21.42	(18.45 - 24.73)	0.416
Central II	--	(-- - --)	21.87	(20.20 - 23.64)	--
Circuit 6	22.22	(19.03 - 25.77)	22.67	(19.54 - 26.13)	0.774
Circuit 10	18.39	(15.51 - 21.66)	20.14	(17.05 - 23.63)	0.227
Circuit 12	22.06	(18.57 - 26.00)	20.89	(17.60 - 24.60)	0.485
Circuit 13 (Hillsborough)	23.20	(20.33 - 26.34)	23.70	(20.70 - 26.97)	0.736
Circuit 20	19.52	(16.50 - 22.94)	20.70	(17.54 - 24.26)	0.483
Northeast	--	(-- - --)	21.99	(20.16 - 23.93)	--
Circuit 4	19.74[b]	(16.85 - 22.99)	22.59	(19.62 - 25.87)	0.064
Circuit 5	17.06[b]	(14.21 - 20.34)	19.59	(16.60 - 22.97)	0.087
Circuit 7	22.34	(19.12 - 25.92)	22.72	(19.41 - 26.42)	0.813
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	24.37	(21.14 - 27.92)	--
Northwest	--	(-- - --)	22.66	(20.42 - 25.06)	--
Circuit 1	19.56	(16.78 - 22.68)	21.35	(18.10 - 25.02)	0.233
Circuit 2 plus Madison and Taylor	--	(-- - --)	25.68	(22.24 - 29.45)	--
Circuit 14	20.51	(17.08 - 24.43)	21.25	(17.56 - 25.49)	0.645
South (Circuits 11 and 16)	18.48	(16.35 - 20.82)	19.17	(16.91 - 21.66)	0.572
Southeast	--	(-- - --)	20.24	(18.00 - 22.69)	--
Circuit 15 (Palm Beach)	18.93	(16.18 - 22.01)	19.69	(17.02 - 22.66)	0.591
Circuit 19	20.03	(16.69 - 23.85)	21.47	(18.11 - 25.26)	0.394

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	19.23	(17.35 - 21.27)	20.21	(18.40 - 22.15)	0.275
Region 1	18.47	(15.72 - 21.57)	19.25	(16.46 - 22.40)	0.579
Region 2	19.30	(16.19 - 22.86)	21.76	(18.54 - 25.37)	0.121
Region 3	19.65	(16.74 - 22.92)	19.50	(16.89 - 22.40)	0.919
Region 4	19.24	(15.70 - 23.34)	19.33	(15.91 - 23.28)	0.954
Region 5	19.80[b]	(16.28 - 23.87)	22.57	(18.89 - 26.74)	0.096
Region 6	19.23	(15.92 - 23.04)	20.54	(17.39 - 24.09)	0.408
Hawaii	22.69	(20.55 - 24.97)	23.53	(21.49 - 25.70)	0.453
Hawaii Island	23.90	(19.77 - 28.60)	26.25	(22.11 - 30.86)	0.257
Honolulu	22.53	(20.24 - 24.99)	22.58	(20.28 - 25.06)	0.965
Kauai	20.99[b]	(16.73 - 26.01)	24.27	(20.03 - 29.07)	0.093
Maui	22.95	(18.79 - 27.71)	25.83	(21.84 - 30.27)	0.144
Idaho	20.82	(18.83 - 22.97)	19.53	(17.74 - 21.46)	0.169
Region 1	20.91	(17.25 - 25.12)	19.39	(16.26 - 22.97)	0.354
Region 2	24.61[b]	(20.70 - 29.00)	21.42	(17.72 - 25.66)	0.076
Region 3	20.20	(16.88 - 23.98)	17.80	(14.82 - 21.23)	0.128
Region 4	22.35	(19.26 - 25.77)	22.82	(19.94 - 25.99)	0.759
Region 5	20.61[b]	(17.05 - 24.70)	17.49	(14.33 - 21.17)	0.063
Region 6	--	(-- - --)	19.49	(16.12 - 23.38)	--
Region 7	--	(-- - --)	16.02	(13.17 - 19.35)	--
Illinois	25.52	(24.36 - 26.71)	26.51	(25.31 - 27.74)	0.140
Region I (Cook)	26.35	(24.55 - 28.23)	26.72	(24.86 - 28.67)	0.722
Region II	24.57	(22.71 - 26.53)	25.46	(23.52 - 27.50)	0.402
Region III	26.66	(24.15 - 29.34)	27.39	(24.72 - 30.23)	0.612
Region IV	25.21[b]	(22.20 - 28.46)	28.41	(25.27 - 31.77)	0.057
Region V	23.99[b]	(21.23 - 26.99)	26.57	(23.70 - 29.65)	0.091
Indiana	22.99	(20.92 - 25.21)	22.54	(20.64 - 24.56)	0.643
Central	22.12	(18.83 - 25.80)	21.79	(18.81 - 25.09)	0.835
East	21.79	(18.22 - 25.85)	21.30	(17.99 - 25.04)	0.758
North Central	22.89	(19.42 - 26.77)	21.91	(18.78 - 25.39)	0.557
Northeast	22.68	(19.03 - 26.81)	23.74	(19.91 - 28.05)	0.540
Northwest	23.05	(19.53 - 27.01)	22.46	(18.92 - 26.44)	0.720
Southeast	21.63	(18.09 - 25.65)	21.43	(17.83 - 25.52)	0.899
Southwest	23.46	(19.44 - 28.02)	23.15	(19.46 - 27.30)	0.860
West	27.26	(23.45 - 31.44)	25.67	(21.95 - 29.79)	0.366
Iowa	26.72	(24.59 - 28.97)	26.15	(24.09 - 28.32)	0.598
Central	27.73	(24.06 - 31.73)	26.40	(22.77 - 30.39)	0.472
North Central	28.64	(24.57 - 33.09)	27.79	(23.82 - 32.14)	0.631
Northeast	28.63	(25.07 - 32.47)	26.52	(23.42 - 29.87)	0.215
Northwest	23.28	(19.71 - 27.28)	25.65	(21.78 - 29.95)	0.198
Southeast	25.53	(22.18 - 29.20)	25.37	(21.90 - 29.19)	0.929
Southwest	25.99	(22.05 - 30.36)	25.38	(21.56 - 29.61)	0.753

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	23.79	(21.72 - 26.00)	24.59	(22.58 - 26.72)	0.418
Kansas City Metro	25.36	(22.29 - 28.70)	25.59	(22.60 - 28.83)	0.882
Northeast	22.97[b]	(19.62 - 26.69)	26.15	(22.67 - 29.96)	0.052
South Central	22.11	(18.38 - 26.35)	20.63	(17.25 - 24.47)	0.406
Southeast	21.56	(17.67 - 26.04)	22.72	(18.77 - 27.22)	0.508
West	23.65	(19.90 - 27.85)	26.58	(22.56 - 31.03)	0.111
Wichita (Sedgwick)	23.88	(20.46 - 27.68)	23.23	(19.87 - 26.96)	0.688
Kentucky	22.18	(20.15 - 24.35)	21.22	(19.30 - 23.28)	0.344
Adanta, Cumberland River, and Lifeskills	18.90	(15.81 - 22.42)	18.15	(15.21 - 21.52)	0.609
Bluegrass, Comprehend, and North Key	26.38[b]	(23.02 - 30.03)	23.48	(20.50 - 26.76)	0.095
Communicare and River Valley	19.88	(16.46 - 23.81)	19.94	(16.62 - 23.73)	0.972
Four Rivers and Pennyroyal	19.79	(16.27 - 23.85)	19.82	(16.42 - 23.72)	0.988
Kentucky River, Mountain, and Pathways	19.69	(16.23 - 23.67)	18.70	(15.25 - 22.72)	0.536
Seven Counties	22.59	(19.32 - 26.24)	23.07	(19.72 - 26.80)	0.782
Louisiana	23.77	(21.82 - 25.84)	24.92	(22.86 - 27.11)	0.254
Regions 1 and 10	24.31	(21.18 - 27.73)	25.48	(22.35 - 28.88)	0.411
Region 1	24.65	(20.74 - 29.03)	26.43	(22.25 - 31.08)	0.336
Region 10 (Jefferson)	23.97	(19.99 - 28.45)	24.49	(20.75 - 28.66)	0.770
Regions 2 and 9	23.64	(20.66 - 26.91)	24.88	(21.68 - 28.37)	0.453
Region 3	24.23	(20.35 - 28.59)	25.85	(21.81 - 30.35)	0.401
Regions 4, 5, and 6	23.98	(20.77 - 27.51)	26.17	(22.79 - 29.85)	0.192
Regions 7 and 8	22.96	(19.83 - 26.41)	22.40	(19.20 - 25.98)	0.725
Maine	21.49	(19.43 - 23.70)	21.79	(19.91 - 23.79)	0.764
Aroostook/Downeast	20.66	(17.56 - 24.15)	20.60	(17.67 - 23.87)	0.963
Aroostook	20.06	(16.31 - 24.40)	20.23	(16.72 - 24.26)	0.921
Downeast	21.16	(17.21 - 25.73)	20.89	(17.06 - 25.32)	0.888
Central	21.36	(17.88 - 25.31)	21.66	(18.25 - 25.51)	0.861
Cumberland	23.00	(19.56 - 26.84)	23.29	(20.08 - 26.85)	0.862
Midcoast	19.41	(15.82 - 23.59)	20.01	(16.67 - 23.83)	0.723
Penquis	22.03	(18.82 - 25.61)	23.76	(20.23 - 27.69)	0.305
Western	22.03	(18.61 - 25.88)	21.82	(18.54 - 25.49)	0.898
York	20.66	(17.19 - 24.62)	20.29	(17.09 - 23.91)	0.821

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	21.78	(19.76 - 23.95)	23.01	(21.03 - 25.11)	0.199
Anne Arundel	24.49	(20.30 - 29.22)	25.59	(21.60 - 30.03)	0.571
Baltimore City	24.17	(20.57 - 28.18)	25.65	(22.00 - 29.67)	0.385
Baltimore County	21.00	(17.68 - 24.75)	23.28	(19.62 - 27.40)	0.166
Montgomery	20.30	(17.02 - 24.02)	20.93	(17.58 - 24.72)	0.709
North Central	21.28	(17.61 - 25.47)	22.10	(18.47 - 26.20)	0.624
Northeast	20.43	(16.83 - 24.58)	22.48	(18.89 - 26.53)	0.223
Prince George's	21.81	(18.27 - 25.83)	22.60	(19.06 - 26.59)	0.632
South	21.50	(17.86 - 25.66)	20.79	(17.47 - 24.55)	0.666
West	22.12[b]	(18.55 - 26.15)	25.16	(21.18 - 29.61)	0.099
Massachusetts	26.67[a]	(24.52 - 28.94)	24.59	(22.63 - 26.65)	0.039
Boston	30.69	(26.73 - 34.96)	29.07	(25.21 - 33.26)	0.370
Central	26.50	(22.52 - 30.90)	24.25	(20.59 - 28.33)	0.213
Metrowest	27.05	(23.60 - 30.81)	24.98	(21.71 - 28.57)	0.229
Northeast	25.24	(21.81 - 29.00)	23.59	(20.51 - 26.99)	0.302
Southeast	24.76	(21.24 - 28.65)	24.50	(21.09 - 28.25)	0.885
Western	27.41[a]	(23.49 - 31.71)	21.49	(18.17 - 25.23)	0.001
Michigan[1]	25.23	(24.05 - 26.45)	24.71	(23.54 - 25.92)	0.439
Region 1	28.92	(25.24 - 32.90)	26.01	(22.38 - 30.00)	0.119
Region 2	--	(-- - --)	23.07	(19.64 - 26.91)	--
Region 3	--	(-- - --)	24.39	(21.89 - 27.08)	--
Region 4	--	(-- - --)	22.58	(19.89 - 25.51)	--
Region 5	--	(-- - --)	27.29	(24.89 - 29.82)	--
Region 6	--	(-- - --)	25.78	(23.01 - 28.76)	--
Region 7	--	(-- - --)	23.98	(21.53 - 26.62)	--
Region 8	24.75	(22.17 - 27.53)	24.26	(21.59 - 27.16)	0.727
Region 9	26.44	(23.51 - 29.59)	24.91	(21.97 - 28.10)	0.324
Region 10	--	(-- - --)	23.44	(20.54 - 26.62)	--
Minnesota	26.93	(24.75 - 29.24)	26.05	(23.96 - 28.26)	0.411
Regions 1 and 2	25.59	(21.18 - 30.57)	24.84	(20.90 - 29.25)	0.708
Regions 3 and 4	26.50	(22.80 - 30.55)	25.64	(22.06 - 29.59)	0.633
Regions 5 and 6	28.20	(24.49 - 32.24)	27.32	(23.65 - 31.33)	0.631
Region 7A (Hennepin)	27.32	(23.75 - 31.22)	26.77	(23.18 - 30.70)	0.754
Region 7B (Ramsey)	27.10	(22.79 - 31.88)	26.89	(22.92 - 31.26)	0.911
Region 7C	26.34	(23.00 - 29.98)	24.76	(21.58 - 28.25)	0.356
Mississippi	19.71	(17.87 - 21.69)	20.30	(18.37 - 22.39)	0.501
Region 1	17.85[a]	(15.14 - 20.92)	20.62	(17.63 - 23.96)	0.047
Region 2	20.49	(16.98 - 24.51)	20.47	(17.14 - 24.26)	0.993
Region 3	19.87	(16.69 - 23.47)	20.73	(17.48 - 24.40)	0.592
Region 4	19.47	(16.33 - 23.06)	20.18	(16.94 - 23.87)	0.655
Region 5	18.83	(15.06 - 23.27)	19.95	(16.12 - 24.43)	0.499
Region 6	21.88	(18.24 - 26.03)	20.31	(17.05 - 24.02)	0.347
Region 7	20.81	(17.46 - 24.60)	19.63	(16.28 - 23.47)	0.450

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	23.06	(21.04 - 25.21)	24.58	(22.55 - 26.72)	0.127
Central	24.17	(20.50 - 28.25)	24.99	(21.65 - 28.65)	0.634
Eastern	23.07	(20.42 - 25.96)	23.89	(21.23 - 26.78)	0.523
Eastern (St. Louis City and County)	21.50	(18.41 - 24.95)	23.12	(20.01 - 26.56)	0.294
Eastern (excluding St. Louis)	25.79	(21.82 - 30.22)	25.21	(21.50 - 29.31)	0.760
Northwest	24.00	(21.15 - 27.10)	26.22	(23.18 - 29.52)	0.125
Northwest (Jackson)	23.96[a]	(20.53 - 27.75)	28.26	(24.07 - 32.87)	0.023
Northwest (excluding Jackson)	24.04	(20.29 - 28.23)	24.50	(20.73 - 28.71)	0.798
Southeast	22.29	(18.75 - 26.29)	24.05	(20.47 - 28.03)	0.323
Southwest	21.19	(17.79 - 25.03)	23.59	(19.93 - 27.69)	0.169
Montana	26.64[a]	(24.53 - 28.85)	24.52	(22.44 - 26.72)	0.050
Region 1	27.14[b]	(22.85 - 31.91)	23.55	(19.37 - 28.31)	0.078
Region 2	25.12	(21.18 - 29.51)	23.64	(20.16 - 27.51)	0.414
Region 3	25.98[a]	(22.58 - 29.69)	22.20	(19.22 - 25.51)	0.028
Region 4	27.85	(24.59 - 31.36)	26.12	(22.80 - 29.75)	0.316
Region 5	26.61	(23.58 - 29.87)	25.34	(22.19 - 28.78)	0.433
Nebraska	24.53	(22.40 - 26.79)	24.37	(22.32 - 26.55)	0.882
Regions 1 and 2	23.74	(20.34 - 27.52)	23.16	(19.74 - 26.97)	0.711
Region 1	23.58	(19.37 - 28.38)	22.35	(18.39 - 26.88)	0.516
Region 2	23.89	(19.61 - 28.77)	23.87	(19.39 - 29.02)	0.994
Region 3	21.94[b]	(18.57 - 25.74)	25.23	(21.46 - 29.41)	0.062
Region 4	23.88	(19.89 - 28.39)	23.28	(19.41 - 27.65)	0.739
Region 5	25.76	(22.33 - 29.51)	25.09	(21.96 - 28.50)	0.689
Region 6	24.93	(22.07 - 28.03)	24.29	(21.47 - 27.34)	0.667
Nevada	25.08	(22.63 - 27.70)	24.63	(22.37 - 27.04)	0.717
Clark – Region 1	24.61	(21.82 - 27.62)	24.32	(21.79 - 27.05)	0.845
Region 3	23.17	(19.48 - 27.32)	23.86	(20.20 - 27.95)	0.645
Capital District	24.59	(20.05 - 29.77)	23.12	(18.63 - 28.33)	0.445
Rural/Frontier	21.89	(17.40 - 27.15)	24.53	(20.13 - 29.54)	0.182
Washoe – Region 2	28.74	(24.75 - 33.10)	26.65	(23.02 - 30.62)	0.269
New Hampshire	23.89	(21.81 - 26.11)	24.90	(22.92 - 26.99)	0.338
Central	24.29	(21.35 - 27.49)	25.76	(22.99 - 28.75)	0.288
Central 1	26.49	(22.79 - 30.55)	27.30	(23.73 - 31.19)	0.654
Central 2	22.16	(18.52 - 26.28)	24.26	(20.72 - 28.20)	0.222
Northern	23.50	(19.86 - 27.58)	25.53	(21.63 - 29.86)	0.262
Southern	23.79	(21.34 - 26.42)	24.33	(22.04 - 26.78)	0.667
Southern 1 (Rockingham)	24.96	(21.43 - 28.85)	23.30	(20.20 - 26.70)	0.345
Southern 2	23.06	(20.23 - 26.15)	24.98	(22.10 - 28.09)	0.212

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	23.54	(21.48 - 25.73)	22.68	(20.72 - 24.78)	0.412
Central	22.82	(19.47 - 26.55)	22.10	(19.00 - 25.53)	0.664
Metropolitan	24.01[a]	(20.78 - 27.57)	20.44	(17.62 - 23.60)	0.021
Northern	24.15	(21.05 - 27.54)	24.11	(20.98 - 27.54)	0.983
Southern	22.87	(19.55 - 26.58)	23.72	(20.45 - 27.33)	0.615
New Mexico	20.55[a]	(18.56 - 22.69)	24.06	(21.93 - 26.32)	0.001
Region 1	17.85[a]	(15.07 - 21.01)	23.19	(19.94 - 26.78)	0.001
Region 2	19.40[b]	(15.90 - 23.46)	22.60	(18.76 - 26.96)	0.064
Region 3 (Bernalillo)	21.83[a]	(18.82 - 25.17)	25.82	(22.56 - 29.38)	0.020
Region 4	21.60[a]	(18.25 - 25.38)	25.06	(21.41 - 29.11)	0.042
Region 5	21.44	(18.21 - 25.07)	22.49	(19.16 - 26.22)	0.524
New York	24.16	(22.97 - 25.40)	24.31	(23.16 - 25.51)	0.805
Region A	24.01	(22.39 - 25.71)	24.51	(22.95 - 26.14)	0.549
Region 1	24.46	(21.42 - 27.78)	23.39	(20.37 - 26.71)	0.485
Region 2	22.90	(20.40 - 25.62)	23.24	(20.80 - 25.88)	0.796
Region 3	28.02	(24.65 - 31.66)	30.63	(27.24 - 34.24)	0.135
Region 4	22.21	(19.34 - 25.38)	22.28	(19.48 - 25.37)	0.963
Region B	23.65	(21.84 - 25.55)	23.79	(21.90 - 25.79)	0.883
Region 5	24.09	(21.66 - 26.69)	24.21	(21.67 - 26.93)	0.932
Region 6	22.85	(19.76 - 26.26)	22.99	(19.90 - 26.40)	0.926
Region 7	23.43	(20.30 - 26.88)	23.67	(20.33 - 27.38)	0.877
Region C	24.93	(23.22 - 26.72)	24.28	(22.68 - 25.95)	0.447
Region 8	23.16	(20.17 - 26.45)	23.17	(20.20 - 26.43)	0.996
Region 9	24.40	(21.30 - 27.80)	25.06	(22.12 - 28.26)	0.674
Region 10	25.31	(21.87 - 29.09)	24.58	(21.02 - 28.53)	0.650
Region 11	26.04	(22.89 - 29.45)	25.25	(22.30 - 28.46)	0.612
Region 12	25.75	(22.65 - 29.11)	23.58	(20.79 - 26.63)	0.144
Region D	24.34	(22.08 - 26.76)	25.08	(22.73 - 27.58)	0.529
Region 13	23.95	(20.43 - 27.85)	25.05	(21.50 - 28.96)	0.511
Region 14	26.23	(22.46 - 30.39)	24.95	(21.18 - 29.15)	0.466
Region 15	22.83	(19.59 - 26.43)	25.23	(21.85 - 28.93)	0.155

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	18.54	(16.57 - 20.69)	19.43	(17.57 - 21.43)	0.365
Alliance Behavioral Healthcare 1	--	(-- - --)	18.92	(15.59 - 22.77)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	21.29	(17.69 - 25.40)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	18.92	(15.42 - 23.00)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	18.43	(15.21 - 22.14)	--
Cardinal Innovations Healthcare Solutions 3	20.49[b]	(16.56 - 25.07)	23.73	(19.69 - 28.30)	0.094
CenterPoint Human Services	17.23	(13.66 - 21.50)	18.52	(15.21 - 22.38)	0.428
Eastpointe	15.76	(12.69 - 19.41)	15.72	(12.73 - 19.26)	0.981
Partners Behavioral Health Management	18.47	(15.20 - 22.25)	19.16	(15.82 - 23.01)	0.675
Sandhills Center 1	18.06	(14.58 - 22.16)	18.49	(14.84 - 22.80)	0.794
Sandhills Center 2	18.81	(15.22 - 23.02)	18.82	(15.34 - 22.89)	0.996
Smoky Mountain Center 1	19.31	(15.47 - 23.83)	19.51	(16.00 - 23.58)	0.903
Smoky Mountain Center 2	17.91	(14.43 - 22.02)	17.07	(13.73 - 21.03)	0.604
Trillium Health Resources 1	19.07	(15.33 - 23.45)	19.05	(15.48 - 23.21)	0.992
Trillium Health Resources 2	21.01	(17.05 - 25.61)	22.06	(18.26 - 26.40)	0.551
North Dakota	30.25	(28.05 - 32.55)	29.15	(27.15 - 31.23)	0.295
Badlands and West Central	27.20	(23.74 - 30.97)	28.05	(24.94 - 31.39)	0.613
Lake Region	--	(-- - --)	23.81	(19.94 - 28.16)	--
North Central	--	(-- - --)	28.48	(24.64 - 32.64)	--
Northeast	32.58	(28.75 - 36.65)	34.43	(30.51 - 38.58)	0.327
Northwest	--	(-- - --)	26.52	(22.30 - 31.23)	--
South Central	--	(-- - --)	27.05	(22.68 - 31.92)	--
Southeast	35.39[a]	(32.00 - 38.92)	30.29	(27.03 - 33.76)	0.003

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	23.72[a]	(22.60 - 24.87)	25.14	(23.98 - 26.33)	0.026
Boards 2, 46, 55, and 68	22.84	(19.60 - 26.44)	25.12	(21.54 - 29.07)	0.169
Boards 3, 52, and 85	22.35	(18.95 - 26.17)	24.14	(20.67 - 28.00)	0.282
Boards 4 and 78	23.96	(20.20 - 28.16)	22.65	(19.19 - 26.53)	0.428
Boards 5 and 60	25.09[b]	(21.69 - 28.83)	28.06	(24.30 - 32.15)	0.090
Boards 7, 15, 41, 79, and 84	20.66	(17.60 - 24.09)	23.22	(19.98 - 26.81)	0.124
Boards 8, 13, and 83	22.26	(19.19 - 25.68)	24.13	(20.95 - 27.63)	0.227
Board 9 (Butler)	25.72	(22.29 - 29.48)	27.34	(23.60 - 31.44)	0.348
Board 12	22.98	(19.60 - 26.75)	23.88	(20.20 - 28.00)	0.587
Boards 18 and 47	24.29	(21.87 - 26.87)	25.18	(22.57 - 28.00)	0.534
Boards 20, 32, 54, and 69	23.72	(20.25 - 27.58)	23.65	(20.38 - 27.26)	0.967
Boards 21, 39, 51, 70, and 80	23.88	(20.62 - 27.46)	23.08	(19.80 - 26.72)	0.650
Boards 22, 74, and 87	24.34	(21.01 - 28.01)	26.44	(22.86 - 30.36)	0.225
Boards 23 and 45	23.28	(20.02 - 26.90)	23.65	(20.29 - 27.38)	0.823
Board 25 (Franklin)	26.69	(24.07 - 29.49)	28.13	(25.28 - 31.15)	0.336
Boards 27, 71, and 73	21.83	(18.70 - 25.32)	23.47	(20.09 - 27.22)	0.306
Boards 28, 43, and 67	25.20	(22.01 - 28.67)	26.97	(23.48 - 30.76)	0.297
Board 31 (Hamilton)	22.56[b]	(19.80 - 25.59)	25.47	(22.39 - 28.81)	0.061
Board 48 (Lucas)	25.27	(21.80 - 29.09)	25.89	(22.25 - 29.90)	0.729
Boards 50 and 76	22.84	(19.93 - 26.04)	25.25	(22.08 - 28.72)	0.119
Board 57 (Montgomery)	20.71	(17.68 - 24.10)	22.73	(19.62 - 26.18)	0.202
Board 77 (Summit)	24.05	(21.02 - 27.36)	24.84	(21.40 - 28.62)	0.646
Oklahoma	21.48[a]	(19.46 - 23.64)	23.56	(21.46 - 25.79)	0.043
Central	24.84	(20.92 - 29.21)	25.09	(21.22 - 29.40)	0.889
East Central	18.96	(15.52 - 22.95)	20.91	(17.28 - 25.07)	0.257
Northeast	19.54	(16.38 - 23.14)	22.24	(18.73 - 26.19)	0.104
Northwest and Southwest	22.02[b]	(18.44 - 26.08)	25.36	(21.30 - 29.90)	0.069
Oklahoma County	22.54	(19.09 - 26.40)	23.37	(19.93 - 27.19)	0.639
Southeast	20.61	(17.17 - 24.54)	22.02	(18.65 - 25.80)	0.399
Tulsa County	21.24[a]	(17.77 - 25.18)	25.24	(21.57 - 29.31)	0.027
Oregon	21.42	(19.50 - 23.48)	21.27	(19.35 - 23.32)	0.875
Region 1 (Multnomah)	25.08	(21.61 - 28.90)	22.84	(19.57 - 26.47)	0.197
Region 2	19.84	(16.75 - 23.34)	20.97	(18.05 - 24.22)	0.448
Region 3	21.82	(19.18 - 24.71)	22.40	(19.59 - 25.49)	0.692
Region 4	19.50	(16.29 - 23.17)	17.49	(14.40 - 21.09)	0.193
Region 5 (Central)	21.13	(17.28 - 25.57)	20.72	(16.89 - 25.15)	0.815
Region 6 (Eastern)	18.62	(14.89 - 23.03)	20.86	(17.04 - 25.27)	0.184

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	24.86	(23.67 - 26.09)	24.75	(23.58 - 25.96)	0.854
Region 1 (Allegheny)	27.56	(24.63 - 30.69)	26.10	(23.22 - 29.20)	0.341
Regions 3, 8, 9, and 51	24.91	(21.65 - 28.49)	27.00	(23.52 - 30.78)	0.229
Regions 4, 11, 37, and 49	24.07	(21.01 - 27.41)	24.07	(21.03 - 27.39)	0.999
Regions 5, 18, 23, 24, and 46	22.58	(19.52 - 25.97)	20.78	(17.95 - 23.93)	0.228
Regions 6, 12, 16, 31, 35, 45, and 47	24.37	(21.39 - 27.62)	24.97	(21.94 - 28.26)	0.684
Regions 7, 13, 20, and 33	25.75	(23.42 - 28.23)	25.08	(22.65 - 27.69)	0.629
Regions 10, 15, 27, 32, 43, and 44	23.83	(20.67 - 27.31)	21.86	(18.68 - 25.42)	0.227
Regions 17 and 21	27.06	(23.23 - 31.27)	26.97	(23.32 - 30.96)	0.958
Regions 19, 26, 28, and 42	20.34	(17.90 - 23.02)	20.92	(18.39 - 23.70)	0.672
Regions 22, 38, 40, 41, and 48	23.69	(20.71 - 26.95)	23.46	(20.37 - 26.86)	0.881
Regions 29 and 34	23.76	(20.25 - 27.66)	24.08	(20.75 - 27.75)	0.848
Regions 30 and 50	24.56	(21.27 - 28.17)	25.81	(22.48 - 29.44)	0.468
Region 36 (Philadelphia)	28.44	(25.54 - 31.52)	28.99	(26.00 - 32.17)	0.715
Rhode Island	29.06	(26.65 - 31.60)	27.25	(24.99 - 29.63)	0.128
Bristol and Newport	30.65	(26.21 - 35.48)	29.00	(24.76 - 33.66)	0.430
Kent	27.94	(23.87 - 32.40)	27.00	(23.02 - 31.38)	0.643
Providence	29.00	(26.01 - 32.19)	26.55	(23.89 - 29.39)	0.110
Washington	29.16	(25.08 - 33.60)	29.13	(25.01 - 33.63)	0.989
South Carolina	23.03	(20.92 - 25.28)	22.25	(20.28 - 24.35)	0.460
Region 1	--	(-- - --)	20.92	(18.05 - 24.12)	--
Region 2	--	(-- - --)	22.06	(18.97 - 25.48)	--
Region 3	24.43[b]	(20.55 - 28.77)	21.33	(18.15 - 24.90)	0.080
Region 4	23.91	(20.64 - 27.52)	24.59	(21.35 - 28.14)	0.687
South Dakota	28.00	(25.85 - 30.25)	26.99	(24.98 - 29.10)	0.330
Region 1	26.47	(23.08 - 30.16)	25.50	(22.31 - 28.98)	0.568
Region 2	26.58	(22.34 - 31.31)	24.74	(20.73 - 29.23)	0.355
Region 3	30.07	(26.54 - 33.84)	28.73	(25.50 - 32.19)	0.416
Region 4	28.18	(24.37 - 32.33)	27.39	(23.71 - 31.41)	0.644
Region 5	27.96	(24.58 - 31.61)	27.35	(24.15 - 30.79)	0.721
Tennessee	17.96	(16.11 - 19.96)	17.40	(15.68 - 19.25)	0.523
Region 1	15.51	(12.59 - 18.97)	16.07	(13.06 - 19.62)	0.691
Region 2	17.55	(14.60 - 20.96)	16.88	(14.25 - 19.89)	0.616
Region 3	16.64	(13.78 - 19.96)	16.73	(13.95 - 19.93)	0.950
Region 4 (Davidson)	21.30	(17.79 - 25.29)	21.88	(18.26 - 25.98)	0.733
Region 5	19.21	(16.16 - 22.67)	17.62	(14.94 - 20.68)	0.288
Region 6	17.11	(13.89 - 20.89)	15.74	(12.88 - 19.11)	0.338
Region 7 (Shelby)	17.44	(14.39 - 20.97)	17.16	(14.21 - 20.57)	0.845

See notes at end of table. (continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	23.62[a]	(22.48 - 24.80)	22.34	(21.28 - 23.44)	0.035
Region 1	24.98	(21.68 - 28.61)	22.57	(19.51 - 25.96)	0.117
Region 2	22.37	(18.85 - 26.33)	22.41	(18.90 - 26.36)	0.979
Region 3	23.56	(21.75 - 25.48)	21.98	(20.40 - 23.65)	0.101
Region 3a	22.67	(20.48 - 25.03)	21.10	(19.07 - 23.28)	0.182
Region 3bc	25.11	(22.35 - 28.09)	23.54	(21.02 - 26.25)	0.282
Region 4	20.66	(17.59 - 24.11)	19.87	(17.01 - 23.07)	0.579
Region 5	22.01	(18.66 - 25.77)	20.86	(17.69 - 24.42)	0.451
Region 6	23.09	(21.09 - 25.23)	22.06	(20.16 - 24.08)	0.318
Region 6a	22.97	(20.80 - 25.30)	21.81	(19.79 - 23.97)	0.293
Region 6bc	24.08	(20.35 - 28.25)	24.19	(20.43 - 28.40)	0.951
Region 7	25.93	(23.68 - 28.32)	24.44	(22.24 - 26.80)	0.204
Region 7a	27.47	(24.46 - 30.69)	24.98	(22.09 - 28.12)	0.110
Region 7bcd	23.36	(20.39 - 26.62)	23.52	(20.55 - 26.78)	0.916
Region 8	24.02	(21.28 - 26.99)	21.90	(19.40 - 24.63)	0.140
Region 9	24.70	(20.88 - 28.97)	24.00	(20.45 - 27.94)	0.686
Region 10	23.31	(20.03 - 26.93)	22.64	(19.56 - 26.04)	0.679
Region 11	23.33	(20.77 - 26.09)	22.98	(20.46 - 25.70)	0.786
Region 11abd	24.15	(20.94 - 27.69)	23.35	(20.17 - 26.87)	0.623
Region 11c (Hidalgo)	21.86	(18.53 - 25.61)	22.32	(19.12 - 25.89)	0.779
Utah	14.95	(13.32 - 16.75)	16.21	(14.59 - 17.96)	0.156
Bear River, Northeastern, Summit, Tooele, and Wasatch	12.78[a]	(10.31 - 15.72)	15.73	(12.89 - 19.06)	0.021
Central, Four Corners, San Juan, and Southwest	15.47	(12.38 - 19.17)	16.05	(13.12 - 19.47)	0.679
Davis County	13.82[a]	(11.11 - 17.06)	16.44	(13.57 - 19.78)	0.047
Salt Lake County	16.81	(14.50 - 19.40)	17.30	(15.02 - 19.85)	0.706
Utah County	12.66	(10.28 - 15.49)	13.95	(11.56 - 16.75)	0.241
Weber, Morgan	15.28	(12.20 - 18.99)	16.68	(13.65 - 20.24)	0.350
Vermont	24.13[b]	(22.14 - 26.25)	22.34	(20.41 - 24.40)	0.083
Champlain Valley	27.21[b]	(24.48 - 30.12)	24.58	(22.00 - 27.35)	0.076
Rural Northeast	23.16	(19.85 - 26.83)	22.52	(19.31 - 26.09)	0.708
Rural Southeast	21.61	(18.42 - 25.17)	19.83	(16.83 - 23.21)	0.245
Rural Southwest	21.19	(17.88 - 24.92)	19.69	(16.51 - 23.32)	0.333
Virginia	21.95	(20.01 - 24.02)	22.31	(20.50 - 24.23)	0.702
Region 1	21.87	(18.76 - 25.34)	22.29	(19.18 - 25.73)	0.797
Region 2	20.69	(17.74 - 23.99)	22.19	(19.29 - 25.40)	0.309
Region 3	22.18	(18.93 - 25.82)	23.12	(19.79 - 26.82)	0.582
Region 4	22.71	(19.17 - 26.69)	22.40	(19.13 - 26.06)	0.857
Region 5	22.79	(19.74 - 26.17)	21.79	(18.96 - 24.91)	0.509

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	22.31[b]	(20.31 - 24.45)	20.60	(18.85 - 22.46)	0.066
Region 1	22.80[b]	(19.77 - 26.15)	20.25	(17.66 - 23.10)	0.058
Greater Columbia and North Central	--	(-- - --)	19.29	(16.21 - 22.79)	--
Spokane	--	(-- - --)	21.64	(18.00 - 25.79)	--
Region 2	22.27	(19.79 - 24.97)	20.43	(18.24 - 22.81)	0.126
King	21.82	(18.85 - 25.12)	20.84	(18.15 - 23.81)	0.500
North Sound	23.06[a]	(19.75 - 26.73)	19.72	(16.87 - 22.92)	0.030
Region 3	22.03	(19.37 - 24.93)	21.07	(18.76 - 23.58)	0.421
Peninsula	--	(-- - --)	20.17	(16.55 - 24.36)	--
Pierce	--	(-- - --)	22.26	(18.83 - 26.11)	--
SW WA and Timberlands	--	(-- - --)	20.17	(16.77 - 24.05)	--
Thurston-Mason	--	(-- - --)	21.09	(17.20 - 25.59)	--
West Virginia	19.90	(18.05 - 21.88)	19.75	(17.99 - 21.65)	0.873
Region I	20.82	(17.07 - 25.14)	20.20	(16.51 - 24.47)	0.715
Region II	21.11	(17.61 - 25.09)	21.11	(17.57 - 25.15)	0.996
Region III	18.46	(15.11 - 22.34)	18.61	(15.19 - 22.60)	0.922
Region IV	24.17	(21.14 - 27.49)	23.71	(20.67 - 27.04)	0.764
Region V	17.62	(15.07 - 20.49)	18.12	(15.55 - 21.01)	0.719
Region VI	17.75	(14.74 - 21.23)	16.87	(14.18 - 19.96)	0.522
Wisconsin	28.47	(26.11 - 30.96)	29.71	(27.47 - 32.06)	0.276
Milwaukee	27.06	(23.07 - 31.46)	30.00	(26.07 - 34.23)	0.149
Northeastern	27.38[a]	(23.91 - 31.14)	32.47	(28.56 - 36.64)	0.008
Northern	27.10	(22.46 - 32.30)	27.73	(23.29 - 32.65)	0.774
Southeastern	29.60	(25.34 - 34.25)	29.93	(26.11 - 34.06)	0.873
Southern	29.81	(25.86 - 34.09)	28.42	(24.67 - 32.48)	0.476
Western	29.19	(25.31 - 33.39)	27.80	(23.99 - 31.96)	0.472

See notes at end of table.

(continued)

Table 9 *Binge Alcohol Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	22.60[a]	(20.60 - 24.72)	24.57	(22.66 - 26.59)	0.042
Judicial District 1 (Laramie)	21.56	(18.26 - 25.27)	23.39	(20.15 - 26.98)	0.264
Judicial District 2	28.95	(25.24 - 32.98)	31.60	(27.68 - 35.80)	0.148
Judicial District 3	20.21[a]	(16.99 - 23.86)	24.51	(21.14 - 28.23)	0.007
Judicial District 4	20.90	(17.25 - 25.09)	23.94	(19.79 - 28.65)	0.108
Judicial District 5	20.31	(16.66 - 24.53)	21.71	(17.97 - 25.98)	0.415
Judicial District 6	24.31	(20.43 - 28.65)	24.45	(20.80 - 28.50)	0.938
Judicial District 7 (Natrona)	23.48	(19.96 - 27.40)	25.00	(21.16 - 29.28)	0.391
Judicial District 8	21.93	(18.22 - 26.15)	22.81	(19.15 - 26.94)	0.621
Judicial District 9	22.45	(18.60 - 26.85)	23.94	(20.19 - 28.13)	0.434

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	42.54[a]	(42.11 - 42.97)	41.31	(40.91 - 41.70)	0.000
Northeast	40.88[a]	(40.06 - 41.70)	39.66	(38.85 - 40.49)	0.006
Midwest	38.25[a]	(37.59 - 38.90)	37.16	(36.50 - 37.83)	0.002
South	44.77[a]	(44.12 - 45.42)	43.41	(42.79 - 44.03)	0.000
West	44.29[a]	(43.42 - 45.16)	43.03	(42.21 - 43.86)	0.006
Alabama	45.00	(42.52 - 47.51)	44.83	(42.29 - 47.40)	0.893
Region 1	45.20	(41.19 - 49.28)	44.42	(40.34 - 48.57)	0.691
Region 2	43.36	(39.62 - 47.18)	45.03	(41.23 - 48.88)	0.409
Region 3	48.41	(44.21 - 52.63)	45.92	(42.01 - 49.88)	0.244
Region 4	44.39	(40.18 - 48.69)	44.20	(40.17 - 48.31)	0.928
Alaska	40.02	(37.39 - 42.71)	39.17	(36.85 - 41.54)	0.520
Anchorage	41.75	(38.25 - 45.34)	39.53	(36.42 - 42.72)	0.225
Northern	38.37	(34.33 - 42.57)	39.87	(36.05 - 43.81)	0.452
South Central	39.20	(34.75 - 43.83)	38.60	(34.90 - 42.43)	0.778
Southeast	38.83	(34.27 - 43.59)	37.71	(33.40 - 42.21)	0.618
Arizona	44.33	(41.55 - 47.15)	42.39	(39.86 - 44.96)	0.162
Maricopa	43.85	(40.44 - 47.33)	41.95	(38.93 - 45.02)	0.284
Pima	44.17	(39.33 - 49.13)	42.04	(37.76 - 46.45)	0.335
Rural North	44.31	(39.23 - 49.51)	42.94	(38.01 - 48.00)	0.560
Rural South	46.65	(41.30 - 52.08)	44.25	(39.91 - 48.69)	0.310
Arkansas	43.95[a]	(41.34 - 46.58)	40.80	(38.28 - 43.38)	0.014
Catchment Area 1	42.75	(38.29 - 47.33)	40.09	(35.92 - 44.41)	0.202
Catchment Area 2	41.45	(36.45 - 46.63)	38.95	(34.68 - 43.40)	0.278
Catchment Area 3	44.05	(39.28 - 48.92)	42.29	(37.95 - 46.75)	0.452
Catchment Area 4	44.03[b]	(39.11 - 49.08)	39.80	(35.45 - 44.31)	0.063
Catchment Area 5	41.70	(37.24 - 46.30)	39.14	(34.80 - 43.67)	0.232
Catchment Area 6	47.25	(42.00 - 52.57)	44.64	(40.13 - 49.23)	0.258
Catchment Area 7	45.49	(40.47 - 50.59)	42.92	(38.50 - 47.46)	0.248
Catchment Area 8	46.24[a]	(41.94 - 50.60)	41.01	(36.65 - 45.52)	0.019

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	46.47[a]	(45.10 - 47.84)	45.07	(43.76 - 46.38)	0.045
Region 1R	41.69	(37.38 - 46.14)	39.19	(35.24 - 43.30)	0.212
Region 2R	39.85	(35.38 - 44.50)	39.41	(35.50 - 43.46)	0.830
Region 3R (Sacramento)	46.32	(42.01 - 50.68)	44.03	(40.25 - 47.88)	0.259
Region 4R	43.24	(38.98 - 47.60)	42.84	(39.24 - 46.52)	0.850
Region 5R (San Francisco)	43.69[b]	(38.82 - 48.68)	39.57	(35.14 - 44.18)	0.074
Region 6 (Santa Clara)	45.05	(40.72 - 49.45)	42.93	(39.19 - 46.75)	0.286
Region 7R (Contra Costa)	45.93[b]	(41.41 - 50.51)	42.32	(38.24 - 46.51)	0.069
Region 8R (Alameda)	46.35	(42.09 - 50.65)	46.56	(42.65 - 50.53)	0.919
Region 9R (San Mateo)	45.65	(40.75 - 50.63)	43.26	(38.98 - 47.64)	0.281
Region 10	43.71	(39.49 - 48.03)	45.42	(41.55 - 49.36)	0.396
Region 11 (Los Angeles)	49.22[b]	(47.23 - 51.21)	47.48	(45.58 - 49.39)	0.074
LA SPA 1 and 5	45.25	(40.68 - 49.91)	43.26	(39.23 - 47.38)	0.338
LA SPA 2	48.00	(43.99 - 52.04)	45.41	(41.79 - 49.07)	0.186
LA SPA 3	52.10	(47.98 - 56.19)	49.81	(45.83 - 53.80)	0.256
LA SPA 4	46.14	(41.65 - 50.69)	46.09	(42.05 - 50.18)	0.981
LA SPA 6	53.43	(49.05 - 57.77)	51.67	(47.67 - 55.65)	0.369
LA SPA 7	52.92	(48.66 - 57.13)	50.69	(46.96 - 54.41)	0.257
LA SPA 8	46.98	(42.73 - 51.28)	46.46	(42.62 - 50.35)	0.794
Region 12R	45.12	(40.48 - 49.85)	46.06	(41.79 - 50.39)	0.646
Regions 13 and 19R	47.36	(43.74 - 51.00)	46.36	(42.84 - 49.91)	0.588
Region 14 (Orange)	46.29	(42.78 - 49.85)	45.11	(41.86 - 48.41)	0.494
Region 15R (Fresno)	48.69	(44.32 - 53.09)	46.17	(42.21 - 50.19)	0.213
Region 16R (San Diego)	45.10	(41.85 - 48.39)	42.58	(39.45 - 45.78)	0.135
Region 17R	45.47	(41.41 - 49.59)	43.43	(39.99 - 46.94)	0.261
Region 18R (San Bernardino)	48.75	(44.93 - 52.58)	48.32	(44.63 - 52.03)	0.815
Region 20R	46.06	(41.65 - 50.55)	47.14	(43.08 - 51.24)	0.604
Region 21R	44.11	(39.73 - 48.59)	43.97	(39.86 - 48.17)	0.943
Colorado	38.34	(35.81 - 40.94)	37.54	(35.09 - 40.05)	0.536
Region 1	36.82	(32.37 - 41.50)	35.35	(31.11 - 39.84)	0.499
Regions 2 and 7	39.09	(35.82 - 42.46)	38.08	(35.06 - 41.19)	0.559
Region 3	37.21	(33.11 - 41.51)	35.57	(31.54 - 39.82)	0.429
Region 4	42.56	(37.36 - 47.94)	42.56	(37.56 - 47.73)	0.999
Regions 5 and 6	35.80	(31.14 - 40.75)	37.62	(33.14 - 42.31)	0.401
Connecticut	42.71	(40.01 - 45.45)	41.79	(39.34 - 44.28)	0.491
Eastern	39.22	(34.82 - 43.80)	39.26	(35.17 - 43.51)	0.983
North Central	42.27	(38.09 - 46.57)	41.72	(38.03 - 45.51)	0.792
Northwestern	42.90	(38.39 - 47.54)	42.04	(37.77 - 46.42)	0.687
South Central	42.60	(38.19 - 47.13)	40.90	(36.99 - 44.94)	0.424
Southwest	45.63	(41.22 - 50.12)	44.40	(40.06 - 48.82)	0.585

See notes at end of table. (continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	41.30	(38.75 - 43.89)	39.88	(37.43 - 42.39)	0.277
Kent	42.47	(38.15 - 46.91)	41.09	(37.03 - 45.27)	0.482
New Castle (excluding Wilmington City)	40.49	(37.19 - 43.89)	39.50	(36.38 - 42.69)	0.565
Sussex	40.99	(36.71 - 45.42)	38.33	(34.35 - 42.47)	0.224
Wilmington City	44.62	(39.80 - 49.55)	44.02	(39.21 - 48.94)	0.792
District of Columbia	40.06	(37.56 - 42.62)	39.95	(37.61 - 42.33)	0.926
Ward 1	37.42	(32.84 - 42.24)	36.18	(32.21 - 40.34)	0.568
Ward 2	28.67	(24.80 - 32.88)	30.30	(26.42 - 34.49)	0.405
Ward 3	35.33	(30.94 - 39.98)	33.79	(29.82 - 38.01)	0.451
Ward 4	43.20	(38.27 - 48.27)	43.88	(39.23 - 48.65)	0.774
Ward 5	43.95	(39.50 - 48.49)	43.36	(39.14 - 47.69)	0.792
Ward 6	37.89	(33.05 - 42.98)	37.58	(33.56 - 41.79)	0.892
Ward 7	48.91	(44.00 - 53.84)	47.32	(42.68 - 52.00)	0.485
Ward 8	48.03	(43.56 - 52.53)	49.57	(45.19 - 53.97)	0.471
Florida[1]	47.62[a]	(46.18 - 49.06)	44.37	(42.96 - 45.77)	0.000
Broward (Circuit 17)	51.73[a]	(48.19 - 55.25)	47.96	(44.48 - 51.46)	0.049
Central I	--	(-- - --)	43.42	(40.94 - 45.93)	--
Circuit 9	47.54	(44.10 - 51.00)	46.69	(43.44 - 49.96)	0.635
Circuit 18	42.63[a]	(38.46 - 46.92)	38.67	(35.05 - 42.42)	0.048
Central II	--	(-- - --)	40.77	(38.70 - 42.88)	--
Circuit 6	40.68	(36.68 - 44.80)	38.21	(34.57 - 41.99)	0.223
Circuit 10	44.88	(40.59 - 49.25)	43.93	(39.90 - 48.04)	0.659
Circuit 12	41.60	(37.14 - 46.20)	38.64	(34.52 - 42.93)	0.185
Circuit 13 (Hillsborough)	46.38[a]	(42.73 - 50.06)	42.66	(39.05 - 46.35)	0.045
Circuit 20	44.39	(40.08 - 48.78)	41.29	(37.35 - 45.35)	0.151
Northeast	--	(-- - --)	41.37	(39.08 - 43.68)	--
Circuit 4	47.75[a]	(43.69 - 51.83)	43.18	(39.53 - 46.90)	0.022
Circuit 5	45.10[a]	(40.30 - 50.00)	40.45	(36.30 - 44.73)	0.047
Circuit 7	42.97	(38.93 - 47.11)	40.79	(36.84 - 44.87)	0.297
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	40.39	(36.53 - 44.37)	--
Northwest	--	(-- - --)	38.36	(35.66 - 41.13)	--
Circuit 1	42.29[a]	(38.48 - 46.20)	37.09	(33.14 - 41.22)	0.010
Circuit 2 plus Madison and Taylor	--	(-- - --)	39.44	(35.62 - 43.39)	--
Circuit 14	42.20	(37.44 - 47.11)	39.77	(35.35 - 44.36)	0.271
South (Circuits 11 and 16)	62.73[a]	(59.61 - 65.74)	57.09	(53.93 - 60.19)	0.001
Southeast	--	(-- - --)	44.88	(41.80 - 48.00)	--
Circuit 15 (Palm Beach)	46.20	(42.14 - 50.32)	45.91	(42.05 - 49.81)	0.885
Circuit 19	45.82	(41.07 - 50.65)	42.62	(38.35 - 47.01)	0.146

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	44.31	(41.84 - 46.81)	45.46	(43.01 - 47.92)	0.357
Region 1	42.89	(38.89 - 47.00)	43.62	(39.76 - 47.56)	0.725
Region 2	44.09	(39.78 - 48.49)	44.32	(40.27 - 48.44)	0.910
Region 3	45.00	(41.09 - 48.97)	48.17	(44.47 - 51.89)	0.114
Region 4	46.66	(41.48 - 51.91)	47.49	(42.85 - 52.18)	0.722
Region 5	45.50	(40.43 - 50.66)	45.38	(40.74 - 50.11)	0.959
Region 6	43.69	(39.11 - 48.39)	43.25	(39.00 - 47.60)	0.836
Hawaii	40.71	(38.06 - 43.43)	39.23	(36.63 - 41.89)	0.299
Hawaii Island	40.08	(35.38 - 44.98)	36.93	(32.56 - 41.53)	0.159
Honolulu	40.42	(37.34 - 43.58)	39.17	(36.16 - 42.26)	0.476
Kauai	40.16	(34.63 - 45.94)	39.75	(34.79 - 44.93)	0.869
Maui	43.50	(38.24 - 48.91)	42.15	(37.64 - 46.79)	0.576
Idaho	38.49[b]	(36.04 - 41.00)	40.58	(38.22 - 42.98)	0.090
Region 1	36.53	(31.84 - 41.49)	40.23	(35.88 - 44.75)	0.106
Region 2	35.02	(30.36 - 39.99)	37.44	(32.89 - 42.23)	0.285
Region 3	40.13	(35.74 - 44.68)	42.04	(37.88 - 46.32)	0.375
Region 4	36.76	(32.87 - 40.83)	38.53	(35.03 - 42.16)	0.361
Region 5	41.21	(36.70 - 45.87)	41.68	(37.42 - 46.07)	0.827
Region 6	--	(-- - --)	40.74	(36.15 - 45.51)	--
Region 7	--	(-- - --)	43.70	(39.75 - 47.73)	--
Illinois	41.43[a]	(40.02 - 42.86)	39.58	(38.18 - 41.00)	0.017
Region I (Cook)	43.09	(40.87 - 45.33)	41.51	(39.29 - 43.78)	0.210
Region II	42.15	(39.89 - 44.44)	40.59	(38.34 - 42.88)	0.236
Region III	37.79	(34.70 - 40.98)	36.17	(33.29 - 39.14)	0.320
Region IV	37.98	(34.46 - 41.62)	35.35	(32.16 - 38.68)	0.135
Region V	38.93[a]	(35.70 - 42.26)	35.08	(31.75 - 38.57)	0.030
Indiana	38.65	(36.16 - 41.20)	37.65	(35.26 - 40.10)	0.411
Central	40.21	(36.10 - 44.46)	38.79	(34.99 - 42.74)	0.485
East	38.53	(34.05 - 43.22)	37.61	(33.26 - 42.16)	0.665
North Central	37.79	(33.32 - 42.47)	37.79	(33.83 - 41.93)	0.999
Northeast	36.91	(32.40 - 41.66)	35.63	(31.31 - 40.21)	0.538
Northwest	40.58	(36.00 - 45.33)	39.55	(35.25 - 44.01)	0.642
Southeast	38.13	(33.52 - 42.96)	36.65	(32.26 - 41.28)	0.509
Southwest	38.82	(33.89 - 43.99)	36.76	(32.43 - 41.31)	0.364
West	36.18	(31.92 - 40.67)	36.23	(32.07 - 40.60)	0.981
Iowa	36.46	(34.00 - 38.99)	35.02	(32.55 - 37.56)	0.225
Central	38.25	(34.18 - 42.50)	37.27	(33.39 - 41.33)	0.623
North Central	37.76	(32.97 - 42.80)	35.48	(31.05 - 40.18)	0.292
Northeast	33.93	(30.08 - 38.01)	33.14	(29.45 - 37.04)	0.681
Northwest	36.65	(32.13 - 41.41)	35.83	(31.39 - 40.53)	0.709
Southeast	36.21	(32.20 - 40.42)	34.45	(30.72 - 38.38)	0.362
Southwest	38.17	(33.43 - 43.14)	34.96	(30.67 - 39.51)	0.147

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	38.04	(35.54 - 40.61)	36.57	(34.23 - 38.98)	0.230
Kansas City Metro	38.03	(34.48 - 41.72)	37.86	(34.48 - 41.35)	0.923
Northeast	36.81	(32.47 - 41.36)	35.42	(31.54 - 39.50)	0.497
South Central	36.94	(32.28 - 41.84)	35.61	(31.54 - 39.90)	0.538
Southeast	37.58	(32.78 - 42.64)	34.75	(30.13 - 39.67)	0.201
West	39.75[b]	(35.01 - 44.70)	36.05	(31.75 - 40.59)	0.096
Wichita (Sedgwick)	39.37	(35.13 - 43.77)	37.10	(33.10 - 41.28)	0.265
Kentucky	42.25	(39.65 - 44.90)	41.04	(38.61 - 43.51)	0.345
Adanta, Cumberland River, and Lifeskills	43.55	(39.17 - 48.03)	41.55	(37.37 - 45.85)	0.343
Bluegrass, Comprehend, and North Key	38.66	(34.65 - 42.83)	39.48	(35.91 - 43.17)	0.692
Communicare and River Valley	43.10	(38.35 - 47.98)	40.38	(36.06 - 44.85)	0.221
Four Rivers and Pennyroyal	43.33	(38.47 - 48.32)	40.89	(36.41 - 45.53)	0.307
Kentucky River, Mountain, and Pathways	42.86	(37.65 - 48.23)	40.95	(36.41 - 45.64)	0.407
Seven Counties	44.80	(40.49 - 49.20)	43.15	(39.30 - 47.09)	0.444
Louisiana	43.31	(40.85 - 45.81)	41.61	(39.16 - 44.10)	0.170
Regions 1 and 10	43.89	(40.05 - 47.82)	42.75	(39.13 - 46.45)	0.494
Region 1	44.59	(39.75 - 49.54)	43.02	(38.39 - 47.77)	0.464
Region 10 (Jefferson)	43.20	(38.27 - 48.27)	42.47	(38.00 - 47.08)	0.740
Regions 2 and 9	41.49	(37.64 - 45.46)	40.75	(37.08 - 44.53)	0.715
Region 3	44.36[b]	(39.63 - 49.20)	40.26	(35.80 - 44.88)	0.057
Regions 4, 5, and 6	42.19	(38.23 - 46.26)	40.69	(36.87 - 44.62)	0.478
Regions 7 and 8	46.18	(42.05 - 50.37)	43.43	(39.40 - 47.55)	0.171
Maine	37.50[a]	(34.86 - 40.22)	34.70	(32.33 - 37.16)	0.031
Aroostook/Downeast	37.59	(33.49 - 41.88)	35.01	(31.26 - 38.97)	0.179
Aroostook	37.67	(32.53 - 43.10)	36.32	(31.66 - 41.26)	0.588
Downeast	37.52	(32.43 - 42.91)	33.95	(29.18 - 39.07)	0.136
Central	36.47	(31.81 - 41.41)	35.10	(31.04 - 39.39)	0.542
Cumberland	39.65[a]	(35.24 - 44.22)	34.42	(30.56 - 38.51)	0.014
Midcoast	37.81	(32.91 - 42.98)	35.16	(30.73 - 39.86)	0.258
Penquis	35.42	(31.22 - 39.86)	34.12	(30.12 - 38.37)	0.528
Western	37.63	(33.17 - 42.32)	34.72	(30.58 - 39.10)	0.196
York	36.70	(32.20 - 41.45)	34.67	(30.47 - 39.11)	0.382

See notes at end of table. (continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	43.43[b]	(40.79 - 46.10)	41.41	(38.88 - 43.98)	0.091
Anne Arundel	41.18	(36.20 - 46.35)	38.89	(34.41 - 43.56)	0.316
Baltimore City	46.88	(42.26 - 51.56)	45.25	(40.94 - 49.64)	0.443
Baltimore County	43.72[b]	(38.98 - 48.58)	40.16	(35.85 - 44.63)	0.089
Montgomery	44.92	(40.37 - 49.56)	41.85	(37.58 - 46.24)	0.160
North Central	40.96	(36.01 - 46.11)	38.22	(33.56 - 43.12)	0.229
Northeast	38.81	(34.04 - 43.80)	37.99	(33.41 - 42.79)	0.736
Prince George's	46.69	(41.85 - 51.60)	46.26	(41.75 - 50.82)	0.843
South	44.06	(39.20 - 49.03)	42.02	(37.66 - 46.51)	0.366
West	38.57	(33.78 - 43.60)	37.81	(33.34 - 42.49)	0.727
Massachusetts	38.81	(36.37 - 41.32)	37.51	(35.09 - 40.00)	0.302
Boston	38.32	(33.75 - 43.09)	37.75	(33.64 - 42.06)	0.797
Central	37.94	(33.42 - 42.69)	38.05	(33.75 - 42.54)	0.961
Metrowest	38.88	(34.75 - 43.18)	36.07	(32.21 - 40.12)	0.182
Northeast	39.32	(35.24 - 43.56)	37.11	(33.30 - 41.08)	0.284
Southeast	38.43	(34.27 - 42.76)	36.97	(33.09 - 41.03)	0.488
Western	39.86	(35.60 - 44.28)	40.79	(36.62 - 45.11)	0.662
Michigan[1]	39.51	(38.16 - 40.88)	39.32	(37.97 - 40.67)	0.796
Region 1	36.61	(32.65 - 40.75)	35.71	(31.71 - 39.91)	0.660
Region 2	--	(-- - --)	39.43	(35.21 - 43.82)	--
Region 3	--	(-- - --)	39.16	(36.38 - 42.02)	--
Region 4	--	(-- - --)	37.32	(33.90 - 40.88)	--
Region 5	--	(-- - --)	35.60	(32.95 - 38.35)	--
Region 6	--	(-- - --)	38.62	(35.37 - 41.97)	--
Region 7	--	(-- - --)	45.39	(42.48 - 48.32)	--
Region 8	39.93	(36.65 - 43.29)	38.69	(35.54 - 41.94)	0.468
Region 9	39.75	(36.38 - 43.22)	40.47	(37.03 - 44.02)	0.685
Region 10	--	(-- - --)	37.64	(34.25 - 41.15)	--
Minnesota	36.57	(34.13 - 39.07)	35.41	(33.03 - 37.87)	0.339
Regions 1 and 2	38.13	(33.15 - 43.38)	35.02	(30.49 - 39.83)	0.204
Regions 3 and 4	36.22	(32.16 - 40.48)	33.47	(29.59 - 37.59)	0.175
Regions 5 and 6	35.73	(31.51 - 40.18)	34.47	(30.57 - 38.60)	0.540
Region 7A (Hennepin)	37.05	(33.03 - 41.26)	37.68	(33.83 - 41.68)	0.754
Region 7B (Ramsey)	38.05	(33.22 - 43.13)	37.23	(32.81 - 41.87)	0.684
Region 7C	35.72	(31.93 - 39.69)	34.82	(31.27 - 38.54)	0.637
Mississippi	46.59	(44.11 - 49.09)	46.70	(44.17 - 49.26)	0.926
Region 1	45.93	(41.89 - 50.03)	45.89	(41.90 - 49.94)	0.982
Region 2	50.32	(45.59 - 55.04)	49.84	(45.45 - 54.23)	0.827
Region 3	45.91	(41.38 - 50.51)	44.75	(40.57 - 49.00)	0.590
Region 4	46.82	(42.61 - 51.07)	47.69	(43.43 - 51.98)	0.679
Region 5	47.08	(41.69 - 52.54)	48.25	(43.27 - 53.26)	0.629
Region 6	46.55	(42.12 - 51.03)	46.97	(42.64 - 51.34)	0.845
Region 7	44.76	(40.20 - 49.40)	45.27	(40.80 - 49.82)	0.816

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	36.02	(33.58 - 38.53)	35.32	(32.92 - 37.80)	0.555
Central	35.46	(31.20 - 39.96)	33.66	(29.76 - 37.78)	0.369
Eastern	36.95	(33.58 - 40.45)	36.03	(32.99 - 39.19)	0.564
Eastern (St. Louis City and County)	38.37	(34.22 - 42.70)	37.31	(33.56 - 41.21)	0.592
Eastern (excluding St. Louis)	34.48	(30.07 - 39.18)	33.85	(29.96 - 37.97)	0.755
Northwest	36.77	(33.23 - 40.45)	35.56	(32.21 - 39.06)	0.463
Northwest (Jackson)	39.90	(35.34 - 44.64)	38.45	(34.29 - 42.79)	0.504
Northwest (excluding Jackson)	34.12	(29.70 - 38.85)	33.12	(28.96 - 37.56)	0.622
Southeast	33.76	(29.41 - 38.39)	34.87	(30.61 - 39.38)	0.615
Southwest	34.99	(30.78 - 39.44)	35.16	(30.95 - 39.61)	0.932
Montana	36.88	(34.53 - 39.30)	35.83	(33.40 - 38.33)	0.402
Region 1	37.98	(33.30 - 42.89)	35.26	(30.78 - 40.01)	0.229
Region 2	39.61	(35.28 - 44.12)	36.78	(32.71 - 41.04)	0.177
Region 3	37.58	(33.58 - 41.76)	37.90	(34.09 - 41.86)	0.873
Region 4	34.32	(30.62 - 38.22)	35.65	(31.75 - 39.74)	0.492
Region 5	37.09	(33.55 - 40.77)	34.31	(30.73 - 38.08)	0.135
Nebraska	37.23	(34.76 - 39.76)	38.59	(36.04 - 41.20)	0.273
Regions 1 and 2	39.04	(35.03 - 43.20)	40.20	(36.20 - 44.34)	0.539
Region 1	39.82	(34.63 - 45.24)	40.69	(35.84 - 45.74)	0.713
Region 2	38.36	(33.27 - 43.71)	39.76	(34.84 - 44.91)	0.546
Region 3	37.44	(33.16 - 41.92)	39.19	(35.01 - 43.54)	0.409
Region 4	37.39	(32.69 - 42.33)	38.41	(33.84 - 43.19)	0.649
Region 5	37.17	(33.19 - 41.33)	36.54	(32.86 - 40.38)	0.747
Region 6	36.71	(33.21 - 40.36)	39.28	(35.83 - 42.84)	0.157
Nevada	42.27	(39.28 - 45.32)	44.27	(41.64 - 46.93)	0.162
Clark – Region 1	43.18	(39.66 - 46.77)	45.53	(42.50 - 48.58)	0.176
Region 3	39.91	(35.63 - 44.35)	40.97	(36.82 - 45.25)	0.597
Capital District	40.27	(34.90 - 45.88)	41.58	(36.37 - 46.99)	0.590
Rural/Frontier	39.58	(34.34 - 45.08)	40.42	(35.47 - 45.57)	0.738
Washoe – Region 2	39.97	(35.50 - 44.61)	41.09	(37.04 - 45.27)	0.594
New Hampshire	37.73[a]	(35.22 - 40.30)	34.87	(32.52 - 37.30)	0.021
Central	37.01	(33.55 - 40.59)	34.78	(31.66 - 38.05)	0.191
Central 1	36.33	(31.95 - 40.94)	35.15	(31.26 - 39.25)	0.582
Central 2	37.66	(33.16 - 42.39)	34.42	(30.34 - 38.75)	0.142
Northern	38.08	(33.26 - 43.15)	34.29	(29.95 - 38.92)	0.104
Southern	38.00[a]	(35.05 - 41.04)	35.05	(32.36 - 37.83)	0.039
Southern 1 (Rockingham)	35.61	(31.68 - 39.74)	33.12	(29.51 - 36.94)	0.204
Southern 2	39.49[b]	(35.78 - 43.32)	36.25	(32.95 - 39.68)	0.072

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	42.67	(40.06 - 45.33)	41.74	(39.28 - 44.25)	0.482
Central	38.32	(34.03 - 42.79)	38.09	(34.25 - 42.09)	0.919
Metropolitan	47.21	(43.05 - 51.42)	46.16	(42.25 - 50.13)	0.604
Northern	43.79	(39.77 - 47.90)	42.33	(38.51 - 46.24)	0.466
Southern	40.58	(36.43 - 44.87)	39.78	(35.89 - 43.80)	0.704
New Mexico	47.92[a]	(45.08 - 50.76)	45.12	(42.59 - 47.68)	0.038
Region 1	48.86	(44.47 - 53.28)	45.70	(41.72 - 49.73)	0.145
Region 2	50.79[b]	(45.78 - 55.80)	46.87	(42.13 - 51.66)	0.086
Region 3 (Bernalillo)	47.56[b]	(43.18 - 51.98)	44.19	(40.52 - 47.93)	0.091
Region 4	45.81	(41.21 - 50.49)	43.66	(39.43 - 47.98)	0.335
Region 5	46.73	(42.39 - 51.12)	45.70	(41.59 - 49.86)	0.618
New York	42.97	(41.44 - 44.51)	41.87	(40.39 - 43.35)	0.173
Region A	46.42	(44.29 - 48.56)	45.14	(43.11 - 47.20)	0.237
Region 1	53.14	(49.03 - 57.20)	50.70	(47.14 - 54.25)	0.211
Region 2	46.84	(43.57 - 50.14)	45.03	(41.89 - 48.21)	0.287
Region 3	40.72	(36.86 - 44.70)	38.97	(35.29 - 42.77)	0.353
Region 4	46.10	(42.32 - 49.94)	46.58	(43.04 - 50.16)	0.804
Region B	43.01	(40.78 - 45.26)	41.93	(39.73 - 44.16)	0.360
Region 5	43.44	(40.55 - 46.38)	41.64	(38.68 - 44.67)	0.260
Region 6	43.48	(39.40 - 47.65)	43.97	(40.12 - 47.90)	0.804
Region 7	40.82	(36.84 - 44.93)	39.62	(35.68 - 43.71)	0.554
Region C	38.74	(36.67 - 40.86)	37.69	(35.72 - 39.69)	0.314
Region 8	38.32	(34.42 - 42.38)	36.06	(32.55 - 39.72)	0.242
Region 9	38.13	(34.26 - 42.15)	37.84	(34.29 - 41.52)	0.881
Region 10	36.87	(32.66 - 41.29)	36.31	(32.15 - 40.69)	0.778
Region 11	39.86	(36.13 - 43.70)	39.01	(35.59 - 42.55)	0.650
Region 12	39.32	(35.58 - 43.20)	38.30	(35.02 - 41.70)	0.576
Region D	37.34	(34.57 - 40.20)	36.52	(33.92 - 39.20)	0.551
Region 13	39.20	(34.80 - 43.79)	38.36	(34.15 - 42.75)	0.688
Region 14	38.24	(33.76 - 42.94)	35.96	(31.98 - 40.15)	0.267
Region 15	34.79	(30.85 - 38.96)	35.44	(31.78 - 39.28)	0.743

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	43.91	(41.35 - 46.50)	42.32	(39.88 - 44.80)	0.180
Alliance Behavioral Healthcare 1	--	(-- - --)	43.90	(39.59 - 48.30)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	41.29	(36.85 - 45.88)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	40.88	(36.17 - 45.76)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	42.82	(38.17 - 47.60)	--
Cardinal Innovations Healthcare Solutions 3	44.40	(39.31 - 49.61)	43.18	(38.73 - 47.75)	0.588
CenterPoint Human Services	42.81	(37.42 - 48.37)	43.74	(39.09 - 48.50)	0.703
Eastpointe	47.95	(42.81 - 53.14)	47.40	(42.73 - 52.10)	0.819
Partners Behavioral Health Management	42.93	(38.31 - 47.68)	41.13	(36.66 - 45.75)	0.407
Sandhills Center 1	43.20	(37.94 - 48.61)	42.83	(37.92 - 47.88)	0.875
Sandhills Center 2	44.67	(39.50 - 49.95)	42.40	(38.00 - 46.92)	0.312
Smoky Mountain Center 1	40.01	(34.60 - 45.67)	39.37	(34.67 - 44.27)	0.790
Smoky Mountain Center 2	43.17	(37.88 - 48.62)	39.68	(34.91 - 44.65)	0.152
Trillium Health Resources 1	43.43	(38.22 - 48.78)	41.73	(36.97 - 46.65)	0.460
Trillium Health Resources 2	41.09	(36.09 - 46.28)	40.70	(36.00 - 45.58)	0.865
North Dakota	35.92	(33.55 - 38.36)	34.88	(32.62 - 37.21)	0.362
Badlands and West Central	37.13	(33.10 - 41.34)	36.54	(32.98 - 40.26)	0.764
Lake Region	--	(-- - --)	38.98	(34.52 - 43.64)	--
North Central	--	(-- - --)	35.77	(31.75 - 40.00)	--
Northeast	34.53	(30.46 - 38.83)	34.44	(30.67 - 38.42)	0.964
Northwest	--	(-- - --)	35.06	(30.54 - 39.85)	--
South Central	--	(-- - --)	35.98	(31.40 - 40.83)	--
Southeast	33.71	(30.40 - 37.19)	31.82	(28.57 - 35.26)	0.253

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	38.17[a]	(36.85 - 39.51)	36.38	(34.99 - 37.79)	0.018
Boards 2, 46, 55, and 68	37.20	(33.42 - 41.15)	35.61	(31.69 - 39.74)	0.409
Boards 3, 52, and 85	36.54	(32.56 - 40.70)	33.88	(30.11 - 37.86)	0.166
Boards 4 and 78	37.24	(32.74 - 41.97)	37.01	(32.81 - 41.41)	0.913
Boards 5 and 60	33.78	(29.90 - 37.89)	33.75	(30.11 - 37.59)	0.988
Boards 7, 15, 41, 79, and 84	36.26	(32.31 - 40.41)	35.73	(31.99 - 39.66)	0.805
Boards 8, 13, and 83	37.93	(34.13 - 41.90)	35.03	(31.32 - 38.93)	0.135
Board 9 (Butler)	37.60	(33.54 - 41.84)	35.50	(31.67 - 39.51)	0.269
Board 12	38.18	(34.09 - 42.45)	35.62	(31.63 - 39.82)	0.198
Boards 18 and 47	39.28	(36.37 - 42.27)	38.22	(35.19 - 41.34)	0.541
Boards 20, 32, 54, and 69	36.50	(32.24 - 40.99)	35.59	(31.84 - 39.52)	0.647
Boards 21, 39, 51, 70, and 80	37.85	(33.99 - 41.88)	36.58	(32.96 - 40.36)	0.512
Boards 22, 74, and 87	36.22	(32.31 - 40.31)	33.65	(29.85 - 37.68)	0.211
Boards 23 and 45	36.27	(32.39 - 40.33)	35.14	(31.34 - 39.14)	0.575
Board 25 (Franklin)	39.10[b]	(35.64 - 42.67)	35.72	(32.57 - 38.99)	0.057
Boards 27, 71, and 73	40.16	(35.86 - 44.61)	37.09	(33.12 - 41.25)	0.140
Boards 28, 43, and 67	36.20	(32.47 - 40.10)	33.51	(29.87 - 37.36)	0.147
Board 31 (Hamilton)	38.45	(34.90 - 42.12)	37.93	(34.60 - 41.38)	0.781
Board 48 (Lucas)	39.73	(35.50 - 44.12)	38.04	(34.15 - 42.09)	0.430
Boards 50 and 76	37.30	(33.79 - 40.94)	37.35	(33.63 - 41.21)	0.981
Board 57 (Montgomery)	41.63	(37.56 - 45.82)	39.35	(35.55 - 43.28)	0.268
Board 77 (Summit)	40.60[a]	(36.75 - 44.56)	36.63	(32.93 - 40.48)	0.035
Oklahoma	43.49[a]	(40.90 - 46.11)	40.93	(38.42 - 43.49)	0.045
Central	40.25	(35.52 - 45.17)	39.87	(35.47 - 44.44)	0.869
East Central	42.39	(37.45 - 47.48)	40.60	(36.35 - 44.99)	0.410
Northeast	42.70[a]	(38.42 - 47.08)	38.18	(34.06 - 42.48)	0.039
Northwest and Southwest	44.78	(40.13 - 49.53)	41.20	(36.77 - 45.77)	0.101
Oklahoma County	44.77	(40.47 - 49.16)	42.46	(38.51 - 46.50)	0.240
Southeast	45.12[b]	(40.39 - 49.94)	40.74	(36.56 - 45.07)	0.054
Tulsa County	43.33	(38.77 - 48.01)	42.30	(38.06 - 46.66)	0.644
Oregon	38.37	(35.92 - 40.88)	37.97	(35.53 - 40.47)	0.764
Region 1 (Multnomah)	35.70	(31.60 - 40.01)	36.84	(33.08 - 40.76)	0.572
Region 2	40.40	(36.14 - 44.80)	38.09	(34.23 - 42.11)	0.258
Region 3	38.27	(34.74 - 41.93)	38.31	(34.76 - 41.99)	0.983
Region 4	38.54	(34.13 - 43.15)	38.64	(34.20 - 43.28)	0.965
Region 5 (Central)	37.68	(32.70 - 42.94)	37.75	(33.12 - 42.62)	0.975
Region 6 (Eastern)	39.74	(34.48 - 45.26)	38.01	(33.39 - 42.85)	0.452

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	38.19[b]	(36.78 - 39.61)	36.83	(35.41 - 38.27)	0.085
Region 1 (Allegheny)	37.51	(34.12 - 41.02)	34.78	(31.59 - 38.11)	0.111
Regions 3, 8, 9, and 51	36.20	(32.30 - 40.29)	33.10	(29.57 - 36.83)	0.101
Regions 4, 11, 37, and 49	37.97	(34.22 - 41.87)	36.77	(33.29 - 40.40)	0.509
Regions 5, 18, 23, 24, and 46	37.04	(33.30 - 40.94)	37.67	(33.94 - 41.55)	0.743
Regions 6, 12, 16, 31, 35, 45, and 47	35.93	(32.45 - 39.56)	35.91	(32.39 - 39.60)	0.994
Regions 7, 13, 20, and 33	37.74	(34.92 - 40.65)	36.46	(33.83 - 39.18)	0.410
Regions 10, 15, 27, 32, 43, and 44	35.19	(31.36 - 39.21)	35.70	(31.97 - 39.61)	0.802
Regions 17 and 21	35.18	(30.94 - 39.67)	34.85	(31.00 - 38.90)	0.868
Regions 19, 26, 28, and 42	41.37[a]	(38.18 - 44.64)	37.18	(34.11 - 40.35)	0.014
Regions 22, 38, 40, 41, and 48	36.11	(32.36 - 40.03)	36.94	(33.22 - 40.83)	0.663
Regions 29 and 34	38.58	(34.65 - 42.66)	38.91	(35.04 - 42.93)	0.865
Regions 30 and 50	37.86	(33.96 - 41.92)	37.24	(33.58 - 41.05)	0.749
Region 36 (Philadelphia)	42.07	(38.90 - 45.31)	40.31	(37.09 - 43.62)	0.320
Rhode Island	37.12	(34.45 - 39.88)	36.52	(33.94 - 39.17)	0.654
Bristol and Newport	34.39	(29.62 - 39.49)	33.82	(29.40 - 38.54)	0.792
Kent	35.03	(30.47 - 39.88)	35.73	(31.44 - 40.27)	0.749
Providence	38.77	(35.52 - 42.13)	38.00	(34.94 - 41.15)	0.652
Washington	34.76	(30.36 - 39.42)	33.17	(29.00 - 37.63)	0.420
South Carolina	44.27	(41.64 - 46.93)	43.22	(40.77 - 45.71)	0.419
Region 1	--	(-- - --)	43.24	(39.63 - 46.92)	--
Region 2	--	(-- - --)	43.02	(39.09 - 47.03)	--
Region 3	44.87	(40.39 - 49.43)	44.27	(40.31 - 48.30)	0.778
Region 4	42.77	(38.78 - 46.85)	42.73	(39.04 - 46.49)	0.982
South Dakota	35.55	(33.19 - 38.00)	34.72	(32.52 - 37.00)	0.485
Region 1	37.94	(33.94 - 42.10)	37.82	(34.20 - 41.59)	0.954
Region 2	38.65	(33.73 - 43.81)	39.24	(34.71 - 43.96)	0.798
Region 3	32.82	(29.10 - 36.77)	30.98	(27.52 - 34.67)	0.296
Region 4	34.78	(30.47 - 39.36)	33.79	(29.83 - 38.00)	0.624
Region 5	35.15	(31.67 - 38.79)	34.17	(30.81 - 37.69)	0.591
Tennessee	44.68	(42.15 - 47.24)	45.62	(43.20 - 48.05)	0.477
Region 1	44.85	(39.99 - 49.81)	43.09	(38.47 - 47.84)	0.472
Region 2	42.91	(38.38 - 47.56)	43.21	(39.09 - 47.43)	0.889
Region 3	44.32	(39.87 - 48.87)	45.66	(41.33 - 50.05)	0.566
Region 4 (Davidson)	45.76	(41.08 - 50.51)	45.91	(41.54 - 50.34)	0.948
Region 5	43.00	(38.81 - 47.30)	45.21	(41.39 - 49.08)	0.297
Region 6	46.57	(41.57 - 51.64)	48.39	(43.91 - 52.90)	0.437
Region 7 (Shelby)	48.01	(43.26 - 52.79)	48.72	(44.31 - 53.15)	0.753

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	45.64[a]	(44.28 - 47.01)	44.14	(42.88 - 45.42)	0.043
Region 1	42.14	(38.14 - 46.24)	42.54	(38.81 - 46.36)	0.835
Region 2	40.22	(35.66 - 44.96)	39.49	(35.41 - 43.72)	0.724
Region 3	43.71	(41.39 - 46.05)	43.50	(41.56 - 45.46)	0.864
Region 3a	44.34	(41.41 - 47.31)	45.03	(42.48 - 47.61)	0.663
Region 3bc	42.61	(39.32 - 45.97)	40.80	(37.97 - 43.70)	0.266
Region 4	41.53	(37.40 - 45.79)	43.09	(39.41 - 46.86)	0.456
Region 5	47.79[a]	(43.14 - 52.48)	42.36	(38.29 - 46.55)	0.011
Region 6	48.55[a]	(46.07 - 51.04)	43.31	(40.96 - 45.69)	0.000
Region 6a	48.66[a]	(45.95 - 51.38)	43.39	(40.85 - 45.97)	0.000
Region 6bc	47.60[a]	(42.95 - 52.29)	42.66	(38.41 - 47.03)	0.027
Region 7	40.15	(37.50 - 42.85)	40.84	(38.35 - 43.38)	0.607
Region 7a	40.03	(36.56 - 43.61)	41.58	(38.38 - 44.86)	0.373
Region 7bcd	40.35	(36.59 - 44.22)	39.57	(36.18 - 43.05)	0.680
Region 8	47.86	(44.39 - 51.35)	47.10	(44.08 - 50.15)	0.679
Region 9	42.79	(38.36 - 47.33)	44.03	(39.96 - 48.18)	0.543
Region 10	53.70	(49.53 - 57.82)	52.10	(48.44 - 55.74)	0.416
Region 11	50.60	(47.58 - 53.61)	49.89	(47.02 - 52.76)	0.631
Region 11abd	50.16	(46.31 - 54.00)	49.00	(45.18 - 52.84)	0.556
Region 11c (Hidalgo)	51.38	(47.07 - 55.68)	51.43	(47.67 - 55.17)	0.982
Utah	49.10[a]	(46.64 - 51.56)	45.60	(43.24 - 47.99)	0.008
Bear River, Northeastern, Summit, Tooele, and Wasatch	49.07[a]	(44.68 - 53.46)	44.33	(40.26 - 48.48)	0.030
Central, Four Corners, San Juan, and Southwest	49.30	(44.50 - 54.12)	45.82	(41.35 - 50.35)	0.108
Davis County	47.70[b]	(43.26 - 52.17)	44.28	(40.13 - 48.51)	0.097
Salt Lake County	48.77[b]	(45.30 - 52.26)	45.17	(41.90 - 48.49)	0.054
Utah County	50.94	(46.76 - 55.12)	48.85	(44.83 - 52.89)	0.287
Weber, Morgan	48.19[b]	(43.27 - 53.15)	43.80	(39.30 - 48.41)	0.054
Vermont	37.69	(35.21 - 40.23)	36.77	(34.26 - 39.35)	0.479
Champlain Valley	37.25	(33.83 - 40.81)	36.20	(32.73 - 39.81)	0.569
Rural Northeast	36.71	(32.54 - 41.09)	36.33	(32.48 - 40.37)	0.854
Rural Southeast	37.89	(33.85 - 42.11)	37.34	(33.38 - 41.48)	0.788
Rural Southwest	39.96	(35.41 - 44.69)	38.10	(33.80 - 42.61)	0.427
Virginia	41.95	(39.48 - 44.47)	40.82	(38.47 - 43.21)	0.344
Region 1	40.10	(35.97 - 44.37)	39.59	(35.75 - 43.57)	0.803
Region 2	42.86	(38.84 - 46.98)	40.42	(36.74 - 44.20)	0.215
Region 3	42.85	(38.26 - 47.57)	41.55	(37.25 - 45.98)	0.561
Region 4	41.22	(36.76 - 45.82)	39.90	(35.72 - 44.22)	0.536
Region 5	41.98	(37.73 - 46.36)	42.34	(38.64 - 46.13)	0.859

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	42.20	(39.68 - 44.76)	40.70	(38.28 - 43.16)	0.242
Region 1	43.34	(39.64 - 47.13)	41.64	(38.19 - 45.18)	0.330
Greater Columbia and North Central	--	(-- - --)	43.68	(39.40 - 48.05)	--
Spokane	--	(-- - --)	38.68	(34.17 - 43.40)	--
Region 2	41.66	(38.47 - 44.92)	40.85	(37.86 - 43.90)	0.627
King	43.21	(39.18 - 47.34)	41.30	(37.59 - 45.10)	0.354
North Sound	38.97	(34.87 - 43.23)	40.06	(36.10 - 44.16)	0.605
Region 3	42.19	(38.75 - 45.71)	39.84	(36.84 - 42.93)	0.140
Peninsula	--	(-- - --)	38.43	(33.60 - 43.50)	--
Pierce	--	(-- - --)	41.20	(37.02 - 45.51)	--
SW WA and Timberlands	--	(-- - --)	38.94	(34.53 - 43.54)	--
Thurston-Mason	--	(-- - --)	40.06	(35.34 - 44.98)	--
West Virginia	41.35	(38.87 - 43.87)	41.57	(39.20 - 43.97)	0.863
Region I	41.40	(36.33 - 46.66)	41.22	(36.43 - 46.19)	0.945
Region II	40.24	(35.76 - 44.89)	40.91	(36.74 - 45.22)	0.759
Region III	39.96	(35.29 - 44.82)	42.05	(37.09 - 47.17)	0.389
Region IV	40.86	(36.76 - 45.08)	40.02	(36.28 - 43.88)	0.664
Region V	41.21	(37.46 - 45.06)	42.02	(38.46 - 45.67)	0.686
Region VI	43.69	(39.02 - 48.48)	43.14	(39.20 - 47.18)	0.801
Wisconsin	34.59	(32.00 - 37.28)	34.25	(31.81 - 36.78)	0.780
Milwaukee	38.60	(33.95 - 43.47)	38.14	(34.03 - 42.41)	0.828
Northeastern	33.58	(29.78 - 37.61)	32.59	(28.89 - 36.51)	0.596
Northern	33.55	(28.80 - 38.67)	33.32	(28.97 - 37.97)	0.918
Southeastern	34.58	(30.16 - 39.28)	35.02	(31.13 - 39.12)	0.832
Southern	33.30	(29.15 - 37.73)	34.16	(30.13 - 38.44)	0.679
Western	33.90	(29.61 - 38.48)	31.88	(27.94 - 36.09)	0.314

See notes at end of table.

(continued)

Table 10 ***Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	36.41	(34.04 - 38.85)	37.07	(34.76 - 39.43)	0.591
Judicial District 1 (Laramie)	39.08	(34.79 - 43.54)	38.70	(34.77 - 42.78)	0.857
Judicial District 2	32.47	(28.40 - 36.83)	32.69	(28.89 - 36.73)	0.907
Judicial District 3	38.63	(34.36 - 43.09)	37.56	(33.76 - 41.52)	0.603
Judicial District 4	35.84	(31.03 - 40.95)	35.22	(30.79 - 39.94)	0.791
Judicial District 5	35.79	(31.10 - 40.77)	38.80	(34.19 - 43.62)	0.177
Judicial District 6	35.34	(30.94 - 40.01)	36.60	(32.41 - 41.01)	0.569
Judicial District 7 (Natrona)	34.13	(29.83 - 38.72)	35.14	(31.02 - 39.49)	0.637
Judicial District 8	37.47	(32.55 - 42.66)	38.22	(33.99 - 42.63)	0.740
Judicial District 9	36.99	(32.52 - 41.71)	39.18	(34.78 - 43.76)	0.326

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	25.04[a]	(24.48 - 25.61)	23.28	(22.77 - 23.81)	0.000
Northeast	29.30[a]	(28.44 - 30.17)	26.87	(26.05 - 27.71)	0.000
Midwest	25.76[a]	(25.11 - 26.42)	24.15	(23.52 - 24.79)	0.000
South	22.93[a]	(22.31 - 23.57)	21.18	(20.59 - 21.79)	0.000
West	24.50[a]	(23.68 - 25.35)	23.19	(22.39 - 24.00)	0.005
Alabama	20.69	(18.67 - 22.86)	19.60	(17.66 - 21.70)	0.317
Region 1	17.59	(14.64 - 20.98)	17.82	(14.80 - 21.31)	0.879
Region 2	23.30	(20.09 - 26.85)	20.63	(17.76 - 23.83)	0.106
Region 3	20.05	(16.76 - 23.82)	19.99	(16.85 - 23.55)	0.969
Region 4	21.27	(17.86 - 25.12)	19.94	(16.67 - 23.67)	0.440
Alaska	23.84[b]	(21.60 - 26.22)	21.82	(19.63 - 24.18)	0.087
Anchorage	25.57	(22.51 - 28.89)	23.47	(20.46 - 26.77)	0.181
Northern	20.25	(16.86 - 24.13)	19.61	(16.40 - 23.27)	0.680
South Central	25.03[a]	(21.02 - 29.52)	21.47	(18.22 - 25.13)	0.042
Southeast	22.08	(18.05 - 26.73)	21.25	(17.53 - 25.50)	0.666
Arizona	23.70	(21.52 - 26.03)	23.40	(21.27 - 25.67)	0.790
Maricopa	23.75	(21.02 - 26.71)	24.83	(22.18 - 27.69)	0.458
Pima	27.88[a]	(23.45 - 32.79)	22.87	(19.20 - 27.01)	0.010
Rural North	23.03	(18.94 - 27.70)	21.41	(17.50 - 25.91)	0.405
Rural South	19.39	(15.61 - 23.84)	19.08	(15.43 - 23.37)	0.864
Arkansas	21.59[a]	(19.67 - 23.65)	19.19	(17.30 - 21.22)	0.015
Catchment Area 1	22.00	(18.36 - 26.13)	20.17	(17.05 - 23.70)	0.268
Catchment Area 2	20.71	(16.61 - 25.51)	20.13	(16.57 - 24.24)	0.744
Catchment Area 3	19.52	(15.76 - 23.92)	16.89	(13.81 - 20.50)	0.111
Catchment Area 4	20.69	(16.73 - 25.31)	18.12	(14.76 - 22.05)	0.130
Catchment Area 5	25.39[b]	(21.53 - 29.69)	22.33	(18.57 - 26.59)	0.093
Catchment Area 6	20.40	(16.31 - 25.21)	19.39	(15.52 - 23.96)	0.580
Catchment Area 7	20.41[b]	(16.39 - 25.12)	17.31	(13.83 - 21.46)	0.071
Catchment Area 8	21.62[a]	(18.29 - 25.36)	18.00	(14.97 - 21.50)	0.023

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	25.00[a]	(23.77 - 26.27)	23.46	(22.21 - 24.76)	0.031
Region 1R	30.58	(25.82 - 35.79)	27.98	(23.79 - 32.58)	0.207
Region 2R	30.29	(26.00 - 34.94)	28.61	(24.76 - 32.80)	0.346
Region 3R (Sacramento)	22.03	(18.32 - 26.25)	21.16	(17.71 - 25.09)	0.616
Region 4R	28.04[b]	(23.96 - 32.52)	24.77	(21.26 - 28.65)	0.088
Region 5R (San Francisco)	32.73[b]	(27.67 - 38.23)	29.16	(24.77 - 33.97)	0.083
Region 6 (Santa Clara)	22.42	(18.72 - 26.62)	21.43	(18.09 - 25.20)	0.569
Region 7R (Contra Costa)	26.48[b]	(22.22 - 31.22)	22.96	(19.37 - 26.98)	0.060
Region 8R (Alameda)	26.28[a]	(22.57 - 30.37)	21.94	(18.54 - 25.76)	0.017
Region 9R (San Mateo)	25.30	(20.73 - 30.49)	25.01	(21.20 - 29.25)	0.888
Region 10	29.56	(25.50 - 33.98)	28.59	(24.58 - 32.98)	0.603
Region 11 (Los Angeles)	23.41	(21.70 - 25.21)	22.44	(20.72 - 24.26)	0.284
LA SPA 1 and 5	29.33	(24.79 - 34.33)	30.00	(25.55 - 34.85)	0.737
LA SPA 2	23.28	(19.71 - 27.28)	21.75	(18.64 - 25.22)	0.377
LA SPA 3	21.19	(17.80 - 25.02)	20.61	(17.13 - 24.58)	0.736
LA SPA 4	24.59	(20.39 - 29.32)	22.55	(18.69 - 26.94)	0.278
LA SPA 6	22.54	(18.78 - 26.80)	22.09	(18.32 - 26.38)	0.799
LA SPA 7	21.86	(18.37 - 25.80)	21.19	(18.05 - 24.72)	0.685
LA SPA 8	23.88	(20.34 - 27.83)	21.97	(18.72 - 25.60)	0.248
Region 12R	23.99	(19.81 - 28.74)	22.06	(18.09 - 26.61)	0.282
Regions 13 and 19R	23.99[b]	(21.06 - 27.19)	21.24	(18.63 - 24.12)	0.057
Region 14 (Orange)	24.68	(21.56 - 28.09)	24.27	(21.11 - 27.73)	0.803
Region 15R (Fresno)	23.07	(19.16 - 27.50)	23.09	(19.40 - 27.25)	0.990
Region 16R (San Diego)	25.75	(22.60 - 29.16)	26.48	(23.28 - 29.95)	0.648
Region 17R	24.06	(20.43 - 28.10)	22.64	(19.24 - 26.45)	0.422
Region 18R (San Bernardino)	23.86[a]	(20.54 - 27.53)	20.06	(16.81 - 23.75)	0.023
Region 20R	24.04	(20.09 - 28.48)	21.32	(17.77 - 25.36)	0.133
Region 21R	31.47	(27.04 - 36.27)	29.13	(24.86 - 33.82)	0.223
Colorado	26.14	(23.99 - 28.41)	26.12	(24.06 - 28.30)	0.988
Region 1	29.67	(25.74 - 33.94)	30.95	(26.87 - 35.34)	0.505
Regions 2 and 7	26.44	(23.59 - 29.51)	25.38	(22.70 - 28.25)	0.493
Region 3	24.66	(21.00 - 28.73)	25.57	(21.90 - 29.62)	0.628
Region 4	23.50	(18.97 - 28.74)	24.18	(19.83 - 29.12)	0.737
Regions 5 and 6	23.17	(18.90 - 28.06)	25.13	(21.26 - 29.44)	0.336
Connecticut	31.27[a]	(28.93 - 33.70)	27.86	(25.60 - 30.25)	0.008
Eastern	36.80	(32.15 - 41.71)	34.21	(29.80 - 38.92)	0.264
North Central	28.54	(24.88 - 32.50)	26.63	(23.23 - 30.34)	0.299
Northwestern	28.33[b]	(24.09 - 33.00)	24.61	(20.75 - 28.92)	0.064
South Central	35.07[a]	(30.97 - 39.41)	28.40	(24.96 - 32.11)	0.000
Southwest	29.18	(24.97 - 33.77)	27.41	(23.70 - 31.47)	0.352

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	27.70[a]	(25.39 - 30.12)	24.05	(21.88 - 26.36)	0.002
Kent	27.82[a]	(23.63 - 32.44)	22.02	(18.47 - 26.04)	0.002
New Castle (excluding Wilmington City)	29.14[b]	(26.16 - 32.32)	26.41	(23.59 - 29.43)	0.075
Sussex	25.36[a]	(21.46 - 29.71)	21.16	(17.87 - 24.87)	0.022
Wilmington City	22.59[b]	(18.54 - 27.22)	19.33	(15.44 - 23.93)	0.081
District of Columbia	35.75[a]	(32.82 - 38.79)	32.24	(29.31 - 35.31)	0.028
Ward 1	44.61[a]	(37.97 - 51.45)	38.50	(31.82 - 45.65)	0.044
Ward 2	71.67[a]	(65.41 - 77.20)	65.51	(58.59 - 71.84)	0.023
Ward 3	48.24	(43.02 - 53.49)	45.75	(41.19 - 50.37)	0.223
Ward 4	27.41	(22.65 - 32.74)	25.41	(21.37 - 29.93)	0.347
Ward 5	31.82	(26.73 - 37.39)	27.85	(23.08 - 33.18)	0.104
Ward 6	29.38	(24.20 - 35.16)	25.77	(21.39 - 30.71)	0.110
Ward 7	21.94	(17.62 - 26.97)	21.22	(16.94 - 26.24)	0.740
Ward 8	22.48	(18.39 - 27.17)	23.26	(19.19 - 27.91)	0.717
Florida[1]	24.04[b]	(22.85 - 25.27)	22.70	(21.48 - 23.98)	0.062
Broward (Circuit 17)	20.15	(17.18 - 23.48)	20.48	(17.69 - 23.60)	0.826
Central I	--	(-- - --)	23.77	(21.56 - 26.13)	--
Circuit 9	26.75[a]	(23.64 - 30.10)	23.39	(20.62 - 26.42)	0.024
Circuit 18	25.96	(22.56 - 29.67)	24.40	(21.10 - 28.03)	0.350
Central II	--	(-- - --)	22.01	(20.24 - 23.89)	--
Circuit 6	23.56	(20.15 - 27.34)	21.23	(18.15 - 24.69)	0.160
Circuit 10	20.66	(17.38 - 24.37)	21.08	(17.82 - 24.75)	0.793
Circuit 12	27.35[a]	(23.11 - 32.04)	21.87	(18.44 - 25.75)	0.003
Circuit 13 (Hillsborough)	23.46	(20.69 - 26.48)	23.49	(20.38 - 26.90)	0.988
Circuit 20	26.30[a]	(22.49 - 30.49)	21.68	(18.37 - 25.40)	0.008
Northeast	--	(-- - --)	23.40	(21.42 - 25.50)	--
Circuit 4	21.37	(17.95 - 25.24)	20.74	(17.61 - 24.27)	0.717
Circuit 5	22.51	(18.88 - 26.61)	23.19	(19.96 - 26.77)	0.704
Circuit 7	24.20	(20.48 - 28.36)	22.91	(19.49 - 26.72)	0.480
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	29.70	(25.33 - 34.48)	--
Northwest	--	(-- - --)	26.69	(24.04 - 29.52)	--
Circuit 1	23.11	(19.81 - 26.77)	24.17	(20.53 - 28.22)	0.534
Circuit 2 plus Madison and Taylor	--	(-- - --)	33.62	(29.00 - 38.58)	--
Circuit 14	22.87	(18.57 - 27.83)	20.56	(16.81 - 24.89)	0.201
South (Circuits 11 and 16)	22.08	(19.61 - 24.76)	21.26	(18.82 - 23.93)	0.537
Southeast	--	(-- - --)	22.57	(20.11 - 25.23)	--
Circuit 15 (Palm Beach)	21.85	(18.76 - 25.29)	22.96	(20.02 - 26.20)	0.476
Circuit 19	26.10[a]	(21.83 - 30.89)	21.70	(18.12 - 25.76)	0.019

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	20.52	(18.55 - 22.63)	19.91	(18.00 - 21.96)	0.537
Region 1	19.61	(16.55 - 23.07)	19.72	(16.75 - 23.08)	0.938
Region 2	21.87	(18.10 - 26.17)	21.25	(17.70 - 25.31)	0.711
Region 3	21.13[b]	(18.04 - 24.59)	18.50	(15.86 - 21.47)	0.080
Region 4	21.54	(17.29 - 26.50)	20.55	(16.49 - 25.29)	0.590
Region 5	21.63	(17.23 - 26.78)	21.25	(17.34 - 25.78)	0.841
Region 6	18.40	(15.06 - 22.28)	20.43	(16.97 - 24.39)	0.236
Hawaii	22.68	(20.50 - 25.02)	20.56	(18.32 - 23.00)	0.116
Hawaii Island	23.86	(19.86 - 28.38)	23.56	(19.77 - 27.83)	0.884
Honolulu	22.88[b]	(20.29 - 25.69)	20.12	(17.52 - 23.00)	0.079
Kauai	19.55	(15.20 - 24.78)	19.52	(15.88 - 23.76)	0.989
Maui	21.28	(17.29 - 25.91)	20.13	(16.52 - 24.30)	0.549
Idaho	21.84[a]	(19.87 - 23.94)	19.60	(17.73 - 21.62)	0.026
Region 1	23.81	(19.64 - 28.53)	21.07	(17.53 - 25.09)	0.153
Region 2	33.72[a]	(28.31 - 39.60)	29.07	(24.14 - 34.55)	0.046
Region 3	19.32	(15.87 - 23.32)	18.42	(15.27 - 22.07)	0.580
Region 4	23.58	(20.37 - 27.13)	21.17	(18.12 - 24.58)	0.139
Region 5	20.47[b]	(16.93 - 24.52)	17.55	(14.45 - 21.15)	0.069
Region 6	--	(-- - --)	17.54	(14.00 - 21.74)	--
Region 7	--	(-- - --)	16.10	(12.88 - 19.94)	--
Illinois	25.49[a]	(24.31 - 26.70)	23.21	(21.93 - 24.54)	0.002
Region I (Cook)	24.33[b]	(22.56 - 26.20)	22.29	(20.24 - 24.48)	0.065
Region II	24.87[a]	(23.08 - 26.76)	21.54	(19.64 - 23.57)	0.002
Region III	31.91	(29.07 - 34.89)	29.73	(26.84 - 32.80)	0.163
Region IV	25.66	(22.34 - 29.28)	25.38	(22.10 - 28.97)	0.879
Region V	24.20	(21.37 - 27.28)	23.47	(20.49 - 26.73)	0.632
Indiana	23.78	(21.79 - 25.88)	23.03	(21.09 - 25.08)	0.472
Central	19.45	(16.22 - 23.15)	19.76	(16.76 - 23.14)	0.846
East	27.33	(23.00 - 32.12)	24.89	(20.83 - 29.43)	0.199
North Central	23.48	(19.78 - 27.64)	21.94	(18.57 - 25.73)	0.395
Northeast	21.68	(17.92 - 25.98)	22.41	(18.80 - 26.48)	0.675
Northwest	21.78	(18.10 - 25.96)	21.33	(17.77 - 25.39)	0.800
Southeast	21.75	(18.07 - 25.94)	21.41	(17.99 - 25.30)	0.846
Southwest	22.20	(17.88 - 27.22)	24.10	(20.20 - 28.48)	0.323
West	36.42[b]	(31.59 - 41.54)	32.61	(27.96 - 37.64)	0.080
Iowa	28.23	(26.18 - 30.36)	26.65	(24.51 - 28.90)	0.161
Central	26.21	(22.23 - 30.62)	23.31	(19.74 - 27.31)	0.132
North Central	33.57	(29.00 - 38.47)	32.19	(27.79 - 36.93)	0.521
Northeast	30.22	(26.77 - 33.90)	28.26	(24.75 - 32.04)	0.271
Northwest	25.56	(21.74 - 29.80)	27.44	(23.48 - 31.80)	0.330
Southeast	27.72	(24.06 - 31.70)	25.40	(21.86 - 29.29)	0.200
Southwest	25.42	(20.99 - 30.43)	23.26	(19.61 - 27.36)	0.286

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	24.75	(22.67 - 26.95)	23.21	(21.24 - 25.31)	0.143
Kansas City Metro	25.25	(22.28 - 28.47)	23.63	(20.69 - 26.85)	0.285
Northeast	28.06	(23.98 - 32.54)	27.17	(23.35 - 31.35)	0.628
South Central	22.77[b]	(18.79 - 27.31)	19.53	(16.08 - 23.50)	0.079
Southeast	23.24	(18.86 - 28.27)	22.77	(18.46 - 27.74)	0.810
West	23.24	(19.19 - 27.86)	23.20	(19.27 - 27.66)	0.980
Wichita (Sedgwick)	23.03	(19.23 - 27.32)	20.79	(17.49 - 24.52)	0.201
Kentucky	21.55	(19.54 - 23.70)	20.11	(18.23 - 22.12)	0.177
Adanta, Cumberland River, and Lifeskills	18.93	(15.64 - 22.73)	19.17	(15.94 - 22.88)	0.885
Bluegrass, Comprehend, and North Key	24.86	(21.59 - 28.44)	23.27	(20.21 - 26.65)	0.344
Communicare and River Valley	20.62	(16.80 - 25.05)	18.69	(15.35 - 22.56)	0.257
Four Rivers and Pennyroyal	19.83	(15.94 - 24.39)	18.09	(14.56 - 22.25)	0.336
Kentucky River, Mountain, and Pathways	18.23	(14.39 - 22.82)	17.90	(14.52 - 21.88)	0.859
Seven Counties	21.94[b]	(18.51 - 25.80)	19.10	(16.23 - 22.34)	0.080
Louisiana	24.25	(22.34 - 26.28)	22.64	(20.67 - 24.74)	0.147
Regions 1 and 10	22.01	(18.96 - 25.39)	23.08	(19.83 - 26.68)	0.500
Region 1	22.05	(18.14 - 26.53)	23.43	(19.05 - 28.48)	0.498
Region 10 (Jefferson)	21.97	(18.00 - 26.53)	22.68	(18.94 - 26.92)	0.706
Regions 2 and 9	25.89	(22.76 - 29.29)	24.61	(21.70 - 27.77)	0.441
Region 3	24.07	(20.26 - 28.35)	23.12	(19.08 - 27.74)	0.632
Regions 4, 5, and 6	25.19	(21.70 - 29.04)	23.16	(19.77 - 26.93)	0.265
Regions 7 and 8	22.76[a]	(19.30 - 26.64)	18.71	(15.64 - 22.22)	0.019
Maine	24.50	(22.41 - 26.71)	24.32	(22.19 - 26.58)	0.873
Aroostook/Downeast	25.35	(22.00 - 29.01)	23.08	(19.78 - 26.75)	0.140
Aroostook	23.80	(19.30 - 28.97)	21.51	(17.60 - 26.02)	0.250
Downeast	26.74	(22.40 - 31.58)	24.47	(19.98 - 29.59)	0.228
Central	23.16	(19.26 - 27.58)	22.93	(19.23 - 27.10)	0.897
Cumberland	23.52	(19.73 - 27.79)	26.22	(22.69 - 30.09)	0.152
Midcoast	22.87	(18.67 - 27.69)	22.09	(18.33 - 26.36)	0.676
Penquis	28.99	(24.45 - 33.99)	30.13	(25.60 - 35.10)	0.613
Western	24.61	(20.69 - 29.01)	21.95	(18.24 - 26.16)	0.158
York	23.12	(19.62 - 27.03)	22.10	(18.71 - 25.90)	0.560

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	24.46	(22.41 - 26.64)	23.03	(20.96 - 25.24)	0.197
Anne Arundel	28.05	(23.35 - 33.29)	25.89	(21.80 - 30.45)	0.293
Baltimore City	21.52	(17.79 - 25.78)	21.77	(17.91 - 26.19)	0.888
Baltimore County	26.18	(22.12 - 30.69)	24.67	(20.93 - 28.85)	0.425
Montgomery	22.90	(19.37 - 26.86)	20.60	(17.41 - 24.20)	0.173
North Central	23.29	(19.44 - 27.64)	21.41	(17.70 - 25.65)	0.303
Northeast	23.37	(18.95 - 28.46)	23.42	(19.44 - 27.93)	0.980
Prince George's	23.66	(19.79 - 28.03)	22.21	(18.53 - 26.39)	0.416
South	27.83[a]	(23.25 - 32.92)	23.35	(19.49 - 27.70)	0.028
West	24.00	(19.88 - 28.68)	25.44	(21.55 - 29.77)	0.442
Massachusetts	30.94	(28.78 - 33.19)	30.36	(28.11 - 32.71)	0.616
Boston	40.57	(35.63 - 45.71)	40.16	(34.90 - 45.66)	0.864
Central	28.68	(24.47 - 33.29)	26.37	(22.49 - 30.65)	0.248
Metrowest	33.70[b]	(29.77 - 37.88)	30.28	(26.69 - 34.12)	0.057
Northeast	27.02	(23.34 - 31.05)	27.75	(24.30 - 31.49)	0.687
Southeast	26.91	(23.27 - 30.90)	28.93	(25.36 - 32.78)	0.234
Western	31.29	(26.77 - 36.19)	31.37	(27.19 - 35.88)	0.969
Michigan[1]	25.79[b]	(24.63 - 26.98)	24.55	(23.25 - 25.89)	0.080
Region 1	33.42	(29.29 - 37.81)	31.06	(27.09 - 35.34)	0.229
Region 2	--	(-- - --)	23.26	(19.79 - 27.13)	--
Region 3	--	(-- - --)	23.43	(20.77 - 26.31)	--
Region 4	--	(-- - --)	21.85	(18.90 - 25.12)	--
Region 5	--	(-- - --)	28.49	(25.81 - 31.32)	--
Region 6	--	(-- - --)	28.01	(24.94 - 31.30)	--
Region 7	--	(-- - --)	22.96	(20.56 - 25.54)	--
Region 8	25.79[b]	(23.11 - 28.66)	23.18	(20.43 - 26.18)	0.079
Region 9	25.28[a]	(22.31 - 28.50)	22.26	(19.59 - 25.17)	0.038
Region 10	--	(-- - --)	22.86	(19.93 - 26.07)	--
Minnesota	25.47	(23.41 - 27.64)	24.16	(22.11 - 26.35)	0.224
Regions 1 and 2	26.40	(21.93 - 31.40)	25.60	(21.52 - 30.16)	0.676
Regions 3 and 4	26.45	(22.78 - 30.47)	25.33	(21.75 - 29.28)	0.509
Regions 5 and 6	27.46	(23.54 - 31.77)	25.71	(22.05 - 29.75)	0.323
Region 7A (Hennepin)	26.19	(22.53 - 30.21)	24.27	(20.80 - 28.12)	0.283
Region 7B (Ramsey)	25.74	(21.26 - 30.80)	24.94	(20.76 - 29.66)	0.688
Region 7C	21.99	(18.91 - 25.42)	21.04	(18.19 - 24.20)	0.523
Mississippi	21.45	(19.53 - 23.51)	21.14	(19.16 - 23.27)	0.765
Region 1	21.96	(18.59 - 25.74)	21.05	(17.72 - 24.82)	0.594
Region 2	20.29	(16.44 - 24.77)	19.42	(15.98 - 23.40)	0.630
Region 3	23.18	(19.42 - 27.43)	23.73	(20.08 - 27.81)	0.761
Region 4	19.52	(16.41 - 23.05)	19.33	(16.24 - 22.84)	0.902
Region 5	18.57	(14.52 - 23.43)	18.86	(14.99 - 23.44)	0.871
Region 6	22.60	(18.74 - 26.99)	22.42	(18.84 - 26.45)	0.917
Region 7	22.67	(18.81 - 27.07)	22.29	(18.62 - 26.44)	0.837

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	24.00[b]	(21.97 - 26.16)	21.91	(19.95 - 24.02)	0.054
Central	28.29	(23.89 - 33.16)	25.98	(22.15 - 30.22)	0.243
Eastern	23.79[b]	(21.02 - 26.80)	21.27	(18.76 - 24.01)	0.075
Eastern (St. Louis City and County)	22.45	(19.15 - 26.14)	19.87	(16.91 - 23.21)	0.129
Eastern (excluding St. Louis)	26.04	(21.83 - 30.75)	23.47	(19.74 - 27.66)	0.195
Northwest	23.19[b]	(20.16 - 26.54)	20.80	(17.94 - 23.98)	0.091
Northwest (Jackson)	22.03	(18.22 - 26.38)	21.42	(17.75 - 25.61)	0.741
Northwest (excluding Jackson)	24.12[a]	(20.05 - 28.72)	20.31	(16.66 - 24.52)	0.039
Southeast	24.03	(20.03 - 28.53)	21.83	(18.35 - 25.76)	0.234
Southwest	21.67	(17.90 - 25.99)	21.32	(17.64 - 25.53)	0.849
Montana	29.96[a]	(27.76 - 32.26)	25.98	(23.83 - 28.24)	0.000
Region 1	27.21	(22.63 - 32.33)	24.06	(20.05 - 28.59)	0.114
Region 2	23.95	(20.04 - 28.35)	22.88	(19.10 - 27.17)	0.540
Region 3	24.62	(21.15 - 28.46)	22.35	(19.10 - 25.98)	0.176
Region 4	35.57[a]	(31.53 - 39.83)	29.54	(25.75 - 33.63)	0.002
Region 5	32.26[a]	(28.68 - 36.06)	27.33	(24.23 - 30.65)	0.003
Nebraska	25.18[b]	(23.10 - 27.38)	23.20	(21.14 - 25.40)	0.068
Regions 1 and 2	23.38	(19.89 - 27.26)	21.51	(18.33 - 25.07)	0.212
Region 1	22.91	(18.29 - 28.30)	20.47	(16.31 - 25.36)	0.204
Region 2	23.78	(19.33 - 28.88)	22.42	(18.31 - 27.15)	0.483
Region 3	24.29	(20.36 - 28.70)	22.81	(19.18 - 26.90)	0.412
Region 4	22.63	(18.56 - 27.29)	22.63	(18.51 - 27.37)	0.998
Region 5	32.26[a]	(28.47 - 36.29)	26.83	(23.42 - 30.54)	0.004
Region 6	22.43	(19.58 - 25.56)	21.74	(18.95 - 24.81)	0.622
Nevada	25.27	(22.73 - 27.99)	23.82	(21.56 - 26.25)	0.280
Clark – Region 1	23.25	(20.23 - 26.58)	22.42	(19.86 - 25.21)	0.594
Region 3	25.38	(21.47 - 29.72)	25.33	(21.82 - 29.20)	0.978
Capital District	26.80	(21.79 - 32.48)	25.08	(20.56 - 30.22)	0.448
Rural/Frontier	24.23	(19.31 - 29.94)	25.53	(21.08 - 30.56)	0.543
Washoe – Region 2	34.13[a]	(29.84 - 38.70)	29.14	(25.20 - 33.42)	0.015
New Hampshire	33.93	(31.68 - 36.25)	32.87	(30.65 - 35.16)	0.354
Central	37.47	(34.30 - 40.74)	34.94	(31.91 - 38.10)	0.103
Central 1	43.39[b]	(39.28 - 47.59)	39.58	(35.68 - 43.62)	0.051
Central 2	30.90	(26.37 - 35.82)	29.76	(25.67 - 34.21)	0.561
Northern	40.69	(35.98 - 45.57)	39.86	(35.61 - 44.27)	0.684
Southern	30.71	(27.89 - 33.67)	30.30	(27.61 - 33.13)	0.761
Southern 1 (Rockingham)	30.57	(26.89 - 34.51)	27.90	(24.57 - 31.50)	0.112
Southern 2	30.79	(27.18 - 34.65)	31.70	(28.24 - 35.37)	0.597

See notes at end of table. (continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	28.37[a]	(25.95 - 30.91)	25.33	(23.18 - 27.61)	0.016
Central	31.04[a]	(26.72 - 35.72)	26.01	(22.57 - 29.78)	0.010
Metropolitan	28.20[a]	(24.49 - 32.24)	23.23	(19.85 - 26.98)	0.008
Northern	27.52	(23.75 - 31.64)	26.11	(22.81 - 29.69)	0.450
Southern	26.87	(23.04 - 31.08)	25.96	(22.65 - 29.57)	0.621
New Mexico	22.85[a]	(20.73 - 25.11)	20.03	(18.05 - 22.17)	0.011
Region 1	17.39	(14.43 - 20.81)	17.04	(14.07 - 20.48)	0.819
Region 2	22.38[b]	(18.26 - 27.12)	19.06	(15.60 - 23.09)	0.069
Region 3 (Bernalillo)	26.51[a]	(22.74 - 30.66)	22.76	(19.58 - 26.28)	0.037
Region 4	22.31	(18.54 - 26.60)	20.87	(17.45 - 24.75)	0.422
Region 5	24.02[a]	(20.37 - 28.10)	19.23	(15.98 - 22.95)	0.006
New York	29.59[a]	(28.26 - 30.95)	25.96	(24.62 - 27.35)	0.000
Region A	26.88[a]	(25.05 - 28.79)	23.31	(21.50 - 25.22)	0.000
Region 1	24.18	(20.92 - 27.77)	21.93	(18.77 - 25.46)	0.155
Region 2	27.33[a]	(24.53 - 30.32)	22.49	(19.76 - 25.48)	0.001
Region 3	32.49	(28.19 - 37.10)	32.07	(28.16 - 36.26)	0.839
Region 4	25.38[a]	(22.10 - 28.96)	20.79	(17.81 - 24.13)	0.003
Region B	30.19[a]	(28.11 - 32.35)	26.62	(24.59 - 28.75)	0.001
Region 5	30.75[a]	(27.85 - 33.82)	26.88	(24.18 - 29.76)	0.011
Region 6	28.35[b]	(24.78 - 32.21)	25.10	(21.82 - 28.70)	0.051
Region 7	31.18[b]	(27.56 - 35.05)	28.14	(24.26 - 32.38)	0.088
Region C	32.58[a]	(30.56 - 34.67)	28.73	(26.77 - 30.76)	0.000
Region 8	30.70[a]	(27.07 - 34.60)	25.82	(22.34 - 29.63)	0.005
Region 9	31.09[a]	(27.46 - 34.98)	27.21	(23.76 - 30.95)	0.031
Region 10	40.39	(35.39 - 45.60)	37.11	(32.32 - 42.16)	0.140
Region 11	34.31[a]	(30.24 - 38.62)	29.79	(26.37 - 33.45)	0.012
Region 12	30.44	(26.87 - 34.26)	27.95	(24.73 - 31.41)	0.137
Region D	31.04[a]	(28.32 - 33.91)	27.97	(25.29 - 30.81)	0.014
Region 13	31.82	(27.49 - 36.49)	29.47	(25.44 - 33.85)	0.218
Region 14	31.56	(26.86 - 36.67)	28.51	(24.32 - 33.11)	0.107
Region 15	29.86[a]	(25.76 - 34.31)	26.14	(22.18 - 30.52)	0.048

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	21.84[a]	(19.90 - 23.90)	18.73	(17.00 - 20.58)	0.001
Alliance Behavioral Healthcare 1	--	(-- - --)	16.67	(13.44 - 20.49)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	20.48	(16.91 - 24.58)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	18.01	(14.61 - 22.01)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	19.53	(16.00 - 23.62)	--
Cardinal Innovations Healthcare Solutions 3	19.99	(16.12 - 24.52)	17.82	(14.54 - 21.65)	0.199
CenterPoint Human Services	19.88	(15.80 - 24.70)	17.11	(13.84 - 20.97)	0.116
Eastpointe	17.02[a]	(13.77 - 20.86)	13.27	(10.68 - 16.37)	0.010
Partners Behavioral Health Management	22.19[a]	(18.30 - 26.64)	18.36	(15.33 - 21.85)	0.026
Sandhills Center 1	21.79[a]	(17.57 - 26.69)	18.10	(14.53 - 22.31)	0.032
Sandhills Center 2	20.86	(16.78 - 25.61)	19.25	(15.60 - 23.50)	0.352
Smoky Mountain Center 1	28.76[a]	(23.77 - 34.32)	23.57	(19.29 - 28.46)	0.011
Smoky Mountain Center 2	23.23	(18.75 - 28.41)	20.39	(16.63 - 24.75)	0.114
Trillium Health Resources 1	23.01	(18.55 - 28.17)	19.88	(15.88 - 24.58)	0.104
Trillium Health Resources 2	25.10	(20.04 - 30.95)	23.10	(18.53 - 28.40)	0.357
North Dakota	32.42	(30.14 - 34.78)	30.54	(28.11 - 33.07)	0.122
Badlands and West Central	28.08	(24.28 - 32.22)	28.06	(24.40 - 32.04)	0.993
Lake Region	--	(-- - --)	18.78	(15.36 - 22.76)	--
North Central	--	(-- - --)	26.79	(22.12 - 32.04)	--
Northeast	39.20	(34.85 - 43.74)	41.40	(36.60 - 46.37)	0.287
Northwest	--	(-- - --)	24.08	(19.78 - 28.96)	--
South Central	--	(-- - --)	26.77	(22.28 - 31.79)	--
Southeast	38.48[a]	(34.66 - 42.45)	33.45	(29.66 - 37.47)	0.005

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	26.70[a]	(25.55 - 27.87)	24.28	(22.98 - 25.63)	0.001
Boards 2, 46, 55, and 68	23.64	(20.25 - 27.41)	23.79	(20.10 - 27.92)	0.934
Boards 3, 52, and 85	26.04	(22.35 - 30.09)	23.32	(19.70 - 27.38)	0.130
Boards 4 and 78	25.61[a]	(21.42 - 30.30)	21.53	(18.01 - 25.53)	0.029
Boards 5 and 60	33.53[b]	(29.48 - 37.83)	30.31	(26.49 - 34.42)	0.090
Boards 7, 15, 41, 79, and 84	23.33[b]	(20.01 - 27.02)	20.09	(16.95 - 23.65)	0.063
Boards 8, 13, and 83	21.61	(18.44 - 25.15)	21.45	(18.25 - 25.05)	0.925
Board 9 (Butler)	30.03	(26.10 - 34.28)	27.13	(23.12 - 31.56)	0.127
Board 12	30.45[a]	(26.26 - 34.99)	26.27	(22.12 - 30.90)	0.043
Boards 18 and 47	29.46[a]	(26.74 - 32.34)	24.00	(21.29 - 26.94)	0.000
Boards 20, 32, 54, and 69	26.36[a]	(22.49 - 30.63)	22.45	(19.00 - 26.33)	0.028
Boards 21, 39, 51, 70, and 80	21.95	(18.68 - 25.61)	20.42	(17.40 - 23.80)	0.346
Boards 22, 74, and 87	29.47	(25.57 - 33.69)	27.37	(23.48 - 31.63)	0.258
Boards 23 and 45	23.55	(19.98 - 27.55)	22.90	(19.35 - 26.89)	0.703
Board 25 (Franklin)	29.51[b]	(26.59 - 32.61)	26.68	(23.64 - 29.94)	0.073
Boards 27, 71, and 73	20.29	(17.03 - 23.99)	20.69	(17.55 - 24.24)	0.809
Boards 28, 43, and 67	30.53	(26.80 - 34.52)	28.41	(25.08 - 31.99)	0.239
Board 31 (Hamilton)	27.02[b]	(23.91 - 30.37)	23.87	(20.60 - 27.47)	0.055
Board 48 (Lucas)	25.48	(22.01 - 29.31)	24.90	(21.12 - 29.11)	0.736
Boards 50 and 76	27.04[a]	(23.75 - 30.60)	23.34	(20.07 - 26.97)	0.030
Board 57 (Montgomery)	24.16	(20.77 - 27.91)	23.32	(19.80 - 27.25)	0.632
Board 77 (Summit)	24.39	(20.82 - 28.36)	26.03	(22.47 - 29.95)	0.354
Oklahoma	22.66	(20.61 - 24.85)	22.62	(20.59 - 24.78)	0.967
Central	25.03	(20.81 - 29.78)	26.95	(22.92 - 31.39)	0.313
East Central	19.15	(15.39 - 23.56)	18.54	(15.16 - 22.47)	0.734
Northeast	27.27	(23.30 - 31.65)	25.33	(21.54 - 29.54)	0.315
Northwest and Southwest	22.10	(18.11 - 26.68)	21.99	(18.21 - 26.32)	0.956
Oklahoma County	23.36	(19.61 - 27.57)	22.89	(19.32 - 26.90)	0.797
Southeast	20.25	(16.66 - 24.39)	19.58	(16.20 - 23.46)	0.695
Tulsa County	21.19	(17.60 - 25.29)	22.55	(18.91 - 26.66)	0.419
Oregon	25.64	(23.57 - 27.81)	25.61	(23.51 - 27.82)	0.979
Region 1 (Multnomah)	29.89[a]	(25.79 - 34.35)	24.64	(20.91 - 28.78)	0.010
Region 2	22.74	(19.40 - 26.47)	24.09	(20.87 - 27.64)	0.434
Region 3	27.14	(23.89 - 30.66)	28.39	(24.99 - 32.05)	0.479
Region 4	25.22	(21.16 - 29.77)	23.76	(19.93 - 28.07)	0.465
Region 5 (Central)	23.87	(19.26 - 29.18)	23.95	(19.98 - 28.43)	0.964
Region 6 (Eastern)	20.27[a]	(15.94 - 25.42)	24.22	(19.93 - 29.09)	0.035

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	27.68[a]	(26.41 - 29.00)	26.18	(24.84 - 27.56)	0.044
Region 1 (Allegheny)	31.85[a]	(28.53 - 35.37)	28.02	(24.71 - 31.59)	0.026
Regions 3, 8, 9, and 51	28.63	(24.78 - 32.83)	30.28	(26.57 - 34.26)	0.360
Regions 4, 11, 37, and 49	25.12	(21.79 - 28.77)	24.92	(21.73 - 28.40)	0.905
Regions 5, 18, 23, 24, and 46	25.94[a]	(22.15 - 30.14)	21.96	(18.61 - 25.73)	0.032
Regions 6, 12, 16, 31, 35, 45, and 47	34.31	(30.11 - 38.77)	34.78	(30.62 - 39.18)	0.812
Regions 7, 13, 20, and 33	27.86[b]	(25.32 - 30.55)	25.45	(23.08 - 27.97)	0.074
Regions 10, 15, 27, 32, 43, and 44	25.02	(21.41 - 29.00)	22.43	(19.04 - 26.23)	0.144
Regions 17 and 21	30.87	(26.49 - 35.62)	28.19	(23.97 - 32.83)	0.171
Regions 19, 26, 28, and 42	22.52	(19.89 - 25.40)	23.64	(21.12 - 26.35)	0.424
Regions 22, 38, 40, 41, and 48	25.85	(22.51 - 29.50)	23.87	(20.57 - 27.52)	0.249
Regions 29 and 34	24.29	(20.63 - 28.37)	24.51	(20.89 - 28.54)	0.903
Regions 30 and 50	27.48	(23.56 - 31.79)	26.43	(22.73 - 30.49)	0.561
Region 36 (Philadelphia)	30.14	(26.95 - 33.53)	27.38	(24.23 - 30.78)	0.104
Rhode Island	31.40	(29.04 - 33.86)	31.68	(29.14 - 34.34)	0.837
Bristol and Newport	34.80	(29.62 - 40.36)	34.99	(30.42 - 39.84)	0.937
Kent	27.33	(23.43 - 31.61)	25.90	(22.02 - 30.21)	0.476
Providence	29.48	(26.52 - 32.63)	30.04	(26.88 - 33.40)	0.738
Washington	40.53	(35.72 - 45.52)	41.26	(36.19 - 46.53)	0.743
South Carolina	22.95[a]	(20.96 - 25.07)	20.50	(18.58 - 22.56)	0.022
Region 1	--	(-- - --)	20.87	(17.82 - 24.29)	--
Region 2	--	(-- - --)	19.33	(16.36 - 22.71)	--
Region 3	19.62	(16.14 - 23.65)	18.56	(15.48 - 22.10)	0.526
Region 4	22.75	(19.41 - 26.47)	22.42	(19.27 - 25.91)	0.846
South Dakota	27.68[a]	(25.60 - 29.87)	25.38	(23.26 - 27.63)	0.039
Region 1	25.62[b]	(22.01 - 29.60)	22.45	(19.08 - 26.22)	0.077
Region 2	24.16[a]	(19.88 - 29.04)	20.39	(16.99 - 24.27)	0.040
Region 3	33.32	(29.79 - 37.05)	31.28	(27.70 - 35.10)	0.260
Region 4	29.80	(25.36 - 34.65)	29.19	(25.30 - 33.42)	0.752
Region 5	24.24	(21.03 - 27.77)	22.24	(19.06 - 25.79)	0.231
Tennessee	19.71[b]	(17.78 - 21.80)	17.57	(15.62 - 19.69)	0.053
Region 1	18.72	(14.94 - 23.20)	18.18	(14.59 - 22.42)	0.770
Region 2	20.11	(16.58 - 24.18)	18.10	(14.82 - 21.93)	0.292
Region 3	18.67	(15.23 - 22.68)	16.80	(13.69 - 20.45)	0.280
Region 4 (Davidson)	22.09	(17.95 - 26.86)	19.85	(16.10 - 24.23)	0.242
Region 5	21.23	(17.81 - 25.10)	19.61	(16.50 - 23.15)	0.354
Region 6	19.98[a]	(16.16 - 24.43)	14.57	(11.50 - 18.28)	0.003
Region 7 (Shelby)	16.76	(13.55 - 20.56)	14.66	(11.93 - 17.89)	0.165

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	23.23[a]	(22.06 - 24.43)	21.52	(20.34 - 22.75)	0.011
Region 1	29.93[a]	(25.76 - 34.46)	25.92	(22.19 - 30.04)	0.032
Region 2	24.83	(20.48 - 29.76)	25.32	(21.17 - 29.97)	0.802
Region 3	22.43[b]	(20.58 - 24.39)	20.52	(18.80 - 22.34)	0.051
Region 3a	21.87	(19.51 - 24.44)	19.96	(17.83 - 22.27)	0.114
Region 3bc	23.39	(20.88 - 26.10)	21.50	(18.93 - 24.30)	0.164
Region 4	20.72	(17.51 - 24.35)	20.19	(17.15 - 23.62)	0.731
Region 5	22.73	(19.18 - 26.73)	22.26	(18.48 - 26.57)	0.800
Region 6	21.16	(19.13 - 23.35)	19.83	(17.81 - 22.01)	0.229
Region 6a	20.84	(18.66 - 23.21)	19.26	(17.12 - 21.59)	0.181
Region 6bc	23.95	(20.06 - 28.32)	24.91	(20.97 - 29.30)	0.592
Region 7	28.34[a]	(25.83 - 30.98)	25.80	(23.36 - 28.41)	0.043
Region 7a	27.50	(24.29 - 30.95)	25.20	(22.05 - 28.63)	0.136
Region 7bcd	29.58	(25.94 - 33.50)	26.73	(23.34 - 30.41)	0.119
Region 8	23.23	(20.30 - 26.44)	21.74	(18.95 - 24.82)	0.314
Region 9	24.58	(20.51 - 29.16)	23.39	(19.44 - 27.87)	0.540
Region 10	25.52	(21.71 - 29.75)	22.97	(19.53 - 26.82)	0.145
Region 11	21.53	(19.04 - 24.25)	20.00	(17.62 - 22.60)	0.195
Region 11abd	22.47	(19.18 - 26.14)	20.77	(17.74 - 24.17)	0.270
Region 11c (Hidalgo)	20.07	(16.69 - 23.94)	18.81	(15.68 - 22.39)	0.409
Utah	15.06	(13.15 - 17.19)	14.39	(12.35 - 16.70)	0.572
Bear River, Northeastern, Summit, Tooele, and Wasatch	12.84	(9.95 - 16.43)	13.72	(10.72 - 17.39)	0.581
Central, Four Corners, San Juan, and Southwest	15.89	(12.32 - 20.25)	15.81	(12.31 - 20.07)	0.963
Davis County	13.37	(10.36 - 17.10)	14.08	(11.09 - 17.71)	0.664
Salt Lake County	16.48	(13.78 - 19.59)	14.85	(12.29 - 17.83)	0.275
Utah County	14.57	(11.48 - 18.32)	12.92	(9.95 - 16.62)	0.345
Weber, Morgan	14.81	(11.57 - 18.78)	15.59	(12.11 - 19.83)	0.654
Vermont	33.49[a]	(31.12 - 35.96)	30.24	(27.94 - 32.64)	0.012
Champlain Valley	39.65[a]	(36.29 - 43.12)	35.98	(32.83 - 39.25)	0.033
Rural Northeast	30.31	(26.27 - 34.68)	27.30	(23.51 - 31.46)	0.145
Rural Southeast	28.58[a]	(24.59 - 32.94)	24.07	(20.43 - 28.14)	0.022
Rural Southwest	26.14	(22.01 - 30.75)	25.03	(20.98 - 29.57)	0.583
Virginia	25.80[a]	(23.66 - 28.06)	22.70	(20.66 - 24.87)	0.006
Region 1	29.15[a]	(25.48 - 33.12)	24.42	(20.95 - 28.26)	0.011
Region 2	20.54	(17.37 - 24.13)	18.93	(16.06 - 22.18)	0.298
Region 3	29.39	(25.37 - 33.76)	26.15	(22.20 - 30.53)	0.103
Region 4	25.69	(21.68 - 30.15)	24.76	(21.06 - 28.86)	0.617
Region 5	26.43[a]	(22.51 - 30.76)	21.87	(18.56 - 25.59)	0.015

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	25.12	(23.09 - 27.27)	24.01	(22.00 - 26.15)	0.318
Region 1	26.29	(22.99 - 29.87)	25.32	(22.15 - 28.77)	0.546
Greater Columbia and North Central	--	(-- - --)	24.63	(20.79 - 28.92)	--
Spokane	--	(-- - --)	26.50	(22.10 - 31.42)	--
Region 2	26.05	(23.36 - 28.93)	24.28	(21.64 - 27.14)	0.206
King	26.03	(22.69 - 29.67)	24.06	(20.87 - 27.58)	0.239
North Sound	26.08	(22.37 - 30.16)	24.62	(20.95 - 28.69)	0.430
Region 3	23.02	(20.18 - 26.13)	22.65	(20.12 - 25.40)	0.789
Peninsula	--	(-- - --)	22.86	(18.48 - 27.93)	--
Pierce	--	(-- - --)	22.58	(19.09 - 26.50)	--
SW WA and Timberlands	--	(-- - --)	22.38	(18.61 - 26.67)	--
Thurston-Mason	--	(-- - --)	23.24	(18.86 - 28.28)	--
West Virginia	26.17[a]	(23.95 - 28.52)	22.23	(20.19 - 24.40)	0.000
Region I	27.80[a]	(22.76 - 33.47)	22.89	(18.35 - 28.15)	0.018
Region II	25.89[a]	(21.22 - 31.18)	20.62	(16.85 - 24.98)	0.005
Region III	19.94	(16.02 - 24.53)	18.35	(14.65 - 22.73)	0.335
Region IV	37.12[a]	(33.36 - 41.05)	30.99	(27.52 - 34.68)	0.001
Region V	21.92[b]	(18.73 - 25.47)	19.21	(16.17 - 22.66)	0.087
Region VI	20.38	(16.70 - 24.63)	18.08	(14.93 - 21.73)	0.159
Wisconsin	27.19	(25.02 - 29.47)	27.41	(25.28 - 29.64)	0.856
Milwaukee	25.34	(21.48 - 29.64)	28.01	(24.17 - 32.20)	0.184
Northeastern	25.24	(21.82 - 28.99)	26.13	(22.66 - 29.92)	0.623
Northern	27.13	(22.45 - 32.37)	27.29	(23.14 - 31.88)	0.937
Southeastern	25.31	(21.47 - 29.58)	25.59	(22.05 - 29.49)	0.878
Southern	31.03	(27.10 - 35.25)	28.45	(24.71 - 32.51)	0.197
Western	29.99	(25.82 - 34.53)	29.96	(25.94 - 34.32)	0.988

See notes at end of table.

(continued)

Table 11 ***Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	27.66[a]	(25.31 - 30.15)	24.36	(22.01 - 26.87)	0.009
Judicial District 1 (Laramie)	26.57	(22.33 - 31.30)	24.74	(20.91 - 29.02)	0.343
Judicial District 2	42.56[b]	(36.67 - 48.68)	37.71	(32.04 - 43.73)	0.054
Judicial District 3	19.92	(16.44 - 23.93)	20.03	(16.57 - 24.00)	0.952
Judicial District 4	29.16[b]	(24.22 - 34.65)	25.15	(21.03 - 29.78)	0.057
Judicial District 5	26.15[b]	(21.45 - 31.47)	22.82	(18.73 - 27.51)	0.086
Judicial District 6	26.76[a]	(22.19 - 31.89)	22.09	(18.27 - 26.45)	0.016
Judicial District 7 (Natrona)	28.19[a]	(23.59 - 33.29)	23.46	(19.38 - 28.10)	0.019
Judicial District 8	28.12[b]	(23.38 - 33.41)	24.58	(20.33 - 29.39)	0.087
Judicial District 9	24.44[a]	(20.08 - 29.39)	20.17	(16.57 - 24.33)	0.022

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	15.87[a]	(15.41 - 16.35)	14.44	(14.01 - 14.88)	0.000
Northeast	18.25[a]	(17.63 - 18.89)	16.49	(15.80 - 17.20)	0.000
Midwest	17.19[a]	(16.71 - 17.68)	15.47	(14.90 - 16.06)	0.000
South	14.38[a]	(13.93 - 14.85)	13.02	(12.56 - 13.50)	0.000
West	15.24[a]	(14.60 - 15.90)	14.25	(13.62 - 14.91)	0.009
Alabama	13.17	(11.61 - 14.91)	12.86	(11.27 - 14.63)	0.708
Region 1	12.61	(10.30 - 15.35)	12.62	(10.16 - 15.57)	0.998
Region 2	14.72	(12.13 - 17.76)	13.93	(11.36 - 16.97)	0.543
Region 3	11.59	(9.15 - 14.59)	11.93	(9.61 - 14.73)	0.769
Region 4	12.99	(10.57 - 15.86)	12.39	(9.88 - 15.41)	0.598
Alaska	14.99	(13.32 - 16.84)	13.52	(11.84 - 15.41)	0.104
Anchorage	16.52[a]	(14.08 - 19.29)	14.12	(11.72 - 16.92)	0.049
Northern	13.50	(10.84 - 16.69)	12.81	(10.22 - 15.95)	0.589
South Central	14.52	(11.77 - 17.79)	13.71	(11.08 - 16.84)	0.534
Southeast	13.51	(10.73 - 16.87)	12.18	(9.46 - 15.55)	0.260
Arizona	14.81	(13.15 - 16.64)	14.18	(12.47 - 16.09)	0.491
Maricopa	14.14	(12.10 - 16.47)	14.43	(12.26 - 16.91)	0.796
Pima	18.59[a]	(15.02 - 22.78)	15.03	(11.88 - 18.84)	0.016
Rural North	15.38	(12.18 - 19.25)	14.01	(10.98 - 17.72)	0.317
Rural South	13.17	(10.30 - 16.68)	12.29	(9.54 - 15.69)	0.475
Arkansas	14.78[b]	(13.21 - 16.51)	13.26	(11.70 - 15.00)	0.062
Catchment Area 1	14.98	(12.15 - 18.33)	14.04	(11.37 - 17.23)	0.419
Catchment Area 2	16.06	(12.66 - 20.15)	15.30	(12.09 - 19.17)	0.591
Catchment Area 3	13.36	(10.51 - 16.85)	12.00	(9.39 - 15.20)	0.239
Catchment Area 4	15.21	(12.00 - 19.10)	13.72	(10.87 - 17.18)	0.238
Catchment Area 5	17.16[b]	(13.93 - 20.96)	14.69	(11.57 - 18.48)	0.074
Catchment Area 6	13.30	(10.34 - 16.95)	13.84	(10.74 - 17.65)	0.676
Catchment Area 7	13.09[b]	(10.30 - 16.50)	11.22	(8.61 - 14.50)	0.091
Catchment Area 8	14.11[a]	(11.57 - 17.09)	11.49	(9.12 - 14.39)	0.025

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	15.35[a]	(14.35 - 16.40)	14.17	(13.21 - 15.18)	0.035
Region 1R	21.08[a]	(17.24 - 25.51)	18.02	(14.64 - 21.98)	0.027
Region 2R	19.09	(15.65 - 23.09)	17.53	(14.16 - 21.49)	0.277
Region 3R (Sacramento)	14.31	(11.43 - 17.77)	13.00	(10.30 - 16.29)	0.270
Region 4R	17.76	(14.69 - 21.31)	15.67	(12.77 - 19.10)	0.116
Region 5R (San Francisco)	19.34	(15.64 - 23.66)	17.44	(13.93 - 21.61)	0.216
Region 6 (Santa Clara)	13.89	(11.08 - 17.29)	12.38	(9.83 - 15.48)	0.198
Region 7R (Contra Costa)	15.14[a]	(12.11 - 18.76)	12.82	(10.17 - 16.03)	0.042
Region 8R (Alameda)	14.70	(11.82 - 18.14)	12.87	(10.35 - 15.88)	0.120
Region 9R (San Mateo)	13.44	(10.60 - 16.90)	14.80	(11.77 - 18.44)	0.275
Region 10	17.26	(13.99 - 21.09)	17.12	(13.81 - 21.02)	0.920
Region 11 (Los Angeles)	14.47	(13.14 - 15.92)	13.70	(12.38 - 15.14)	0.250
LA SPA 1 and 5	17.32	(13.80 - 21.51)	17.05	(13.58 - 21.19)	0.851
LA SPA 2	13.27	(10.64 - 16.43)	12.58	(10.17 - 15.46)	0.557
LA SPA 3	14.05	(11.34 - 17.28)	12.48	(9.81 - 15.73)	0.206
LA SPA 4	15.53	(12.31 - 19.40)	13.93	(10.92 - 17.61)	0.248
LA SPA 6	13.60	(10.90 - 16.84)	14.46	(11.47 - 18.09)	0.501
LA SPA 7	14.59	(11.84 - 17.86)	13.13	(10.60 - 16.15)	0.214
LA SPA 8	14.76	(12.12 - 17.85)	14.22	(11.48 - 17.49)	0.649
Region 12R	14.51	(11.37 - 18.33)	14.85	(11.62 - 18.79)	0.793
Regions 13 and 19R	14.63	(12.35 - 17.25)	12.84	(10.80 - 15.20)	0.103
Region 14 (Orange)	14.13	(11.79 - 16.85)	13.42	(11.11 - 16.13)	0.536
Region 15R (Fresno)	14.27	(11.29 - 17.87)	14.14	(11.28 - 17.58)	0.923
Region 16R (San Diego)	16.00	(13.37 - 19.04)	15.49	(12.83 - 18.58)	0.672
Region 17R	15.33	(12.66 - 18.44)	13.90	(11.23 - 17.09)	0.250
Region 18R (San Bernardino)	14.47[b]	(12.01 - 17.33)	12.28	(9.97 - 15.03)	0.059
Region 20R	15.34	(12.41 - 18.83)	13.44	(10.65 - 16.83)	0.128
Region 21R	21.28	(17.53 - 25.59)	18.91	(15.06 - 23.47)	0.150
Colorado	15.16	(13.50 - 16.98)	15.44	(13.66 - 17.41)	0.762
Region 1	19.34	(15.74 - 23.54)	18.89	(15.30 - 23.09)	0.771
Regions 2 and 7	14.57	(12.38 - 17.08)	14.78	(12.55 - 17.32)	0.861
Region 3	13.44	(10.76 - 16.67)	14.26	(11.39 - 17.71)	0.527
Region 4	14.40	(11.12 - 18.44)	15.77	(12.28 - 20.02)	0.345
Regions 5 and 6	15.34	(12.28 - 19.01)	15.73	(12.53 - 19.56)	0.776
Connecticut	19.11[a]	(17.30 - 21.06)	17.02	(15.19 - 19.01)	0.033
Eastern	22.19	(18.61 - 26.22)	21.93	(17.97 - 26.49)	0.887
North Central	17.77	(14.92 - 21.03)	16.13	(13.37 - 19.33)	0.221
Northwestern	16.74	(13.64 - 20.38)	14.60	(11.59 - 18.25)	0.125
South Central	21.78[a]	(18.44 - 25.55)	17.42	(14.47 - 20.83)	0.003
Southwest	17.69	(14.54 - 21.36)	16.50	(13.45 - 20.07)	0.365

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	17.67[a]	(15.81 - 19.69)	14.99	(13.21 - 16.96)	0.009
Kent	16.15[a]	(13.16 - 19.67)	12.90	(10.22 - 16.14)	0.019
New Castle (excluding Wilmington City)	19.24[b]	(16.72 - 22.04)	16.77	(14.31 - 19.55)	0.061
Sussex	16.42[b]	(13.47 - 19.87)	13.73	(10.92 - 17.13)	0.058
Wilmington City	13.35[a]	(10.37 - 17.01)	10.79	(8.22 - 14.03)	0.039
District of Columbia	20.97[a]	(18.42 - 23.78)	18.03	(15.51 - 20.85)	0.046
Ward 1	25.31	(19.70 - 31.89)	23.61	(17.83 - 30.57)	0.561
Ward 2	46.32	(38.92 - 53.88)	42.39	(35.05 - 50.08)	0.245
Ward 3	29.91[a]	(24.35 - 36.12)	24.80	(19.69 - 30.73)	0.021
Ward 4	13.09	(10.03 - 16.91)	11.78	(9.03 - 15.22)	0.304
Ward 5	20.35[a]	(16.53 - 24.78)	15.85	(12.13 - 20.46)	0.021
Ward 6	15.97[a]	(12.25 - 20.55)	12.38	(9.30 - 16.30)	0.022
Ward 7	11.23	(8.39 - 14.88)	10.85	(8.07 - 14.44)	0.803
Ward 8	12.45	(9.55 - 16.07)	11.99	(9.19 - 15.48)	0.770
Florida[1]	14.24[a]	(13.35 - 15.19)	12.51	(11.61 - 13.48)	0.001
Broward (Circuit 17)	11.51	(9.51 - 13.87)	10.10	(8.17 - 12.42)	0.133
Central I	--	(-- - --)	12.52	(10.81 - 14.46)	--
Circuit 9	13.89	(11.59 - 16.56)	12.24	(10.15 - 14.69)	0.117
Circuit 18	15.51[a]	(12.83 - 18.62)	13.00	(10.50 - 15.98)	0.033
Central II	--	(-- - --)	12.84	(11.51 - 14.29)	--
Circuit 6	14.99	(12.30 - 18.14)	13.19	(10.78 - 16.03)	0.104
Circuit 10	12.88	(10.54 - 15.65)	13.12	(10.43 - 16.37)	0.831
Circuit 12	15.75[a]	(12.79 - 19.25)	12.20	(9.58 - 15.40)	0.004
Circuit 13 (Hillsborough)	15.72[b]	(13.48 - 18.25)	13.69	(11.30 - 16.50)	0.057
Circuit 20	13.83[a]	(11.22 - 16.93)	11.43	(9.02 - 14.37)	0.027
Northeast	--	(-- - --)	14.02	(12.47 - 15.72)	--
Circuit 4	12.75	(10.29 - 15.70)	11.41	(9.18 - 14.09)	0.178
Circuit 5	13.39	(10.81 - 16.47)	13.51	(11.06 - 16.40)	0.916
Circuit 7	16.32	(13.43 - 19.70)	14.46	(11.77 - 17.64)	0.124
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	19.36	(15.74 - 23.58)	--
Northwest	--	(-- - --)	15.57	(13.45 - 17.95)	--
Circuit 1	14.89	(12.17 - 18.10)	14.14	(11.29 - 17.57)	0.536
Circuit 2 plus Madison and Taylor	--	(-- - --)	19.46	(15.84 - 23.67)	--
Circuit 14	14.27[b]	(11.29 - 17.87)	12.15	(9.50 - 15.42)	0.058
South (Circuits 11 and 16)	11.75[a]	(9.91 - 13.87)	9.78	(8.18 - 11.64)	0.028
Southeast	--	(-- - --)	12.36	(10.50 - 14.51)	--
Circuit 15 (Palm Beach)	13.36	(11.08 - 16.03)	12.50	(10.22 - 15.19)	0.415
Circuit 19	13.51	(10.66 - 16.96)	12.07	(9.40 - 15.38)	0.193

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	12.49	(11.03 - 14.10)	12.32	(10.87 - 13.93)	0.814
Region 1	12.06	(9.86 - 14.67)	11.91	(9.67 - 14.58)	0.881
Region 2	13.74	(10.96 - 17.09)	14.42	(11.41 - 18.06)	0.569
Region 3	11.71	(9.51 - 14.34)	10.51	(8.53 - 12.88)	0.211
Region 4	14.34	(11.04 - 18.42)	13.45	(10.39 - 17.24)	0.499
Region 5	14.09	(10.91 - 18.01)	14.43	(11.33 - 18.20)	0.798
Region 6	11.51	(9.12 - 14.43)	12.53	(10.00 - 15.59)	0.335
Hawaii	14.09	(12.37 - 15.99)	12.78	(10.94 - 14.87)	0.225
Hawaii Island	15.50	(12.40 - 19.21)	14.07	(11.06 - 17.74)	0.364
Honolulu	14.07	(12.04 - 16.38)	12.73	(10.57 - 15.26)	0.280
Kauai	11.86	(9.01 - 15.47)	11.57	(8.82 - 15.02)	0.826
Maui	13.41	(10.40 - 17.12)	12.00	(9.34 - 15.30)	0.326
Idaho	14.19[a]	(12.69 - 15.84)	12.42	(10.85 - 14.18)	0.027
Region 1	15.32[a]	(12.36 - 18.82)	12.43	(9.69 - 15.81)	0.022
Region 2	23.00[a]	(18.37 - 28.40)	18.20	(14.09 - 23.19)	0.011
Region 3	12.78	(10.21 - 15.88)	11.13	(8.71 - 14.11)	0.151
Region 4	13.94	(11.56 - 16.72)	13.80	(11.12 - 16.99)	0.902
Region 5	13.78[a]	(11.11 - 16.96)	11.08	(8.59 - 14.19)	0.022
Region 6	--	(-- - --)	12.82	(9.93 - 16.41)	--
Region 7	--	(-- - --)	10.17	(7.81 - 13.14)	--
Illinois	17.10[a]	(16.09 - 18.16)	14.64	(13.51 - 15.84)	0.000
Region I (Cook)	16.14[a]	(14.56 - 17.85)	13.64	(11.97 - 15.51)	0.006
Region II	15.80[a]	(14.29 - 17.44)	13.10	(11.51 - 14.88)	0.002
Region III	22.69[a]	(19.94 - 25.69)	18.80	(16.06 - 21.89)	0.006
Region IV	19.36	(16.52 - 22.57)	18.50	(15.60 - 21.80)	0.517
Region V	17.12	(14.53 - 20.05)	16.52	(13.89 - 19.53)	0.631
Indiana	15.95[b]	(14.36 - 17.68)	14.48	(12.88 - 16.24)	0.087
Central	12.43	(10.02 - 15.32)	11.17	(8.87 - 13.98)	0.257
East	18.70	(15.20 - 22.79)	16.45	(13.00 - 20.60)	0.133
North Central	15.73[b]	(12.75 - 19.24)	13.48	(10.86 - 16.62)	0.066
Northeast	14.49	(11.66 - 17.87)	14.53	(11.52 - 18.17)	0.972
Northwest	13.95	(11.20 - 17.24)	12.91	(10.21 - 16.20)	0.386
Southeast	15.35	(12.51 - 18.71)	14.43	(11.40 - 18.11)	0.493
Southwest	16.55	(13.13 - 20.65)	15.70	(12.48 - 19.56)	0.527
West	24.49	(20.23 - 29.31)	21.90	(17.80 - 26.63)	0.184
Iowa	19.89[a]	(17.98 - 21.95)	17.62	(15.76 - 19.66)	0.028
Central	17.72[b]	(14.45 - 21.55)	15.12	(12.27 - 18.50)	0.071
North Central	23.18	(18.93 - 28.06)	21.31	(17.27 - 26.00)	0.323
Northeast	21.89[a]	(18.76 - 25.37)	18.38	(15.19 - 22.06)	0.027
Northwest	18.25	(15.07 - 21.92)	17.40	(14.12 - 21.27)	0.579
Southeast	19.35	(16.06 - 23.13)	17.73	(14.53 - 21.46)	0.313
Southwest	18.38[b]	(14.96 - 22.37)	15.83	(12.82 - 19.40)	0.094

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	16.76[b]	(15.10 - 18.55)	15.28	(13.54 - 17.19)	0.072
Kansas City Metro	17.09[a]	(14.65 - 19.85)	14.53	(11.95 - 17.55)	0.026
Northeast	17.40	(14.08 - 21.32)	18.56	(15.26 - 22.37)	0.428
South Central	17.17[a]	(13.90 - 21.02)	13.65	(10.77 - 17.16)	0.006
Southeast	18.16	(14.47 - 22.56)	16.73	(12.98 - 21.30)	0.334
West	16.82	(13.59 - 20.63)	16.90	(13.42 - 21.06)	0.947
Wichita (Sedgwick)	14.48[b]	(11.79 - 17.65)	12.58	(10.00 - 15.71)	0.094
Kentucky	15.55[a]	(13.91 - 17.35)	13.79	(12.17 - 15.58)	0.040
Adanta, Cumberland River, and Lifeskills	15.04	(12.18 - 18.42)	13.23	(10.36 - 16.74)	0.179
Bluegrass, Comprehend, and North Key	17.92[b]	(15.14 - 21.09)	15.60	(12.92 - 18.72)	0.090
Communicare and River Valley	13.89	(10.97 - 17.44)	12.59	(9.94 - 15.82)	0.287
Four Rivers and Pennyroyal	14.23	(11.21 - 17.90)	13.54	(10.52 - 17.26)	0.604
Kentucky River, Mountain, and Pathways	15.13	(12.05 - 18.83)	13.27	(10.33 - 16.90)	0.178
Seven Counties	14.29	(11.68 - 17.38)	12.69	(10.22 - 15.65)	0.161
Louisiana	14.72	(13.24 - 16.35)	14.86	(13.17 - 16.72)	0.880
Regions 1 and 10	13.46	(11.27 - 16.01)	13.47	(11.06 - 16.31)	0.997
Region 1	13.23	(10.36 - 16.74)	13.83	(10.61 - 17.82)	0.676
Region 10 (Jefferson)	13.72	(10.90 - 17.14)	13.07	(10.16 - 16.65)	0.617
Regions 2 and 9	15.68	(13.27 - 18.43)	15.72	(13.19 - 18.64)	0.968
Region 3	13.86	(10.99 - 17.32)	14.54	(11.42 - 18.33)	0.619
Regions 4, 5, and 6	15.35	(12.73 - 18.38)	16.28	(13.38 - 19.67)	0.486
Regions 7 and 8	14.07	(11.52 - 17.07)	13.16	(10.53 - 16.33)	0.485
Maine	16.29	(14.64 - 18.10)	15.91	(14.21 - 17.78)	0.659
Aroostook/Downeast	17.19	(14.54 - 20.20)	15.72	(13.11 - 18.74)	0.200
Aroostook	16.40	(13.03 - 20.43)	14.60	(11.36 - 18.57)	0.204
Downeast	17.90	(14.47 - 21.93)	16.71	(13.22 - 20.89)	0.395
Central	15.27	(12.36 - 18.72)	14.26	(11.35 - 17.75)	0.450
Cumberland	15.97	(12.99 - 19.48)	15.77	(12.93 - 19.09)	0.875
Midcoast	14.26	(11.23 - 17.94)	14.40	(11.32 - 18.16)	0.915
Penquis	19.40	(15.59 - 23.87)	20.97	(16.98 - 25.60)	0.372
Western	16.63	(13.50 - 20.31)	15.93	(12.74 - 19.74)	0.607
York	15.04	(12.35 - 18.20)	13.94	(11.31 - 17.06)	0.383

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	14.23	(12.69 - 15.91)	13.54	(11.99 - 15.25)	0.405
Anne Arundel	16.40	(13.07 - 20.38)	15.45	(12.24 - 19.32)	0.500
Baltimore City	12.45	(9.75 - 15.76)	12.35	(9.49 - 15.93)	0.944
Baltimore County	15.92	(12.80 - 19.62)	15.21	(12.13 - 18.90)	0.611
Montgomery	12.14	(9.73 - 15.06)	11.11	(8.70 - 14.08)	0.342
North Central	14.29	(11.44 - 17.69)	13.59	(10.61 - 17.25)	0.586
Northeast	14.71	(11.59 - 18.50)	15.00	(11.93 - 18.70)	0.832
Prince George's	12.48	(9.86 - 15.67)	11.67	(9.09 - 14.85)	0.492
South	15.37[b]	(12.30 - 19.04)	13.12	(10.25 - 16.64)	0.093
West	16.59	(13.36 - 20.41)	16.84	(13.65 - 20.59)	0.855
Massachusetts	19.24	(17.44 - 21.19)	18.19	(16.29 - 20.25)	0.296
Boston	25.61	(21.14 - 30.65)	24.57	(19.94 - 29.88)	0.640
Central	17.94	(14.68 - 21.73)	16.80	(13.48 - 20.73)	0.435
Metrowest	18.70	(15.59 - 22.26)	17.19	(14.05 - 20.86)	0.278
Northeast	17.96	(14.96 - 21.42)	17.16	(14.04 - 20.80)	0.597
Southeast	16.69	(13.94 - 19.86)	17.62	(14.67 - 21.02)	0.496
Western	21.05[b]	(17.34 - 25.32)	17.77	(14.43 - 21.69)	0.054
Michigan[1]	16.89[a]	(15.93 - 17.89)	15.05	(13.98 - 16.19)	0.002
Region 1	25.42[a]	(21.48 - 29.80)	21.14	(17.42 - 25.40)	0.014
Region 2	--	(-- - --)	14.25	(11.51 - 17.52)	--
Region 3	--	(-- - --)	13.76	(11.51 - 16.37)	--
Region 4	--	(-- - --)	13.08	(10.66 - 15.96)	--
Region 5	--	(-- - --)	18.57	(16.02 - 21.41)	--
Region 6	--	(-- - --)	18.13	(15.50 - 21.09)	--
Region 7	--	(-- - --)	13.32	(11.39 - 15.52)	--
Region 8	15.41[b]	(13.25 - 17.85)	13.43	(11.29 - 15.91)	0.057
Region 9	16.68[a]	(14.28 - 19.39)	13.84	(11.54 - 16.50)	0.013
Region 10	--	(-- - --)	13.80	(11.37 - 16.64)	--
Minnesota	17.83[a]	(16.12 - 19.67)	15.34	(13.69 - 17.15)	0.004
Regions 1 and 2	19.33	(15.60 - 23.71)	18.03	(14.54 - 22.14)	0.390
Regions 3 and 4	18.32	(15.25 - 21.85)	16.57	(13.56 - 20.10)	0.199
Regions 5 and 6	21.28[a]	(17.80 - 25.22)	17.62	(14.30 - 21.51)	0.016
Region 7A (Hennepin)	17.43[a]	(14.59 - 20.69)	14.53	(11.78 - 17.80)	0.029
Region 7B (Ramsey)	17.69	(14.03 - 22.06)	15.90	(12.57 - 19.90)	0.237
Region 7C	14.36[a]	(11.85 - 17.30)	11.93	(9.68 - 14.63)	0.026
Mississippi	12.59	(11.16 - 14.18)	13.00	(11.49 - 14.67)	0.601
Region 1	12.21	(9.78 - 15.15)	13.06	(10.39 - 16.28)	0.479
Region 2	10.81	(8.42 - 13.79)	11.55	(9.09 - 14.56)	0.498
Region 3	13.95	(11.18 - 17.26)	15.19	(12.16 - 18.81)	0.345
Region 4	11.35	(9.12 - 14.04)	11.32	(9.03 - 14.10)	0.972
Region 5	11.22	(8.60 - 14.51)	11.63	(8.90 - 15.04)	0.723
Region 6	13.94	(11.07 - 17.41)	13.35	(10.58 - 16.71)	0.639
Region 7	14.49	(11.60 - 17.94)	14.21	(11.26 - 17.78)	0.824

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	15.32	(13.68 - 17.13)	14.65	(13.03 - 16.42)	0.424
Central	18.09	(14.65 - 22.12)	17.76	(14.58 - 21.46)	0.832
Eastern	14.08	(12.01 - 16.45)	13.48	(11.38 - 15.89)	0.536
Eastern (St. Louis City and County)	12.75	(10.37 - 15.58)	12.28	(9.80 - 15.27)	0.679
Eastern (excluding St. Louis)	16.33	(13.22 - 20.02)	15.37	(12.24 - 19.12)	0.485
Northwest	15.02	(12.59 - 17.83)	14.13	(11.82 - 16.81)	0.412
Northwest (Jackson)	13.14	(10.47 - 16.37)	13.54	(10.68 - 17.03)	0.747
Northwest (excluding Jackson)	16.52	(13.20 - 20.48)	14.59	(11.51 - 18.32)	0.168
Southeast	16.39	(13.14 - 20.24)	15.54	(12.50 - 19.17)	0.536
Southwest	15.21	(12.12 - 18.91)	14.43	(11.52 - 17.92)	0.555
Montana	20.23[a]	(18.35 - 22.24)	17.33	(15.44 - 19.39)	0.003
Region 1	19.65[b]	(16.06 - 23.82)	16.92	(13.58 - 20.87)	0.063
Region 2	17.16	(13.91 - 20.98)	15.56	(12.42 - 19.33)	0.256
Region 3	16.96[a]	(14.02 - 20.38)	14.16	(11.47 - 17.35)	0.029
Region 4	23.84[a]	(20.32 - 27.77)	20.02	(16.56 - 24.01)	0.021
Region 5	20.87[a]	(17.94 - 24.15)	18.07	(15.38 - 21.11)	0.044
Nebraska	17.11	(15.40 - 18.98)	15.73	(14.05 - 17.56)	0.125
Regions 1 and 2	17.03	(14.26 - 20.22)	15.63	(12.95 - 18.75)	0.231
Region 1	17.49	(13.70 - 22.06)	15.93	(12.40 - 20.23)	0.296
Region 2	16.63	(13.22 - 20.72)	15.37	(12.07 - 19.39)	0.373
Region 3	16.13	(12.95 - 19.91)	16.39	(13.19 - 20.20)	0.848
Region 4	17.84	(14.42 - 21.86)	16.52	(13.18 - 20.49)	0.353
Region 5	21.35[b]	(18.06 - 25.05)	18.35	(15.29 - 21.85)	0.053
Region 6	14.76	(12.48 - 17.37)	13.80	(11.50 - 16.48)	0.415
Nevada	15.72	(13.71 - 17.98)	14.31	(12.52 - 16.30)	0.174
Clark – Region 1	14.30	(11.91 - 17.09)	13.03	(10.97 - 15.42)	0.278
Region 3	16.00	(13.24 - 19.22)	15.58	(12.78 - 18.86)	0.729
Capital District	17.37	(13.85 - 21.57)	15.63	(12.04 - 20.06)	0.264
Rural/Frontier	14.90	(11.39 - 19.25)	15.54	(12.16 - 19.65)	0.653
Washoe – Region 2	21.80	(18.43 - 25.59)	19.20	(15.87 - 23.04)	0.118
New Hampshire	22.13	(20.23 - 24.16)	21.00	(19.06 - 23.07)	0.212
Central	25.56[b]	(22.83 - 28.51)	23.60	(20.82 - 26.63)	0.093
Central 1	30.33[b]	(26.59 - 34.36)	27.59	(23.85 - 31.69)	0.083
Central 2	20.27	(16.78 - 24.27)	19.14	(15.58 - 23.30)	0.398
Northern	27.29	(22.95 - 32.09)	27.08	(23.00 - 31.60)	0.907
Southern	19.31	(17.04 - 21.82)	18.36	(16.06 - 20.90)	0.363
Southern 1 (Rockingham)	19.08[b]	(16.13 - 22.42)	16.78	(13.85 - 20.19)	0.070
Southern 2	19.45	(16.47 - 22.83)	19.28	(16.29 - 22.66)	0.899

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	18.21[a]	(16.36 - 20.20)	15.80	(14.12 - 17.65)	0.008
Central	18.53[b]	(15.23 - 22.35)	16.10	(13.41 - 19.21)	0.081
Metropolitan	17.79[a]	(14.85 - 21.16)	13.96	(11.32 - 17.09)	0.006
Northern	18.61	(15.87 - 21.71)	16.76	(14.05 - 19.87)	0.167
Southern	17.74	(14.67 - 21.30)	16.28	(13.51 - 19.48)	0.282
New Mexico	14.96[b]	(13.33 - 16.74)	13.56	(11.97 - 15.31)	0.097
Region 1	11.52	(9.36 - 14.10)	11.61	(9.21 - 14.53)	0.935
Region 2	13.71	(10.92 - 17.07)	12.66	(9.95 - 15.97)	0.411
Region 3 (Bernalillo)	17.94[a]	(14.98 - 21.32)	15.12	(12.54 - 18.12)	0.033
Region 4	14.59	(11.69 - 18.07)	14.88	(11.94 - 18.40)	0.833
Region 5	15.30[b]	(12.39 - 18.75)	12.99	(10.24 - 16.36)	0.086
New York	17.90[a]	(16.84 - 19.02)	15.34	(14.22 - 16.53)	0.000
Region A	15.82[a]	(14.41 - 17.34)	13.32	(11.93 - 14.85)	0.000
Region 1	14.19	(11.65 - 17.17)	13.05	(10.60 - 15.97)	0.313
Region 2	16.55[a]	(14.42 - 18.93)	12.87	(10.72 - 15.36)	0.001
Region 3	20.22	(16.64 - 24.34)	19.14	(15.83 - 22.96)	0.501
Region 4	13.67[a]	(11.29 - 16.46)	11.00	(8.89 - 13.53)	0.008
Region B	18.23[a]	(16.48 - 20.11)	16.29	(14.49 - 18.26)	0.028
Region 5	18.72	(16.36 - 21.34)	17.12	(14.63 - 19.95)	0.177
Region 6	17.01[b]	(14.15 - 20.31)	14.75	(12.03 - 17.95)	0.061
Region 7	18.50[b]	(15.47 - 21.98)	16.04	(12.92 - 19.74)	0.061
Region C	19.93[a]	(18.20 - 21.77)	16.54	(14.86 - 18.36)	0.000
Region 8	18.41[a]	(15.34 - 21.93)	14.91	(11.94 - 18.46)	0.011
Region 9	19.94[a]	(16.80 - 23.49)	16.95	(14.06 - 20.31)	0.028
Region 10	22.84	(18.64 - 27.67)	21.45	(17.20 - 26.42)	0.452
Region 11	20.50[a]	(17.34 - 24.05)	16.56	(13.73 - 19.84)	0.002
Region 12	19.41[a]	(16.37 - 22.86)	15.40	(12.80 - 18.41)	0.002
Region D	20.30[a]	(18.09 - 22.70)	18.05	(15.81 - 20.53)	0.023
Region 13	20.07	(16.49 - 24.21)	18.96	(15.47 - 23.03)	0.451
Region 14	20.20[b]	(16.47 - 24.52)	17.33	(13.83 - 21.50)	0.052
Region 15	20.59[b]	(17.23 - 24.40)	17.94	(14.58 - 21.88)	0.062

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	12.83	(11.36 - 14.45)	11.65	(10.27 - 13.18)	0.121
Alliance Behavioral Healthcare 1	--	(-- - --)	9.59	(7.39 - 12.37)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	11.92	(9.34 - 15.10)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	10.10	(7.78 - 13.00)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	12.19	(9.41 - 15.66)	--
Cardinal Innovations Healthcare Solutions 3	11.55	(8.97 - 14.76)	10.93	(8.43 - 14.04)	0.572
CenterPoint Human Services	12.28	(9.50 - 15.74)	11.22	(8.63 - 14.47)	0.345
Eastpointe	10.74[a]	(8.38 - 13.66)	8.60	(6.56 - 11.18)	0.029
Partners Behavioral Health Management	13.49	(10.56 - 17.08)	12.38	(9.83 - 15.46)	0.364
Sandhills Center 1	12.47	(9.59 - 16.06)	10.99	(8.38 - 14.28)	0.186
Sandhills Center 2	12.93	(9.89 - 16.72)	11.51	(8.83 - 14.87)	0.249
Smoky Mountain Center 1	18.22	(14.36 - 22.83)	16.51	(12.92 - 20.86)	0.294
Smoky Mountain Center 2	14.14	(11.01 - 17.97)	12.12	(9.27 - 15.71)	0.111
Trillium Health Resources 1	14.11	(10.75 - 18.30)	12.45	(9.50 - 16.15)	0.210
Trillium Health Resources 2	15.43	(11.84 - 19.87)	15.36	(11.80 - 19.74)	0.959
North Dakota	23.57[b]	(21.35 - 25.95)	21.42	(19.24 - 23.78)	0.058
Badlands and West Central	19.31	(16.03 - 23.07)	18.76	(15.59 - 22.40)	0.705
Lake Region	--	(-- - --)	14.26	(11.39 - 17.70)	--
North Central	--	(-- - --)	19.43	(15.54 - 24.01)	--
Northeast	29.58	(25.36 - 34.18)	30.00	(25.25 - 35.22)	0.837
Northwest	--	(-- - --)	16.90	(13.57 - 20.84)	--
South Central	--	(-- - --)	20.20	(16.19 - 24.91)	--
Southeast	27.73[a]	(23.75 - 32.10)	22.92	(19.40 - 26.87)	0.004

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	17.61[a]	(16.63 - 18.63)	15.66	(14.61 - 16.78)	0.001
Boards 2, 46, 55, and 68	17.02	(14.19 - 20.28)	17.01	(13.73 - 20.88)	0.994
Boards 3, 52, and 85	16.92	(14.09 - 20.19)	14.86	(11.85 - 18.48)	0.117
Boards 4 and 78	16.88[a]	(13.68 - 20.65)	13.02	(10.26 - 16.39)	0.002
Boards 5 and 60	24.70	(21.35 - 28.37)	22.47	(18.91 - 26.49)	0.173
Boards 7, 15, 41, 79, and 84	13.86	(11.48 - 16.64)	14.47	(11.69 - 17.79)	0.622
Boards 8, 13, and 83	14.26	(11.82 - 17.11)	13.04	(10.53 - 16.05)	0.262
Board 9 (Butler)	20.82	(17.44 - 24.65)	18.71	(15.40 - 22.54)	0.157
Board 12	18.83[b]	(15.43 - 22.78)	16.19	(12.80 - 20.28)	0.082
Boards 18 and 47	16.93[a]	(14.70 - 19.42)	13.85	(11.66 - 16.36)	0.005
Boards 20, 32, 54, and 69	18.08	(15.17 - 21.41)	16.21	(13.17 - 19.79)	0.142
Boards 21, 39, 51, 70, and 80	14.76	(12.16 - 17.81)	13.40	(10.93 - 16.33)	0.241
Boards 22, 74, and 87	19.96	(16.60 - 23.80)	19.20	(15.77 - 23.16)	0.617
Boards 23 and 45	16.43	(13.35 - 20.04)	15.44	(12.42 - 19.02)	0.448
Board 25 (Franklin)	20.69[a]	(17.94 - 23.74)	16.01	(13.43 - 18.98)	0.001
Boards 27, 71, and 73	15.54	(12.93 - 18.55)	14.96	(12.31 - 18.07)	0.633
Boards 28, 43, and 67	21.04	(18.03 - 24.40)	19.38	(16.35 - 22.82)	0.253
Board 31 (Hamilton)	16.74[b]	(14.07 - 19.80)	14.40	(11.81 - 17.45)	0.058
Board 48 (Lucas)	18.41[b]	(15.48 - 21.75)	15.93	(12.89 - 19.53)	0.063
Boards 50 and 76	16.94	(14.31 - 19.94)	15.64	(12.96 - 18.76)	0.296
Board 57 (Montgomery)	15.20	(12.44 - 18.44)	14.39	(11.54 - 17.80)	0.529
Board 77 (Summit)	16.12	(13.39 - 19.28)	16.18	(13.11 - 19.79)	0.968
Oklahoma	14.76	(13.13 - 16.55)	15.03	(13.39 - 16.84)	0.737
Central	17.87	(14.32 - 22.08)	18.79	(15.19 - 23.02)	0.549
East Central	12.52	(9.77 - 15.90)	12.25	(9.57 - 15.54)	0.820
Northeast	15.59	(12.52 - 19.25)	16.36	(13.34 - 19.92)	0.590
Northwest and Southwest	15.01	(11.83 - 18.86)	15.34	(12.21 - 19.10)	0.801
Oklahoma County	14.29	(11.48 - 17.65)	13.86	(11.07 - 17.20)	0.727
Southeast	14.27	(11.37 - 17.77)	14.33	(11.49 - 17.74)	0.963
Tulsa County	13.88	(11.10 - 17.23)	14.50	(11.57 - 18.02)	0.617
Oregon	16.31	(14.65 - 18.13)	16.56	(14.76 - 18.52)	0.782
Region 1 (Multnomah)	17.07	(13.91 - 20.77)	15.15	(12.25 - 18.59)	0.126
Region 2	13.49	(11.08 - 16.33)	14.52	(11.88 - 17.62)	0.377
Region 3	18.83	(16.03 - 21.98)	19.79	(16.80 - 23.16)	0.497
Region 4	15.95	(12.85 - 19.63)	15.03	(11.85 - 18.89)	0.503
Region 5 (Central)	14.50	(11.43 - 18.22)	15.12	(11.84 - 19.11)	0.640
Region 6 (Eastern)	13.91	(10.71 - 17.87)	15.09	(11.70 - 19.25)	0.396

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	17.45	(16.36 - 18.59)	16.70	(15.62 - 17.83)	0.232
Region 1 (Allegheny)	20.69[a]	(17.85 - 23.86)	17.77	(14.95 - 20.99)	0.032
Regions 3, 8, 9, and 51	19.87	(16.55 - 23.67)	21.68	(18.35 - 25.43)	0.247
Regions 4, 11, 37, and 49	16.00	(13.34 - 19.08)	15.84	(13.16 - 18.95)	0.899
Regions 5, 18, 23, 24, and 46	16.79[a]	(13.77 - 20.33)	13.40	(10.82 - 16.49)	0.009
Regions 6, 12, 16, 31, 35, 45, and 47	20.23	(16.60 - 24.43)	21.48	(17.87 - 25.60)	0.481
Regions 7, 13, 20, and 33	16.78	(14.74 - 19.05)	16.58	(14.42 - 18.99)	0.852
Regions 10, 15, 27, 32, 43, and 44	17.09	(14.12 - 20.53)	15.31	(12.32 - 18.87)	0.187
Regions 17 and 21	20.14	(16.51 - 24.33)	18.41	(15.10 - 22.27)	0.235
Regions 19, 26, 28, and 42	13.83	(11.62 - 16.37)	13.48	(11.38 - 15.90)	0.746
Regions 22, 38, 40, 41, and 48	17.41	(14.76 - 20.42)	15.57	(12.76 - 18.87)	0.160
Regions 29 and 34	15.60	(12.60 - 19.15)	15.61	(12.72 - 19.02)	0.992
Regions 30 and 50	17.30	(14.13 - 21.00)	18.53	(15.33 - 22.23)	0.370
Region 36 (Philadelphia)	18.48	(15.94 - 21.32)	16.89	(14.33 - 19.81)	0.219
Rhode Island	20.52	(18.53 - 22.67)	19.90	(17.71 - 22.28)	0.594
Bristol and Newport	23.82	(19.72 - 28.47)	24.09	(19.94 - 28.78)	0.888
Kent	18.61	(15.40 - 22.30)	16.80	(13.66 - 20.49)	0.235
Providence	19.24	(16.79 - 21.95)	18.09	(15.36 - 21.18)	0.412
Washington	24.90	(20.49 - 29.91)	26.86	(22.14 - 32.16)	0.342
South Carolina	14.49[b]	(12.88 - 16.25)	13.10	(11.51 - 14.87)	0.097
Region 1	--	(-- - --)	13.57	(11.06 - 16.54)	--
Region 2	--	(-- - --)	12.45	(10.02 - 15.35)	--
Region 3	13.62	(10.80 - 17.03)	11.97	(9.53 - 14.95)	0.160
Region 4	13.58	(11.07 - 16.55)	13.88	(11.38 - 16.82)	0.798
South Dakota	19.16	(17.36 - 21.11)	18.58	(16.70 - 20.61)	0.543
Region 1	18.11	(15.17 - 21.49)	17.36	(14.33 - 20.87)	0.584
Region 2	16.51	(13.43 - 20.14)	14.46	(11.47 - 18.07)	0.125
Region 3	23.47	(20.07 - 27.26)	23.85	(20.58 - 27.46)	0.809
Region 4	20.75	(16.98 - 25.11)	21.24	(17.43 - 25.61)	0.773
Region 5	16.07	(13.52 - 19.00)	14.86	(12.18 - 18.00)	0.352
Tennessee	13.20[a]	(11.68 - 14.89)	11.45	(9.89 - 13.22)	0.043
Region 1	12.86	(9.86 - 16.60)	12.28	(9.50 - 15.74)	0.665
Region 2	13.52	(10.69 - 16.96)	12.56	(9.83 - 15.93)	0.477
Region 3	13.66	(10.79 - 17.15)	12.05	(9.38 - 15.34)	0.229
Region 4 (Davidson)	15.41	(12.18 - 19.31)	13.81	(10.53 - 17.91)	0.295
Region 5	14.38[a]	(11.80 - 17.42)	11.72	(9.24 - 14.77)	0.037
Region 6	13.66[a]	(10.70 - 17.28)	10.07	(7.66 - 13.13)	0.005
Region 7 (Shelby)	9.17	(7.11 - 11.75)	8.37	(6.38 - 10.90)	0.402

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	14.81[a]	(13.86 - 15.82)	12.93	(12.00 - 13.93)	0.000
Region 1	20.53[a]	(17.25 - 24.25)	16.84	(13.81 - 20.37)	0.008
Region 2	18.07	(14.50 - 22.28)	17.67	(14.01 - 22.03)	0.788
Region 3	14.01[a]	(12.54 - 15.62)	12.37	(10.94 - 13.96)	0.035
Region 3a	13.64	(11.71 - 15.84)	12.31	(10.47 - 14.42)	0.176
Region 3bc	14.64[a]	(12.60 - 16.95)	12.48	(10.54 - 14.73)	0.032
Region 4	14.93[b]	(12.24 - 18.08)	12.89	(10.38 - 15.90)	0.063
Region 5	14.95	(12.29 - 18.08)	14.45	(11.49 - 18.00)	0.690
Region 6	12.84[a]	(11.25 - 14.62)	10.57	(9.07 - 12.29)	0.005
Region 6a	12.58[a]	(10.88 - 14.50)	10.13	(8.54 - 11.98)	0.005
Region 6bc	15.17	(12.28 - 18.59)	14.52	(11.40 - 18.30)	0.603
Region 7	18.55[b]	(16.33 - 20.99)	16.67	(14.61 - 18.97)	0.069
Region 7a	17.08	(14.36 - 20.20)	15.74	(13.14 - 18.74)	0.282
Region 7bcd	20.70[b]	(17.43 - 24.40)	18.11	(15.15 - 21.49)	0.084
Region 8	14.99[a]	(12.59 - 17.76)	12.62	(10.49 - 15.11)	0.030
Region 9	17.40	(14.31 - 20.99)	15.31	(12.20 - 19.04)	0.127
Region 10	14.22	(11.52 - 17.43)	14.05	(11.20 - 17.47)	0.883
Region 11	13.96[b]	(12.00 - 16.18)	12.32	(10.44 - 14.47)	0.065
Region 11abd	14.81[b]	(12.21 - 17.85)	12.74	(10.33 - 15.61)	0.079
Region 11c (Hidalgo)	12.62	(10.20 - 15.53)	11.67	(9.24 - 14.63)	0.374
Utah	10.91	(9.43 - 12.60)	10.98	(9.39 - 12.80)	0.936
Bear River, Northeastern, Summit, Tooele, and Wasatch	9.85	(7.61 - 12.65)	10.95	(8.38 - 14.17)	0.357
Central, Four Corners, San Juan, and Southwest	12.80	(9.85 - 16.46)	12.70	(9.70 - 16.46)	0.943
Davis County	9.73	(7.44 - 12.64)	10.69	(8.21 - 13.81)	0.409
Salt Lake County	11.26	(9.14 - 13.80)	10.65	(8.54 - 13.21)	0.576
Utah County	10.40	(7.96 - 13.47)	10.66	(8.18 - 13.77)	0.847
Weber, Morgan	11.19	(8.57 - 14.48)	11.08	(8.38 - 14.50)	0.927
Vermont	22.23	(20.15 - 24.46)	20.85	(18.80 - 23.07)	0.206
Champlain Valley	26.14	(22.79 - 29.79)	24.35	(21.40 - 27.57)	0.259
Rural Northeast	20.40	(17.25 - 23.95)	19.69	(16.12 - 23.84)	0.658
Rural Southeast	17.61	(14.54 - 21.15)	16.16	(13.14 - 19.71)	0.299
Rural Southwest	19.12	(15.66 - 23.13)	17.84	(14.26 - 22.09)	0.423
Virginia	16.68[a]	(14.92 - 18.59)	13.91	(12.32 - 15.66)	0.002
Region 1	20.70[a]	(17.55 - 24.24)	16.30	(13.40 - 19.68)	0.003
Region 2	12.61	(10.23 - 15.46)	11.38	(9.15 - 14.07)	0.253
Region 3	21.06[a]	(17.48 - 25.15)	17.05	(13.86 - 20.79)	0.008
Region 4	15.05	(11.90 - 18.85)	13.12	(10.38 - 16.45)	0.157
Region 5	16.16[a]	(13.22 - 19.61)	13.51	(10.95 - 16.55)	0.045

See notes at end of table.

(continued)

Table 12 ***Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	15.90	(14.26 - 17.69)	14.68	(13.02 - 16.51)	0.158
Region 1	17.70	(14.96 - 20.81)	15.93	(13.37 - 18.88)	0.151
Greater Columbia and North Central	--	(-- - --)	15.44	(12.32 - 19.18)	--
Spokane	--	(-- - --)	16.77	(13.38 - 20.82)	--
Region 2	15.86	(13.76 - 18.20)	14.14	(11.96 - 16.65)	0.115
King	15.50	(12.92 - 18.49)	13.56	(10.90 - 16.75)	0.129
North Sound	16.39	(13.41 - 19.87)	15.04	(12.13 - 18.51)	0.358
Region 3	14.58	(12.45 - 17.00)	14.42	(12.40 - 16.71)	0.869
Peninsula	--	(-- - --)	14.59	(11.17 - 18.83)	--
Pierce	--	(-- - --)	14.56	(11.59 - 18.12)	--
SW WA and Timberlands	--	(-- - --)	14.09	(11.17 - 17.62)	--
Thurston-Mason	--	(-- - --)	14.67	(11.40 - 18.68)	--
West Virginia	20.09[a]	(18.26 - 22.05)	17.26	(15.38 - 19.30)	0.003
Region I	21.25[a]	(17.20 - 25.95)	17.97	(13.89 - 22.92)	0.036
Region II	18.79[a]	(15.06 - 23.19)	15.39	(12.11 - 19.36)	0.014
Region III	15.84	(12.51 - 19.86)	14.61	(11.38 - 18.55)	0.346
Region IV	31.00[a]	(27.40 - 34.84)	25.52	(22.07 - 29.31)	0.001
Region V	15.51	(12.99 - 18.42)	14.58	(11.88 - 17.78)	0.441
Region VI	14.96[b]	(11.95 - 18.57)	12.81	(10.18 - 16.01)	0.079
Wisconsin	17.65	(15.89 - 19.55)	17.50	(15.73 - 19.42)	0.878
Milwaukee	15.07	(12.09 - 18.62)	15.98	(12.98 - 19.52)	0.528
Northeastern	17.55	(14.88 - 20.59)	17.58	(14.61 - 21.02)	0.983
Northern	17.97	(14.49 - 22.07)	17.71	(14.37 - 21.63)	0.860
Southeastern	16.03	(13.14 - 19.43)	16.51	(13.52 - 20.01)	0.726
Southern	20.18[b]	(16.84 - 23.98)	17.61	(14.47 - 21.26)	0.100
Western	19.70	(16.22 - 23.71)	20.43	(16.83 - 24.58)	0.669

See notes at end of table.

(continued)

Table 12 *Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20*, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	18.39	(16.49 - 20.46)	16.85	(15.04 - 18.83)	0.118
Judicial District 1 (Laramie)	17.46	(14.27 - 21.18)	15.97	(12.84 - 19.68)	0.285
Judicial District 2	28.48	(22.85 - 34.86)	27.08	(21.88 - 33.00)	0.546
Judicial District 3	13.34	(10.78 - 16.39)	14.43	(11.61 - 17.79)	0.375
Judicial District 4	19.23	(15.56 - 23.53)	17.30	(13.91 - 21.31)	0.202
Judicial District 5	18.01	(14.31 - 22.41)	16.27	(12.92 - 20.29)	0.210
Judicial District 6	16.49	(13.21 - 20.39)	14.68	(11.59 - 18.41)	0.186
Judicial District 7 (Natrona)	18.66[b]	(15.12 - 22.81)	16.07	(12.87 - 19.88)	0.091
Judicial District 8	20.37[b]	(16.64 - 24.70)	17.63	(14.15 - 21.75)	0.087
Judicial District 9	16.12[b]	(12.84 - 20.04)	13.84	(10.88 - 17.46)	0.082

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	26.79[a]	(26.41 - 27.18)	25.81	(25.45 - 26.18)	0.000
Northeast	25.74[a]	(24.99 - 26.51)	24.32	(23.63 - 25.03)	0.000
Midwest	29.44	(28.82 - 30.07)	28.98	(28.40 - 29.56)	0.151
South	28.31[a]	(27.72 - 28.90)	27.30	(26.76 - 27.85)	0.001
West	22.75[a]	(22.04 - 23.46)	21.69	(21.02 - 22.38)	0.007
Alabama	32.33	(30.03 - 34.72)	31.88	(29.53 - 34.32)	0.709
Region 1	30.94	(27.26 - 34.87)	31.86	(28.03 - 35.95)	0.639
Region 2	33.69	(30.25 - 37.32)	31.84	(28.36 - 35.53)	0.334
Region 3	27.11	(23.56 - 30.98)	27.65	(24.13 - 31.47)	0.774
Region 4	36.31	(32.44 - 40.36)	35.37	(31.16 - 39.81)	0.641
Alaska	33.26[b]	(30.68 - 35.94)	30.93	(28.66 - 33.29)	0.062
Anchorage	29.25	(26.13 - 32.58)	27.20	(24.29 - 30.31)	0.188
Northern	38.78	(34.52 - 43.22)	39.46	(35.11 - 43.98)	0.747
South Central	35.26[a]	(30.74 - 40.06)	30.65	(26.95 - 34.62)	0.042
Southeast	32.19[b]	(27.64 - 37.11)	28.24	(24.10 - 32.79)	0.067
Arizona	26.64[a]	(24.32 - 29.11)	23.22	(21.16 - 25.43)	0.003
Maricopa	27.21[a]	(24.39 - 30.22)	22.85	(20.38 - 25.53)	0.003
Pima	26.01	(22.01 - 30.44)	23.20	(19.61 - 27.23)	0.132
Rural North	27.40	(23.07 - 32.21)	25.09	(20.98 - 29.70)	0.266
Rural South	24.26	(20.02 - 29.06)	23.31	(19.56 - 27.52)	0.638
Arkansas	31.89	(29.45 - 34.44)	33.86	(31.59 - 36.20)	0.112
Catchment Area 1	26.54	(22.84 - 30.59)	27.33	(23.55 - 31.47)	0.693
Catchment Area 2	33.39[a]	(28.67 - 38.46)	39.41	(34.64 - 44.39)	0.014
Catchment Area 3	33.81	(29.38 - 38.55)	35.99	(31.59 - 40.64)	0.328
Catchment Area 4	31.38	(26.69 - 36.48)	34.62	(30.08 - 39.46)	0.176
Catchment Area 5	34.60	(30.43 - 39.03)	35.00	(30.63 - 39.64)	0.853
Catchment Area 6	34.68	(29.78 - 39.92)	37.73	(32.71 - 43.02)	0.211
Catchment Area 7	30.82	(26.16 - 35.90)	34.60	(29.77 - 39.76)	0.106
Catchment Area 8	31.55	(27.61 - 35.78)	31.43	(27.36 - 35.80)	0.953

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	19.48	(18.43 - 20.58)	18.73	(17.73 - 19.77)	0.198
Region 1R	28.10	(24.20 - 32.37)	26.27	(22.57 - 30.34)	0.347
Region 2R	21.00	(17.89 - 24.50)	20.23	(17.06 - 23.82)	0.628
Region 3R (Sacramento)	20.86	(17.81 - 24.29)	22.82	(19.56 - 26.45)	0.223
Region 4R	20.77	(17.84 - 24.06)	18.68	(15.96 - 21.74)	0.143
Region 5R (San Francisco)	21.30	(17.84 - 25.23)	20.11	(16.61 - 24.14)	0.505
Region 6 (Santa Clara)	15.30	(12.83 - 18.16)	14.29	(12.00 - 16.94)	0.418
Region 7R (Contra Costa)	17.69	(14.81 - 21.00)	17.16	(14.33 - 20.41)	0.696
Region 8R (Alameda)	17.24	(14.63 - 20.22)	16.78	(14.19 - 19.74)	0.729
Region 9R (San Mateo)	16.20	(13.38 - 19.48)	15.17	(12.40 - 18.42)	0.455
Region 10	18.37	(15.56 - 21.56)	17.73	(15.00 - 20.83)	0.649
Region 11 (Los Angeles)	19.02	(17.66 - 20.45)	18.30	(16.95 - 19.73)	0.313
LA SPA 1 and 5	20.09	(16.93 - 23.66)	19.42	(16.30 - 22.97)	0.665
LA SPA 2	19.78	(17.12 - 22.73)	18.96	(16.30 - 21.94)	0.548
LA SPA 3	15.25	(12.93 - 17.89)	14.39	(11.98 - 17.19)	0.483
LA SPA 4	19.85	(16.69 - 23.43)	21.12	(17.83 - 24.84)	0.444
LA SPA 6	21.11	(17.76 - 24.89)	21.70	(18.37 - 25.44)	0.723
LA SPA 7	17.96	(15.27 - 21.02)	17.13	(14.53 - 20.10)	0.521
LA SPA 8	20.51[b]	(17.61 - 23.75)	17.82	(15.26 - 20.70)	0.057
Region 12R	21.20	(17.84 - 25.00)	21.64	(18.18 - 25.55)	0.780
Regions 13 and 19R	18.82	(16.28 - 21.67)	17.46	(15.06 - 20.16)	0.299
Region 14 (Orange)	17.61	(15.37 - 20.08)	17.11	(14.88 - 19.60)	0.684
Region 15R (Fresno)	19.67	(16.65 - 23.07)	20.12	(16.96 - 23.70)	0.760
Region 16R (San Diego)	19.55	(17.25 - 22.08)	18.78	(16.37 - 21.44)	0.560
Region 17R	21.14	(18.27 - 24.34)	21.69	(18.76 - 24.94)	0.710
Region 18R (San Bernardino)	23.01[b]	(20.09 - 26.20)	20.23	(17.39 - 23.40)	0.060
Region 20R	20.18	(16.95 - 23.84)	20.63	(17.63 - 23.99)	0.767
Region 21R	20.87	(17.80 - 24.31)	19.14	(16.08 - 22.63)	0.252
Colorado	28.94	(26.61 - 31.38)	27.45	(25.37 - 29.63)	0.191
Region 1	29.31	(25.37 - 33.59)	28.17	(24.21 - 32.50)	0.561
Regions 2 and 7	29.35	(26.47 - 32.42)	27.15	(24.54 - 29.93)	0.134
Region 3	26.91	(23.16 - 31.01)	26.10	(22.57 - 29.97)	0.659
Region 4	25.55	(21.18 - 30.48)	28.41	(24.07 - 33.19)	0.161
Regions 5 and 6	30.78	(26.32 - 35.64)	29.51	(25.32 - 34.07)	0.543
Connecticut	24.90[a]	(22.64 - 27.30)	21.58	(19.63 - 23.65)	0.003
Eastern	25.31	(21.62 - 29.40)	24.18	(20.69 - 28.05)	0.549
North Central	25.61[a]	(22.18 - 29.36)	21.76	(18.79 - 25.06)	0.024
Northwestern	24.83[a]	(21.10 - 28.99)	20.19	(17.07 - 23.72)	0.008
South Central	25.66[a]	(22.11 - 29.56)	22.17	(18.91 - 25.81)	0.048
Southwest	22.68	(19.18 - 26.61)	20.15	(16.96 - 23.78)	0.141

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	28.59	(26.37 - 30.92)	28.03	(25.84 - 30.32)	0.637
Kent	31.68	(27.57 - 36.08)	30.83	(26.88 - 35.09)	0.692
New Castle (excluding Wilmington City)	27.35	(24.64 - 30.24)	25.16	(22.55 - 27.97)	0.146
Sussex	28.81	(24.99 - 32.95)	30.78	(26.75 - 35.14)	0.348
Wilmington City	29.12	(24.71 - 33.96)	32.37	(27.48 - 37.68)	0.166
District of Columbia	26.77	(24.57 - 29.08)	26.22	(24.21 - 28.34)	0.613
Ward 1	29.16	(24.95 - 33.76)	27.23	(23.21 - 31.66)	0.366
Ward 2	26.33	(22.63 - 30.41)	25.31	(21.48 - 29.57)	0.596
Ward 3	20.97	(17.82 - 24.52)	19.99	(16.81 - 23.59)	0.539
Ward 4	22.99	(19.19 - 27.29)	22.58	(18.95 - 26.68)	0.835
Ward 5	27.62	(23.60 - 32.03)	28.81	(24.79 - 33.21)	0.555
Ward 6	28.19	(23.94 - 32.87)	25.81	(21.98 - 30.04)	0.243
Ward 7	28.44	(24.07 - 33.25)	27.99	(23.77 - 32.64)	0.835
Ward 8	31.48	(27.32 - 35.95)	33.08	(28.85 - 37.61)	0.464
Florida[1]	25.22	(24.00 - 26.47)	24.13	(22.98 - 25.31)	0.105
Broward (Circuit 17)	21.17	(18.76 - 23.81)	19.84	(17.19 - 22.78)	0.335
Central I	--	(-- - --)	22.69	(20.58 - 24.95)	--
Circuit 9	22.95	(20.26 - 25.89)	21.58	(18.86 - 24.58)	0.386
Circuit 18	24.89	(21.60 - 28.51)	24.31	(21.26 - 27.64)	0.733
Central II	--	(-- - --)	24.70	(22.97 - 26.51)	--
Circuit 6	30.73[b]	(26.99 - 34.74)	27.41	(24.12 - 30.97)	0.081
Circuit 10	27.54	(23.91 - 31.48)	26.73	(23.21 - 30.58)	0.672
Circuit 12	26.18[a]	(22.63 - 30.06)	21.74	(18.53 - 25.33)	0.013
Circuit 13 (Hillsborough)	24.73	(21.88 - 27.82)	23.71	(20.79 - 26.90)	0.497
Circuit 20	24.84	(21.44 - 28.59)	23.18	(19.97 - 26.74)	0.366
Northeast	--	(-- - --)	29.29	(27.20 - 31.46)	--
Circuit 4	28.89	(25.57 - 32.45)	27.74	(24.41 - 31.35)	0.513
Circuit 5	28.43	(24.58 - 32.63)	29.25	(25.57 - 33.23)	0.686
Circuit 7	28.48	(24.98 - 32.27)	29.43	(25.61 - 33.57)	0.650
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	32.33	(28.25 - 36.69)	--
Northwest	--	(-- - --)	29.98	(27.30 - 32.80)	--
Circuit 1	30.06	(26.55 - 33.82)	29.60	(25.48 - 34.09)	0.808
Circuit 2 plus Madison and Taylor	--	(-- - --)	29.82	(25.94 - 34.01)	--
Circuit 14	34.50	(30.01 - 39.29)	31.10	(26.54 - 36.06)	0.113
South (Circuits 11 and 16)	18.55	(16.33 - 20.99)	18.45	(16.22 - 20.91)	0.939
Southeast	--	(-- - --)	22.11	(19.70 - 24.73)	--
Circuit 15 (Palm Beach)	21.47	(18.58 - 24.66)	20.24	(17.39 - 23.43)	0.458
Circuit 19	27.65	(23.90 - 31.73)	26.21	(22.40 - 30.42)	0.472

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	26.97	(24.71 - 29.34)	26.49	(24.49 - 28.59)	0.667
Region 1	27.34	(23.89 - 31.08)	27.09	(23.74 - 30.72)	0.886
Region 2	28.73	(24.89 - 32.90)	27.56	(23.98 - 31.45)	0.539
Region 3	23.08	(20.04 - 26.44)	21.90	(19.05 - 25.06)	0.466
Region 4	32.39	(27.73 - 37.42)	32.84	(28.17 - 37.87)	0.841
Region 5	31.27	(26.57 - 36.38)	30.29	(25.97 - 34.98)	0.656
Region 6	26.91	(22.92 - 31.31)	28.28	(24.34 - 32.58)	0.499
Hawaii	21.11	(19.05 - 23.33)	20.31	(18.33 - 22.45)	0.487
Hawaii Island	22.56	(18.88 - 26.72)	23.07	(19.28 - 27.37)	0.788
Honolulu	20.86	(18.53 - 23.41)	19.31	(17.07 - 21.76)	0.239
Kauai	20.62	(16.65 - 25.25)	22.24	(18.07 - 27.05)	0.447
Maui	21.11	(17.37 - 25.42)	22.46	(18.84 - 26.56)	0.489
Idaho	26.43[b]	(24.23 - 28.76)	24.53	(22.58 - 26.59)	0.064
Region 1	28.50	(24.37 - 33.02)	26.87	(22.85 - 31.32)	0.419
Region 2	30.23	(25.82 - 35.05)	27.11	(22.78 - 31.92)	0.131
Region 3	27.39	(23.49 - 31.68)	24.99	(21.46 - 28.90)	0.210
Region 4	26.75	(23.27 - 30.54)	25.11	(22.06 - 28.43)	0.327
Region 5	24.60	(21.10 - 28.48)	23.19	(19.62 - 27.19)	0.449
Region 6	--	(-- - --)	24.62	(20.82 - 28.87)	--
Region 7	--	(-- - --)	20.63	(17.47 - 24.20)	--
Illinois	26.69	(25.53 - 27.87)	25.76	(24.63 - 26.94)	0.163
Region I (Cook)	25.40[b]	(23.65 - 27.25)	23.71	(21.93 - 25.58)	0.095
Region II	24.15	(22.31 - 26.10)	23.26	(21.51 - 25.12)	0.392
Region III	30.81	(28.05 - 33.71)	31.10	(28.23 - 34.12)	0.856
Region IV	30.84[b]	(27.57 - 34.32)	33.94	(30.58 - 37.48)	0.075
Region V	32.52	(29.49 - 35.70)	30.50	(27.38 - 33.81)	0.223
Indiana	31.73	(29.34 - 34.23)	31.79	(29.61 - 34.06)	0.956
Central	29.97	(26.22 - 34.02)	28.55	(24.92 - 32.48)	0.434
East	35.29	(30.92 - 39.92)	36.31	(31.76 - 41.11)	0.633
North Central	33.73	(29.43 - 38.32)	32.55	(28.54 - 36.85)	0.586
Northeast	29.75	(25.68 - 34.18)	31.67	(27.40 - 36.27)	0.353
Northwest	29.50	(25.56 - 33.78)	28.44	(24.57 - 32.66)	0.588
Southeast	33.93	(29.53 - 38.64)	36.83	(31.92 - 42.03)	0.213
Southwest	32.41	(27.70 - 37.51)	31.60	(27.35 - 36.18)	0.703
West	31.97	(27.82 - 36.42)	33.85	(29.58 - 38.39)	0.355
Iowa	27.59	(25.45 - 29.84)	26.93	(24.79 - 29.20)	0.540
Central	27.21	(23.58 - 31.17)	26.18	(22.61 - 30.09)	0.557
North Central	29.80	(25.35 - 34.66)	28.57	(24.29 - 33.28)	0.537
Northeast	27.03	(23.73 - 30.62)	25.78	(22.49 - 29.36)	0.472
Northwest	24.53	(20.94 - 28.51)	26.72	(22.68 - 31.20)	0.248
Southeast	28.90	(25.30 - 32.79)	27.96	(24.32 - 31.91)	0.614
Southwest	29.11	(24.95 - 33.66)	27.45	(23.26 - 32.07)	0.442

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	29.42[b]	(27.17 - 31.77)	27.53	(25.44 - 29.71)	0.086
Kansas City Metro	27.37	(24.28 - 30.70)	25.02	(22.14 - 28.15)	0.143
Northeast	29.85	(25.97 - 34.05)	29.08	(25.32 - 33.15)	0.686
South Central	29.61	(25.52 - 34.06)	28.98	(25.03 - 33.28)	0.755
Southeast	32.71	(27.97 - 37.83)	32.00	(27.25 - 37.14)	0.738
West	30.45	(26.19 - 35.07)	29.02	(24.80 - 33.64)	0.494
Wichita (Sedgwick)	30.79[b]	(26.92 - 34.94)	26.95	(23.29 - 30.95)	0.055
Kentucky	37.44	(34.92 - 40.03)	35.77	(33.46 - 38.14)	0.174
Adanta, Cumberland River, and Lifeskills	38.56	(34.09 - 43.24)	39.52	(35.01 - 44.23)	0.669
Bluegrass, Comprehend, and North Key	34.93	(31.27 - 38.78)	32.89	(29.35 - 36.63)	0.299
Communicare and River Valley	38.53	(33.76 - 43.54)	35.81	(31.24 - 40.65)	0.232
Four Rivers and Pennyroyal	37.47	(32.72 - 42.47)	36.35	(31.46 - 41.54)	0.633
Kentucky River, Mountain, and Pathways	42.94	(37.71 - 48.34)	42.99	(37.79 - 48.35)	0.984
Seven Counties	36.53[b]	(32.47 - 40.79)	32.80	(28.87 - 36.99)	0.083
Louisiana	31.98	(29.67 - 34.38)	30.92	(28.71 - 33.21)	0.345
Regions 1 and 10	27.74	(24.41 - 31.35)	28.17	(24.81 - 31.80)	0.792
Region 1	28.79	(24.51 - 33.49)	29.15	(24.63 - 34.13)	0.865
Region 10 (Jefferson)	26.70	(22.60 - 31.25)	27.15	(23.04 - 31.69)	0.825
Regions 2 and 9	30.30	(26.75 - 34.10)	29.92	(26.56 - 33.52)	0.835
Region 3	34.61	(29.91 - 39.63)	31.78	(27.28 - 36.65)	0.196
Regions 4, 5, and 6	34.82	(30.99 - 38.86)	33.83	(30.09 - 37.79)	0.612
Regions 7 and 8	33.40	(29.67 - 37.34)	30.74	(27.06 - 34.68)	0.147
Maine	27.90	(25.59 - 30.34)	26.19	(24.09 - 28.40)	0.135
Aroostook/Downeast	29.33	(25.70 - 33.25)	27.61	(24.00 - 31.54)	0.343
Aroostook	29.15	(24.48 - 34.31)	29.68	(24.98 - 34.84)	0.819
Downeast	29.48	(24.98 - 34.42)	25.93	(21.43 - 31.00)	0.115
Central	28.02	(24.04 - 32.38)	25.86	(22.13 - 29.98)	0.288
Cumberland	24.62	(21.13 - 28.49)	23.25	(19.99 - 26.87)	0.439
Midcoast	28.16	(23.73 - 33.05)	27.67	(23.36 - 32.44)	0.823
Penquis	30.13	(26.28 - 34.29)	30.05	(26.01 - 34.42)	0.968
Western	30.33	(26.30 - 34.68)	27.00	(23.25 - 31.11)	0.113
York	26.83	(22.91 - 31.15)	24.32	(20.62 - 28.44)	0.183

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	23.56	(21.44 - 25.82)	22.53	(20.48 - 24.72)	0.316
Anne Arundel	23.79	(19.96 - 28.09)	23.18	(19.44 - 27.40)	0.744
Baltimore City	29.70	(25.54 - 34.23)	29.59	(25.32 - 34.24)	0.957
Baltimore County	22.43	(18.79 - 26.55)	22.30	(18.64 - 26.44)	0.940
Montgomery	17.12	(14.12 - 20.60)	16.95	(13.91 - 20.49)	0.914
North Central	19.73	(16.31 - 23.66)	20.73	(17.03 - 24.99)	0.566
Northeast	29.48[a]	(24.75 - 34.70)	24.82	(20.75 - 29.39)	0.033
Prince George's	21.29	(17.69 - 25.38)	21.01	(17.58 - 24.91)	0.870
South	27.91[a]	(23.79 - 32.44)	22.13	(18.53 - 26.20)	0.003
West	26.98	(23.00 - 31.36)	27.13	(23.16 - 31.51)	0.940
Massachusetts	23.07	(21.02 - 25.25)	22.78	(20.87 - 24.81)	0.771
Boston	23.60	(20.02 - 27.61)	23.38	(19.75 - 27.46)	0.899
Central	26.32	(22.54 - 30.49)	24.89	(21.21 - 28.97)	0.442
Metrowest	19.01	(16.16 - 22.22)	19.38	(16.56 - 22.56)	0.800
Northeast	21.33	(18.26 - 24.75)	22.07	(18.97 - 25.53)	0.626
Southeast	25.92	(22.26 - 29.96)	25.33	(21.82 - 29.18)	0.737
Western	24.95	(21.25 - 29.06)	23.48	(19.98 - 27.39)	0.424
Michigan[1]	30.66[a]	(29.42 - 31.92)	29.22	(27.98 - 30.51)	0.040
Region 1	32.56	(28.62 - 36.75)	31.94	(28.04 - 36.12)	0.754
Region 2	--	(-- - --)	28.21	(24.18 - 32.61)	--
Region 3	--	(-- - --)	27.70	(25.08 - 30.48)	--
Region 4	--	(-- - --)	32.49	(29.19 - 35.97)	--
Region 5	--	(-- - --)	31.02	(28.53 - 33.63)	--
Region 6	--	(-- - --)	26.17	(23.26 - 29.30)	--
Region 7	--	(-- - --)	29.65	(26.89 - 32.57)	--
Region 8	25.38	(22.80 - 28.15)	24.39	(21.77 - 27.22)	0.489
Region 9	31.51	(28.38 - 34.81)	30.94	(27.66 - 34.43)	0.748
Region 10	--	(-- - --)	31.98	(28.73 - 35.40)	--
Minnesota	26.93	(24.73 - 29.26)	27.28	(25.07 - 29.59)	0.765
Regions 1 and 2	28.25	(24.03 - 32.89)	28.88	(24.38 - 33.84)	0.766
Regions 3 and 4	29.18	(25.26 - 33.42)	32.42	(28.29 - 36.84)	0.124
Regions 5 and 6	28.85	(25.12 - 32.89)	30.11	(26.22 - 34.30)	0.502
Region 7A (Hennepin)	24.84	(21.44 - 28.57)	24.18	(20.63 - 28.12)	0.730
Region 7B (Ramsey)	28.92	(24.41 - 33.89)	26.77	(22.60 - 31.41)	0.293
Region 7C	24.18	(21.11 - 27.54)	23.53	(20.46 - 26.90)	0.701
Mississippi	35.80	(33.45 - 38.22)	35.41	(33.07 - 37.83)	0.752
Region 1	36.16	(32.40 - 40.10)	38.02	(34.04 - 42.18)	0.368
Region 2	36.18	(31.80 - 40.80)	33.23	(28.90 - 37.87)	0.183
Region 3	38.06	(33.67 - 42.66)	35.66	(31.29 - 40.28)	0.275
Region 4	32.40	(28.59 - 36.45)	31.88	(27.57 - 36.54)	0.801
Region 5	35.20	(29.92 - 40.87)	36.20	(30.75 - 42.03)	0.692
Region 6	36.55	(32.11 - 41.22)	37.25	(32.91 - 41.81)	0.736
Region 7	36.63	(32.15 - 41.35)	35.75	(31.21 - 40.56)	0.698

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	32.46	(30.16 - 34.85)	32.38	(30.16 - 34.70)	0.945
Central	35.67	(31.33 - 40.26)	34.88	(30.71 - 39.29)	0.731
Eastern	29.10	(26.25 - 32.12)	29.11	(26.24 - 32.16)	0.993
Eastern (St. Louis City and County)	28.32	(24.91 - 31.99)	28.39	(24.84 - 32.24)	0.968
Eastern (excluding St. Louis)	30.44	(26.18 - 35.08)	30.34	(26.17 - 34.86)	0.960
Northwest	31.28	(28.06 - 34.70)	30.22	(26.98 - 33.67)	0.504
Northwest (Jackson)	30.36	(26.35 - 34.68)	30.38	(26.16 - 34.96)	0.991
Northwest (excluding Jackson)	32.07	(27.93 - 36.51)	30.08	(25.90 - 34.63)	0.345
Southeast	37.46	(32.77 - 42.39)	39.23	(34.50 - 44.17)	0.459
Southwest	35.19	(30.72 - 39.94)	35.66	(31.21 - 40.38)	0.827
Montana	31.64	(29.39 - 33.97)	29.90	(27.71 - 32.19)	0.141
Region 1	32.75	(28.38 - 37.44)	30.50	(25.74 - 35.73)	0.325
Region 2	31.33	(27.37 - 35.59)	31.21	(27.22 - 35.49)	0.950
Region 3	30.42	(26.89 - 34.19)	30.00	(26.39 - 33.88)	0.830
Region 4	32.49[a]	(28.88 - 36.31)	28.55	(24.97 - 32.42)	0.032
Region 5	31.58	(28.21 - 35.15)	30.24	(26.77 - 33.96)	0.482
Nebraska	27.10	(24.97 - 29.35)	27.52	(25.36 - 29.79)	0.712
Regions 1 and 2	28.20	(24.70 - 31.98)	29.40	(25.62 - 33.50)	0.471
Region 1	28.01	(23.64 - 32.85)	28.78	(24.20 - 33.83)	0.715
Region 2	28.37	(23.92 - 33.28)	29.96	(25.13 - 35.28)	0.478
Region 3	26.96	(23.17 - 31.11)	27.55	(23.78 - 31.67)	0.760
Region 4	27.69	(23.53 - 32.27)	28.06	(23.91 - 32.62)	0.854
Region 5	26.68	(23.38 - 30.26)	27.61	(24.31 - 31.17)	0.591
Region 6	26.97	(23.98 - 30.18)	26.86	(23.91 - 30.03)	0.948
Nevada	27.53	(24.99 - 30.22)	27.26	(24.92 - 29.72)	0.838
Clark – Region 1	26.94	(24.02 - 30.07)	27.03	(24.38 - 29.85)	0.956
Region 3	30.18	(26.15 - 34.54)	30.42	(26.29 - 34.89)	0.902
Capital District	27.59	(23.09 - 32.59)	28.92	(23.94 - 34.46)	0.567
Rural/Frontier	32.53	(27.32 - 38.20)	31.78	(26.71 - 37.33)	0.758
Washoe – Region 2	28.13	(24.38 - 32.22)	25.82	(22.16 - 29.85)	0.221
New Hampshire	26.89[b]	(24.73 - 29.17)	24.99	(23.02 - 27.06)	0.082
Central	28.39	(25.36 - 31.64)	26.70	(23.86 - 29.73)	0.271
Central 1	29.29	(25.32 - 33.60)	27.93	(24.16 - 32.04)	0.489
Central 2	27.53	(23.66 - 31.77)	25.49	(21.93 - 29.42)	0.301
Northern	29.50[b]	(25.30 - 34.07)	25.72	(21.79 - 30.09)	0.061
Southern	25.58	(23.06 - 28.27)	23.99	(21.68 - 26.46)	0.217
Southern 1 (Rockingham)	24.77	(21.39 - 28.50)	24.57	(21.33 - 28.12)	0.904
Southern 2	26.08	(23.03 - 29.38)	23.63	(20.86 - 26.65)	0.126

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	24.43[a]	(22.25 - 26.75)	20.95	(19.07 - 22.96)	0.001
Central	25.23[a]	(21.76 - 29.04)	21.69	(18.67 - 25.04)	0.040
Metropolitan	22.87[a]	(19.82 - 26.24)	19.56	(16.68 - 22.80)	0.044
Northern	22.29[a]	(19.08 - 25.87)	19.13	(16.34 - 22.26)	0.050
Southern	28.60[a]	(24.82 - 32.71)	24.55	(21.27 - 28.15)	0.034
New Mexico	25.64	(23.44 - 27.97)	26.99	(24.80 - 29.30)	0.257
Region 1	25.38	(22.11 - 28.95)	27.25	(23.68 - 31.13)	0.294
Region 2	21.51	(17.98 - 25.51)	22.85	(19.02 - 27.18)	0.506
Region 3 (Bernalillo)	26.35	(23.13 - 29.83)	27.15	(23.88 - 30.68)	0.653
Region 4	30.63	(26.53 - 35.06)	30.61	(26.77 - 34.73)	0.989
Region 5	24.61	(21.19 - 28.37)	27.20	(23.51 - 31.24)	0.151
New York	24.02	(22.79 - 25.30)	23.59	(22.39 - 24.83)	0.525
Region A	21.75	(20.14 - 23.45)	21.49	(19.88 - 23.19)	0.775
Region 1	21.48	(18.63 - 24.63)	20.83	(17.97 - 24.01)	0.668
Region 2	23.42	(20.81 - 26.24)	23.63	(21.03 - 26.45)	0.880
Region 3	20.67	(17.87 - 23.78)	21.24	(18.41 - 24.38)	0.709
Region 4	20.52	(17.83 - 23.50)	19.27	(16.55 - 22.31)	0.396
Region B	22.22	(20.45 - 24.10)	21.28	(19.44 - 23.25)	0.343
Region 5	22.26	(19.88 - 24.83)	21.34	(18.92 - 23.97)	0.500
Region 6	19.04	(16.27 - 22.14)	18.87	(15.99 - 22.14)	0.913
Region 7	27.16	(23.79 - 30.81)	24.95	(21.60 - 28.64)	0.177
Region C	27.36	(25.60 - 29.20)	26.93	(25.22 - 28.71)	0.638
Region 8	26.94	(23.79 - 30.35)	26.84	(23.63 - 30.32)	0.953
Region 9	28.75	(25.41 - 32.33)	28.51	(25.39 - 31.86)	0.889
Region 10	28.40	(24.58 - 32.56)	28.04	(24.09 - 32.36)	0.850
Region 11	26.10	(22.93 - 29.54)	26.32	(23.23 - 29.67)	0.894
Region 12	27.34	(24.18 - 30.74)	25.81	(22.93 - 28.90)	0.329
Region D	31.74	(29.13 - 34.47)	32.38	(29.79 - 35.07)	0.636
Region 13	31.56	(27.41 - 36.02)	30.64	(26.63 - 34.96)	0.656
Region 14	32.78	(28.50 - 37.36)	32.40	(28.21 - 36.88)	0.857
Region 15	30.87	(27.25 - 34.75)	33.90	(29.85 - 38.21)	0.143

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	28.38[b]	(26.08 - 30.80)	26.49	(24.38 - 28.72)	0.076
Alliance Behavioral Healthcare 1	--	(-- - --)	23.67	(20.02 - 27.74)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	19.56	(16.32 - 23.26)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	26.52	(22.16 - 31.40)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	26.66	(22.50 - 31.28)	--
Cardinal Innovations Healthcare Solutions 3	26.03	(21.88 - 30.65)	24.07	(20.10 - 28.54)	0.317
CenterPoint Human Services	29.17	(24.34 - 34.52)	26.22	(22.14 - 30.76)	0.156
Eastpointe	31.87	(27.34 - 36.78)	28.64	(24.10 - 33.66)	0.143
Partners Behavioral Health Management	32.80	(28.43 - 37.49)	29.79	(25.57 - 34.39)	0.184
Sandhills Center 1	30.33	(25.77 - 35.31)	29.79	(24.87 - 35.23)	0.811
Sandhills Center 2	25.56	(21.23 - 30.43)	24.75	(20.78 - 29.21)	0.676
Smoky Mountain Center 1	32.07	(26.92 - 37.70)	31.00	(25.98 - 36.51)	0.649
Smoky Mountain Center 2	29.84	(25.17 - 34.97)	27.15	(22.63 - 32.21)	0.237
Trillium Health Resources 1	29.90	(25.19 - 35.07)	27.87	(23.35 - 32.88)	0.337
Trillium Health Resources 2	29.08	(24.33 - 34.34)	29.01	(24.38 - 34.14)	0.975
North Dakota	28.84[b]	(26.68 - 31.11)	30.64	(28.63 - 32.73)	0.083
Badlands and West Central	29.48	(25.91 - 33.33)	32.26	(28.87 - 35.85)	0.125
Lake Region	--	(-- - --)	28.49	(24.28 - 33.11)	--
North Central	--	(-- - --)	31.82	(27.68 - 36.26)	--
Northeast	30.35	(26.51 - 34.48)	30.99	(27.28 - 34.96)	0.727
Northwest	--	(-- - --)	33.47	(28.56 - 38.77)	--
South Central	--	(-- - --)	29.78	(25.40 - 34.57)	--
Southeast	25.50[b]	(22.55 - 28.70)	28.47	(25.37 - 31.78)	0.061

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	31.77	(30.54 - 33.03)	31.47	(30.25 - 32.73)	0.668
Boards 2, 46, 55, and 68	33.88	(30.04 - 37.94)	32.21	(28.08 - 36.64)	0.426
Boards 3, 52, and 85	28.55	(24.91 - 32.49)	30.43	(26.47 - 34.71)	0.353
Boards 4 and 78	35.72	(31.26 - 40.46)	35.42	(30.98 - 40.13)	0.890
Boards 5 and 60	36.83[b]	(32.67 - 41.19)	40.52	(35.94 - 45.28)	0.100
Boards 7, 15, 41, 79, and 84	32.24[b]	(28.57 - 36.15)	35.78	(31.74 - 40.04)	0.064
Boards 8, 13, and 83	29.61	(26.24 - 33.21)	29.79	(26.10 - 33.77)	0.921
Board 9 (Butler)	32.51	(28.58 - 36.70)	29.95	(26.21 - 33.98)	0.186
Board 12	32.68	(28.77 - 36.85)	30.58	(26.24 - 35.30)	0.321
Boards 18 and 47	31.80[a]	(29.23 - 34.49)	28.10	(25.33 - 31.04)	0.020
Boards 20, 32, 54, and 69	28.54[b]	(24.80 - 32.59)	32.07	(28.18 - 36.23)	0.076
Boards 21, 39, 51, 70, and 80	31.80	(28.26 - 35.58)	30.25	(26.81 - 33.93)	0.411
Boards 22, 74, and 87	30.13	(26.56 - 33.96)	33.09	(28.94 - 37.51)	0.134
Boards 23 and 45	31.99	(28.26 - 35.97)	33.82	(29.71 - 38.20)	0.350
Board 25 (Franklin)	30.30	(27.27 - 33.50)	29.82	(26.80 - 33.03)	0.775
Boards 27, 71, and 73	38.90	(34.74 - 43.24)	41.63	(37.23 - 46.17)	0.213
Boards 28, 43, and 67	29.71	(26.41 - 33.23)	29.67	(26.00 - 33.63)	0.984
Board 31 (Hamilton)	30.13	(26.95 - 33.53)	30.02	(26.69 - 33.58)	0.948
Board 48 (Lucas)	33.20	(29.22 - 37.44)	33.63	(29.54 - 37.98)	0.837
Boards 50 and 76	30.86	(27.56 - 34.38)	30.70	(27.20 - 34.43)	0.926
Board 57 (Montgomery)	30.76	(27.23 - 34.53)	29.67	(25.98 - 33.65)	0.561
Board 77 (Summit)	31.85	(28.40 - 35.51)	29.87	(26.11 - 33.93)	0.293
Oklahoma	35.52	(32.97 - 38.16)	34.91	(32.54 - 37.37)	0.637
Central	33.16	(28.67 - 37.98)	30.70	(26.44 - 35.33)	0.236
East Central	36.94	(32.00 - 42.18)	37.32	(32.62 - 42.27)	0.878
Northeast	33.76	(29.69 - 38.08)	35.51	(31.10 - 40.18)	0.410
Northwest and Southwest	38.80	(34.13 - 43.69)	37.90	(33.17 - 42.86)	0.694
Oklahoma County	34.10	(30.13 - 38.32)	32.39	(28.36 - 36.70)	0.408
Southeast	40.43	(35.61 - 45.43)	38.05	(33.65 - 42.66)	0.305
Tulsa County	32.23	(27.99 - 36.78)	33.72	(29.41 - 38.33)	0.501
Oregon	26.35	(24.17 - 28.67)	25.66	(23.51 - 27.92)	0.530
Region 1 (Multnomah)	28.80[a]	(25.07 - 32.84)	24.17	(20.73 - 27.99)	0.015
Region 2	23.76	(20.56 - 27.28)	23.09	(19.70 - 26.87)	0.704
Region 3	25.66	(22.67 - 28.89)	27.20	(23.97 - 30.69)	0.362
Region 4	28.35	(24.23 - 32.85)	26.91	(22.87 - 31.38)	0.508
Region 5 (Central)	26.48	(22.25 - 31.20)	26.95	(22.62 - 31.78)	0.825
Region 6 (Eastern)	27.24	(22.47 - 32.59)	28.39	(23.82 - 33.45)	0.607

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	30.25[a]	(28.99 - 31.54)	28.88	(27.62 - 30.18)	0.047
Region 1 (Allegheny)	31.72	(28.46 - 35.18)	29.66	(26.52 - 33.00)	0.216
Regions 3, 8, 9, and 51	31.96	(28.31 - 35.85)	30.67	(26.92 - 34.69)	0.517
Regions 4, 11, 37, and 49	33.68	(29.97 - 37.60)	32.38	(28.83 - 36.14)	0.490
Regions 5, 18, 23, 24, and 46	33.96[b]	(30.56 - 37.53)	30.36	(26.99 - 33.95)	0.054
Regions 6, 12, 16, 31, 35, 45, and 47	31.24	(27.88 - 34.81)	32.29	(28.81 - 35.98)	0.543
Regions 7, 13, 20, and 33	24.25[b]	(22.01 - 26.65)	22.15	(19.97 - 24.49)	0.087
Regions 10, 15, 27, 32, 43, and 44	37.99	(33.95 - 42.21)	37.20	(32.92 - 41.68)	0.712
Regions 17 and 21	33.79	(29.73 - 38.11)	32.30	(28.41 - 36.46)	0.452
Regions 19, 26, 28, and 42	27.80	(24.96 - 30.84)	28.08	(25.27 - 31.08)	0.861
Regions 22, 38, 40, 41, and 48	34.19	(30.60 - 37.96)	32.15	(28.37 - 36.17)	0.308
Regions 29 and 34	30.69	(26.84 - 34.83)	27.95	(24.07 - 32.19)	0.156
Regions 30 and 50	30.52	(26.95 - 34.34)	32.28	(28.43 - 36.39)	0.354
Region 36 (Philadelphia)	29.97	(27.17 - 32.94)	28.34	(25.33 - 31.55)	0.298
Rhode Island	28.26[a]	(25.99 - 30.65)	25.60	(23.41 - 27.91)	0.023
Bristol and Newport	26.80[b]	(22.67 - 31.38)	23.52	(19.91 - 27.55)	0.066
Kent	28.75	(24.74 - 33.12)	28.16	(24.18 - 32.53)	0.767
Providence	28.74[a]	(25.92 - 31.73)	25.10	(22.35 - 28.06)	0.016
Washington	26.88	(22.87 - 31.29)	26.87	(22.99 - 31.13)	0.996
South Carolina	32.02	(29.66 - 34.47)	30.30	(28.07 - 32.63)	0.163
Region 1	--	(-- - --)	33.07	(29.56 - 36.77)	--
Region 2	--	(-- - --)	29.41	(25.91 - 33.17)	--
Region 3	34.39[a]	(30.06 - 39.00)	29.86	(25.91 - 34.13)	0.036
Region 4	29.87	(26.37 - 33.62)	28.17	(24.81 - 31.79)	0.337
South Dakota	31.27	(28.91 - 33.74)	29.78	(27.72 - 31.92)	0.185
Region 1	35.66	(31.44 - 40.12)	32.67	(29.16 - 36.38)	0.143
Region 2	32.83	(28.16 - 37.87)	30.62	(26.25 - 35.36)	0.310
Region 3	27.58	(24.06 - 31.41)	28.01	(24.59 - 31.70)	0.811
Region 4	31.79	(27.50 - 36.41)	29.75	(25.76 - 34.08)	0.328
Region 5	29.77	(26.46 - 33.31)	28.51	(25.30 - 31.95)	0.448
Tennessee	33.58[a]	(31.21 - 36.04)	29.70	(27.59 - 31.90)	0.001
Region 1	36.31	(31.49 - 41.42)	32.86	(28.02 - 38.09)	0.156
Region 2	35.66	(31.49 - 40.05)	32.61	(28.72 - 36.74)	0.145
Region 3	34.39	(30.08 - 38.98)	31.14	(27.15 - 35.43)	0.126
Region 4 (Davidson)	32.61[a]	(28.26 - 37.28)	27.36	(23.30 - 31.82)	0.011
Region 5	33.95[b]	(30.04 - 38.08)	30.61	(27.01 - 34.46)	0.092
Region 6	35.17[a]	(30.74 - 39.87)	29.74	(25.42 - 34.46)	0.014
Region 7 (Shelby)	27.40[a]	(23.53 - 31.64)	22.67	(19.11 - 26.67)	0.015

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	24.93[b]	(23.75 - 26.15)	23.79	(22.73 - 24.88)	0.062
Region 1	29.74	(26.03 - 33.74)	28.12	(24.58 - 31.95)	0.379
Region 2	28.96	(24.95 - 33.33)	30.89	(26.74 - 35.38)	0.350
Region 3	24.35[b]	(22.55 - 26.25)	22.69	(20.97 - 24.51)	0.097
Region 3a	23.05	(20.83 - 25.43)	21.47	(19.32 - 23.80)	0.207
Region 3bc	26.62	(23.92 - 29.50)	24.82	(22.25 - 27.58)	0.206
Region 4	32.77	(28.87 - 36.93)	30.88	(27.28 - 34.72)	0.309
Region 5	32.04	(28.07 - 36.28)	32.21	(28.17 - 36.53)	0.933
Region 6	24.29	(22.25 - 26.45)	22.68	(20.74 - 24.73)	0.140
Region 6a	23.94	(21.78 - 26.26)	22.15	(20.09 - 24.36)	0.128
Region 6bc	27.21	(23.27 - 31.54)	27.12	(23.16 - 31.47)	0.962
Region 7	26.45[a]	(24.19 - 28.83)	24.09	(21.95 - 26.38)	0.038
Region 7a	25.42[a]	(22.59 - 28.49)	22.06	(19.41 - 24.95)	0.020
Region 7bcd	28.16	(24.97 - 31.59)	27.61	(24.49 - 30.96)	0.722
Region 8	21.06	(18.60 - 23.75)	21.90	(19.39 - 24.64)	0.540
Region 9	30.12	(26.13 - 34.44)	29.80	(25.73 - 34.23)	0.877
Region 10	21.26	(18.36 - 24.47)	21.16	(18.06 - 24.63)	0.951
Region 11	21.36	(19.00 - 23.94)	21.41	(18.92 - 24.14)	0.970
Region 11abd	22.90	(19.95 - 26.15)	22.25	(19.04 - 25.83)	0.687
Region 11c (Hidalgo)	18.65	(15.62 - 22.12)	19.96	(16.98 - 23.31)	0.411
Utah	17.23	(15.43 - 19.20)	18.58	(16.85 - 20.45)	0.155
Bear River, Northeastern, Summit, Tooele, and Wasatch	15.59[a]	(12.79 - 18.86)	20.76	(17.44 - 24.54)	0.001
Central, Four Corners, San Juan, and Southwest	19.03	(15.60 - 23.00)	20.98	(17.49 - 24.96)	0.247
Davis County	16.49	(13.60 - 19.86)	17.67	(14.74 - 21.04)	0.396
Salt Lake County	18.51	(16.07 - 21.22)	18.43	(16.02 - 21.11)	0.953
Utah County	14.25	(11.76 - 17.16)	15.67	(13.06 - 18.70)	0.216
Weber, Morgan	18.47	(15.18 - 22.28)	20.11	(16.70 - 24.01)	0.320
Vermont	27.67	(25.53 - 29.93)	26.66	(24.52 - 28.92)	0.362
Champlain Valley	27.33	(24.51 - 30.34)	26.44	(23.65 - 29.42)	0.554
Rural Northeast	29.24	(25.58 - 33.18)	28.49	(24.67 - 32.63)	0.704
Rural Southeast	27.03	(23.49 - 30.88)	24.61	(21.06 - 28.56)	0.194
Rural Southwest	27.06	(23.25 - 31.25)	27.21	(23.36 - 31.43)	0.940
Virginia	25.75	(23.62 - 28.00)	27.45	(25.45 - 29.54)	0.119
Region 1	28.39	(24.89 - 32.17)	29.18	(25.50 - 33.16)	0.678
Region 2	19.37	(16.49 - 22.63)	20.51	(17.69 - 23.66)	0.456
Region 3	32.78	(28.78 - 37.04)	34.67	(30.71 - 38.85)	0.360
Region 4	25.84	(22.16 - 29.91)	28.11	(24.27 - 32.29)	0.248
Region 5	26.30	(22.89 - 30.02)	28.96	(25.50 - 32.69)	0.145

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	26.00[a]	(23.94 - 28.18)	23.89	(22.03 - 25.86)	0.034
Region 1	27.66	(24.53 - 31.02)	25.29	(22.29 - 28.54)	0.114
Greater Columbia and North Central	--	(-- - --)	23.10	(19.44 - 27.20)	--
Spokane	--	(-- - --)	28.47	(24.27 - 33.09)	--
Region 2	24.20	(21.69 - 26.90)	22.32	(20.09 - 24.72)	0.142
King	23.49[b]	(20.45 - 26.82)	20.51	(17.89 - 23.40)	0.051
North Sound	25.44	(22.03 - 29.18)	25.49	(22.06 - 29.26)	0.977
Region 3	27.44[b]	(24.55 - 30.54)	25.19	(22.61 - 27.96)	0.082
Peninsula	--	(-- - --)	23.66	(19.62 - 28.24)	--
Pierce	--	(-- - --)	25.35	(21.64 - 29.46)	--
SW WA and Timberlands	--	(-- - --)	25.62	(21.70 - 29.99)	--
Thurston-Mason	--	(-- - --)	25.58	(21.14 - 30.58)	--
West Virginia	38.17	(35.73 - 40.68)	37.43	(35.19 - 39.72)	0.526
Region I	33.41	(28.57 - 38.62)	32.80	(27.86 - 38.16)	0.803
Region II	37.78	(32.98 - 42.83)	35.04	(30.70 - 39.63)	0.205
Region III	36.20	(31.39 - 41.29)	35.87	(30.93 - 41.13)	0.895
Region IV	38.79	(34.89 - 42.85)	38.44	(34.59 - 42.44)	0.860
Region V	38.74	(35.09 - 42.51)	38.38	(34.71 - 42.18)	0.853
Region VI	39.94	(35.30 - 44.78)	39.39	(35.32 - 43.63)	0.805
Wisconsin	26.90	(24.62 - 29.31)	27.49	(25.34 - 29.75)	0.610
Milwaukee	29.42	(25.24 - 33.98)	29.51	(25.57 - 33.78)	0.967
Northeastern	28.25	(24.77 - 32.01)	27.93	(24.51 - 31.61)	0.856
Northern	27.51	(23.18 - 32.30)	27.90	(23.65 - 32.60)	0.850
Southeastern	24.52	(20.85 - 28.61)	25.23	(21.61 - 29.22)	0.715
Southern	25.43	(21.75 - 29.50)	26.10	(22.44 - 30.12)	0.732
Western	26.99	(23.19 - 31.16)	29.48	(25.39 - 33.94)	0.212

See notes at end of table.

(continued)

Table 13 *Tobacco Product Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	32.34	(30.00 - 34.76)	32.35	(30.07 - 34.72)	0.990
Judicial District 1 (Laramie)	31.35	(27.43 - 35.57)	32.54	(28.40 - 36.97)	0.572
Judicial District 2	31.81	(27.70 - 36.21)	30.85	(26.76 - 35.27)	0.624
Judicial District 3	31.39	(27.41 - 35.67)	33.44	(29.36 - 37.78)	0.323
Judicial District 4	30.96	(26.51 - 35.79)	29.61	(25.00 - 34.67)	0.545
Judicial District 5	29.13	(24.72 - 33.97)	28.28	(23.88 - 33.13)	0.697
Judicial District 6	36.01	(31.59 - 40.69)	36.19	(31.57 - 41.09)	0.935
Judicial District 7 (Natrona)	36.57	(32.11 - 41.28)	34.66	(30.35 - 39.23)	0.377
Judicial District 8	32.61	(27.97 - 37.62)	32.73	(28.32 - 37.47)	0.957
Judicial District 9	30.54	(26.27 - 35.17)	30.75	(26.39 - 35.48)	0.925

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	22.31[a]	(21.95 - 22.68)	21.40	(21.05 - 21.75)	0.000
Northeast	21.59[a]	(20.87 - 22.32)	20.11	(19.47 - 20.76)	0.000
Midwest	24.46	(23.85 - 25.08)	24.08	(23.51 - 24.66)	0.260
South	23.39[a]	(22.78 - 24.00)	22.65	(22.13 - 23.17)	0.015
West	19.17[a]	(18.47 - 19.89)	17.96	(17.33 - 18.61)	0.001
Alabama	26.33	(24.09 - 28.70)	25.67	(23.61 - 27.84)	0.566
Region 1	26.03	(22.70 - 29.65)	25.48	(22.14 - 29.13)	0.759
Region 2	27.71	(24.44 - 31.23)	25.97	(22.77 - 29.44)	0.334
Region 3	21.84	(18.69 - 25.36)	22.77	(19.64 - 26.23)	0.578
Region 4	28.32	(24.81 - 32.12)	27.82	(24.11 - 31.86)	0.792
Alaska	27.35[a]	(24.92 - 29.93)	23.46	(21.55 - 25.47)	0.001
Anchorage	23.58[b]	(20.76 - 26.64)	21.07	(18.56 - 23.82)	0.097
Northern	31.30	(27.38 - 35.51)	28.85	(25.02 - 33.01)	0.227
South Central	29.48[a]	(25.48 - 33.83)	23.09	(19.99 - 26.52)	0.001
Southeast	28.41[a]	(24.03 - 33.23)	22.36	(18.75 - 26.44)	0.004
Arizona	22.93[a]	(20.67 - 25.35)	19.45	(17.70 - 21.34)	0.001
Maricopa	22.82[a]	(20.18 - 25.70)	18.50	(16.36 - 20.86)	0.001
Pima	22.82	(19.25 - 26.83)	20.11	(16.88 - 23.77)	0.109
Rural North	24.56	(20.61 - 29.00)	21.65	(18.04 - 25.76)	0.119
Rural South	22.10	(18.06 - 26.75)	21.01	(17.74 - 24.71)	0.562
Arkansas	26.18	(23.97 - 28.51)	27.05	(25.05 - 29.15)	0.422
Catchment Area 1	20.41	(17.33 - 23.88)	20.64	(17.42 - 24.27)	0.894
Catchment Area 2	27.35[b]	(23.16 - 31.99)	31.37	(27.20 - 35.88)	0.061
Catchment Area 3	28.65	(24.62 - 33.05)	29.46	(25.61 - 33.64)	0.680
Catchment Area 4	25.60	(21.49 - 30.20)	27.34	(23.30 - 31.80)	0.398
Catchment Area 5	28.60	(24.75 - 32.79)	27.82	(24.08 - 31.90)	0.696
Catchment Area 6	29.60	(25.27 - 34.35)	31.02	(26.55 - 35.87)	0.515
Catchment Area 7	25.48	(21.40 - 30.04)	28.55	(24.21 - 33.32)	0.150
Catchment Area 8	25.86	(22.48 - 29.56)	25.27	(21.58 - 29.35)	0.752

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	16.57	(15.56 - 17.64)	15.72	(14.78 - 16.70)	0.117
Region 1R	23.31	(19.86 - 27.16)	21.30	(18.06 - 24.95)	0.203
Region 2R	17.49	(14.81 - 20.53)	16.59	(14.01 - 19.54)	0.493
Region 3R (Sacramento)	17.53	(14.72 - 20.73)	19.35	(16.41 - 22.68)	0.215
Region 4R	16.16	(13.77 - 18.86)	15.12	(12.80 - 17.78)	0.404
Region 5R (San Francisco)	18.58	(15.41 - 22.24)	16.98	(13.96 - 20.51)	0.313
Region 6 (Santa Clara)	12.98	(10.81 - 15.52)	11.62	(9.62 - 13.97)	0.212
Region 7R (Contra Costa)	14.04	(11.64 - 16.83)	13.98	(11.64 - 16.70)	0.962
Region 8R (Alameda)	14.15	(11.96 - 16.68)	13.84	(11.59 - 16.45)	0.782
Region 9R (San Mateo)	13.71	(11.15 - 16.75)	12.63	(10.29 - 15.40)	0.394
Region 10	15.28	(12.74 - 18.22)	14.68	(12.20 - 17.56)	0.633
Region 11 (Los Angeles)	16.31	(14.99 - 17.71)	15.29	(14.05 - 16.61)	0.134
LA SPA 1 and 5	17.06	(14.28 - 20.25)	15.94	(13.32 - 18.95)	0.424
LA SPA 2	16.76	(14.34 - 19.50)	15.53	(13.21 - 18.17)	0.311
LA SPA 3	13.78	(11.67 - 16.21)	12.43	(10.24 - 15.02)	0.236
LA SPA 4	17.04	(14.32 - 20.16)	17.50	(14.58 - 20.87)	0.763
LA SPA 6	17.38	(14.51 - 20.68)	18.24	(15.23 - 21.69)	0.561
LA SPA 7	16.58	(13.93 - 19.61)	14.69	(12.28 - 17.47)	0.142
LA SPA 8	16.63	(14.10 - 19.51)	14.77	(12.42 - 17.48)	0.129
Region 12R	18.52	(15.45 - 22.05)	18.75	(15.65 - 22.30)	0.879
Regions 13 and 19R	16.30	(14.12 - 18.74)	15.56	(13.29 - 18.14)	0.523
Region 14 (Orange)	15.65	(13.57 - 17.97)	14.40	(12.36 - 16.71)	0.253
Region 15R (Fresno)	17.11	(14.29 - 20.34)	17.82	(14.90 - 21.17)	0.614
Region 16R (San Diego)	16.14	(14.07 - 18.44)	14.70	(12.62 - 17.05)	0.209
Region 17R	18.62	(15.93 - 21.66)	19.14	(16.32 - 22.32)	0.703
Region 18R (San Bernardino)	20.49[b]	(17.85 - 23.40)	17.90	(15.30 - 20.83)	0.056
Region 20R	17.24	(14.47 - 20.41)	18.09	(15.17 - 21.43)	0.543
Region 21R	17.23	(14.54 - 20.30)	15.95	(13.16 - 19.22)	0.347
Colorado	23.55[a]	(21.42 - 25.82)	21.49	(19.65 - 23.44)	0.049
Region 1	23.66	(20.21 - 27.49)	21.98	(18.58 - 25.81)	0.337
Regions 2 and 7	24.29[a]	(21.61 - 27.19)	21.69	(19.33 - 24.26)	0.047
Region 3	21.12	(17.88 - 24.77)	19.48	(16.44 - 22.92)	0.301
Region 4	22.21	(18.05 - 27.02)	23.47	(19.49 - 27.98)	0.536
Regions 5 and 6	23.56	(19.77 - 27.83)	21.58	(18.09 - 25.53)	0.278
Connecticut	21.11[a]	(19.02 - 23.37)	17.62	(15.99 - 19.39)	0.000
Eastern	21.49	(18.12 - 25.31)	19.55	(16.55 - 22.94)	0.252
North Central	22.77[a]	(19.59 - 26.31)	18.51	(15.84 - 21.52)	0.005
Northwestern	21.34[a]	(17.93 - 25.20)	16.51	(13.83 - 19.60)	0.002
South Central	20.94[a]	(17.84 - 24.41)	17.51	(14.86 - 20.53)	0.026
Southwest	18.40	(15.42 - 21.82)	16.23	(13.54 - 19.34)	0.133

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	23.56	(21.49 - 25.77)	23.38	(21.40 - 25.48)	0.871
Kent	24.86	(21.29 - 28.81)	24.75	(21.26 - 28.62)	0.954
New Castle (excluding Wilmington City)	22.76	(20.24 - 25.48)	20.97	(18.60 - 23.55)	0.203
Sussex	23.64	(20.30 - 27.34)	26.07	(22.53 - 29.94)	0.207
Wilmington City	25.61	(21.70 - 29.96)	28.21	(23.68 - 33.23)	0.237
District of Columbia	23.04	(20.94 - 25.27)	22.04	(20.18 - 24.02)	0.352
Ward 1	23.70	(19.92 - 27.94)	22.15	(18.72 - 26.00)	0.411
Ward 2	22.82	(19.37 - 26.68)	21.55	(18.10 - 25.44)	0.465
Ward 3	18.43	(15.42 - 21.88)	17.39	(14.53 - 20.68)	0.494
Ward 4	19.59	(16.14 - 23.58)	18.55	(15.34 - 22.24)	0.549
Ward 5	22.73	(19.10 - 26.84)	23.32	(19.75 - 27.31)	0.768
Ward 6	23.72	(19.92 - 28.00)	21.09	(17.74 - 24.89)	0.149
Ward 7	25.75	(21.76 - 30.19)	24.35	(20.33 - 28.87)	0.497
Ward 8	28.68	(24.53 - 33.21)	28.97	(24.85 - 33.47)	0.895
Florida[1]	21.24	(20.05 - 22.47)	20.57	(19.47 - 21.70)	0.288
Broward (Circuit 17)	18.13	(15.82 - 20.71)	17.61	(15.13 - 20.40)	0.703
Central I	--	(-- - --)	19.59	(17.58 - 21.78)	--
Circuit 9	19.33	(16.90 - 22.01)	18.68	(16.23 - 21.41)	0.641
Circuit 18	20.85	(18.05 - 23.95)	20.92	(17.89 - 24.31)	0.962
Central II	--	(-- - --)	21.00	(19.38 - 22.70)	--
Circuit 6	25.13	(21.78 - 28.80)	22.93	(19.86 - 26.32)	0.207
Circuit 10	22.66	(19.55 - 26.11)	23.70	(20.33 - 27.43)	0.542
Circuit 12	21.93[b]	(18.63 - 25.64)	18.78	(15.80 - 22.17)	0.067
Circuit 13 (Hillsborough)	21.62	(18.82 - 24.72)	19.65	(16.99 - 22.61)	0.192
Circuit 20	21.28	(18.24 - 24.68)	19.90	(17.01 - 23.15)	0.390
Northeast	--	(-- - --)	24.26	(22.33 - 26.29)	--
Circuit 4	24.22	(21.28 - 27.43)	23.36	(20.27 - 26.77)	0.597
Circuit 5	23.55	(20.18 - 27.29)	24.73	(21.31 - 28.49)	0.529
Circuit 7	23.64	(20.48 - 27.11)	23.62	(20.29 - 27.31)	0.994
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	26.23	(22.71 - 30.10)	--
Northwest	--	(-- - --)	25.12	(22.61 - 27.81)	--
Circuit 1	24.80	(21.62 - 28.27)	24.84	(21.23 - 28.83)	0.982
Circuit 2 plus Madison and Taylor	--	(-- - --)	24.11	(20.59 - 28.02)	--
Circuit 14	28.76	(24.63 - 33.27)	27.27	(23.16 - 31.81)	0.462
South (Circuits 11 and 16)	16.58	(14.56 - 18.81)	16.54	(14.36 - 18.98)	0.977
Southeast	--	(-- - --)	18.58	(16.37 - 21.01)	--
Circuit 15 (Palm Beach)	18.65	(16.05 - 21.58)	17.31	(14.68 - 20.30)	0.342
Circuit 19	22.67	(19.34 - 26.38)	21.36	(18.06 - 25.07)	0.471

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	21.48	(19.44 - 23.66)	21.27	(19.52 - 23.13)	0.837
Region 1	21.40	(18.45 - 24.68)	20.38	(17.57 - 23.51)	0.491
Region 2	23.05	(19.80 - 26.65)	22.34	(19.18 - 25.85)	0.658
Region 3	18.52	(15.87 - 21.49)	18.21	(15.69 - 21.04)	0.828
Region 4	27.02	(22.81 - 31.70)	27.15	(22.93 - 31.83)	0.951
Region 5	24.91	(20.76 - 29.57)	24.81	(21.01 - 29.05)	0.961
Region 6	21.15	(17.88 - 24.83)	23.00	(19.56 - 26.84)	0.280
Hawaii	18.82[b]	(16.83 - 21.00)	16.95	(15.17 - 18.90)	0.084
Hawaii Island	20.28	(16.86 - 24.19)	18.46	(15.23 - 22.21)	0.301
Honolulu	18.64[b]	(16.44 - 21.06)	16.30	(14.29 - 18.53)	0.061
Kauai	18.35	(14.66 - 22.72)	18.31	(14.89 - 22.31)	0.983
Maui	18.44	(14.95 - 22.53)	18.62	(15.32 - 22.44)	0.920
Idaho	22.34[a]	(20.29 - 24.54)	20.45	(18.66 - 22.37)	0.050
Region 1	22.02	(18.49 - 26.02)	20.69	(17.55 - 24.22)	0.434
Region 2	23.74	(19.85 - 28.13)	22.54	(18.93 - 26.62)	0.510
Region 3	25.46[b]	(21.71 - 29.60)	22.31	(18.91 - 26.13)	0.082
Region 4	22.19	(19.13 - 25.59)	19.88	(17.11 - 22.97)	0.119
Region 5	22.05	(18.54 - 26.01)	20.85	(17.54 - 24.59)	0.477
Region 6	--	(-- - --)	21.56	(18.01 - 25.59)	--
Region 7	--	(-- - --)	17.62	(14.71 - 20.96)	--
Illinois	22.48	(21.32 - 23.69)	22.38	(21.28 - 23.53)	0.880
Region I (Cook)	22.01	(20.27 - 23.84)	21.28	(19.52 - 23.14)	0.466
Region II	19.19	(17.56 - 20.94)	19.88	(18.22 - 21.65)	0.475
Region III	26.15	(23.66 - 28.81)	27.09	(24.37 - 29.98)	0.529
Region IV	27.18	(24.01 - 30.59)	28.86	(25.82 - 32.11)	0.312
Region V	27.48[b]	(24.71 - 30.44)	25.03	(22.14 - 28.15)	0.100
Indiana	25.97	(23.80 - 28.26)	25.86	(23.86 - 27.97)	0.919
Central	24.19	(20.88 - 27.83)	23.12	(19.97 - 26.60)	0.507
East	29.30	(25.25 - 33.71)	30.52	(26.40 - 34.99)	0.544
North Central	26.62	(22.86 - 30.77)	26.02	(22.42 - 29.98)	0.747
Northeast	25.17	(21.41 - 29.34)	26.96	(22.95 - 31.39)	0.365
Northwest	25.62	(21.97 - 29.65)	23.59	(20.00 - 27.59)	0.273
Southeast	27.78	(23.86 - 32.07)	28.67	(24.38 - 33.37)	0.673
Southwest	26.59	(22.41 - 31.23)	26.39	(22.41 - 30.79)	0.917
West	25.61	(21.96 - 29.63)	26.87	(23.09 - 31.02)	0.503
Iowa	23.40	(21.33 - 25.60)	22.54	(20.66 - 24.53)	0.403
Central	22.34	(19.23 - 25.78)	21.31	(18.15 - 24.85)	0.548
North Central	24.77	(20.77 - 29.25)	23.97	(20.33 - 28.03)	0.661
Northeast	23.34	(20.31 - 26.67)	21.97	(19.01 - 25.24)	0.379
Northwest	21.70	(18.33 - 25.49)	22.92	(19.50 - 26.75)	0.496
Southeast	23.94	(20.78 - 27.41)	22.82	(19.67 - 26.30)	0.469
Southwest	25.39	(21.45 - 29.77)	23.35	(19.69 - 27.47)	0.288

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	23.70	(21.59 - 25.96)	22.05	(20.17 - 24.05)	0.113
Kansas City Metro	21.65[b]	(18.93 - 24.65)	19.06	(16.53 - 21.87)	0.071
Northeast	23.79	(20.33 - 27.64)	24.52	(21.06 - 28.35)	0.690
South Central	23.77	(20.11 - 27.87)	22.44	(19.13 - 26.13)	0.452
Southeast	26.61	(22.27 - 31.45)	26.38	(22.00 - 31.29)	0.911
West	25.02	(21.26 - 29.20)	23.18	(19.49 - 27.34)	0.321
Wichita (Sedgwick)	25.55	(21.91 - 29.56)	22.43	(18.92 - 26.38)	0.105
Kentucky	31.62	(29.23 - 34.11)	29.99	(27.81 - 32.27)	0.166
Adanta, Cumberland River, and Lifeskills	32.21	(28.18 - 36.53)	32.87	(28.74 - 37.29)	0.750
Bluegrass, Comprehend, and North Key	29.45	(26.16 - 32.97)	27.92	(24.71 - 31.36)	0.385
Communicare and River Valley	34.01	(29.46 - 38.87)	30.88	(26.47 - 35.67)	0.167
Four Rivers and Pennyroyal	32.15	(27.67 - 36.99)	30.38	(25.85 - 35.32)	0.408
Kentucky River, Mountain, and Pathways	36.68	(31.84 - 41.82)	35.34	(30.52 - 40.48)	0.569
Seven Counties	30.01	(26.47 - 33.82)	27.24	(23.68 - 31.11)	0.148
Louisiana	26.71	(24.69 - 28.84)	25.63	(23.63 - 27.75)	0.295
Regions 1 and 10	24.12	(21.14 - 27.39)	23.93	(20.95 - 27.18)	0.889
Region 1	24.38	(20.58 - 28.62)	24.44	(20.44 - 28.92)	0.975
Region 10 (Jefferson)	23.87	(20.19 - 27.99)	23.40	(19.72 - 27.53)	0.792
Regions 2 and 9	24.92	(21.90 - 28.22)	24.42	(21.40 - 27.71)	0.747
Region 3	29.63	(25.44 - 34.20)	27.09	(23.04 - 31.56)	0.195
Regions 4, 5, and 6	29.15	(25.92 - 32.60)	27.65	(24.18 - 31.41)	0.411
Regions 7 and 8	27.09	(23.82 - 30.64)	25.67	(22.29 - 29.37)	0.406
Maine	24.66[a]	(22.52 - 26.93)	22.48	(20.61 - 24.46)	0.039
Aroostook/Downeast	27.09	(23.63 - 30.85)	24.54	(21.25 - 28.16)	0.132
Aroostook	28.65	(24.10 - 33.68)	27.72	(23.10 - 32.87)	0.686
Downeast	25.81[b]	(21.69 - 30.40)	21.96	(18.03 - 26.46)	0.063
Central	25.38	(21.58 - 29.59)	22.89	(19.40 - 26.80)	0.197
Cumberland	20.30	(17.29 - 23.68)	18.46	(15.59 - 21.72)	0.235
Midcoast	24.77	(20.78 - 29.25)	22.64	(18.97 - 26.79)	0.269
Penquis	28.61	(24.85 - 32.69)	26.66	(22.92 - 30.77)	0.306
Western	27.00	(23.39 - 30.95)	24.80	(21.28 - 28.69)	0.239
York	22.49	(19.00 - 26.42)	20.24	(17.03 - 23.87)	0.193

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	19.37	(17.52 - 21.37)	18.53	(16.77 - 20.42)	0.358
Anne Arundel	19.19	(15.86 - 23.02)	18.38	(15.27 - 21.95)	0.612
Baltimore City	27.01	(22.96 - 31.47)	26.37	(22.26 - 30.93)	0.758
Baltimore County	18.78	(15.61 - 22.42)	18.67	(15.53 - 22.27)	0.944
Montgomery	13.44	(10.97 - 16.35)	13.36	(10.79 - 16.42)	0.954
North Central	15.36	(12.61 - 18.58)	15.63	(12.72 - 19.05)	0.850
Northeast	22.53[b]	(18.74 - 26.84)	19.22	(15.92 - 23.01)	0.063
Prince George's	18.24	(15.12 - 21.85)	18.66	(15.40 - 22.44)	0.787
South	22.27[a]	(18.72 - 26.28)	17.96	(14.96 - 21.41)	0.009
West	22.01	(18.68 - 25.75)	21.51	(18.04 - 25.43)	0.772
Massachusetts	18.69	(16.90 - 20.61)	18.29	(16.55 - 20.16)	0.640
Boston	20.00	(16.85 - 23.58)	19.24	(15.93 - 23.05)	0.596
Central	21.33	(18.08 - 24.98)	20.20	(16.84 - 24.04)	0.482
Metrowest	15.27	(12.86 - 18.04)	15.30	(12.81 - 18.17)	0.981
Northeast	17.52	(14.83 - 20.57)	17.62	(14.87 - 20.76)	0.941
Southeast	19.84	(16.76 - 23.33)	19.51	(16.50 - 22.92)	0.828
Western	20.96	(17.74 - 24.60)	20.05	(16.74 - 23.84)	0.578
Michigan[1]	26.04[a]	(24.83 - 27.29)	24.65	(23.53 - 25.82)	0.039
Region 1	27.50	(23.94 - 31.38)	26.95	(23.26 - 30.98)	0.770
Region 2	--	(-- - --)	24.08	(20.69 - 27.83)	--
Region 3	--	(-- - --)	23.21	(20.87 - 25.73)	--
Region 4	--	(-- - --)	28.14	(25.11 - 31.38)	--
Region 5	--	(-- - --)	26.41	(24.11 - 28.85)	--
Region 6	--	(-- - --)	21.17	(18.67 - 23.90)	--
Region 7	--	(-- - --)	25.71	(23.05 - 28.56)	--
Region 8	21.01	(18.68 - 23.54)	19.31	(16.98 - 21.87)	0.177
Region 9	26.76	(23.99 - 29.73)	26.08	(23.02 - 29.40)	0.666
Region 10	--	(-- - --)	27.13	(24.13 - 30.34)	--
Minnesota	22.56	(20.60 - 24.64)	21.47	(19.63 - 23.43)	0.279
Regions 1 and 2	25.10	(21.26 - 29.38)	23.78	(20.04 - 27.97)	0.482
Regions 3 and 4	23.94	(20.64 - 27.58)	25.45	(21.82 - 29.47)	0.391
Regions 5 and 6	24.52	(21.19 - 28.19)	24.26	(20.75 - 28.16)	0.882
Region 7A (Hennepin)	20.71	(17.76 - 24.02)	18.18	(15.38 - 21.36)	0.102
Region 7B (Ramsey)	24.36	(20.41 - 28.79)	21.60	(18.05 - 25.63)	0.109
Region 7C	19.69	(16.98 - 22.71)	18.24	(15.60 - 21.21)	0.318
Mississippi	28.73	(26.47 - 31.11)	29.17	(26.91 - 31.53)	0.704
Region 1	29.49	(25.89 - 33.37)	31.87	(28.03 - 35.98)	0.221
Region 2	28.85	(24.91 - 33.14)	27.71	(23.72 - 32.08)	0.564
Region 3	30.43	(26.53 - 34.63)	28.97	(25.04 - 33.25)	0.450
Region 4	26.10	(22.67 - 29.85)	27.19	(23.35 - 31.41)	0.558
Region 5	27.78	(23.33 - 32.70)	28.92	(24.23 - 34.11)	0.590
Region 6	29.04	(25.03 - 33.42)	29.07	(24.95 - 33.56)	0.991
Region 7	29.23	(25.17 - 33.66)	29.05	(24.84 - 33.65)	0.926

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	26.21	(24.11 - 28.43)	27.03	(25.03 - 29.13)	0.464
Central	28.34	(24.41 - 32.62)	29.13	(25.36 - 33.20)	0.698
Eastern	23.03	(20.44 - 25.85)	24.04	(21.36 - 26.94)	0.489
Eastern (St. Louis City and County)	22.49	(19.35 - 25.98)	23.64	(20.34 - 27.30)	0.509
Eastern (excluding St. Louis)	23.98	(20.50 - 27.83)	24.72	(21.21 - 28.60)	0.696
Northwest	26.41	(23.43 - 29.61)	25.87	(22.95 - 29.02)	0.724
Northwest (Jackson)	26.22	(22.48 - 30.34)	27.54	(23.65 - 31.81)	0.510
Northwest (excluding Jackson)	26.56	(22.69 - 30.83)	24.46	(20.72 - 28.62)	0.275
Southeast	30.34	(26.27 - 34.75)	32.10	(27.78 - 36.74)	0.433
Southwest	28.01	(24.24 - 32.11)	29.84	(25.72 - 34.32)	0.363
Montana	24.81	(22.83 - 26.91)	23.21	(21.25 - 25.30)	0.113
Region 1	27.49	(23.48 - 31.91)	26.21	(22.02 - 30.88)	0.528
Region 2	25.42	(21.79 - 29.42)	26.11	(22.44 - 30.14)	0.698
Region 3	24.58	(21.47 - 27.99)	24.22	(21.06 - 27.70)	0.826
Region 4	24.47[a]	(21.44 - 27.78)	20.80	(17.71 - 24.26)	0.020
Region 5	24.30	(21.49 - 27.36)	22.53	(19.63 - 25.73)	0.231
Nebraska	22.66	(20.63 - 24.82)	22.59	(20.59 - 24.73)	0.950
Regions 1 and 2	24.22	(20.76 - 28.05)	24.90	(21.53 - 28.60)	0.697
Region 1	24.52	(20.25 - 29.35)	24.05	(20.10 - 28.51)	0.824
Region 2	23.95	(19.72 - 28.77)	25.64	(21.12 - 30.75)	0.443
Region 3	22.80	(19.39 - 26.62)	22.38	(18.97 - 26.22)	0.815
Region 4	24.72	(20.87 - 29.02)	24.41	(20.46 - 28.84)	0.877
Region 5	22.16	(19.16 - 25.48)	22.68	(19.66 - 26.02)	0.745
Region 6	21.96	(19.38 - 24.78)	21.55	(18.74 - 24.64)	0.772
Nevada	23.86	(21.58 - 26.30)	24.05	(21.82 - 26.44)	0.875
Clark – Region 1	23.47	(20.85 - 26.32)	24.33	(21.70 - 27.15)	0.566
Region 3	26.26	(22.58 - 30.31)	25.65	(22.06 - 29.59)	0.732
Capital District	24.68	(20.36 - 29.58)	24.48	(20.08 - 29.50)	0.929
Rural/Frontier	27.69	(23.06 - 32.86)	26.70	(22.21 - 31.73)	0.660
Washoe – Region 2	23.72	(20.24 - 27.58)	21.55	(18.35 - 25.13)	0.205
New Hampshire	21.56[b]	(19.53 - 23.74)	19.67	(17.94 - 21.52)	0.065
Central	22.79	(19.92 - 25.94)	21.22	(18.74 - 23.92)	0.261
Central 1	23.25	(19.63 - 27.30)	21.87	(18.68 - 25.44)	0.429
Central 2	22.36	(18.81 - 26.35)	20.58	(17.48 - 24.07)	0.317
Northern	23.29	(19.60 - 27.45)	20.67	(17.34 - 24.44)	0.140
Southern	20.57	(18.35 - 22.98)	18.70	(16.74 - 20.83)	0.107
Southern 1 (Rockingham)	19.00	(16.23 - 22.12)	18.39	(15.80 - 21.29)	0.665
Southern 2	21.55[b]	(18.79 - 24.58)	18.89	(16.43 - 21.62)	0.072

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	20.64[a]	(18.57 - 22.89)	17.40	(15.68 - 19.28)	0.002
Central	21.42[a]	(18.22 - 25.01)	17.69	(15.01 - 20.73)	0.021
Metropolitan	19.79[a]	(16.86 - 23.10)	16.70	(14.12 - 19.65)	0.046
Northern	18.52[a]	(15.80 - 21.58)	15.55	(13.07 - 18.40)	0.042
Southern	24.01[b]	(20.65 - 27.74)	20.75	(17.71 - 24.17)	0.067
New Mexico	21.85	(19.69 - 24.17)	22.48	(20.44 - 24.66)	0.585
Region 1	22.13	(18.93 - 25.70)	23.02	(19.59 - 26.84)	0.630
Region 2	18.44	(15.23 - 22.15)	18.86	(15.66 - 22.54)	0.806
Region 3 (Bernalillo)	22.56	(19.54 - 25.90)	22.10	(19.07 - 25.46)	0.778
Region 4	24.76	(21.16 - 28.75)	26.11	(22.51 - 30.07)	0.460
Region 5	21.03	(17.75 - 24.73)	22.90	(19.65 - 26.50)	0.277
New York	20.74	(19.57 - 21.97)	20.00	(18.92 - 21.14)	0.266
Region A	19.12	(17.56 - 20.79)	18.52	(17.06 - 20.08)	0.484
Region 1	20.11	(17.37 - 23.15)	18.48	(15.85 - 21.44)	0.271
Region 2	20.00	(17.59 - 22.65)	19.77	(17.40 - 22.37)	0.865
Region 3	17.42	(14.76 - 20.46)	18.39	(15.79 - 21.31)	0.513
Region 4	18.65	(16.15 - 21.43)	17.01	(14.52 - 19.84)	0.212
Region B	18.48	(16.89 - 20.19)	17.27	(15.65 - 19.03)	0.195
Region 5	18.37	(16.30 - 20.63)	17.22	(15.10 - 19.58)	0.339
Region 6	15.90	(13.44 - 18.72)	15.27	(12.82 - 18.10)	0.650
Region 7	22.96	(19.79 - 26.46)	20.62	(17.50 - 24.13)	0.155
Region C	23.67	(21.97 - 25.47)	23.05	(21.39 - 24.79)	0.496
Region 8	22.51	(19.65 - 25.65)	22.48	(19.56 - 25.69)	0.985
Region 9	25.14	(22.20 - 28.33)	24.09	(21.08 - 27.37)	0.523
Region 10	24.09	(20.69 - 27.85)	24.10	(20.52 - 28.10)	0.992
Region 11	22.32	(19.46 - 25.46)	22.92	(19.96 - 26.18)	0.700
Region 12	24.57	(21.52 - 27.90)	22.38	(19.61 - 25.41)	0.161
Region D	27.77	(25.32 - 30.37)	27.80	(25.35 - 30.39)	0.982
Region 13	27.13	(23.36 - 31.26)	25.81	(22.23 - 29.75)	0.509
Region 14	29.53	(25.59 - 33.81)	28.19	(24.25 - 32.49)	0.513
Region 15	26.60	(23.09 - 30.43)	29.19	(25.50 - 33.17)	0.188

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	24.04	(21.84 - 26.39)	22.67	(20.77 - 24.69)	0.168
Alliance Behavioral Healthcare 1	--	(-- - --)	21.05	(17.58 - 25.00)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	16.11	(13.34 - 19.32)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	22.22	(18.47 - 26.48)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	23.16	(19.42 - 27.38)	--
Cardinal Innovations Healthcare Solutions 3	22.11	(18.27 - 26.50)	20.26	(16.76 - 24.27)	0.294
CenterPoint Human Services	24.89	(20.45 - 29.94)	22.45	(18.85 - 26.50)	0.202
Eastpointe	28.77	(24.36 - 33.62)	26.80	(22.48 - 31.60)	0.367
Partners Behavioral Health Management	27.50	(23.47 - 31.93)	25.17	(21.26 - 29.54)	0.242
Sandhills Center 1	26.44	(21.96 - 31.46)	26.29	(21.92 - 31.18)	0.944
Sandhills Center 2	22.97	(19.04 - 27.45)	21.47	(17.83 - 25.62)	0.408
Smoky Mountain Center 1	26.05	(21.65 - 31.00)	24.42	(20.32 - 29.05)	0.399
Smoky Mountain Center 2	23.67	(19.69 - 28.18)	21.94	(18.20 - 26.21)	0.385
Trillium Health Resources 1	25.62	(21.47 - 30.25)	24.04	(20.02 - 28.57)	0.402
Trillium Health Resources 2	24.73	(20.52 - 29.49)	24.73	(20.60 - 29.37)	0.998
North Dakota	23.74	(21.67 - 25.94)	24.92	(23.05 - 26.88)	0.236
Badlands and West Central	24.82	(21.60 - 28.35)	25.89	(22.88 - 29.14)	0.519
Lake Region	--	(-- - --)	24.26	(20.42 - 28.55)	--
North Central	--	(-- - --)	25.42	(21.61 - 29.64)	--
Northeast	23.76	(20.44 - 27.43)	24.46	(21.09 - 28.19)	0.664
Northwest	--	(-- - --)	28.30	(23.96 - 33.09)	--
South Central	--	(-- - --)	25.11	(21.04 - 29.67)	--
Southeast	20.54[a]	(17.79 - 23.60)	23.38	(20.52 - 26.50)	0.040

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	26.55	(25.34 - 27.80)	26.21	(25.02 - 27.44)	0.615
Boards 2, 46, 55, and 68	27.73	(24.44 - 31.28)	26.96	(23.25 - 31.02)	0.677
Boards 3, 52, and 85	22.91	(19.68 - 26.50)	24.09	(20.65 - 27.91)	0.491
Boards 4 and 78	29.84	(25.69 - 34.35)	29.43	(25.33 - 33.89)	0.842
Boards 5 and 60	31.39	(27.52 - 35.55)	32.79	(28.59 - 37.28)	0.488
Boards 7, 15, 41, 79, and 84	26.24	(22.90 - 29.88)	29.27	(25.49 - 33.35)	0.116
Boards 8, 13, and 83	23.41	(20.51 - 26.58)	23.55	(20.48 - 26.93)	0.931
Board 9 (Butler)	26.59	(23.24 - 30.22)	24.66	(21.23 - 28.45)	0.259
Board 12	27.26	(23.76 - 31.06)	25.56	(21.70 - 29.84)	0.342
Boards 18 and 47	27.61[a]	(24.92 - 30.48)	23.80	(21.27 - 26.53)	0.013
Boards 20, 32, 54, and 69	24.85[b]	(21.27 - 28.80)	27.97	(24.26 - 32.01)	0.100
Boards 21, 39, 51, 70, and 80	25.72	(22.59 - 29.12)	24.64	(21.49 - 28.10)	0.531
Boards 22, 74, and 87	26.00	(22.66 - 29.64)	27.80	(23.88 - 32.08)	0.355
Boards 23 and 45	26.72	(23.36 - 30.37)	27.09	(23.38 - 31.15)	0.835
Board 25 (Franklin)	26.27	(23.44 - 29.32)	26.24	(23.49 - 29.18)	0.979
Boards 27, 71, and 73	31.85	(28.13 - 35.82)	34.46	(30.24 - 38.95)	0.224
Boards 28, 43, and 67	24.07	(21.11 - 27.30)	23.38	(20.14 - 26.97)	0.677
Board 31 (Hamilton)	25.13	(22.23 - 28.27)	24.78	(21.77 - 28.06)	0.834
Board 48 (Lucas)	26.47	(22.99 - 30.27)	28.76	(25.09 - 32.73)	0.207
Boards 50 and 76	26.15	(23.06 - 29.49)	25.74	(22.51 - 29.26)	0.807
Board 57 (Montgomery)	25.33	(22.07 - 28.90)	24.90	(21.45 - 28.71)	0.813
Board 77 (Summit)	26.66	(23.58 - 29.99)	24.94	(21.68 - 28.51)	0.311
Oklahoma	29.33	(27.01 - 31.76)	28.42	(26.34 - 30.59)	0.423
Central	27.70	(23.70 - 32.08)	25.12	(21.24 - 29.43)	0.195
East Central	29.32	(24.93 - 34.13)	29.20	(25.02 - 33.77)	0.955
Northeast	28.68	(24.98 - 32.70)	28.80	(24.91 - 33.04)	0.953
Northwest and Southwest	31.63	(27.34 - 36.25)	30.97	(26.46 - 35.86)	0.762
Oklahoma County	29.26	(25.57 - 33.25)	26.80	(23.34 - 30.57)	0.177
Southeast	33.58	(29.28 - 38.17)	31.12	(27.04 - 35.52)	0.265
Tulsa County	25.45	(21.77 - 29.53)	27.49	(23.70 - 31.64)	0.298
Oregon	21.43	(19.49 - 23.51)	20.21	(18.37 - 22.19)	0.202
Region 1 (Multnomah)	23.77[a]	(20.54 - 27.33)	19.65	(16.57 - 23.14)	0.014
Region 2	18.83	(15.88 - 22.17)	18.06	(15.26 - 21.24)	0.602
Region 3	21.04	(18.38 - 23.97)	21.30	(18.56 - 24.32)	0.852
Region 4	22.54	(18.98 - 26.54)	20.55	(17.11 - 24.47)	0.272
Region 5 (Central)	21.41	(17.84 - 25.48)	20.72	(17.08 - 24.89)	0.681
Region 6 (Eastern)	23.39	(19.14 - 28.26)	23.54	(19.56 - 28.05)	0.940

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	24.72[b]	(23.52 - 25.96)	23.54	(22.38 - 24.74)	0.073
Region 1 (Allegheny)	27.13	(24.21 - 30.26)	25.44	(22.52 - 28.59)	0.292
Regions 3, 8, 9, and 51	26.63	(23.36 - 30.18)	24.33	(21.07 - 27.91)	0.186
Regions 4, 11, 37, and 49	26.24	(23.09 - 29.66)	27.24	(23.89 - 30.87)	0.535
Regions 5, 18, 23, 24, and 46	27.03[a]	(23.81 - 30.51)	23.33	(20.53 - 26.39)	0.021
Regions 6, 12, 16, 31, 35, 45, and 47	24.75	(21.74 - 28.02)	25.62	(22.52 - 29.00)	0.586
Regions 7, 13, 20, and 33	19.48[b]	(17.45 - 21.69)	17.60	(15.70 - 19.68)	0.099
Regions 10, 15, 27, 32, 43, and 44	31.02	(27.47 - 34.81)	30.44	(26.68 - 34.47)	0.757
Regions 17 and 21	28.05	(24.36 - 32.06)	27.25	(23.64 - 31.19)	0.667
Regions 19, 26, 28, and 42	22.02	(19.56 - 24.69)	22.46	(19.92 - 25.22)	0.756
Regions 22, 38, 40, 41, and 48	27.24	(24.03 - 30.71)	24.79	(21.46 - 28.46)	0.179
Regions 29 and 34	24.31	(21.18 - 27.74)	22.89	(19.70 - 26.42)	0.376
Regions 30 and 50	25.16	(22.00 - 28.61)	26.51	(23.00 - 30.36)	0.454
Region 36 (Philadelphia)	26.52	(23.72 - 29.52)	24.39	(21.49 - 27.55)	0.156
Rhode Island	22.82[a]	(20.68 - 25.12)	20.18	(18.29 - 22.21)	0.021
Bristol and Newport	19.72[b]	(16.56 - 23.31)	16.75	(13.86 - 20.10)	0.057
Kent	23.37	(19.95 - 27.17)	21.82	(18.47 - 25.58)	0.378
Providence	23.91[a]	(21.19 - 26.86)	20.81	(18.35 - 23.50)	0.037
Washington	20.10	(16.93 - 23.68)	18.60	(15.64 - 21.99)	0.364
South Carolina	27.40[b]	(25.16 - 29.77)	25.34	(23.37 - 27.43)	0.073
Region 1	--	(-- - --)	26.43	(23.23 - 29.91)	--
Region 2	--	(-- - --)	25.05	(21.73 - 28.68)	--
Region 3	30.04[a]	(25.95 - 34.47)	25.75	(22.29 - 29.54)	0.031
Region 4	26.28	(23.01 - 29.83)	24.07	(21.04 - 27.39)	0.186
South Dakota	25.01	(22.95 - 27.19)	24.23	(22.37 - 26.20)	0.461
Region 1	27.40	(23.88 - 31.24)	26.18	(23.02 - 29.61)	0.481
Region 2	27.89	(23.50 - 32.74)	25.57	(21.60 - 29.99)	0.279
Region 3	22.90	(19.84 - 26.28)	23.14	(20.08 - 26.52)	0.882
Region 4	24.99	(21.34 - 29.02)	23.58	(20.04 - 27.53)	0.441
Region 5	23.76	(20.79 - 27.02)	23.34	(20.35 - 26.62)	0.784
Tennessee	26.53[a]	(24.35 - 28.83)	23.87	(21.91 - 25.94)	0.010
Region 1	27.89	(23.64 - 32.57)	25.35	(21.32 - 29.86)	0.223
Region 2	27.40[b]	(23.74 - 31.39)	24.31	(21.02 - 27.93)	0.072
Region 3	27.56	(23.82 - 31.64)	24.73	(21.16 - 28.67)	0.129
Region 4 (Davidson)	27.86[a]	(23.94 - 32.16)	23.63	(19.86 - 27.87)	0.024
Region 5	26.20	(22.83 - 29.88)	24.61	(21.45 - 28.07)	0.357
Region 6	28.11	(24.09 - 32.51)	25.60	(21.68 - 29.96)	0.192
Region 7 (Shelby)	22.10[b]	(18.68 - 25.94)	19.29	(16.09 - 22.95)	0.100

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	20.83	(19.70 - 22.02)	19.99	(18.97 - 21.05)	0.159
Region 1	25.66	(22.27 - 29.38)	23.80	(20.70 - 27.21)	0.277
Region 2	24.65	(21.10 - 28.58)	26.35	(22.69 - 30.37)	0.339
Region 3	19.71	(18.07 - 21.45)	18.63	(17.07 - 20.29)	0.209
Region 3a	18.43	(16.48 - 20.55)	17.85	(15.90 - 19.98)	0.589
Region 3bc	21.93	(19.48 - 24.60)	19.99	(17.62 - 22.59)	0.138
Region 4	26.91	(23.41 - 30.72)	25.01	(21.79 - 28.52)	0.279
Region 5	25.80	(22.33 - 29.61)	27.75	(23.74 - 32.15)	0.317
Region 6	19.90	(18.12 - 21.81)	18.71	(16.88 - 20.68)	0.246
Region 6a	19.60	(17.70 - 21.65)	18.33	(16.38 - 20.45)	0.249
Region 6bc	22.45	(19.19 - 26.08)	21.89	(18.42 - 25.81)	0.742
Region 7	21.69	(19.68 - 23.84)	20.23	(18.23 - 22.39)	0.185
Region 7a	21.06[b]	(18.52 - 23.83)	18.57	(16.13 - 21.29)	0.069
Region 7bcd	22.75	(19.99 - 25.76)	23.09	(20.07 - 26.42)	0.817
Region 8	18.48	(16.16 - 21.06)	18.73	(16.52 - 21.16)	0.849
Region 9	26.59	(22.74 - 30.82)	26.20	(22.35 - 30.46)	0.838
Region 10	19.71	(16.88 - 22.87)	19.26	(16.28 - 22.64)	0.778
Region 11	19.62	(17.40 - 22.04)	19.27	(17.03 - 21.73)	0.768
Region 11abd	20.58	(17.71 - 23.78)	19.65	(16.75 - 22.92)	0.554
Region 11c (Hidalgo)	17.92	(15.09 - 21.14)	18.61	(15.83 - 21.75)	0.641
Utah	14.96	(13.32 - 16.77)	16.09	(14.46 - 17.86)	0.187
Bear River, Northeastern, Summit, Tooele, and Wasatch	13.91[a]	(11.39 - 16.89)	17.52	(14.55 - 20.94)	0.012
Central, Four Corners, San Juan, and Southwest	16.34	(13.36 - 19.82)	18.73	(15.45 - 22.53)	0.120
Davis County	14.40	(11.74 - 17.54)	15.83	(12.93 - 19.22)	0.310
Salt Lake County	15.85	(13.60 - 18.40)	15.54	(13.40 - 17.95)	0.781
Utah County	12.39	(10.22 - 14.94)	13.48	(11.12 - 16.24)	0.331
Weber, Morgan	16.58	(13.49 - 20.21)	18.60	(15.32 - 22.39)	0.201
Vermont	21.89	(19.91 - 24.01)	21.10	(19.28 - 23.03)	0.430
Champlain Valley	21.84	(19.24 - 24.68)	21.77	(19.28 - 24.50)	0.964
Rural Northeast	22.48	(19.37 - 25.93)	21.11	(17.99 - 24.61)	0.413
Rural Southeast	22.23[b]	(19.03 - 25.79)	19.48	(16.39 - 22.99)	0.099
Rural Southwest	20.69	(17.55 - 24.23)	21.49	(18.32 - 25.03)	0.625
Virginia	20.59[b]	(18.71 - 22.60)	22.39	(20.54 - 24.34)	0.068
Region 1	20.81	(17.89 - 24.07)	23.08	(20.02 - 26.46)	0.172
Region 2	14.97	(12.59 - 17.70)	15.83	(13.39 - 18.60)	0.493
Region 3	26.35	(22.70 - 30.35)	29.47	(25.77 - 33.48)	0.107
Region 4	21.19	(17.87 - 24.93)	23.28	(19.73 - 27.26)	0.242
Region 5	22.46	(19.36 - 25.90)	24.07	(20.88 - 27.57)	0.326

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	21.50[a]	(19.58 - 23.55)	19.60	(17.92 - 21.40)	0.046
Region 1	23.08[b]	(20.28 - 26.14)	20.61	(18.01 - 23.48)	0.068
Greater Columbia and North Central	--	(-- - --)	18.37	(15.27 - 21.94)	--
Spokane	--	(-- - --)	23.87	(20.05 - 28.16)	--
Region 2	19.61	(17.40 - 22.03)	18.17	(16.11 - 20.43)	0.232
King	19.09[b]	(16.46 - 22.03)	16.64	(14.29 - 19.29)	0.075
North Sound	20.51	(17.56 - 23.82)	20.86	(17.68 - 24.45)	0.837
Region 3	23.11[b]	(20.45 - 25.99)	20.95	(18.71 - 23.39)	0.079
Peninsula	--	(-- - --)	18.77	(15.33 - 22.77)	--
Pierce	--	(-- - --)	21.55	(18.22 - 25.30)	--
SW WA and Timberlands	--	(-- - --)	21.51	(18.12 - 25.35)	--
Thurston-Mason	--	(-- - --)	20.70	(17.02 - 24.94)	--
West Virginia	30.23	(27.96 - 32.60)	30.21	(28.15 - 32.36)	0.987
Region I	28.32	(23.82 - 33.29)	27.29	(22.82 - 32.27)	0.646
Region II	29.13	(24.95 - 33.70)	27.94	(24.12 - 32.10)	0.562
Region III	29.56	(25.27 - 34.24)	28.43	(23.90 - 33.45)	0.624
Region IV	30.26	(26.76 - 34.00)	30.88	(27.43 - 34.57)	0.737
Region V	31.43	(28.10 - 34.96)	32.03	(28.62 - 35.65)	0.748
Region VI	30.36	(26.34 - 34.70)	30.51	(26.83 - 34.45)	0.940
Wisconsin	21.66	(19.58 - 23.89)	22.09	(20.18 - 24.13)	0.664
Milwaukee	23.27	(19.66 - 27.31)	24.11	(20.44 - 28.20)	0.645
Northeastern	24.04	(20.85 - 27.55)	22.87	(19.80 - 26.26)	0.461
Northern	22.72	(18.89 - 27.06)	22.37	(18.62 - 26.63)	0.852
Southeastern	19.28	(16.28 - 22.69)	19.91	(16.90 - 23.32)	0.690
Southern	20.07	(16.89 - 23.66)	20.91	(17.73 - 24.48)	0.616
Western	21.08	(17.82 - 24.75)	23.21	(19.85 - 26.95)	0.177

See notes at end of table.

(continued)

Table 14 *Cigarette Use in the Past Month* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	25.31	(23.22 - 27.52)	25.19	(23.15 - 27.34)	0.909
Judicial District 1 (Laramie)	25.40	(21.87 - 29.29)	26.32	(22.67 - 30.33)	0.606
Judicial District 2	22.39	(19.00 - 26.20)	23.44	(20.01 - 27.25)	0.540
Judicial District 3	24.42	(20.94 - 28.27)	25.74	(22.24 - 29.59)	0.465
Judicial District 4	22.86	(19.23 - 26.94)	20.77	(17.23 - 24.82)	0.249
Judicial District 5	22.34	(18.68 - 26.48)	21.09	(17.46 - 25.24)	0.488
Judicial District 6	28.11	(24.07 - 32.53)	28.24	(24.19 - 32.68)	0.946
Judicial District 7 (Natrona)	29.89	(25.94 - 34.16)	28.53	(24.47 - 32.97)	0.493
Judicial District 8	25.59	(21.66 - 29.97)	26.23	(22.25 - 30.64)	0.754
Judicial District 9	24.61	(20.81 - 28.85)	23.19	(19.43 - 27.43)	0.467

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	71.45	(71.07 - 71.83)	71.24	(70.89 - 71.58)	0.300
Northeast	74.12[b]	(73.40 - 74.83)	73.40	(72.73 - 74.07)	0.062
Midwest	67.59	(66.97 - 68.21)	67.77	(67.16 - 68.37)	0.603
South	70.85	(70.25 - 71.43)	70.69	(70.15 - 71.22)	0.638
West	73.91	(73.15 - 74.66)	73.61	(72.92 - 74.29)	0.457
Alabama	67.48	(65.01 - 69.86)	67.69	(65.37 - 69.92)	0.872
Region 1	64.41	(60.43 - 68.20)	64.80	(60.83 - 68.57)	0.849
Region 2	68.08	(64.48 - 71.48)	69.25	(65.69 - 72.59)	0.529
Region 3	69.86	(65.96 - 73.49)	69.19	(65.66 - 72.51)	0.736
Region 4	68.58	(64.50 - 72.39)	67.90	(63.95 - 71.61)	0.740
Alaska	65.54	(62.94 - 68.05)	66.57	(64.43 - 68.64)	0.431
Anchorage	68.49	(65.23 - 71.58)	69.54	(66.54 - 72.39)	0.529
Northern	59.74	(55.32 - 64.00)	61.87	(57.99 - 65.60)	0.313
South Central	64.83	(60.45 - 68.97)	65.07	(61.39 - 68.59)	0.909
Southeast	68.05	(63.31 - 72.45)	68.55	(64.17 - 72.61)	0.829
Arizona	71.03	(68.40 - 73.53)	71.16	(68.91 - 73.30)	0.924
Maricopa	71.77	(68.64 - 74.70)	72.51	(69.76 - 75.09)	0.644
Pima	70.90	(66.57 - 74.89)	70.12	(65.97 - 73.96)	0.721
Rural North	67.33	(62.41 - 71.90)	67.85	(63.20 - 72.18)	0.833
Rural South	71.09	(66.47 - 75.31)	69.20	(65.04 - 73.07)	0.414
Arkansas	68.42[a]	(65.95 - 70.78)	65.34	(63.16 - 67.46)	0.015
Catchment Area 1	71.69	(67.75 - 75.32)	68.73	(64.83 - 72.38)	0.133
Catchment Area 2	66.79[a]	(61.98 - 71.28)	61.31	(56.84 - 65.60)	0.025
Catchment Area 3	66.21	(61.89 - 70.27)	62.97	(58.76 - 66.99)	0.130
Catchment Area 4	67.52[b]	(62.77 - 71.93)	63.15	(58.69 - 67.39)	0.053
Catchment Area 5	67.25	(63.00 - 71.24)	66.09	(61.93 - 70.00)	0.593
Catchment Area 6	67.07	(62.41 - 71.41)	65.41	(60.98 - 69.60)	0.480
Catchment Area 7	67.56	(62.83 - 71.96)	64.93	(60.33 - 69.27)	0.252
Catchment Area 8	70.45	(66.56 - 74.07)	67.22	(63.00 - 71.19)	0.117

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	76.72	(75.52 - 77.88)	75.83	(74.76 - 76.87)	0.156
Region 1R	73.07	(69.30 - 76.53)	74.16	(70.40 - 77.60)	0.547
Region 2R	75.00	(71.36 - 78.33)	75.57	(72.17 - 78.68)	0.749
Region 3R (Sacramento)	74.31	(70.87 - 77.47)	73.26	(69.93 - 76.35)	0.509
Region 4R	76.03	(72.61 - 79.15)	77.33	(74.26 - 80.14)	0.425
Region 5R (San Francisco)	78.44	(74.83 - 81.65)	75.91	(71.88 - 79.52)	0.172
Region 6 (Santa Clara)	78.63	(75.46 - 81.50)	76.72	(73.42 - 79.72)	0.247
Region 7R (Contra Costa)	78.77	(75.65 - 81.60)	76.21	(72.77 - 79.34)	0.109
Region 8R (Alameda)	79.17	(76.04 - 81.99)	76.69	(73.61 - 79.51)	0.116
Region 9R (San Mateo)	79.56	(76.10 - 82.64)	76.96	(73.24 - 80.30)	0.136
Region 10	76.56	(73.38 - 79.47)	77.19	(74.11 - 80.00)	0.683
Region 11 (Los Angeles)	77.82	(76.24 - 79.32)	77.43	(76.00 - 78.80)	0.614
LA SPA 1 and 5	77.73	(74.35 - 80.78)	76.31	(72.85 - 79.45)	0.375
LA SPA 2	77.84	(74.79 - 80.61)	78.83	(75.97 - 81.43)	0.486
LA SPA 3	79.11	(76.28 - 81.69)	77.68	(74.61 - 80.47)	0.324
LA SPA 4	77.28	(73.87 - 80.36)	77.57	(74.16 - 80.64)	0.858
LA SPA 6	77.41	(74.25 - 80.28)	76.25	(73.09 - 79.14)	0.418
LA SPA 7	79.09	(76.05 - 81.83)	77.91	(74.99 - 80.57)	0.422
LA SPA 8	75.96	(72.50 - 79.10)	76.17	(72.99 - 79.08)	0.893
Region 12R	74.77	(71.05 - 78.16)	72.50	(68.69 - 76.01)	0.210
Regions 13 and 19R	75.51	(72.62 - 78.19)	74.48	(71.51 - 77.24)	0.480
Region 14 (Orange)	77.75	(75.03 - 80.26)	77.62	(74.84 - 80.17)	0.928
Region 15R (Fresno)	75.29	(71.81 - 78.47)	74.89	(71.42 - 78.07)	0.809
Region 16R (San Diego)	76.89[b]	(74.21 - 79.36)	74.40	(71.62 - 76.99)	0.071
Region 17R	72.31	(68.79 - 75.57)	70.89	(67.53 - 74.03)	0.426
Region 18R (San Bernardino)	74.81	(71.78 - 77.61)	73.53	(70.33 - 76.51)	0.412
Region 20R	73.72	(70.10 - 77.04)	73.71	(70.26 - 76.89)	0.994
Region 21R	77.47	(74.10 - 80.51)	76.96	(73.68 - 79.95)	0.741
Colorado	71.85	(69.40 - 74.17)	72.80	(70.64 - 74.85)	0.435
Region 1	71.19	(67.09 - 74.97)	70.70	(66.64 - 74.46)	0.814
Regions 2 and 7	72.44	(69.41 - 75.27)	74.09	(71.36 - 76.64)	0.262
Region 3	70.62	(66.68 - 74.27)	71.48	(67.74 - 74.94)	0.664
Region 4	69.15	(64.30 - 73.60)	70.09	(65.64 - 74.19)	0.692
Regions 5 and 6	72.62	(67.96 - 76.83)	71.80	(67.65 - 75.62)	0.712
Connecticut	74.90	(72.55 - 77.11)	74.95	(72.93 - 76.87)	0.962
Eastern	71.64	(67.38 - 75.54)	73.06	(69.30 - 76.52)	0.484
North Central	73.11	(69.43 - 76.51)	75.01	(71.84 - 77.94)	0.290
Northwestern	75.64	(71.68 - 79.20)	74.30	(70.59 - 77.69)	0.456
South Central	75.93	(72.36 - 79.17)	74.02	(70.57 - 77.20)	0.280
Southwest	77.73	(74.21 - 80.90)	77.81	(74.40 - 80.89)	0.963

See notes at end of table. (continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	74.57	(72.24 - 76.76)	72.73	(70.53 - 74.83)	0.144
Kent	73.09	(69.15 - 76.69)	70.38	(66.27 - 74.18)	0.186
New Castle (excluding Wilmington City)	75.42	(72.57 - 78.06)	74.16	(71.40 - 76.73)	0.399
Sussex	74.01	(70.11 - 77.55)	71.44	(67.52 - 75.07)	0.206
Wilmington City	73.98	(69.92 - 77.67)	72.50	(68.11 - 76.49)	0.454
District of Columbia	76.10	(73.97 - 78.11)	75.69	(73.68 - 77.60)	0.712
Ward 1	76.47	(72.73 - 79.84)	75.78	(72.06 - 79.15)	0.709
Ward 2	76.51	(72.91 - 79.75)	75.87	(71.73 - 79.58)	0.734
Ward 3	77.26	(73.72 - 80.44)	78.13	(74.50 - 81.38)	0.615
Ward 4	78.28	(74.58 - 81.58)	77.43	(73.66 - 80.80)	0.659
Ward 5	75.88	(72.15 - 79.25)	76.12	(72.65 - 79.28)	0.885
Ward 6	77.15	(73.20 - 80.68)	76.55	(72.83 - 79.89)	0.743
Ward 7	73.45	(69.45 - 77.09)	73.04	(68.97 - 76.76)	0.842
Ward 8	73.12	(69.31 - 76.61)	71.95	(68.20 - 75.41)	0.547
Florida[1]	75.94	(74.69 - 77.15)	75.04	(73.83 - 76.20)	0.193
Broward (Circuit 17)	78.73	(76.04 - 81.20)	77.67	(74.74 - 80.34)	0.464
Central I	--	(-- - --)	73.58	(71.24 - 75.80)	--
Circuit 9	75.69	(72.80 - 78.36)	74.40	(71.60 - 77.01)	0.396
Circuit 18	74.68	(71.21 - 77.86)	72.40	(68.81 - 75.73)	0.170
Central II	--	(-- - --)	75.31	(73.52 - 77.02)	--
Circuit 6	73.26	(69.58 - 76.64)	74.65	(71.25 - 77.78)	0.445
Circuit 10	73.87[b]	(70.41 - 77.05)	70.50	(66.50 - 74.21)	0.081
Circuit 12	75.94	(72.21 - 79.32)	75.35	(71.92 - 78.49)	0.746
Circuit 13 (Hillsborough)	76.97	(73.93 - 79.76)	76.97	(73.87 - 79.80)	0.998
Circuit 20	76.92	(73.66 - 79.88)	77.24	(73.85 - 80.31)	0.848
Northeast	--	(-- - --)	72.09	(70.07 - 74.02)	--
Circuit 4	74.42	(71.24 - 77.35)	74.14	(70.86 - 77.17)	0.863
Circuit 5	72.67	(68.77 - 76.25)	71.43	(67.60 - 74.98)	0.534
Circuit 7	74.88[b]	(71.39 - 78.08)	71.31	(67.62 - 74.74)	0.055
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	70.39	(66.56 - 73.95)	--
Northwest	--	(-- - --)	70.48	(67.73 - 73.08)	--
Circuit 1	70.22	(66.56 - 73.65)	68.86	(64.54 - 72.87)	0.497
Circuit 2 plus Madison and Taylor	--	(-- - --)	72.86	(68.94 - 76.46)	--
Circuit 14	69.82	(65.51 - 73.80)	70.75	(66.47 - 74.70)	0.664
South (Circuits 11 and 16)	80.40	(78.10 - 82.52)	79.09	(76.75 - 81.26)	0.294
Southeast	--	(-- - --)	76.95	(74.44 - 79.29)	--
Circuit 15 (Palm Beach)	78.60	(75.46 - 81.43)	78.25	(75.17 - 81.04)	0.833
Circuit 19	74.71	(70.87 - 78.21)	74.10	(70.30 - 77.58)	0.750

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	70.37[a]	(67.96 - 72.68)	72.94	(70.82 - 74.96)	0.034
Region 1	69.09[b]	(65.18 - 72.75)	72.78	(69.31 - 76.00)	0.055
Region 2	67.78	(63.72 - 71.60)	69.53	(65.67 - 73.14)	0.390
Region 3	75.20	(71.92 - 78.21)	77.34	(74.31 - 80.11)	0.182
Region 4	67.61	(63.07 - 71.84)	68.72	(64.28 - 72.85)	0.615
Region 5	67.25[b]	(62.59 - 71.60)	70.90	(66.69 - 74.79)	0.087
Region 6	68.74	(64.48 - 72.70)	70.47	(66.41 - 74.23)	0.400
Hawaii	71.36	(68.82 - 73.77)	72.92	(70.65 - 75.08)	0.235
Hawaii Island	73.17	(68.82 - 77.12)	72.88	(68.77 - 76.63)	0.893
Honolulu	70.89	(68.05 - 73.57)	73.00	(70.33 - 75.51)	0.164
Kauai	73.15	(68.26 - 77.53)	72.12	(67.62 - 76.21)	0.651
Maui	71.30	(66.62 - 75.57)	72.86	(68.82 - 76.56)	0.454
Idaho	67.73	(65.24 - 70.11)	68.87	(66.74 - 70.92)	0.351
Region 1	69.35	(64.73 - 73.61)	69.72	(65.62 - 73.52)	0.872
Region 2	65.94	(61.28 - 70.31)	67.76	(63.02 - 72.16)	0.432
Region 3	66.88	(62.78 - 70.75)	67.29	(63.32 - 71.03)	0.847
Region 4	68.66	(64.89 - 72.21)	69.52	(66.17 - 72.68)	0.626
Region 5	67.28	(62.87 - 71.39)	68.29	(64.13 - 72.18)	0.641
Region 6	--	(-- - --)	67.09	(62.68 - 71.22)	--
Region 7	--	(-- - --)	70.30	(66.65 - 73.72)	--
Illinois	70.60	(69.26 - 71.90)	70.20	(68.91 - 71.46)	0.590
Region I (Cook)	74.33	(72.36 - 76.20)	73.88	(71.88 - 75.79)	0.691
Region II	71.02	(68.99 - 72.98)	70.89	(68.81 - 72.88)	0.907
Region III	63.73	(60.68 - 66.67)	63.64	(60.52 - 66.65)	0.954
Region IV	65.43	(61.71 - 68.97)	64.43	(60.94 - 67.76)	0.596
Region V	65.38	(62.06 - 68.55)	64.22	(60.73 - 67.56)	0.506
Indiana	66.67	(64.15 - 69.09)	67.99	(65.86 - 70.05)	0.285
Central	68.96	(64.94 - 72.70)	71.35	(67.81 - 74.65)	0.216
East	64.44	(59.63 - 68.97)	64.15	(59.65 - 68.40)	0.899
North Central	66.31	(61.87 - 70.49)	67.23	(63.34 - 70.90)	0.663
Northeast	66.59	(62.09 - 70.82)	67.73	(63.30 - 71.87)	0.606
Northwest	66.68	(62.06 - 70.99)	69.51	(65.45 - 73.29)	0.187
Southeast	63.69	(58.89 - 68.24)	65.46	(60.83 - 69.81)	0.457
Southwest	66.74	(61.91 - 71.24)	67.12	(62.81 - 71.16)	0.864
West	66.38	(61.93 - 70.56)	65.71	(61.46 - 69.72)	0.746
Iowa	67.10	(64.67 - 69.45)	67.15	(64.82 - 69.40)	0.969
Central	69.38	(65.39 - 73.10)	70.05	(66.23 - 73.61)	0.728
North Central	65.05	(60.33 - 69.50)	66.53	(62.08 - 70.69)	0.512
Northeast	68.23	(64.32 - 71.91)	66.49	(62.73 - 70.04)	0.376
Northwest	65.26	(60.82 - 69.46)	64.72	(60.13 - 69.06)	0.813
Southeast	67.34	(63.50 - 70.95)	67.79	(63.84 - 71.50)	0.809
Southwest	64.93	(60.05 - 69.52)	66.59	(62.33 - 70.60)	0.475

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	65.53[a]	(62.89 - 68.07)	68.32	(66.15 - 70.41)	0.031
Kansas City Metro	68.94	(65.39 - 72.27)	71.21	(68.01 - 74.20)	0.193
Northeast	63.96	(59.61 - 68.09)	66.89	(63.04 - 70.53)	0.162
South Central	64.74	(59.88 - 69.31)	66.54	(62.51 - 70.35)	0.435
Southeast	61.30	(56.02 - 66.33)	64.57	(59.57 - 69.27)	0.195
West	60.18[a]	(55.16 - 65.01)	65.16	(60.55 - 69.50)	0.034
Wichita (Sedgwick)	66.29	(62.09 - 70.24)	68.99	(65.10 - 72.63)	0.171
Kentucky	62.37	(59.72 - 64.96)	62.48	(60.19 - 64.71)	0.937
Adanta, Cumberland River, and Lifeskills	60.49	(55.99 - 64.83)	58.40	(53.93 - 62.74)	0.348
Bluegrass, Comprehend, and North Key	62.27	(58.34 - 66.06)	62.57	(58.94 - 66.07)	0.884
Communicare and River Valley	60.25	(55.45 - 64.86)	60.45	(55.90 - 64.83)	0.931
Four Rivers and Pennyroyal	62.06	(57.33 - 66.58)	61.77	(57.02 - 66.30)	0.906
Kentucky River, Mountain, and Pathways	59.04	(54.03 - 63.87)	59.67	(54.91 - 64.25)	0.797
Seven Counties	66.84	(62.80 - 70.66)	68.19	(64.29 - 71.85)	0.520
Louisiana	71.55	(69.34 - 73.66)	70.39	(68.30 - 72.41)	0.303
Regions 1 and 10	74.59	(71.48 - 77.46)	73.42	(70.27 - 76.34)	0.437
Region 1	74.86	(71.05 - 78.32)	73.36	(69.17 - 77.18)	0.429
Region 10 (Jefferson)	74.32	(70.12 - 78.11)	73.47	(69.52 - 77.08)	0.671
Regions 2 and 9	73.59	(70.24 - 76.68)	71.80	(68.50 - 74.87)	0.287
Region 3	69.54	(65.18 - 73.57)	68.91	(64.60 - 72.91)	0.768
Regions 4, 5, and 6	67.70	(64.01 - 71.17)	66.68	(62.93 - 70.23)	0.602
Regions 7 and 8	71.83	(68.34 - 75.08)	71.05	(67.46 - 74.40)	0.666
Maine	69.08	(66.73 - 71.34)	68.40	(66.12 - 70.59)	0.583
Aroostook/Downeast	66.80	(62.88 - 70.50)	64.94	(60.96 - 68.72)	0.357
Aroostook	63.79	(58.24 - 68.99)	61.39	(56.19 - 66.34)	0.389
Downeast	69.26	(64.49 - 73.65)	67.82	(62.79 - 72.47)	0.553
Central	66.85	(62.57 - 70.87)	67.07	(62.93 - 70.97)	0.921
Cumberland	73.38	(69.66 - 76.79)	72.42	(68.65 - 75.89)	0.621
Midcoast	69.99	(65.05 - 74.50)	69.57	(65.17 - 73.65)	0.864
Penquis	65.22	(61.03 - 69.18)	65.40	(61.03 - 69.54)	0.933
Western	66.73	(62.51 - 70.70)	65.52	(61.10 - 69.70)	0.594
York	71.73	(67.44 - 75.65)	71.06	(66.97 - 74.82)	0.750

See notes at end of table. (continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	74.64	(72.45 - 76.71)	73.46	(71.38 - 75.45)	0.308
Anne Arundel	76.02	(71.93 - 79.68)	73.77	(69.74 - 77.44)	0.253
Baltimore City	71.83	(67.86 - 75.49)	71.73	(67.80 - 75.35)	0.957
Baltimore County	75.62	(72.02 - 78.89)	73.00	(69.08 - 76.60)	0.166
Montgomery	76.84	(73.26 - 80.07)	74.78	(70.89 - 78.31)	0.266
North Central	76.18	(72.30 - 79.66)	74.31	(70.23 - 78.01)	0.346
Northeast	71.29	(66.78 - 75.42)	72.72	(68.47 - 76.59)	0.502
Prince George's	76.50	(72.86 - 79.78)	75.75	(72.08 - 79.08)	0.680
South	73.16	(68.91 - 77.02)	72.68	(68.75 - 76.29)	0.818
West	71.03	(66.70 - 75.02)	70.24	(66.00 - 74.15)	0.708
Massachusetts	75.43[a]	(73.28 - 77.46)	72.85	(70.79 - 74.81)	0.018
Boston	76.34	(72.77 - 79.57)	74.51	(70.66 - 78.02)	0.296
Central	74.75[a]	(70.74 - 78.37)	70.23	(66.00 - 74.14)	0.022
Metrowest	77.21	(73.73 - 80.35)	74.63	(71.24 - 77.74)	0.125
Northeast	76.00[b]	(72.53 - 79.15)	72.79	(69.14 - 76.15)	0.072
Southeast	74.94	(71.27 - 78.28)	72.72	(68.98 - 76.17)	0.258
Western	71.89	(68.06 - 75.43)	70.89	(66.94 - 74.55)	0.614
Michigan[1]	67.93	(66.67 - 69.17)	67.25	(66.00 - 68.47)	0.369
Region 1	64.70	(60.50 - 68.69)	66.08	(61.95 - 69.98)	0.535
Region 2	--	(-- - --)	67.85	(63.87 - 71.58)	--
Region 3	--	(-- - --)	67.60	(64.83 - 70.25)	--
Region 4	--	(-- - --)	63.79	(60.30 - 67.13)	--
Region 5	--	(-- - --)	64.76	(62.06 - 67.38)	--
Region 6	--	(-- - --)	69.21	(66.01 - 72.23)	--
Region 7	--	(-- - --)	68.72	(65.91 - 71.40)	--
Region 8	72.54	(69.70 - 75.20)	71.49	(68.65 - 74.18)	0.486
Region 9	69.21	(65.95 - 72.28)	67.67	(64.45 - 70.73)	0.386
Region 10	--	(-- - --)	62.91	(59.41 - 66.28)	--
Minnesota	68.89	(66.58 - 71.10)	69.63	(67.46 - 71.72)	0.531
Regions 1 and 2	65.46	(60.54 - 70.06)	66.44	(61.87 - 70.72)	0.672
Regions 3 and 4	67.54	(63.36 - 71.46)	67.55	(63.41 - 71.43)	0.996
Regions 5 and 6	66.25	(62.19 - 70.08)	67.05	(63.07 - 70.81)	0.688
Region 7A (Hennepin)	71.96	(68.28 - 75.37)	73.19	(69.59 - 76.52)	0.509
Region 7B (Ramsey)	70.10	(65.87 - 74.01)	69.48	(65.03 - 73.59)	0.773
Region 7C	70.15	(66.55 - 73.51)	71.35	(68.00 - 74.48)	0.514
Mississippi	67.52	(65.20 - 69.77)	66.14	(63.93 - 68.27)	0.240
Region 1	65.61	(61.79 - 69.23)	64.47	(60.68 - 68.08)	0.556
Region 2	68.60	(64.47 - 72.46)	66.95	(63.02 - 70.66)	0.404
Region 3	66.72	(62.48 - 70.71)	64.65	(60.48 - 68.61)	0.327
Region 4	69.77	(65.93 - 73.34)	68.10	(63.85 - 72.06)	0.406
Region 5	67.13	(62.21 - 71.70)	65.85	(61.09 - 70.31)	0.587
Region 6	66.46	(62.08 - 70.57)	67.43	(63.34 - 71.27)	0.646
Region 7	68.39	(64.15 - 72.34)	66.19	(61.95 - 70.19)	0.299

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	65.27	(62.92 - 67.56)	64.88	(62.43 - 67.26)	0.766
Central	62.26	(57.99 - 66.35)	62.48	(58.13 - 66.64)	0.923
Eastern	69.57	(66.55 - 72.43)	68.06	(64.92 - 71.04)	0.348
Eastern (St. Louis City and County)	69.66	(66.02 - 73.06)	69.30	(65.41 - 72.94)	0.858
Eastern (excluding St. Louis)	69.43	(65.12 - 73.42)	65.92	(61.63 - 69.96)	0.103
Northwest	64.27	(60.69 - 67.70)	65.83	(62.33 - 69.17)	0.404
Northwest (Jackson)	66.95	(62.58 - 71.04)	67.61	(63.13 - 71.79)	0.771
Northwest (excluding Jackson)	62.00	(57.14 - 66.64)	64.34	(59.69 - 68.72)	0.341
Southeast	61.89	(57.12 - 66.44)	60.66	(55.94 - 65.20)	0.609
Southwest	62.44	(58.05 - 66.63)	61.63	(57.12 - 65.95)	0.727
Montana	66.65[b]	(64.35 - 68.89)	68.77	(66.51 - 70.94)	0.079
Region 1	61.49[b]	(56.50 - 66.24)	65.52	(60.55 - 70.17)	0.100
Region 2	65.02	(60.64 - 69.17)	65.12	(60.94 - 69.09)	0.963
Region 3	66.85	(62.88 - 70.59)	69.29	(65.61 - 72.75)	0.202
Region 4	67.13[a]	(63.32 - 70.72)	71.48	(67.96 - 74.75)	0.021
Region 5	68.19	(64.75 - 71.44)	68.58	(64.90 - 72.04)	0.835
Nebraska	67.85	(65.40 - 70.21)	66.39	(64.10 - 68.61)	0.274
Regions 1 and 2	66.00	(61.81 - 69.96)	64.83	(60.65 - 68.79)	0.574
Region 1	66.63	(61.29 - 71.58)	65.17	(60.11 - 69.92)	0.557
Region 2	65.45	(60.26 - 70.31)	64.52	(59.03 - 69.65)	0.721
Region 3	66.67	(62.24 - 70.81)	64.92	(60.60 - 69.02)	0.432
Region 4	65.76	(60.95 - 70.27)	63.41	(58.57 - 67.99)	0.333
Region 5	68.52	(64.75 - 72.05)	65.98	(62.20 - 69.56)	0.211
Region 6	68.83	(65.42 - 72.05)	68.25	(64.93 - 71.40)	0.744
Nevada	69.95	(67.21 - 72.56)	69.63	(67.33 - 71.84)	0.815
Clark – Region 1	70.28	(67.23 - 73.17)	69.21	(66.49 - 71.81)	0.490
Region 3	66.96	(62.59 - 71.06)	68.25	(64.47 - 71.79)	0.534
Capital District	70.82	(65.57 - 75.57)	70.76	(65.93 - 75.16)	0.981
Rural/Frontier	63.48	(57.97 - 68.65)	65.97	(61.10 - 70.52)	0.333
Washoe – Region 2	70.77	(66.54 - 74.67)	72.66	(68.87 - 76.15)	0.333
New Hampshire	71.09	(68.76 - 73.32)	72.33	(70.37 - 74.21)	0.280
Central	71.10	(67.91 - 74.09)	71.73	(68.90 - 74.39)	0.686
Central 1	71.27	(67.29 - 74.95)	73.01	(69.29 - 76.44)	0.367
Central 2	70.93	(66.76 - 74.77)	70.47	(66.60 - 74.07)	0.822
Northern	69.18	(64.75 - 73.28)	71.80	(67.85 - 75.43)	0.210
Southern	71.52	(68.83 - 74.07)	72.75	(70.34 - 75.03)	0.357
Southern 1 (Rockingham)	72.10	(68.21 - 75.68)	72.89	(69.37 - 76.14)	0.681
Southern 2	71.16	(67.87 - 74.23)	72.66	(69.62 - 75.51)	0.357

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	76.87	(74.71 - 78.90)	76.07	(74.12 - 77.92)	0.473
Central	75.76	(72.16 - 79.02)	74.63	(71.34 - 77.66)	0.529
Metropolitan	78.34	(75.15 - 81.22)	76.88	(73.81 - 79.68)	0.369
Northern	77.78	(74.57 - 80.69)	77.02	(74.08 - 79.71)	0.629
Southern	75.04	(71.44 - 78.33)	75.29	(71.88 - 78.40)	0.892
New Mexico	73.20	(70.72 - 75.55)	71.64	(69.48 - 73.69)	0.203
Region 1	69.22	(65.17 - 73.01)	67.68	(63.79 - 71.35)	0.453
Region 2	77.21	(73.21 - 80.78)	76.07	(72.20 - 79.54)	0.556
Region 3 (Bernalillo)	75.18	(71.68 - 78.37)	73.54	(70.27 - 76.57)	0.360
Region 4	70.13	(65.97 - 73.98)	68.74	(64.84 - 72.39)	0.495
Region 5	73.11	(69.37 - 76.54)	71.25	(67.60 - 74.64)	0.328
New York	76.98[a]	(75.73 - 78.18)	75.46	(74.25 - 76.63)	0.025
Region A	78.60	(76.88 - 80.23)	77.28	(75.63 - 78.86)	0.158
Region 1	77.91	(75.08 - 80.49)	77.11	(74.21 - 79.78)	0.594
Region 2	77.87	(75.17 - 80.35)	76.68	(74.09 - 79.08)	0.406
Region 3	79.24	(76.30 - 81.91)	78.63	(75.70 - 81.28)	0.678
Region 4	79.51[b]	(76.77 - 82.01)	77.18	(74.20 - 79.90)	0.089
Region B	79.85[a]	(78.06 - 81.52)	77.64	(75.74 - 79.43)	0.023
Region 5	80.78[b]	(78.43 - 82.93)	78.34	(75.86 - 80.63)	0.058
Region 6	79.96	(76.98 - 82.64)	78.42	(75.34 - 81.20)	0.290
Region 7	76.56	(73.17 - 79.64)	74.06	(70.47 - 77.35)	0.140
Region C	73.74[b]	(71.92 - 75.49)	72.18	(70.42 - 73.87)	0.097
Region 8	74.68	(71.51 - 77.62)	73.79	(70.54 - 76.81)	0.585
Region 9	72.16	(68.66 - 75.40)	70.07	(66.80 - 73.15)	0.219
Region 10	70.79	(66.78 - 74.50)	69.46	(65.34 - 73.28)	0.491
Region 11	75.15[b]	(71.97 - 78.07)	72.39	(69.21 - 75.35)	0.077
Region 12	74.11	(70.86 - 77.12)	73.38	(70.13 - 76.40)	0.664
Region D	68.86	(66.21 - 71.39)	68.31	(65.88 - 70.64)	0.681
Region 13	70.55	(66.62 - 74.20)	70.55	(66.74 - 74.10)	1.000
Region 14	69.62	(65.32 - 73.62)	67.02	(62.88 - 70.90)	0.207
Region 15	66.60	(62.60 - 70.37)	67.61	(63.87 - 71.13)	0.613

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	67.85	(65.26 - 70.34)	69.44	(67.32 - 71.47)	0.193
Alliance Behavioral Healthcare 1	--	(-- - --)	70.19	(66.31 - 73.80)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	72.72	(68.86 - 76.27)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	69.05	(64.34 - 73.40)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	68.62	(64.32 - 72.62)	--
Cardinal Innovations Healthcare Solutions 3	71.50	(67.02 - 75.60)	72.75	(68.77 - 76.40)	0.530
CenterPoint Human Services	65.86	(60.64 - 70.71)	68.08	(63.64 - 72.21)	0.364
Eastpointe	65.53	(60.63 - 70.12)	66.62	(62.02 - 70.92)	0.654
Partners Behavioral Health Management	63.82	(59.19 - 68.21)	66.67	(62.30 - 70.78)	0.211
Sandhills Center 1	65.73	(60.72 - 70.41)	68.82	(64.23 - 73.07)	0.188
Sandhills Center 2	70.32	(65.82 - 74.45)	70.42	(65.98 - 74.51)	0.960
Smoky Mountain Center 1	64.21	(58.51 - 69.52)	67.90	(63.03 - 72.41)	0.150
Smoky Mountain Center 2	68.83	(63.92 - 73.34)	71.45	(66.83 - 75.67)	0.266
Trillium Health Resources 1	67.58	(62.30 - 72.44)	67.91	(63.08 - 72.39)	0.887
Trillium Health Resources 2	68.62	(63.78 - 73.09)	69.66	(65.19 - 73.79)	0.637
North Dakota	67.90[b]	(65.53 - 70.18)	65.79	(63.60 - 67.92)	0.073
Badlands and West Central	68.81	(64.87 - 72.50)	65.94	(62.27 - 69.44)	0.147
Lake Region	--	(-- - --)	63.28	(58.45 - 67.84)	--
North Central	--	(-- - --)	63.85	(59.60 - 67.90)	--
Northeast	68.35	(64.29 - 72.15)	66.14	(62.10 - 69.96)	0.293
Northwest	--	(-- - --)	64.24	(59.16 - 69.01)	--
South Central	--	(-- - --)	64.30	(59.54 - 68.80)	--
Southeast	69.95	(66.67 - 73.03)	67.69	(64.25 - 70.95)	0.199

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	65.33	(64.02 - 66.62)	65.83	(64.56 - 67.08)	0.516
Boards 2, 46, 55, and 68	61.74[a]	(57.48 - 65.83)	66.32	(62.12 - 70.27)	0.040
Boards 3, 52, and 85	66.88	(62.83 - 70.69)	67.85	(63.89 - 71.57)	0.637
Boards 4 and 78	61.66	(57.16 - 65.97)	62.10	(57.54 - 66.46)	0.853
Boards 5 and 60	62.20	(57.79 - 66.41)	60.24	(55.88 - 64.45)	0.407
Boards 7, 15, 41, 79, and 84	61.27	(57.08 - 65.30)	62.66	(58.49 - 66.64)	0.532
Boards 8, 13, and 83	65.22	(61.38 - 68.87)	66.22	(62.17 - 70.05)	0.636
Board 9 (Butler)	65.90	(61.93 - 69.67)	64.39	(60.05 - 68.51)	0.474
Board 12	65.59	(61.32 - 69.62)	65.22	(60.81 - 69.39)	0.867
Boards 18 and 47	68.02	(65.14 - 70.77)	70.04	(67.17 - 72.77)	0.188
Boards 20, 32, 54, and 69	61.54	(57.14 - 65.76)	60.28	(55.90 - 64.50)	0.581
Boards 21, 39, 51, 70, and 80	64.92	(61.04 - 68.61)	64.75	(61.05 - 68.27)	0.932
Boards 22, 74, and 87	62.89	(58.81 - 66.78)	62.38	(57.94 - 66.63)	0.822
Boards 23 and 45	65.54	(61.68 - 69.21)	66.70	(62.73 - 70.45)	0.559
Board 25 (Franklin)	69.08	(66.02 - 71.98)	68.11	(64.99 - 71.08)	0.563
Boards 27, 71, and 73	62.32	(58.14 - 66.32)	61.78	(57.70 - 65.69)	0.805
Boards 28, 43, and 67	65.16	(61.43 - 68.71)	65.88	(61.73 - 69.81)	0.723
Board 31 (Hamilton)	66.76	(63.24 - 70.10)	67.27	(63.79 - 70.57)	0.781
Board 48 (Lucas)	65.10	(60.99 - 69.00)	65.11	(61.07 - 68.95)	0.996
Boards 50 and 76	63.60	(59.73 - 67.29)	65.44	(61.72 - 68.98)	0.348
Board 57 (Montgomery)	64.73	(60.73 - 68.54)	64.93	(60.97 - 68.70)	0.925
Board 77 (Summit)	66.90	(63.34 - 70.28)	66.11	(62.03 - 69.95)	0.684
Oklahoma	66.50	(64.00 - 68.92)	66.12	(63.79 - 68.38)	0.766
Central	66.96	(62.60 - 71.05)	67.35	(63.08 - 71.34)	0.854
East Central	64.30	(59.39 - 68.92)	63.16	(58.65 - 67.44)	0.638
Northeast	64.49	(60.19 - 68.58)	65.54	(61.21 - 69.62)	0.635
Northwest and Southwest	64.86	(60.51 - 68.98)	63.72	(59.15 - 68.06)	0.623
Oklahoma County	70.02	(66.17 - 73.60)	68.68	(64.66 - 72.43)	0.510
Southeast	64.29	(59.50 - 68.80)	65.10	(60.78 - 69.18)	0.736
Tulsa County	68.59	(64.40 - 72.50)	67.72	(63.56 - 71.62)	0.678
Oregon	70.51	(68.18 - 72.74)	71.31	(69.18 - 73.36)	0.513
Region 1 (Multnomah)	72.65	(68.91 - 76.10)	72.53	(68.83 - 75.94)	0.951
Region 2	72.01	(68.30 - 75.44)	73.24	(69.71 - 76.49)	0.509
Region 3	69.42	(66.03 - 72.62)	70.64	(67.33 - 73.75)	0.511
Region 4	69.69	(65.38 - 73.69)	69.51	(65.35 - 73.38)	0.934
Region 5 (Central)	69.79	(64.92 - 74.25)	71.17	(66.46 - 75.45)	0.563
Region 6 (Eastern)	66.15	(60.88 - 71.04)	67.77	(63.06 - 72.16)	0.511

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	68.05	(66.71 - 69.36)	69.04	(67.79 - 70.26)	0.173
Region 1 (Allegheny)	67.34	(64.00 - 70.51)	68.44	(65.16 - 71.54)	0.530
Regions 3, 8, 9, and 51	62.86	(58.72 - 66.81)	65.08	(61.18 - 68.79)	0.290
Regions 4, 11, 37, and 49	67.85	(64.24 - 71.27)	66.72	(63.15 - 70.11)	0.536
Regions 5, 18, 23, 24, and 46	66.32	(62.28 - 70.13)	66.51	(62.96 - 69.89)	0.925
Regions 6, 12, 16, 31, 35, 45, and 47	62.89	(59.13 - 66.50)	65.89	(62.31 - 69.30)	0.118
Regions 7, 13, 20, and 33	73.61	(71.01 - 76.05)	73.41	(70.93 - 75.75)	0.886
Regions 10, 15, 27, 32, 43, and 44	61.76	(57.84 - 65.53)	63.27	(59.19 - 67.17)	0.471
Regions 17 and 21	66.26	(61.99 - 70.27)	67.25	(63.05 - 71.20)	0.631
Regions 19, 26, 28, and 42	67.59	(64.45 - 70.59)	68.42	(65.43 - 71.26)	0.631
Regions 22, 38, 40, 41, and 48	62.08[a]	(58.34 - 65.68)	65.99	(62.15 - 69.63)	0.050
Regions 29 and 34	70.85	(67.18 - 74.27)	70.86	(67.11 - 74.35)	0.996
Regions 30 and 50	68.46	(64.65 - 72.03)	68.24	(64.57 - 71.69)	0.914
Region 36 (Philadelphia)	70.44	(67.51 - 73.21)	72.58	(69.53 - 75.43)	0.190
Rhode Island	73.40	(70.88 - 75.78)	72.97	(70.75 - 75.08)	0.719
Bristol and Newport	75.77	(71.55 - 79.54)	75.77	(71.82 - 79.34)	0.997
Kent	72.70	(68.48 - 76.55)	74.77	(71.12 - 78.11)	0.294
Providence	72.88	(69.79 - 75.75)	71.53	(68.57 - 74.31)	0.379
Washington	74.39	(70.27 - 78.12)	74.72	(71.03 - 78.08)	0.865
South Carolina	69.87[b]	(67.59 - 72.05)	67.63	(65.43 - 69.76)	0.073
Region 1	--	(-- - --)	66.14	(62.61 - 69.51)	--
Region 2	--	(-- - --)	68.55	(64.71 - 72.15)	--
Region 3	68.79	(64.67 - 72.63)	67.18	(63.20 - 70.93)	0.427
Region 4	71.27	(67.81 - 74.49)	68.83	(65.21 - 72.24)	0.208
South Dakota	65.26	(62.76 - 67.69)	65.03	(62.75 - 67.25)	0.858
Region 1	65.08	(60.78 - 69.14)	64.74	(60.94 - 68.36)	0.879
Region 2	63.33	(58.27 - 68.12)	64.36	(59.46 - 68.98)	0.678
Region 3	65.10	(61.17 - 68.83)	64.81	(61.03 - 68.42)	0.883
Region 4	65.02	(60.73 - 69.07)	64.24	(59.57 - 68.64)	0.731
Region 5	66.33	(62.73 - 69.75)	66.08	(62.57 - 69.42)	0.892
Tennessee	65.98	(63.57 - 68.31)	67.38	(65.16 - 69.53)	0.268
Region 1	64.79	(60.03 - 69.28)	65.12	(60.22 - 69.73)	0.895
Region 2	63.93	(59.79 - 67.86)	65.52	(61.49 - 69.35)	0.473
Region 3	62.01[b]	(57.37 - 66.44)	65.97	(61.89 - 69.82)	0.079
Region 4 (Davidson)	69.79	(65.51 - 73.76)	70.60	(66.53 - 74.37)	0.704
Region 5	66.92	(63.10 - 70.52)	68.98	(65.24 - 72.49)	0.297
Region 6	64.26	(59.57 - 68.69)	65.09	(60.51 - 69.41)	0.734
Region 7 (Shelby)	70.48	(66.45 - 74.22)	69.23	(65.15 - 73.03)	0.530

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	71.68	(70.42 - 72.90)	71.52	(70.40 - 72.62)	0.816
Region 1	68.97	(65.08 - 72.61)	67.13	(63.27 - 70.77)	0.329
Region 2	66.99	(62.78 - 70.94)	66.91	(62.84 - 70.73)	0.968
Region 3	72.48	(70.48 - 74.39)	71.60	(69.77 - 73.36)	0.401
Region 3a	73.32	(70.87 - 75.63)	72.71	(70.40 - 74.90)	0.641
Region 3bc	71.02	(68.07 - 73.80)	69.65	(66.82 - 72.34)	0.367
Region 4	66.52	(62.56 - 70.26)	66.67	(62.88 - 70.24)	0.942
Region 5	69.31[b]	(65.32 - 73.03)	65.56	(61.24 - 69.64)	0.066
Region 6	73.77	(71.58 - 75.84)	73.35	(71.29 - 75.31)	0.717
Region 6a	74.14	(71.78 - 76.37)	73.78	(71.53 - 75.90)	0.766
Region 6bc	70.60	(66.60 - 74.31)	69.74	(65.63 - 73.56)	0.668
Region 7	69.32	(66.88 - 71.66)	69.60	(67.15 - 71.94)	0.830
Region 7a	70.81	(67.72 - 73.71)	71.31	(68.15 - 74.28)	0.757
Region 7bcd	66.83	(63.27 - 70.20)	66.65	(63.07 - 70.05)	0.924
Region 8	72.37	(69.37 - 75.18)	73.83	(71.05 - 76.43)	0.344
Region 9	67.25	(63.10 - 71.14)	68.33	(64.26 - 72.15)	0.596
Region 10	74.55	(71.23 - 77.62)	74.61	(71.36 - 77.60)	0.974
Region 11	71.68	(69.04 - 74.17)	73.24	(70.69 - 75.64)	0.238
Region 11abd	71.80	(68.41 - 74.96)	72.62	(69.30 - 75.70)	0.627
Region 11c (Hidalgo)	71.46	(67.93 - 74.74)	74.31	(70.97 - 77.40)	0.101
Utah	73.56	(71.46 - 75.55)	73.45	(71.51 - 75.30)	0.921
Bear River, Northeastern, Summit, Tooele, and Wasatch	72.16	(68.27 - 75.75)	71.48	(67.55 - 75.10)	0.720
Central, Four Corners, San Juan, and Southwest	71.63	(67.63 - 75.33)	72.49	(68.68 - 76.00)	0.653
Davis County	75.18	(71.46 - 78.56)	75.16	(71.56 - 78.45)	0.994
Salt Lake County	73.53	(70.53 - 76.32)	73.17	(70.28 - 75.87)	0.820
Utah County	75.95	(72.71 - 78.92)	75.68	(72.42 - 78.67)	0.868
Weber, Morgan	71.34	(67.29 - 75.07)	71.91	(67.79 - 75.70)	0.767
Vermont	70.79	(68.46 - 73.02)	71.55	(69.34 - 73.65)	0.514
Champlain Valley	72.46	(69.45 - 75.28)	72.64	(69.68 - 75.42)	0.905
Rural Northeast	69.78	(65.81 - 73.48)	70.53	(66.58 - 74.20)	0.701
Rural Southeast	70.46	(66.37 - 74.24)	71.85	(68.03 - 75.39)	0.491
Rural Southwest	68.51	(64.29 - 72.45)	69.86	(65.69 - 73.73)	0.514
Virginia	72.29	(69.98 - 74.49)	71.62	(69.56 - 73.59)	0.558
Region 1	72.06	(68.32 - 75.51)	69.74	(66.00 - 73.25)	0.238
Region 2	77.13	(73.86 - 80.09)	75.94	(72.69 - 78.91)	0.480
Region 3	67.41	(62.93 - 71.59)	66.43	(62.38 - 70.25)	0.657
Region 4	71.85	(67.97 - 75.43)	71.25	(67.40 - 74.82)	0.757
Region 5	70.60	(66.76 - 74.16)	71.72	(68.28 - 74.92)	0.546

See notes at end of table.

(continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	70.89	(68.47 - 73.19)	71.08	(69.00 - 73.08)	0.868
Region 1	68.41	(64.66 - 71.92)	68.73	(65.46 - 71.83)	0.854
Greater Columbia and North Central	--	(-- - --)	68.39	(64.21 - 72.30)	--
Spokane	--	(-- - --)	69.23	(64.78 - 73.34)	--
Region 2	72.97	(70.08 - 75.68)	72.66	(70.10 - 75.07)	0.818
King	74.17	(70.64 - 77.41)	73.51	(70.40 - 76.41)	0.692
North Sound	70.89	(66.93 - 74.55)	71.15	(67.41 - 74.62)	0.891
Region 3	69.61	(66.39 - 72.64)	70.43	(67.71 - 73.02)	0.583
Peninsula	--	(-- - --)	70.65	(66.08 - 74.83)	--
Pierce	--	(-- - --)	70.78	(66.88 - 74.41)	--
SW WA and Timberlands	--	(-- - --)	69.87	(65.64 - 73.79)	--
Thurston-Mason	--	(-- - --)	70.54	(66.01 - 74.69)	--
West Virginia	66.53[a]	(64.17 - 68.81)	63.63	(61.43 - 65.78)	0.021
Region I	66.23	(61.26 - 70.86)	63.18	(58.07 - 68.00)	0.227
Region II	66.20	(61.75 - 70.39)	65.56	(61.09 - 69.77)	0.772
Region III	66.79	(62.09 - 71.18)	65.09	(60.33 - 69.57)	0.465
Region IV	67.99[a]	(64.12 - 71.63)	63.46	(59.70 - 67.07)	0.025
Region V	65.07	(61.56 - 68.42)	63.02	(59.37 - 66.54)	0.266
Region VI	67.32[a]	(62.90 - 71.45)	62.76	(58.82 - 66.53)	0.040
Wisconsin	68.54	(66.01 - 70.97)	69.29	(67.04 - 71.45)	0.572
Milwaukee	69.99	(65.90 - 73.78)	69.26	(65.14 - 73.10)	0.728
Northeastern	66.56	(62.58 - 70.31)	65.63	(61.69 - 69.37)	0.656
Northern	67.23	(62.43 - 71.68)	67.80	(63.30 - 71.99)	0.809
Southeastern	70.28[b]	(66.18 - 74.08)	73.70	(70.08 - 77.02)	0.080
Southern	68.46	(64.05 - 72.57)	69.57	(65.59 - 73.27)	0.615
Western	68.31	(63.99 - 72.34)	69.11	(65.07 - 72.88)	0.709

See notes at end of table. (continued)

Table 15 ***Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	68.29	(65.89 - 70.60)	66.88	(64.65 - 69.03)	0.261
Judicial District 1 (Laramie)	69.51	(65.36 - 73.37)	67.17	(63.16 - 70.94)	0.268
Judicial District 2	68.78	(64.77 - 72.52)	66.50	(62.48 - 70.29)	0.234
Judicial District 3	68.88	(64.81 - 72.69)	66.84	(62.73 - 70.70)	0.341
Judicial District 4	71.34	(66.70 - 75.57)	69.64	(65.10 - 73.83)	0.461
Judicial District 5	67.92	(63.33 - 72.19)	68.66	(64.07 - 72.91)	0.739
Judicial District 6	65.53	(60.99 - 69.79)	65.52	(61.29 - 69.53)	1.000
Judicial District 7 (Natrona)	66.67	(62.35 - 70.73)	64.90	(60.58 - 68.99)	0.441
Judicial District 8	65.41	(60.51 - 70.00)	64.98	(60.20 - 69.48)	0.860
Judicial District 9	69.93	(65.62 - 73.92)	68.30	(63.88 - 72.41)	0.440

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	6.77	(6.59 - 6.95)	6.60	(6.43 - 6.78)	0.109
Northeast	7.00	(6.61 - 7.41)	6.69	(6.35 - 7.04)	0.111
Midwest	7.00	(6.69 - 7.32)	6.76	(6.48 - 7.05)	0.146
South	6.03	(5.74 - 6.33)	6.23	(5.97 - 6.50)	0.182
West	7.54[a]	(7.13 - 7.98)	6.98	(6.62 - 7.36)	0.009
Alabama	5.41	(4.58 - 6.39)	5.81	(5.00 - 6.73)	0.364
Region 1	4.89	(3.73 - 6.38)	5.82	(4.62 - 7.31)	0.141
Region 2	6.11	(4.82 - 7.72)	5.89	(4.78 - 7.24)	0.740
Region 3	4.84	(3.69 - 6.31)	5.54	(4.46 - 6.86)	0.215
Region 4	5.53	(4.27 - 7.14)	5.89	(4.72 - 7.32)	0.579
Alaska	8.02	(6.82 - 9.40)	7.40	(6.39 - 8.54)	0.252
Anchorage	8.49	(6.90 - 10.39)	7.56	(6.26 - 9.10)	0.220
Northern	7.94	(6.14 - 10.21)	7.82	(6.30 - 9.67)	0.884
South Central	7.10	(5.36 - 9.34)	6.83	(5.45 - 8.54)	0.733
Southeast	8.67	(6.48 - 11.50)	7.26	(5.63 - 9.31)	0.104
Arizona	7.75	(6.59 - 9.09)	7.45	(6.41 - 8.63)	0.618
Maricopa	7.85	(6.46 - 9.51)	7.61	(6.33 - 9.11)	0.747
Pima	8.26	(6.26 - 10.82)	7.71	(6.14 - 9.63)	0.556
Rural North	6.55	(4.89 - 8.72)	6.97	(5.40 - 8.96)	0.620
Rural South	7.72	(5.63 - 10.51)	6.84	(5.39 - 8.65)	0.343
Arkansas	5.40	(4.54 - 6.40)	5.50	(4.71 - 6.41)	0.796
Catchment Area 1	5.63	(4.28 - 7.38)	6.08	(4.85 - 7.58)	0.498
Catchment Area 2	4.90	(3.57 - 6.70)	5.26	(4.05 - 6.80)	0.568
Catchment Area 3	4.51	(3.28 - 6.19)	5.20	(4.11 - 6.57)	0.241
Catchment Area 4	5.97	(4.40 - 8.06)	5.97	(4.61 - 7.70)	0.995
Catchment Area 5	6.09	(4.66 - 7.92)	5.68	(4.47 - 7.18)	0.508
Catchment Area 6	5.27	(3.84 - 7.19)	5.26	(4.05 - 6.80)	0.992
Catchment Area 7	4.82	(3.53 - 6.55)	4.93	(3.76 - 6.45)	0.848
Catchment Area 8	5.61	(4.25 - 7.37)	5.33	(4.19 - 6.75)	0.660

See notes at end of table.

(continued)

Table 16 *Alcohol Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	7.42[b]	(6.78 - 8.12)	6.81	(6.26 - 7.40)	0.061
Region 1R	8.27	(6.40 - 10.61)	7.31	(5.91 - 9.01)	0.237
Region 2R	7.62	(5.96 - 9.70)	7.00	(5.71 - 8.55)	0.389
Region 3R (Sacramento)	7.40	(5.74 - 9.50)	6.48	(5.24 - 7.98)	0.197
Region 4R	7.20	(5.66 - 9.12)	7.17	(5.89 - 8.70)	0.968
Region 5R (San Francisco)	10.51	(8.00 - 13.69)	8.83	(7.05 - 11.01)	0.130
Region 6 (Santa Clara)	6.82	(5.34 - 8.66)	6.24	(5.09 - 7.62)	0.365
Region 7R (Contra Costa)	7.23	(5.53 - 9.40)	6.53	(5.28 - 8.06)	0.342
Region 8R (Alameda)	7.71	(6.05 - 9.77)	7.05	(5.77 - 8.58)	0.364
Region 9R (San Mateo)	6.55	(4.94 - 8.62)	6.29	(5.01 - 7.87)	0.722
Region 10	7.63	(5.97 - 9.70)	7.20	(5.85 - 8.84)	0.563
Region 11 (Los Angeles)	7.35	(6.49 - 8.32)	6.90	(6.21 - 7.67)	0.266
LA SPA 1 and 5	8.84	(6.84 - 11.34)	7.60	(6.16 - 9.34)	0.125
LA SPA 2	6.95	(5.49 - 8.75)	6.36	(5.20 - 7.76)	0.381
LA SPA 3	6.09	(4.76 - 7.76)	6.36	(5.23 - 7.71)	0.657
LA SPA 4	9.27	(7.20 - 11.86)	8.34	(6.75 - 10.26)	0.323
LA SPA 6	7.44	(5.71 - 9.64)	7.05	(5.67 - 8.75)	0.609
LA SPA 7	7.43	(5.78 - 9.51)	6.49	(5.33 - 7.90)	0.165
LA SPA 8	6.78	(5.22 - 8.77)	6.97	(5.68 - 8.53)	0.793
Region 12R	7.38	(5.61 - 9.66)	6.37	(5.10 - 7.93)	0.164
Regions 13 and 19R	7.04	(5.71 - 8.65)	6.43	(5.34 - 7.72)	0.336
Region 14 (Orange)	6.93	(5.68 - 8.43)	7.03	(5.87 - 8.40)	0.867
Region 15R (Fresno)	7.26	(5.60 - 9.36)	6.67	(5.42 - 8.18)	0.404
Region 16R (San Diego)	8.16[a]	(6.64 - 9.99)	6.64	(5.50 - 8.01)	0.025
Region 17R	7.23	(5.68 - 9.18)	6.52	(5.37 - 7.89)	0.292
Region 18R (San Bernardino)	6.31	(4.99 - 7.95)	6.30	(5.21 - 7.60)	0.993
Region 20R	7.41	(5.75 - 9.50)	6.47	(5.24 - 7.97)	0.163
Region 21R	8.70[b]	(6.77 - 11.11)	7.14	(5.80 - 8.77)	0.052
Colorado	8.58	(7.36 - 9.98)	7.83	(6.83 - 8.97)	0.206
Region 1	9.05	(7.10 - 11.47)	8.01	(6.38 - 10.03)	0.242
Regions 2 and 7	8.80	(7.26 - 10.62)	8.17	(6.91 - 9.64)	0.407
Region 3	7.92	(6.16 - 10.12)	7.09	(5.66 - 8.86)	0.301
Region 4	7.38	(5.44 - 9.94)	6.72	(5.22 - 8.62)	0.454
Regions 5 and 6	8.39	(6.31 - 11.07)	7.42	(5.85 - 9.38)	0.289
Connecticut	7.27	(6.17 - 8.56)	6.95	(5.99 - 8.05)	0.550
Eastern	7.57	(5.86 - 9.74)	7.83	(6.25 - 9.75)	0.765
North Central	6.61	(5.12 - 8.49)	6.99	(5.64 - 8.62)	0.609
Northwestern	6.56	(4.95 - 8.64)	6.42	(5.05 - 8.13)	0.846
South Central	8.41[b]	(6.53 - 10.77)	6.93	(5.52 - 8.68)	0.077
Southwest	7.30	(5.48 - 9.66)	6.85	(5.40 - 8.67)	0.599

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	6.54	(5.59 - 7.64)	6.66	(5.77 - 7.67)	0.807
Kent	6.20	(4.69 - 8.16)	6.60	(5.29 - 8.22)	0.555
New Castle (excluding Wilmington City)	6.77	(5.59 - 8.17)	6.91	(5.83 - 8.17)	0.801
Sussex	5.86	(4.45 - 7.69)	5.98	(4.72 - 7.55)	0.860
Wilmington City	7.74	(5.70 - 10.44)	7.03	(5.42 - 9.08)	0.416
District of Columbia	11.86	(10.30 - 13.62)	10.66	(9.34 - 12.14)	0.106
Ward 1	15.36	(11.89 - 19.62)	13.58	(11.07 - 16.56)	0.264
Ward 2	14.77	(11.88 - 18.23)	13.91	(11.35 - 16.95)	0.551
Ward 3	12.46	(9.79 - 15.74)	11.41	(9.28 - 13.96)	0.403
Ward 4	10.03	(7.57 - 13.18)	9.10	(7.22 - 11.42)	0.390
Ward 5	10.95	(8.48 - 14.02)	9.90	(7.96 - 12.25)	0.338
Ward 6	13.14[a]	(10.15 - 16.84)	10.54	(8.39 - 13.16)	0.037
Ward 7	9.10	(6.78 - 12.13)	8.05	(6.23 - 10.33)	0.298
Ward 8	8.14	(6.12 - 10.74)	8.10	(6.38 - 10.25)	0.973
Florida[1]	6.01	(5.43 - 6.66)	6.07	(5.51 - 6.68)	0.872
Broward (Circuit 17)	5.68	(4.50 - 7.13)	5.81	(4.70 - 7.17)	0.836
Central I	--	(-- - --)	6.46	(5.54 - 7.53)	--
Circuit 9	6.71	(5.40 - 8.32)	6.45	(5.32 - 7.79)	0.679
Circuit 18	6.79	(5.26 - 8.73)	6.49	(5.27 - 7.96)	0.643
Central II	--	(-- - --)	6.18	(5.44 - 7.02)	--
Circuit 6	6.04	(4.61 - 7.88)	6.10	(4.87 - 7.61)	0.939
Circuit 10	5.21	(3.97 - 6.82)	5.32	(4.22 - 6.68)	0.862
Circuit 12	7.22	(5.42 - 9.56)	6.45	(5.02 - 8.26)	0.354
Circuit 13 (Hillsborough)	6.89	(5.55 - 8.52)	6.90	(5.70 - 8.34)	0.985
Circuit 20	5.88	(4.48 - 7.67)	5.89	(4.65 - 7.43)	0.980
Northeast	--	(-- - --)	6.30	(5.53 - 7.17)	--
Circuit 4	6.37	(5.00 - 8.07)	6.54	(5.32 - 8.00)	0.797
Circuit 5	4.71	(3.49 - 6.34)	5.27	(4.21 - 6.58)	0.402
Circuit 7	5.49	(4.21 - 7.13)	6.63	(5.30 - 8.27)	0.103
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	7.33	(6.00 - 8.93)	--
Northwest	--	(-- - --)	7.04	(6.04 - 8.18)	--
Circuit 1	7.12	(5.58 - 9.05)	6.99	(5.57 - 8.74)	0.860
Circuit 2 plus Madison and Taylor	--	(-- - --)	7.48	(6.08 - 9.16)	--
Circuit 14	7.29	(5.51 - 9.57)	6.50	(5.13 - 8.19)	0.298
South (Circuits 11 and 16)	4.81	(3.89 - 5.92)	5.01	(4.05 - 6.18)	0.705
Southeast	--	(-- - --)	5.79	(4.82 - 6.94)	--
Circuit 15 (Palm Beach)	5.56	(4.32 - 7.12)	5.82	(4.66 - 7.26)	0.675
Circuit 19	5.35	(3.98 - 7.16)	5.72	(4.53 - 7.21)	0.586

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	5.27	(4.43 - 6.26)	5.87	(5.08 - 6.79)	0.152
Region 1	4.97	(3.83 - 6.42)	5.54	(4.47 - 6.84)	0.333
Region 2	5.11	(3.86 - 6.75)	5.81	(4.64 - 7.26)	0.268
Region 3	5.60	(4.31 - 7.24)	6.47	(5.19 - 8.04)	0.187
Region 4	4.73	(3.47 - 6.43)	5.32	(4.18 - 6.75)	0.357
Region 5	5.54	(4.11 - 7.43)	5.86	(4.61 - 7.42)	0.628
Region 6	5.31	(3.94 - 7.12)	5.53	(4.37 - 6.98)	0.729
Hawaii	7.54	(6.39 - 8.87)	6.94	(5.96 - 8.06)	0.323
Hawaii Island	7.95	(5.94 - 10.55)	6.71	(5.16 - 8.68)	0.188
Honolulu	7.26	(6.03 - 8.73)	7.00	(5.89 - 8.29)	0.697
Kauai	7.50	(5.38 - 10.38)	6.89	(5.34 - 8.86)	0.538
Maui	8.75[b]	(6.45 - 11.77)	6.89	(5.40 - 8.77)	0.061
Idaho	7.11	(6.07 - 8.30)	6.67	(5.81 - 7.65)	0.367
Region 1	7.20	(5.43 - 9.47)	6.05	(4.76 - 7.66)	0.143
Region 2	8.25	(6.16 - 10.97)	8.00	(6.27 - 10.16)	0.799
Region 3	6.26	(4.81 - 8.10)	5.75	(4.55 - 7.23)	0.440
Region 4	8.30	(6.53 - 10.50)	7.81	(6.37 - 9.53)	0.555
Region 5	5.74	(4.29 - 7.65)	5.63	(4.43 - 7.14)	0.876
Region 6	--	(-- - --)	7.17	(5.68 - 9.01)	--
Region 7	--	(-- - --)	6.00	(4.77 - 7.52)	--
Illinois	6.98	(6.35 - 7.66)	6.46	(5.91 - 7.07)	0.108
Region I (Cook)	7.43	(6.47 - 8.52)	6.88	(6.00 - 7.89)	0.278
Region II	6.29	(5.42 - 7.28)	5.80	(5.02 - 6.70)	0.292
Region III	7.77	(6.45 - 9.33)	6.85	(5.75 - 8.13)	0.152
Region IV	5.99	(4.74 - 7.54)	6.36	(5.21 - 7.75)	0.560
Region V	7.13	(5.81 - 8.72)	6.48	(5.34 - 7.85)	0.299
Indiana	7.05	(6.01 - 8.26)	6.96	(6.08 - 7.95)	0.850
Central	7.44	(5.67 - 9.69)	7.35	(5.96 - 9.02)	0.910
East	6.78	(5.08 - 8.98)	6.52	(5.11 - 8.28)	0.735
North Central	6.84	(5.26 - 8.85)	6.72	(5.42 - 8.30)	0.871
Northeast	6.75	(5.05 - 8.97)	7.15	(5.68 - 8.97)	0.633
Northwest	6.63	(5.02 - 8.72)	6.02	(4.74 - 7.62)	0.411
Southeast	5.92	(4.42 - 7.88)	6.39	(5.05 - 8.06)	0.533
Southwest	6.37	(4.66 - 8.64)	6.72	(5.28 - 8.52)	0.657
West	8.89	(6.89 - 11.40)	8.17	(6.57 - 10.11)	0.408
Iowa	7.66[a]	(6.60 - 8.88)	6.45	(5.54 - 7.49)	0.013
Central	7.70[a]	(6.01 - 9.81)	6.11	(4.86 - 7.64)	0.032
North Central	8.55[a]	(6.57 - 11.07)	6.83	(5.39 - 8.62)	0.031
Northeast	7.44	(5.89 - 9.35)	6.50	(5.24 - 8.03)	0.178
Northwest	7.03	(5.29 - 9.27)	6.45	(5.04 - 8.21)	0.458
Southeast	7.85[b]	(6.14 - 9.98)	6.56	(5.21 - 8.23)	0.089
Southwest	7.75[b]	(5.81 - 10.27)	6.28	(4.92 - 7.97)	0.065

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	6.51	(5.51 - 7.67)	7.06	(6.10 - 8.15)	0.308
Kansas City Metro	5.97	(4.68 - 7.60)	6.83	(5.55 - 8.39)	0.242
Northeast	7.03	(5.36 - 9.17)	7.71	(6.20 - 9.56)	0.432
South Central	6.43	(4.81 - 8.54)	6.24	(4.89 - 7.93)	0.811
Southeast	7.00	(5.18 - 9.41)	7.21	(5.59 - 9.24)	0.814
West	7.29	(5.46 - 9.66)	7.71	(6.04 - 9.78)	0.650
Wichita (Sedgwick)	6.33	(4.82 - 8.26)	6.88	(5.40 - 8.72)	0.496
Kentucky	5.12	(4.25 - 6.15)	5.75	(4.97 - 6.65)	0.146
Adanta, Cumberland River, and Lifeskills	5.02	(3.77 - 6.64)	5.78	(4.58 - 7.28)	0.222
Bluegrass, Comprehend, and North Key	5.27	(4.07 - 6.80)	5.72	(4.62 - 7.07)	0.463
Communicare and River Valley	4.65	(3.38 - 6.36)	5.54	(4.35 - 7.05)	0.162
Four Rivers and Pennyroyal	5.30	(3.88 - 7.19)	5.60	(4.40 - 7.10)	0.650
Kentucky River, Mountain, and Pathways	4.74	(3.44 - 6.52)	5.42	(4.27 - 6.86)	0.292
Seven Counties	5.35	(4.01 - 7.11)	6.11	(4.87 - 7.64)	0.262
Louisiana	6.38	(5.47 - 7.44)	6.36	(5.50 - 7.35)	0.960
Regions 1 and 10	6.71	(5.31 - 8.45)	6.98	(5.73 - 8.48)	0.685
Region 1	7.26	(5.45 - 9.61)	7.42	(5.79 - 9.47)	0.851
Region 10 (Jefferson)	6.16	(4.54 - 8.30)	6.52	(5.11 - 8.29)	0.648
Regions 2 and 9	6.10	(4.82 - 7.69)	6.12	(4.94 - 7.56)	0.977
Region 3	5.70	(4.25 - 7.61)	5.96	(4.61 - 7.66)	0.719
Regions 4, 5, and 6	6.90	(5.44 - 8.71)	6.78	(5.44 - 8.43)	0.865
Regions 7 and 8	6.08	(4.76 - 7.73)	5.71	(4.58 - 7.10)	0.570
Maine	6.11	(5.13 - 7.25)	5.96	(5.09 - 6.97)	0.759
Aroostook/Downeast	5.94	(4.59 - 7.66)	5.95	(4.76 - 7.43)	0.980
Aroostook	5.73	(4.12 - 7.91)	5.85	(4.47 - 7.63)	0.861
Downeast	6.11	(4.42 - 8.39)	6.03	(4.59 - 7.89)	0.924
Central	6.20	(4.60 - 8.31)	5.57	(4.32 - 7.15)	0.387
Cumberland	6.74	(5.21 - 8.68)	6.64	(5.25 - 8.37)	0.890
Midcoast	5.74	(4.16 - 7.86)	5.46	(4.19 - 7.08)	0.686
Penquis	6.53	(4.97 - 8.55)	6.41	(5.06 - 8.09)	0.866
Western	5.75	(4.31 - 7.63)	5.87	(4.62 - 7.43)	0.854
York	5.51	(4.07 - 7.42)	5.42	(4.30 - 6.81)	0.900

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	5.62[a]	(4.69 - 6.72)	6.74	(5.81 - 7.80)	0.020
Anne Arundel	5.83	(4.27 - 7.90)	6.83	(5.32 - 8.72)	0.202
Baltimore City	6.04[a]	(4.46 - 8.13)	7.69	(6.09 - 9.67)	0.050
Baltimore County	6.13	(4.55 - 8.22)	7.22	(5.67 - 9.14)	0.162
Montgomery	5.42	(4.02 - 7.27)	6.43	(5.06 - 8.14)	0.157
North Central	5.58	(4.11 - 7.54)	6.37	(4.94 - 8.17)	0.282
Northeast	5.09	(3.70 - 6.97)	6.05	(4.70 - 7.76)	0.165
Prince George's	5.19[a]	(3.80 - 7.07)	6.79	(5.30 - 8.66)	0.038
South	5.52	(4.08 - 7.41)	6.19	(4.82 - 7.92)	0.345
West	5.84	(4.33 - 7.82)	6.80	(5.37 - 8.58)	0.213
Massachusetts	8.70[a]	(7.49 - 10.09)	7.07	(6.14 - 8.12)	0.002
Boston	11.51[a]	(8.97 - 14.65)	9.15	(7.37 - 11.30)	0.023
Central	8.38	(6.33 - 11.03)	7.05	(5.56 - 8.91)	0.118
Metrowest	9.38[a]	(7.45 - 11.74)	7.45	(5.98 - 9.24)	0.022
Northeast	8.30[b]	(6.47 - 10.59)	6.93	(5.56 - 8.61)	0.087
Southeast	7.35[b]	(5.63 - 9.54)	5.98	(4.73 - 7.54)	0.068
Western	7.79[a]	(5.90 - 10.22)	6.21	(4.91 - 7.82)	0.050
Michigan[1]	7.05	(6.43 - 7.73)	6.52	(5.94 - 7.15)	0.124
Region 1	9.32[b]	(7.29 - 11.83)	7.77	(6.24 - 9.62)	0.085
Region 2	--	(-- - --)	5.93	(4.72 - 7.42)	--
Region 3	--	(-- - --)	6.85	(5.76 - 8.14)	--
Region 4	--	(-- - --)	6.18	(5.07 - 7.52)	--
Region 5	--	(-- - --)	6.96	(5.96 - 8.11)	--
Region 6	--	(-- - --)	6.24	(5.12 - 7.57)	--
Region 7	--	(-- - --)	6.36	(5.28 - 7.65)	--
Region 8	7.25	(5.93 - 8.83)	6.62	(5.45 - 8.03)	0.347
Region 9	7.71[a]	(6.22 - 9.51)	6.21	(5.07 - 7.60)	0.025
Region 10	--	(-- - --)	6.09	(5.04 - 7.35)	--
Minnesota	7.42[b]	(6.37 - 8.63)	6.60	(5.72 - 7.61)	0.097
Regions 1 and 2	7.09	(5.21 - 9.57)	6.54	(5.07 - 8.39)	0.499
Regions 3 and 4	7.68[b]	(5.95 - 9.87)	6.36	(5.08 - 7.93)	0.071
Regions 5 and 6	7.68	(5.94 - 9.86)	6.57	(5.29 - 8.13)	0.152
Region 7A (Hennepin)	7.97	(6.23 - 10.13)	7.14	(5.71 - 8.91)	0.311
Region 7B (Ramsey)	7.95	(5.91 - 10.61)	7.35	(5.74 - 9.37)	0.487
Region 7C	6.37	(4.97 - 8.13)	5.97	(4.83 - 7.37)	0.560
Mississippi	5.59	(4.74 - 6.59)	5.92	(5.08 - 6.88)	0.483
Region 1	5.49	(4.23 - 7.10)	5.76	(4.61 - 7.19)	0.690
Region 2	5.66	(4.19 - 7.61)	5.68	(4.40 - 7.30)	0.977
Region 3	6.27	(4.83 - 8.11)	6.54	(5.15 - 8.27)	0.708
Region 4	4.93	(3.73 - 6.49)	5.67	(4.43 - 7.22)	0.258
Region 5	5.35	(3.89 - 7.33)	5.65	(4.34 - 7.33)	0.686
Region 6	5.83	(4.38 - 7.72)	6.06	(4.79 - 7.64)	0.742
Region 7	5.80	(4.37 - 7.65)	6.06	(4.81 - 7.62)	0.706

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	5.93	(5.01 - 7.01)	6.58	(5.71 - 7.57)	0.154
Central	6.09	(4.62 - 7.98)	6.67	(5.32 - 8.33)	0.415
Eastern	6.28	(5.07 - 7.74)	6.67	(5.55 - 8.00)	0.481
Eastern (St. Louis City and County)	6.35	(4.89 - 8.22)	6.73	(5.39 - 8.38)	0.586
Eastern (excluding St. Louis)	6.14	(4.67 - 8.04)	6.57	(5.20 - 8.28)	0.542
Northwest	5.99[b]	(4.78 - 7.48)	7.06	(5.86 - 8.48)	0.088
Northwest (Jackson)	6.46	(4.89 - 8.50)	7.14	(5.68 - 8.94)	0.390
Northwest (excluding Jackson)	5.59[b]	(4.17 - 7.45)	6.99	(5.55 - 8.78)	0.059
Southeast	5.13	(3.77 - 6.95)	6.07	(4.77 - 7.69)	0.176
Southwest	5.52	(4.12 - 7.37)	5.92	(4.67 - 7.48)	0.554
Montana	8.47	(7.28 - 9.82)	7.83	(6.87 - 8.92)	0.284
Region 1	7.93	(5.90 - 10.58)	7.96	(6.17 - 10.23)	0.974
Region 2	8.38	(6.38 - 10.95)	8.26	(6.64 - 10.23)	0.898
Region 3	7.82	(6.13 - 9.94)	7.74	(6.31 - 9.47)	0.928
Region 4	9.20	(7.38 - 11.42)	8.10	(6.62 - 9.86)	0.219
Region 5	8.44	(6.80 - 10.42)	7.44	(6.16 - 8.96)	0.213
Nebraska	6.87	(5.86 - 8.06)	7.76	(6.75 - 8.90)	0.102
Regions 1 and 2	6.63	(5.12 - 8.55)	7.05	(5.68 - 8.72)	0.537
Region 1	7.16	(5.21 - 9.77)	7.13	(5.49 - 9.22)	0.969
Region 2	6.17	(4.46 - 8.47)	6.98	(5.32 - 9.10)	0.327
Region 3	6.83	(5.21 - 8.90)	7.20	(5.73 - 9.03)	0.626
Region 4	6.59	(4.85 - 8.88)	6.98	(5.48 - 8.86)	0.612
Region 5	7.39	(5.85 - 9.29)	8.25	(6.74 - 10.04)	0.302
Region 6	6.72[b]	(5.39 - 8.35)	8.02	(6.66 - 9.61)	0.090
Nevada	9.26[a]	(7.80 - 10.95)	7.56	(6.46 - 8.83)	0.011
Clark – Region 1	8.68[b]	(7.11 - 10.55)	7.43	(6.19 - 8.89)	0.097
Region 3	9.21[a]	(7.09 - 11.88)	7.46	(6.02 - 9.22)	0.044
Capital District	9.10	(6.58 - 12.46)	7.36	(5.64 - 9.55)	0.107
Rural/Frontier	9.31[b]	(6.76 - 12.69)	7.55	(5.81 - 9.76)	0.088
Washoe – Region 2	11.94[a]	(9.32 - 15.17)	8.24	(6.63 - 10.20)	0.000
New Hampshire	6.76[b]	(5.77 - 7.91)	7.70	(6.71 - 8.83)	0.096
Central	7.10	(5.78 - 8.70)	7.53	(6.32 - 8.94)	0.541
Central 1	7.77	(6.05 - 9.92)	7.75	(6.23 - 9.61)	0.988
Central 2	6.46	(4.89 - 8.50)	7.31	(5.88 - 9.05)	0.304
Northern	7.49	(5.70 - 9.77)	8.48	(6.76 - 10.58)	0.301
Southern	6.43[b]	(5.32 - 7.76)	7.61	(6.48 - 8.93)	0.062
Southern 1 (Rockingham)	6.18	(4.78 - 7.96)	6.62	(5.35 - 8.17)	0.550
Southern 2	6.59[a]	(5.25 - 8.25)	8.23	(6.81 - 9.92)	0.036

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	6.50	(5.44 - 7.75)	6.50	(5.62 - 7.51)	0.996
Central	6.35	(4.86 - 8.24)	5.90	(4.70 - 7.38)	0.521
Metropolitan	6.41	(4.90 - 8.34)	6.33	(5.09 - 7.84)	0.913
Northern	6.98	(5.44 - 8.91)	6.90	(5.57 - 8.52)	0.912
Southern	6.04	(4.58 - 7.94)	6.76	(5.41 - 8.43)	0.333
New Mexico	7.32	(6.23 - 8.58)	7.15	(6.17 - 8.27)	0.755
Region 1	6.33	(4.89 - 8.15)	6.59	(5.26 - 8.23)	0.716
Region 2	7.12	(5.24 - 9.61)	7.02	(5.43 - 9.02)	0.902
Region 3 (Bernalillo)	8.41	(6.72 - 10.47)	7.97	(6.50 - 9.75)	0.615
Region 4	6.36	(4.75 - 8.48)	6.24	(4.97 - 7.81)	0.873
Region 5	7.33	(5.71 - 9.37)	7.05	(5.62 - 8.80)	0.718
New York	6.76	(6.12 - 7.47)	6.63	(6.04 - 7.27)	0.685
Region A	6.96	(6.09 - 7.94)	7.12	(6.33 - 8.01)	0.714
Region 1	5.93	(4.61 - 7.59)	6.25	(5.08 - 7.66)	0.648
Region 2	7.12	(5.85 - 8.64)	6.97	(5.85 - 8.27)	0.804
Region 3	8.49	(6.73 - 10.65)	9.23	(7.61 - 11.16)	0.428
Region 4	6.22	(4.92 - 7.83)	6.28	(5.09 - 7.72)	0.918
Region B	6.16	(5.31 - 7.13)	6.02	(5.26 - 6.90)	0.754
Region 5	5.73	(4.68 - 6.99)	5.60	(4.64 - 6.74)	0.814
Region 6	6.58	(5.14 - 8.40)	6.73	(5.41 - 8.34)	0.840
Region 7	6.91	(5.43 - 8.75)	6.33	(5.14 - 7.77)	0.374
Region C	7.20[b]	(6.31 - 8.20)	6.45	(5.70 - 7.28)	0.083
Region 8	7.28	(5.84 - 9.04)	6.29	(5.05 - 7.82)	0.159
Region 9	6.62	(5.24 - 8.34)	6.48	(5.34 - 7.85)	0.834
Region 10	6.98	(5.32 - 9.10)	7.20	(5.79 - 8.92)	0.782
Region 11	8.07[b]	(6.37 - 10.18)	6.81	(5.57 - 8.30)	0.090
Region 12	6.87	(5.44 - 8.65)	5.92	(4.78 - 7.30)	0.152
Region D	6.42	(5.36 - 7.68)	6.48	(5.57 - 7.53)	0.905
Region 13	5.98	(4.53 - 7.85)	6.35	(5.06 - 7.93)	0.607
Region 14	7.25	(5.53 - 9.45)	6.67	(5.29 - 8.37)	0.445
Region 15	6.00	(4.59 - 7.81)	6.42	(5.19 - 7.92)	0.541

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	5.15	(4.26 - 6.22)	5.82	(5.02 - 6.74)	0.145
Alliance Behavioral Healthcare 1	--	(-- - --)	5.78	(4.56 - 7.30)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	6.36	(4.97 - 8.11)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	5.38	(4.17 - 6.91)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	5.84	(4.54 - 7.48)	--
Cardinal Innovations Healthcare Solutions 3	5.76	(4.17 - 7.90)	6.64	(5.18 - 8.49)	0.264
CenterPoint Human Services	4.73	(3.37 - 6.60)	5.27	(4.08 - 6.77)	0.436
Eastpointe	4.48	(3.24 - 6.15)	5.05	(3.91 - 6.51)	0.370
Partners Behavioral Health Management	4.93	(3.59 - 6.74)	5.62	(4.38 - 7.19)	0.332
Sandhills Center 1	4.70	(3.37 - 6.53)	5.30	(4.09 - 6.84)	0.377
Sandhills Center 2	5.33	(3.82 - 7.39)	6.12	(4.73 - 7.88)	0.301
Smoky Mountain Center 1	5.48	(3.91 - 7.63)	6.06	(4.71 - 7.76)	0.443
Smoky Mountain Center 2	5.14	(3.67 - 7.15)	5.66	(4.37 - 7.32)	0.474
Trillium Health Resources 1	5.14	(3.72 - 7.06)	5.91	(4.57 - 7.61)	0.274
Trillium Health Resources 2	5.46	(3.92 - 7.56)	6.15	(4.77 - 7.88)	0.364
North Dakota	8.40	(7.28 - 9.67)	7.73	(6.80 - 8.78)	0.212
Badlands and West Central	7.39	(5.82 - 9.35)	7.14	(5.88 - 8.65)	0.742
Lake Region	--	(-- - --)	7.12	(5.60 - 9.01)	--
North Central	--	(-- - --)	7.82	(6.27 - 9.72)	--
Northeast	10.54[b]	(8.38 - 13.17)	8.78	(7.18 - 10.70)	0.068
Northwest	--	(-- - --)	7.42	(5.83 - 9.40)	--
South Central	--	(-- - --)	6.47	(5.08 - 8.22)	--
Southeast	8.29	(6.69 - 10.23)	8.33	(6.95 - 9.95)	0.961

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	6.94	(6.37 - 7.56)	6.58	(6.00 - 7.21)	0.253
Boards 2, 46, 55, and 68	5.97	(4.60 - 7.70)	6.37	(5.11 - 7.92)	0.571
Boards 3, 52, and 85	6.42	(4.96 - 8.28)	5.62	(4.42 - 7.12)	0.241
Boards 4 and 78	6.74	(5.09 - 8.86)	6.18	(4.90 - 7.77)	0.437
Boards 5 and 60	7.58	(5.92 - 9.65)	6.95	(5.60 - 8.59)	0.397
Boards 7, 15, 41, 79, and 84	5.97	(4.66 - 7.61)	6.04	(4.82 - 7.54)	0.913
Boards 8, 13, and 83	5.47	(4.25 - 7.01)	5.77	(4.66 - 7.12)	0.628
Board 9 (Butler)	7.26	(5.70 - 9.20)	6.17	(4.97 - 7.63)	0.102
Board 12	7.12	(5.50 - 9.17)	6.77	(5.43 - 8.40)	0.628
Boards 18 and 47	7.18	(5.92 - 8.69)	7.00	(5.84 - 8.38)	0.793
Boards 20, 32, 54, and 69	6.10	(4.68 - 7.91)	6.05	(4.86 - 7.52)	0.947
Boards 21, 39, 51, 70, and 80	6.61	(5.16 - 8.43)	6.08	(4.97 - 7.43)	0.432
Boards 22, 74, and 87	6.97	(5.43 - 8.91)	6.09	(4.85 - 7.62)	0.227
Boards 23 and 45	6.06	(4.68 - 7.81)	6.01	(4.81 - 7.47)	0.934
Board 25 (Franklin)	9.04[b]	(7.47 - 10.91)	7.64	(6.32 - 9.20)	0.058
Boards 27, 71, and 73	6.00	(4.61 - 7.79)	6.04	(4.82 - 7.55)	0.956
Boards 28, 43, and 67	6.99	(5.56 - 8.76)	6.75	(5.43 - 8.35)	0.746
Board 31 (Hamilton)	6.38	(5.05 - 8.03)	6.76	(5.52 - 8.26)	0.593
Board 48 (Lucas)	7.82	(6.04 - 10.08)	7.16	(5.76 - 8.87)	0.411
Boards 50 and 76	6.62	(5.24 - 8.33)	6.38	(5.15 - 7.86)	0.716
Board 57 (Montgomery)	6.27	(4.91 - 7.97)	6.44	(5.20 - 7.97)	0.802
Board 77 (Summit)	8.10	(6.37 - 10.25)	6.87	(5.54 - 8.50)	0.121
Oklahoma	7.95	(6.74 - 9.34)	7.25	(6.26 - 8.38)	0.214
Central	8.27	(6.24 - 10.88)	7.67	(6.10 - 9.60)	0.504
East Central	7.48	(5.47 - 10.16)	6.49	(5.05 - 8.30)	0.227
Northeast	6.99	(5.30 - 9.16)	7.13	(5.65 - 8.97)	0.862
Northwest and Southwest	9.30[b]	(7.03 - 12.20)	7.61	(5.96 - 9.69)	0.068
Oklahoma County	7.50	(5.71 - 9.80)	7.12	(5.65 - 8.93)	0.656
Southeast	8.27	(6.24 - 10.88)	7.00	(5.48 - 8.90)	0.140
Tulsa County	7.82	(5.92 - 10.28)	7.62	(6.05 - 9.55)	0.812
Oregon	7.68	(6.58 - 8.96)	7.07	(6.16 - 8.10)	0.262
Region 1 (Multnomah)	9.82[a]	(7.65 - 12.53)	7.83	(6.31 - 9.68)	0.036
Region 2	6.56	(5.05 - 8.49)	6.55	(5.30 - 8.08)	0.993
Region 3	8.04	(6.47 - 9.94)	7.25	(5.94 - 8.83)	0.313
Region 4	6.44	(4.78 - 8.62)	6.60	(5.19 - 8.38)	0.839
Region 5 (Central)	7.21	(5.33 - 9.69)	6.99	(5.41 - 8.99)	0.801
Region 6 (Eastern)	6.70	(4.78 - 9.31)	6.83	(5.30 - 8.76)	0.880

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	6.68	(6.07 - 7.35)	6.49	(5.92 - 7.11)	0.568
Region 1 (Allegheny)	7.68	(6.22 - 9.45)	7.53	(6.22 - 9.08)	0.836
Regions 3, 8, 9, and 51	6.58	(5.13 - 8.40)	6.97	(5.64 - 8.58)	0.610
Regions 4, 11, 37, and 49	5.96	(4.68 - 7.56)	5.72	(4.65 - 7.00)	0.698
Regions 5, 18, 23, 24, and 46	5.13	(3.89 - 6.73)	5.05	(4.01 - 6.34)	0.896
Regions 6, 12, 16, 31, 35, 45, and 47	6.39	(5.06 - 8.03)	6.70	(5.56 - 8.07)	0.629
Regions 7, 13, 20, and 33	6.76	(5.65 - 8.06)	6.65	(5.64 - 7.81)	0.853
Regions 10, 15, 27, 32, 43, and 44	6.38	(4.93 - 8.22)	5.67	(4.52 - 7.10)	0.297
Regions 17 and 21	7.02	(5.39 - 9.10)	6.71	(5.41 - 8.31)	0.683
Regions 19, 26, 28, and 42	5.50	(4.44 - 6.80)	5.69	(4.74 - 6.82)	0.724
Regions 22, 38, 40, 41, and 48	5.57	(4.34 - 7.13)	5.36	(4.30 - 6.66)	0.737
Regions 29 and 34	6.02	(4.65 - 7.78)	5.93	(4.77 - 7.34)	0.885
Regions 30 and 50	5.99	(4.62 - 7.74)	6.63	(5.39 - 8.13)	0.391
Region 36 (Philadelphia)	9.46[b]	(7.75 - 11.51)	8.01	(6.63 - 9.65)	0.076
Rhode Island	9.28[b]	(7.96 - 10.80)	8.09	(7.04 - 9.28)	0.057
Bristol and Newport	9.80	(7.48 - 12.73)	9.33	(7.44 - 11.63)	0.636
Kent	9.27[b]	(7.00 - 12.18)	7.40	(5.87 - 9.29)	0.061
Providence	9.16	(7.60 - 11.01)	8.09	(6.79 - 9.62)	0.170
Washington	9.34[b]	(7.18 - 12.07)	7.68	(6.18 - 9.49)	0.061
South Carolina	6.17	(5.18 - 7.32)	6.05	(5.17 - 7.06)	0.807
Region 1	--	(-- - --)	6.23	(4.98 - 7.76)	--
Region 2	--	(-- - --)	5.77	(4.61 - 7.19)	--
Region 3	7.13[b]	(5.33 - 9.48)	5.69	(4.46 - 7.24)	0.063
Region 4	6.28	(4.79 - 8.19)	6.32	(5.07 - 7.86)	0.957
South Dakota	8.49	(7.30 - 9.86)	7.79	(6.83 - 8.87)	0.236
Region 1	8.73	(6.86 - 11.07)	8.07	(6.61 - 9.82)	0.457
Region 2	10.09	(7.38 - 13.65)	8.57	(6.62 - 11.03)	0.199
Region 3	8.17	(6.43 - 10.32)	7.73	(6.27 - 9.49)	0.618
Region 4	8.57	(6.51 - 11.20)	7.67	(6.16 - 9.53)	0.323
Region 5	7.99	(6.35 - 9.99)	7.40	(6.10 - 8.95)	0.467
Tennessee	5.92	(4.97 - 7.03)	5.47	(4.70 - 6.35)	0.292
Region 1	5.40	(3.91 - 7.41)	5.22	(3.98 - 6.82)	0.795
Region 2	5.66	(4.27 - 7.45)	5.32	(4.21 - 6.71)	0.600
Region 3	5.44	(4.04 - 7.29)	5.23	(4.12 - 6.61)	0.730
Region 4 (Davidson)	7.36	(5.49 - 9.81)	6.70	(5.25 - 8.51)	0.409
Region 5	6.42	(4.94 - 8.31)	5.60	(4.48 - 6.98)	0.202
Region 6	5.55	(4.06 - 7.54)	4.87	(3.75 - 6.28)	0.261
Region 7 (Shelby)	5.45	(4.03 - 7.33)	5.39	(4.21 - 6.88)	0.924

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	6.53	(5.97 - 7.14)	6.52	(5.98 - 7.10)	0.983
Region 1	7.10	(5.57 - 9.01)	7.01	(5.79 - 8.47)	0.904
Region 2	6.63	(5.03 - 8.68)	6.34	(5.06 - 7.92)	0.687
Region 3	6.26	(5.41 - 7.23)	6.54	(5.76 - 7.41)	0.546
Region 3a	6.01	(4.95 - 7.29)	6.44	(5.50 - 7.54)	0.458
Region 3bc	6.68	(5.48 - 8.14)	6.70	(5.63 - 7.96)	0.983
Region 4	5.63	(4.33 - 7.29)	5.88	(4.75 - 7.27)	0.677
Region 5	6.06	(4.65 - 7.88)	6.34	(5.06 - 7.91)	0.689
Region 6	6.35	(5.41 - 7.44)	6.67	(5.77 - 7.69)	0.534
Region 6a	6.29	(5.28 - 7.47)	6.69	(5.74 - 7.80)	0.457
Region 6bc	6.89	(5.23 - 9.03)	6.44	(5.12 - 8.07)	0.536
Region 7	8.09	(6.92 - 9.44)	7.66	(6.64 - 8.81)	0.433
Region 7a	8.65	(7.07 - 10.55)	8.19	(6.85 - 9.78)	0.548
Region 7bcd	7.15	(5.73 - 8.89)	6.74	(5.53 - 8.20)	0.537
Region 8	6.67	(5.45 - 8.14)	5.96	(4.90 - 7.22)	0.234
Region 9	6.97	(5.38 - 8.98)	6.54	(5.23 - 8.13)	0.561
Region 10	6.79	(5.34 - 8.59)	6.34	(5.17 - 7.75)	0.500
Region 11	5.63	(4.66 - 6.79)	5.40	(4.57 - 6.36)	0.624
Region 11abd	5.68	(4.49 - 7.18)	5.41	(4.37 - 6.69)	0.656
Region 11c (Hidalgo)	5.53	(4.23 - 7.20)	5.36	(4.30 - 6.68)	0.767
Utah	4.65[b]	(3.86 - 5.60)	5.42	(4.63 - 6.32)	0.061
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.22[a]	(3.11 - 5.71)	5.48	(4.26 - 7.03)	0.037
Central, Four Corners, San Juan, and Southwest	4.50	(3.27 - 6.17)	5.25	(4.07 - 6.74)	0.199
Davis County	4.33	(3.24 - 5.77)	5.00	(3.93 - 6.35)	0.205
Salt Lake County	5.17	(4.03 - 6.59)	5.59	(4.52 - 6.90)	0.465
Utah County	4.34[b]	(3.24 - 5.80)	5.38	(4.31 - 6.71)	0.064
Weber, Morgan	4.26[b]	(3.09 - 5.85)	5.38	(4.17 - 6.90)	0.053
Vermont	6.81	(5.81 - 7.96)	6.95	(6.03 - 8.00)	0.783
Champlain Valley	7.18	(5.88 - 8.75)	6.95	(5.78 - 8.35)	0.732
Rural Northeast	7.15	(5.58 - 9.13)	7.50	(6.01 - 9.32)	0.682
Rural Southeast	6.51	(4.94 - 8.53)	6.83	(5.45 - 8.54)	0.689
Rural Southwest	5.73	(4.31 - 7.59)	6.28	(4.93 - 7.96)	0.471
Virginia	6.49	(5.53 - 7.61)	6.95	(6.05 - 7.97)	0.372
Region 1	7.49	(5.89 - 9.47)	6.85	(5.58 - 8.38)	0.403
Region 2	6.24	(4.80 - 8.07)	6.76	(5.43 - 8.39)	0.503
Region 3	7.30	(5.62 - 9.43)	7.17	(5.79 - 8.86)	0.879
Region 4	5.19[a]	(3.87 - 6.92)	7.02	(5.66 - 8.68)	0.012
Region 5	6.50	(5.04 - 8.33)	7.02	(5.72 - 8.60)	0.485

See notes at end of table.

(continued)

Table 16 ***Alcohol Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	7.56	(6.49 - 8.80)	7.01	(6.13 - 8.02)	0.243
Region 1	7.33	(5.88 - 9.11)	6.82	(5.67 - 8.17)	0.387
Greater Columbia and North Central	--	(-- - --)	6.66	(5.33 - 8.30)	--
Spokane	--	(-- - --)	7.04	(5.55 - 8.88)	--
Region 2	7.72	(6.38 - 9.32)	7.21	(6.11 - 8.49)	0.407
King	7.64	(6.01 - 9.66)	7.22	(5.92 - 8.79)	0.582
North Sound	7.87	(6.14 - 10.04)	7.19	(5.79 - 8.89)	0.387
Region 3	7.49	(6.11 - 9.16)	6.87	(5.84 - 8.06)	0.273
Peninsula	--	(-- - --)	6.98	(5.42 - 8.93)	--
Pierce	--	(-- - --)	7.23	(5.77 - 9.01)	--
SW WA and Timberlands	--	(-- - --)	6.47	(5.13 - 8.14)	--
Thurston-Mason	--	(-- - --)	6.72	(5.23 - 8.59)	--
West Virginia	5.55	(4.69 - 6.54)	6.21	(5.35 - 7.19)	0.165
Region I	5.44	(3.95 - 7.43)	6.64	(5.12 - 8.58)	0.133
Region II	5.52	(4.09 - 7.40)	6.75	(5.25 - 8.64)	0.116
Region III	4.84	(3.55 - 6.57)	5.94	(4.63 - 7.60)	0.111
Region IV	7.53	(6.05 - 9.34)	6.83	(5.56 - 8.37)	0.348
Region V	4.82	(3.69 - 6.25)	5.89	(4.69 - 7.38)	0.114
Region VI	4.74	(3.48 - 6.43)	5.48	(4.30 - 6.97)	0.273
Wisconsin	7.24	(6.12 - 8.55)	7.73	(6.70 - 8.91)	0.398
Milwaukee	7.45	(5.57 - 9.90)	8.50	(6.84 - 10.52)	0.271
Northeastern	7.57	(5.87 - 9.70)	7.41	(5.92 - 9.23)	0.852
Northern	7.01	(5.02 - 9.70)	7.51	(5.84 - 9.61)	0.613
Southeastern	7.17	(5.38 - 9.50)	7.14	(5.70 - 8.91)	0.972
Southern	7.48	(5.77 - 9.65)	7.91	(6.37 - 9.79)	0.617
Western	6.39[a]	(4.79 - 8.48)	8.11	(6.51 - 10.07)	0.046

See notes at end of table.

(continued)

Table 16 *Alcohol Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	7.67	(6.63 - 8.86)	7.63	(6.69 - 8.70)	0.945
Judicial District 1 (Laramie)	7.03	(5.42 - 9.08)	7.60	(6.15 - 9.36)	0.473
Judicial District 2	11.00	(8.72 - 13.78)	10.33	(8.44 - 12.58)	0.521
Judicial District 3	5.95	(4.49 - 7.83)	6.85	(5.47 - 8.56)	0.238
Judicial District 4	7.33	(5.46 - 9.77)	7.33	(5.71 - 9.37)	0.997
Judicial District 5	8.14[b]	(6.04 - 10.88)	6.51	(5.07 - 8.32)	0.077
Judicial District 6	6.80	(5.14 - 8.95)	7.12	(5.68 - 8.90)	0.688
Judicial District 7 (Natrona)	7.92	(6.05 - 10.31)	7.63	(6.06 - 9.57)	0.745
Judicial District 8	7.49	(5.65 - 9.87)	7.29	(5.73 - 9.22)	0.819
Judicial District 9	8.27	(6.14 - 11.06)	8.11	(6.44 - 10.17)	0.873

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	3.20	(3.08 - 3.32)	3.13	(3.02 - 3.26)	0.376
Northeast	3.18	(2.93 - 3.45)	3.12	(2.90 - 3.36)	0.675
Midwest	3.20	(2.99 - 3.42)	3.13	(2.94 - 3.32)	0.521
South	2.87	(2.66 - 3.09)	2.97	(2.79 - 3.16)	0.331
West	3.74[a]	(3.43 - 4.07)	3.41	(3.16 - 3.68)	0.037
Alabama	2.84	(2.21 - 3.63)	2.99	(2.41 - 3.69)	0.614
Region 1	2.83	(1.95 - 4.08)	2.95	(2.12 - 4.08)	0.773
Region 2	2.88	(2.05 - 4.03)	2.97	(2.19 - 4.01)	0.817
Region 3	2.60	(1.79 - 3.78)	2.94	(2.13 - 4.05)	0.392
Region 4	2.98	(2.06 - 4.28)	3.10	(2.20 - 4.36)	0.777
Alaska	3.58	(2.88 - 4.44)	3.41	(2.79 - 4.16)	0.600
Anchorage	3.80	(2.87 - 5.02)	3.51	(2.66 - 4.62)	0.511
Northern	3.67	(2.63 - 5.10)	3.63	(2.65 - 4.95)	0.929
South Central	3.18	(2.24 - 4.50)	3.22	(2.34 - 4.41)	0.928
Southeast	3.50	(2.43 - 5.03)	3.01	(2.09 - 4.30)	0.256
Arizona	4.25	(3.34 - 5.40)	3.67	(2.96 - 4.55)	0.197
Maricopa	4.31	(3.25 - 5.71)	3.80	(2.92 - 4.93)	0.338
Pima	4.08	(2.81 - 5.90)	3.40	(2.37 - 4.83)	0.210
Rural North	3.66	(2.50 - 5.32)	3.37	(2.33 - 4.84)	0.587
Rural South	4.70	(3.15 - 6.97)	3.70	(2.60 - 5.25)	0.125
Arkansas	2.91	(2.30 - 3.66)	2.85	(2.30 - 3.52)	0.832
Catchment Area 1	2.68	(1.86 - 3.86)	2.85	(2.03 - 3.98)	0.640
Catchment Area 2	2.67	(1.81 - 3.90)	2.88	(2.00 - 4.12)	0.574
Catchment Area 3	2.64	(1.75 - 3.96)	2.73	(1.91 - 3.89)	0.812
Catchment Area 4	2.97	(2.00 - 4.41)	2.84	(1.98 - 4.05)	0.714
Catchment Area 5	3.15	(2.16 - 4.56)	2.86	(2.03 - 4.02)	0.458
Catchment Area 6	3.04	(2.02 - 4.54)	2.96	(2.03 - 4.29)	0.856
Catchment Area 7	2.79	(1.88 - 4.11)	2.64	(1.82 - 3.81)	0.685
Catchment Area 8	3.20	(2.23 - 4.59)	2.95	(2.08 - 4.15)	0.551

See notes at end of table. (continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	3.69	(3.24 - 4.19)	3.41	(3.03 - 3.85)	0.229
Region 1R	3.82	(2.74 - 5.31)	3.44	(2.46 - 4.78)	0.361
Region 2R	3.90	(2.80 - 5.39)	3.56	(2.59 - 4.86)	0.436
Region 3R (Sacramento)	3.67	(2.63 - 5.09)	3.36	(2.49 - 4.53)	0.474
Region 4R	3.55	(2.56 - 4.91)	3.51	(2.61 - 4.70)	0.914
Region 5R (San Francisco)	4.48	(3.15 - 6.35)	3.86	(2.75 - 5.40)	0.271
Region 6 (Santa Clara)	3.51	(2.52 - 4.88)	3.08	(2.27 - 4.17)	0.281
Region 7R (Contra Costa)	3.69	(2.63 - 5.14)	3.24	(2.34 - 4.48)	0.316
Region 8R (Alameda)	3.72	(2.70 - 5.11)	3.64	(2.69 - 4.92)	0.860
Region 9R (San Mateo)	3.21	(2.25 - 4.57)	3.18	(2.29 - 4.41)	0.938
Region 10	4.07	(2.96 - 5.56)	3.41	(2.53 - 4.60)	0.158
Region 11 (Los Angeles)	3.61	(3.06 - 4.25)	3.48	(2.98 - 4.06)	0.615
LA SPA 1 and 5	4.12	(2.96 - 5.71)	3.72	(2.70 - 5.11)	0.401
LA SPA 2	3.42	(2.49 - 4.70)	3.32	(2.45 - 4.48)	0.806
LA SPA 3	3.27	(2.40 - 4.44)	3.40	(2.52 - 4.58)	0.749
LA SPA 4	4.42	(3.14 - 6.18)	3.72	(2.74 - 5.04)	0.171
LA SPA 6	3.75	(2.70 - 5.18)	3.57	(2.61 - 4.86)	0.664
LA SPA 7	3.53	(2.54 - 4.89)	3.04	(2.24 - 4.12)	0.239
LA SPA 8	3.28	(2.37 - 4.51)	3.72	(2.77 - 4.98)	0.313
Region 12R	3.80	(2.68 - 5.38)	3.15	(2.26 - 4.38)	0.144
Regions 13 and 19R	3.53	(2.64 - 4.71)	3.41	(2.56 - 4.52)	0.770
Region 14 (Orange)	3.62	(2.74 - 4.78)	3.62	(2.80 - 4.67)	0.987
Region 15R (Fresno)	3.36	(2.34 - 4.79)	3.33	(2.43 - 4.56)	0.953
Region 16R (San Diego)	3.86	(2.93 - 5.06)	3.33	(2.52 - 4.39)	0.206
Region 17R	3.83	(2.80 - 5.24)	3.28	(2.45 - 4.37)	0.178
Region 18R (San Bernardino)	3.51	(2.64 - 4.65)	3.17	(2.40 - 4.19)	0.390
Region 20R	3.60	(2.61 - 4.95)	3.22	(2.37 - 4.37)	0.337
Region 21R	4.30[b]	(3.12 - 5.89)	3.54	(2.58 - 4.85)	0.092
Colorado	4.29[b]	(3.43 - 5.35)	3.58	(2.93 - 4.36)	0.072
Region 1	4.53	(3.21 - 6.36)	3.89	(2.81 - 5.37)	0.231
Regions 2 and 7	4.48	(3.39 - 5.90)	3.66	(2.81 - 4.75)	0.107
Region 3	3.87	(2.73 - 5.44)	3.41	(2.43 - 4.76)	0.352
Region 4	3.92[b]	(2.64 - 5.80)	2.97	(2.08 - 4.24)	0.055
Regions 5 and 6	3.78	(2.62 - 5.43)	3.30	(2.29 - 4.73)	0.319
Connecticut	3.05	(2.38 - 3.88)	3.07	(2.47 - 3.80)	0.945
Eastern	3.51	(2.48 - 4.93)	3.86	(2.74 - 5.41)	0.483
North Central	2.78	(1.94 - 3.96)	3.04	(2.21 - 4.18)	0.491
Northwestern	2.71	(1.82 - 4.02)	2.92	(2.06 - 4.12)	0.580
South Central	3.45	(2.39 - 4.96)	3.03	(2.13 - 4.28)	0.343
Southwest	2.94	(2.03 - 4.24)	2.78	(1.95 - 3.95)	0.676

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	2.93	(2.31 - 3.71)	2.96	(2.38 - 3.67)	0.925
Kent	2.88	(1.99 - 4.16)	3.15	(2.26 - 4.37)	0.504
New Castle (excluding Wilmington City)	2.99	(2.24 - 3.97)	2.89	(2.17 - 3.84)	0.776
Sussex	2.76	(1.90 - 3.99)	2.95	(2.06 - 4.19)	0.642
Wilmington City	3.16	(2.12 - 4.67)	3.05	(2.10 - 4.41)	0.800
District of Columbia	5.55[b]	(4.48 - 6.85)	4.68	(3.90 - 5.62)	0.080
Ward 1	6.57	(4.65 - 9.20)	5.31	(3.85 - 7.27)	0.112
Ward 2	7.45[a]	(5.53 - 9.96)	5.73	(4.19 - 7.80)	0.036
Ward 3	6.01	(4.28 - 8.39)	5.05	(3.71 - 6.83)	0.220
Ward 4	4.47	(3.01 - 6.60)	3.99	(2.82 - 5.62)	0.464
Ward 5	4.99	(3.48 - 7.10)	4.75	(3.47 - 6.48)	0.743
Ward 6	5.40[b]	(3.69 - 7.86)	4.09	(2.91 - 5.73)	0.057
Ward 7	4.62	(3.10 - 6.82)	3.89	(2.67 - 5.63)	0.277
Ward 8	4.53	(3.13 - 6.51)	4.53	(3.19 - 6.40)	0.992
Florida[1]	2.89	(2.47 - 3.37)	2.82	(2.43 - 3.27)	0.767
Broward (Circuit 17)	2.58	(1.84 - 3.61)	2.83	(2.06 - 3.89)	0.517
Central I	--	(-- - --)	2.67	(2.09 - 3.39)	--
Circuit 9	2.93	(2.15 - 3.99)	2.50	(1.82 - 3.43)	0.238
Circuit 18	3.12	(2.26 - 4.31)	2.91	(2.09 - 4.02)	0.576
Central II	--	(-- - --)	3.04	(2.49 - 3.72)	--
Circuit 6	2.77	(1.94 - 3.95)	2.82	(2.02 - 3.93)	0.907
Circuit 10	2.87	(2.01 - 4.06)	2.53	(1.78 - 3.57)	0.365
Circuit 12	3.30	(2.25 - 4.83)	3.21	(2.20 - 4.66)	0.858
Circuit 13 (Hillsborough)	3.46	(2.53 - 4.70)	3.28	(2.40 - 4.46)	0.680
Circuit 20	2.92	(2.03 - 4.18)	3.27	(2.28 - 4.67)	0.433
Northeast	--	(-- - --)	2.81	(2.26 - 3.47)	--
Circuit 4	3.05	(2.17 - 4.26)	2.93	(2.12 - 4.03)	0.747
Circuit 5	2.38	(1.62 - 3.47)	2.42	(1.67 - 3.49)	0.913
Circuit 7	2.67	(1.86 - 3.82)	2.82	(1.99 - 3.98)	0.719
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	3.32	(2.39 - 4.60)	--
Northwest	--	(-- - --)	3.21	(2.54 - 4.05)	--
Circuit 1	3.06	(2.19 - 4.28)	3.21	(2.26 - 4.54)	0.729
Circuit 2 plus Madison and Taylor	--	(-- - --)	3.40	(2.45 - 4.68)	--
Circuit 14	3.11	(2.13 - 4.51)	2.95	(2.06 - 4.22)	0.693
South (Circuits 11 and 16)	2.64	(1.96 - 3.55)	2.38	(1.79 - 3.18)	0.447
Southeast	--	(-- - --)	2.71	(2.05 - 3.56)	--
Circuit 15 (Palm Beach)	2.68	(1.91 - 3.76)	2.66	(1.89 - 3.73)	0.948
Circuit 19	2.79	(1.92 - 4.04)	2.82	(1.97 - 4.01)	0.947

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	2.40	(1.85 - 3.11)	2.84	(2.31 - 3.48)	0.120
Region 1	2.39	(1.65 - 3.45)	2.66	(1.92 - 3.69)	0.451
Region 2	2.44	(1.67 - 3.56)	2.77	(1.97 - 3.90)	0.354
Region 3	2.29	(1.57 - 3.33)	2.83	(2.06 - 3.88)	0.166
Region 4	2.40	(1.60 - 3.58)	2.84	(1.98 - 4.05)	0.236
Region 5	2.65	(1.77 - 3.95)	3.02	(2.12 - 4.27)	0.371
Region 6	2.42	(1.60 - 3.65)	3.08	(2.20 - 4.29)	0.111
Hawaii	3.70	(2.91 - 4.70)	3.66	(2.96 - 4.53)	0.924
Hawaii Island	3.69	(2.53 - 5.36)	3.47	(2.42 - 4.97)	0.703
Honolulu	3.67	(2.80 - 4.80)	3.75	(2.94 - 4.78)	0.870
Kauai	3.38	(2.22 - 5.13)	3.71	(2.56 - 5.35)	0.586
Maui	4.04	(2.70 - 6.00)	3.29	(2.33 - 4.64)	0.177
Idaho	3.45	(2.76 - 4.31)	3.08	(2.53 - 3.73)	0.246
Region 1	3.25	(2.21 - 4.75)	2.90	(2.03 - 4.12)	0.437
Region 2	3.83	(2.65 - 5.50)	3.71	(2.54 - 5.39)	0.846
Region 3	3.23	(2.25 - 4.62)	2.72	(1.92 - 3.85)	0.233
Region 4	3.94	(2.82 - 5.48)	3.38	(2.50 - 4.55)	0.255
Region 5	2.88	(1.93 - 4.27)	2.78	(1.97 - 3.91)	0.817
Region 6	--	(-- - --)	3.24	(2.27 - 4.62)	--
Region 7	--	(-- - --)	2.90	(2.07 - 4.04)	--
Illinois	3.34	(2.91 - 3.82)	3.03	(2.65 - 3.47)	0.165
Region I (Cook)	3.72	(3.08 - 4.48)	3.26	(2.65 - 4.00)	0.159
Region II	2.91	(2.33 - 3.63)	2.65	(2.12 - 3.32)	0.395
Region III	3.52	(2.72 - 4.54)	3.21	(2.45 - 4.19)	0.428
Region IV	2.73	(1.95 - 3.80)	2.90	(2.15 - 3.90)	0.629
Region V	3.35	(2.53 - 4.40)	3.23	(2.43 - 4.28)	0.758
Indiana	3.03	(2.42 - 3.79)	3.23	(2.65 - 3.93)	0.495
Central	3.16	(2.22 - 4.48)	3.28	(2.39 - 4.50)	0.771
East	2.90	(2.00 - 4.21)	3.15	(2.24 - 4.42)	0.558
North Central	2.85	(1.98 - 4.09)	3.27	(2.33 - 4.57)	0.319
Northeast	2.92	(2.00 - 4.23)	3.14	(2.19 - 4.48)	0.599
Northwest	2.86	(1.96 - 4.16)	2.83	(1.98 - 4.02)	0.930
Southeast	2.87	(1.97 - 4.16)	3.36	(2.33 - 4.82)	0.256
Southwest	2.88	(1.96 - 4.20)	3.35	(2.31 - 4.83)	0.282
West	3.58	(2.58 - 4.95)	3.41	(2.46 - 4.70)	0.685
Iowa	3.40	(2.74 - 4.21)	2.95	(2.41 - 3.61)	0.123
Central	3.20	(2.27 - 4.50)	2.96	(2.11 - 4.12)	0.524
North Central	3.93	(2.77 - 5.55)	3.26	(2.31 - 4.59)	0.133
Northeast	3.80[b]	(2.76 - 5.22)	2.96	(2.18 - 4.00)	0.057
Northwest	2.99	(2.06 - 4.33)	2.87	(2.02 - 4.06)	0.749
Southeast	3.22	(2.29 - 4.52)	2.81	(2.00 - 3.93)	0.305
Southwest	3.17	(2.17 - 4.59)	3.04	(2.16 - 4.25)	0.749

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	2.99	(2.38 - 3.76)	3.25	(2.62 - 4.02)	0.423
Kansas City Metro	2.81	(2.02 - 3.89)	3.13	(2.28 - 4.28)	0.422
Northeast	3.14	(2.19 - 4.49)	3.67	(2.62 - 5.12)	0.262
South Central	3.17	(2.17 - 4.61)	3.05	(2.12 - 4.36)	0.781
Southeast	3.29	(2.22 - 4.83)	3.21	(2.21 - 4.65)	0.875
West	3.24	(2.20 - 4.75)	3.57	(2.48 - 5.12)	0.496
Wichita (Sedgwick)	2.78	(1.92 - 4.01)	2.98	(2.09 - 4.21)	0.626
Kentucky	2.80	(2.20 - 3.56)	2.85	(2.31 - 3.50)	0.875
Adanta, Cumberland River, and Lifeskills	2.53	(1.72 - 3.72)	2.73	(1.92 - 3.86)	0.586
Bluegrass, Comprehend, and North Key	3.00	(2.15 - 4.16)	2.94	(2.15 - 4.00)	0.876
Communicare and River Valley	2.61	(1.75 - 3.86)	2.74	(1.92 - 3.90)	0.711
Four Rivers and Pennyroyal	2.89	(1.93 - 4.31)	2.94	(2.05 - 4.21)	0.902
Kentucky River, Mountain, and Pathways	2.51	(1.66 - 3.77)	2.78	(1.90 - 4.05)	0.479
Seven Counties	2.96	(2.05 - 4.26)	2.86	(2.03 - 4.02)	0.799
Louisiana	2.98	(2.37 - 3.75)	3.28	(2.71 - 3.96)	0.340
Regions 1 and 10	2.98	(2.18 - 4.08)	3.41	(2.57 - 4.50)	0.258
Region 1	3.14	(2.13 - 4.60)	3.51	(2.45 - 4.99)	0.409
Region 10 (Jefferson)	2.83	(1.90 - 4.20)	3.30	(2.32 - 4.68)	0.284
Regions 2 and 9	2.90	(2.07 - 4.04)	3.13	(2.32 - 4.21)	0.577
Region 3	2.71	(1.83 - 4.00)	3.03	(2.12 - 4.30)	0.421
Regions 4, 5, and 6	3.09	(2.20 - 4.32)	3.51	(2.60 - 4.73)	0.330
Regions 7 and 8	3.09	(2.19 - 4.36)	3.16	(2.29 - 4.35)	0.859
Maine	2.97	(2.35 - 3.74)	3.03	(2.47 - 3.73)	0.821
Aroostook/Downeast	2.73	(1.96 - 3.80)	2.79	(2.04 - 3.81)	0.860
Aroostook	2.76	(1.85 - 4.12)	2.84	(1.91 - 4.21)	0.852
Downeast	2.70	(1.76 - 4.13)	2.75	(1.86 - 4.05)	0.907
Central	2.94	(1.99 - 4.34)	3.02	(2.11 - 4.30)	0.857
Cumberland	3.24	(2.24 - 4.65)	3.23	(2.29 - 4.53)	0.987
Midcoast	2.60	(1.72 - 3.92)	2.79	(1.92 - 4.03)	0.636
Penquis	3.44	(2.42 - 4.87)	3.38	(2.38 - 4.78)	0.898
Western	2.94	(2.03 - 4.25)	3.18	(2.24 - 4.50)	0.564
York	2.68	(1.81 - 3.95)	2.70	(1.90 - 3.81)	0.962

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	2.58[b]	(1.99 - 3.33)	3.10	(2.52 - 3.81)	0.084
Anne Arundel	2.58	(1.71 - 3.89)	3.14	(2.17 - 4.53)	0.183
Baltimore City	2.67	(1.80 - 3.95)	3.28	(2.30 - 4.66)	0.140
Baltimore County	2.69	(1.84 - 3.92)	3.18	(2.23 - 4.53)	0.218
Montgomery	2.48	(1.65 - 3.71)	2.94	(2.07 - 4.16)	0.274
North Central	2.46	(1.64 - 3.67)	2.87	(1.99 - 4.13)	0.273
Northeast	2.53	(1.67 - 3.81)	3.02	(2.12 - 4.28)	0.218
Prince George's	2.52	(1.70 - 3.72)	3.15	(2.22 - 4.44)	0.109
South	2.67	(1.80 - 3.92)	3.10	(2.17 - 4.42)	0.269
West	2.67	(1.80 - 3.94)	3.26	(2.31 - 4.59)	0.165
Massachusetts	3.74[a]	(3.05 - 4.59)	2.99	(2.46 - 3.65)	0.013
Boston	5.04[a]	(3.67 - 6.89)	3.80	(2.79 - 5.15)	0.013
Central	3.96[b]	(2.80 - 5.57)	3.14	(2.21 - 4.44)	0.068
Metrowest	3.47	(2.45 - 4.89)	2.87	(2.06 - 4.00)	0.159
Northeast	3.55	(2.53 - 4.95)	3.02	(2.20 - 4.14)	0.224
Southeast	3.31	(2.33 - 4.67)	2.67	(1.89 - 3.76)	0.118
Western	3.76[a]	(2.69 - 5.24)	2.74	(1.94 - 3.84)	0.016
Michigan[1]	3.48	(3.05 - 3.97)	3.14	(2.76 - 3.57)	0.129
Region 1	3.73	(2.68 - 5.18)	3.20	(2.32 - 4.39)	0.233
Region 2	--	(-- - --)	2.52	(1.74 - 3.64)	--
Region 3	--	(-- - --)	3.30	(2.51 - 4.33)	--
Region 4	--	(-- - --)	2.81	(2.09 - 3.77)	--
Region 5	--	(-- - --)	3.35	(2.64 - 4.25)	--
Region 6	--	(-- - --)	2.88	(2.17 - 3.81)	--
Region 7	--	(-- - --)	3.53	(2.73 - 4.56)	--
Region 8	3.26	(2.46 - 4.31)	2.92	(2.19 - 3.89)	0.353
Region 9	3.60	(2.65 - 4.87)	2.95	(2.20 - 3.94)	0.106
Region 10	--	(-- - --)	3.16	(2.36 - 4.22)	--
Minnesota	3.38[b]	(2.70 - 4.22)	2.87	(2.34 - 3.52)	0.079
Regions 1 and 2	3.09	(2.09 - 4.54)	2.81	(1.97 - 4.00)	0.473
Regions 3 and 4	3.51	(2.45 - 5.03)	2.98	(2.12 - 4.16)	0.180
Regions 5 and 6	3.32	(2.31 - 4.74)	2.80	(2.01 - 3.89)	0.173
Region 7A (Hennepin)	3.84[b]	(2.71 - 5.42)	2.96	(2.11 - 4.14)	0.054
Region 7B (Ramsey)	3.38	(2.28 - 4.98)	2.93	(2.04 - 4.20)	0.265
Region 7C	2.99	(2.11 - 4.22)	2.77	(2.02 - 3.79)	0.571
Mississippi	2.81	(2.20 - 3.58)	3.07	(2.50 - 3.75)	0.378
Region 1	2.75	(1.90 - 3.94)	2.95	(2.12 - 4.08)	0.612
Region 2	2.95	(1.94 - 4.46)	2.95	(2.08 - 4.16)	0.993
Region 3	2.86	(1.97 - 4.14)	3.48	(2.49 - 4.84)	0.145
Region 4	2.84	(1.94 - 4.14)	3.02	(2.12 - 4.29)	0.674
Region 5	2.68	(1.75 - 4.08)	2.86	(1.96 - 4.17)	0.653
Region 6	2.92	(1.98 - 4.28)	3.22	(2.30 - 4.49)	0.468
Region 7	2.67	(1.81 - 3.93)	3.00	(2.12 - 4.23)	0.416

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	2.81	(2.21 - 3.56)	2.94	(2.40 - 3.61)	0.643
Central	2.98	(2.07 - 4.28)	3.10	(2.23 - 4.29)	0.768
Eastern	2.81	(2.08 - 3.80)	2.83	(2.14 - 3.72)	0.969
Eastern (St. Louis City and County)	2.76	(1.92 - 3.95)	2.76	(1.97 - 3.85)	1.000
Eastern (excluding St. Louis)	2.90	(1.98 - 4.23)	2.93	(2.05 - 4.19)	0.931
Northwest	2.77	(2.03 - 3.77)	3.01	(2.27 - 3.99)	0.477
Northwest (Jackson)	2.80	(1.91 - 4.08)	2.92	(2.01 - 4.22)	0.757
Northwest (excluding Jackson)	2.75	(1.88 - 4.01)	3.09	(2.19 - 4.34)	0.400
Southeast	2.80	(1.88 - 4.17)	3.17	(2.23 - 4.49)	0.361
Southwest	2.71	(1.84 - 3.97)	2.78	(1.97 - 3.91)	0.845
Montana	3.54	(2.85 - 4.40)	3.69	(3.02 - 4.49)	0.676
Region 1	3.39	(2.30 - 4.96)	3.66	(2.53 - 5.27)	0.590
Region 2	3.81	(2.67 - 5.40)	3.81	(2.77 - 5.20)	0.998
Region 3	3.57	(2.61 - 4.87)	3.92	(2.89 - 5.29)	0.480
Region 4	3.90	(2.87 - 5.27)	4.01	(2.96 - 5.40)	0.824
Region 5	3.13	(2.22 - 4.40)	3.20	(2.34 - 4.37)	0.871
Nebraska	2.74[a]	(2.15 - 3.48)	3.57	(2.95 - 4.32)	0.010
Regions 1 and 2	2.75	(1.97 - 3.82)	3.17	(2.34 - 4.28)	0.243
Region 1	2.75	(1.84 - 4.10)	3.07	(2.09 - 4.47)	0.458
Region 2	2.74	(1.82 - 4.11)	3.27	(2.24 - 4.74)	0.215
Region 3	2.73[a]	(1.86 - 4.00)	3.66	(2.63 - 5.07)	0.043
Region 4	2.56	(1.75 - 3.72)	3.04	(2.10 - 4.38)	0.210
Region 5	2.92	(2.08 - 4.08)	3.60	(2.67 - 4.83)	0.111
Region 6	2.68[a]	(1.94 - 3.69)	3.77	(2.90 - 4.90)	0.008
Nevada	4.22	(3.32 - 5.34)	3.73	(3.00 - 4.64)	0.258
Clark – Region 1	4.03	(3.05 - 5.31)	3.78	(2.92 - 4.88)	0.616
Region 3	3.83	(2.75 - 5.31)	3.38	(2.50 - 4.55)	0.314
Capital District	3.82	(2.59 - 5.59)	3.22	(2.19 - 4.71)	0.223
Rural/Frontier	3.84	(2.53 - 5.79)	3.53	(2.44 - 5.09)	0.568
Washoe – Region 2	5.39[a]	(3.83 - 7.52)	3.78	(2.76 - 5.17)	0.007
New Hampshire	3.16	(2.53 - 3.95)	3.68	(3.02 - 4.47)	0.164
Central	2.93[b]	(2.19 - 3.91)	3.58	(2.78 - 4.61)	0.091
Central 1	3.11	(2.20 - 4.38)	3.87	(2.82 - 5.30)	0.118
Central 2	2.75	(1.87 - 4.03)	3.30	(2.34 - 4.63)	0.217
Northern	3.16	(2.15 - 4.61)	3.97	(2.82 - 5.55)	0.134
Southern	3.28	(2.52 - 4.25)	3.65	(2.89 - 4.61)	0.375
Southern 1 (Rockingham)	3.02	(2.10 - 4.31)	3.21	(2.28 - 4.49)	0.682
Southern 2	3.44	(2.54 - 4.66)	3.93	(2.99 - 5.16)	0.332

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	2.69	(2.09 - 3.45)	2.80	(2.25 - 3.48)	0.714
Central	2.55	(1.73 - 3.75)	2.39	(1.64 - 3.45)	0.662
Metropolitan	2.95	(2.05 - 4.24)	2.94	(2.14 - 4.02)	0.978
Northern	2.58	(1.81 - 3.68)	2.83	(2.02 - 3.93)	0.526
Southern	2.71	(1.88 - 3.89)	3.04	(2.21 - 4.19)	0.398
New Mexico	3.56	(2.84 - 4.46)	3.47	(2.83 - 4.24)	0.779
Region 1	3.29	(2.34 - 4.63)	3.32	(2.40 - 4.58)	0.955
Region 2	3.17	(2.16 - 4.65)	2.99	(2.06 - 4.34)	0.699
Region 3 (Bernalillo)	4.05	(2.96 - 5.53)	3.87	(2.85 - 5.21)	0.710
Region 4	3.17	(2.18 - 4.57)	2.99	(2.09 - 4.26)	0.674
Region 5	3.58	(2.55 - 5.01)	3.61	(2.61 - 4.98)	0.955
New York	3.31	(2.87 - 3.81)	3.40	(2.98 - 3.88)	0.684
Region A	3.44	(2.87 - 4.12)	3.70	(3.11 - 4.41)	0.380
Region 1	3.39	(2.49 - 4.62)	3.18	(2.34 - 4.30)	0.593
Region 2	3.24	(2.45 - 4.27)	3.74	(2.87 - 4.86)	0.241
Region 3	3.92	(2.84 - 5.39)	4.86	(3.55 - 6.62)	0.132
Region 4	3.36	(2.46 - 4.58)	3.11	(2.30 - 4.18)	0.518
Region B	3.09	(2.50 - 3.80)	3.15	(2.58 - 3.83)	0.840
Region 5	3.12	(2.38 - 4.09)	3.05	(2.33 - 4.00)	0.852
Region 6	3.06	(2.18 - 4.28)	3.37	(2.48 - 4.56)	0.461
Region 7	3.01	(2.17 - 4.17)	3.10	(2.24 - 4.28)	0.810
Region C	3.37	(2.81 - 4.03)	3.19	(2.66 - 3.82)	0.507
Region 8	3.57	(2.62 - 4.84)	3.03	(2.20 - 4.16)	0.218
Region 9	3.38	(2.48 - 4.60)	3.29	(2.45 - 4.39)	0.812
Region 10	3.24	(2.30 - 4.54)	3.47	(2.51 - 4.78)	0.593
Region 11	3.55	(2.59 - 4.86)	3.27	(2.42 - 4.41)	0.491
Region 12	3.05	(2.20 - 4.23)	3.06	(2.24 - 4.17)	0.984
Region D	3.18	(2.52 - 4.01)	3.27	(2.63 - 4.07)	0.756
Region 13	2.93	(2.04 - 4.19)	3.26	(2.33 - 4.54)	0.430
Region 14	3.68	(2.61 - 5.17)	3.49	(2.49 - 4.86)	0.663
Region 15	2.91	(2.06 - 4.10)	3.08	(2.23 - 4.23)	0.671

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	2.40	(1.83 - 3.15)	2.82	(2.29 - 3.47)	0.153
Alliance Behavioral Healthcare 1	--	(-- - --)	2.88	(2.00 - 4.11)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	3.05	(2.10 - 4.41)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	2.68	(1.85 - 3.87)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	2.72	(1.87 - 3.93)	--
Cardinal Innovations Healthcare Solutions 3	2.62	(1.69 - 4.05)	2.92	(2.02 - 4.20)	0.496
CenterPoint Human Services	2.31	(1.49 - 3.57)	2.79	(1.92 - 4.04)	0.231
Eastpointe	2.39	(1.55 - 3.65)	2.54	(1.72 - 3.73)	0.701
Partners Behavioral Health Management	2.37	(1.55 - 3.62)	2.70	(1.87 - 3.87)	0.431
Sandhills Center 1	2.36	(1.53 - 3.64)	2.65	(1.81 - 3.86)	0.459
Sandhills Center 2	2.51	(1.64 - 3.82)	2.88	(1.98 - 4.15)	0.352
Smoky Mountain Center 1	2.46	(1.57 - 3.84)	2.83	(1.90 - 4.18)	0.384
Smoky Mountain Center 2	2.47	(1.61 - 3.79)	2.79	(1.89 - 4.10)	0.431
Trillium Health Resources 1	2.42[b]	(1.57 - 3.70)	3.14	(2.11 - 4.63)	0.086
Trillium Health Resources 2	2.62	(1.70 - 4.01)	2.98	(2.08 - 4.25)	0.401
North Dakota	3.54	(2.87 - 4.35)	3.45	(2.89 - 4.12)	0.794
Badlands and West Central	3.28	(2.34 - 4.59)	3.34	(2.47 - 4.50)	0.902
Lake Region	--	(-- - --)	3.04	(2.16 - 4.27)	--
North Central	--	(-- - --)	3.33	(2.39 - 4.62)	--
Northeast	4.05	(2.95 - 5.53)	3.89	(2.91 - 5.19)	0.755
Northwest	--	(-- - --)	3.24	(2.28 - 4.58)	--
South Central	--	(-- - --)	2.93	(2.04 - 4.19)	--
Southeast	3.64	(2.71 - 4.87)	3.70	(2.84 - 4.82)	0.876

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	3.11	(2.71 - 3.56)	3.08	(2.69 - 3.51)	0.890
Boards 2, 46, 55, and 68	2.51	(1.75 - 3.57)	3.04	(2.19 - 4.20)	0.152
Boards 3, 52, and 85	2.95	(2.06 - 4.19)	2.79	(1.99 - 3.90)	0.690
Boards 4 and 78	3.16	(2.17 - 4.58)	3.18	(2.26 - 4.46)	0.955
Boards 5 and 60	3.41	(2.47 - 4.70)	3.66	(2.62 - 5.09)	0.564
Boards 7, 15, 41, 79, and 84	2.98	(2.13 - 4.15)	2.87	(2.09 - 3.91)	0.769
Boards 8, 13, and 83	2.71	(1.92 - 3.81)	2.93	(2.07 - 4.13)	0.570
Board 9 (Butler)	3.81[b]	(2.70 - 5.36)	3.05	(2.18 - 4.25)	0.086
Board 12	3.21	(2.27 - 4.52)	3.32	(2.35 - 4.67)	0.801
Boards 18 and 47	2.98	(2.27 - 3.91)	2.77	(2.06 - 3.72)	0.572
Boards 20, 32, 54, and 69	2.78	(1.92 - 4.01)	2.93	(2.12 - 4.03)	0.696
Boards 21, 39, 51, 70, and 80	2.66	(1.87 - 3.76)	2.90	(2.10 - 3.97)	0.522
Boards 22, 74, and 87	3.06	(2.19 - 4.26)	2.76	(1.96 - 3.88)	0.450
Boards 23 and 45	3.19	(2.27 - 4.48)	3.07	(2.19 - 4.29)	0.761
Board 25 (Franklin)	3.85	(2.92 - 5.06)	3.37	(2.56 - 4.44)	0.251
Boards 27, 71, and 73	2.87	(2.04 - 4.03)	3.21	(2.30 - 4.45)	0.411
Boards 28, 43, and 67	2.58[b]	(1.81 - 3.67)	3.27	(2.37 - 4.49)	0.084
Board 31 (Hamilton)	2.96	(2.14 - 4.06)	3.24	(2.38 - 4.38)	0.483
Board 48 (Lucas)	3.63	(2.55 - 5.13)	3.34	(2.40 - 4.63)	0.538
Boards 50 and 76	3.17	(2.31 - 4.33)	3.13	(2.24 - 4.37)	0.930
Board 57 (Montgomery)	3.17	(2.28 - 4.39)	2.97	(2.15 - 4.10)	0.595
Board 77 (Summit)	3.24	(2.36 - 4.44)	3.09	(2.23 - 4.27)	0.714
Oklahoma	3.24	(2.56 - 4.08)	3.22	(2.61 - 3.96)	0.952
Central	3.22	(2.18 - 4.75)	3.27	(2.29 - 4.64)	0.925
East Central	3.16	(2.10 - 4.72)	3.01	(2.11 - 4.28)	0.742
Northeast	2.97	(2.10 - 4.19)	3.15	(2.24 - 4.42)	0.673
Northwest and Southwest	3.56	(2.46 - 5.12)	3.43	(2.39 - 4.92)	0.798
Oklahoma County	3.15	(2.20 - 4.48)	2.92	(2.08 - 4.07)	0.578
Southeast	3.38	(2.30 - 4.93)	3.28	(2.26 - 4.74)	0.836
Tulsa County	3.22	(2.19 - 4.72)	3.50	(2.46 - 4.94)	0.592
Oregon	3.86	(3.07 - 4.84)	3.38	(2.76 - 4.14)	0.178
Region 1 (Multnomah)	4.63[a]	(3.28 - 6.50)	3.40	(2.45 - 4.70)	0.026
Region 2	3.42	(2.40 - 4.86)	3.14	(2.25 - 4.37)	0.540
Region 3	4.22	(3.08 - 5.74)	3.67	(2.73 - 4.91)	0.272
Region 4	3.04	(2.02 - 4.56)	3.18	(2.20 - 4.56)	0.785
Region 5 (Central)	3.60	(2.38 - 5.41)	3.50	(2.40 - 5.08)	0.847
Region 6 (Eastern)	3.40	(2.18 - 5.26)	3.14	(2.17 - 4.52)	0.609

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	3.02	(2.60 - 3.49)	2.87	(2.50 - 3.29)	0.485
Region 1 (Allegheny)	2.97	(2.19 - 4.01)	3.11	(2.33 - 4.15)	0.700
Regions 3, 8, 9, and 51	3.01	(2.16 - 4.19)	3.33	(2.42 - 4.58)	0.442
Regions 4, 11, 37, and 49	2.58	(1.84 - 3.60)	2.55	(1.86 - 3.47)	0.925
Regions 5, 18, 23, 24, and 46	2.66	(1.88 - 3.77)	2.43	(1.75 - 3.36)	0.505
Regions 6, 12, 16, 31, 35, 45, and 47	2.65	(1.91 - 3.68)	2.92	(2.15 - 3.95)	0.429
Regions 7, 13, 20, and 33	3.01	(2.31 - 3.91)	2.84	(2.19 - 3.67)	0.611
Regions 10, 15, 27, 32, 43, and 44	2.89	(2.06 - 4.04)	2.60	(1.84 - 3.65)	0.412
Regions 17 and 21	3.12	(2.22 - 4.38)	3.07	(2.18 - 4.30)	0.889
Regions 19, 26, 28, and 42	2.84	(2.11 - 3.81)	2.56	(1.93 - 3.40)	0.417
Regions 22, 38, 40, 41, and 48	2.57	(1.83 - 3.59)	2.39	(1.68 - 3.39)	0.610
Regions 29 and 34	2.84	(2.03 - 3.97)	2.63	(1.90 - 3.63)	0.537
Regions 30 and 50	2.79	(2.00 - 3.88)	2.68	(1.93 - 3.72)	0.771
Region 36 (Philadelphia)	4.30	(3.18 - 5.79)	3.65	(2.71 - 4.89)	0.165
Rhode Island	3.95	(3.17 - 4.92)	3.99	(3.24 - 4.91)	0.924
Bristol and Newport	4.78	(3.27 - 6.94)	4.95	(3.48 - 7.00)	0.797
Kent	3.36	(2.31 - 4.85)	3.66	(2.58 - 5.18)	0.571
Providence	3.91	(2.99 - 5.09)	3.84	(2.93 - 5.00)	0.879
Washington	4.08	(2.88 - 5.75)	4.15	(2.95 - 5.80)	0.908
South Carolina	3.31	(2.55 - 4.29)	3.12	(2.52 - 3.86)	0.564
Region 1	--	(-- - --)	3.24	(2.36 - 4.43)	--
Region 2	--	(-- - --)	2.80	(1.99 - 3.94)	--
Region 3	4.49[b]	(2.92 - 6.82)	3.45	(2.44 - 4.86)	0.069
Region 4	3.28	(2.29 - 4.68)	3.05	(2.19 - 4.23)	0.607
South Dakota	3.52	(2.81 - 4.39)	3.49	(2.90 - 4.20)	0.947
Region 1	3.62	(2.58 - 5.07)	3.79	(2.83 - 5.06)	0.735
Region 2	4.06	(2.72 - 6.01)	4.01	(2.78 - 5.74)	0.928
Region 3	3.50	(2.49 - 4.91)	3.30	(2.42 - 4.47)	0.647
Region 4	3.21	(2.19 - 4.68)	3.19	(2.30 - 4.42)	0.965
Region 5	3.40	(2.44 - 4.72)	3.38	(2.50 - 4.56)	0.958
Tennessee	2.91	(2.26 - 3.74)	2.65	(2.13 - 3.29)	0.346
Region 1	2.66	(1.75 - 4.00)	2.51	(1.73 - 3.62)	0.688
Region 2	2.65	(1.81 - 3.87)	2.44	(1.71 - 3.46)	0.561
Region 3	2.77	(1.83 - 4.17)	2.59	(1.82 - 3.66)	0.646
Region 4 (Davidson)	3.12	(2.10 - 4.63)	2.84	(1.96 - 4.10)	0.506
Region 5	3.26	(2.28 - 4.64)	2.86	(2.03 - 4.03)	0.315
Region 6	2.84	(1.88 - 4.28)	2.60	(1.78 - 3.76)	0.514
Region 7 (Shelby)	2.84	(1.88 - 4.27)	2.59	(1.80 - 3.72)	0.514

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	2.97	(2.57 - 3.42)	2.99	(2.62 - 3.40)	0.929
Region 1	3.36	(2.41 - 4.67)	3.19	(2.34 - 4.32)	0.643
Region 2	3.06	(2.13 - 4.37)	3.04	(2.20 - 4.18)	0.956
Region 3	2.71	(2.18 - 3.38)	2.94	(2.42 - 3.57)	0.422
Region 3a	2.68	(2.01 - 3.55)	2.93	(2.29 - 3.74)	0.486
Region 3bc	2.78	(2.10 - 3.67)	2.97	(2.26 - 3.89)	0.576
Region 4	2.84	(1.99 - 4.03)	3.05	(2.21 - 4.20)	0.565
Region 5	2.82	(1.98 - 4.00)	3.13	(2.27 - 4.30)	0.396
Region 6	2.97	(2.34 - 3.77)	2.83	(2.24 - 3.57)	0.655
Region 6a	2.98	(2.30 - 3.84)	2.82	(2.19 - 3.63)	0.644
Region 6bc	2.94	(2.05 - 4.18)	2.92	(2.08 - 4.08)	0.967
Region 7	3.19	(2.52 - 4.02)	3.22	(2.57 - 4.03)	0.903
Region 7a	3.21	(2.38 - 4.31)	3.30	(2.48 - 4.37)	0.810
Region 7bcd	3.15	(2.31 - 4.26)	3.09	(2.29 - 4.15)	0.864
Region 8	3.33	(2.49 - 4.46)	3.15	(2.38 - 4.17)	0.630
Region 9	3.07	(2.17 - 4.32)	3.12	(2.26 - 4.29)	0.892
Region 10	3.38	(2.45 - 4.66)	3.23	(2.38 - 4.38)	0.700
Region 11	2.74	(2.11 - 3.55)	2.69	(2.10 - 3.45)	0.862
Region 11abd	2.75	(1.98 - 3.79)	2.62	(1.91 - 3.59)	0.694
Region 11c (Hidalgo)	2.73	(1.93 - 3.83)	2.81	(2.04 - 3.87)	0.810
Utah	2.54	(1.99 - 3.24)	2.70	(2.17 - 3.35)	0.547
Bear River, Northeastern, Summit, Tooele, and Wasatch	2.63	(1.82 - 3.80)	3.07	(2.17 - 4.33)	0.251
Central, Four Corners, San Juan, and Southwest	2.77	(1.86 - 4.11)	2.77	(1.91 - 4.01)	0.996
Davis County	2.57	(1.73 - 3.79)	2.53	(1.77 - 3.61)	0.926
Salt Lake County	2.47	(1.77 - 3.43)	2.53	(1.84 - 3.47)	0.848
Utah County	2.48	(1.74 - 3.53)	2.76	(1.99 - 3.81)	0.396
Weber, Morgan	2.48	(1.66 - 3.69)	2.86	(2.01 - 4.04)	0.288
Vermont	2.95	(2.33 - 3.72)	3.29	(2.68 - 4.04)	0.289
Champlain Valley	3.01	(2.22 - 4.08)	3.27	(2.46 - 4.33)	0.533
Rural Northeast	3.01	(2.11 - 4.27)	3.67	(2.61 - 5.13)	0.194
Rural Southeast	2.86	(2.00 - 4.08)	3.08	(2.20 - 4.31)	0.609
Rural Southwest	2.80	(1.92 - 4.07)	3.08	(2.19 - 4.31)	0.521
Virginia	3.14	(2.50 - 3.93)	3.34	(2.77 - 4.02)	0.513
Region 1	3.52	(2.54 - 4.86)	3.37	(2.49 - 4.54)	0.723
Region 2	2.78	(1.95 - 3.96)	3.07	(2.25 - 4.19)	0.471
Region 3	3.68	(2.60 - 5.19)	3.38	(2.47 - 4.62)	0.498
Region 4	2.80[b]	(1.91 - 4.08)	3.65	(2.65 - 5.00)	0.057
Region 5	3.14	(2.22 - 4.44)	3.38	(2.48 - 4.59)	0.594

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	3.48	(2.80 - 4.32)	3.12	(2.57 - 3.78)	0.245
Region 1	3.61	(2.67 - 4.88)	3.16	(2.41 - 4.12)	0.226
Greater Columbia and North Central	--	(-- - --)	3.18	(2.28 - 4.41)	--
Spokane	--	(-- - --)	3.13	(2.19 - 4.44)	--
Region 2	3.50	(2.69 - 4.55)	3.16	(2.48 - 4.02)	0.350
King	3.28	(2.37 - 4.52)	3.10	(2.31 - 4.14)	0.665
North Sound	3.89	(2.77 - 5.43)	3.26	(2.36 - 4.48)	0.187
Region 3	3.37	(2.55 - 4.43)	3.04	(2.41 - 3.84)	0.346
Peninsula	--	(-- - --)	3.34	(2.30 - 4.82)	--
Pierce	--	(-- - --)	3.00	(2.14 - 4.18)	--
SW WA and Timberlands	--	(-- - --)	2.96	(2.10 - 4.14)	--
Thurston-Mason	--	(-- - --)	3.02	(2.10 - 4.34)	--
West Virginia	2.96	(2.34 - 3.75)	3.13	(2.57 - 3.80)	0.601
Region I	2.82	(1.88 - 4.19)	3.04	(2.07 - 4.44)	0.603
Region II	2.84	(1.90 - 4.22)	3.20	(2.25 - 4.55)	0.427
Region III	2.60	(1.70 - 3.97)	2.93	(2.01 - 4.25)	0.431
Region IV	3.75	(2.72 - 5.17)	3.55	(2.61 - 4.82)	0.670
Region V	2.67	(1.89 - 3.75)	2.95	(2.17 - 4.01)	0.464
Region VI	2.83	(1.91 - 4.17)	2.96	(2.10 - 4.15)	0.756
Wisconsin	3.05	(2.37 - 3.91)	3.53	(2.90 - 4.29)	0.154
Milwaukee	3.07	(2.05 - 4.58)	3.71	(2.67 - 5.13)	0.166
Northeastern	2.86	(1.98 - 4.12)	3.47	(2.54 - 4.72)	0.173
Northern	2.97	(1.93 - 4.53)	3.27	(2.28 - 4.68)	0.502
Southeastern	3.35	(2.24 - 4.99)	3.47	(2.48 - 4.85)	0.817
Southern	3.17	(2.20 - 4.54)	3.63	(2.62 - 5.00)	0.302
Western	2.71[b]	(1.82 - 4.02)	3.53	(2.54 - 4.90)	0.068

See notes at end of table.

(continued)

Table 17 *Alcohol Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	3.66	(2.97 - 4.49)	3.79	(3.16 - 4.53)	0.695
Judicial District 1 (Laramie)	3.54	(2.49 - 5.01)	3.82	(2.78 - 5.23)	0.572
Judicial District 2	4.49	(3.26 - 6.16)	5.13	(3.83 - 6.84)	0.256
Judicial District 3	3.25	(2.25 - 4.68)	3.75	(2.73 - 5.12)	0.296
Judicial District 4	3.29	(2.25 - 4.79)	3.50	(2.44 - 5.02)	0.664
Judicial District 5	3.90	(2.66 - 5.68)	3.21	(2.24 - 4.59)	0.188
Judicial District 6	3.36	(2.33 - 4.81)	3.40	(2.44 - 4.72)	0.919
Judicial District 7 (Natrona)	3.90	(2.77 - 5.46)	3.66	(2.64 - 5.04)	0.619
Judicial District 8	3.50	(2.37 - 5.15)	3.49	(2.48 - 4.90)	0.985
Judicial District 9	3.73	(2.57 - 5.38)	3.95	(2.80 - 5.56)	0.672

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 18 *Illicit Drug Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	2.72	(2.61 - 2.82)	2.70	(2.60 - 2.80)	0.750
Northeast	2.73	(2.54 - 2.93)	2.81	(2.61 - 3.02)	0.424
Midwest	2.59	(2.44 - 2.74)	2.58	(2.44 - 2.74)	0.980
South	2.62	(2.48 - 2.77)	2.59	(2.45 - 2.74)	0.693
West	2.98	(2.78 - 3.19)	2.89	(2.68 - 3.10)	0.381
Alabama	2.53	(2.05 - 3.11)	2.53	(2.04 - 3.12)	0.997
Region 1	2.49	(1.86 - 3.34)	2.43	(1.80 - 3.27)	0.835
Region 2	2.60	(1.99 - 3.40)	2.58	(1.94 - 3.42)	0.933
Region 3	2.45	(1.85 - 3.24)	2.56	(1.90 - 3.45)	0.701
Region 4	2.52	(1.89 - 3.34)	2.54	(1.86 - 3.47)	0.929
Alaska	2.63[b]	(2.21 - 3.14)	3.06	(2.53 - 3.70)	0.053
Anchorage	2.75	(2.20 - 3.43)	3.24	(2.54 - 4.13)	0.114
Northern	2.73	(2.12 - 3.50)	3.22	(2.40 - 4.31)	0.145
South Central	2.50	(1.90 - 3.27)	2.85	(2.15 - 3.77)	0.225
Southeast	2.32	(1.75 - 3.07)	2.51	(1.81 - 3.48)	0.490
Arizona	3.09	(2.56 - 3.73)	3.03	(2.51 - 3.66)	0.824
Maricopa	3.21	(2.57 - 4.00)	3.11	(2.48 - 3.89)	0.766
Pima	3.19	(2.42 - 4.21)	3.19	(2.36 - 4.30)	0.998
Rural North	2.65	(2.00 - 3.50)	2.66	(1.96 - 3.62)	0.953
Rural South	2.82	(2.10 - 3.78)	2.82	(2.07 - 3.83)	0.994
Arkansas	2.76	(2.30 - 3.31)	2.67	(2.19 - 3.26)	0.671
Catchment Area 1	2.52	(1.93 - 3.30)	2.60	(1.96 - 3.44)	0.775
Catchment Area 2	2.30	(1.72 - 3.09)	2.17	(1.57 - 3.00)	0.606
Catchment Area 3	2.57	(1.93 - 3.41)	2.71	(1.99 - 3.69)	0.633
Catchment Area 4	2.51	(1.87 - 3.36)	2.36	(1.72 - 3.23)	0.589
Catchment Area 5	2.84	(2.13 - 3.78)	2.81	(2.09 - 3.77)	0.942
Catchment Area 6	3.51	(2.52 - 4.86)	3.23	(2.30 - 4.51)	0.559
Catchment Area 7	2.54	(1.87 - 3.45)	2.85	(2.06 - 3.93)	0.357
Catchment Area 8	3.23	(2.47 - 4.21)	2.79	(2.07 - 3.76)	0.222

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	3.03	(2.73 - 3.36)	2.89	(2.59 - 3.23)	0.396
Region 1R	3.47	(2.72 - 4.41)	3.06	(2.30 - 4.06)	0.269
Region 2R	3.38	(2.70 - 4.23)	3.00	(2.29 - 3.92)	0.229
Region 3R (Sacramento)	3.26	(2.56 - 4.14)	3.44	(2.65 - 4.46)	0.622
Region 4R	3.28	(2.59 - 4.15)	3.07	(2.38 - 3.94)	0.500
Region 5R (San Francisco)	3.40	(2.60 - 4.43)	2.95	(2.14 - 4.06)	0.298
Region 6 (Santa Clara)	2.32	(1.81 - 2.98)	2.36	(1.82 - 3.05)	0.876
Region 7R (Contra Costa)	2.88	(2.25 - 3.68)	2.76	(2.12 - 3.59)	0.707
Region 8R (Alameda)	2.81	(2.21 - 3.56)	2.88	(2.22 - 3.73)	0.811
Region 9R (San Mateo)	2.31	(1.77 - 3.02)	2.34	(1.77 - 3.08)	0.933
Region 10	3.27	(2.56 - 4.18)	3.08	(2.38 - 3.98)	0.551
Region 11 (Los Angeles)	2.93	(2.58 - 3.34)	2.78	(2.43 - 3.19)	0.408
LA SPA 1 and 5	3.17	(2.47 - 4.06)	3.06	(2.31 - 4.06)	0.740
LA SPA 2	2.79	(2.21 - 3.51)	2.80	(2.19 - 3.57)	0.977
LA SPA 3	2.69	(2.14 - 3.39)	2.40	(1.86 - 3.09)	0.271
LA SPA 4	2.92	(2.25 - 3.78)	2.90	(2.20 - 3.82)	0.961
LA SPA 6	3.60	(2.82 - 4.57)	3.20	(2.44 - 4.19)	0.255
LA SPA 7	2.90	(2.28 - 3.67)	2.61	(2.03 - 3.35)	0.292
LA SPA 8	2.88	(2.28 - 3.63)	2.80	(2.20 - 3.58)	0.776
Region 12R	3.08	(2.37 - 3.98)	2.97	(2.25 - 3.90)	0.736
Regions 13 and 19R	2.97	(2.43 - 3.64)	2.64	(2.05 - 3.39)	0.229
Region 14 (Orange)	2.89	(2.35 - 3.55)	2.90	(2.32 - 3.62)	0.967
Region 15R (Fresno)	3.56	(2.73 - 4.64)	3.25	(2.49 - 4.23)	0.420
Region 16R (San Diego)	3.12	(2.52 - 3.85)	3.00	(2.38 - 3.79)	0.697
Region 17R	3.33	(2.62 - 4.22)	3.16	(2.41 - 4.13)	0.639
Region 18R (San Bernardino)	2.92	(2.31 - 3.68)	3.06	(2.42 - 3.86)	0.622
Region 20R	3.34	(2.61 - 4.26)	3.17	(2.45 - 4.09)	0.609
Region 21R	3.38[b]	(2.65 - 4.29)	2.84	(2.14 - 3.76)	0.086
Colorado	3.21	(2.70 - 3.83)	3.11	(2.58 - 3.75)	0.681
Region 1	3.16	(2.39 - 4.17)	3.20	(2.39 - 4.28)	0.920
Regions 2 and 7	3.39	(2.75 - 4.17)	3.24	(2.58 - 4.07)	0.656
Region 3	3.06	(2.32 - 4.02)	3.05	(2.28 - 4.07)	0.987
Region 4	3.08	(2.24 - 4.22)	3.00	(2.17 - 4.14)	0.848
Regions 5 and 6	2.66	(2.00 - 3.53)	2.46	(1.79 - 3.37)	0.487
Connecticut	2.91	(2.39 - 3.54)	2.81	(2.31 - 3.42)	0.657
Eastern	2.96	(2.22 - 3.95)	3.15	(2.35 - 4.21)	0.615
North Central	2.88	(2.19 - 3.76)	3.11	(2.37 - 4.05)	0.510
Northwestern	2.91	(2.19 - 3.85)	2.44	(1.82 - 3.28)	0.125
South Central	3.04	(2.30 - 3.99)	2.68	(2.02 - 3.56)	0.282
Southwest	2.77	(2.07 - 3.69)	2.63	(1.94 - 3.57)	0.675

See notes at end of table. (continued)

Table 18 ***Illicit Drug Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	2.88[b]	(2.40 - 3.46)	3.37	(2.79 - 4.07)	0.072
Kent	2.94	(2.25 - 3.84)	3.21	(2.41 - 4.25)	0.468
New Castle (excluding Wilmington City)	3.17	(2.54 - 3.94)	3.73	(2.97 - 4.68)	0.136
Sussex	1.89[a]	(1.44 - 2.48)	2.53	(1.84 - 3.47)	0.020
Wilmington City	3.67	(2.73 - 4.92)	3.83	(2.71 - 5.40)	0.747
District of Columbia	3.60	(2.97 - 4.36)	3.54	(2.88 - 4.36)	0.849
Ward 1	3.76	(2.76 - 5.11)	3.54	(2.55 - 4.88)	0.649
Ward 2	3.32	(2.47 - 4.46)	3.56	(2.55 - 4.95)	0.588
Ward 3	3.06	(2.32 - 4.01)	2.94	(2.15 - 4.01)	0.737
Ward 4	3.28	(2.41 - 4.44)	3.24	(2.31 - 4.54)	0.941
Ward 5	3.63	(2.70 - 4.86)	3.66	(2.67 - 4.99)	0.953
Ward 6	3.61	(2.65 - 4.91)	3.07	(2.18 - 4.31)	0.248
Ward 7	4.17	(3.08 - 5.62)	4.11	(2.94 - 5.70)	0.912
Ward 8	4.17	(3.11 - 5.58)	4.42	(3.27 - 5.95)	0.674
Florida[1]	2.66	(2.36 - 3.01)	2.56	(2.27 - 2.89)	0.442
Broward (Circuit 17)	2.44	(1.95 - 3.06)	2.58	(2.02 - 3.31)	0.578
Central I	--	(-- - --)	2.76	(2.30 - 3.30)	--
Circuit 9	3.16	(2.56 - 3.91)	2.83	(2.25 - 3.56)	0.254
Circuit 18	2.76	(2.20 - 3.47)	2.65	(2.05 - 3.43)	0.686
Central II	--	(-- - --)	2.54	(2.17 - 2.97)	--
Circuit 6	3.09	(2.41 - 3.94)	2.82	(2.17 - 3.67)	0.447
Circuit 10	2.62	(2.03 - 3.36)	2.60	(1.98 - 3.40)	0.945
Circuit 12	2.48	(1.93 - 3.19)	2.08	(1.57 - 2.74)	0.120
Circuit 13 (Hillsborough)	2.86	(2.31 - 3.55)	2.67	(2.10 - 3.40)	0.490
Circuit 20	2.28	(1.79 - 2.91)	2.33	(1.77 - 3.06)	0.838
Northeast	--	(-- - --)	2.66	(2.25 - 3.13)	--
Circuit 4	3.40	(2.62 - 4.41)	2.90	(2.21 - 3.79)	0.152
Circuit 5	2.32	(1.79 - 2.99)	2.14	(1.63 - 2.82)	0.498
Circuit 7	2.76	(2.19 - 3.47)	2.60	(2.02 - 3.34)	0.563
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	3.31	(2.53 - 4.30)	--
Northwest	--	(-- - --)	3.17	(2.60 - 3.84)	--
Circuit 1	3.38	(2.66 - 4.28)	3.18	(2.40 - 4.18)	0.589
Circuit 2 plus Madison and Taylor	--	(-- - --)	3.46	(2.63 - 4.53)	--
Circuit 14	3.21	(2.45 - 4.21)	2.72	(2.01 - 3.66)	0.162
South (Circuits 11 and 16)	1.89	(1.50 - 2.38)	1.93	(1.50 - 2.47)	0.855
Southeast	--	(-- - --)	2.56	(2.07 - 3.16)	--
Circuit 15 (Palm Beach)	2.46	(1.94 - 3.11)	2.69	(2.09 - 3.48)	0.383
Circuit 19	2.17	(1.67 - 2.82)	2.25	(1.69 - 2.98)	0.736

See notes at end of table.

(continued)

Table 18 ***Illicit Drug Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	2.49[a]	(2.05 - 3.02)	2.93	(2.43 - 3.54)	0.030
Region 1	2.09[b]	(1.59 - 2.74)	2.55	(1.93 - 3.35)	0.054
Region 2	2.67	(2.01 - 3.55)	3.06	(2.28 - 4.10)	0.231
Region 3	2.68	(2.05 - 3.49)	3.06	(2.34 - 4.00)	0.241
Region 4	2.90	(2.15 - 3.90)	2.99	(2.18 - 4.09)	0.788
Region 5	2.52	(1.85 - 3.43)	2.95	(2.19 - 3.97)	0.172
Region 6	2.44[a]	(1.82 - 3.27)	3.20	(2.37 - 4.32)	0.024
Hawaii	2.12[b]	(1.74 - 2.58)	2.54	(2.00 - 3.21)	0.060
Hawaii Island	2.32	(1.73 - 3.11)	2.38	(1.68 - 3.36)	0.867
Honolulu	2.16[b]	(1.72 - 2.69)	2.66	(2.03 - 3.46)	0.057
Kauai	1.76[b]	(1.28 - 2.41)	2.17	(1.55 - 3.04)	0.075
Maui	1.80	(1.34 - 2.41)	2.16	(1.55 - 3.01)	0.126
Idaho	2.64	(2.23 - 3.13)	2.37	(1.96 - 2.88)	0.144
Region 1	2.22	(1.68 - 2.93)	2.11	(1.55 - 2.87)	0.658
Region 2	2.85	(2.15 - 3.78)	2.50	(1.85 - 3.36)	0.218
Region 3	2.54	(1.95 - 3.30)	2.27	(1.69 - 3.05)	0.291
Region 4	2.98	(2.33 - 3.81)	2.60	(1.99 - 3.39)	0.207
Region 5	2.42	(1.82 - 3.21)	2.11	(1.55 - 2.86)	0.222
Region 6	--	(-- - --)	2.41	(1.75 - 3.31)	--
Region 7	--	(-- - --)	2.42	(1.81 - 3.24)	--
Illinois	2.42	(2.15 - 2.74)	2.42	(2.12 - 2.75)	0.954
Region I (Cook)	2.76	(2.33 - 3.26)	2.58	(2.14 - 3.11)	0.471
Region II	2.02	(1.70 - 2.39)	2.08	(1.73 - 2.51)	0.722
Region III	2.48	(2.02 - 3.05)	2.79	(2.19 - 3.54)	0.266
Region IV	2.29	(1.78 - 2.93)	2.46	(1.89 - 3.19)	0.540
Region V	2.38	(1.91 - 2.97)	2.35	(1.82 - 3.03)	0.905
Indiana	2.58[b]	(2.15 - 3.10)	2.98	(2.48 - 3.58)	0.054
Central	2.75	(2.11 - 3.56)	3.09	(2.36 - 4.05)	0.278
East	2.88	(2.16 - 3.83)	3.11	(2.31 - 4.18)	0.504
North Central	2.44	(1.86 - 3.19)	2.58	(1.93 - 3.45)	0.614
Northeast	2.28[b]	(1.71 - 3.05)	2.78	(2.06 - 3.74)	0.089
Northwest	2.62	(1.98 - 3.47)	2.77	(2.06 - 3.73)	0.631
Southeast	2.31	(1.74 - 3.07)	2.68	(1.97 - 3.63)	0.256
Southwest	2.47	(1.82 - 3.35)	2.68	(1.95 - 3.68)	0.511
West	2.73[a]	(2.05 - 3.62)	3.99	(2.97 - 5.35)	0.002
Iowa	2.28	(1.88 - 2.76)	2.21	(1.78 - 2.74)	0.708
Central	2.29	(1.73 - 3.04)	2.00	(1.47 - 2.73)	0.250
North Central	2.59	(1.94 - 3.47)	2.50	(1.80 - 3.44)	0.735
Northeast	2.21	(1.69 - 2.88)	2.35	(1.74 - 3.17)	0.554
Northwest	2.22	(1.67 - 2.95)	2.14	(1.53 - 2.98)	0.746
Southeast	2.25	(1.71 - 2.96)	2.19	(1.62 - 2.95)	0.797
Southwest	2.23	(1.68 - 2.95)	2.11	(1.54 - 2.88)	0.609

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	2.50	(2.05 - 3.06)	2.25	(1.81 - 2.80)	0.190
Kansas City Metro	2.41	(1.87 - 3.10)	2.11	(1.59 - 2.80)	0.226
Northeast	2.43	(1.80 - 3.27)	2.32	(1.72 - 3.13)	0.667
South Central	2.36	(1.76 - 3.18)	2.14	(1.56 - 2.93)	0.406
Southeast	2.70	(1.96 - 3.71)	2.36	(1.68 - 3.31)	0.260
West	2.18	(1.63 - 2.93)	2.11	(1.54 - 2.89)	0.766
Wichita (Sedgwick)	3.00	(2.21 - 4.07)	2.58	(1.86 - 3.58)	0.271
Kentucky	2.54	(2.12 - 3.05)	2.56	(2.10 - 3.12)	0.930
Adanta, Cumberland River, and Lifeskills	2.38	(1.77 - 3.19)	2.37	(1.73 - 3.24)	0.986
Bluegrass, Comprehend, and North Key	2.59	(2.02 - 3.31)	2.70	(2.05 - 3.54)	0.718
Communicare and River Valley	2.27	(1.67 - 3.09)	2.34	(1.71 - 3.20)	0.799
Four Rivers and Pennyroyal	2.57	(1.91 - 3.44)	2.44	(1.79 - 3.32)	0.669
Kentucky River, Mountain, and Pathways	2.61	(1.93 - 3.51)	2.55	(1.85 - 3.50)	0.869
Seven Counties	2.71	(2.10 - 3.49)	2.70	(2.02 - 3.59)	0.972
Louisiana	2.62	(2.17 - 3.15)	2.93	(2.40 - 3.56)	0.169
Regions 1 and 10	2.85	(2.24 - 3.63)	2.97	(2.30 - 3.83)	0.673
Region 1	2.84	(2.10 - 3.84)	3.23	(2.36 - 4.41)	0.287
Region 10 (Jefferson)	2.86	(2.12 - 3.84)	2.71	(1.98 - 3.69)	0.669
Regions 2 and 9	2.52[b]	(1.95 - 3.24)	3.10	(2.37 - 4.06)	0.074
Region 3	2.39	(1.76 - 3.24)	2.69	(1.98 - 3.66)	0.312
Regions 4, 5, and 6	2.63	(2.03 - 3.40)	2.91	(2.16 - 3.90)	0.406
Regions 7 and 8	2.61	(1.98 - 3.44)	2.77	(2.05 - 3.75)	0.614
Maine	2.56	(2.09 - 3.12)	2.68	(2.20 - 3.26)	0.583
Aroostook/Downeast	2.82	(2.12 - 3.74)	2.67	(2.03 - 3.50)	0.660
Aroostook	3.11	(2.19 - 4.40)	2.69	(1.94 - 3.73)	0.358
Downeast	2.59	(1.88 - 3.56)	2.65	(1.90 - 3.70)	0.846
Central	2.45	(1.79 - 3.35)	2.47	(1.81 - 3.38)	0.940
Cumberland	2.76	(2.09 - 3.63)	2.89	(2.17 - 3.84)	0.702
Midcoast	2.04	(1.51 - 2.76)	2.14	(1.56 - 2.92)	0.705
Penquis	3.36	(2.52 - 4.46)	3.18	(2.36 - 4.26)	0.679
Western	2.34[a]	(1.77 - 3.09)	3.06	(2.28 - 4.11)	0.026
York	2.04	(1.57 - 2.66)	2.17	(1.62 - 2.88)	0.582

See notes at end of table. (continued)

Table 18 ***Illicit Drug Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	2.63	(2.18 - 3.16)	2.85	(2.35 - 3.46)	0.245
Anne Arundel	2.53	(1.87 - 3.42)	2.67	(1.95 - 3.64)	0.652
Baltimore City	3.77	(2.78 - 5.09)	3.97	(2.88 - 5.45)	0.692
Baltimore County	2.87	(2.17 - 3.79)	2.81	(2.07 - 3.80)	0.840
Montgomery	2.12	(1.62 - 2.77)	2.41	(1.77 - 3.26)	0.267
North Central	2.25	(1.68 - 3.02)	2.50	(1.81 - 3.43)	0.352
Northeast	2.49	(1.85 - 3.36)	2.69	(1.97 - 3.66)	0.465
Prince George's	2.61	(1.95 - 3.49)	3.10	(2.31 - 4.14)	0.118
South	2.53	(1.91 - 3.36)	2.76	(2.01 - 3.78)	0.453
West	2.50	(1.85 - 3.36)	2.76	(2.02 - 3.75)	0.377
Massachusetts	2.63	(2.19 - 3.16)	2.86	(2.35 - 3.47)	0.288
Boston	3.43	(2.59 - 4.54)	3.71	(2.79 - 4.93)	0.510
Central	2.76	(2.10 - 3.62)	2.84	(2.10 - 3.83)	0.802
Metrowest	2.37	(1.82 - 3.09)	2.51	(1.88 - 3.34)	0.601
Northeast	2.41	(1.85 - 3.13)	2.58	(1.95 - 3.42)	0.532
Southeast	2.57	(1.98 - 3.32)	3.01	(2.22 - 4.08)	0.196
Western	2.64	(1.99 - 3.50)	2.86	(2.13 - 3.83)	0.504
Michigan[1]	2.77	(2.46 - 3.11)	2.71	(2.38 - 3.07)	0.712
Region 1	2.71	(2.10 - 3.50)	2.68	(2.01 - 3.56)	0.909
Region 2	--	(-- - --)	2.07	(1.54 - 2.78)	--
Region 3	--	(-- - --)	2.44	(1.94 - 3.07)	--
Region 4	--	(-- - --)	2.64	(2.07 - 3.37)	--
Region 5	--	(-- - --)	2.70	(2.17 - 3.34)	--
Region 6	--	(-- - --)	2.78	(2.19 - 3.51)	--
Region 7	--	(-- - --)	3.50	(2.75 - 4.43)	--
Region 8	2.60[b]	(2.12 - 3.18)	2.20	(1.71 - 2.83)	0.095
Region 9	2.39	(1.90 - 3.00)	2.42	(1.87 - 3.13)	0.894
Region 10	--	(-- - --)	2.91	(2.23 - 3.78)	--
Minnesota	2.41	(2.01 - 2.89)	2.37	(1.92 - 2.92)	0.805
Regions 1 and 2	2.71	(2.04 - 3.60)	2.48	(1.76 - 3.48)	0.464
Regions 3 and 4	2.30	(1.75 - 3.03)	2.36	(1.71 - 3.24)	0.839
Regions 5 and 6	2.30	(1.77 - 2.99)	2.18	(1.60 - 2.98)	0.640
Region 7A (Hennepin)	2.47	(1.85 - 3.29)	2.49	(1.82 - 3.39)	0.949
Region 7B (Ramsey)	2.90	(2.17 - 3.88)	2.97	(2.10 - 4.19)	0.844
Region 7C	2.18	(1.68 - 2.83)	2.11	(1.58 - 2.80)	0.741
Mississippi	2.69	(2.23 - 3.24)	2.67	(2.18 - 3.27)	0.942
Region 1	2.45	(1.90 - 3.17)	2.54	(1.91 - 3.36)	0.769
Region 2	3.10	(2.30 - 4.17)	3.03	(2.20 - 4.15)	0.850
Region 3	2.70	(2.01 - 3.61)	2.63	(1.93 - 3.57)	0.831
Region 4	2.87	(2.17 - 3.79)	2.90	(2.13 - 3.92)	0.933
Region 5	2.50	(1.83 - 3.40)	2.69	(1.91 - 3.77)	0.571
Region 6	2.64	(1.96 - 3.53)	2.55	(1.86 - 3.47)	0.778
Region 7	2.59	(1.95 - 3.43)	2.45	(1.78 - 3.36)	0.658

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	2.73	(2.27 - 3.28)	2.47	(2.02 - 3.02)	0.192
Central	2.69	(2.03 - 3.56)	2.74	(2.05 - 3.65)	0.885
Eastern	2.76	(2.20 - 3.45)	2.48	(1.94 - 3.17)	0.270
Eastern (St. Louis City and County)	2.95	(2.24 - 3.87)	2.62	(1.96 - 3.48)	0.319
Eastern (excluding St. Louis)	2.43	(1.86 - 3.18)	2.25	(1.65 - 3.05)	0.492
Northwest	2.84	(2.25 - 3.58)	2.49	(1.93 - 3.21)	0.183
Northwest (Jackson)	3.20	(2.41 - 4.23)	2.65	(1.94 - 3.61)	0.148
Northwest (excluding Jackson)	2.54	(1.90 - 3.38)	2.36	(1.72 - 3.22)	0.515
Southeast	2.61	(1.95 - 3.47)	2.38	(1.72 - 3.27)	0.462
Southwest	2.63	(1.99 - 3.48)	2.26	(1.65 - 3.08)	0.200
Montana	2.75[a]	(2.31 - 3.27)	2.34	(1.93 - 2.84)	0.034
Region 1	2.58	(1.93 - 3.43)	2.28	(1.64 - 3.17)	0.324
Region 2	2.92[b]	(2.21 - 3.86)	2.40	(1.77 - 3.24)	0.076
Region 3	2.45	(1.85 - 3.24)	2.10	(1.57 - 2.80)	0.171
Region 4	2.93	(2.28 - 3.76)	2.50	(1.89 - 3.30)	0.136
Region 5	2.74	(2.19 - 3.43)	2.36	(1.81 - 3.08)	0.148
Nebraska	2.25	(1.82 - 2.77)	2.48	(2.04 - 3.02)	0.210
Regions 1 and 2	2.21	(1.68 - 2.90)	2.44	(1.85 - 3.21)	0.310
Region 1	2.28	(1.64 - 3.16)	2.37	(1.73 - 3.25)	0.742
Region 2	2.14	(1.55 - 2.94)	2.50	(1.78 - 3.49)	0.182
Region 3	1.97	(1.45 - 2.67)	2.29	(1.69 - 3.09)	0.191
Region 4	1.87	(1.36 - 2.59)	2.20	(1.61 - 3.00)	0.169
Region 5	2.24	(1.68 - 2.97)	2.42	(1.82 - 3.20)	0.481
Region 6	2.44	(1.89 - 3.15)	2.66	(2.07 - 3.42)	0.409
Nevada	2.69	(2.19 - 3.30)	2.66	(2.14 - 3.30)	0.882
Clark – Region 1	2.61	(2.05 - 3.30)	2.67	(2.08 - 3.42)	0.831
Region 3	2.39	(1.86 - 3.07)	2.33	(1.77 - 3.08)	0.801
Capital District	2.31	(1.71 - 3.11)	2.32	(1.65 - 3.25)	0.969
Rural/Frontier	2.46	(1.81 - 3.33)	2.34	(1.68 - 3.25)	0.672
Washoe – Region 2	3.32	(2.56 - 4.30)	2.86	(2.14 - 3.81)	0.187
New Hampshire	2.93	(2.46 - 3.49)	2.92	(2.39 - 3.55)	0.951
Central	2.86	(2.28 - 3.59)	2.90	(2.28 - 3.69)	0.900
Central 1	3.05	(2.36 - 3.93)	2.97	(2.24 - 3.91)	0.790
Central 2	2.68	(1.98 - 3.63)	2.83	(2.10 - 3.81)	0.658
Northern	2.91	(2.22 - 3.80)	2.98	(2.22 - 4.00)	0.827
Southern	2.97	(2.45 - 3.59)	2.91	(2.33 - 3.63)	0.837
Southern 1 (Rockingham)	2.45	(1.92 - 3.12)	2.69	(2.05 - 3.54)	0.380
Southern 2	3.29	(2.62 - 4.12)	3.05	(2.35 - 3.94)	0.515

See notes at end of table.

(continued)

Table 18 ***Illicit Drug Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	2.40	(1.99 - 2.88)	2.32	(1.91 - 2.81)	0.639
Central	2.26	(1.73 - 2.94)	2.22	(1.67 - 2.95)	0.874
Metropolitan	2.69	(2.09 - 3.47)	2.55	(1.93 - 3.36)	0.594
Northern	2.14	(1.65 - 2.78)	2.01	(1.52 - 2.67)	0.570
Southern	2.59	(2.00 - 3.35)	2.63	(1.99 - 3.46)	0.903
New Mexico	3.27	(2.72 - 3.93)	3.02	(2.47 - 3.71)	0.414
Region 1	3.30	(2.56 - 4.25)	2.86	(2.12 - 3.84)	0.274
Region 2	2.48	(1.83 - 3.36)	2.48	(1.79 - 3.43)	0.999
Region 3 (Bernalillo)	3.80	(2.99 - 4.82)	3.30	(2.49 - 4.38)	0.296
Region 4	3.02	(2.25 - 4.03)	2.89	(2.13 - 3.90)	0.737
Region 5	3.11	(2.34 - 4.11)	3.22	(2.40 - 4.31)	0.787
New York	2.77	(2.45 - 3.14)	2.95	(2.60 - 3.34)	0.308
Region A	2.78	(2.38 - 3.25)	3.07	(2.62 - 3.58)	0.203
Region 1	3.17	(2.46 - 4.07)	3.07	(2.36 - 3.98)	0.801
Region 2	2.82	(2.28 - 3.50)	3.29	(2.63 - 4.11)	0.134
Region 3	2.80	(2.18 - 3.60)	3.46	(2.61 - 4.58)	0.101
Region 4	2.47	(1.95 - 3.14)	2.47	(1.89 - 3.24)	1.000
Region B	2.55	(2.18 - 2.99)	2.71	(2.27 - 3.24)	0.406
Region 5	2.54	(2.07 - 3.11)	2.68	(2.12 - 3.38)	0.551
Region 6	2.35	(1.83 - 3.01)	2.64	(2.03 - 3.42)	0.270
Region 7	2.93	(2.32 - 3.68)	2.92	(2.22 - 3.83)	0.990
Region C	3.00	(2.58 - 3.48)	2.99	(2.55 - 3.50)	0.978
Region 8	2.61	(2.07 - 3.29)	2.81	(2.12 - 3.70)	0.520
Region 9	3.12	(2.45 - 3.97)	2.96	(2.27 - 3.85)	0.645
Region 10	2.99	(2.31 - 3.87)	3.23	(2.40 - 4.34)	0.505
Region 11	3.12	(2.47 - 3.93)	2.98	(2.30 - 3.84)	0.678
Region 12	3.12	(2.46 - 3.95)	3.10	(2.41 - 3.98)	0.943
Region D	2.79	(2.33 - 3.33)	2.96	(2.42 - 3.62)	0.486
Region 13	2.76	(2.14 - 3.55)	2.83	(2.14 - 3.74)	0.820
Region 14	2.87	(2.21 - 3.73)	3.01	(2.22 - 4.06)	0.711
Region 15	2.72	(2.10 - 3.53)	3.03	(2.29 - 4.00)	0.388

See notes at end of table.

(continued)

Table 18 ***Illicit Drug Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	2.96	(2.44 - 3.58)	3.08	(2.55 - 3.71)	0.578
Alliance Behavioral Healthcare 1	--	(-- - --)	3.62	(2.66 - 4.90)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	2.85	(2.10 - 3.86)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	2.95	(2.13 - 4.07)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	2.87	(2.12 - 3.89)	--
Cardinal Innovations Healthcare Solutions 3	2.86	(2.10 - 3.88)	3.18	(2.30 - 4.38)	0.360
CenterPoint Human Services	2.77	(2.06 - 3.71)	2.63	(1.91 - 3.60)	0.624
Eastpointe	3.31	(2.44 - 4.48)	3.08	(2.21 - 4.29)	0.580
Partners Behavioral Health Management	3.15	(2.33 - 4.25)	3.22	(2.37 - 4.38)	0.849
Sandhills Center 1	2.95	(2.17 - 4.00)	3.05	(2.20 - 4.20)	0.791
Sandhills Center 2	3.09	(2.30 - 4.14)	3.39	(2.48 - 4.62)	0.423
Smoky Mountain Center 1	2.66	(1.96 - 3.59)	2.64	(1.91 - 3.64)	0.964
Smoky Mountain Center 2	2.57	(1.93 - 3.40)	2.61	(1.88 - 3.61)	0.884
Trillium Health Resources 1	3.04	(2.23 - 4.13)	3.49	(2.54 - 4.77)	0.265
Trillium Health Resources 2	3.27	(2.43 - 4.38)	3.27	(2.39 - 4.47)	0.985
North Dakota	2.28	(1.87 - 2.78)	2.45	(2.01 - 2.99)	0.323
Badlands and West Central	2.07	(1.57 - 2.73)	2.12	(1.57 - 2.84)	0.843
Lake Region	--	(-- - --)	2.16	(1.54 - 3.03)	--
North Central	--	(-- - --)	2.51	(1.83 - 3.44)	--
Northeast	2.70	(2.04 - 3.58)	3.17	(2.30 - 4.36)	0.167
Northwest	--	(-- - --)	2.69	(1.85 - 3.89)	--
South Central	--	(-- - --)	2.29	(1.64 - 3.19)	--
Southeast	2.26	(1.73 - 2.95)	2.48	(1.89 - 3.25)	0.335

See notes at end of table.

(continued)

Table 18 ***Illicit Drug Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	2.90	(2.58 - 3.26)	2.87	(2.53 - 3.24)	0.828
Boards 2, 46, 55, and 68	2.56	(2.01 - 3.25)	2.69	(2.01 - 3.59)	0.674
Boards 3, 52, and 85	2.36	(1.83 - 3.04)	2.38	(1.81 - 3.13)	0.933
Boards 4 and 78	2.50	(1.92 - 3.24)	2.60	(1.96 - 3.44)	0.735
Boards 5 and 60	2.90	(2.26 - 3.70)	2.97	(2.23 - 3.93)	0.833
Boards 7, 15, 41, 79, and 84	2.49	(1.91 - 3.24)	2.63	(1.96 - 3.53)	0.671
Boards 8, 13, and 83	2.47	(1.93 - 3.17)	2.56	(1.96 - 3.34)	0.747
Board 9 (Butler)	2.80	(2.17 - 3.61)	2.63	(1.98 - 3.48)	0.573
Board 12	2.98	(2.33 - 3.79)	2.88	(2.20 - 3.77)	0.763
Boards 18 and 47	2.83	(2.30 - 3.48)	2.63	(2.07 - 3.35)	0.521
Boards 20, 32, 54, and 69	2.43	(1.83 - 3.21)	2.38	(1.77 - 3.18)	0.847
Boards 21, 39, 51, 70, and 80	2.52	(1.98 - 3.20)	2.61	(2.00 - 3.40)	0.745
Boards 22, 74, and 87	2.52	(1.96 - 3.24)	2.50	(1.89 - 3.30)	0.960
Boards 23 and 45	2.65	(2.09 - 3.36)	2.54	(1.95 - 3.31)	0.686
Board 25 (Franklin)	3.96	(3.16 - 4.95)	3.87	(3.04 - 4.92)	0.827
Boards 27, 71, and 73	2.88	(2.20 - 3.77)	3.07	(2.31 - 4.07)	0.632
Boards 28, 43, and 67	2.45	(1.94 - 3.09)	2.74	(2.12 - 3.54)	0.256
Board 31 (Hamilton)	3.44	(2.71 - 4.36)	3.26	(2.51 - 4.21)	0.625
Board 48 (Lucas)	3.06	(2.39 - 3.93)	2.99	(2.25 - 3.95)	0.823
Boards 50 and 76	2.61	(2.02 - 3.36)	2.69	(2.06 - 3.51)	0.796
Board 57 (Montgomery)	3.61	(2.80 - 4.65)	3.39	(2.59 - 4.44)	0.601
Board 77 (Summit)	2.84	(2.21 - 3.64)	2.56	(1.93 - 3.39)	0.363
Oklahoma	2.62	(2.13 - 3.22)	2.31	(1.83 - 2.91)	0.147
Central	2.40	(1.79 - 3.21)	2.33	(1.69 - 3.22)	0.808
East Central	2.31	(1.72 - 3.09)	2.11	(1.48 - 2.99)	0.506
Northeast	2.36	(1.78 - 3.13)	2.22	(1.61 - 3.07)	0.624
Northwest and Southwest	2.81	(2.07 - 3.80)	2.57	(1.87 - 3.54)	0.458
Oklahoma County	2.87[b]	(2.15 - 3.81)	2.34	(1.69 - 3.24)	0.096
Southeast	2.69[b]	(1.97 - 3.66)	2.11	(1.51 - 2.96)	0.082
Tulsa County	2.73	(2.00 - 3.71)	2.41	(1.72 - 3.36)	0.349
Oregon	3.19	(2.67 - 3.81)	3.10	(2.54 - 3.77)	0.705
Region 1 (Multnomah)	4.30[b]	(3.25 - 5.67)	3.34	(2.44 - 4.56)	0.066
Region 2	2.58	(1.99 - 3.35)	2.81	(2.12 - 3.72)	0.452
Region 3	3.19	(2.56 - 3.98)	3.45	(2.65 - 4.47)	0.450
Region 4	2.93	(2.21 - 3.87)	2.70	(1.98 - 3.67)	0.491
Region 5 (Central)	2.56	(1.89 - 3.44)	2.61	(1.90 - 3.59)	0.842
Region 6 (Eastern)	3.10	(2.24 - 4.28)	2.97	(2.12 - 4.14)	0.729

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	2.83	(2.50 - 3.20)	2.84	(2.51 - 3.20)	0.961
Region 1 (Allegheny)	3.44	(2.70 - 4.37)	3.29	(2.56 - 4.21)	0.696
Regions 3, 8, 9, and 51	2.88	(2.19 - 3.77)	2.79	(2.12 - 3.65)	0.810
Regions 4, 11, 37, and 49	2.57	(2.01 - 3.28)	2.47	(1.91 - 3.20)	0.724
Regions 5, 18, 23, 24, and 46	2.33	(1.81 - 3.00)	2.16	(1.62 - 2.87)	0.507
Regions 6, 12, 16, 31, 35, 45, and 47	2.52	(1.99 - 3.18)	2.44	(1.83 - 3.25)	0.790
Regions 7, 13, 20, and 33	2.45	(2.03 - 2.95)	2.67	(2.16 - 3.29)	0.370
Regions 10, 15, 27, 32, 43, and 44	2.79	(2.15 - 3.62)	2.53	(1.90 - 3.37)	0.440
Regions 17 and 21	2.94	(2.26 - 3.82)	2.78	(2.08 - 3.71)	0.642
Regions 19, 26, 28, and 42	2.30	(1.81 - 2.91)	2.48	(1.97 - 3.12)	0.461
Regions 22, 38, 40, 41, and 48	2.78	(2.08 - 3.70)	2.58	(1.93 - 3.45)	0.586
Regions 29 and 34	2.58	(2.01 - 3.30)	2.60	(1.99 - 3.39)	0.944
Regions 30 and 50	2.46	(1.89 - 3.18)	2.69	(2.05 - 3.52)	0.442
Region 36 (Philadelphia)	4.28	(3.37 - 5.41)	4.29	(3.39 - 5.40)	0.987
Rhode Island	3.08	(2.52 - 3.75)	3.48	(2.84 - 4.27)	0.171
Bristol and Newport	2.35[b]	(1.76 - 3.14)	2.92	(2.14 - 3.96)	0.051
Kent	2.93	(2.19 - 3.91)	3.09	(2.26 - 4.23)	0.666
Providence	3.27	(2.58 - 4.12)	3.80	(2.98 - 4.83)	0.190
Washington	3.12	(2.36 - 4.11)	3.04	(2.21 - 4.16)	0.830
South Carolina	2.89	(2.39 - 3.50)	2.73	(2.23 - 3.33)	0.465
Region 1	--	(-- - --)	2.69	(2.04 - 3.53)	--
Region 2	--	(-- - --)	2.79	(2.10 - 3.69)	--
Region 3	2.99	(2.19 - 4.06)	2.66	(1.95 - 3.62)	0.365
Region 4	2.92	(2.23 - 3.81)	2.75	(2.08 - 3.64)	0.589
South Dakota	2.20	(1.76 - 2.73)	2.23	(1.80 - 2.76)	0.862
Region 1	2.38	(1.79 - 3.18)	2.36	(1.75 - 3.17)	0.919
Region 2	2.00	(1.43 - 2.80)	2.12	(1.49 - 3.00)	0.647
Region 3	2.09	(1.53 - 2.85)	2.08	(1.53 - 2.83)	0.991
Region 4	2.16	(1.58 - 2.95)	2.32	(1.71 - 3.16)	0.502
Region 5	2.20	(1.63 - 2.98)	2.22	(1.64 - 3.00)	0.946
Tennessee	2.88[a]	(2.39 - 3.46)	2.41	(1.96 - 2.96)	0.019
Region 1	2.68[b]	(2.00 - 3.58)	2.16	(1.55 - 2.99)	0.070
Region 2	2.90	(2.19 - 3.82)	2.41	(1.78 - 3.26)	0.119
Region 3	2.95[b]	(2.25 - 3.87)	2.36	(1.73 - 3.22)	0.073
Region 4 (Davidson)	3.20[b]	(2.39 - 4.28)	2.58	(1.85 - 3.57)	0.076
Region 5	2.63	(2.01 - 3.42)	2.38	(1.78 - 3.16)	0.372
Region 6	2.91[b]	(2.18 - 3.86)	2.29	(1.65 - 3.17)	0.060
Region 7 (Shelby)	3.08	(2.31 - 4.09)	2.63	(1.92 - 3.60)	0.196

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	2.41	(2.13 - 2.71)	2.19	(1.92 - 2.49)	0.109
Region 1	2.62	(2.05 - 3.36)	2.39	(1.83 - 3.11)	0.375
Region 2	2.29	(1.75 - 3.00)	2.30	(1.71 - 3.07)	0.993
Region 3	2.55[a]	(2.16 - 3.00)	2.13	(1.79 - 2.55)	0.026
Region 3a	2.63[a]	(2.16 - 3.21)	2.12	(1.70 - 2.65)	0.025
Region 3bc	2.39	(1.90 - 3.01)	2.15	(1.70 - 2.73)	0.321
Region 4	2.24	(1.70 - 2.94)	2.08	(1.57 - 2.76)	0.549
Region 5	2.40	(1.82 - 3.15)	2.21	(1.65 - 2.97)	0.516
Region 6	2.28	(1.88 - 2.75)	2.19	(1.79 - 2.67)	0.643
Region 6a	2.26	(1.84 - 2.76)	2.19	(1.77 - 2.71)	0.759
Region 6bc	2.47	(1.89 - 3.21)	2.16	(1.62 - 2.87)	0.183
Region 7	2.32	(1.92 - 2.81)	2.23	(1.82 - 2.73)	0.636
Region 7a	2.28	(1.79 - 2.91)	2.23	(1.73 - 2.87)	0.815
Region 7bcd	2.39	(1.87 - 3.05)	2.24	(1.72 - 2.91)	0.531
Region 8	2.51	(2.02 - 3.11)	2.41	(1.86 - 3.12)	0.709
Region 9	2.49	(1.90 - 3.25)	2.30	(1.72 - 3.07)	0.488
Region 10	2.43	(1.87 - 3.16)	2.08	(1.59 - 2.72)	0.185
Region 11	2.32[b]	(1.88 - 2.85)	1.96	(1.57 - 2.43)	0.067
Region 11abd	2.40[b]	(1.87 - 3.07)	1.97	(1.51 - 2.58)	0.074
Region 11c (Hidalgo)	2.17	(1.64 - 2.86)	1.93	(1.46 - 2.53)	0.283
Utah	2.90	(2.43 - 3.46)	2.76	(2.27 - 3.35)	0.494
Bear River, Northeastern, Summit, Tooele, and Wasatch	2.56	(1.93 - 3.38)	2.56	(1.87 - 3.50)	0.980
Central, Four Corners, San Juan, and Southwest	2.68	(2.04 - 3.52)	2.65	(1.92 - 3.64)	0.914
Davis County	2.94	(2.21 - 3.90)	2.76	(2.03 - 3.73)	0.561
Salt Lake County	3.03	(2.38 - 3.86)	2.72	(2.08 - 3.55)	0.323
Utah County	3.03	(2.30 - 3.99)	3.12	(2.37 - 4.10)	0.780
Weber, Morgan	2.82	(2.09 - 3.79)	2.61	(1.94 - 3.49)	0.488
Vermont	3.29	(2.76 - 3.92)	3.05	(2.52 - 3.68)	0.362
Champlain Valley	3.54	(2.85 - 4.39)	3.33	(2.64 - 4.18)	0.554
Rural Northeast	3.24	(2.50 - 4.19)	3.01	(2.26 - 4.01)	0.550
Rural Southeast	3.15	(2.42 - 4.10)	2.73	(2.01 - 3.69)	0.269
Rural Southwest	2.93	(2.27 - 3.76)	2.81	(2.08 - 3.79)	0.747
Virginia	2.41	(2.01 - 2.88)	2.53	(2.09 - 3.06)	0.493
Region 1	2.36	(1.83 - 3.05)	2.55	(1.94 - 3.36)	0.439
Region 2	1.85	(1.40 - 2.45)	1.99	(1.50 - 2.63)	0.512
Region 3	2.56	(1.92 - 3.39)	2.68	(1.99 - 3.60)	0.689
Region 4	2.54	(1.90 - 3.38)	2.71	(2.01 - 3.64)	0.566
Region 5	2.92	(2.26 - 3.76)	2.95	(2.21 - 3.92)	0.924

See notes at end of table.

(continued)

Table 18 ***Illicit Drug Dependence or Abuse in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	2.76	(2.33 - 3.28)	2.80	(2.32 - 3.39)	0.849
Region 1	2.74	(2.18 - 3.43)	2.85	(2.23 - 3.65)	0.636
Greater Columbia and North Central	--	(-- - --)	2.60	(1.91 - 3.51)	--
Spokane	--	(-- - --)	3.23	(2.33 - 4.46)	--
Region 2	2.76	(2.26 - 3.37)	2.80	(2.23 - 3.53)	0.866
King	2.68	(2.09 - 3.41)	2.73	(2.06 - 3.61)	0.877
North Sound	2.90	(2.27 - 3.71)	2.94	(2.22 - 3.89)	0.908
Region 3	2.79	(2.26 - 3.45)	2.77	(2.21 - 3.46)	0.926
Peninsula	--	(-- - --)	2.88	(2.06 - 4.01)	--
Pierce	--	(-- - --)	2.82	(2.08 - 3.81)	--
SW WA and Timberlands	--	(-- - --)	2.60	(1.91 - 3.53)	--
Thurston-Mason	--	(-- - --)	2.89	(2.08 - 4.02)	--
West Virginia	2.83	(2.32 - 3.44)	2.80	(2.29 - 3.41)	0.916
Region I	2.43	(1.79 - 3.29)	2.48	(1.79 - 3.42)	0.894
Region II	2.41	(1.79 - 3.22)	2.55	(1.89 - 3.44)	0.632
Region III	2.43	(1.77 - 3.32)	2.56	(1.85 - 3.54)	0.695
Region IV	3.42	(2.68 - 4.35)	2.86	(2.17 - 3.75)	0.127
Region V	2.98	(2.26 - 3.92)	3.05	(2.27 - 4.07)	0.877
Region VI	2.57	(1.88 - 3.52)	2.80	(2.04 - 3.82)	0.575
Wisconsin	2.42	(1.99 - 2.94)	2.52	(2.05 - 3.09)	0.585
Milwaukee	3.19	(2.33 - 4.36)	3.22	(2.37 - 4.38)	0.943
Northeastern	2.20	(1.68 - 2.87)	2.36	(1.73 - 3.20)	0.538
Northern	2.25	(1.65 - 3.05)	2.27	(1.65 - 3.12)	0.932
Southeastern	2.27	(1.72 - 3.00)	2.45	(1.84 - 3.26)	0.485
Southern	2.36	(1.78 - 3.11)	2.34	(1.76 - 3.12)	0.963
Western	2.24	(1.69 - 2.96)	2.43	(1.81 - 3.26)	0.422

See notes at end of table.

(continued)

Table 18 *Illicit Drug Dependence or Abuse in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	2.24	(1.84 - 2.72)	2.27	(1.86 - 2.77)	0.839
Judicial District 1 (Laramie)	2.40	(1.79 - 3.22)	2.38	(1.75 - 3.22)	0.923
Judicial District 2	2.62	(1.95 - 3.50)	2.91	(2.10 - 4.02)	0.361
Judicial District 3	1.98	(1.46 - 2.68)	2.08	(1.53 - 2.82)	0.683
Judicial District 4	2.10	(1.54 - 2.86)	2.09	(1.51 - 2.88)	0.971
Judicial District 5	1.95	(1.43 - 2.64)	2.09	(1.53 - 2.85)	0.522
Judicial District 6	2.22	(1.65 - 2.99)	2.32	(1.69 - 3.19)	0.697
Judicial District 7 (Natrona)	2.56	(1.90 - 3.43)	2.40	(1.74 - 3.31)	0.607
Judicial District 8	2.08	(1.54 - 2.79)	2.09	(1.54 - 2.82)	0.963
Judicial District 9	2.09	(1.52 - 2.88)	2.03	(1.46 - 2.81)	0.785

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	1.87	(1.78 - 1.96)	1.90	(1.81 - 1.99)	0.496
Northeast	1.91[b]	(1.75 - 2.08)	2.07	(1.91 - 2.25)	0.057
Midwest	1.74	(1.62 - 1.87)	1.82	(1.70 - 1.95)	0.233
South	1.78	(1.66 - 1.91)	1.81	(1.69 - 1.94)	0.670
West	2.07	(1.90 - 2.26)	1.98	(1.82 - 2.16)	0.303
Alabama	1.57	(1.22 - 2.03)	1.77	(1.40 - 2.24)	0.271
Region 1	1.40	(0.96 - 2.04)	1.63	(1.18 - 2.25)	0.354
Region 2	1.71	(1.23 - 2.37)	1.86	(1.36 - 2.54)	0.579
Region 3	1.55	(1.07 - 2.24)	1.84	(1.32 - 2.54)	0.314
Region 4	1.61	(1.13 - 2.29)	1.78	(1.27 - 2.49)	0.570
Alaska	1.71[b]	(1.37 - 2.13)	2.00	(1.62 - 2.46)	0.093
Anchorage	1.81	(1.35 - 2.42)	2.02	(1.54 - 2.64)	0.405
Northern	1.76	(1.26 - 2.45)	2.20	(1.59 - 3.02)	0.144
South Central	1.60	(1.13 - 2.27)	1.90	(1.40 - 2.57)	0.255
Southeast	1.51	(1.08 - 2.13)	1.76	(1.27 - 2.43)	0.311
Arizona	2.24[a]	(1.79 - 2.80)	1.81	(1.46 - 2.25)	0.031
Maricopa	2.42[a]	(1.85 - 3.15)	1.84	(1.41 - 2.39)	0.039
Pima	2.28	(1.62 - 3.20)	1.90	(1.35 - 2.67)	0.223
Rural North	1.79	(1.24 - 2.57)	1.69	(1.21 - 2.36)	0.715
Rural South	1.78	(1.22 - 2.58)	1.69	(1.22 - 2.34)	0.750
Arkansas	1.83	(1.46 - 2.28)	1.82	(1.47 - 2.25)	0.949
Catchment Area 1	1.67	(1.16 - 2.38)	1.62	(1.17 - 2.23)	0.835
Catchment Area 2	1.45	(0.98 - 2.15)	1.49	(1.05 - 2.11)	0.888
Catchment Area 3	1.83	(1.26 - 2.65)	1.89	(1.35 - 2.64)	0.851
Catchment Area 4	1.53	(1.04 - 2.24)	1.54	(1.11 - 2.14)	0.969
Catchment Area 5	1.85	(1.30 - 2.63)	1.97	(1.41 - 2.73)	0.673
Catchment Area 6	2.24	(1.50 - 3.34)	2.25	(1.59 - 3.18)	0.979
Catchment Area 7	1.62	(1.11 - 2.38)	1.89	(1.33 - 2.67)	0.348
Catchment Area 8	2.24	(1.59 - 3.14)	1.97	(1.41 - 2.76)	0.419

See notes at end of table. (continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	2.11	(1.85 - 2.41)	2.04	(1.80 - 2.32)	0.589
Region 1R	2.37	(1.72 - 3.27)	2.21	(1.62 - 2.99)	0.597
Region 2R	2.46	(1.81 - 3.34)	2.07	(1.56 - 2.75)	0.189
Region 3R (Sacramento)	2.34	(1.69 - 3.22)	2.44	(1.82 - 3.27)	0.781
Region 4R	2.24	(1.63 - 3.08)	2.28	(1.67 - 3.10)	0.912
Region 5R (San Francisco)	2.27	(1.62 - 3.18)	2.26	(1.60 - 3.18)	0.973
Region 6 (Santa Clara)	1.68	(1.22 - 2.30)	1.73	(1.30 - 2.31)	0.826
Region 7R (Contra Costa)	1.99	(1.42 - 2.78)	1.87	(1.41 - 2.47)	0.672
Region 8R (Alameda)	1.96	(1.43 - 2.69)	2.11	(1.57 - 2.84)	0.628
Region 9R (San Mateo)	1.54	(1.09 - 2.18)	1.69	(1.23 - 2.32)	0.542
Region 10	2.54	(1.87 - 3.45)	2.25	(1.67 - 3.01)	0.374
Region 11 (Los Angeles)	2.09	(1.76 - 2.48)	2.02	(1.72 - 2.37)	0.675
LA SPA 1 and 5	2.23	(1.58 - 3.12)	2.29	(1.67 - 3.15)	0.846
LA SPA 2	2.02	(1.49 - 2.73)	2.02	(1.53 - 2.66)	0.989
LA SPA 3	1.89	(1.39 - 2.58)	1.75	(1.31 - 2.33)	0.570
LA SPA 4	2.23	(1.56 - 3.17)	2.21	(1.60 - 3.05)	0.964
LA SPA 6	2.61	(1.89 - 3.60)	2.27	(1.70 - 3.03)	0.318
LA SPA 7	1.82	(1.32 - 2.51)	1.70	(1.28 - 2.26)	0.618
LA SPA 8	2.11	(1.54 - 2.89)	2.10	(1.59 - 2.77)	0.959
Region 12R	2.10	(1.49 - 2.96)	1.97	(1.45 - 2.68)	0.702
Regions 13 and 19R	2.19	(1.67 - 2.87)	1.80	(1.36 - 2.37)	0.141
Region 14 (Orange)	1.90	(1.44 - 2.51)	2.02	(1.56 - 2.63)	0.640
Region 15R (Fresno)	2.51	(1.76 - 3.59)	2.11	(1.58 - 2.82)	0.322
Region 16R (San Diego)	1.99	(1.51 - 2.63)	2.08	(1.59 - 2.73)	0.735
Region 17R	2.49	(1.83 - 3.38)	2.15	(1.62 - 2.86)	0.291
Region 18R (San Bernardino)	1.89	(1.39 - 2.56)	2.05	(1.56 - 2.69)	0.554
Region 20R	2.27	(1.64 - 3.14)	2.05	(1.52 - 2.75)	0.467
Region 21R	2.45	(1.78 - 3.38)	2.03	(1.49 - 2.76)	0.187
Colorado	2.10	(1.69 - 2.61)	2.08	(1.68 - 2.58)	0.923
Region 1	2.08	(1.47 - 2.93)	2.38	(1.73 - 3.26)	0.334
Regions 2 and 7	2.19	(1.67 - 2.85)	2.06	(1.57 - 2.69)	0.623
Region 3	2.16	(1.52 - 3.05)	2.16	(1.57 - 2.95)	0.993
Region 4	1.95	(1.34 - 2.84)	1.94	(1.38 - 2.72)	0.959
Regions 5 and 6	1.71	(1.18 - 2.47)	1.83	(1.29 - 2.60)	0.632
Connecticut	2.06	(1.65 - 2.58)	2.05	(1.67 - 2.52)	0.966
Eastern	1.90	(1.32 - 2.75)	2.20	(1.61 - 3.01)	0.377
North Central	1.96	(1.41 - 2.72)	2.35	(1.74 - 3.15)	0.250
Northwestern	2.02	(1.42 - 2.88)	1.76	(1.27 - 2.41)	0.365
South Central	2.27	(1.64 - 3.15)	1.98	(1.46 - 2.68)	0.356
Southwest	2.09	(1.46 - 2.99)	1.89	(1.37 - 2.59)	0.537

See notes at end of table.

(continued)

Table 19 ***Illicit Drug Dependence in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	2.08[b]	(1.67 - 2.60)	2.54	(2.08 - 3.10)	0.060
Kent	2.11	(1.49 - 2.98)	2.36	(1.73 - 3.22)	0.479
New Castle (excluding Wilmington City)	2.37	(1.80 - 3.11)	2.84	(2.21 - 3.63)	0.207
Sussex	1.28[a]	(0.89 - 1.83)	1.96	(1.41 - 2.72)	0.012
Wilmington City	2.40	(1.66 - 3.46)	2.69	(1.87 - 3.84)	0.538
District of Columbia	2.54	(2.02 - 3.19)	2.76	(2.23 - 3.42)	0.409
Ward 1	2.52	(1.71 - 3.70)	2.83	(1.99 - 4.03)	0.515
Ward 2	2.64	(1.83 - 3.79)	2.73	(1.90 - 3.90)	0.842
Ward 3	2.33	(1.63 - 3.32)	2.40	(1.72 - 3.33)	0.848
Ward 4	2.19	(1.47 - 3.24)	2.43	(1.70 - 3.48)	0.604
Ward 5	2.45	(1.70 - 3.52)	2.66	(1.90 - 3.72)	0.627
Ward 6	2.76	(1.88 - 4.04)	2.49	(1.70 - 3.63)	0.579
Ward 7	2.53	(1.71 - 3.74)	3.01	(2.10 - 4.31)	0.354
Ward 8	2.91	(2.07 - 4.09)	3.64	(2.65 - 4.99)	0.188
Florida[1]	1.73	(1.50 - 1.98)	1.82	(1.59 - 2.08)	0.405
Broward (Circuit 17)	1.43	(1.06 - 1.92)	1.75	(1.34 - 2.30)	0.161
Central I	--	(-- - --)	1.93	(1.56 - 2.37)	--
Circuit 9	2.03	(1.52 - 2.70)	2.02	(1.55 - 2.64)	0.995
Circuit 18	1.66	(1.23 - 2.23)	1.78	(1.35 - 2.36)	0.570
Central II	--	(-- - --)	1.79	(1.50 - 2.13)	--
Circuit 6	2.08	(1.52 - 2.83)	1.92	(1.44 - 2.55)	0.559
Circuit 10	1.69	(1.23 - 2.31)	1.79	(1.31 - 2.43)	0.684
Circuit 12	1.68	(1.22 - 2.31)	1.55	(1.14 - 2.09)	0.562
Circuit 13 (Hillsborough)	1.81	(1.35 - 2.43)	1.86	(1.42 - 2.44)	0.854
Circuit 20	1.44	(1.04 - 1.98)	1.73	(1.28 - 2.32)	0.187
Northeast	--	(-- - --)	1.91	(1.60 - 2.27)	--
Circuit 4	2.30	(1.71 - 3.10)	1.97	(1.48 - 2.63)	0.251
Circuit 5	1.29	(0.94 - 1.77)	1.55	(1.15 - 2.09)	0.207
Circuit 7	1.84	(1.36 - 2.49)	1.95	(1.46 - 2.60)	0.667
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	2.43	(1.82 - 3.25)	--
Northwest	--	(-- - --)	2.23	(1.81 - 2.75)	--
Circuit 1	2.22	(1.62 - 3.02)	2.21	(1.64 - 2.97)	0.973
Circuit 2 plus Madison and Taylor	--	(-- - --)	2.44	(1.82 - 3.26)	--
Circuit 14	1.96	(1.41 - 2.72)	1.97	(1.42 - 2.72)	0.971
South (Circuits 11 and 16)	1.31	(1.00 - 1.73)	1.43	(1.09 - 1.89)	0.526
Southeast	--	(-- - --)	1.89	(1.48 - 2.42)	--
Circuit 15 (Palm Beach)	1.64	(1.22 - 2.20)	2.02	(1.50 - 2.70)	0.119
Circuit 19	1.39	(1.00 - 1.94)	1.62	(1.19 - 2.19)	0.309

See notes at end of table.

(continued)

Table 19 ***Illicit Drug Dependence in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	1.60[a]	(1.25 - 2.06)	1.96	(1.58 - 2.43)	0.042
Region 1	1.40	(0.97 - 2.01)	1.67	(1.24 - 2.24)	0.230
Region 2	1.76	(1.21 - 2.55)	2.08	(1.48 - 2.91)	0.310
Region 3	1.64	(1.17 - 2.29)	2.02	(1.49 - 2.75)	0.160
Region 4	2.00	(1.32 - 3.01)	2.12	(1.49 - 2.99)	0.759
Region 5	1.67	(1.12 - 2.47)	2.05	(1.47 - 2.85)	0.204
Region 6	1.54[b]	(1.05 - 2.25)	2.13	(1.50 - 3.01)	0.071
Hawaii	1.45[b]	(1.12 - 1.86)	1.79	(1.39 - 2.31)	0.068
Hawaii Island	1.44	(0.98 - 2.12)	1.65	(1.16 - 2.35)	0.408
Honolulu	1.50	(1.13 - 2.00)	1.86	(1.39 - 2.48)	0.123
Kauai	1.24[b]	(0.82 - 1.85)	1.72	(1.17 - 2.50)	0.055
Maui	1.20[b]	(0.81 - 1.75)	1.59	(1.09 - 2.31)	0.086
Idaho	1.87[b]	(1.51 - 2.30)	1.59	(1.28 - 1.98)	0.066
Region 1	1.49	(1.03 - 2.15)	1.49	(1.07 - 2.07)	0.997
Region 2	1.85	(1.27 - 2.69)	1.65	(1.16 - 2.35)	0.441
Region 3	1.99[a]	(1.41 - 2.79)	1.47	(1.05 - 2.05)	0.050
Region 4	2.17	(1.59 - 2.96)	1.75	(1.27 - 2.41)	0.143
Region 5	1.59	(1.11 - 2.28)	1.45	(1.04 - 2.02)	0.533
Region 6	--	(-- - --)	1.60	(1.13 - 2.27)	--
Region 7	--	(-- - --)	1.58	(1.15 - 2.18)	--
Illinois	1.69	(1.46 - 1.96)	1.69	(1.46 - 1.97)	0.990
Region I (Cook)	2.00	(1.63 - 2.44)	1.76	(1.41 - 2.20)	0.263
Region II	1.33	(1.06 - 1.67)	1.44	(1.15 - 1.81)	0.506
Region III	1.74	(1.34 - 2.25)	2.03	(1.55 - 2.65)	0.251
Region IV	1.58	(1.17 - 2.13)	1.87	(1.41 - 2.48)	0.222
Region V	1.62	(1.22 - 2.14)	1.72	(1.29 - 2.28)	0.664
Indiana	1.77[b]	(1.42 - 2.22)	2.08	(1.72 - 2.51)	0.056
Central	1.93	(1.37 - 2.72)	2.09	(1.55 - 2.81)	0.604
East	1.93	(1.34 - 2.78)	2.18	(1.60 - 2.96)	0.416
North Central	1.68	(1.18 - 2.38)	1.81	(1.33 - 2.46)	0.594
Northeast	1.59	(1.09 - 2.33)	1.98	(1.45 - 2.71)	0.170
Northwest	1.85	(1.27 - 2.68)	1.94	(1.41 - 2.67)	0.744
Southeast	1.61	(1.12 - 2.30)	1.87	(1.36 - 2.56)	0.315
Southwest	1.63	(1.12 - 2.38)	1.96	(1.43 - 2.68)	0.238
West	1.75[a]	(1.20 - 2.52)	2.85	(2.06 - 3.93)	0.002
Iowa	1.41	(1.12 - 1.77)	1.50	(1.20 - 1.89)	0.469
Central	1.55	(1.10 - 2.19)	1.43	(1.01 - 2.02)	0.617
North Central	1.58	(1.08 - 2.31)	1.61	(1.15 - 2.25)	0.903
Northeast	1.29[b]	(0.92 - 1.81)	1.65	(1.18 - 2.29)	0.078
Northwest	1.21	(0.84 - 1.75)	1.36	(0.97 - 1.90)	0.449
Southeast	1.46	(1.02 - 2.08)	1.52	(1.10 - 2.10)	0.783
Southwest	1.46	(0.99 - 2.13)	1.34	(0.94 - 1.91)	0.590

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	1.54	(1.21 - 1.97)	1.48	(1.16 - 1.89)	0.673
Kansas City Metro	1.48	(1.05 - 2.07)	1.44	(1.03 - 2.00)	0.849
Northeast	1.46	(1.00 - 2.11)	1.47	(1.04 - 2.09)	0.940
South Central	1.52	(1.04 - 2.21)	1.46	(1.02 - 2.10)	0.827
Southeast	1.59	(1.07 - 2.35)	1.53	(1.06 - 2.20)	0.827
West	1.25	(0.86 - 1.83)	1.33	(0.94 - 1.88)	0.700
Wichita (Sedgwick)	1.95	(1.32 - 2.86)	1.65	(1.13 - 2.39)	0.385
Kentucky	1.97	(1.59 - 2.44)	1.94	(1.58 - 2.40)	0.897
Adanta, Cumberland River, and Lifeskills	1.83	(1.30 - 2.58)	1.80	(1.29 - 2.51)	0.928
Bluegrass, Comprehend, and North Key	2.05	(1.50 - 2.79)	2.10	(1.54 - 2.85)	0.878
Communicare and River Valley	1.71	(1.17 - 2.51)	1.77	(1.28 - 2.44)	0.841
Four Rivers and Pennyroyal	1.90	(1.31 - 2.76)	1.82	(1.30 - 2.55)	0.793
Kentucky River, Mountain, and Pathways	2.00	(1.37 - 2.91)	1.92	(1.36 - 2.69)	0.798
Seven Counties	2.11	(1.54 - 2.90)	2.00	(1.46 - 2.75)	0.726
Louisiana	1.91	(1.55 - 2.36)	2.03	(1.66 - 2.49)	0.492
Regions 1 and 10	2.02	(1.50 - 2.71)	2.15	(1.62 - 2.85)	0.627
Region 1	2.14	(1.47 - 3.10)	2.48	(1.73 - 3.53)	0.382
Region 10 (Jefferson)	1.90	(1.32 - 2.74)	1.82	(1.30 - 2.54)	0.782
Regions 2 and 9	1.96	(1.43 - 2.68)	2.08	(1.56 - 2.77)	0.678
Region 3	1.70	(1.17 - 2.46)	1.78	(1.27 - 2.49)	0.778
Regions 4, 5, and 6	1.94	(1.41 - 2.66)	2.05	(1.50 - 2.80)	0.692
Regions 7 and 8	1.81	(1.31 - 2.50)	1.94	(1.42 - 2.65)	0.602
Maine	1.69	(1.34 - 2.11)	1.89	(1.54 - 2.31)	0.202
Aroostook/Downeast	1.61	(1.17 - 2.22)	1.83	(1.37 - 2.45)	0.343
Aroostook	1.65	(1.12 - 2.42)	1.80	(1.28 - 2.53)	0.592
Downeast	1.58	(1.08 - 2.31)	1.86	(1.30 - 2.66)	0.342
Central	1.42	(0.97 - 2.09)	1.74	(1.24 - 2.42)	0.227
Cumberland	2.04	(1.46 - 2.84)	2.01	(1.48 - 2.72)	0.921
Midcoast	1.40	(0.95 - 2.06)	1.57	(1.12 - 2.19)	0.473
Penquis	2.28	(1.62 - 3.20)	2.23	(1.64 - 3.03)	0.870
Western	1.55[a]	(1.10 - 2.19)	2.08	(1.52 - 2.84)	0.050
York	1.30	(0.90 - 1.87)	1.65	(1.20 - 2.27)	0.109

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	1.94	(1.57 - 2.40)	2.07	(1.69 - 2.53)	0.423
Anne Arundel	1.71	(1.16 - 2.51)	1.94	(1.38 - 2.72)	0.462
Baltimore City	2.70	(1.85 - 3.93)	3.12	(2.21 - 4.39)	0.405
Baltimore County	2.06	(1.46 - 2.90)	2.09	(1.50 - 2.92)	0.914
Montgomery	1.62	(1.15 - 2.28)	1.69	(1.21 - 2.35)	0.787
North Central	1.86	(1.30 - 2.66)	1.83	(1.30 - 2.56)	0.910
Northeast	1.90	(1.29 - 2.79)	2.01	(1.45 - 2.77)	0.734
Prince George's	1.87	(1.31 - 2.66)	2.05	(1.47 - 2.87)	0.557
South	1.96	(1.37 - 2.82)	2.06	(1.48 - 2.87)	0.755
West	1.86	(1.28 - 2.70)	1.98	(1.43 - 2.74)	0.712
Massachusetts	1.99	(1.61 - 2.46)	2.13	(1.74 - 2.61)	0.464
Boston	2.73	(1.94 - 3.83)	2.64	(1.92 - 3.63)	0.825
Central	2.20	(1.54 - 3.12)	2.16	(1.57 - 2.97)	0.910
Metrowest	1.73	(1.23 - 2.42)	1.92	(1.39 - 2.63)	0.526
Northeast	1.69	(1.19 - 2.38)	1.91	(1.40 - 2.58)	0.438
Southeast	1.94	(1.41 - 2.67)	2.27	(1.65 - 3.11)	0.318
Western	2.09	(1.47 - 2.96)	2.12	(1.54 - 2.93)	0.919
Michigan[1]	1.92	(1.68 - 2.20)	1.84	(1.60 - 2.12)	0.538
Region 1	1.68	(1.20 - 2.35)	1.78	(1.30 - 2.43)	0.687
Region 2	--	(-- - --)	1.46	(1.06 - 2.00)	--
Region 3	--	(-- - --)	1.57	(1.20 - 2.05)	--
Region 4	--	(-- - --)	1.70	(1.29 - 2.23)	--
Region 5	--	(-- - --)	1.86	(1.45 - 2.37)	--
Region 6	--	(-- - --)	2.02	(1.55 - 2.65)	--
Region 7	--	(-- - --)	2.36	(1.80 - 3.10)	--
Region 8	1.64	(1.26 - 2.14)	1.46	(1.10 - 1.94)	0.379
Region 9	1.57	(1.18 - 2.08)	1.73	(1.31 - 2.28)	0.507
Region 10	--	(-- - --)	2.03	(1.53 - 2.70)	--
Minnesota	1.44	(1.13 - 1.83)	1.58	(1.27 - 1.98)	0.315
Regions 1 and 2	1.52	(1.02 - 2.26)	1.63	(1.12 - 2.36)	0.686
Regions 3 and 4	1.40	(0.97 - 2.01)	1.56	(1.12 - 2.18)	0.497
Regions 5 and 6	1.42	(0.98 - 2.05)	1.53	(1.10 - 2.13)	0.651
Region 7A (Hennepin)	1.44	(0.98 - 2.09)	1.71	(1.21 - 2.40)	0.324
Region 7B (Ramsey)	1.67	(1.11 - 2.49)	1.73	(1.21 - 2.48)	0.816
Region 7C	1.34	(0.95 - 1.89)	1.44	(1.06 - 1.96)	0.643
Mississippi	1.92	(1.53 - 2.40)	1.91	(1.53 - 2.39)	0.969
Region 1	1.75	(1.25 - 2.45)	1.84	(1.34 - 2.53)	0.726
Region 2	2.15	(1.48 - 3.10)	2.14	(1.51 - 3.02)	0.982
Region 3	1.90	(1.34 - 2.70)	1.85	(1.35 - 2.55)	0.877
Region 4	2.16	(1.54 - 3.03)	2.00	(1.43 - 2.80)	0.630
Region 5	1.74	(1.18 - 2.57)	2.07	(1.40 - 3.05)	0.306
Region 6	1.88	(1.30 - 2.71)	1.87	(1.32 - 2.63)	0.968
Region 7	1.81	(1.25 - 2.60)	1.75	(1.24 - 2.46)	0.832

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	1.84	(1.48 - 2.28)	1.89	(1.55 - 2.30)	0.747
Central	1.90	(1.35 - 2.68)	2.07	(1.53 - 2.80)	0.563
Eastern	1.72	(1.30 - 2.28)	1.94	(1.49 - 2.52)	0.345
Eastern (St. Louis City and County)	1.71	(1.20 - 2.43)	2.00	(1.45 - 2.74)	0.344
Eastern (excluding St. Louis)	1.74	(1.22 - 2.46)	1.83	(1.31 - 2.55)	0.733
Northwest	1.94	(1.48 - 2.55)	1.81	(1.39 - 2.36)	0.565
Northwest (Jackson)	2.12	(1.49 - 2.99)	1.93	(1.39 - 2.66)	0.576
Northwest (excluding Jackson)	1.80	(1.26 - 2.55)	1.71	(1.23 - 2.37)	0.741
Southeast	1.85	(1.29 - 2.66)	1.87	(1.35 - 2.58)	0.966
Southwest	1.86	(1.31 - 2.64)	1.75	(1.28 - 2.39)	0.681
Montana	1.97	(1.60 - 2.42)	1.75	(1.42 - 2.15)	0.169
Region 1	1.58	(1.09 - 2.29)	1.63	(1.15 - 2.31)	0.843
Region 2	2.11	(1.48 - 2.98)	1.72	(1.26 - 2.36)	0.154
Region 3	1.58	(1.13 - 2.22)	1.50	(1.09 - 2.07)	0.734
Region 4	2.18	(1.60 - 2.96)	1.96	(1.44 - 2.65)	0.406
Region 5	2.07	(1.55 - 2.76)	1.77	(1.33 - 2.34)	0.208
Nebraska	1.44[b]	(1.12 - 1.85)	1.70	(1.36 - 2.12)	0.088
Regions 1 and 2	1.35	(0.97 - 1.88)	1.61	(1.20 - 2.15)	0.153
Region 1	1.35	(0.90 - 2.03)	1.54	(1.09 - 2.16)	0.394
Region 2	1.35	(0.91 - 2.02)	1.67	(1.17 - 2.38)	0.181
Region 3	1.24	(0.85 - 1.80)	1.52	(1.09 - 2.12)	0.172
Region 4	1.17[b]	(0.79 - 1.74)	1.53	(1.08 - 2.15)	0.099
Region 5	1.46	(1.03 - 2.08)	1.74	(1.28 - 2.37)	0.225
Region 6	1.58	(1.15 - 2.18)	1.80	(1.35 - 2.40)	0.376
Nevada	2.02	(1.58 - 2.57)	1.93	(1.53 - 2.44)	0.693
Clark – Region 1	1.98	(1.49 - 2.63)	1.94	(1.48 - 2.55)	0.892
Region 3	1.61	(1.16 - 2.24)	1.73	(1.28 - 2.33)	0.583
Capital District	1.59	(1.07 - 2.36)	1.74	(1.22 - 2.48)	0.563
Rural/Frontier	1.63	(1.09 - 2.44)	1.71	(1.20 - 2.44)	0.756
Washoe – Region 2	2.51	(1.80 - 3.50)	2.04	(1.48 - 2.81)	0.142
New Hampshire	2.01	(1.65 - 2.45)	2.03	(1.66 - 2.47)	0.912
Central	1.98	(1.51 - 2.58)	2.08	(1.62 - 2.67)	0.658
Central 1	2.23	(1.61 - 3.07)	2.14	(1.58 - 2.90)	0.775
Central 2	1.73	(1.22 - 2.45)	2.01	(1.47 - 2.74)	0.369
Northern	1.99	(1.42 - 2.78)	1.99	(1.47 - 2.69)	0.992
Southern	2.03	(1.61 - 2.55)	2.01	(1.60 - 2.52)	0.941
Southern 1 (Rockingham)	1.79	(1.31 - 2.43)	1.99	(1.49 - 2.65)	0.434
Southern 2	2.18	(1.65 - 2.87)	2.03	(1.53 - 2.67)	0.619

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	1.71	(1.36 - 2.15)	1.77	(1.43 - 2.19)	0.662
Central	1.51	(1.06 - 2.15)	1.66	(1.21 - 2.28)	0.523
Metropolitan	2.11	(1.54 - 2.90)	1.93	(1.42 - 2.62)	0.538
Northern	1.50	(1.06 - 2.10)	1.57	(1.16 - 2.12)	0.735
Southern	1.78	(1.27 - 2.48)	2.03	(1.49 - 2.77)	0.366
New Mexico	2.16	(1.75 - 2.68)	1.92	(1.53 - 2.40)	0.241
Region 1	2.45[b]	(1.79 - 3.36)	1.84	(1.32 - 2.55)	0.088
Region 2	1.52	(1.04 - 2.21)	1.67	(1.18 - 2.36)	0.586
Region 3 (Bernalillo)	2.54	(1.88 - 3.44)	2.02	(1.49 - 2.75)	0.152
Region 4	2.05	(1.45 - 2.90)	1.86	(1.33 - 2.59)	0.525
Region 5	1.79	(1.26 - 2.52)	2.06	(1.47 - 2.87)	0.406
New York	1.98	(1.71 - 2.29)	2.20	(1.92 - 2.53)	0.151
Region A	2.09	(1.71 - 2.54)	2.38	(1.98 - 2.84)	0.218
Region 1	2.54	(1.83 - 3.50)	2.21	(1.62 - 3.01)	0.463
Region 2	2.20	(1.68 - 2.88)	2.56	(1.96 - 3.34)	0.317
Region 3	2.07[b]	(1.46 - 2.92)	2.88	(2.12 - 3.91)	0.060
Region 4	1.68	(1.23 - 2.29)	1.86	(1.36 - 2.55)	0.535
Region B	1.85	(1.51 - 2.25)	1.97	(1.63 - 2.39)	0.510
Region 5	1.75	(1.33 - 2.30)	1.94	(1.50 - 2.49)	0.458
Region 6	1.75	(1.27 - 2.40)	1.91	(1.42 - 2.56)	0.580
Region 7	2.32	(1.70 - 3.15)	2.20	(1.64 - 2.95)	0.722
Region C	2.00	(1.69 - 2.37)	2.15	(1.82 - 2.55)	0.382
Region 8	1.83	(1.35 - 2.46)	2.10	(1.56 - 2.82)	0.385
Region 9	2.24	(1.68 - 3.00)	2.05	(1.54 - 2.74)	0.560
Region 10	2.08	(1.50 - 2.88)	2.28	(1.65 - 3.15)	0.538
Region 11	1.95	(1.47 - 2.59)	2.22	(1.68 - 2.93)	0.354
Region 12	1.96	(1.45 - 2.65)	2.18	(1.67 - 2.83)	0.444
Region D	1.82[b]	(1.45 - 2.28)	2.16	(1.74 - 2.67)	0.099
Region 13	1.90	(1.36 - 2.64)	2.07	(1.53 - 2.80)	0.563
Region 14	1.90	(1.34 - 2.68)	2.14	(1.56 - 2.95)	0.414
Region 15	1.66[b]	(1.19 - 2.31)	2.25	(1.66 - 3.04)	0.066

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	2.06	(1.68 - 2.53)	1.91	(1.57 - 2.31)	0.313
Alliance Behavioral Healthcare 1	--	(-- - --)	2.07	(1.49 - 2.88)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	1.76	(1.27 - 2.43)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	1.82	(1.31 - 2.53)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	1.83	(1.31 - 2.55)	--
Cardinal Innovations Healthcare Solutions 3	2.11	(1.46 - 3.05)	1.93	(1.37 - 2.73)	0.577
CenterPoint Human Services	2.06	(1.43 - 2.95)	1.71	(1.24 - 2.36)	0.212
Eastpointe	2.28	(1.59 - 3.24)	1.94	(1.40 - 2.69)	0.286
Partners Behavioral Health Management	1.96	(1.38 - 2.79)	1.87	(1.34 - 2.60)	0.750
Sandhills Center 1	1.93	(1.33 - 2.77)	1.76	(1.25 - 2.47)	0.559
Sandhills Center 2	2.21	(1.53 - 3.18)	2.05	(1.48 - 2.84)	0.618
Smoky Mountain Center 1	1.71	(1.16 - 2.50)	1.77	(1.25 - 2.49)	0.814
Smoky Mountain Center 2	1.73	(1.19 - 2.51)	1.78	(1.27 - 2.49)	0.865
Trillium Health Resources 1	2.06	(1.42 - 3.00)	2.20	(1.57 - 3.07)	0.686
Trillium Health Resources 2	2.56	(1.77 - 3.69)	2.23	(1.60 - 3.10)	0.363
North Dakota	1.42[a]	(1.11 - 1.80)	1.74	(1.41 - 2.13)	0.018
Badlands and West Central	1.23[b]	(0.86 - 1.76)	1.58	(1.16 - 2.14)	0.084
Lake Region	--	(-- - --)	1.44	(1.02 - 2.02)	--
North Central	--	(-- - --)	1.70	(1.20 - 2.41)	--
Northeast	1.80	(1.26 - 2.58)	2.18	(1.55 - 3.06)	0.149
Northwest	--	(-- - --)	1.84	(1.27 - 2.67)	--
South Central	--	(-- - --)	1.65	(1.17 - 2.32)	--
Southeast	1.46	(1.02 - 2.08)	1.77	(1.29 - 2.41)	0.193

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	2.05	(1.79 - 2.34)	2.11	(1.86 - 2.41)	0.651
Boards 2, 46, 55, and 68	1.87	(1.37 - 2.55)	2.02	(1.48 - 2.76)	0.648
Boards 3, 52, and 85	1.86	(1.35 - 2.55)	1.87	(1.38 - 2.53)	0.957
Boards 4 and 78	1.72	(1.23 - 2.41)	1.99	(1.46 - 2.71)	0.371
Boards 5 and 60	2.08	(1.51 - 2.86)	2.28	(1.68 - 3.10)	0.564
Boards 7, 15, 41, 79, and 84	1.59	(1.16 - 2.19)	1.96	(1.44 - 2.66)	0.220
Boards 8, 13, and 83	1.81	(1.32 - 2.47)	1.92	(1.41 - 2.60)	0.714
Board 9 (Butler)	2.04	(1.47 - 2.83)	1.88	(1.38 - 2.55)	0.598
Board 12	2.10	(1.52 - 2.89)	2.10	(1.54 - 2.84)	0.984
Boards 18 and 47	1.79	(1.37 - 2.34)	1.85	(1.41 - 2.42)	0.807
Boards 20, 32, 54, and 69	1.67	(1.18 - 2.36)	1.73	(1.27 - 2.36)	0.821
Boards 21, 39, 51, 70, and 80	2.03	(1.49 - 2.77)	2.09	(1.57 - 2.77)	0.862
Boards 22, 74, and 87	1.84	(1.33 - 2.54)	1.91	(1.41 - 2.59)	0.800
Boards 23 and 45	2.05	(1.48 - 2.82)	1.89	(1.40 - 2.54)	0.610
Board 25 (Franklin)	2.93	(2.25 - 3.80)	2.73	(2.07 - 3.59)	0.608
Boards 27, 71, and 73	2.21	(1.59 - 3.05)	2.39	(1.74 - 3.29)	0.639
Boards 28, 43, and 67	1.79	(1.33 - 2.42)	2.03	(1.52 - 2.69)	0.392
Board 31 (Hamilton)	2.33	(1.74 - 3.10)	2.30	(1.73 - 3.04)	0.937
Board 48 (Lucas)	2.15	(1.57 - 2.94)	2.16	(1.59 - 2.95)	0.963
Boards 50 and 76	1.56	(1.14 - 2.13)	2.00	(1.49 - 2.67)	0.133
Board 57 (Montgomery)	2.54	(1.88 - 3.42)	2.49	(1.85 - 3.35)	0.901
Board 77 (Summit)	2.11	(1.55 - 2.87)	2.08	(1.52 - 2.83)	0.912
Oklahoma	1.70	(1.34 - 2.16)	1.57	(1.25 - 1.97)	0.390
Central	1.49	(1.02 - 2.16)	1.60	(1.11 - 2.28)	0.650
East Central	1.48	(1.00 - 2.19)	1.44	(1.03 - 2.02)	0.881
Northeast	1.56	(1.10 - 2.21)	1.54	(1.11 - 2.15)	0.940
Northwest and Southwest	1.87	(1.27 - 2.75)	1.68	(1.17 - 2.40)	0.482
Oklahoma County	1.84	(1.29 - 2.63)	1.55	(1.11 - 2.15)	0.242
Southeast	1.76	(1.20 - 2.56)	1.48	(1.05 - 2.06)	0.302
Tulsa County	1.77	(1.21 - 2.58)	1.67	(1.19 - 2.35)	0.742
Oregon	2.24	(1.83 - 2.75)	2.15	(1.76 - 2.62)	0.595
Region 1 (Multnomah)	3.36[a]	(2.40 - 4.69)	2.42	(1.74 - 3.37)	0.033
Region 2	1.69	(1.21 - 2.36)	2.02	(1.50 - 2.73)	0.256
Region 3	2.22	(1.68 - 2.93)	2.28	(1.73 - 2.99)	0.838
Region 4	1.93	(1.36 - 2.71)	1.83	(1.31 - 2.57)	0.742
Region 5 (Central)	1.84	(1.28 - 2.64)	1.94	(1.39 - 2.69)	0.735
Region 6 (Eastern)	2.05	(1.40 - 3.01)	1.98	(1.39 - 2.82)	0.832

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	1.82[b]	(1.58 - 2.10)	2.03	(1.77 - 2.34)	0.100
Region 1 (Allegheny)	2.12	(1.58 - 2.84)	2.29	(1.73 - 3.02)	0.581
Regions 3, 8, 9, and 51	1.73	(1.26 - 2.37)	1.95	(1.47 - 2.56)	0.401
Regions 4, 11, 37, and 49	1.82	(1.34 - 2.46)	1.78	(1.34 - 2.37)	0.887
Regions 5, 18, 23, 24, and 46	1.66	(1.19 - 2.31)	1.66	(1.23 - 2.24)	0.999
Regions 6, 12, 16, 31, 35, 45, and 47	1.63	(1.19 - 2.24)	1.85	(1.37 - 2.50)	0.395
Regions 7, 13, 20, and 33	1.59	(1.25 - 2.02)	1.86	(1.47 - 2.36)	0.231
Regions 10, 15, 27, 32, 43, and 44	1.59	(1.16 - 2.17)	1.83	(1.33 - 2.52)	0.364
Regions 17 and 21	1.85	(1.34 - 2.55)	2.03	(1.49 - 2.77)	0.526
Regions 19, 26, 28, and 42	1.50	(1.12 - 2.00)	1.74	(1.34 - 2.27)	0.293
Regions 22, 38, 40, 41, and 48	1.53	(1.12 - 2.10)	1.87	(1.38 - 2.54)	0.227
Regions 29 and 34	1.62	(1.17 - 2.23)	1.85	(1.35 - 2.51)	0.386
Regions 30 and 50	1.49	(1.07 - 2.06)	1.84	(1.35 - 2.50)	0.163
Region 36 (Philadelphia)	2.94	(2.22 - 3.89)	3.18	(2.44 - 4.14)	0.604
Rhode Island	2.28	(1.80 - 2.89)	2.42	(1.95 - 3.01)	0.565
Bristol and Newport	1.51[b]	(1.02 - 2.24)	2.01	(1.45 - 2.79)	0.073
Kent	2.01	(1.41 - 2.85)	1.99	(1.41 - 2.80)	0.950
Providence	2.55	(1.92 - 3.38)	2.69	(2.06 - 3.51)	0.694
Washington	2.15	(1.52 - 3.05)	2.12	(1.55 - 2.88)	0.901
South Carolina	1.86	(1.48 - 2.34)	1.95	(1.59 - 2.40)	0.618
Region 1	--	(-- - --)	1.95	(1.46 - 2.60)	--
Region 2	--	(-- - --)	1.88	(1.38 - 2.55)	--
Region 3	1.84	(1.26 - 2.69)	1.92	(1.37 - 2.67)	0.816
Region 4	2.09	(1.49 - 2.92)	2.05	(1.51 - 2.77)	0.896
South Dakota	1.34	(1.03 - 1.74)	1.44	(1.12 - 1.85)	0.468
Region 1	1.48	(1.02 - 2.13)	1.47	(1.05 - 2.06)	0.978
Region 2	1.06	(0.70 - 1.59)	1.25	(0.86 - 1.81)	0.316
Region 3	1.21	(0.84 - 1.76)	1.37	(0.98 - 1.91)	0.374
Region 4	1.29	(0.86 - 1.93)	1.48	(1.05 - 2.10)	0.371
Region 5	1.45	(0.99 - 2.10)	1.51	(1.07 - 2.13)	0.782
Tennessee	2.14[b]	(1.73 - 2.64)	1.83	(1.47 - 2.27)	0.080
Region 1	1.83	(1.29 - 2.60)	1.70	(1.19 - 2.41)	0.622
Region 2	2.22	(1.57 - 3.13)	1.92	(1.38 - 2.67)	0.357
Region 3	2.20	(1.58 - 3.06)	1.80	(1.29 - 2.50)	0.190
Region 4 (Davidson)	2.16	(1.50 - 3.09)	1.94	(1.37 - 2.72)	0.492
Region 5	2.05	(1.48 - 2.83)	1.71	(1.25 - 2.34)	0.232
Region 6	2.11	(1.48 - 3.00)	1.78	(1.27 - 2.49)	0.279
Region 7 (Shelby)	2.30	(1.60 - 3.30)	1.96	(1.40 - 2.75)	0.352

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	1.58	(1.37 - 1.83)	1.51	(1.30 - 1.75)	0.500
Region 1	1.72	(1.24 - 2.38)	1.58	(1.16 - 2.14)	0.553
Region 2	1.41	(0.98 - 2.02)	1.68	(1.22 - 2.32)	0.284
Region 3	1.80[b]	(1.47 - 2.19)	1.49	(1.21 - 1.83)	0.059
Region 3a	1.92[a]	(1.49 - 2.48)	1.47	(1.13 - 1.90)	0.035
Region 3bc	1.57	(1.18 - 2.11)	1.52	(1.15 - 2.00)	0.807
Region 4	1.30	(0.91 - 1.86)	1.48	(1.10 - 1.99)	0.398
Region 5	1.55	(1.11 - 2.17)	1.61	(1.18 - 2.20)	0.785
Region 6	1.48	(1.16 - 1.89)	1.51	(1.21 - 1.89)	0.845
Region 6a	1.48	(1.13 - 1.92)	1.51	(1.19 - 1.92)	0.848
Region 6bc	1.49	(1.04 - 2.12)	1.51	(1.10 - 2.06)	0.942
Region 7	1.46	(1.13 - 1.89)	1.60	(1.26 - 2.02)	0.464
Region 7a	1.45	(1.06 - 1.99)	1.57	(1.17 - 2.11)	0.599
Region 7bcd	1.48	(1.06 - 2.06)	1.63	(1.19 - 2.23)	0.513
Region 8	1.63	(1.22 - 2.18)	1.62	(1.21 - 2.18)	0.977
Region 9	1.52	(1.08 - 2.14)	1.54	(1.12 - 2.11)	0.947
Region 10	1.53	(1.09 - 2.15)	1.33	(0.98 - 1.80)	0.364
Region 11	1.47	(1.13 - 1.92)	1.26	(0.99 - 1.61)	0.205
Region 11abd	1.52	(1.09 - 2.11)	1.28	(0.95 - 1.72)	0.253
Region 11c (Hidalgo)	1.40	(0.99 - 1.99)	1.23	(0.91 - 1.67)	0.396
Utah	1.97	(1.58 - 2.46)	1.82	(1.45 - 2.27)	0.385
Bear River, Northeastern, Summit, Tooele, and Wasatch	1.77	(1.24 - 2.52)	1.77	(1.25 - 2.51)	0.988
Central, Four Corners, San Juan, and Southwest	1.86	(1.27 - 2.72)	1.77	(1.24 - 2.52)	0.766
Davis County	2.10	(1.46 - 3.02)	1.87	(1.33 - 2.63)	0.443
Salt Lake County	1.96	(1.44 - 2.66)	1.73	(1.27 - 2.35)	0.392
Utah County	2.13	(1.50 - 3.01)	2.06	(1.48 - 2.86)	0.826
Weber, Morgan	1.96	(1.34 - 2.87)	1.73	(1.22 - 2.47)	0.472
Vermont	2.28	(1.86 - 2.79)	2.34	(1.93 - 2.84)	0.769
Champlain Valley	2.47	(1.89 - 3.21)	2.56	(1.98 - 3.30)	0.778
Rural Northeast	2.29	(1.68 - 3.11)	2.29	(1.72 - 3.05)	0.991
Rural Southeast	2.14	(1.57 - 2.93)	2.09	(1.53 - 2.84)	0.867
Rural Southwest	1.97	(1.41 - 2.75)	2.20	(1.60 - 3.04)	0.480
Virginia	1.73	(1.39 - 2.15)	1.82	(1.49 - 2.22)	0.569
Region 1	1.84	(1.32 - 2.55)	1.89	(1.40 - 2.54)	0.836
Region 2	1.31	(0.91 - 1.88)	1.41	(1.04 - 1.91)	0.625
Region 3	1.58	(1.13 - 2.21)	1.85	(1.34 - 2.56)	0.291
Region 4	1.90	(1.34 - 2.69)	1.99	(1.44 - 2.74)	0.751
Region 5	2.16	(1.56 - 2.99)	2.13	(1.55 - 2.92)	0.913

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	1.89	(1.54 - 2.33)	1.95	(1.59 - 2.38)	0.734
Region 1	1.84	(1.36 - 2.47)	1.87	(1.44 - 2.44)	0.866
Greater Columbia and North Central	--	(-- - --)	1.75	(1.26 - 2.43)	--
Spokane	--	(-- - --)	2.05	(1.46 - 2.86)	--
Region 2	1.89	(1.48 - 2.41)	2.01	(1.56 - 2.58)	0.585
King	1.79	(1.31 - 2.44)	2.01	(1.48 - 2.73)	0.415
North Sound	2.06	(1.50 - 2.82)	2.01	(1.46 - 2.75)	0.873
Region 3	1.94	(1.47 - 2.55)	1.91	(1.51 - 2.40)	0.871
Peninsula	--	(-- - --)	2.02	(1.40 - 2.89)	--
Pierce	--	(-- - --)	1.92	(1.38 - 2.66)	--
SW WA and Timberlands	--	(-- - --)	1.77	(1.28 - 2.44)	--
Thurston-Mason	--	(-- - --)	2.06	(1.45 - 2.93)	--
West Virginia	2.11	(1.72 - 2.59)	2.04	(1.66 - 2.50)	0.707
Region I	1.70	(1.17 - 2.47)	1.79	(1.27 - 2.52)	0.753
Region II	2.11	(1.49 - 2.97)	1.91	(1.39 - 2.63)	0.527
Region III	1.68	(1.17 - 2.42)	1.87	(1.31 - 2.66)	0.533
Region IV	2.63	(1.99 - 3.48)	2.14	(1.58 - 2.89)	0.153
Region V	2.18	(1.61 - 2.95)	2.13	(1.57 - 2.90)	0.886
Region VI	1.78	(1.25 - 2.53)	2.06	(1.50 - 2.83)	0.388
Wisconsin	1.56	(1.22 - 1.98)	1.77	(1.43 - 2.19)	0.187
Milwaukee	2.12	(1.41 - 3.16)	2.17	(1.56 - 3.01)	0.892
Northeastern	1.41	(1.00 - 1.99)	1.67	(1.22 - 2.29)	0.272
Northern	1.33	(0.89 - 1.98)	1.61	(1.15 - 2.26)	0.229
Southeastern	1.50	(1.03 - 2.17)	1.69	(1.23 - 2.30)	0.447
Southern	1.48	(1.04 - 2.11)	1.71	(1.25 - 2.35)	0.353
Western	1.45	(1.00 - 2.10)	1.77	(1.30 - 2.41)	0.175

See notes at end of table.

(continued)

Table 19 *Illicit Drug Dependence in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	1.43	(1.11 - 1.85)	1.63	(1.30 - 2.02)	0.169
Judicial District 1 (Laramie)	1.56	(1.06 - 2.27)	1.63	(1.17 - 2.26)	0.773
Judicial District 2	1.70	(1.14 - 2.54)	2.14	(1.49 - 3.07)	0.116
Judicial District 3	1.37	(0.92 - 2.03)	1.48	(1.05 - 2.09)	0.630
Judicial District 4	1.22	(0.80 - 1.86)	1.54	(1.08 - 2.18)	0.162
Judicial District 5	1.17	(0.77 - 1.78)	1.50	(1.05 - 2.12)	0.140
Judicial District 6	1.45	(0.97 - 2.16)	1.61	(1.13 - 2.30)	0.502
Judicial District 7 (Natrona)	1.54	(1.03 - 2.29)	1.65	(1.16 - 2.34)	0.667
Judicial District 8	1.16	(0.77 - 1.73)	1.49	(1.05 - 2.09)	0.130
Judicial District 9	1.46	(0.96 - 2.21)	1.59	(1.09 - 2.31)	0.621

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	8.40	(8.21 - 8.60)	8.28	(8.09 - 8.48)	0.274
Northeast	8.60	(8.19 - 9.03)	8.39	(8.04 - 8.77)	0.315
Midwest	8.58	(8.23 - 8.93)	8.41	(8.11 - 8.72)	0.355
South	7.68	(7.36 - 8.00)	7.90	(7.62 - 8.18)	0.175
West	9.25[a]	(8.81 - 9.70)	8.69	(8.32 - 9.09)	0.019
Alabama	6.82	(5.88 - 7.90)	7.32	(6.42 - 8.34)	0.297
Region 1	6.08	(4.78 - 7.70)	7.08	(5.78 - 8.64)	0.142
Region 2	7.65	(6.20 - 9.40)	7.54	(6.29 - 9.01)	0.873
Region 3	6.29	(4.96 - 7.94)	7.04	(5.75 - 8.61)	0.261
Region 4	7.00	(5.51 - 8.85)	7.54	(6.09 - 9.31)	0.457
Alaska	9.53	(8.27 - 10.95)	9.57	(8.48 - 10.78)	0.949
Anchorage	10.29	(8.56 - 12.33)	9.91	(8.48 - 11.54)	0.644
Northern	9.54	(7.68 - 11.79)	10.22	(8.48 - 12.28)	0.445
South Central	8.20	(6.41 - 10.43)	8.71	(7.13 - 10.60)	0.550
Southeast	9.83	(7.63 - 12.58)	8.97	(7.22 - 11.08)	0.350
Arizona	9.88	(8.53 - 11.41)	9.27	(8.17 - 10.50)	0.357
Maricopa	10.07	(8.44 - 11.96)	9.46	(8.10 - 11.03)	0.463
Pima	10.49	(8.18 - 13.34)	9.42	(7.68 - 11.50)	0.289
Rural North	8.51	(6.52 - 11.03)	8.92	(7.09 - 11.16)	0.677
Rural South	9.49	(7.19 - 12.42)	8.56	(6.89 - 10.59)	0.362
Arkansas	7.39	(6.41 - 8.51)	7.53	(6.66 - 8.51)	0.757
Catchment Area 1	7.14	(5.66 - 8.97)	7.79	(6.44 - 9.39)	0.345
Catchment Area 2	6.58	(4.98 - 8.65)	6.94	(5.56 - 8.62)	0.629
Catchment Area 3	6.62	(5.00 - 8.72)	7.67	(6.17 - 9.49)	0.172
Catchment Area 4	7.73	(5.94 - 10.01)	7.56	(6.08 - 9.36)	0.817
Catchment Area 5	8.31	(6.46 - 10.64)	7.82	(6.40 - 9.52)	0.526
Catchment Area 6	7.47	(5.62 - 9.85)	7.57	(6.09 - 9.36)	0.897
Catchment Area 7	6.75	(5.11 - 8.86)	7.33	(5.89 - 9.09)	0.420
Catchment Area 8	8.00	(6.37 - 10.01)	7.43	(6.02 - 9.12)	0.442

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	9.08[b]	(8.41 - 9.80)	8.43	(7.85 - 9.04)	0.069
Region 1R	10.69	(8.47 - 13.42)	9.32	(7.69 - 11.25)	0.150
Region 2R	9.31	(7.46 - 11.56)	8.61	(7.13 - 10.36)	0.386
Region 3R (Sacramento)	9.53	(7.66 - 11.80)	8.67	(7.23 - 10.38)	0.292
Region 4R	9.56	(7.67 - 11.86)	9.27	(7.75 - 11.06)	0.736
Region 5R (San Francisco)	11.91	(9.34 - 15.06)	10.53	(8.60 - 12.84)	0.214
Region 6 (Santa Clara)	7.75	(6.16 - 9.72)	7.57	(6.33 - 9.04)	0.795
Region 7R (Contra Costa)	8.69	(6.94 - 10.84)	7.95	(6.53 - 9.66)	0.329
Region 8R (Alameda)	9.15	(7.36 - 11.31)	8.42	(7.08 - 9.98)	0.336
Region 9R (San Mateo)	7.67	(5.93 - 9.86)	7.67	(6.20 - 9.46)	0.992
Region 10	9.54	(7.63 - 11.86)	8.69	(7.25 - 10.38)	0.279
Region 11 (Los Angeles)	8.91	(8.02 - 9.89)	8.42	(7.68 - 9.22)	0.260
LA SPA 1 and 5	10.07	(8.01 - 12.58)	9.24	(7.61 - 11.18)	0.357
LA SPA 2	8.44	(6.84 - 10.37)	7.78	(6.53 - 9.26)	0.359
LA SPA 3	7.65	(6.19 - 9.42)	7.51	(6.23 - 9.02)	0.829
LA SPA 4	10.42	(8.21 - 13.14)	9.91	(8.22 - 11.90)	0.610
LA SPA 6	9.74	(7.77 - 12.15)	9.12	(7.48 - 11.07)	0.447
LA SPA 7	8.88	(7.20 - 10.91)	7.83	(6.56 - 9.31)	0.153
LA SPA 8	8.61	(6.93 - 10.65)	8.73	(7.31 - 10.41)	0.872
Region 12R	8.79	(6.85 - 11.21)	7.86	(6.45 - 9.55)	0.236
Regions 13 and 19R	8.51	(7.07 - 10.22)	7.69	(6.47 - 9.12)	0.232
Region 14 (Orange)	8.21	(6.88 - 9.77)	8.44	(7.23 - 9.84)	0.739
Region 15R (Fresno)	9.79	(7.79 - 12.24)	8.60	(7.14 - 10.33)	0.166
Region 16R (San Diego)	9.82[b]	(8.20 - 11.71)	8.49	(7.24 - 9.94)	0.073
Region 17R	9.49	(7.66 - 11.71)	8.41	(6.98 - 10.09)	0.162
Region 18R (San Bernardino)	7.69	(6.24 - 9.46)	8.06	(6.80 - 9.52)	0.606
Region 20R	9.64	(7.69 - 12.02)	8.50	(7.07 - 10.19)	0.152
Region 21R	11.21[a]	(9.03 - 13.83)	8.99	(7.38 - 10.92)	0.009
Colorado	10.30	(9.01 - 11.76)	9.96	(8.86 - 11.17)	0.598
Region 1	10.99	(8.84 - 13.59)	9.93	(8.18 - 12.01)	0.247
Regions 2 and 7	10.66	(8.98 - 12.62)	10.43	(9.00 - 12.06)	0.793
Region 3	9.05	(7.14 - 11.41)	8.96	(7.33 - 10.92)	0.923
Region 4	9.13	(6.88 - 12.02)	9.02	(7.19 - 11.26)	0.911
Regions 5 and 6	9.91	(7.70 - 12.68)	9.35	(7.57 - 11.50)	0.565
Connecticut	8.87	(7.66 - 10.25)	8.57	(7.58 - 9.68)	0.625
Eastern	8.98	(7.06 - 11.37)	9.78	(8.01 - 11.89)	0.419
North Central	8.28	(6.61 - 10.32)	8.85	(7.32 - 10.65)	0.498
Northwestern	8.80	(6.86 - 11.22)	7.78	(6.27 - 9.63)	0.256
South Central	9.68	(7.70 - 12.10)	8.52	(7.07 - 10.24)	0.194
Southwest	8.72	(6.77 - 11.16)	8.16	(6.66 - 9.97)	0.536

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	8.48	(7.40 - 9.70)	8.83	(7.85 - 9.93)	0.511
Kent	8.52	(6.79 - 10.64)	8.60	(7.15 - 10.30)	0.923
New Castle (excluding Wilmington City)	8.69	(7.33 - 10.27)	9.22	(7.95 - 10.66)	0.460
Sussex	7.35	(5.74 - 9.36)	7.90	(6.42 - 9.69)	0.467
Wilmington City	10.17	(7.82 - 13.13)	9.52	(7.65 - 11.78)	0.508
District of Columbia	13.73	(12.09 - 15.55)	12.67	(11.36 - 14.10)	0.174
Ward 1	17.09	(13.64 - 21.18)	15.49	(12.82 - 18.59)	0.281
Ward 2	15.89	(12.98 - 19.30)	15.40	(12.74 - 18.49)	0.716
Ward 3	13.59	(10.88 - 16.83)	13.08	(10.85 - 15.69)	0.696
Ward 4	11.87	(9.24 - 15.12)	10.96	(8.93 - 13.40)	0.453
Ward 5	12.98	(10.22 - 16.35)	12.00	(9.94 - 14.41)	0.440
Ward 6	15.39[a]	(12.11 - 19.36)	12.33	(10.11 - 14.95)	0.023
Ward 7	11.36	(8.76 - 14.61)	10.31	(8.24 - 12.83)	0.353
Ward 8	10.94	(8.62 - 13.78)	11.29	(9.34 - 13.59)	0.755
Florida[1]	7.67	(7.03 - 8.37)	7.76	(7.17 - 8.39)	0.793
Broward (Circuit 17)	6.89	(5.61 - 8.43)	7.38	(6.15 - 8.84)	0.449
Central I	--	(-- - --)	7.79	(6.83 - 8.87)	--
Circuit 9	8.20	(6.81 - 9.85)	7.63	(6.45 - 9.01)	0.410
Circuit 18	8.48	(6.78 - 10.56)	8.01	(6.64 - 9.63)	0.543
Central II	--	(-- - --)	8.05	(7.22 - 8.98)	--
Circuit 6	8.15	(6.45 - 10.24)	8.24	(6.79 - 9.96)	0.906
Circuit 10	6.95	(5.53 - 8.70)	6.98	(5.73 - 8.49)	0.962
Circuit 12	9.18	(7.08 - 11.82)	8.13	(6.57 - 10.01)	0.238
Circuit 13 (Hillsborough)	8.86	(7.31 - 10.71)	8.70	(7.34 - 10.30)	0.833
Circuit 20	7.84	(6.16 - 9.93)	7.76	(6.33 - 9.47)	0.915
Northeast	--	(-- - --)	8.17	(7.30 - 9.13)	--
Circuit 4	8.30	(6.69 - 10.24)	8.25	(6.91 - 9.83)	0.951
Circuit 5	6.52	(5.05 - 8.38)	6.88	(5.61 - 8.41)	0.604
Circuit 7	7.67	(6.09 - 9.60)	8.66	(7.13 - 10.48)	0.213
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	9.78	(8.15 - 11.69)	--
Northwest	--	(-- - --)	9.15	(8.03 - 10.42)	--
Circuit 1	8.55	(6.95 - 10.48)	8.95	(7.38 - 10.82)	0.613
Circuit 2 plus Madison and Taylor	--	(-- - --)	9.95	(8.25 - 11.97)	--
Circuit 14	9.84	(7.57 - 12.68)	8.45	(6.83 - 10.40)	0.127
South (Circuits 11 and 16)	5.81	(4.79 - 7.04)	6.18	(5.18 - 7.37)	0.507
Southeast	--	(-- - --)	7.62	(6.55 - 8.84)	--
Circuit 15 (Palm Beach)	7.04	(5.62 - 8.77)	7.61	(6.32 - 9.14)	0.418
Circuit 19	6.93	(5.29 - 9.02)	7.64	(6.19 - 9.39)	0.358

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	7.01	(6.02 - 8.16)	7.58	(6.71 - 8.56)	0.216
Region 1	6.29	(5.00 - 7.88)	6.85	(5.64 - 8.28)	0.372
Region 2	6.61	(5.09 - 8.54)	7.74	(6.34 - 9.42)	0.126
Region 3	7.52	(6.00 - 9.38)	7.99	(6.64 - 9.60)	0.524
Region 4	7.12	(5.40 - 9.32)	7.46	(5.90 - 9.39)	0.647
Region 5	7.91	(5.98 - 10.40)	7.87	(6.35 - 9.71)	0.955
Region 6	6.89	(5.32 - 8.89)	7.76	(6.33 - 9.48)	0.248
Hawaii	8.22	(7.08 - 9.52)	8.23	(7.19 - 9.41)	0.979
Hawaii Island	8.71	(6.68 - 11.30)	7.84	(6.26 - 9.78)	0.353
Honolulu	8.02	(6.77 - 9.47)	8.34	(7.14 - 9.71)	0.637
Kauai	7.85	(5.84 - 10.46)	7.74	(6.15 - 9.70)	0.906
Maui	9.03	(6.88 - 11.77)	8.28	(6.64 - 10.28)	0.428
Idaho	9.07	(7.90 - 10.39)	8.33	(7.39 - 9.38)	0.170
Region 1	9.07	(6.96 - 11.74)	7.94	(6.41 - 9.80)	0.228
Region 2	10.01	(7.74 - 12.87)	9.71	(7.85 - 11.96)	0.762
Region 3	8.17	(6.42 - 10.35)	7.28	(5.88 - 8.98)	0.248
Region 4	10.51	(8.52 - 12.90)	9.32	(7.78 - 11.14)	0.189
Region 5	7.86	(6.04 - 10.18)	7.40	(5.94 - 9.17)	0.562
Region 6	--	(-- - --)	9.07	(7.36 - 11.14)	--
Region 7	--	(-- - --)	7.61	(6.18 - 9.34)	--
Illinois	8.33	(7.66 - 9.06)	7.86	(7.25 - 8.52)	0.174
Region I (Cook)	8.91	(7.87 - 10.07)	8.24	(7.31 - 9.29)	0.199
Region II	7.41	(6.46 - 8.49)	7.00	(6.18 - 7.93)	0.411
Region III	9.41	(7.93 - 11.14)	8.68	(7.43 - 10.12)	0.284
Region IV	7.25	(5.83 - 8.99)	8.08	(6.78 - 9.60)	0.246
Region V	8.42	(7.01 - 10.09)	7.90	(6.68 - 9.33)	0.437
Indiana	8.49	(7.34 - 9.81)	8.83	(7.84 - 9.92)	0.548
Central	8.84	(6.90 - 11.27)	9.23	(7.72 - 11.00)	0.671
East	9.32	(7.22 - 11.94)	8.71	(7.07 - 10.69)	0.498
North Central	8.15	(6.34 - 10.43)	8.34	(6.80 - 10.19)	0.824
Northeast	7.74	(5.97 - 9.98)	8.57	(6.98 - 10.49)	0.323
Northwest	8.31	(6.47 - 10.62)	7.81	(6.26 - 9.70)	0.559
Southeast	7.57	(5.78 - 9.86)	8.19	(6.58 - 10.15)	0.487
Southwest	7.57	(5.73 - 9.94)	8.33	(6.70 - 10.30)	0.390
West	9.82	(7.78 - 12.32)	10.79	(8.87 - 13.06)	0.314
Iowa	8.77	(7.64 - 10.04)	8.00	(7.05 - 9.06)	0.144
Central	8.75[b]	(6.92 - 11.02)	7.35	(5.97 - 9.01)	0.084
North Central	9.82	(7.69 - 12.46)	8.75	(7.16 - 10.66)	0.208
Northeast	8.56	(6.91 - 10.55)	8.14	(6.73 - 9.82)	0.589
Northwest	8.33	(6.48 - 10.64)	8.04	(6.46 - 9.97)	0.735
Southeast	8.77	(7.02 - 10.90)	8.06	(6.60 - 9.79)	0.376
Southwest	8.79	(6.77 - 11.34)	7.77	(6.25 - 9.63)	0.241

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	8.06	(6.98 - 9.28)	8.40	(7.44 - 9.47)	0.528
Kansas City Metro	7.26	(5.91 - 8.88)	7.75	(6.42 - 9.34)	0.502
Northeast	8.77	(6.85 - 11.16)	9.17	(7.60 - 11.02)	0.662
South Central	8.03	(6.14 - 10.44)	7.82	(6.32 - 9.64)	0.800
Southeast	8.88	(6.77 - 11.57)	8.88	(7.07 - 11.11)	0.997
West	9.08	(6.92 - 11.83)	9.43	(7.56 - 11.71)	0.727
Wichita (Sedgwick)	7.85	(6.20 - 9.90)	8.37	(6.78 - 10.28)	0.539
Kentucky	6.88[b]	(5.87 - 8.04)	7.73	(6.80 - 8.77)	0.096
Adanta, Cumberland River, and Lifeskills	6.46	(5.02 - 8.28)	7.50	(6.08 - 9.22)	0.146
Bluegrass, Comprehend, and North Key	7.08	(5.61 - 8.89)	7.80	(6.50 - 9.34)	0.323
Communicare and River Valley	6.32	(4.74 - 8.37)	7.48	(6.04 - 9.23)	0.105
Four Rivers and Pennyroyal	6.96	(5.24 - 9.18)	7.57	(5.99 - 9.52)	0.418
Kentucky River, Mountain, and Pathways	6.94	(5.20 - 9.20)	7.56	(6.10 - 9.33)	0.416
Seven Counties	7.15	(5.59 - 9.11)	8.07	(6.59 - 9.86)	0.234
Louisiana	7.87	(6.89 - 8.97)	8.43	(7.49 - 9.48)	0.254
Regions 1 and 10	8.10	(6.61 - 9.89)	8.86	(7.48 - 10.48)	0.270
Region 1	8.52	(6.56 - 11.00)	9.59	(7.72 - 11.85)	0.267
Region 10 (Jefferson)	7.68	(5.90 - 9.93)	8.11	(6.56 - 9.99)	0.586
Regions 2 and 9	7.56	(6.14 - 9.27)	8.44	(7.03 - 10.11)	0.243
Region 3	6.73	(5.19 - 8.67)	7.73	(6.24 - 9.54)	0.164
Regions 4, 5, and 6	8.52	(6.90 - 10.47)	8.80	(7.34 - 10.53)	0.707
Regions 7 and 8	7.71	(6.16 - 9.62)	7.83	(6.44 - 9.49)	0.876
Maine	7.91	(6.81 - 9.18)	8.13	(7.15 - 9.24)	0.682
Aroostook/Downeast	7.80	(6.11 - 9.90)	8.04	(6.61 - 9.74)	0.751
Aroostook	7.43	(5.49 - 10.00)	7.74	(6.10 - 9.77)	0.725
Downeast	8.10	(6.01 - 10.82)	8.28	(6.47 - 10.53)	0.846
Central	7.64	(5.74 - 10.10)	7.36	(5.89 - 9.15)	0.732
Cumberland	8.51	(6.78 - 10.63)	8.85	(7.29 - 10.70)	0.675
Midcoast	7.50	(5.59 - 9.99)	7.42	(5.84 - 9.40)	0.931
Penquis	8.80	(6.96 - 11.07)	8.91	(7.31 - 10.81)	0.903
Western	7.64	(5.93 - 9.79)	8.39	(6.78 - 10.35)	0.354
York	7.21	(5.57 - 9.29)	7.44	(6.02 - 9.18)	0.762

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	7.20[a]	(6.23 - 8.30)	8.49	(7.52 - 9.56)	0.010
Anne Arundel	6.93[b]	(5.28 - 9.03)	8.36	(6.81 - 10.23)	0.078
Baltimore City	8.70[a]	(6.68 - 11.27)	10.72	(8.73 - 13.11)	0.048
Baltimore County	7.90	(6.17 - 10.05)	8.85	(7.20 - 10.83)	0.239
Montgomery	6.55	(5.10 - 8.37)	7.51	(6.10 - 9.21)	0.183
North Central	6.49	(4.92 - 8.51)	7.49	(6.02 - 9.28)	0.171
Northeast	6.82	(5.14 - 9.01)	7.92	(6.41 - 9.73)	0.186
Prince George's	6.93[a]	(5.37 - 8.90)	8.97	(7.32 - 10.95)	0.013
South	7.27	(5.59 - 9.40)	7.98	(6.47 - 9.81)	0.380
West	7.13	(5.44 - 9.28)	8.44	(6.80 - 10.42)	0.128
Massachusetts	10.01[a]	(8.82 - 11.33)	8.82	(7.85 - 9.88)	0.029
Boston	13.38	(10.88 - 16.35)	11.62	(9.64 - 13.95)	0.120
Central	9.69	(7.59 - 12.31)	8.88	(7.22 - 10.87)	0.394
Metrowest	10.17[b]	(8.19 - 12.55)	8.70	(7.19 - 10.49)	0.096
Northeast	9.45	(7.56 - 11.76)	8.32	(6.88 - 10.02)	0.192
Southeast	8.90	(7.12 - 11.07)	8.10	(6.64 - 9.85)	0.327
Western	9.34	(7.32 - 11.83)	8.09	(6.55 - 9.94)	0.169
Michigan[1]	8.74	(8.07 - 9.46)	8.29	(7.68 - 8.94)	0.220
Region 1	11.10[b]	(8.87 - 13.80)	9.49	(7.83 - 11.47)	0.089
Region 2	--	(-- - --)	7.64	(6.17 - 9.44)	--
Region 3	--	(-- - --)	8.75	(7.51 - 10.18)	--
Region 4	--	(-- - --)	8.02	(6.73 - 9.53)	--
Region 5	--	(-- - --)	8.81	(7.64 - 10.13)	--
Region 6	--	(-- - --)	7.98	(6.76 - 9.39)	--
Region 7	--	(-- - --)	8.35	(7.18 - 9.69)	--
Region 8	8.44	(7.04 - 10.09)	7.59	(6.41 - 8.97)	0.200
Region 9	9.02	(7.43 - 10.91)	7.87	(6.55 - 9.44)	0.120
Region 10	--	(-- - --)	8.45	(7.11 - 10.02)	--
Minnesota	8.93	(7.81 - 10.20)	8.20	(7.22 - 9.30)	0.172
Regions 1 and 2	9.02	(6.83 - 11.83)	8.37	(6.68 - 10.45)	0.482
Regions 3 and 4	9.30	(7.43 - 11.58)	8.19	(6.66 - 10.02)	0.182
Regions 5 and 6	9.47	(7.52 - 11.87)	8.31	(6.76 - 10.18)	0.164
Region 7A (Hennepin)	9.13	(7.30 - 11.37)	8.64	(7.03 - 10.57)	0.565
Region 7B (Ramsey)	9.88	(7.73 - 12.55)	9.26	(7.48 - 11.40)	0.492
Region 7C	7.53	(6.06 - 9.32)	7.14	(5.89 - 8.62)	0.581
Mississippi	7.26	(6.26 - 8.40)	7.72	(6.83 - 8.71)	0.353
Region 1	6.76	(5.34 - 8.53)	7.61	(6.31 - 9.16)	0.234
Region 2	7.75	(5.93 - 10.08)	7.78	(6.26 - 9.63)	0.974
Region 3	7.74	(6.00 - 9.91)	7.99	(6.53 - 9.73)	0.746
Region 4	6.61	(5.15 - 8.44)	7.50	(6.08 - 9.21)	0.222
Region 5	7.04	(5.22 - 9.42)	7.57	(6.00 - 9.50)	0.523
Region 6	7.26	(5.55 - 9.43)	7.76	(6.29 - 9.53)	0.534
Region 7	7.99	(6.25 - 10.15)	7.88	(6.34 - 9.76)	0.895

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	7.66	(6.67 - 8.78)	8.05	(7.13 - 9.07)	0.400
Central	7.73	(6.10 - 9.74)	8.45	(6.96 - 10.23)	0.344
Eastern	7.99	(6.66 - 9.56)	8.12	(6.89 - 9.54)	0.836
Eastern (St. Louis City and County)	8.01	(6.42 - 9.94)	8.13	(6.65 - 9.90)	0.872
Eastern (excluding St. Louis)	7.95	(6.15 - 10.23)	8.09	(6.55 - 9.96)	0.865
Northwest	7.84	(6.43 - 9.52)	8.53	(7.29 - 9.96)	0.261
Northwest (Jackson)	8.60	(6.71 - 10.96)	8.83	(7.21 - 10.79)	0.770
Northwest (excluding Jackson)	7.19	(5.53 - 9.29)	8.28	(6.78 - 10.08)	0.165
Southeast	7.17	(5.50 - 9.30)	7.71	(6.18 - 9.58)	0.493
Southwest	6.97	(5.38 - 8.97)	7.05	(5.66 - 8.75)	0.904
Montana	10.47	(9.20 - 11.90)	9.51	(8.45 - 10.67)	0.132
Region 1	9.90	(7.55 - 12.88)	9.37	(7.47 - 11.69)	0.612
Region 2	10.01	(7.79 - 12.78)	9.71	(7.94 - 11.83)	0.758
Region 3	9.46	(7.59 - 11.74)	9.30	(7.74 - 11.14)	0.863
Region 4	11.67[b]	(9.63 - 14.07)	9.99	(8.35 - 11.93)	0.097
Region 5	10.49	(8.72 - 12.56)	9.16	(7.70 - 10.87)	0.126
Nebraska	8.42[b]	(7.32 - 9.67)	9.42	(8.34 - 10.62)	0.095
Regions 1 and 2	8.34	(6.62 - 10.45)	8.99	(7.40 - 10.87)	0.421
Region 1	8.75	(6.50 - 11.70)	8.80	(6.94 - 11.11)	0.964
Region 2	7.97	(5.98 - 10.54)	9.15	(7.18 - 11.59)	0.218
Region 3	8.42	(6.61 - 10.67)	9.07	(7.43 - 11.04)	0.443
Region 4	7.66	(5.81 - 10.03)	8.38	(6.68 - 10.46)	0.416
Region 5	8.92	(7.23 - 10.96)	9.70	(8.13 - 11.54)	0.385
Region 6	8.36[b]	(6.87 - 10.13)	9.74	(8.28 - 11.42)	0.081
Nevada	10.58[a]	(9.06 - 12.31)	9.12	(7.95 - 10.44)	0.045
Clark – Region 1	9.83	(8.18 - 11.78)	8.98	(7.65 - 10.52)	0.306
Region 3	10.58[b]	(8.34 - 13.34)	9.06	(7.51 - 10.89)	0.097
Capital District	10.45	(7.78 - 13.89)	9.05	(7.11 - 11.47)	0.213
Rural/Frontier	10.70	(7.88 - 14.37)	9.06	(7.24 - 11.28)	0.152
Washoe – Region 2	13.98[a]	(11.21 - 17.29)	9.81	(8.03 - 11.93)	0.000
New Hampshire	8.75	(7.56 - 10.09)	9.56	(8.46 - 10.78)	0.211
Central	8.81	(7.24 - 10.68)	9.51	(8.12 - 11.09)	0.375
Central 1	9.55	(7.66 - 11.85)	9.66	(8.01 - 11.61)	0.904
Central 2	8.09	(6.15 - 10.59)	9.35	(7.65 - 11.39)	0.203
Northern	9.78	(7.57 - 12.56)	10.52	(8.55 - 12.88)	0.508
Southern	8.48	(7.21 - 9.95)	9.37	(8.15 - 10.74)	0.212
Southern 1 (Rockingham)	7.88	(6.27 - 9.86)	8.60	(7.11 - 10.35)	0.379
Southern 2	8.86	(7.33 - 10.67)	9.85	(8.33 - 11.60)	0.261

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	7.72	(6.63 - 8.98)	7.72	(6.82 - 8.73)	0.999
Central	7.52	(5.93 - 9.48)	7.23	(5.95 - 8.76)	0.681
Metropolitan	7.89	(6.29 - 9.84)	7.55	(6.22 - 9.13)	0.656
Northern	7.90	(6.33 - 9.82)	7.76	(6.46 - 9.30)	0.850
Southern	7.48	(5.85 - 9.51)	8.39	(6.94 - 10.13)	0.270
New Mexico	9.56	(8.31 - 10.97)	9.04	(7.98 - 10.22)	0.394
Region 1	8.59	(6.91 - 10.63)	8.33	(6.85 - 10.09)	0.757
Region 2	8.79	(6.67 - 11.50)	8.78	(7.04 - 10.91)	0.995
Region 3 (Bernalillo)	11.23	(9.23 - 13.59)	9.94	(8.28 - 11.89)	0.174
Region 4	8.50	(6.62 - 10.85)	8.33	(6.80 - 10.18)	0.848
Region 5	9.05	(7.21 - 11.30)	8.92	(7.33 - 10.83)	0.890
New York	8.44	(7.76 - 9.19)	8.42	(7.79 - 9.10)	0.948
Region A	8.63	(7.69 - 9.66)	8.95	(8.09 - 9.89)	0.507
Region 1	8.36	(6.77 - 10.29)	8.46	(7.07 - 10.10)	0.899
Region 2	8.98	(7.53 - 10.68)	9.10	(7.81 - 10.57)	0.874
Region 3	9.69	(7.87 - 11.88)	11.21	(9.42 - 13.30)	0.132
Region 4	7.52	(6.15 - 9.18)	7.37	(6.13 - 8.85)	0.831
Region B	7.71	(6.80 - 8.74)	7.67	(6.83 - 8.60)	0.921
Region 5	7.39	(6.23 - 8.74)	7.34	(6.28 - 8.56)	0.933
Region 6	7.72	(6.20 - 9.57)	7.98	(6.60 - 9.61)	0.722
Region 7	8.80	(7.08 - 10.89)	8.29	(6.86 - 10.00)	0.500
Region C	8.91	(7.94 - 9.99)	8.19	(7.39 - 9.06)	0.116
Region 8	8.57	(7.00 - 10.46)	7.80	(6.39 - 9.48)	0.290
Region 9	8.59	(6.94 - 10.59)	8.27	(6.95 - 9.82)	0.682
Region 10	9.01	(7.12 - 11.35)	9.22	(7.60 - 11.15)	0.808
Region 11	9.74[b]	(7.92 - 11.91)	8.31	(6.96 - 9.90)	0.088
Region 12	8.68	(7.05 - 10.65)	7.94	(6.65 - 9.46)	0.312
Region D	8.46	(7.22 - 9.90)	8.71	(7.66 - 9.90)	0.672
Region 13	7.90	(6.11 - 10.15)	8.69	(7.11 - 10.58)	0.353
Region 14	9.47	(7.43 - 12.02)	8.73	(7.15 - 10.63)	0.383
Region 15	7.97	(6.34 - 9.98)	8.71	(7.15 - 10.57)	0.357

See notes at end of table. (continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	7.30	(6.25 - 8.51)	8.08	(7.12 - 9.16)	0.128
Alliance Behavioral Healthcare 1	--	(-- - --)	8.06	(6.53 - 9.93)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	7.80	(6.32 - 9.60)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	7.47	(5.93 - 9.37)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	8.25	(6.63 - 10.21)	--
Cardinal Innovations Healthcare Solutions 3	7.31	(5.46 - 9.73)	8.54	(6.91 - 10.52)	0.153
CenterPoint Human Services	6.85	(5.09 - 9.16)	7.20	(5.67 - 9.12)	0.658
Eastpointe	7.40	(5.55 - 9.80)	7.54	(6.00 - 9.45)	0.866
Partners Behavioral Health Management	7.76	(5.90 - 10.16)	8.44	(6.77 - 10.48)	0.434
Sandhills Center 1	7.06	(5.30 - 9.36)	7.71	(6.07 - 9.73)	0.413
Sandhills Center 2	7.62	(5.78 - 10.00)	8.37	(6.73 - 10.35)	0.370
Smoky Mountain Center 1	7.57	(5.62 - 10.12)	8.28	(6.58 - 10.36)	0.411
Smoky Mountain Center 2	7.26	(5.39 - 9.71)	7.79	(6.16 - 9.82)	0.538
Trillium Health Resources 1	7.28	(5.34 - 9.85)	8.69	(6.91 - 10.87)	0.125
Trillium Health Resources 2	8.19	(6.15 - 10.83)	8.87	(7.11 - 11.01)	0.448
North Dakota	9.34	(8.17 - 10.66)	8.97	(8.02 - 10.01)	0.495
Badlands and West Central	8.26	(6.63 - 10.25)	8.08	(6.70 - 9.71)	0.810
Lake Region	--	(-- - --)	8.41	(6.72 - 10.48)	--
North Central	--	(-- - --)	9.23	(7.56 - 11.21)	--
Northeast	11.50	(9.38 - 14.01)	10.52	(8.80 - 12.52)	0.277
Northwest	--	(-- - --)	8.69	(6.93 - 10.85)	--
South Central	--	(-- - --)	8.10	(6.52 - 10.03)	--
Southeast	9.19	(7.50 - 11.22)	9.41	(7.99 - 11.05)	0.787

See notes at end of table.

(continued)

Table 20 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	8.68	(8.02 - 9.39)	8.54	(7.89 - 9.23)	0.703
Boards 2, 46, 55, and 68	7.83	(6.21 - 9.82)	8.39	(6.94 - 10.11)	0.466
Boards 3, 52, and 85	7.73	(6.13 - 9.70)	7.39	(6.07 - 8.98)	0.632
Boards 4 and 78	8.22	(6.41 - 10.49)	8.23	(6.70 - 10.06)	0.996
Boards 5 and 60	9.41	(7.54 - 11.68)	9.12	(7.54 - 11.00)	0.739
Boards 7, 15, 41, 79, and 84	7.43	(5.88 - 9.35)	8.18	(6.70 - 9.95)	0.355
Boards 8, 13, and 83	6.61	(5.24 - 8.29)	7.23	(5.95 - 8.76)	0.362
Board 9 (Butler)	9.44[b]	(7.64 - 11.61)	8.04	(6.61 - 9.74)	0.074
Board 12	9.13	(7.27 - 11.41)	8.76	(7.18 - 10.65)	0.666
Boards 18 and 47	8.92	(7.56 - 10.50)	8.65	(7.39 - 10.11)	0.706
Boards 20, 32, 54, and 69	7.25	(5.64 - 9.27)	7.54	(6.22 - 9.13)	0.688
Boards 21, 39, 51, 70, and 80	8.15	(6.62 - 10.01)	7.74	(6.39 - 9.34)	0.576
Boards 22, 74, and 87	8.18	(6.48 - 10.28)	7.77	(6.34 - 9.48)	0.594
Boards 23 and 45	7.45	(5.91 - 9.35)	7.48	(6.12 - 9.12)	0.962
Board 25 (Franklin)	11.00	(9.33 - 12.93)	10.26	(8.77 - 11.98)	0.368
Boards 27, 71, and 73	7.80	(6.07 - 9.96)	8.33	(6.85 - 10.09)	0.530
Boards 28, 43, and 67	8.81	(7.14 - 10.81)	8.88	(7.36 - 10.67)	0.930
Board 31 (Hamilton)	8.45	(6.92 - 10.28)	8.67	(7.27 - 10.30)	0.781
Board 48 (Lucas)	10.24	(8.17 - 12.77)	9.55	(7.89 - 11.50)	0.464
Boards 50 and 76	8.13	(6.60 - 9.97)	8.31	(6.87 - 10.03)	0.808
Board 57 (Montgomery)	8.55	(6.81 - 10.69)	8.75	(7.16 - 10.66)	0.807
Board 77 (Summit)	9.65	(7.79 - 11.90)	8.54	(6.99 - 10.38)	0.201
Oklahoma	9.39[b]	(8.12 - 10.85)	8.39	(7.37 - 9.54)	0.092
Central	9.38	(7.31 - 11.98)	8.74	(7.11 - 10.70)	0.483
East Central	8.36	(6.24 - 11.12)	7.49	(6.04 - 9.26)	0.330
Northeast	8.59	(6.73 - 10.90)	8.07	(6.53 - 9.94)	0.550
Northwest and Southwest	11.51[a]	(8.99 - 14.63)	9.27	(7.46 - 11.48)	0.029
Oklahoma County	9.01	(7.06 - 11.42)	8.43	(6.85 - 10.32)	0.506
Southeast	9.61[b]	(7.46 - 12.31)	7.94	(6.35 - 9.90)	0.064
Tulsa County	9.17	(7.14 - 11.69)	8.59	(6.98 - 10.53)	0.527
Oregon	9.67	(8.44 - 11.06)	9.16	(8.11 - 10.33)	0.389
Region 1 (Multnomah)	12.45[a]	(10.04 - 15.33)	9.63	(7.92 - 11.67)	0.008
Region 2	7.72	(6.12 - 9.69)	8.40	(6.98 - 10.07)	0.388
Region 3	9.93	(8.18 - 12.01)	9.78	(8.20 - 11.64)	0.865
Region 4	9.12	(7.08 - 11.69)	8.64	(6.94 - 10.71)	0.616
Region 5 (Central)	9.08	(6.87 - 11.90)	8.87	(7.08 - 11.06)	0.834
Region 6 (Eastern)	8.71	(6.40 - 11.75)	8.83	(7.01 - 11.07)	0.908

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	8.46	(7.78 - 9.19)	8.25	(7.65 - 8.90)	0.566
Region 1 (Allegheny)	9.90	(8.21 - 11.88)	9.61	(8.19 - 11.25)	0.729
Regions 3, 8, 9, and 51	8.32	(6.65 - 10.35)	8.89	(7.39 - 10.66)	0.508
Regions 4, 11, 37, and 49	8.40	(6.76 - 10.40)	7.56	(6.30 - 9.04)	0.257
Regions 5, 18, 23, 24, and 46	6.57	(5.09 - 8.45)	6.49	(5.33 - 7.89)	0.906
Regions 6, 12, 16, 31, 35, 45, and 47	7.98	(6.47 - 9.81)	8.32	(6.94 - 9.94)	0.653
Regions 7, 13, 20, and 33	8.21	(7.01 - 9.59)	8.07	(7.01 - 9.28)	0.820
Regions 10, 15, 27, 32, 43, and 44	8.26	(6.62 - 10.25)	7.55	(6.18 - 9.20)	0.368
Regions 17 and 21	8.99	(7.03 - 11.44)	8.54	(7.03 - 10.35)	0.608
Regions 19, 26, 28, and 42	6.85	(5.62 - 8.34)	7.25	(6.13 - 8.56)	0.541
Regions 22, 38, 40, 41, and 48	7.30	(5.85 - 9.08)	7.20	(5.91 - 8.75)	0.890
Regions 29 and 34	7.51	(5.93 - 9.46)	7.58	(6.25 - 9.17)	0.921
Regions 30 and 50	7.48	(5.90 - 9.43)	8.51	(7.03 - 10.26)	0.182
Region 36 (Philadelphia)	11.90[b]	(10.04 - 14.06)	10.30	(8.74 - 12.10)	0.067
Rhode Island	10.93	(9.53 - 12.50)	10.29	(9.13 - 11.58)	0.341
Bristol and Newport	10.59	(8.16 - 13.64)	10.96	(8.97 - 13.31)	0.750
Kent	11.14	(8.71 - 14.15)	9.58	(7.83 - 11.68)	0.147
Providence	10.83	(9.14 - 12.80)	10.46	(9.01 - 12.11)	0.655
Washington	11.44[b]	(9.04 - 14.39)	9.68	(7.91 - 11.79)	0.075
South Carolina	8.13	(7.03 - 9.38)	7.89	(6.90 - 9.02)	0.675
Region 1	--	(-- - --)	8.02	(6.60 - 9.71)	--
Region 2	--	(-- - --)	7.40	(6.04 - 9.03)	--
Region 3	9.21[b]	(7.06 - 11.92)	7.54	(6.12 - 9.26)	0.067
Region 4	8.42	(6.72 - 10.51)	8.44	(6.95 - 10.21)	0.986
South Dakota	9.63	(8.42 - 11.00)	8.96	(7.96 - 10.06)	0.228
Region 1	10.19	(8.18 - 12.63)	9.29	(7.74 - 11.11)	0.322
Region 2	11.00	(8.40 - 14.28)	9.34	(7.48 - 11.60)	0.115
Region 3	9.20	(7.34 - 11.46)	8.84	(7.28 - 10.69)	0.674
Region 4	9.51	(7.36 - 12.21)	8.88	(7.27 - 10.80)	0.486
Region 5	9.12	(7.41 - 11.18)	8.67	(7.28 - 10.30)	0.584
Tennessee	8.02[b]	(6.94 - 9.24)	7.13	(6.23 - 8.15)	0.085
Region 1	7.63	(5.78 - 10.01)	7.06	(5.59 - 8.88)	0.464
Region 2	7.50	(5.86 - 9.57)	6.96	(5.63 - 8.59)	0.461
Region 3	7.77	(6.02 - 9.97)	6.94	(5.58 - 8.60)	0.264
Region 4 (Davidson)	9.43	(7.29 - 12.13)	8.31	(6.65 - 10.35)	0.203
Region 5	8.48[b]	(6.79 - 10.55)	7.20	(5.92 - 8.74)	0.087
Region 6	7.79[b]	(5.91 - 10.19)	6.53	(5.22 - 8.13)	0.095
Region 7 (Shelby)	7.56	(5.81 - 9.78)	7.09	(5.67 - 8.82)	0.530

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	7.90	(7.29 - 8.56)	7.84	(7.28 - 8.45)	0.860
Region 1	8.89	(7.10 - 11.07)	8.69	(7.22 - 10.41)	0.799
Region 2	8.14	(6.36 - 10.36)	8.19	(6.68 - 10.01)	0.948
Region 3	7.79	(6.86 - 8.82)	7.64	(6.85 - 8.52)	0.759
Region 3a	7.84	(6.69 - 9.17)	7.64	(6.62 - 8.80)	0.737
Region 3bc	7.69	(6.40 - 9.22)	7.65	(6.57 - 8.89)	0.948
Region 4	6.86	(5.41 - 8.66)	7.23	(5.95 - 8.77)	0.578
Region 5	7.45	(5.88 - 9.40)	7.87	(6.44 - 9.59)	0.572
Region 6	7.38	(6.38 - 8.52)	7.83	(6.89 - 8.89)	0.409
Region 6a	7.29	(6.21 - 8.52)	7.85	(6.85 - 9.00)	0.326
Region 6bc	8.21	(6.42 - 10.44)	7.62	(6.18 - 9.37)	0.418
Region 7	9.16	(7.87 - 10.63)	8.94	(7.87 - 10.14)	0.712
Region 7a	9.59	(7.90 - 11.61)	9.43	(8.03 - 11.04)	0.836
Region 7bcd	8.43	(6.89 - 10.28)	8.10	(6.73 - 9.72)	0.638
Region 8	8.24	(6.81 - 9.95)	7.73	(6.56 - 9.10)	0.441
Region 9	8.89	(6.91 - 11.37)	8.15	(6.68 - 9.91)	0.392
Region 10	8.51	(6.78 - 10.64)	8.05	(6.62 - 9.77)	0.547
Region 11	7.27	(6.14 - 8.58)	6.78	(5.84 - 7.86)	0.347
Region 11abd	7.57	(6.11 - 9.35)	6.84	(5.64 - 8.26)	0.256
Region 11c (Hidalgo)	6.72	(5.34 - 8.43)	6.68	(5.48 - 8.13)	0.950
Utah	6.44	(5.50 - 7.53)	6.94	(6.06 - 7.93)	0.274
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.79[b]	(4.44 - 7.52)	6.90	(5.53 - 8.57)	0.080
Central, Four Corners, San Juan, and Southwest	6.49	(4.88 - 8.58)	6.84	(5.45 - 8.55)	0.614
Davis County	5.85	(4.48 - 7.60)	6.32	(5.04 - 7.89)	0.443
Salt Lake County	7.05	(5.71 - 8.67)	7.12	(5.93 - 8.53)	0.908
Utah County	6.03	(4.74 - 7.65)	7.03	(5.66 - 8.70)	0.120
Weber, Morgan	6.18	(4.66 - 8.16)	6.90	(5.50 - 8.62)	0.271
Vermont	9.48	(8.24 - 10.89)	9.22	(8.18 - 10.39)	0.699
Champlain Valley	10.10	(8.48 - 12.00)	9.17	(7.84 - 10.69)	0.262
Rural Northeast	9.61	(7.69 - 11.95)	9.90	(8.14 - 11.99)	0.781
Rural Southeast	9.15	(7.16 - 11.61)	9.02	(7.38 - 10.98)	0.896
Rural Southwest	8.16	(6.28 - 10.52)	8.62	(6.98 - 10.60)	0.623
Virginia	7.81	(6.76 - 9.00)	8.21	(7.31 - 9.21)	0.432
Region 1	9.33	(7.54 - 11.49)	8.41	(6.92 - 10.19)	0.273
Region 2	6.48	(5.09 - 8.21)	7.31	(6.07 - 8.77)	0.235
Region 3	8.97	(7.05 - 11.34)	9.04	(7.45 - 10.92)	0.938
Region 4	6.56[a]	(5.03 - 8.51)	8.26	(6.79 - 10.02)	0.026
Region 5	8.45	(6.75 - 10.55)	8.53	(7.08 - 10.23)	0.927

See notes at end of table.

(continued)

Table 20 ***Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	9.05	(7.92 - 10.33)	8.74	(7.78 - 9.81)	0.563
Region 1	8.83	(7.20 - 10.78)	8.69	(7.39 - 10.20)	0.844
Greater Columbia and North Central	--	(-- - --)	8.27	(6.73 - 10.13)	--
Spokane	--	(-- - --)	9.31	(7.52 - 11.47)	--
Region 2	9.19	(7.80 - 10.80)	8.91	(7.72 - 10.27)	0.675
King	9.00	(7.33 - 11.01)	8.76	(7.34 - 10.41)	0.762
North Sound	9.53	(7.66 - 11.80)	9.19	(7.60 - 11.07)	0.694
Region 3	9.01	(7.51 - 10.78)	8.53	(7.43 - 9.78)	0.454
Peninsula	--	(-- - --)	8.72	(6.92 - 10.92)	--
Pierce	--	(-- - --)	8.84	(7.31 - 10.65)	--
SW WA and Timberlands	--	(-- - --)	8.12	(6.58 - 9.99)	--
Thurston-Mason	--	(-- - --)	8.44	(6.69 - 10.59)	--
West Virginia	7.49	(6.45 - 8.68)	8.38	(7.41 - 9.46)	0.105
Region I	7.31	(5.40 - 9.82)	8.72	(6.94 - 10.90)	0.141
Region II	7.42[b]	(5.68 - 9.64)	8.95	(7.25 - 11.00)	0.085
Region III	6.32[a]	(4.75 - 8.35)	7.97	(6.37 - 9.94)	0.040
Region IV	9.51	(7.75 - 11.62)	8.98	(7.50 - 10.72)	0.537
Region V	6.96	(5.55 - 8.69)	8.05	(6.67 - 9.68)	0.149
Region VI	6.65	(5.00 - 8.78)	7.78	(6.31 - 9.55)	0.178
Wisconsin	9.29	(8.00 - 10.75)	9.44	(8.40 - 10.60)	0.802
Milwaukee	10.54	(8.18 - 13.48)	10.86	(9.03 - 13.01)	0.759
Northeastern	9.22	(7.34 - 11.52)	8.93	(7.34 - 10.83)	0.756
Northern	8.41	(6.30 - 11.15)	8.92	(7.17 - 11.05)	0.600
Southeastern	9.20	(7.13 - 11.79)	8.69	(7.16 - 10.51)	0.585
Southern	9.48	(7.47 - 11.98)	9.45	(7.80 - 11.41)	0.974
Western	8.32[b]	(6.41 - 10.74)	9.99	(8.25 - 12.06)	0.080

See notes at end of table.

(continued)

Table 20 *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	8.98	(7.82 - 10.29)	9.08	(8.08 - 10.19)	0.863
Judicial District 1 (Laramie)	8.27	(6.38 - 10.67)	9.09	(7.50 - 10.97)	0.369
Judicial District 2	12.41	(9.99 - 15.31)	12.17	(10.09 - 14.61)	0.825
Judicial District 3	7.07	(5.42 - 9.16)	8.11	(6.64 - 9.86)	0.205
Judicial District 4	8.79	(6.64 - 11.55)	8.83	(7.04 - 11.02)	0.969
Judicial District 5	9.21	(6.97 - 12.08)	8.03	(6.38 - 10.06)	0.214
Judicial District 6	7.97	(6.13 - 10.31)	8.67	(7.02 - 10.66)	0.427
Judicial District 7 (Natrona)	9.63	(7.56 - 12.19)	9.09	(7.44 - 11.08)	0.558
Judicial District 8	9.11	(6.93 - 11.89)	8.98	(7.22 - 11.11)	0.896
Judicial District 9	9.42	(7.26 - 12.13)	9.08	(7.34 - 11.20)	0.740

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	2.43	(2.33 - 2.53)	2.40	(2.31 - 2.50)	0.615
Northeast	2.44	(2.27 - 2.63)	2.46	(2.27 - 2.67)	0.841
Midwest	2.29	(2.16 - 2.43)	2.27	(2.13 - 2.42)	0.764
South	2.34	(2.21 - 2.47)	2.33	(2.19 - 2.47)	0.901
West	2.69	(2.50 - 2.90)	2.59	(2.39 - 2.80)	0.311
Alabama	2.18	(1.76 - 2.70)	2.32	(1.88 - 2.85)	0.481
Region 1	2.03	(1.50 - 2.75)	2.18	(1.64 - 2.89)	0.570
Region 2	2.27	(1.70 - 3.03)	2.37	(1.81 - 3.11)	0.717
Region 3	2.28	(1.68 - 3.09)	2.45	(1.83 - 3.28)	0.558
Region 4	2.15	(1.58 - 2.93)	2.32	(1.71 - 3.12)	0.575
Alaska	2.41	(2.00 - 2.89)	2.70	(2.23 - 3.27)	0.155
Anchorage	2.47	(1.96 - 3.11)	2.81	(2.22 - 3.57)	0.206
Northern	2.52	(1.91 - 3.32)	2.82	(2.13 - 3.73)	0.343
South Central	2.32	(1.75 - 3.08)	2.54	(1.93 - 3.34)	0.412
Southeast	2.13	(1.55 - 2.91)	2.38	(1.74 - 3.24)	0.350
Arizona	2.82	(2.32 - 3.43)	2.72	(2.22 - 3.33)	0.679
Maricopa	2.97	(2.35 - 3.75)	2.82	(2.23 - 3.57)	0.631
Pima	2.91	(2.18 - 3.87)	2.78	(2.06 - 3.73)	0.692
Rural North	2.27	(1.64 - 3.13)	2.35	(1.72 - 3.20)	0.774
Rural South	2.50	(1.83 - 3.41)	2.52	(1.86 - 3.41)	0.949
Arkansas	2.34	(1.94 - 2.82)	2.34	(1.93 - 2.85)	0.990
Catchment Area 1	2.07	(1.54 - 2.79)	2.20	(1.66 - 2.90)	0.569
Catchment Area 2	1.98	(1.44 - 2.72)	1.92	(1.41 - 2.61)	0.774
Catchment Area 3	2.38	(1.75 - 3.23)	2.52	(1.86 - 3.41)	0.646
Catchment Area 4	2.07	(1.51 - 2.84)	2.05	(1.51 - 2.79)	0.943
Catchment Area 5	2.33	(1.74 - 3.12)	2.43	(1.83 - 3.23)	0.699
Catchment Area 6	2.84	(2.03 - 3.95)	2.68	(1.95 - 3.67)	0.677
Catchment Area 7	2.21	(1.59 - 3.06)	2.56	(1.90 - 3.46)	0.208
Catchment Area 8	2.76	(2.10 - 3.62)	2.47	(1.84 - 3.29)	0.346

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	2.78	(2.49 - 3.10)	2.60	(2.32 - 2.92)	0.221
Region 1R	3.02	(2.31 - 3.95)	2.67	(2.07 - 3.44)	0.245
Region 2R	3.03	(2.33 - 3.92)	2.63	(2.05 - 3.37)	0.164
Region 3R (Sacramento)	2.94	(2.27 - 3.81)	2.95	(2.28 - 3.81)	0.988
Region 4R	2.82	(2.19 - 3.63)	2.54	(1.98 - 3.26)	0.317
Region 5R (San Francisco)	3.25	(2.43 - 4.32)	2.95	(2.17 - 4.02)	0.502
Region 6 (Santa Clara)	2.12	(1.61 - 2.78)	2.12	(1.64 - 2.74)	0.996
Region 7R (Contra Costa)	2.67	(2.06 - 3.45)	2.46	(1.91 - 3.17)	0.433
Region 8R (Alameda)	2.63	(2.02 - 3.41)	2.63	(2.02 - 3.42)	0.993
Region 9R (San Mateo)	2.15	(1.63 - 2.83)	2.18	(1.66 - 2.87)	0.891
Region 10	2.99	(2.34 - 3.83)	2.70	(2.10 - 3.45)	0.275
Region 11 (Los Angeles)	2.78	(2.42 - 3.18)	2.56	(2.22 - 2.95)	0.203
LA SPA 1 and 5	2.92	(2.21 - 3.85)	2.78	(2.13 - 3.61)	0.624
LA SPA 2	2.62	(2.04 - 3.35)	2.48	(1.94 - 3.17)	0.615
LA SPA 3	2.56	(2.00 - 3.27)	2.18	(1.68 - 2.81)	0.112
LA SPA 4	2.92	(2.19 - 3.88)	2.79	(2.14 - 3.65)	0.716
LA SPA 6	3.33	(2.57 - 4.31)	3.15	(2.46 - 4.03)	0.567
LA SPA 7	2.72	(2.11 - 3.51)	2.41	(1.90 - 3.06)	0.223
LA SPA 8	2.74	(2.13 - 3.53)	2.56	(2.02 - 3.25)	0.505
Region 12R	2.74	(2.08 - 3.59)	2.60	(2.00 - 3.37)	0.606
Regions 13 and 19R	2.69	(2.17 - 3.33)	2.41	(1.90 - 3.05)	0.238
Region 14 (Orange)	2.57	(2.08 - 3.17)	2.61	(2.08 - 3.27)	0.849
Region 15R (Fresno)	3.27	(2.50 - 4.27)	2.84	(2.21 - 3.64)	0.188
Region 16R (San Diego)	2.84	(2.28 - 3.53)	2.71	(2.16 - 3.40)	0.637
Region 17R	3.06	(2.37 - 3.95)	2.78	(2.16 - 3.57)	0.371
Region 18R (San Bernardino)	2.72	(2.15 - 3.44)	2.69	(2.14 - 3.39)	0.894
Region 20R	3.12	(2.40 - 4.05)	2.86	(2.22 - 3.68)	0.375
Region 21R	3.09[a]	(2.38 - 4.01)	2.55	(1.98 - 3.28)	0.048
Colorado	2.78	(2.32 - 3.34)	2.73	(2.27 - 3.29)	0.824
Region 1	2.79	(2.10 - 3.68)	2.84	(2.14 - 3.75)	0.869
Regions 2 and 7	2.89	(2.31 - 3.61)	2.81	(2.26 - 3.50)	0.802
Region 3	2.69	(2.04 - 3.55)	2.74	(2.06 - 3.64)	0.857
Region 4	2.74	(1.96 - 3.82)	2.65	(1.95 - 3.60)	0.792
Regions 5 and 6	2.37	(1.74 - 3.23)	2.21	(1.64 - 2.97)	0.509
Connecticut	2.44	(2.00 - 2.97)	2.46	(2.02 - 3.01)	0.906
Eastern	2.44	(1.82 - 3.27)	2.65	(1.99 - 3.52)	0.483
North Central	2.36	(1.74 - 3.19)	2.74	(2.08 - 3.60)	0.222
Northwestern	2.48	(1.87 - 3.28)	2.14	(1.60 - 2.86)	0.213
South Central	2.55	(1.90 - 3.41)	2.36	(1.79 - 3.10)	0.538
Southwest	2.39	(1.78 - 3.19)	2.36	(1.78 - 3.13)	0.933

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	2.27	(1.88 - 2.75)	2.61	(2.14 - 3.19)	0.116
Kent	2.43	(1.81 - 3.26)	2.63	(2.00 - 3.46)	0.495
New Castle (excluding Wilmington City)	2.35	(1.86 - 2.97)	2.76	(2.17 - 3.50)	0.149
Sussex	1.57[b]	(1.17 - 2.13)	1.98	(1.47 - 2.68)	0.061
Wilmington City	3.32	(2.40 - 4.59)	3.41	(2.44 - 4.76)	0.849
District of Columbia	3.33	(2.73 - 4.04)	3.34	(2.74 - 4.05)	0.972
Ward 1	3.54	(2.55 - 4.89)	3.43	(2.53 - 4.63)	0.820
Ward 2	3.22	(2.38 - 4.35)	3.55	(2.59 - 4.84)	0.450
Ward 3	2.77	(2.03 - 3.77)	2.86	(2.13 - 3.83)	0.806
Ward 4	3.04	(2.17 - 4.24)	2.89	(2.10 - 3.95)	0.737
Ward 5	3.37	(2.47 - 4.58)	3.48	(2.59 - 4.66)	0.803
Ward 6	3.10	(2.24 - 4.27)	2.92	(2.11 - 4.03)	0.682
Ward 7	3.83	(2.77 - 5.26)	3.64	(2.67 - 4.93)	0.706
Ward 8	3.91	(2.90 - 5.26)	4.03	(3.01 - 5.39)	0.815
Florida[1]	2.36	(2.10 - 2.65)	2.29	(2.01 - 2.60)	0.617
Broward (Circuit 17)	2.26	(1.78 - 2.86)	2.39	(1.87 - 3.06)	0.564
Central I	--	(-- - --)	2.44	(2.02 - 2.94)	--
Circuit 9	2.85	(2.30 - 3.54)	2.55	(2.02 - 3.22)	0.264
Circuit 18	2.39	(1.87 - 3.07)	2.28	(1.78 - 2.93)	0.658
Central II	--	(-- - --)	2.22	(1.89 - 2.62)	--
Circuit 6	2.65	(2.01 - 3.50)	2.44	(1.88 - 3.16)	0.492
Circuit 10	2.29	(1.76 - 2.99)	2.28	(1.75 - 2.96)	0.954
Circuit 12	2.08	(1.58 - 2.73)	1.89	(1.43 - 2.49)	0.418
Circuit 13 (Hillsborough)	2.51	(1.99 - 3.14)	2.36	(1.84 - 3.02)	0.576
Circuit 20	1.99	(1.51 - 2.61)	2.01	(1.55 - 2.60)	0.927
Northeast	--	(-- - --)	2.36	(2.02 - 2.77)	--
Circuit 4	3.02	(2.32 - 3.93)	2.58	(2.03 - 3.28)	0.138
Circuit 5	1.92	(1.44 - 2.55)	1.88	(1.43 - 2.46)	0.842
Circuit 7	2.30	(1.77 - 3.00)	2.33	(1.80 - 3.01)	0.920
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	2.95	(2.30 - 3.78)	--
Northwest	--	(-- - --)	2.81	(2.32 - 3.41)	--
Circuit 1	2.82	(2.19 - 3.61)	2.78	(2.10 - 3.66)	0.903
Circuit 2 plus Madison and Taylor	--	(-- - --)	3.14	(2.42 - 4.08)	--
Circuit 14	2.64	(1.99 - 3.49)	2.39	(1.81 - 3.17)	0.413
South (Circuits 11 and 16)	1.83	(1.42 - 2.35)	1.89	(1.49 - 2.40)	0.748
Southeast	--	(-- - --)	2.21	(1.79 - 2.73)	--
Circuit 15 (Palm Beach)	2.18	(1.68 - 2.84)	2.32	(1.80 - 2.99)	0.585
Circuit 19	1.90	(1.45 - 2.48)	1.98	(1.52 - 2.58)	0.698

See notes at end of table. (continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	2.17[a]	(1.79 - 2.64)	2.59	(2.15 - 3.12)	0.020
Region 1	1.76[a]	(1.32 - 2.32)	2.25	(1.73 - 2.92)	0.017
Region 2	2.30	(1.69 - 3.13)	2.70	(2.03 - 3.59)	0.165
Region 3	2.42	(1.83 - 3.19)	2.72	(2.09 - 3.54)	0.309
Region 4	2.53	(1.82 - 3.51)	2.73	(2.03 - 3.66)	0.540
Region 5	2.21	(1.59 - 3.06)	2.59	(1.91 - 3.52)	0.173
Region 6	2.11[a]	(1.55 - 2.87)	2.77	(2.06 - 3.71)	0.020
Hawaii	1.99[b]	(1.63 - 2.43)	2.40	(1.90 - 3.04)	0.057
Hawaii Island	2.04	(1.51 - 2.75)	2.11	(1.53 - 2.90)	0.762
Honolulu	2.05[b]	(1.63 - 2.57)	2.55	(1.96 - 3.32)	0.057
Kauai	1.61	(1.15 - 2.27)	1.97	(1.43 - 2.72)	0.117
Maui	1.71	(1.25 - 2.35)	2.02	(1.44 - 2.82)	0.180
Idaho	2.39	(1.99 - 2.87)	2.13	(1.76 - 2.59)	0.141
Region 1	1.98	(1.48 - 2.65)	1.90	(1.42 - 2.54)	0.708
Region 2	2.56	(1.89 - 3.46)	2.24	(1.66 - 3.03)	0.218
Region 3	2.31	(1.73 - 3.08)	2.07	(1.54 - 2.78)	0.340
Region 4	2.63	(2.03 - 3.41)	2.29	(1.76 - 2.97)	0.212
Region 5	2.22	(1.66 - 2.97)	1.90	(1.42 - 2.53)	0.163
Region 6	--	(-- - --)	2.18	(1.60 - 2.97)	--
Region 7	--	(-- - --)	2.24	(1.68 - 2.98)	--
Illinois	2.27	(2.00 - 2.57)	2.24	(1.96 - 2.56)	0.825
Region I (Cook)	2.62	(2.20 - 3.13)	2.46	(2.02 - 2.98)	0.490
Region II	1.91	(1.60 - 2.28)	1.92	(1.60 - 2.31)	0.938
Region III	2.32	(1.86 - 2.89)	2.53	(2.01 - 3.19)	0.388
Region IV	2.03	(1.56 - 2.64)	2.12	(1.64 - 2.74)	0.713
Region V	2.09	(1.64 - 2.65)	2.10	(1.63 - 2.70)	0.950
Indiana	2.29	(1.87 - 2.79)	2.52	(2.09 - 3.05)	0.218
Central	2.32	(1.72 - 3.12)	2.48	(1.88 - 3.26)	0.569
East	2.55	(1.86 - 3.50)	2.67	(1.99 - 3.58)	0.702
North Central	2.25	(1.66 - 3.04)	2.30	(1.73 - 3.05)	0.868
Northeast	2.11	(1.57 - 2.83)	2.45	(1.82 - 3.28)	0.210
Northwest	2.40	(1.75 - 3.27)	2.39	(1.79 - 3.20)	0.992
Southeast	2.04	(1.50 - 2.77)	2.25	(1.69 - 2.99)	0.421
Southwest	2.22	(1.60 - 3.08)	2.31	(1.69 - 3.14)	0.776
West	2.40[a]	(1.77 - 3.24)	3.40	(2.54 - 4.54)	0.005
Iowa	2.01	(1.66 - 2.43)	1.99	(1.62 - 2.45)	0.918
Central	2.08	(1.56 - 2.76)	1.86	(1.38 - 2.52)	0.336
North Central	2.30	(1.68 - 3.13)	2.28	(1.68 - 3.07)	0.926
Northeast	1.86	(1.42 - 2.44)	2.05	(1.55 - 2.70)	0.373
Northwest	1.93	(1.43 - 2.58)	1.89	(1.40 - 2.54)	0.849
Southeast	2.05	(1.54 - 2.74)	2.04	(1.51 - 2.74)	0.936
Southwest	1.95	(1.45 - 2.63)	1.87	(1.38 - 2.52)	0.704

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	2.07	(1.68 - 2.55)	1.99	(1.62 - 2.45)	0.609
Kansas City Metro	1.98	(1.51 - 2.60)	1.90	(1.45 - 2.49)	0.682
Northeast	2.09	(1.52 - 2.85)	2.06	(1.54 - 2.75)	0.913
South Central	1.97	(1.44 - 2.70)	1.88	(1.37 - 2.56)	0.665
Southeast	2.24	(1.62 - 3.08)	2.12	(1.54 - 2.92)	0.673
West	1.89	(1.37 - 2.60)	1.88	(1.39 - 2.54)	0.976
Wichita (Sedgwick)	2.36	(1.70 - 3.28)	2.19	(1.61 - 2.98)	0.575
Kentucky	2.34	(1.92 - 2.84)	2.28	(1.85 - 2.80)	0.773
Adanta, Cumberland River, and Lifeskills	2.17	(1.58 - 2.97)	2.21	(1.65 - 2.94)	0.898
Bluegrass, Comprehend, and North Key	2.36	(1.80 - 3.08)	2.40	(1.80 - 3.18)	0.905
Communicare and River Valley	2.10	(1.53 - 2.86)	2.09	(1.56 - 2.80)	0.980
Four Rivers and Pennyroyal	2.34	(1.69 - 3.23)	2.17	(1.60 - 2.95)	0.572
Kentucky River, Mountain, and Pathways	2.40	(1.73 - 3.31)	2.39	(1.73 - 3.31)	0.991
Seven Counties	2.51	(1.88 - 3.35)	2.26	(1.71 - 2.99)	0.378
Louisiana	2.36	(1.96 - 2.85)	2.58	(2.13 - 3.13)	0.248
Regions 1 and 10	2.54	(1.96 - 3.28)	2.69	(2.08 - 3.48)	0.562
Region 1	2.58	(1.85 - 3.58)	2.96	(2.17 - 4.02)	0.266
Region 10 (Jefferson)	2.50	(1.81 - 3.43)	2.41	(1.76 - 3.30)	0.793
Regions 2 and 9	2.32	(1.79 - 3.00)	2.60	(2.00 - 3.37)	0.302
Region 3	2.09	(1.52 - 2.88)	2.43	(1.82 - 3.26)	0.207
Regions 4, 5, and 6	2.35	(1.77 - 3.09)	2.57	(1.93 - 3.40)	0.410
Regions 7 and 8	2.40	(1.81 - 3.17)	2.54	(1.93 - 3.34)	0.608
Maine	2.15	(1.75 - 2.63)	2.29	(1.89 - 2.78)	0.407
Aroostook/Downeast	2.27	(1.69 - 3.04)	2.22	(1.70 - 2.88)	0.852
Aroostook	2.57	(1.76 - 3.74)	2.29	(1.65 - 3.15)	0.479
Downeast	2.02	(1.47 - 2.78)	2.16	(1.58 - 2.95)	0.610
Central	1.99	(1.43 - 2.77)	2.06	(1.53 - 2.78)	0.783
Cumberland	2.33	(1.74 - 3.11)	2.52	(1.91 - 3.33)	0.503
Midcoast	1.72	(1.24 - 2.37)	1.83	(1.35 - 2.47)	0.574
Penquis	2.74	(2.04 - 3.66)	2.72	(2.05 - 3.61)	0.968
Western	2.08[a]	(1.54 - 2.81)	2.63	(1.97 - 3.51)	0.039
York	1.81	(1.33 - 2.45)	1.86	(1.40 - 2.46)	0.797

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	2.30	(1.90 - 2.79)	2.51	(2.09 - 3.02)	0.235
Anne Arundel	2.04	(1.48 - 2.80)	2.28	(1.70 - 3.03)	0.331
Baltimore City	3.42	(2.45 - 4.77)	3.68	(2.70 - 5.00)	0.617
Baltimore County	2.41	(1.78 - 3.25)	2.44	(1.82 - 3.27)	0.898
Montgomery	1.93	(1.44 - 2.59)	2.12	(1.61 - 2.79)	0.405
North Central	1.96	(1.45 - 2.65)	2.13	(1.59 - 2.86)	0.399
Northeast	2.03	(1.49 - 2.75)	2.18	(1.65 - 2.89)	0.495
Prince George's	2.51	(1.87 - 3.37)	2.88	(2.16 - 3.82)	0.219
South	2.15	(1.60 - 2.90)	2.39	(1.80 - 3.16)	0.342
West	2.16	(1.56 - 2.97)	2.41	(1.82 - 3.19)	0.357
Massachusetts	2.43	(2.03 - 2.90)	2.56	(2.12 - 3.10)	0.475
Boston	3.34	(2.50 - 4.44)	3.53	(2.65 - 4.69)	0.654
Central	2.45	(1.84 - 3.24)	2.47	(1.86 - 3.28)	0.915
Metrowest	2.19	(1.67 - 2.86)	2.26	(1.70 - 3.00)	0.766
Northeast	2.29	(1.76 - 2.97)	2.40	(1.83 - 3.15)	0.642
Southeast	2.24	(1.69 - 2.96)	2.53	(1.88 - 3.39)	0.319
Western	2.46	(1.82 - 3.33)	2.56	(1.93 - 3.38)	0.760
Michigan[1]	2.40	(2.12 - 2.71)	2.35	(2.07 - 2.67)	0.766
Region 1	2.29	(1.72 - 3.06)	2.29	(1.74 - 3.00)	0.980
Region 2	--	(-- - --)	1.78	(1.34 - 2.36)	--
Region 3	--	(-- - --)	2.17	(1.72 - 2.73)	--
Region 4	--	(-- - --)	2.32	(1.83 - 2.93)	--
Region 5	--	(-- - --)	2.34	(1.89 - 2.90)	--
Region 6	--	(-- - --)	2.36	(1.86 - 2.99)	--
Region 7	--	(-- - --)	3.00	(2.41 - 3.74)	--
Region 8	2.21	(1.78 - 2.75)	1.97	(1.55 - 2.51)	0.230
Region 9	2.00	(1.57 - 2.56)	2.12	(1.66 - 2.72)	0.575
Region 10	--	(-- - --)	2.51	(1.95 - 3.24)	--
Minnesota	2.02	(1.66 - 2.46)	2.02	(1.61 - 2.54)	0.997
Regions 1 and 2	2.09	(1.51 - 2.87)	2.03	(1.48 - 2.79)	0.838
Regions 3 and 4	2.01	(1.51 - 2.69)	1.98	(1.44 - 2.69)	0.864
Regions 5 and 6	2.01	(1.50 - 2.68)	1.90	(1.39 - 2.59)	0.630
Region 7A (Hennepin)	2.08	(1.52 - 2.83)	2.17	(1.58 - 2.97)	0.715
Region 7B (Ramsey)	2.32	(1.69 - 3.17)	2.47	(1.73 - 3.51)	0.625
Region 7C	1.83	(1.37 - 2.44)	1.82	(1.33 - 2.48)	0.958
Mississippi	2.52	(2.08 - 3.06)	2.49	(2.02 - 3.06)	0.851
Region 1	2.28	(1.72 - 3.00)	2.34	(1.74 - 3.14)	0.823
Region 2	3.03	(2.21 - 4.15)	2.96	(2.16 - 4.05)	0.857
Region 3	2.60	(1.92 - 3.51)	2.49	(1.84 - 3.38)	0.734
Region 4	2.65	(1.97 - 3.56)	2.63	(1.98 - 3.50)	0.957
Region 5	2.48	(1.76 - 3.48)	2.59	(1.84 - 3.62)	0.739
Region 6	2.48	(1.82 - 3.38)	2.33	(1.71 - 3.18)	0.628
Region 7	2.31	(1.73 - 3.07)	2.22	(1.64 - 2.99)	0.725

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	2.39	(1.98 - 2.87)	2.13	(1.74 - 2.62)	0.142
Central	2.40	(1.79 - 3.22)	2.35	(1.77 - 3.10)	0.831
Eastern	2.46	(1.94 - 3.12)	2.17	(1.68 - 2.80)	0.212
Eastern (St. Louis City and County)	2.60	(1.95 - 3.47)	2.34	(1.73 - 3.14)	0.386
Eastern (excluding St. Louis)	2.22	(1.66 - 2.96)	1.89	(1.38 - 2.58)	0.158
Northwest	2.45	(1.94 - 3.10)	2.11	(1.64 - 2.71)	0.113
Northwest (Jackson)	2.73	(2.05 - 3.64)	2.29	(1.67 - 3.13)	0.179
Northwest (excluding Jackson)	2.21	(1.64 - 2.99)	1.95	(1.45 - 2.61)	0.247
Southeast	2.30	(1.69 - 3.13)	2.09	(1.53 - 2.85)	0.440
Southwest	2.18	(1.61 - 2.93)	1.94	(1.44 - 2.62)	0.316
Montana	2.47[a]	(2.05 - 2.96)	2.12	(1.76 - 2.55)	0.041
Region 1	2.35	(1.71 - 3.21)	1.97	(1.46 - 2.67)	0.152
Region 2	2.71[b]	(2.00 - 3.67)	2.24	(1.69 - 2.95)	0.090
Region 3	2.16	(1.64 - 2.85)	1.88	(1.41 - 2.50)	0.214
Region 4	2.72[b]	(2.09 - 3.54)	2.27	(1.74 - 2.97)	0.099
Region 5	2.37	(1.85 - 3.03)	2.12	(1.65 - 2.71)	0.273
Nebraska	1.98	(1.59 - 2.47)	2.20	(1.78 - 2.72)	0.201
Regions 1 and 2	1.82	(1.36 - 2.45)	2.07	(1.58 - 2.72)	0.185
Region 1	1.86	(1.32 - 2.63)	2.02	(1.48 - 2.75)	0.482
Region 2	1.79	(1.26 - 2.54)	2.12	(1.53 - 2.94)	0.143
Region 3	1.79	(1.29 - 2.46)	2.08	(1.53 - 2.81)	0.208
Region 4	1.68	(1.17 - 2.40)	1.97	(1.43 - 2.73)	0.193
Region 5	2.02	(1.49 - 2.73)	2.23	(1.69 - 2.93)	0.384
Region 6	2.14	(1.63 - 2.82)	2.32	(1.77 - 3.04)	0.466
Nevada	2.33	(1.87 - 2.91)	2.37	(1.90 - 2.93)	0.874
Clark – Region 1	2.28	(1.77 - 2.95)	2.39	(1.87 - 3.05)	0.690
Region 3	1.96	(1.49 - 2.57)	2.00	(1.54 - 2.60)	0.794
Capital District	1.87	(1.35 - 2.60)	1.97	(1.43 - 2.71)	0.631
Rural/Frontier	2.04	(1.47 - 2.82)	2.03	(1.49 - 2.77)	0.989
Washoe – Region 2	2.83	(2.10 - 3.80)	2.54	(1.91 - 3.35)	0.309
New Hampshire	2.70	(2.26 - 3.22)	2.57	(2.12 - 3.11)	0.554
Central	2.67	(2.10 - 3.40)	2.57	(2.03 - 3.25)	0.696
Central 1	2.88	(2.16 - 3.84)	2.72	(2.07 - 3.57)	0.609
Central 2	2.47	(1.82 - 3.36)	2.43	(1.82 - 3.23)	0.892
Northern	2.64	(1.96 - 3.55)	2.59	(1.97 - 3.39)	0.872
Southern	2.72	(2.23 - 3.30)	2.56	(2.06 - 3.17)	0.527
Southern 1 (Rockingham)	2.26	(1.76 - 2.90)	2.40	(1.86 - 3.09)	0.561
Southern 2	3.00	(2.37 - 3.80)	2.66	(2.05 - 3.43)	0.303

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	2.09	(1.72 - 2.55)	2.02	(1.63 - 2.49)	0.628
Central	1.97	(1.48 - 2.62)	1.89	(1.42 - 2.51)	0.702
Metropolitan	2.35	(1.78 - 3.10)	2.22	(1.69 - 2.92)	0.607
Northern	1.89	(1.44 - 2.47)	1.78	(1.32 - 2.41)	0.627
Southern	2.26	(1.70 - 2.99)	2.28	(1.73 - 3.00)	0.931
New Mexico	2.91	(2.43 - 3.48)	2.58	(2.07 - 3.22)	0.205
Region 1	3.01	(2.31 - 3.90)	2.49	(1.85 - 3.35)	0.158
Region 2	2.08	(1.53 - 2.82)	2.05	(1.50 - 2.82)	0.923
Region 3 (Bernalillo)	3.36	(2.61 - 4.32)	2.84	(2.10 - 3.83)	0.222
Region 4	2.75	(2.06 - 3.68)	2.51	(1.87 - 3.38)	0.449
Region 5	2.79	(2.15 - 3.62)	2.70	(2.00 - 3.64)	0.782
New York	2.56	(2.26 - 2.90)	2.64	(2.31 - 3.03)	0.604
Region A	2.66	(2.25 - 3.14)	2.89	(2.42 - 3.44)	0.335
Region 1	3.00	(2.32 - 3.89)	2.77	(2.12 - 3.60)	0.496
Region 2	2.74	(2.15 - 3.48)	3.07	(2.42 - 3.90)	0.342
Region 3	2.61	(1.98 - 3.44)	3.30	(2.46 - 4.41)	0.102
Region 4	2.37	(1.82 - 3.09)	2.42	(1.84 - 3.18)	0.872
Region B	2.32	(1.96 - 2.74)	2.37	(2.00 - 2.82)	0.760
Region 5	2.30	(1.85 - 2.86)	2.35	(1.89 - 2.92)	0.827
Region 6	2.17	(1.65 - 2.83)	2.32	(1.78 - 3.02)	0.529
Region 7	2.62	(2.06 - 3.32)	2.53	(1.95 - 3.29)	0.744
Region C	2.66	(2.29 - 3.09)	2.54	(2.14 - 3.00)	0.524
Region 8	2.34	(1.83 - 3.00)	2.36	(1.81 - 3.08)	0.929
Region 9	2.79	(2.18 - 3.57)	2.47	(1.90 - 3.22)	0.274
Region 10	2.79	(2.12 - 3.67)	2.87	(2.16 - 3.80)	0.818
Region 11	2.75	(2.16 - 3.49)	2.53	(1.95 - 3.29)	0.438
Region 12	2.70	(2.09 - 3.49)	2.62	(2.04 - 3.37)	0.798
Region D	2.52	(2.08 - 3.04)	2.51	(2.06 - 3.07)	0.996
Region 13	2.49	(1.90 - 3.25)	2.38	(1.81 - 3.12)	0.680
Region 14	2.60	(1.96 - 3.45)	2.62	(1.96 - 3.48)	0.966
Region 15	2.45	(1.88 - 3.20)	2.53	(1.91 - 3.35)	0.786

See notes at end of table. (continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	2.67	(2.21 - 3.22)	2.73	(2.27 - 3.29)	0.744
Alliance Behavioral Healthcare 1	--	(-- - --)	3.12	(2.34 - 4.16)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	2.56	(1.90 - 3.44)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	2.56	(1.92 - 3.42)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	2.65	(1.98 - 3.52)	--
Cardinal Innovations Healthcare Solutions 3	2.68	(1.98 - 3.62)	2.82	(2.10 - 3.78)	0.644
CenterPoint Human Services	2.57	(1.87 - 3.53)	2.38	(1.76 - 3.21)	0.527
Eastpointe	3.01	(2.19 - 4.11)	2.78	(2.03 - 3.80)	0.557
Partners Behavioral Health Management	2.81	(2.03 - 3.87)	2.79	(2.03 - 3.83)	0.969
Sandhills Center 1	2.63	(1.92 - 3.57)	2.69	(1.96 - 3.67)	0.842
Sandhills Center 2	2.76	(2.03 - 3.73)	3.03	(2.27 - 4.04)	0.404
Smoky Mountain Center 1	2.35	(1.71 - 3.24)	2.39	(1.76 - 3.24)	0.901
Smoky Mountain Center 2	2.22	(1.63 - 3.03)	2.23	(1.63 - 3.06)	0.974
Trillium Health Resources 1	2.81	(2.03 - 3.88)	3.17	(2.34 - 4.28)	0.330
Trillium Health Resources 2	2.97	(2.18 - 4.05)	2.95	(2.17 - 3.99)	0.941
North Dakota	1.93	(1.58 - 2.36)	2.11	(1.71 - 2.60)	0.264
Badlands and West Central	1.70	(1.26 - 2.28)	1.80	(1.33 - 2.43)	0.622
Lake Region	--	(-- - --)	1.81	(1.30 - 2.50)	--
North Central	--	(-- - --)	2.20	(1.59 - 3.02)	--
Northeast	2.30	(1.70 - 3.09)	2.68	(1.98 - 3.60)	0.164
Northwest	--	(-- - --)	2.20	(1.52 - 3.16)	--
South Central	--	(-- - --)	1.94	(1.38 - 2.72)	--
Southeast	1.98	(1.49 - 2.63)	2.20	(1.67 - 2.90)	0.326

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	2.58	(2.31 - 2.89)	2.47	(2.19 - 2.80)	0.452
Boards 2, 46, 55, and 68	2.28	(1.76 - 2.95)	2.23	(1.70 - 2.91)	0.831
Boards 3, 52, and 85	2.15	(1.63 - 2.82)	2.17	(1.66 - 2.84)	0.909
Boards 4 and 78	2.17	(1.62 - 2.90)	2.30	(1.74 - 3.02)	0.624
Boards 5 and 60	2.65	(2.02 - 3.47)	2.56	(1.99 - 3.29)	0.748
Boards 7, 15, 41, 79, and 84	2.20	(1.66 - 2.90)	2.21	(1.70 - 2.88)	0.959
Boards 8, 13, and 83	2.08	(1.60 - 2.70)	2.15	(1.66 - 2.77)	0.765
Board 9 (Butler)	2.58	(1.98 - 3.36)	2.31	(1.75 - 3.06)	0.311
Board 12	2.63	(2.04 - 3.40)	2.50	(1.91 - 3.27)	0.614
Boards 18 and 47	2.60	(2.09 - 3.24)	2.39	(1.92 - 2.98)	0.412
Boards 20, 32, 54, and 69	2.06	(1.52 - 2.78)	2.02	(1.53 - 2.66)	0.872
Boards 21, 39, 51, 70, and 80	2.19	(1.71 - 2.79)	2.20	(1.71 - 2.83)	0.954
Boards 22, 74, and 87	2.22	(1.71 - 2.88)	2.12	(1.63 - 2.75)	0.650
Boards 23 and 45	2.23	(1.72 - 2.88)	2.18	(1.67 - 2.83)	0.807
Board 25 (Franklin)	3.66	(2.86 - 4.67)	3.34	(2.60 - 4.27)	0.404
Boards 27, 71, and 73	2.38	(1.79 - 3.16)	2.50	(1.92 - 3.24)	0.705
Boards 28, 43, and 67	2.26	(1.76 - 2.91)	2.35	(1.83 - 3.03)	0.701
Board 31 (Hamilton)	3.00	(2.33 - 3.85)	2.81	(2.18 - 3.61)	0.575
Board 48 (Lucas)	2.81	(2.12 - 3.71)	2.64	(2.03 - 3.42)	0.585
Boards 50 and 76	2.24	(1.73 - 2.89)	2.30	(1.79 - 2.97)	0.799
Board 57 (Montgomery)	3.17	(2.42 - 4.15)	2.88	(2.21 - 3.74)	0.445
Board 77 (Summit)	2.53	(1.93 - 3.30)	2.24	(1.70 - 2.94)	0.297
Oklahoma	2.14	(1.75 - 2.61)	1.97	(1.58 - 2.45)	0.319
Central	2.00	(1.48 - 2.71)	1.96	(1.43 - 2.70)	0.869
East Central	1.88	(1.35 - 2.61)	1.81	(1.32 - 2.48)	0.775
Northeast	1.95	(1.44 - 2.64)	1.92	(1.42 - 2.59)	0.868
Northwest and Southwest	2.34	(1.70 - 3.21)	2.13	(1.57 - 2.90)	0.466
Oklahoma County	2.30	(1.70 - 3.09)	2.06	(1.50 - 2.81)	0.366
Southeast	2.19	(1.58 - 3.02)	1.82	(1.33 - 2.50)	0.201
Tulsa County	2.18	(1.59 - 3.00)	1.99	(1.44 - 2.74)	0.474
Oregon	2.79	(2.33 - 3.35)	2.84	(2.32 - 3.47)	0.851
Region 1 (Multnomah)	3.85	(2.85 - 5.18)	3.18	(2.33 - 4.32)	0.155
Region 2	2.30	(1.74 - 3.02)	2.60	(1.98 - 3.41)	0.285
Region 3	2.79	(2.19 - 3.56)	3.13	(2.40 - 4.06)	0.293
Region 4	2.52	(1.87 - 3.38)	2.43	(1.80 - 3.26)	0.751
Region 5 (Central)	2.14	(1.57 - 2.93)	2.31	(1.68 - 3.16)	0.515
Region 6 (Eastern)	2.54	(1.82 - 3.54)	2.56	(1.84 - 3.54)	0.960

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	2.49	(2.19 - 2.83)	2.40	(2.10 - 2.75)	0.606
Region 1 (Allegheny)	2.95	(2.26 - 3.84)	2.78	(2.13 - 3.61)	0.636
Regions 3, 8, 9, and 51	2.46	(1.87 - 3.22)	2.31	(1.77 - 3.01)	0.601
Regions 4, 11, 37, and 49	2.30	(1.78 - 2.96)	2.13	(1.65 - 2.75)	0.479
Regions 5, 18, 23, 24, and 46	2.09	(1.59 - 2.74)	1.94	(1.48 - 2.53)	0.498
Regions 6, 12, 16, 31, 35, 45, and 47	2.33	(1.81 - 2.99)	2.21	(1.69 - 2.88)	0.627
Regions 7, 13, 20, and 33	2.14	(1.75 - 2.60)	2.12	(1.70 - 2.64)	0.911
Regions 10, 15, 27, 32, 43, and 44	2.28	(1.71 - 3.04)	2.15	(1.61 - 2.86)	0.659
Regions 17 and 21	2.64	(2.00 - 3.48)	2.43	(1.83 - 3.20)	0.474
Regions 19, 26, 28, and 42	2.07	(1.63 - 2.63)	2.17	(1.75 - 2.70)	0.619
Regions 22, 38, 40, 41, and 48	2.35	(1.76 - 3.14)	2.14	(1.62 - 2.82)	0.507
Regions 29 and 34	2.27	(1.74 - 2.97)	2.28	(1.74 - 2.99)	0.970
Regions 30 and 50	2.32	(1.75 - 3.08)	2.33	(1.77 - 3.06)	0.983
Region 36 (Philadelphia)	3.75	(2.92 - 4.80)	3.64	(2.83 - 4.68)	0.822
Rhode Island	2.63	(2.15 - 3.20)	2.85	(2.33 - 3.48)	0.374
Bristol and Newport	2.06[b]	(1.52 - 2.80)	2.50	(1.86 - 3.35)	0.076
Kent	2.46	(1.84 - 3.28)	2.38	(1.74 - 3.24)	0.800
Providence	2.79	(2.19 - 3.55)	3.12	(2.47 - 3.95)	0.308
Washington	2.67	(2.00 - 3.56)	2.47	(1.85 - 3.30)	0.492
South Carolina	2.58	(2.11 - 3.15)	2.37	(1.94 - 2.90)	0.328
Region 1	--	(-- - --)	2.26	(1.72 - 2.98)	--
Region 2	--	(-- - --)	2.45	(1.86 - 3.21)	--
Region 3	2.66	(1.91 - 3.69)	2.33	(1.72 - 3.14)	0.347
Region 4	2.68	(2.00 - 3.57)	2.45	(1.87 - 3.19)	0.430
South Dakota	1.87	(1.49 - 2.35)	1.95	(1.58 - 2.41)	0.593
Region 1	1.99	(1.46 - 2.71)	2.00	(1.48 - 2.70)	0.962
Region 2	1.73	(1.20 - 2.49)	1.90	(1.36 - 2.65)	0.462
Region 3	1.76	(1.27 - 2.44)	1.85	(1.37 - 2.50)	0.665
Region 4	1.89	(1.36 - 2.62)	2.03	(1.49 - 2.75)	0.530
Region 5	1.89	(1.40 - 2.56)	1.97	(1.48 - 2.62)	0.717
Tennessee	2.51[b]	(2.07 - 3.04)	2.18	(1.80 - 2.64)	0.068
Region 1	2.22	(1.61 - 3.05)	1.91	(1.40 - 2.59)	0.225
Region 2	2.43	(1.80 - 3.27)	2.14	(1.61 - 2.85)	0.311
Region 3	2.50	(1.87 - 3.32)	2.14	(1.61 - 2.86)	0.218
Region 4 (Davidson)	2.78	(2.07 - 3.74)	2.36	(1.75 - 3.17)	0.154
Region 5	2.30	(1.73 - 3.05)	2.11	(1.62 - 2.74)	0.415
Region 6	2.58	(1.90 - 3.51)	2.13	(1.57 - 2.88)	0.112
Region 7 (Shelby)	2.91	(2.14 - 3.93)	2.46	(1.81 - 3.32)	0.182

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	2.22	(1.97 - 2.49)	2.05	(1.80 - 2.32)	0.186
Region 1	2.41	(1.83 - 3.16)	2.23	(1.72 - 2.90)	0.490
Region 2	2.05	(1.54 - 2.71)	2.11	(1.60 - 2.78)	0.782
Region 3	2.29[b]	(1.92 - 2.71)	2.00	(1.69 - 2.37)	0.096
Region 3a	2.41[b]	(1.94 - 2.99)	2.01	(1.63 - 2.47)	0.061
Region 3bc	2.07	(1.63 - 2.61)	1.99	(1.57 - 2.51)	0.717
Region 4	1.99	(1.50 - 2.63)	1.94	(1.50 - 2.51)	0.812
Region 5	2.25	(1.72 - 2.94)	2.11	(1.60 - 2.77)	0.572
Region 6	2.07	(1.70 - 2.52)	2.06	(1.69 - 2.51)	0.947
Region 6a	2.06	(1.66 - 2.56)	2.07	(1.68 - 2.56)	0.959
Region 6bc	2.17	(1.64 - 2.87)	1.96	(1.49 - 2.57)	0.348
Region 7	2.16	(1.76 - 2.65)	2.06	(1.70 - 2.51)	0.589
Region 7a	2.12	(1.63 - 2.75)	2.06	(1.61 - 2.64)	0.790
Region 7bcd	2.23	(1.72 - 2.89)	2.07	(1.59 - 2.70)	0.488
Region 8	2.38	(1.89 - 3.00)	2.22	(1.74 - 2.83)	0.518
Region 9	2.22	(1.68 - 2.93)	2.08	(1.59 - 2.71)	0.552
Region 10	2.35[b]	(1.80 - 3.07)	1.96	(1.50 - 2.56)	0.093
Region 11	2.30[a]	(1.85 - 2.85)	1.88	(1.51 - 2.32)	0.037
Region 11abd	2.34[a]	(1.80 - 3.03)	1.88	(1.45 - 2.43)	0.046
Region 11c (Hidalgo)	2.22	(1.66 - 2.97)	1.87	(1.43 - 2.45)	0.127
Utah	2.51	(2.09 - 3.01)	2.49	(2.06 - 3.00)	0.901
Bear River, Northeastern, Summit, Tooele, and Wasatch	2.20	(1.64 - 2.95)	2.27	(1.71 - 3.03)	0.761
Central, Four Corners, San Juan, and Southwest	2.27	(1.67 - 3.07)	2.29	(1.70 - 3.09)	0.932
Davis County	2.51	(1.85 - 3.38)	2.35	(1.77 - 3.12)	0.533
Salt Lake County	2.57	(1.99 - 3.32)	2.49	(1.93 - 3.22)	0.780
Utah County	2.78	(2.08 - 3.71)	2.88	(2.18 - 3.80)	0.724
Weber, Morgan	2.44	(1.78 - 3.35)	2.37	(1.77 - 3.18)	0.792
Vermont	2.83	(2.34 - 3.40)	2.64	(2.18 - 3.19)	0.419
Champlain Valley	3.15	(2.52 - 3.93)	2.95	(2.33 - 3.73)	0.550
Rural Northeast	2.73	(2.04 - 3.64)	2.51	(1.91 - 3.30)	0.500
Rural Southeast	2.59	(1.92 - 3.48)	2.37	(1.79 - 3.15)	0.510
Rural Southwest	2.49	(1.87 - 3.29)	2.36	(1.76 - 3.16)	0.676
Virginia	2.21	(1.84 - 2.65)	2.30	(1.89 - 2.79)	0.610
Region 1	2.21	(1.70 - 2.87)	2.33	(1.77 - 3.06)	0.600
Region 2	1.73	(1.29 - 2.31)	1.85	(1.39 - 2.46)	0.559
Region 3	2.43	(1.80 - 3.28)	2.47	(1.86 - 3.28)	0.905
Region 4	2.22	(1.63 - 3.02)	2.42	(1.82 - 3.23)	0.457
Region 5	2.63	(2.03 - 3.41)	2.63	(2.00 - 3.45)	0.985

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	2.43	(2.01 - 2.94)	2.52	(2.06 - 3.07)	0.650
Region 1	2.43	(1.88 - 3.13)	2.54	(1.98 - 3.26)	0.600
Greater Columbia and North Central	--	(-- - --)	2.37	(1.75 - 3.20)	--
Spokane	--	(-- - --)	2.80	(2.06 - 3.79)	--
Region 2	2.44	(1.95 - 3.06)	2.55	(2.02 - 3.22)	0.667
King	2.35	(1.79 - 3.07)	2.55	(1.92 - 3.37)	0.490
North Sound	2.62	(1.97 - 3.47)	2.55	(1.93 - 3.38)	0.837
Region 3	2.41	(1.91 - 3.05)	2.44	(1.94 - 3.07)	0.884
Peninsula	--	(-- - --)	2.52	(1.83 - 3.46)	--
Pierce	--	(-- - --)	2.53	(1.86 - 3.43)	--
SW WA and Timberlands	--	(-- - --)	2.32	(1.70 - 3.16)	--
Thurston-Mason	--	(-- - --)	2.42	(1.75 - 3.34)	--
West Virginia	2.49	(2.04 - 3.03)	2.54	(2.09 - 3.08)	0.817
Region I	2.20	(1.58 - 3.04)	2.26	(1.65 - 3.07)	0.841
Region II	2.14	(1.60 - 2.86)	2.29	(1.71 - 3.06)	0.558
Region III	2.07	(1.47 - 2.92)	2.34	(1.68 - 3.24)	0.423
Region IV	2.99	(2.32 - 3.83)	2.64	(2.03 - 3.43)	0.305
Region V	2.59	(1.93 - 3.47)	2.75	(2.07 - 3.65)	0.677
Region VI	2.32	(1.65 - 3.26)	2.50	(1.87 - 3.34)	0.619
Wisconsin	2.19	(1.81 - 2.66)	2.25	(1.85 - 2.73)	0.739
Milwaukee	2.99	(2.14 - 4.16)	2.95	(2.21 - 3.93)	0.919
Northeastern	1.93	(1.45 - 2.56)	2.04	(1.54 - 2.70)	0.603
Northern	1.98	(1.45 - 2.72)	2.00	(1.48 - 2.70)	0.948
Southeastern	2.08	(1.57 - 2.76)	2.17	(1.63 - 2.88)	0.694
Southern	2.13	(1.60 - 2.82)	2.14	(1.61 - 2.84)	0.957
Western	2.05	(1.53 - 2.74)	2.17	(1.63 - 2.88)	0.590

See notes at end of table.

(continued)

Table 21 ***Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	1.86	(1.52 - 2.28)	1.99	(1.62 - 2.43)	0.367
Judicial District 1 (Laramie)	2.00	(1.45 - 2.74)	2.08	(1.54 - 2.80)	0.719
Judicial District 2	2.32	(1.69 - 3.18)	2.61	(1.90 - 3.58)	0.304
Judicial District 3	1.64	(1.19 - 2.27)	1.81	(1.34 - 2.46)	0.404
Judicial District 4	1.69	(1.21 - 2.35)	1.83	(1.31 - 2.54)	0.500
Judicial District 5	1.55	(1.13 - 2.14)	1.80	(1.31 - 2.47)	0.193
Judicial District 6	1.85	(1.34 - 2.55)	2.05	(1.51 - 2.79)	0.353
Judicial District 7 (Natrona)	2.08	(1.52 - 2.83)	2.04	(1.51 - 2.76)	0.885
Judicial District 8	1.70	(1.23 - 2.36)	1.79	(1.31 - 2.43)	0.681
Judicial District 9	1.78	(1.27 - 2.48)	1.81	(1.32 - 2.46)	0.893

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], or mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	6.43	(6.26 - 6.61)	6.29	(6.12 - 6.46)	0.139
Northeast	6.61[b]	(6.24 - 7.00)	6.28	(5.96 - 6.62)	0.069
Midwest	6.63	(6.32 - 6.96)	6.47	(6.21 - 6.75)	0.304
South	5.80	(5.50 - 6.11)	6.02	(5.77 - 6.27)	0.145
West	7.11[a]	(6.69 - 7.55)	6.54	(6.21 - 6.89)	0.005
Alabama	5.25	(4.37 - 6.29)	5.64	(4.82 - 6.60)	0.339
Region 1	4.74	(3.55 - 6.30)	5.65	(4.48 - 7.10)	0.118
Region 2	5.99	(4.65 - 7.67)	5.76	(4.64 - 7.14)	0.713
Region 3	4.63	(3.40 - 6.27)	5.30	(4.15 - 6.74)	0.259
Region 4	5.31	(3.99 - 7.04)	5.74	(4.50 - 7.28)	0.505
Alaska	7.55	(6.41 - 8.87)	6.84	(5.91 - 7.92)	0.184
Anchorage	8.20	(6.63 - 10.09)	7.09	(5.86 - 8.56)	0.138
Northern	7.46	(5.69 - 9.73)	7.14	(5.70 - 8.92)	0.690
South Central	6.56	(4.88 - 8.77)	6.32	(5.01 - 7.93)	0.734
Southeast	7.70	(5.62 - 10.46)	6.55	(5.07 - 8.42)	0.171
Arizona	7.36	(6.14 - 8.80)	6.94	(5.94 - 8.10)	0.477
Maricopa	7.37	(5.95 - 9.09)	7.12	(5.93 - 8.53)	0.736
Pima	7.95	(5.90 - 10.62)	7.01	(5.48 - 8.93)	0.292
Rural North	6.47	(4.71 - 8.84)	6.62	(5.03 - 8.65)	0.873
Rural South	7.41	(5.31 - 10.25)	6.36	(4.91 - 8.19)	0.212
Arkansas	4.98	(4.09 - 6.04)	5.26	(4.46 - 6.19)	0.483
Catchment Area 1	5.06	(3.77 - 6.76)	5.57	(4.43 - 6.99)	0.389
Catchment Area 2	4.56	(3.21 - 6.44)	5.16	(3.95 - 6.70)	0.354
Catchment Area 3	4.34	(3.08 - 6.10)	5.14	(3.98 - 6.61)	0.186
Catchment Area 4	5.29	(3.79 - 7.33)	5.40	(4.19 - 6.92)	0.860
Catchment Area 5	5.60	(4.14 - 7.54)	5.38	(4.20 - 6.88)	0.727
Catchment Area 6	4.84	(3.42 - 6.81)	5.09	(3.90 - 6.63)	0.689
Catchment Area 7	4.55	(3.20 - 6.42)	4.84	(3.70 - 6.30)	0.624
Catchment Area 8	5.22	(3.89 - 6.96)	5.23	(4.03 - 6.76)	0.982

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	6.96[b]	(6.35 - 7.63)	6.39	(5.87 - 6.96)	0.057
Region 1R	7.76	(5.89 - 10.16)	6.85	(5.49 - 8.52)	0.258
Region 2R	7.31	(5.64 - 9.42)	6.74	(5.43 - 8.34)	0.407
Region 3R (Sacramento)	6.80	(5.26 - 8.75)	5.88	(4.74 - 7.28)	0.159
Region 4R	6.65	(5.13 - 8.59)	6.79	(5.54 - 8.29)	0.856
Region 5R (San Francisco)	9.45	(7.16 - 12.36)	8.06	(6.41 - 10.09)	0.153
Region 6 (Santa Clara)	6.60	(5.08 - 8.54)	5.96	(4.82 - 7.35)	0.309
Region 7R (Contra Costa)	6.90	(5.29 - 8.96)	6.22	(4.97 - 7.76)	0.299
Region 8R (Alameda)	7.18	(5.55 - 9.24)	6.51	(5.27 - 8.03)	0.314
Region 9R (San Mateo)	6.15	(4.52 - 8.33)	5.85	(4.64 - 7.37)	0.666
Region 10	7.40	(5.74 - 9.50)	6.94	(5.60 - 8.57)	0.505
Region 11 (Los Angeles)	6.81	(6.01 - 7.70)	6.38	(5.73 - 7.09)	0.244
LA SPA 1 and 5	8.38[b]	(6.46 - 10.80)	6.97	(5.64 - 8.60)	0.056
LA SPA 2	6.45	(5.03 - 8.24)	5.86	(4.74 - 7.22)	0.327
LA SPA 3	5.61	(4.36 - 7.19)	5.94	(4.82 - 7.28)	0.585
LA SPA 4	8.37	(6.41 - 10.87)	7.56	(6.07 - 9.39)	0.355
LA SPA 6	6.59	(5.03 - 8.59)	6.34	(5.10 - 7.87)	0.713
LA SPA 7	7.11	(5.51 - 9.14)	6.17	(4.99 - 7.60)	0.156
LA SPA 8	6.31	(4.86 - 8.16)	6.51	(5.32 - 7.95)	0.769
Region 12R	6.82	(5.03 - 9.18)	5.94	(4.74 - 7.42)	0.197
Regions 13 and 19R	6.61	(5.27 - 8.26)	6.15	(5.05 - 7.47)	0.445
Region 14 (Orange)	6.53	(5.28 - 8.05)	6.75	(5.59 - 8.12)	0.741
Region 15R (Fresno)	6.65	(5.06 - 8.68)	6.16	(4.95 - 7.65)	0.453
Region 16R (San Diego)	7.80[a]	(6.35 - 9.55)	6.30	(5.21 - 7.62)	0.019
Region 17R	6.73	(5.18 - 8.70)	6.23	(5.07 - 7.64)	0.450
Region 18R (San Bernardino)	5.99	(4.72 - 7.56)	5.86	(4.78 - 7.17)	0.819
Region 20R	7.18[b]	(5.47 - 9.37)	6.04	(4.88 - 7.47)	0.086
Region 21R	8.29[b]	(6.41 - 10.65)	6.89	(5.52 - 8.59)	0.060
Colorado	8.02	(6.82 - 9.42)	7.26	(6.31 - 8.35)	0.154
Region 1	8.54	(6.53 - 11.09)	7.74	(6.16 - 9.67)	0.337
Regions 2 and 7	8.15	(6.62 - 9.99)	7.39	(6.18 - 8.82)	0.293
Region 3	7.48	(5.67 - 9.80)	6.59	(5.23 - 8.27)	0.222
Region 4	6.89	(4.91 - 9.59)	6.39	(4.87 - 8.35)	0.544
Regions 5 and 6	8.09	(5.93 - 10.95)	7.37	(5.79 - 9.33)	0.420
Connecticut	6.69	(5.64 - 7.93)	6.62	(5.64 - 7.76)	0.882
Eastern	6.76	(5.14 - 8.85)	7.16	(5.64 - 9.05)	0.601
North Central	6.17	(4.74 - 8.01)	6.78	(5.36 - 8.54)	0.391
Northwestern	6.17	(4.52 - 8.37)	6.26	(4.92 - 7.92)	0.906
South Central	7.53	(5.77 - 9.78)	6.58	(5.19 - 8.31)	0.212
Southwest	6.85	(5.15 - 9.07)	6.42	(4.97 - 8.26)	0.569

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	6.30	(5.27 - 7.52)	6.24	(5.38 - 7.24)	0.901
Kent	6.00	(4.47 - 8.02)	6.17	(4.90 - 7.75)	0.800
New Castle (excluding Wilmington City)	6.58	(5.31 - 8.12)	6.52	(5.46 - 7.77)	0.925
Sussex	5.71	(4.19 - 7.74)	5.70	(4.43 - 7.31)	0.986
Wilmington City	6.84	(4.89 - 9.49)	6.14	(4.71 - 7.99)	0.357
District of Columbia	11.38[b]	(9.78 - 13.21)	10.10	(8.81 - 11.55)	0.081
Ward 1	14.65	(11.32 - 18.73)	13.05	(10.50 - 16.10)	0.266
Ward 2	14.63	(11.71 - 18.12)	13.39	(10.78 - 16.53)	0.395
Ward 3	11.82	(9.09 - 15.23)	10.83	(8.75 - 13.35)	0.434
Ward 4	9.43	(6.97 - 12.63)	8.43	(6.62 - 10.69)	0.342
Ward 5	10.42	(8.00 - 13.46)	9.29	(7.33 - 11.70)	0.283
Ward 6	12.90[a]	(9.66 - 17.04)	10.25	(8.16 - 12.78)	0.045
Ward 7	8.49	(6.18 - 11.55)	7.40	(5.74 - 9.50)	0.247
Ward 8	7.77	(5.74 - 10.43)	7.46	(5.85 - 9.46)	0.736
Florida[1]	5.72	(5.14 - 6.36)	5.85	(5.28 - 6.47)	0.687
Broward (Circuit 17)	5.12	(4.00 - 6.53)	5.46	(4.40 - 6.76)	0.576
Central I	--	(-- - --)	6.07	(5.19 - 7.09)	--
Circuit 9	6.25	(4.96 - 7.84)	6.00	(4.92 - 7.29)	0.673
Circuit 18	6.40	(4.91 - 8.32)	6.18	(4.98 - 7.65)	0.738
Central II	--	(-- - --)	5.94	(5.18 - 6.81)	--
Circuit 6	5.47	(4.16 - 7.15)	5.78	(4.59 - 7.26)	0.631
Circuit 10	4.80	(3.55 - 6.46)	5.02	(3.90 - 6.45)	0.696
Circuit 12	7.29	(5.31 - 9.92)	6.38	(4.97 - 8.16)	0.276
Circuit 13 (Hillsborough)	6.63	(5.25 - 8.33)	6.50	(5.26 - 8.01)	0.845
Circuit 20	5.73	(4.31 - 7.59)	5.83	(4.59 - 7.39)	0.881
Northeast	--	(-- - --)	6.08	(5.30 - 6.98)	--
Circuit 4	6.01	(4.62 - 7.78)	6.14	(4.97 - 7.57)	0.839
Circuit 5	4.60	(3.34 - 6.32)	5.24	(4.12 - 6.65)	0.317
Circuit 7	5.28[b]	(3.97 - 6.99)	6.51	(5.22 - 8.09)	0.078
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	6.97	(5.59 - 8.66)	--
Northwest	--	(-- - --)	6.67	(5.68 - 7.81)	--
Circuit 1	6.80	(5.23 - 8.80)	6.51	(5.20 - 8.12)	0.690
Circuit 2 plus Madison and Taylor	--	(-- - --)	7.18	(5.69 - 9.02)	--
Circuit 14	6.92	(5.05 - 9.42)	6.29	(4.90 - 8.05)	0.419
South (Circuits 11 and 16)	4.70	(3.74 - 5.88)	5.11	(4.16 - 6.26)	0.436
Southeast	--	(-- - --)	5.60	(4.69 - 6.68)	--
Circuit 15 (Palm Beach)	5.27	(4.00 - 6.90)	5.57	(4.46 - 6.94)	0.602
Circuit 19	5.38	(3.95 - 7.30)	5.66	(4.47 - 7.15)	0.678

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	5.07	(4.21 - 6.09)	5.66	(4.83 - 6.62)	0.161
Region 1	4.74	(3.61 - 6.20)	5.35	(4.22 - 6.77)	0.295
Region 2	4.94	(3.69 - 6.59)	5.66	(4.46 - 7.15)	0.245
Region 3	5.30	(4.03 - 6.94)	6.03	(4.82 - 7.52)	0.250
Region 4	4.58	(3.25 - 6.41)	5.31	(4.05 - 6.93)	0.251
Region 5	5.51	(3.96 - 7.61)	5.86	(4.54 - 7.54)	0.593
Region 6	5.16	(3.74 - 7.09)	5.40	(4.21 - 6.90)	0.712
Hawaii	7.33	(6.19 - 8.66)	6.51	(5.57 - 7.60)	0.148
Hawaii Island	7.71[b]	(5.62 - 10.49)	6.06	(4.67 - 7.84)	0.058
Honolulu	7.06	(5.84 - 8.51)	6.62	(5.56 - 7.88)	0.494
Kauai	7.40	(5.15 - 10.51)	6.40	(4.91 - 8.30)	0.277
Maui	8.52[a]	(6.21 - 11.59)	6.37	(4.90 - 8.23)	0.027
Idaho	6.94	(5.81 - 8.27)	6.49	(5.61 - 7.49)	0.350
Region 1	7.19	(5.26 - 9.77)	5.98	(4.65 - 7.65)	0.128
Region 2	7.71	(5.66 - 10.43)	7.40	(5.77 - 9.44)	0.719
Region 3	6.17	(4.63 - 8.17)	5.65	(4.47 - 7.13)	0.421
Region 4	8.03	(6.16 - 10.41)	7.61	(6.13 - 9.42)	0.620
Region 5	5.78	(4.20 - 7.91)	5.79	(4.50 - 7.41)	0.997
Region 6	--	(-- - --)	6.74	(5.26 - 8.61)	--
Region 7	--	(-- - --)	5.69	(4.50 - 7.18)	--
Illinois	6.68	(6.07 - 7.35)	6.23	(5.64 - 6.87)	0.175
Region I (Cook)	6.98	(6.06 - 8.04)	6.54	(5.68 - 7.51)	0.369
Region II	6.06	(5.17 - 7.09)	5.63	(4.83 - 6.56)	0.354
Region III	7.66	(6.32 - 9.27)	6.65	(5.56 - 7.93)	0.108
Region IV	5.74	(4.44 - 7.38)	6.11	(4.94 - 7.55)	0.562
Region V	6.99	(5.66 - 8.60)	6.44	(5.25 - 7.89)	0.384
Indiana	6.72	(5.61 - 8.02)	6.73	(5.85 - 7.72)	0.988
Central	6.98	(5.23 - 9.25)	7.02	(5.69 - 8.65)	0.950
East	6.48	(4.74 - 8.79)	6.35	(4.94 - 8.11)	0.867
North Central	6.53	(4.84 - 8.75)	6.46	(5.14 - 8.10)	0.926
Northeast	6.29	(4.54 - 8.64)	6.86	(5.41 - 8.66)	0.483
Northwest	6.57	(4.87 - 8.80)	6.09	(4.75 - 7.77)	0.489
Southeast	5.76	(4.17 - 7.92)	6.35	(4.94 - 8.13)	0.449
Southwest	6.10	(4.42 - 8.37)	6.47	(5.05 - 8.26)	0.624
West	8.41	(6.46 - 10.88)	7.70	(6.13 - 9.63)	0.377
Iowa	7.24[a]	(6.12 - 8.55)	6.12	(5.25 - 7.13)	0.024
Central	7.39[a]	(5.63 - 9.63)	5.72	(4.51 - 7.24)	0.020
North Central	7.83	(5.74 - 10.59)	6.52	(5.11 - 8.28)	0.118
Northeast	6.98	(5.40 - 8.98)	6.20	(4.99 - 7.69)	0.260
Northwest	6.52	(4.80 - 8.79)	6.20	(4.79 - 8.00)	0.677
Southeast	7.51[b]	(5.79 - 9.70)	6.16	(4.89 - 7.73)	0.060
Southwest	7.51[b]	(5.53 - 10.12)	6.00	(4.69 - 7.66)	0.053

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	6.08	(5.09 - 7.24)	6.77	(5.84 - 7.82)	0.163
Kansas City Metro	5.68	(4.43 - 7.26)	6.67	(5.41 - 8.20)	0.142
Northeast	6.58	(4.92 - 8.76)	7.30	(5.84 - 9.09)	0.391
South Central	5.98	(4.37 - 8.12)	6.08	(4.71 - 7.80)	0.893
Southeast	5.84	(4.19 - 8.08)	6.60	(5.07 - 8.56)	0.306
West	7.04	(5.16 - 9.55)	7.74	(6.01 - 9.90)	0.444
Wichita (Sedgwick)	5.85	(4.37 - 7.78)	6.30	(4.98 - 7.94)	0.518
Kentucky	4.89[b]	(4.02 - 5.93)	5.68	(4.84 - 6.66)	0.065
Adanta, Cumberland River, and Lifeskills	4.90	(3.57 - 6.70)	5.78	(4.49 - 7.41)	0.167
Bluegrass, Comprehend, and North Key	4.98	(3.80 - 6.50)	5.59	(4.44 - 7.01)	0.309
Communicare and River Valley	4.34[b]	(3.07 - 6.11)	5.49	(4.23 - 7.10)	0.080
Four Rivers and Pennyroyal	5.08	(3.65 - 7.02)	5.62	(4.40 - 7.17)	0.411
Kentucky River, Mountain, and Pathways	4.56	(3.19 - 6.47)	5.44	(4.22 - 6.98)	0.184
Seven Counties	5.12	(3.81 - 6.83)	5.96	(4.70 - 7.54)	0.175
Louisiana	6.10	(5.18 - 7.18)	6.14	(5.30 - 7.10)	0.934
Regions 1 and 10	6.26	(4.92 - 7.94)	6.56	(5.36 - 8.01)	0.606
Region 1	6.65	(4.87 - 9.01)	6.80	(5.29 - 8.70)	0.842
Region 10 (Jefferson)	5.88	(4.32 - 7.97)	6.31	(4.89 - 8.11)	0.537
Regions 2 and 9	5.93	(4.62 - 7.58)	6.01	(4.80 - 7.50)	0.906
Region 3	5.44	(4.00 - 7.35)	5.78	(4.50 - 7.38)	0.593
Regions 4, 5, and 6	6.53	(5.03 - 8.43)	6.46	(5.18 - 8.04)	0.926
Regions 7 and 8	5.91	(4.53 - 7.68)	5.63	(4.45 - 7.08)	0.644
Maine	5.64	(4.68 - 6.79)	5.69	(4.86 - 6.65)	0.918
Aroostook/Downeast	5.34	(4.02 - 7.07)	5.55	(4.39 - 6.99)	0.729
Aroostook	5.14	(3.59 - 7.32)	5.54	(4.21 - 7.27)	0.571
Downeast	5.51	(3.89 - 7.75)	5.55	(4.16 - 7.39)	0.948
Central	5.50	(4.01 - 7.51)	5.27	(4.07 - 6.80)	0.715
Cumberland	6.44	(4.83 - 8.53)	6.34	(5.06 - 7.91)	0.892
Midcoast	5.37	(3.80 - 7.54)	5.21	(3.98 - 6.79)	0.810
Penquis	5.93	(4.45 - 7.86)	6.01	(4.70 - 7.66)	0.907
Western	5.14	(3.78 - 6.96)	5.54	(4.30 - 7.12)	0.529
York	5.32	(3.90 - 7.22)	5.44	(4.24 - 6.94)	0.853

See notes at end of table. (continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	5.29[a]	(4.39 - 6.36)	6.43	(5.53 - 7.47)	0.011
Anne Arundel	5.66	(4.15 - 7.66)	6.67	(5.23 - 8.48)	0.161
Baltimore City	5.55[a]	(4.10 - 7.46)	7.16	(5.64 - 9.05)	0.036
Baltimore County	5.79	(4.30 - 7.74)	6.87	(5.35 - 8.77)	0.121
Montgomery	4.94	(3.58 - 6.78)	5.92	(4.61 - 7.57)	0.130
North Central	5.29	(3.77 - 7.39)	6.01	(4.66 - 7.73)	0.289
Northeast	5.03	(3.62 - 6.95)	6.06	(4.69 - 7.81)	0.116
Prince George's	5.02[a]	(3.63 - 6.90)	6.62	(5.18 - 8.42)	0.026
South	5.05	(3.63 - 6.98)	5.88	(4.55 - 7.57)	0.249
West	5.42[b]	(3.97 - 7.36)	6.60	(5.14 - 8.43)	0.095
Massachusetts	8.09[a]	(6.94 - 9.41)	6.55	(5.68 - 7.54)	0.001
Boston	10.64[a]	(8.29 - 13.55)	8.36	(6.71 - 10.36)	0.014
Central	7.63	(5.65 - 10.21)	6.50	(5.10 - 8.25)	0.168
Metrowest	8.71[a]	(6.78 - 11.13)	6.70	(5.34 - 8.37)	0.011
Northeast	7.65	(5.83 - 9.98)	6.42	(5.13 - 8.01)	0.119
Southeast	6.98[b]	(5.36 - 9.04)	5.76	(4.53 - 7.29)	0.074
Western	7.36[b]	(5.57 - 9.68)	5.99	(4.67 - 7.64)	0.060
Michigan[1]	6.72	(6.12 - 7.37)	6.27	(5.72 - 6.87)	0.136
Region 1	8.29	(6.35 - 10.74)	7.03	(5.53 - 8.89)	0.126
Region 2	--	(-- - --)	5.87	(4.63 - 7.42)	--
Region 3	--	(-- - --)	6.72	(5.63 - 8.00)	--
Region 4	--	(-- - --)	5.90	(4.87 - 7.13)	--
Region 5	--	(-- - --)	6.82	(5.76 - 8.07)	--
Region 6	--	(-- - --)	6.07	(4.99 - 7.35)	--
Region 7	--	(-- - --)	6.05	(5.02 - 7.26)	--
Region 8	6.55	(5.27 - 8.11)	6.08	(5.04 - 7.31)	0.418
Region 9	7.48[a]	(5.96 - 9.34)	6.07	(4.93 - 7.45)	0.033
Region 10	--	(-- - --)	5.97	(4.89 - 7.28)	--
Minnesota	6.87	(5.80 - 8.13)	6.16	(5.31 - 7.15)	0.124
Regions 1 and 2	6.37	(4.53 - 8.88)	5.98	(4.61 - 7.72)	0.603
Regions 3 and 4	7.31	(5.55 - 9.58)	6.20	(4.86 - 7.88)	0.119
Regions 5 and 6	6.97	(5.26 - 9.17)	6.32	(5.03 - 7.91)	0.362
Region 7A (Hennepin)	7.37	(5.67 - 9.51)	6.51	(5.19 - 8.13)	0.265
Region 7B (Ramsey)	7.02	(5.13 - 9.54)	6.38	(4.96 - 8.17)	0.393
Region 7C	6.11	(4.70 - 7.92)	5.65	(4.52 - 7.04)	0.456
Mississippi	5.46	(4.57 - 6.51)	5.82	(5.02 - 6.75)	0.365
Region 1	5.36	(4.06 - 7.06)	5.71	(4.58 - 7.08)	0.567
Region 2	5.55	(4.02 - 7.63)	5.56	(4.30 - 7.16)	0.996
Region 3	5.89	(4.42 - 7.81)	6.35	(5.03 - 7.99)	0.507
Region 4	4.93	(3.68 - 6.58)	5.68	(4.49 - 7.18)	0.214
Region 5	5.30	(3.71 - 7.52)	5.63	(4.31 - 7.33)	0.634
Region 6	5.70	(4.25 - 7.62)	6.04	(4.72 - 7.71)	0.620
Region 7	5.63	(4.18 - 7.54)	5.84	(4.54 - 7.47)	0.754

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	5.57[b]	(4.64 - 6.67)	6.33	(5.40 - 7.41)	0.092
Central	5.76	(4.28 - 7.71)	6.40	(5.00 - 8.14)	0.361
Eastern	5.90	(4.69 - 7.40)	6.42	(5.29 - 7.77)	0.344
Eastern (St. Louis City and County)	5.79	(4.40 - 7.58)	6.29	(4.95 - 7.97)	0.443
Eastern (excluding St. Louis)	6.09	(4.48 - 8.24)	6.64	(5.20 - 8.44)	0.475
Northwest	5.59[b]	(4.38 - 7.12)	6.78	(5.51 - 8.32)	0.056
Northwest (Jackson)	5.93	(4.40 - 7.95)	6.87	(5.33 - 8.80)	0.223
Northwest (excluding Jackson)	5.31[b]	(3.86 - 7.25)	6.71	(5.21 - 8.61)	0.064
Southeast	5.02	(3.62 - 6.91)	6.01	(4.60 - 7.82)	0.148
Southwest	5.05	(3.67 - 6.91)	5.61	(4.30 - 7.30)	0.375
Montana	7.92	(6.80 - 9.22)	7.21	(6.25 - 8.30)	0.198
Region 1	7.26	(5.29 - 9.90)	7.35	(5.59 - 9.60)	0.926
Region 2	7.64	(5.70 - 10.17)	7.32	(5.83 - 9.15)	0.704
Region 3	7.28	(5.62 - 9.39)	6.98	(5.63 - 8.62)	0.706
Region 4	8.74	(6.97 - 10.90)	7.61	(6.12 - 9.42)	0.192
Region 5	7.95	(6.32 - 9.95)	6.93	(5.63 - 8.51)	0.181
Nebraska	6.59	(5.56 - 7.78)	7.42	(6.43 - 8.54)	0.112
Regions 1 and 2	6.38	(4.82 - 8.39)	6.86	(5.57 - 8.42)	0.461
Region 1	6.67	(4.68 - 9.44)	6.68	(5.09 - 8.71)	0.993
Region 2	6.12	(4.34 - 8.57)	7.02	(5.41 - 9.06)	0.256
Region 3	6.67	(4.99 - 8.87)	7.20	(5.65 - 9.12)	0.506
Region 4	6.29	(4.55 - 8.64)	6.81	(5.24 - 8.80)	0.512
Region 5	7.13	(5.61 - 9.02)	7.96	(6.48 - 9.74)	0.302
Region 6	6.37	(5.07 - 7.97)	7.46	(6.16 - 9.00)	0.126
Nevada	9.06[a]	(7.61 - 10.77)	7.13	(6.07 - 8.35)	0.002
Clark – Region 1	8.44[b]	(6.85 - 10.37)	6.99	(5.80 - 8.41)	0.051
Region 3	9.47[a]	(7.16 - 12.44)	7.27	(5.84 - 9.02)	0.007
Capital District	9.53[a]	(6.72 - 13.34)	7.22	(5.50 - 9.44)	0.023
Rural/Frontier	9.43[a]	(6.66 - 13.18)	7.31	(5.58 - 9.52)	0.034
Washoe – Region 2	11.57[a]	(8.96 - 14.82)	7.61	(6.11 - 9.45)	0.000
New Hampshire	6.51[b]	(5.51 - 7.66)	7.36	(6.38 - 8.47)	0.086
Central	6.87	(5.50 - 8.54)	7.25	(6.08 - 8.63)	0.529
Central 1	7.52	(5.77 - 9.74)	7.55	(6.10 - 9.32)	0.961
Central 2	6.24	(4.62 - 8.39)	6.96	(5.52 - 8.74)	0.362
Northern	7.06	(5.29 - 9.37)	7.96	(6.27 - 10.05)	0.298
Southern	6.20[b]	(5.10 - 7.53)	7.28	(6.16 - 8.58)	0.065
Southern 1 (Rockingham)	6.13	(4.63 - 8.08)	6.45	(5.14 - 8.07)	0.665
Southern 2	6.25[a]	(4.95 - 7.86)	7.79	(6.41 - 9.45)	0.033

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	6.05	(5.04 - 7.25)	6.08	(5.24 - 7.06)	0.939
Central	6.09	(4.57 - 8.07)	5.61	(4.42 - 7.09)	0.486
Metropolitan	6.05	(4.59 - 7.94)	5.86	(4.69 - 7.30)	0.792
Northern	6.20	(4.77 - 8.01)	6.28	(5.06 - 7.77)	0.899
Southern	5.77	(4.33 - 7.67)	6.56	(5.23 - 8.19)	0.296
New Mexico	6.99	(5.85 - 8.32)	6.85	(5.87 - 7.97)	0.785
Region 1	5.70	(4.31 - 7.50)	6.12	(4.82 - 7.73)	0.549
Region 2	6.90	(4.97 - 9.51)	6.68	(5.10 - 8.70)	0.797
Region 3 (Bernalillo)	7.92	(6.16 - 10.13)	7.51	(6.04 - 9.30)	0.626
Region 4	6.42	(4.77 - 8.61)	6.41	(5.05 - 8.11)	0.983
Region 5	7.22	(5.47 - 9.47)	6.93	(5.48 - 8.73)	0.709
New York	6.53	(5.92 - 7.20)	6.19	(5.63 - 6.80)	0.258
Region A	6.54	(5.72 - 7.46)	6.49	(5.76 - 7.32)	0.918
Region 1	5.69	(4.40 - 7.34)	5.74	(4.59 - 7.16)	0.936
Region 2	6.71	(5.42 - 8.27)	6.36	(5.30 - 7.61)	0.567
Region 3	7.99	(6.24 - 10.17)	8.50	(6.97 - 10.32)	0.577
Region 4	5.73	(4.49 - 7.28)	5.63	(4.59 - 6.90)	0.866
Region B	6.04	(5.19 - 7.01)	5.70	(4.97 - 6.53)	0.399
Region 5	5.68	(4.63 - 6.96)	5.37	(4.46 - 6.46)	0.550
Region 6	6.27	(4.82 - 8.12)	6.16	(4.92 - 7.69)	0.870
Region 7	6.85	(5.28 - 8.85)	6.08	(4.86 - 7.57)	0.233
Region C	7.11[a]	(6.24 - 8.10)	6.13	(5.43 - 6.91)	0.012
Region 8	7.16[b]	(5.60 - 9.11)	5.95	(4.81 - 7.35)	0.064
Region 9	6.22	(4.84 - 7.97)	6.15	(4.99 - 7.55)	0.904
Region 10	6.82	(5.16 - 8.97)	6.74	(5.37 - 8.43)	0.913
Region 11	8.14[a]	(6.37 - 10.34)	6.50	(5.32 - 7.91)	0.020
Region 12	6.99[a]	(5.46 - 8.90)	5.68	(4.58 - 7.03)	0.045
Region D	6.33	(5.24 - 7.63)	6.33	(5.46 - 7.32)	0.996
Region 13	5.91	(4.41 - 7.88)	6.21	(4.96 - 7.75)	0.661
Region 14	7.14	(5.33 - 9.51)	6.51	(5.16 - 8.18)	0.410
Region 15	5.91	(4.39 - 7.90)	6.25	(5.01 - 7.79)	0.614

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	4.83[b]	(3.97 - 5.87)	5.57	(4.74 - 6.53)	0.076
Alliance Behavioral Healthcare 1	--	(-- - --)	5.43	(4.22 - 6.96)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	5.78	(4.48 - 7.43)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	5.17	(3.94 - 6.77)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	5.57	(4.29 - 7.20)	--
Cardinal Innovations Healthcare Solutions 3	5.33	(3.79 - 7.45)	6.12	(4.71 - 7.93)	0.260
CenterPoint Human Services	4.48	(3.12 - 6.38)	5.16	(3.93 - 6.73)	0.290
Eastpointe	4.05	(2.83 - 5.75)	4.90	(3.72 - 6.44)	0.172
Partners Behavioral Health Management	4.62	(3.27 - 6.50)	5.40	(4.16 - 6.97)	0.234
Sandhills Center 1	4.35	(3.00 - 6.27)	5.11	(3.82 - 6.80)	0.239
Sandhills Center 2	4.88	(3.44 - 6.89)	5.52	(4.27 - 7.11)	0.340
Smoky Mountain Center 1	5.26	(3.67 - 7.47)	6.02	(4.57 - 7.89)	0.294
Smoky Mountain Center 2	4.94	(3.48 - 6.96)	5.60	(4.28 - 7.30)	0.328
Trillium Health Resources 1	4.97	(3.48 - 7.06)	5.87	(4.49 - 7.64)	0.214
Trillium Health Resources 2	5.38	(3.82 - 7.52)	6.23	(4.83 - 8.01)	0.236
North Dakota	7.89	(6.80 - 9.13)	7.30	(6.39 - 8.32)	0.236
Badlands and West Central	7.06	(5.45 - 9.09)	6.85	(5.54 - 8.44)	0.780
Lake Region	--	(-- - --)	6.34	(4.94 - 8.11)	--
North Central	--	(-- - --)	7.33	(5.87 - 9.12)	--
Northeast	9.95[a]	(7.89 - 12.48)	8.21	(6.65 - 10.10)	0.046
Northwest	--	(-- - --)	7.01	(5.49 - 8.90)	--
South Central	--	(-- - --)	6.30	(4.91 - 8.04)	--
Southeast	7.81	(6.26 - 9.69)	7.83	(6.43 - 9.50)	0.978

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	6.51	(5.92 - 7.15)	6.30	(5.73 - 6.92)	0.496
Boards 2, 46, 55, and 68	5.58	(4.26 - 7.28)	6.22	(4.98 - 7.75)	0.302
Boards 3, 52, and 85	6.15	(4.63 - 8.11)	5.47	(4.34 - 6.87)	0.306
Boards 4 and 78	6.25	(4.60 - 8.44)	6.08	(4.77 - 7.71)	0.801
Boards 5 and 60	6.98	(5.30 - 9.14)	6.71	(5.40 - 8.31)	0.694
Boards 7, 15, 41, 79, and 84	5.61	(4.27 - 7.33)	5.95	(4.73 - 7.44)	0.597
Boards 8, 13, and 83	5.28	(4.06 - 6.84)	5.54	(4.43 - 6.91)	0.655
Board 9 (Butler)	6.81	(5.28 - 8.74)	5.92	(4.71 - 7.42)	0.158
Board 12	6.74	(5.09 - 8.86)	6.48	(5.13 - 8.16)	0.727
Boards 18 and 47	6.81	(5.56 - 8.33)	6.54	(5.42 - 7.88)	0.682
Boards 20, 32, 54, and 69	5.73	(4.30 - 7.60)	5.99	(4.75 - 7.52)	0.692
Boards 21, 39, 51, 70, and 80	6.07	(4.65 - 7.89)	5.88	(4.68 - 7.35)	0.761
Boards 22, 74, and 87	6.26	(4.82 - 8.11)	5.93	(4.69 - 7.47)	0.604
Boards 23 and 45	5.64	(4.21 - 7.50)	5.73	(4.58 - 7.14)	0.893
Board 25 (Franklin)	8.37[b]	(6.84 - 10.20)	7.17	(5.97 - 8.58)	0.087
Boards 27, 71, and 73	5.81	(4.39 - 7.66)	5.91	(4.76 - 7.33)	0.886
Boards 28, 43, and 67	6.84	(5.31 - 8.78)	6.75	(5.46 - 8.32)	0.900
Board 31 (Hamilton)	5.89	(4.60 - 7.51)	6.39	(5.19 - 7.84)	0.447
Board 48 (Lucas)	7.29	(5.51 - 9.59)	6.78	(5.40 - 8.47)	0.502
Boards 50 and 76	6.02	(4.67 - 7.73)	6.03	(4.86 - 7.47)	0.986
Board 57 (Montgomery)	6.05	(4.62 - 7.88)	6.18	(4.96 - 7.66)	0.852
Board 77 (Summit)	7.52	(5.80 - 9.69)	6.43	(5.15 - 8.01)	0.166
Oklahoma	7.62[a]	(6.41 - 9.03)	6.59	(5.64 - 7.68)	0.031
Central	8.04	(5.89 - 10.87)	7.11	(5.63 - 8.95)	0.271
East Central	7.09[b]	(5.08 - 9.82)	5.79	(4.47 - 7.48)	0.088
Northeast	6.42	(4.81 - 8.52)	6.47	(5.10 - 8.17)	0.946
Northwest and Southwest	9.16[a]	(6.74 - 12.33)	7.03	(5.40 - 9.10)	0.015
Oklahoma County	7.21	(5.40 - 9.55)	6.58	(5.18 - 8.33)	0.422
Southeast	7.76[a]	(5.73 - 10.44)	6.15	(4.73 - 7.97)	0.041
Tulsa County	7.61	(5.69 - 10.11)	6.85	(5.41 - 8.64)	0.346
Oregon	7.19	(6.07 - 8.50)	6.58	(5.67 - 7.63)	0.228
Region 1 (Multnomah)	8.99[a]	(6.91 - 11.63)	7.16	(5.68 - 9.00)	0.045
Region 2	6.17	(4.65 - 8.15)	6.01	(4.79 - 7.53)	0.826
Region 3	7.49	(5.91 - 9.46)	6.87	(5.59 - 8.42)	0.377
Region 4	6.08	(4.40 - 8.34)	6.10	(4.75 - 7.81)	0.979
Region 5 (Central)	7.46	(5.33 - 10.36)	6.85	(5.22 - 8.95)	0.508
Region 6 (Eastern)	6.21	(4.34 - 8.80)	6.31	(4.82 - 8.20)	0.898

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	6.28	(5.68 - 6.95)	6.17	(5.59 - 6.81)	0.718
Region 1 (Allegheny)	6.93	(5.57 - 8.58)	7.12	(5.91 - 8.54)	0.791
Regions 3, 8, 9, and 51	6.49	(4.96 - 8.46)	6.81	(5.46 - 8.47)	0.654
Regions 4, 11, 37, and 49	5.65	(4.38 - 7.25)	5.57	(4.49 - 6.90)	0.902
Regions 5, 18, 23, 24, and 46	4.75	(3.57 - 6.28)	4.98	(3.92 - 6.31)	0.687
Regions 6, 12, 16, 31, 35, 45, and 47	6.03	(4.73 - 7.64)	6.42	(5.23 - 7.86)	0.515
Regions 7, 13, 20, and 33	6.47	(5.32 - 7.84)	6.16	(5.15 - 7.35)	0.601
Regions 10, 15, 27, 32, 43, and 44	6.04	(4.58 - 7.93)	5.68	(4.47 - 7.18)	0.604
Regions 17 and 21	6.67	(5.06 - 8.76)	6.57	(5.26 - 8.18)	0.888
Regions 19, 26, 28, and 42	5.13	(4.03 - 6.51)	5.55	(4.57 - 6.71)	0.463
Regions 22, 38, 40, 41, and 48	5.34	(4.11 - 6.91)	5.41	(4.29 - 6.81)	0.909
Regions 29 and 34	5.69	(4.31 - 7.47)	5.67	(4.51 - 7.12)	0.985
Regions 30 and 50	5.83	(4.47 - 7.58)	6.50	(5.25 - 8.02)	0.336
Region 36 (Philadelphia)	8.70[a]	(7.00 - 10.78)	7.11	(5.85 - 8.60)	0.032
Rhode Island	8.76[a]	(7.41 - 10.34)	7.41	(6.39 - 8.57)	0.020
Bristol and Newport	9.74	(7.27 - 12.94)	8.69	(6.86 - 10.95)	0.267
Kent	9.22[a]	(6.89 - 12.24)	7.22	(5.69 - 9.12)	0.036
Providence	8.32	(6.79 - 10.17)	7.19	(5.97 - 8.64)	0.115
Washington	9.25[a]	(7.02 - 12.10)	7.37	(5.83 - 9.29)	0.030
South Carolina	6.16	(5.15 - 7.36)	5.87	(5.02 - 6.85)	0.496
Region 1	--	(-- - --)	5.93	(4.75 - 7.40)	--
Region 2	--	(-- - --)	5.60	(4.45 - 7.02)	--
Region 3	7.40[a]	(5.40 - 10.05)	5.62	(4.36 - 7.22)	0.022
Region 4	6.28	(4.80 - 8.18)	6.19	(4.96 - 7.69)	0.885
South Dakota	7.92	(6.74 - 9.28)	7.10	(6.17 - 8.15)	0.136
Region 1	8.09	(6.20 - 10.48)	7.12	(5.74 - 8.80)	0.243
Region 2	8.92	(6.44 - 12.22)	7.35	(5.65 - 9.49)	0.117
Region 3	7.52	(5.77 - 9.74)	7.02	(5.66 - 8.67)	0.538
Region 4	8.01	(6.01 - 10.59)	7.14	(5.63 - 9.00)	0.335
Region 5	7.74	(6.09 - 9.78)	7.04	(5.75 - 8.60)	0.384
Tennessee	5.73	(4.75 - 6.91)	5.34	(4.54 - 6.27)	0.347
Region 1	5.33	(3.82 - 7.38)	5.23	(4.01 - 6.79)	0.880
Region 2	5.47	(4.05 - 7.34)	5.29	(4.14 - 6.73)	0.765
Region 3	5.30	(3.88 - 7.20)	5.16	(4.00 - 6.63)	0.826
Region 4 (Davidson)	6.99	(5.06 - 9.59)	6.41	(5.00 - 8.20)	0.448
Region 5	6.24	(4.68 - 8.27)	5.38	(4.28 - 6.74)	0.184
Region 6	5.34	(3.80 - 7.46)	4.78	(3.65 - 6.25)	0.378
Region 7 (Shelby)	5.31	(3.84 - 7.30)	5.23	(4.03 - 6.76)	0.908

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	6.43	(5.83 - 7.08)	6.40	(5.87 - 6.98)	0.942
Region 1	7.25	(5.60 - 9.34)	6.99	(5.70 - 8.55)	0.726
Region 2	6.59	(4.90 - 8.81)	6.38	(5.06 - 8.00)	0.765
Region 3	6.02	(5.19 - 6.98)	6.37	(5.62 - 7.20)	0.442
Region 3a	5.71	(4.71 - 6.91)	6.25	(5.34 - 7.30)	0.330
Region 3bc	6.56	(5.36 - 8.01)	6.57	(5.56 - 7.76)	0.976
Region 4	5.60	(4.20 - 7.43)	5.96	(4.80 - 7.38)	0.576
Region 5	6.16	(4.66 - 8.10)	6.43	(5.09 - 8.09)	0.690
Region 6	6.09	(5.12 - 7.21)	6.34	(5.46 - 7.34)	0.621
Region 6a	5.99	(4.97 - 7.21)	6.35	(5.41 - 7.43)	0.513
Region 6bc	6.90	(5.16 - 9.18)	6.24	(4.95 - 7.84)	0.353
Region 7	8.01	(6.76 - 9.47)	7.44	(6.46 - 8.55)	0.292
Region 7a	8.59	(6.91 - 10.62)	7.93	(6.62 - 9.48)	0.381
Region 7bcd	7.05	(5.60 - 8.84)	6.59	(5.38 - 8.05)	0.473
Region 8	6.76	(5.38 - 8.45)	6.04	(4.95 - 7.36)	0.272
Region 9	7.31	(5.55 - 9.58)	6.82	(5.44 - 8.50)	0.505
Region 10	6.96	(5.30 - 9.11)	6.38	(5.14 - 7.89)	0.409
Region 11	5.71	(4.74 - 6.87)	5.53	(4.62 - 6.61)	0.689
Region 11abd	5.81	(4.58 - 7.35)	5.57	(4.45 - 6.94)	0.676
Region 11c (Hidalgo)	5.53	(4.23 - 7.20)	5.46	(4.34 - 6.84)	0.908
Utah	4.27[a]	(3.50 - 5.20)	5.16	(4.39 - 6.07)	0.021
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.95[a]	(2.89 - 5.39)	5.24	(4.07 - 6.72)	0.017
Central, Four Corners, San Juan, and Southwest	4.13	(2.92 - 5.82)	5.01	(3.85 - 6.49)	0.122
Davis County	4.11	(2.99 - 5.63)	4.75	(3.68 - 6.11)	0.207
Salt Lake County	4.63	(3.58 - 5.97)	5.34	(4.32 - 6.57)	0.194
Utah County	4.06[a]	(3.01 - 5.46)	5.05	(3.95 - 6.43)	0.048
Weber, Morgan	3.96[a]	(2.81 - 5.55)	5.29	(4.05 - 6.87)	0.020
Vermont	6.39	(5.37 - 7.57)	6.49	(5.61 - 7.50)	0.835
Champlain Valley	6.73	(5.43 - 8.32)	6.55	(5.45 - 7.85)	0.777
Rural Northeast	6.81	(5.13 - 9.00)	6.78	(5.38 - 8.50)	0.961
Rural Southeast	6.04	(4.54 - 7.99)	6.34	(4.99 - 8.02)	0.683
Rural Southwest	5.34	(3.95 - 7.20)	6.12	(4.82 - 7.74)	0.275
Virginia	6.15	(5.17 - 7.29)	6.61	(5.75 - 7.59)	0.332
Region 1	7.30	(5.67 - 9.36)	6.59	(5.28 - 8.20)	0.319
Region 2	5.71	(4.34 - 7.49)	6.32	(5.08 - 7.85)	0.399
Region 3	7.19	(5.44 - 9.45)	6.93	(5.55 - 8.62)	0.739
Region 4	5.02[a]	(3.71 - 6.76)	6.72	(5.37 - 8.38)	0.011
Region 5	5.95	(4.50 - 7.82)	6.66	(5.41 - 8.16)	0.338

See notes at end of table.

(continued)

Table 22 ***Needing But Not Receiving Treatment for Alcohol Use in the Past Year*** **among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	7.09	(6.02 - 8.34)	6.45	(5.62 - 7.40)	0.163
Region 1	6.90	(5.44 - 8.72)	6.33	(5.23 - 7.65)	0.317
Greater Columbia and North Central	--	(-- - --)	6.34	(5.04 - 7.94)	--
Spokane	--	(-- - --)	6.32	(4.93 - 8.07)	--
Region 2	7.29	(5.99 - 8.86)	6.65	(5.61 - 7.86)	0.263
King	7.15	(5.59 - 9.11)	6.65	(5.39 - 8.17)	0.482
North Sound	7.54	(5.78 - 9.78)	6.64	(5.31 - 8.28)	0.243
Region 3	6.94	(5.59 - 8.59)	6.26	(5.31 - 7.37)	0.218
Peninsula	--	(-- - --)	6.43	(4.96 - 8.30)	--
Pierce	--	(-- - --)	6.48	(5.15 - 8.14)	--
SW WA and Timberlands	--	(-- - --)	5.97	(4.70 - 7.54)	--
Thurston-Mason	--	(-- - --)	6.14	(4.80 - 7.82)	--
West Virginia	5.26	(4.40 - 6.29)	5.87	(5.05 - 6.81)	0.161
Region I	5.17	(3.60 - 7.38)	6.38	(4.87 - 8.31)	0.134
Region II	5.25[b]	(3.82 - 7.17)	6.40	(5.00 - 8.16)	0.100
Region III	4.48[b]	(3.20 - 6.24)	5.70	(4.36 - 7.41)	0.060
Region IV	7.25	(5.71 - 9.17)	6.42	(5.17 - 7.94)	0.249
Region V	4.50[b]	(3.43 - 5.88)	5.54	(4.39 - 6.97)	0.087
Region VI	4.53	(3.25 - 6.29)	5.17	(4.06 - 6.57)	0.290
Wisconsin	7.05	(5.89 - 8.43)	7.45	(6.40 - 8.66)	0.460
Milwaukee	7.02	(5.15 - 9.49)	7.91	(6.26 - 9.96)	0.300
Northeastern	7.14	(5.51 - 9.20)	6.98	(5.53 - 8.78)	0.841
Northern	6.68	(4.72 - 9.37)	7.16	(5.56 - 9.17)	0.599
Southeastern	7.32	(5.37 - 9.91)	7.15	(5.60 - 9.09)	0.839
Southern	7.50	(5.59 - 9.99)	7.79	(6.21 - 9.73)	0.749
Western	6.16[b]	(4.51 - 8.37)	7.80	(6.19 - 9.79)	0.056

See notes at end of table.

(continued)

Table 22 *Needing But Not Receiving Treatment for Alcohol Use in the Past Year* among Individuals Aged 12 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	7.09	(6.03 - 8.33)	7.31	(6.35 - 8.40)	0.669
Judicial District 1 (Laramie)	6.52	(4.91 - 8.60)	7.24	(5.78 - 9.04)	0.350
Judicial District 2	9.96	(7.90 - 12.47)	9.76	(7.89 - 12.01)	0.830
Judicial District 3	5.46	(4.06 - 7.32)	6.62	(5.26 - 8.30)	0.132
Judicial District 4	6.66	(4.81 - 9.16)	6.97	(5.38 - 8.98)	0.724
Judicial District 5	7.82[b]	(5.58 - 10.85)	6.32	(4.84 - 8.20)	0.070
Judicial District 6	6.55	(4.89 - 8.71)	7.18	(5.61 - 9.14)	0.435
Judicial District 7 (Natrona)	7.39	(5.58 - 9.74)	7.38	(5.80 - 9.36)	0.993
Judicial District 8	6.91	(5.02 - 9.43)	7.11	(5.54 - 9.09)	0.814
Judicial District 9	7.41	(5.35 - 10.18)	7.37	(5.79 - 9.34)	0.966

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], or mental health centers).

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	3.99	(3.83 - 4.16)	4.13	(3.97 - 4.29)	0.168
Northeast	3.69	(3.40 - 4.00)	3.86	(3.55 - 4.20)	0.262
Midwest	4.18	(3.92 - 4.46)	4.32	(4.03 - 4.62)	0.390
South	3.92[b]	(3.66 - 4.20)	4.16	(3.90 - 4.45)	0.093
West	4.16	(3.82 - 4.52)	4.09	(3.76 - 4.45)	0.734
Alabama	4.99	(4.04 - 6.16)	4.21	(3.41 - 5.18)	0.118
Region 1	5.38	(3.91 - 7.36)	4.28	(3.16 - 5.78)	0.141
Region 2	5.01	(3.67 - 6.80)	4.26	(3.20 - 5.66)	0.281
Region 3	4.29	(3.03 - 6.03)	3.95	(2.93 - 5.30)	0.578
Region 4	5.04	(3.63 - 6.96)	4.24	(3.11 - 5.76)	0.270
Alaska	4.32	(3.48 - 5.35)	4.18	(3.44 - 5.09)	0.757
Anchorage	4.56	(3.42 - 6.05)	4.35	(3.36 - 5.62)	0.734
Northern	4.17	(3.00 - 5.79)	4.14	(3.15 - 5.41)	0.949
South Central	4.22	(3.00 - 5.91)	4.02	(3.04 - 5.29)	0.715
Southeast	3.95	(2.73 - 5.70)	4.04	(2.97 - 5.47)	0.888
Arizona	5.16[b]	(4.13 - 6.44)	4.25	(3.46 - 5.21)	0.059
Maricopa	5.31[a]	(4.01 - 7.01)	4.08	(3.20 - 5.19)	0.035
Pima	5.16	(3.63 - 7.29)	4.31	(3.20 - 5.79)	0.211
Rural North	4.83	(3.30 - 7.01)	4.70	(3.37 - 6.51)	0.871
Rural South	4.80	(3.29 - 6.94)	4.54	(3.35 - 6.14)	0.721
Arkansas	5.20	(4.20 - 6.41)	5.20	(4.28 - 6.30)	1.000
Catchment Area 1	4.64	(3.30 - 6.49)	4.98	(3.73 - 6.62)	0.632
Catchment Area 2	5.48	(3.77 - 7.92)	6.16	(4.52 - 8.34)	0.486
Catchment Area 3	4.93	(3.39 - 7.11)	5.12	(3.82 - 6.83)	0.803
Catchment Area 4	5.23	(3.62 - 7.49)	5.24	(3.86 - 7.08)	0.988
Catchment Area 5	5.78	(4.09 - 8.12)	5.16	(3.81 - 6.95)	0.456
Catchment Area 6	4.79	(3.27 - 6.98)	5.06	(3.65 - 6.98)	0.741
Catchment Area 7	5.29	(3.65 - 7.63)	5.44	(3.92 - 7.51)	0.865
Catchment Area 8	5.30	(3.76 - 7.42)	4.78	(3.54 - 6.42)	0.495

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	3.53	(3.06 - 4.07)	3.79	(3.31 - 4.32)	0.310
Region 1R	4.23	(2.99 - 5.94)	4.65	(3.53 - 6.09)	0.511
Region 2R	3.99	(2.82 - 5.62)	4.11	(3.15 - 5.36)	0.824
Region 3R (Sacramento)	4.23	(3.02 - 5.89)	4.08	(3.14 - 5.29)	0.799
Region 4R	3.58	(2.57 - 4.97)	3.52	(2.69 - 4.58)	0.891
Region 5R (San Francisco)	3.76	(2.63 - 5.34)	3.90	(2.98 - 5.10)	0.796
Region 6 (Santa Clara)	2.85	(2.02 - 3.99)	3.15	(2.38 - 4.15)	0.483
Region 7R (Contra Costa)	3.27	(2.34 - 4.54)	3.54	(2.68 - 4.68)	0.556
Region 8R (Alameda)	3.28	(2.35 - 4.57)	3.45	(2.66 - 4.46)	0.723
Region 9R (San Mateo)	2.81	(1.94 - 4.04)	3.12	(2.36 - 4.12)	0.475
Region 10	3.43	(2.47 - 4.76)	3.56	(2.73 - 4.63)	0.783
Region 11 (Los Angeles)	3.49	(2.92 - 4.18)	3.80	(3.23 - 4.46)	0.308
LA SPA 1 and 5	3.53	(2.51 - 4.95)	3.63	(2.81 - 4.68)	0.839
LA SPA 2	3.66	(2.62 - 5.09)	3.69	(2.85 - 4.77)	0.948
LA SPA 3	3.23	(2.31 - 4.50)	3.55	(2.68 - 4.69)	0.499
LA SPA 4	3.81	(2.67 - 5.40)	4.40	(3.34 - 5.78)	0.336
LA SPA 6	3.49	(2.45 - 4.95)	4.02	(3.03 - 5.31)	0.326
LA SPA 7	3.41	(2.44 - 4.74)	3.82	(2.88 - 5.06)	0.383
LA SPA 8	3.36	(2.40 - 4.69)	3.75	(2.86 - 4.90)	0.452
Region 12R	3.77	(2.68 - 5.26)	3.94	(3.01 - 5.16)	0.722
Regions 13 and 19R	3.83	(2.86 - 5.11)	3.69	(2.85 - 4.75)	0.752
Region 14 (Orange)	2.89	(2.10 - 3.97)	3.32	(2.59 - 4.26)	0.279
Region 15R (Fresno)	3.88	(2.77 - 5.42)	4.27	(3.28 - 5.54)	0.505
Region 16R (San Diego)	3.53	(2.61 - 4.77)	4.11	(3.22 - 5.23)	0.242
Region 17R	3.76	(2.72 - 5.18)	4.26	(3.28 - 5.51)	0.350
Region 18R (San Bernardino)	3.77	(2.73 - 5.16)	3.98	(3.07 - 5.14)	0.679
Region 20R	3.79	(2.66 - 5.39)	4.08	(3.10 - 5.36)	0.596
Region 21R	3.79	(2.71 - 5.26)	3.83	(2.96 - 4.96)	0.924
Colorado	4.36	(3.48 - 5.45)	3.90	(3.14 - 4.83)	0.268
Region 1	4.02	(2.82 - 5.69)	3.84	(2.87 - 5.11)	0.741
Regions 2 and 7	4.35	(3.24 - 5.81)	3.81	(2.91 - 4.96)	0.312
Region 3	4.65	(3.31 - 6.48)	4.07	(3.00 - 5.49)	0.328
Region 4	4.45	(2.99 - 6.57)	4.52	(3.20 - 6.35)	0.921
Regions 5 and 6	4.40	(3.00 - 6.41)	3.90	(2.84 - 5.32)	0.405
Connecticut	3.46	(2.75 - 4.35)	3.43	(2.81 - 4.18)	0.931
Eastern	3.73	(2.69 - 5.16)	4.02	(2.98 - 5.39)	0.601
North Central	3.39	(2.39 - 4.78)	3.42	(2.56 - 4.55)	0.945
Northwestern	3.72	(2.54 - 5.41)	3.46	(2.59 - 4.61)	0.637
South Central	3.60	(2.54 - 5.08)	3.40	(2.58 - 4.48)	0.701
Southwest	2.98	(2.03 - 4.36)	3.07	(2.27 - 4.13)	0.852

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	3.81	(3.05 - 4.77)	3.99	(3.25 - 4.90)	0.655
Kent	4.36	(3.10 - 6.08)	3.87	(2.91 - 5.14)	0.413
New Castle (excluding Wilmington City)	3.44	(2.55 - 4.61)	3.99	(3.09 - 5.14)	0.278
Sussex	4.06	(2.85 - 5.74)	4.07	(3.01 - 5.47)	0.988
Wilmington City	4.34	(2.95 - 6.35)	4.09	(3.01 - 5.54)	0.688
District of Columbia	3.45	(2.77 - 4.29)	3.78	(3.16 - 4.52)	0.342
Ward 1	3.62	(2.56 - 5.10)	3.95	(3.05 - 5.11)	0.543
Ward 2	3.34	(2.39 - 4.66)	4.15	(3.23 - 5.33)	0.109
Ward 3	3.14	(2.19 - 4.48)	3.93	(3.03 - 5.08)	0.145
Ward 4	3.07	(2.09 - 4.51)	3.29	(2.44 - 4.43)	0.661
Ward 5	3.31	(2.31 - 4.73)	3.33	(2.48 - 4.47)	0.967
Ward 6	4.03	(2.79 - 5.79)	4.18	(3.21 - 5.44)	0.807
Ward 7	3.43	(2.31 - 5.07)	3.40	(2.43 - 4.74)	0.962
Ward 8	3.67	(2.47 - 5.41)	3.85	(2.83 - 5.22)	0.768
Florida[1]	3.61	(3.12 - 4.17)	3.86	(3.37 - 4.40)	0.340
Broward (Circuit 17)	3.04	(2.19 - 4.21)	3.43	(2.60 - 4.52)	0.371
Central I	--	(-- - --)	3.95	(3.24 - 4.81)	--
Circuit 9	3.86	(2.85 - 5.23)	3.99	(3.11 - 5.10)	0.807
Circuit 18	3.59	(2.56 - 5.02)	3.91	(2.98 - 5.11)	0.542
Central II	--	(-- - --)	3.96	(3.35 - 4.68)	--
Circuit 6	3.97	(2.80 - 5.61)	4.10	(3.10 - 5.41)	0.826
Circuit 10	4.11	(2.92 - 5.75)	4.18	(3.15 - 5.53)	0.912
Circuit 12	3.60	(2.48 - 5.20)	3.96	(2.94 - 5.30)	0.541
Circuit 13 (Hillsborough)	3.55	(2.61 - 4.81)	3.94	(3.01 - 5.15)	0.443
Circuit 20	3.77	(2.68 - 5.28)	3.70	(2.77 - 4.93)	0.906
Northeast	--	(-- - --)	4.06	(3.40 - 4.83)	--
Circuit 4	3.71	(2.67 - 5.12)	3.75	(2.92 - 4.81)	0.924
Circuit 5	4.10	(2.85 - 5.87)	4.21	(3.13 - 5.65)	0.869
Circuit 7	4.08	(2.91 - 5.69)	4.08	(3.04 - 5.44)	0.993
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	4.32	(3.30 - 5.63)	--
Northwest	--	(-- - --)	4.38	(3.57 - 5.36)	--
Circuit 1	4.62	(3.33 - 6.38)	4.73	(3.51 - 6.35)	0.862
Circuit 2 plus Madison and Taylor	--	(-- - --)	3.83	(2.96 - 4.93)	--
Circuit 14	4.43	(3.08 - 6.34)	4.39	(3.26 - 5.89)	0.952
South (Circuits 11 and 16)	2.81	(2.06 - 3.83)	3.39	(2.58 - 4.44)	0.150
Southeast	--	(-- - --)	3.71	(2.94 - 4.67)	--
Circuit 15 (Palm Beach)	3.09	(2.16 - 4.40)	3.45	(2.57 - 4.61)	0.448
Circuit 19	3.91	(2.73 - 5.56)	4.28	(3.17 - 5.77)	0.506

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	3.43	(2.72 - 4.31)	3.99	(3.27 - 4.86)	0.134
Region 1	3.50	(2.48 - 4.92)	3.98	(2.98 - 5.31)	0.384
Region 2	3.56[b]	(2.50 - 5.06)	4.67	(3.48 - 6.24)	0.071
Region 3	3.00	(2.13 - 4.20)	3.47	(2.63 - 4.56)	0.310
Region 4	3.84	(2.63 - 5.56)	4.40	(3.27 - 5.88)	0.377
Region 5	3.82	(2.61 - 5.57)	4.49	(3.34 - 6.01)	0.300
Region 6	3.57	(2.41 - 5.24)	3.91	(2.86 - 5.31)	0.562
Hawaii	3.39	(2.64 - 4.36)	3.43	(2.74 - 4.29)	0.932
Hawaii Island	3.77	(2.60 - 5.45)	4.13	(3.00 - 5.67)	0.585
Honolulu	3.28	(2.42 - 4.42)	3.20	(2.47 - 4.15)	0.869
Kauai	3.44	(2.28 - 5.15)	3.43	(2.50 - 4.70)	0.994
Maui	3.65	(2.47 - 5.34)	4.01	(2.88 - 5.56)	0.574
Idaho	5.05	(4.08 - 6.25)	4.79	(4.01 - 5.72)	0.599
Region 1	5.01	(3.45 - 7.23)	4.70	(3.52 - 6.26)	0.692
Region 2	5.33	(3.73 - 7.56)	5.34	(3.99 - 7.12)	0.982
Region 3	5.06	(3.54 - 7.19)	5.16	(3.83 - 6.92)	0.903
Region 4	4.88	(3.51 - 6.74)	4.26	(3.27 - 5.52)	0.340
Region 5	4.64	(3.21 - 6.66)	5.36	(3.95 - 7.23)	0.381
Region 6	--	(-- - --)	5.06	(3.78 - 6.75)	--
Region 7	--	(-- - --)	4.69	(3.58 - 6.12)	--
Illinois	3.29	(2.82 - 3.85)	3.42	(2.95 - 3.97)	0.629
Region I (Cook)	3.16	(2.51 - 3.97)	3.20	(2.58 - 3.98)	0.908
Region II	3.29	(2.61 - 4.15)	3.28	(2.65 - 4.04)	0.962
Region III	3.29	(2.43 - 4.42)	3.74	(2.90 - 4.81)	0.342
Region IV	3.54	(2.56 - 4.89)	3.99	(3.06 - 5.18)	0.395
Region V	3.70	(2.74 - 4.97)	4.07	(3.16 - 5.24)	0.458
Indiana	4.62	(3.78 - 5.65)	4.71	(3.91 - 5.67)	0.840
Central	4.46	(3.17 - 6.25)	4.40	(3.36 - 5.74)	0.924
East	5.09	(3.58 - 7.19)	5.05	(3.71 - 6.84)	0.953
North Central	4.57	(3.24 - 6.42)	4.75	(3.56 - 6.30)	0.797
Northeast	4.55	(3.20 - 6.43)	4.65	(3.45 - 6.25)	0.879
Northwest	4.31	(2.97 - 6.20)	4.51	(3.32 - 6.10)	0.754
Southeast	5.05	(3.52 - 7.20)	5.13	(3.74 - 6.98)	0.930
Southwest	4.67	(3.24 - 6.71)	4.96	(3.68 - 6.67)	0.693
West	4.63	(3.30 - 6.47)	4.80	(3.68 - 6.25)	0.798
Iowa	4.38	(3.53 - 5.43)	4.45	(3.71 - 5.34)	0.872
Central	4.11	(2.92 - 5.75)	4.07	(3.04 - 5.41)	0.943
North Central	3.99	(2.77 - 5.72)	4.29	(3.19 - 5.73)	0.640
Northeast	4.46	(3.20 - 6.19)	4.34	(3.33 - 5.65)	0.853
Northwest	4.22	(2.94 - 6.03)	4.28	(3.17 - 5.77)	0.923
Southeast	4.70	(3.36 - 6.54)	5.23	(3.92 - 6.95)	0.491
Southwest	4.67	(3.24 - 6.68)	4.18	(3.10 - 5.63)	0.463

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	4.17	(3.34 - 5.20)	4.12	(3.39 - 5.00)	0.897
Kansas City Metro	3.59	(2.58 - 4.98)	3.74	(2.85 - 4.88)	0.770
Northeast	4.59	(3.26 - 6.44)	4.19	(3.16 - 5.53)	0.505
South Central	4.67	(3.21 - 6.74)	4.27	(3.15 - 5.77)	0.569
Southeast	4.95	(3.39 - 7.17)	4.84	(3.49 - 6.68)	0.893
West	4.43	(3.09 - 6.30)	4.51	(3.30 - 6.15)	0.889
Wichita (Sedgwick)	3.99	(2.77 - 5.72)	4.15	(3.10 - 5.55)	0.796
Kentucky	4.57	(3.69 - 5.65)	4.96	(4.09 - 6.00)	0.402
Adanta, Cumberland River, and Lifeskills	4.86	(3.41 - 6.89)	5.49	(4.12 - 7.28)	0.436
Bluegrass, Comprehend, and North Key	4.12	(2.96 - 5.70)	4.79	(3.62 - 6.32)	0.280
Communicare and River Valley	4.49	(3.10 - 6.46)	4.79	(3.52 - 6.49)	0.692
Four Rivers and Pennyroyal	4.28	(2.96 - 6.16)	5.13	(3.76 - 6.94)	0.255
Kentucky River, Mountain, and Pathways	4.80	(3.29 - 6.95)	5.72	(4.17 - 7.79)	0.279
Seven Counties	5.01	(3.52 - 7.08)	4.40	(3.28 - 5.89)	0.373
Louisiana	3.72	(2.99 - 4.62)	4.27	(3.53 - 5.15)	0.186
Regions 1 and 10	3.53	(2.60 - 4.77)	4.06	(3.17 - 5.20)	0.269
Region 1	3.60	(2.47 - 5.21)	4.08	(2.98 - 5.55)	0.419
Region 10 (Jefferson)	3.46	(2.36 - 5.04)	4.04	(2.99 - 5.45)	0.324
Regions 2 and 9	3.55	(2.56 - 4.89)	4.29	(3.26 - 5.64)	0.205
Region 3	3.58	(2.49 - 5.10)	4.08	(3.05 - 5.44)	0.362
Regions 4, 5, and 6	4.40	(3.18 - 6.08)	4.60	(3.51 - 6.00)	0.775
Regions 7 and 8	3.29	(2.31 - 4.68)	4.09	(3.08 - 5.42)	0.160
Maine	4.35	(3.52 - 5.37)	4.96	(4.08 - 6.03)	0.205
Aroostook/Downeast	4.64	(3.40 - 6.31)	5.47	(4.14 - 7.20)	0.260
Aroostook	5.11	(3.45 - 7.51)	5.66	(4.04 - 7.86)	0.560
Downeast	4.27	(2.86 - 6.31)	5.32	(3.76 - 7.47)	0.217
Central	5.24	(3.62 - 7.53)	5.43	(4.02 - 7.29)	0.831
Cumberland	3.88	(2.73 - 5.50)	4.46	(3.37 - 5.87)	0.385
Midcoast	3.95	(2.65 - 5.84)	4.73	(3.42 - 6.51)	0.303
Penquis	4.37[b]	(3.12 - 6.09)	5.67	(4.21 - 7.60)	0.097
Western	4.66	(3.27 - 6.60)	5.03	(3.69 - 6.84)	0.619
York	3.98	(2.79 - 5.65)	4.37	(3.23 - 5.90)	0.548

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	3.19	(2.53 - 4.02)	3.31	(2.70 - 4.06)	0.704
Anne Arundel	3.28	(2.21 - 4.83)	3.49	(2.55 - 4.74)	0.677
Baltimore City	3.56	(2.47 - 5.11)	3.62	(2.69 - 4.84)	0.908
Baltimore County	3.13	(2.14 - 4.56)	3.38	(2.50 - 4.57)	0.599
Montgomery	2.96	(2.02 - 4.32)	3.10	(2.27 - 4.21)	0.769
North Central	3.09	(2.09 - 4.56)	3.17	(2.34 - 4.29)	0.873
Northeast	3.50	(2.39 - 5.12)	3.49	(2.56 - 4.73)	0.972
Prince George's	2.75	(1.87 - 4.02)	2.82	(2.06 - 3.84)	0.865
South	3.30	(2.27 - 4.77)	3.35	(2.49 - 4.50)	0.917
West	3.64	(2.50 - 5.26)	3.81	(2.83 - 5.11)	0.749
Massachusetts	3.77	(3.05 - 4.65)	4.03	(3.33 - 4.86)	0.508
Boston	3.71	(2.65 - 5.16)	4.26	(3.30 - 5.49)	0.307
Central	3.68	(2.57 - 5.25)	4.07	(3.02 - 5.46)	0.514
Metrowest	3.43	(2.43 - 4.80)	3.69	(2.78 - 4.89)	0.618
Northeast	3.79	(2.66 - 5.37)	3.93	(2.96 - 5.20)	0.803
Southeast	3.63	(2.55 - 5.16)	4.03	(3.03 - 5.34)	0.496
Western	4.72	(3.30 - 6.70)	4.48	(3.37 - 5.95)	0.741
Michigan[1]	4.45	(3.92 - 5.05)	4.53	(3.98 - 5.14)	0.801
Region 1	5.47	(3.96 - 7.51)	5.79	(4.39 - 7.60)	0.691
Region 2	--	(-- - --)	5.24	(3.93 - 6.96)	--
Region 3	--	(-- - --)	4.62	(3.67 - 5.80)	--
Region 4	--	(-- - --)	4.66	(3.62 - 5.99)	--
Region 5	--	(-- - --)	4.67	(3.77 - 5.76)	--
Region 6	--	(-- - --)	4.14	(3.25 - 5.25)	--
Region 7	--	(-- - --)	4.01	(3.17 - 5.05)	--
Region 8	4.23	(3.19 - 5.59)	4.32	(3.35 - 5.55)	0.871
Region 9	4.17	(3.12 - 5.55)	4.44	(3.43 - 5.73)	0.628
Region 10	--	(-- - --)	4.93	(3.84 - 6.33)	--
Minnesota	3.90	(3.16 - 4.79)	4.32	(3.57 - 5.23)	0.271
Regions 1 and 2	4.53	(3.15 - 6.48)	4.83	(3.61 - 6.43)	0.672
Regions 3 and 4	3.94	(2.76 - 5.60)	4.57	(3.42 - 6.09)	0.317
Regions 5 and 6	3.91	(2.78 - 5.47)	4.57	(3.41 - 6.11)	0.295
Region 7A (Hennepin)	3.93	(2.82 - 5.45)	4.14	(3.12 - 5.48)	0.701
Region 7B (Ramsey)	4.44	(3.08 - 6.36)	4.41	(3.27 - 5.93)	0.969
Region 7C	3.28	(2.35 - 4.55)	3.83	(2.90 - 5.04)	0.272
Mississippi	4.56	(3.68 - 5.62)	4.72	(3.86 - 5.75)	0.732
Region 1	4.79	(3.41 - 6.69)	5.26	(3.92 - 7.02)	0.547
Region 2	4.30	(2.91 - 6.30)	4.54	(3.31 - 6.18)	0.745
Region 3	5.04	(3.55 - 7.09)	5.15	(3.79 - 6.97)	0.888
Region 4	3.70	(2.61 - 5.23)	3.84	(2.85 - 5.15)	0.809
Region 5	4.40	(2.96 - 6.50)	4.90	(3.49 - 6.83)	0.522
Region 6	4.82	(3.34 - 6.92)	4.74	(3.51 - 6.36)	0.912
Region 7	4.87	(3.45 - 6.84)	4.64	(3.44 - 6.22)	0.746

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	4.60	(3.72 - 5.67)	4.87	(4.04 - 5.86)	0.547
Central	4.24	(2.98 - 6.00)	5.03	(3.77 - 6.67)	0.250
Eastern	4.09	(3.08 - 5.41)	4.36	(3.44 - 5.52)	0.600
Eastern (St. Louis City and County)	4.11	(2.91 - 5.75)	4.41	(3.31 - 5.85)	0.635
Eastern (excluding St. Louis)	4.06	(2.82 - 5.82)	4.28	(3.21 - 5.69)	0.729
Northwest	4.29	(3.22 - 5.70)	4.50	(3.53 - 5.72)	0.683
Northwest (Jackson)	4.12	(2.85 - 5.93)	4.47	(3.30 - 6.03)	0.586
Northwest (excluding Jackson)	4.44	(3.12 - 6.29)	4.53	(3.38 - 6.04)	0.893
Southeast	5.53	(3.86 - 7.85)	6.13	(4.51 - 8.29)	0.524
Southwest	5.81	(4.14 - 8.11)	5.46	(4.08 - 7.27)	0.673
Montana	4.74	(3.87 - 5.80)	4.39	(3.60 - 5.34)	0.446
Region 1	4.35	(3.02 - 6.24)	4.29	(3.11 - 5.90)	0.928
Region 2	4.82	(3.38 - 6.83)	4.29	(3.23 - 5.69)	0.433
Region 3	4.39	(3.16 - 6.07)	4.50	(3.40 - 5.93)	0.866
Region 4	4.49	(3.34 - 6.02)	4.10	(3.12 - 5.38)	0.486
Region 5	5.25	(3.90 - 7.04)	4.63	(3.50 - 6.10)	0.386
Nebraska	4.44	(3.59 - 5.48)	4.44	(3.66 - 5.38)	0.999
Regions 1 and 2	4.88	(3.58 - 6.61)	4.66	(3.58 - 6.06)	0.741
Region 1	4.66	(3.13 - 6.89)	4.75	(3.46 - 6.50)	0.903
Region 2	5.07	(3.43 - 7.43)	4.58	(3.31 - 6.31)	0.547
Region 3	4.47	(3.16 - 6.29)	4.48	(3.31 - 6.03)	0.986
Region 4	4.66	(3.21 - 6.73)	4.54	(3.33 - 6.16)	0.860
Region 5	4.65	(3.36 - 6.41)	4.54	(3.46 - 5.93)	0.847
Region 6	4.14	(3.04 - 5.61)	4.30	(3.34 - 5.52)	0.783
Nevada	4.21	(3.34 - 5.31)	4.33	(3.52 - 5.32)	0.794
Clark – Region 1	4.19	(3.17 - 5.52)	4.26	(3.35 - 5.42)	0.879
Region 3	4.46	(3.29 - 6.02)	4.47	(3.43 - 5.81)	0.982
Capital District	4.25	(2.86 - 6.27)	4.54	(3.28 - 6.27)	0.683
Rural/Frontier	4.65	(3.18 - 6.76)	4.41	(3.23 - 5.99)	0.710
Washoe – Region 2	4.16	(2.98 - 5.76)	4.52	(3.45 - 5.90)	0.540
New Hampshire	4.39	(3.52 - 5.47)	4.65	(3.83 - 5.64)	0.577
Central	4.35	(3.21 - 5.85)	4.76	(3.76 - 6.00)	0.489
Central 1	4.29	(2.97 - 6.17)	4.61	(3.51 - 6.03)	0.637
Central 2	4.40	(3.02 - 6.38)	4.90	(3.61 - 6.61)	0.508
Northern	4.80	(3.29 - 6.94)	5.08	(3.72 - 6.91)	0.719
Southern	4.32	(3.34 - 5.57)	4.51	(3.60 - 5.63)	0.721
Southern 1 (Rockingham)	3.79	(2.66 - 5.36)	4.17	(3.12 - 5.54)	0.522
Southern 2	4.65	(3.44 - 6.26)	4.72	(3.65 - 6.08)	0.914

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	3.09	(2.42 - 3.95)	3.46	(2.82 - 4.25)	0.280
Central	3.05	(2.12 - 4.38)	3.59	(2.71 - 4.75)	0.266
Metropolitan	2.76	(1.93 - 3.94)	3.26	(2.42 - 4.37)	0.274
Northern	3.16	(2.23 - 4.48)	3.45	(2.60 - 4.57)	0.554
Southern	3.40	(2.34 - 4.91)	3.57	(2.69 - 4.73)	0.739
New Mexico	4.38	(3.50 - 5.46)	4.23	(3.45 - 5.17)	0.719
Region 1	4.48	(3.17 - 6.28)	4.06	(3.04 - 5.40)	0.512
Region 2	3.81	(2.55 - 5.64)	4.15	(3.02 - 5.68)	0.584
Region 3 (Bernalillo)	4.59	(3.30 - 6.35)	4.17	(3.16 - 5.49)	0.478
Region 4	4.43	(3.09 - 6.32)	4.43	(3.30 - 5.91)	0.992
Region 5	4.32	(3.04 - 6.11)	4.43	(3.27 - 5.96)	0.873
New York	3.56	(3.07 - 4.12)	3.74	(3.24 - 4.31)	0.471
Region A	3.32	(2.73 - 4.03)	3.75	(3.16 - 4.45)	0.147
Region 1	3.70	(2.65 - 5.16)	4.09	(3.11 - 5.37)	0.463
Region 2	3.25	(2.41 - 4.36)	3.81	(3.02 - 4.81)	0.200
Region 3	3.69	(2.71 - 4.99)	3.92	(3.06 - 5.00)	0.632
Region 4	2.91	(2.10 - 4.02)	3.34	(2.55 - 4.36)	0.304
Region B	3.26	(2.64 - 4.02)	3.24	(2.67 - 3.91)	0.934
Region 5	3.11	(2.34 - 4.12)	3.00	(2.34 - 3.83)	0.768
Region 6	3.51	(2.51 - 4.89)	3.58	(2.69 - 4.74)	0.882
Region 7	3.37	(2.43 - 4.66)	3.49	(2.65 - 4.60)	0.789
Region C	4.09	(3.39 - 4.91)	4.00	(3.40 - 4.72)	0.806
Region 8	3.79	(2.76 - 5.20)	3.80	(2.94 - 4.91)	0.979
Region 9	4.15	(3.04 - 5.63)	4.05	(3.12 - 5.24)	0.864
Region 10	4.46	(3.20 - 6.19)	4.46	(3.40 - 5.81)	0.992
Region 11	4.50	(3.27 - 6.17)	4.19	(3.22 - 5.44)	0.594
Region 12	3.76	(2.69 - 5.24)	3.79	(2.91 - 4.91)	0.960
Region D	4.22	(3.37 - 5.27)	4.53	(3.71 - 5.51)	0.476
Region 13	4.14	(2.93 - 5.81)	4.47	(3.33 - 5.96)	0.583
Region 14	4.24	(3.02 - 5.92)	4.50	(3.44 - 5.88)	0.663
Region 15	4.27	(3.08 - 5.89)	4.61	(3.50 - 6.03)	0.588

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	3.74[a]	(2.96 - 4.71)	4.85	(4.00 - 5.87)	0.012
Alliance Behavioral Healthcare 1	--	(-- - --)	4.60	(3.47 - 6.09)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	3.88	(2.93 - 5.13)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	5.06	(3.61 - 7.03)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	4.58	(3.33 - 6.28)	--
Cardinal Innovations Healthcare Solutions 3	3.43	(2.32 - 5.06)	4.17	(3.08 - 5.63)	0.208
CenterPoint Human Services	3.58	(2.40 - 5.32)	4.64	(3.36 - 6.39)	0.114
Eastpointe	4.28	(2.84 - 6.39)	5.48	(3.95 - 7.56)	0.139
Partners Behavioral Health Management	3.72[b]	(2.52 - 5.44)	5.05	(3.72 - 6.83)	0.067
Sandhills Center 1	3.98[b]	(2.69 - 5.86)	5.27	(3.78 - 7.31)	0.086
Sandhills Center 2	3.63[b]	(2.45 - 5.35)	4.79	(3.48 - 6.55)	0.099
Smoky Mountain Center 1	4.35[b]	(2.90 - 6.46)	5.75	(4.15 - 7.93)	0.098
Smoky Mountain Center 2	4.02[b]	(2.68 - 5.99)	5.32	(3.81 - 7.39)	0.097
Trillium Health Resources 1	3.68[b]	(2.46 - 5.47)	4.90	(3.58 - 6.67)	0.097
Trillium Health Resources 2	4.04	(2.74 - 5.92)	5.11	(3.72 - 6.99)	0.157
North Dakota	3.87	(3.10 - 4.81)	4.04	(3.34 - 4.88)	0.628
Badlands and West Central	3.68	(2.59 - 5.20)	3.76	(2.85 - 4.95)	0.864
Lake Region	--	(-- - --)	4.17	(3.02 - 5.73)	--
North Central	--	(-- - --)	4.01	(3.03 - 5.28)	--
Northeast	3.85	(2.73 - 5.41)	4.28	(3.28 - 5.56)	0.450
Northwest	--	(-- - --)	3.62	(2.71 - 4.84)	--
South Central	--	(-- - --)	4.23	(3.07 - 5.81)	--
Southeast	4.11	(3.02 - 5.57)	4.20	(3.27 - 5.39)	0.856

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	4.71	(4.15 - 5.34)	4.74	(4.18 - 5.36)	0.919
Boards 2, 46, 55, and 68	4.50	(3.26 - 6.17)	5.11	(3.87 - 6.70)	0.382
Boards 3, 52, and 85	4.30	(3.08 - 5.97)	4.90	(3.66 - 6.53)	0.386
Boards 4 and 78	5.58	(3.90 - 7.92)	5.32	(3.99 - 7.07)	0.762
Boards 5 and 60	5.27	(3.79 - 7.28)	5.25	(3.99 - 6.86)	0.973
Boards 7, 15, 41, 79, and 84	4.98	(3.58 - 6.87)	5.49	(4.15 - 7.22)	0.518
Boards 8, 13, and 83	4.65	(3.39 - 6.34)	4.88	(3.70 - 6.40)	0.724
Board 9 (Butler)	4.96	(3.60 - 6.80)	4.61	(3.53 - 6.00)	0.589
Board 12	4.68	(3.34 - 6.51)	4.52	(3.47 - 5.88)	0.811
Boards 18 and 47	4.53	(3.46 - 5.91)	4.64	(3.66 - 5.87)	0.847
Boards 20, 32, 54, and 69	4.20	(3.02 - 5.82)	4.63	(3.52 - 6.07)	0.495
Boards 21, 39, 51, 70, and 80	5.31	(3.86 - 7.27)	4.49	(3.45 - 5.82)	0.216
Boards 22, 74, and 87	4.58	(3.33 - 6.27)	4.62	(3.57 - 5.96)	0.947
Boards 23 and 45	4.74	(3.41 - 6.55)	4.89	(3.71 - 6.43)	0.830
Board 25 (Franklin)	5.03	(3.80 - 6.64)	4.42	(3.49 - 5.58)	0.299
Boards 27, 71, and 73	5.37	(3.90 - 7.35)	5.65	(4.31 - 7.37)	0.724
Boards 28, 43, and 67	4.35	(3.15 - 5.99)	4.48	(3.46 - 5.79)	0.843
Board 31 (Hamilton)	4.23	(3.15 - 5.66)	4.12	(3.16 - 5.35)	0.837
Board 48 (Lucas)	4.58	(3.27 - 6.37)	4.54	(3.47 - 5.92)	0.955
Boards 50 and 76	4.41	(3.26 - 5.95)	4.74	(3.60 - 6.23)	0.601
Board 57 (Montgomery)	4.57	(3.32 - 6.26)	4.99	(3.82 - 6.50)	0.543
Board 77 (Summit)	4.57	(3.33 - 6.24)	4.58	(3.51 - 5.96)	0.977
Oklahoma	5.25	(4.27 - 6.46)	4.59	(3.81 - 5.51)	0.168
Central	5.34	(3.77 - 7.51)	4.44	(3.36 - 5.86)	0.187
East Central	5.55	(3.80 - 8.03)	4.65	(3.45 - 6.25)	0.270
Northeast	4.65	(3.28 - 6.57)	4.48	(3.36 - 5.95)	0.799
Northwest and Southwest	5.36	(3.79 - 7.54)	4.42	(3.29 - 5.92)	0.178
Oklahoma County	4.62	(3.28 - 6.47)	4.44	(3.39 - 5.79)	0.772
Southeast	6.10	(4.29 - 8.61)	5.31	(3.94 - 7.14)	0.354
Tulsa County	5.39	(3.83 - 7.52)	4.45	(3.31 - 5.95)	0.197
Oregon	4.97	(4.05 - 6.09)	4.83	(4.02 - 5.81)	0.778
Region 1 (Multnomah)	5.28	(3.80 - 7.30)	5.03	(3.86 - 6.52)	0.731
Region 2	3.90	(2.78 - 5.45)	4.10	(3.13 - 5.36)	0.722
Region 3	5.47	(4.09 - 7.27)	5.12	(3.93 - 6.65)	0.632
Region 4	5.09	(3.59 - 7.16)	5.03	(3.69 - 6.80)	0.938
Region 5 (Central)	4.85	(3.33 - 7.01)	4.68	(3.41 - 6.41)	0.823
Region 6 (Eastern)	5.25	(3.55 - 7.70)	5.21	(3.77 - 7.15)	0.957

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	4.06	(3.54 - 4.65)	4.00	(3.49 - 4.57)	0.832
Region 1 (Allegheny)	3.96	(2.95 - 5.29)	3.98	(3.10 - 5.10)	0.964
Regions 3, 8, 9, and 51	3.95	(2.84 - 5.47)	4.12	(3.17 - 5.33)	0.776
Regions 4, 11, 37, and 49	3.92	(2.90 - 5.29)	3.94	(3.04 - 5.09)	0.978
Regions 5, 18, 23, 24, and 46	4.01	(2.90 - 5.51)	4.36	(3.36 - 5.64)	0.538
Regions 6, 12, 16, 31, 35, 45, and 47	4.17	(3.07 - 5.63)	4.41	(3.42 - 5.66)	0.661
Regions 7, 13, 20, and 33	3.47	(2.65 - 4.54)	3.40	(2.68 - 4.29)	0.847
Regions 10, 15, 27, 32, 43, and 44	4.89	(3.58 - 6.64)	4.67	(3.53 - 6.16)	0.747
Regions 17 and 21	4.52	(3.24 - 6.27)	4.38	(3.35 - 5.69)	0.816
Regions 19, 26, 28, and 42	3.73	(2.79 - 4.96)	3.92	(3.08 - 4.98)	0.705
Regions 22, 38, 40, 41, and 48	4.15	(2.99 - 5.71)	3.87	(2.92 - 5.11)	0.620
Regions 29 and 34	4.28	(3.06 - 5.97)	3.96	(3.00 - 5.21)	0.571
Regions 30 and 50	4.23	(3.02 - 5.87)	4.17	(3.19 - 5.45)	0.933
Region 36 (Philadelphia)	4.91	(3.73 - 6.44)	4.36	(3.47 - 5.47)	0.335
Rhode Island	4.28	(3.38 - 5.42)	4.98	(4.04 - 6.12)	0.172
Bristol and Newport	3.62	(2.46 - 5.29)	4.28	(3.13 - 5.82)	0.278
Kent	3.77	(2.59 - 5.45)	4.73	(3.43 - 6.49)	0.161
Providence	4.67	(3.48 - 6.25)	5.36	(4.16 - 6.88)	0.308
Washington	3.78	(2.65 - 5.37)	4.17	(3.06 - 5.65)	0.488
South Carolina	4.26	(3.42 - 5.29)	4.35	(3.58 - 5.27)	0.840
Region 1	--	(-- - --)	4.84	(3.66 - 6.37)	--
Region 2	--	(-- - --)	4.22	(3.21 - 5.53)	--
Region 3	4.26	(2.94 - 6.13)	4.41	(3.25 - 5.96)	0.821
Region 4	4.41	(3.17 - 6.10)	3.86	(2.94 - 5.05)	0.336
South Dakota	3.82	(3.02 - 4.82)	3.70	(2.96 - 4.63)	0.755
Region 1	4.08	(2.92 - 5.68)	3.63	(2.66 - 4.92)	0.409
Region 2	3.76	(2.53 - 5.57)	3.76	(2.69 - 5.24)	0.998
Region 3	3.97	(2.83 - 5.55)	3.84	(2.84 - 5.19)	0.818
Region 4	3.73	(2.57 - 5.38)	3.69	(2.69 - 5.04)	0.951
Region 5	3.54	(2.54 - 4.92)	3.64	(2.73 - 4.82)	0.851
Tennessee	4.23	(3.42 - 5.23)	4.52	(3.74 - 5.46)	0.505
Region 1	4.41	(3.00 - 6.44)	5.02	(3.69 - 6.79)	0.448
Region 2	4.44	(3.12 - 6.29)	4.62	(3.45 - 6.18)	0.787
Region 3	5.08	(3.59 - 7.16)	5.22	(3.88 - 7.00)	0.863
Region 4 (Davidson)	3.92	(2.74 - 5.57)	4.35	(3.26 - 5.79)	0.464
Region 5	3.86	(2.74 - 5.41)	4.29	(3.26 - 5.63)	0.485
Region 6	4.66	(3.26 - 6.64)	4.61	(3.34 - 6.33)	0.943
Region 7 (Shelby)	3.45	(2.36 - 5.01)	3.79	(2.81 - 5.08)	0.565

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	3.57	(3.09 - 4.13)	3.84	(3.36 - 4.40)	0.280
Region 1	3.73	(2.67 - 5.19)	4.70	(3.56 - 6.19)	0.110
Region 2	4.08	(2.89 - 5.73)	4.52	(3.40 - 5.98)	0.466
Region 3	3.24	(2.59 - 4.03)	3.45	(2.84 - 4.18)	0.523
Region 3a	3.22	(2.45 - 4.22)	3.42	(2.72 - 4.30)	0.608
Region 3bc	3.26	(2.41 - 4.41)	3.49	(2.71 - 4.48)	0.588
Region 4	4.04	(2.86 - 5.68)	4.58	(3.49 - 6.00)	0.390
Region 5	4.00	(2.84 - 5.61)	4.41	(3.33 - 5.83)	0.514
Region 6	3.22	(2.52 - 4.09)	3.49	(2.81 - 4.32)	0.435
Region 6a	3.17	(2.43 - 4.12)	3.45	(2.73 - 4.35)	0.448
Region 6bc	3.62	(2.54 - 5.12)	3.78	(2.85 - 5.00)	0.743
Region 7	3.83	(3.03 - 4.83)	4.03	(3.29 - 4.92)	0.624
Region 7a	3.43	(2.52 - 4.67)	3.77	(2.93 - 4.85)	0.469
Region 7bcd	4.50	(3.30 - 6.10)	4.46	(3.43 - 5.80)	0.956
Region 8	4.19	(3.09 - 5.65)	4.14	(3.19 - 5.37)	0.929
Region 9	3.89	(2.79 - 5.38)	4.04	(3.08 - 5.29)	0.761
Region 10	4.14	(2.96 - 5.78)	4.27	(3.20 - 5.67)	0.832
Region 11	3.58	(2.74 - 4.67)	4.20	(3.32 - 5.30)	0.152
Region 11abd	3.51	(2.51 - 4.88)	4.30	(3.24 - 5.70)	0.125
Region 11c (Hidalgo)	3.72	(2.62 - 5.27)	4.01	(2.97 - 5.39)	0.608
Utah	5.16	(4.23 - 6.28)	5.17	(4.33 - 6.15)	0.987
Bear River, Northeastern, Summit, Tooele, and Wasatch	6.17	(4.39 - 8.60)	5.23	(4.02 - 6.78)	0.238
Central, Four Corners, San Juan, and Southwest	5.09	(3.57 - 7.22)	5.41	(4.10 - 7.10)	0.675
Davis County	4.87	(3.48 - 6.77)	5.02	(3.81 - 6.59)	0.829
Salt Lake County	4.99	(3.73 - 6.65)	4.97	(3.95 - 6.24)	0.978
Utah County	5.28	(3.89 - 7.14)	5.63	(4.36 - 7.25)	0.616
Weber, Morgan	4.73	(3.33 - 6.68)	4.82	(3.62 - 6.39)	0.885
Vermont	4.69	(3.78 - 5.82)	5.28	(4.30 - 6.47)	0.278
Champlain Valley	3.98	(2.92 - 5.39)	4.58	(3.50 - 5.97)	0.280
Rural Northeast	5.07	(3.60 - 7.09)	6.13	(4.45 - 8.38)	0.266
Rural Southeast	5.47	(3.89 - 7.64)	5.34	(3.94 - 7.19)	0.884
Rural Southwest	4.92	(3.44 - 6.97)	5.70	(4.16 - 7.77)	0.366
Virginia	4.17	(3.35 - 5.17)	3.98	(3.30 - 4.80)	0.615
Region 1	4.10	(2.89 - 5.78)	4.02	(3.02 - 5.33)	0.895
Region 2	3.24	(2.27 - 4.61)	3.25	(2.46 - 4.28)	0.986
Region 3	5.63	(4.04 - 7.79)	5.13	(3.84 - 6.82)	0.497
Region 4	4.01	(2.83 - 5.67)	3.99	(2.94 - 5.40)	0.976
Region 5	4.33	(3.08 - 6.06)	3.99	(3.05 - 5.20)	0.554

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	5.39	(4.33 - 6.68)	4.72	(3.92 - 5.67)	0.153
Region 1	5.97	(4.45 - 7.95)	5.20	(4.10 - 6.57)	0.249
Greater Columbia and North Central	--	(-- - --)	4.99	(3.77 - 6.56)	--
Spokane	--	(-- - --)	5.49	(4.02 - 7.47)	--
Region 2	4.59	(3.48 - 6.04)	4.47	(3.58 - 5.57)	0.820
King	4.37	(3.14 - 6.06)	4.36	(3.32 - 5.69)	0.981
North Sound	4.97	(3.49 - 7.05)	4.67	(3.54 - 6.14)	0.668
Region 3	6.15[a]	(4.66 - 8.06)	4.76	(3.85 - 5.87)	0.027
Peninsula	--	(-- - --)	4.69	(3.45 - 6.34)	--
Pierce	--	(-- - --)	4.58	(3.44 - 6.06)	--
SW WA and Timberlands	--	(-- - --)	5.01	(3.74 - 6.69)	--
Thurston-Mason	--	(-- - --)	4.72	(3.47 - 6.38)	--
West Virginia	5.38	(4.39 - 6.58)	5.53	(4.59 - 6.64)	0.789
Region I	5.02	(3.41 - 7.32)	5.53	(4.00 - 7.58)	0.552
Region II	5.19	(3.60 - 7.42)	5.37	(3.93 - 7.28)	0.823
Region III	5.09	(3.50 - 7.36)	5.65	(4.10 - 7.74)	0.527
Region IV	4.40	(3.10 - 6.22)	5.07	(3.83 - 6.68)	0.367
Region V	6.64	(4.90 - 8.93)	5.51	(4.22 - 7.16)	0.173
Region VI	5.07	(3.52 - 7.23)	6.18	(4.62 - 8.22)	0.241
Wisconsin	3.89	(3.10 - 4.86)	4.15	(3.39 - 5.07)	0.485
Milwaukee	4.06	(2.87 - 5.71)	4.05	(3.05 - 5.35)	0.979
Northeastern	4.02	(2.84 - 5.65)	4.41	(3.30 - 5.87)	0.519
Northern	4.04	(2.76 - 5.88)	4.32	(3.14 - 5.92)	0.657
Southeastern	3.33	(2.31 - 4.78)	3.64	(2.71 - 4.85)	0.527
Southern	3.80	(2.67 - 5.37)	4.19	(3.12 - 5.60)	0.505
Western	4.34	(3.03 - 6.18)	4.48	(3.30 - 6.07)	0.816

See notes at end of table.

(continued)

Table 23 *Serious Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	4.07	(3.34 - 4.96)	4.30	(3.57 - 5.17)	0.540
Judicial District 1 (Laramie)	4.02	(2.86 - 5.62)	4.33	(3.26 - 5.71)	0.606
Judicial District 2	4.35	(3.17 - 5.94)	4.62	(3.58 - 5.95)	0.631
Judicial District 3	3.98	(2.83 - 5.57)	4.11	(3.08 - 5.46)	0.820
Judicial District 4	4.40	(3.06 - 6.29)	4.35	(3.16 - 5.96)	0.943
Judicial District 5	4.15	(2.81 - 6.10)	4.31	(3.15 - 5.87)	0.821
Judicial District 6	3.89	(2.75 - 5.47)	4.04	(3.04 - 5.35)	0.781
Judicial District 7 (Natrona)	4.21	(2.97 - 5.92)	4.60	(3.42 - 6.17)	0.535
Judicial District 8	4.21	(2.90 - 6.06)	4.47	(3.26 - 6.09)	0.686
Judicial District 9	3.74	(2.60 - 5.34)	3.97	(2.96 - 5.31)	0.675

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Serious mental illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, as assessed by the Mental Health Surveillance Study (MHSS) *Structured Clinical Interview for the Diagnostic and Statistical Manual of Mental Disorders—Fourth Edition—Research Version—Axis I Disorders* (MHSS-SCID), which is based on the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). SMI includes individuals with diagnoses resulting in serious functional impairment. For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at http://www.samhsa.gov/data/.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 24 *Any Mental Illness in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	18.13	(17.79 - 18.48)	18.39	(18.07 - 18.72)	0.173
Northeast	17.85	(17.17 - 18.56)	17.95	(17.28 - 18.64)	0.788
Midwest	18.38	(17.84 - 18.93)	18.54	(17.99 - 19.10)	0.588
South	17.90	(17.37 - 18.45)	18.14	(17.60 - 18.69)	0.429
West	18.50	(17.78 - 19.24)	19.00	(18.34 - 19.68)	0.210
Alabama	21.24	(19.06 - 23.59)	19.45	(17.49 - 21.58)	0.115
Region 1	23.55[b]	(19.97 - 27.55)	20.32	(17.50 - 23.47)	0.066
Region 2	20.12	(17.14 - 23.47)	19.21	(16.60 - 22.11)	0.554
Region 3	19.28	(16.22 - 22.75)	18.17	(15.55 - 21.12)	0.494
Region 4	21.50	(18.15 - 25.28)	19.74	(16.86 - 22.97)	0.321
Alaska	19.37	(17.36 - 21.55)	18.73	(16.87 - 20.74)	0.533
Anchorage	20.85	(18.13 - 23.87)	20.15	(17.68 - 22.87)	0.631
Northern	17.83	(14.98 - 21.09)	17.53	(14.98 - 20.41)	0.831
South Central	18.63	(15.49 - 22.25)	17.70	(15.10 - 20.64)	0.559
Southeast	18.64	(15.32 - 22.49)	18.19	(15.39 - 21.37)	0.777
Arizona	19.80	(17.54 - 22.28)	18.42	(16.52 - 20.49)	0.235
Maricopa	19.99	(17.25 - 23.04)	17.92	(15.74 - 20.32)	0.144
Pima	19.87	(16.26 - 24.04)	18.70	(15.92 - 21.85)	0.498
Rural North	19.78	(16.33 - 23.74)	19.59	(16.28 - 23.38)	0.918
Rural South	18.95	(15.29 - 23.24)	19.33	(16.44 - 22.59)	0.830
Arkansas	20.30	(18.15 - 22.64)	20.13	(18.13 - 22.29)	0.871
Catchment Area 1	18.73	(15.48 - 22.47)	18.44	(15.67 - 21.57)	0.861
Catchment Area 2	20.26	(16.50 - 24.63)	21.03	(17.91 - 24.54)	0.678
Catchment Area 3	20.91	(17.29 - 25.06)	21.06	(17.90 - 24.60)	0.933
Catchment Area 4	20.79	(17.15 - 24.98)	20.21	(17.07 - 23.75)	0.744
Catchment Area 5	20.67	(17.18 - 24.66)	20.19	(17.21 - 23.54)	0.776
Catchment Area 6	19.12	(15.63 - 23.18)	19.57	(16.56 - 22.98)	0.795
Catchment Area 7	21.21	(17.47 - 25.51)	20.71	(17.39 - 24.48)	0.782
Catchment Area 8	20.76	(17.35 - 24.64)	20.21	(17.18 - 23.62)	0.750

See notes at end of table. (continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	17.30[a]	(16.21 - 18.45)	18.52	(17.51 - 19.57)	0.048
Region 1R	18.66	(15.66 - 22.08)	21.19	(18.35 - 24.34)	0.110
Region 2R	18.47	(15.44 - 21.93)	19.23	(16.65 - 22.10)	0.619
Region 3R (Sacramento)	19.52	(16.47 - 22.98)	19.40	(16.98 - 22.07)	0.935
Region 4R	17.42	(14.65 - 20.58)	18.16	(15.87 - 20.70)	0.595
Region 5R (San Francisco)	18.71	(15.55 - 22.34)	19.09	(16.53 - 21.94)	0.802
Region 6 (Santa Clara)	16.35	(13.78 - 19.28)	17.13	(14.88 - 19.65)	0.552
Region 7R (Contra Costa)	16.24	(13.51 - 19.39)	17.99	(15.63 - 20.61)	0.213
Region 8R (Alameda)	18.30	(15.43 - 21.57)	19.29	(16.77 - 22.08)	0.487
Region 9R (San Mateo)	15.74	(12.92 - 19.04)	16.26	(13.84 - 19.01)	0.714
Region 10	17.69	(14.81 - 20.99)	18.62	(16.11 - 21.41)	0.518
Region 11 (Los Angeles)	17.06[a]	(15.62 - 18.59)	18.56	(17.29 - 19.90)	0.044
LA SPA 1 and 5	18.56	(15.57 - 21.97)	19.11	(16.58 - 21.93)	0.703
LA SPA 2	17.88	(15.23 - 20.88)	19.84	(17.35 - 22.60)	0.164
LA SPA 3	15.73	(13.15 - 18.71)	17.64	(15.35 - 20.19)	0.148
LA SPA 4	18.33	(15.34 - 21.77)	19.14	(16.67 - 21.88)	0.586
LA SPA 6	16.53	(13.75 - 19.74)	18.85	(16.35 - 21.64)	0.111
LA SPA 7	16.51	(13.89 - 19.52)	17.54	(15.29 - 20.04)	0.426
LA SPA 8	16.12	(13.40 - 19.26)	17.60	(15.37 - 20.07)	0.294
Region 12R	18.83	(15.66 - 22.48)	19.10	(16.42 - 22.09)	0.868
Regions 13 and 19R	17.08	(14.67 - 19.79)	17.81	(15.57 - 20.30)	0.579
Region 14 (Orange)	15.92	(13.65 - 18.50)	17.09	(14.95 - 19.47)	0.349
Region 15R (Fresno)	18.41	(15.54 - 21.66)	19.92	(17.27 - 22.85)	0.303
Region 16R (San Diego)	17.69	(15.39 - 20.25)	19.25	(17.11 - 21.58)	0.220
Region 17R	17.13	(14.45 - 20.20)	18.57	(16.26 - 21.12)	0.273
Region 18R (San Bernardino)	16.05	(13.56 - 18.88)	17.62	(15.28 - 20.23)	0.242
Region 20R	18.17	(15.05 - 21.77)	20.65	(17.93 - 23.65)	0.123
Region 21R	17.77	(14.88 - 21.10)	18.73	(16.31 - 21.43)	0.511
Colorado	17.63	(15.71 - 19.75)	17.67	(15.85 - 19.65)	0.974
Region 1	17.73	(14.57 - 21.41)	18.38	(15.67 - 21.44)	0.690
Regions 2 and 7	17.52	(15.12 - 20.21)	17.45	(15.29 - 19.85)	0.959
Region 3	17.73	(14.73 - 21.18)	17.41	(14.83 - 20.33)	0.837
Region 4	16.85	(13.53 - 20.78)	17.85	(14.90 - 21.25)	0.550
Regions 5 and 6	18.38	(15.00 - 22.32)	18.19	(15.25 - 21.55)	0.905
Connecticut	17.01	(15.09 - 19.12)	16.84	(15.11 - 18.72)	0.857
Eastern	17.11	(14.20 - 20.48)	17.62	(14.99 - 20.59)	0.729
North Central	16.45	(13.70 - 19.63)	17.52	(15.00 - 20.36)	0.439
Northwestern	17.24	(14.08 - 20.94)	16.27	(13.81 - 19.06)	0.518
South Central	18.47	(15.39 - 22.01)	16.99	(14.53 - 19.78)	0.317
Southwest	15.68	(12.78 - 19.10)	15.65	(13.23 - 18.42)	0.980

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	18.40	(16.51 - 20.47)	18.90	(17.07 - 20.87)	0.640
Kent	18.49	(15.52 - 21.88)	19.73	(16.94 - 22.85)	0.430
New Castle (excluding Wilmington City)	18.81	(16.36 - 21.53)	18.59	(16.33 - 21.08)	0.873
Sussex	17.19	(14.24 - 20.59)	18.63	(15.98 - 21.62)	0.363
Wilmington City	19.09	(15.61 - 23.12)	19.81	(16.74 - 23.29)	0.671
District of Columbia	19.68	(17.68 - 21.85)	19.31	(17.53 - 21.22)	0.684
Ward 1	22.14	(18.45 - 26.33)	20.59	(17.86 - 23.62)	0.362
Ward 2	19.55	(16.53 - 22.97)	20.15	(17.31 - 23.33)	0.683
Ward 3	19.29	(16.16 - 22.86)	18.79	(16.11 - 21.80)	0.747
Ward 4	17.74	(14.52 - 21.49)	18.59	(15.74 - 21.83)	0.597
Ward 5	19.48	(16.13 - 23.33)	17.97	(15.29 - 21.01)	0.336
Ward 6	20.22	(16.78 - 24.16)	20.38	(17.54 - 23.55)	0.920
Ward 7	19.64	(16.04 - 23.83)	18.43	(15.46 - 21.82)	0.484
Ward 8	19.28	(15.88 - 23.21)	19.25	(16.44 - 22.41)	0.987
Florida[1]	16.60	(15.51 - 17.75)	16.46	(15.35 - 17.64)	0.815
Broward (Circuit 17)	14.62	(12.42 - 17.13)	14.91	(12.86 - 17.23)	0.802
Central I	--	(-- - --)	17.59	(15.79 - 19.55)	--
Circuit 9	17.21	(14.69 - 20.07)	17.81	(15.61 - 20.24)	0.640
Circuit 18	16.97	(14.30 - 20.02)	17.29	(14.88 - 19.99)	0.821
Central II	--	(-- - --)	16.83	(15.39 - 18.37)	--
Circuit 6	17.17	(14.39 - 20.34)	16.44	(14.20 - 18.94)	0.586
Circuit 10	18.48	(15.55 - 21.81)	17.66	(15.11 - 20.53)	0.575
Circuit 12	18.62	(15.47 - 22.24)	17.27	(14.78 - 20.07)	0.377
Circuit 13 (Hillsborough)	17.47	(14.91 - 20.36)	17.05	(14.83 - 19.54)	0.749
Circuit 20	16.91	(14.16 - 20.08)	16.29	(13.96 - 18.93)	0.653
Northeast	--	(-- - --)	16.96	(15.40 - 18.64)	--
Circuit 4	17.33	(14.72 - 20.29)	16.75	(14.43 - 19.35)	0.654
Circuit 5	17.46	(14.43 - 20.98)	17.11	(14.61 - 19.95)	0.819
Circuit 7	17.41	(14.65 - 20.56)	16.64	(14.27 - 19.33)	0.572
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	17.59	(15.25 - 20.21)	--
Northwest	--	(-- - --)	18.01	(16.25 - 19.93)	--
Circuit 1	17.97	(15.29 - 21.01)	17.96	(15.55 - 20.66)	0.995
Circuit 2 plus Madison and Taylor	--	(-- - --)	18.03	(15.55 - 20.81)	--
Circuit 14	18.75	(15.44 - 22.58)	18.11	(15.44 - 21.13)	0.685
South (Circuits 11 and 16)	13.56	(11.67 - 15.71)	14.53	(12.64 - 16.64)	0.371
Southeast	--	(-- - --)	16.03	(14.14 - 18.12)	--
Circuit 15 (Palm Beach)	15.90	(13.36 - 18.82)	15.59	(13.36 - 18.10)	0.807
Circuit 19	16.99	(14.07 - 20.38)	16.99	(14.46 - 19.86)	1.000

See notes at end of table. (continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	17.50	(15.59 - 19.58)	18.52	(16.72 - 20.47)	0.306
Region 1	17.55	(14.76 - 20.75)	18.23	(15.65 - 21.12)	0.646
Region 2	17.64	(14.63 - 21.11)	19.15	(16.39 - 22.25)	0.343
Region 3	16.65	(14.04 - 19.63)	18.06	(15.62 - 20.79)	0.322
Region 4	18.86	(15.43 - 22.85)	19.94	(16.88 - 23.39)	0.530
Region 5	17.72	(14.40 - 21.60)	19.19	(16.20 - 22.58)	0.376
Region 6	18.26	(15.05 - 21.99)	18.27	(15.49 - 21.43)	0.995
Hawaii	17.36	(15.39 - 19.52)	17.35	(15.51 - 19.36)	0.992
Hawaii Island	19.15	(15.77 - 23.06)	18.87	(15.90 - 22.26)	0.870
Honolulu	16.91	(14.67 - 19.41)	16.93	(14.89 - 19.18)	0.988
Kauai	18.04	(14.53 - 22.17)	18.06	(15.09 - 21.47)	0.989
Maui	17.72	(14.47 - 21.51)	17.87	(15.07 - 21.07)	0.922
Idaho	22.33	(20.03 - 24.81)	20.77	(18.88 - 22.79)	0.176
Region 1	21.73	(17.82 - 26.21)	20.09	(17.17 - 23.36)	0.378
Region 2	20.79	(17.24 - 24.85)	21.99	(18.66 - 25.74)	0.527
Region 3	22.70	(18.92 - 26.99)	21.56	(18.46 - 25.01)	0.559
Region 4	22.77	(19.35 - 26.59)	20.35	(17.71 - 23.27)	0.153
Region 5	21.10	(17.50 - 25.20)	20.38	(17.44 - 23.67)	0.688
Region 6	--	(-- - --)	21.35	(18.28 - 24.79)	--
Region 7	--	(-- - --)	20.81	(18.01 - 23.91)	--
Illinois	16.11	(15.02 - 17.26)	16.36	(15.28 - 17.51)	0.683
Region I (Cook)	15.74	(14.16 - 17.46)	16.19	(14.61 - 17.90)	0.616
Region II	15.12	(13.51 - 16.89)	15.90	(14.37 - 17.56)	0.407
Region III	17.41	(15.15 - 19.93)	17.16	(15.07 - 19.48)	0.831
Region IV	16.44	(13.87 - 19.37)	17.77	(15.46 - 20.34)	0.315
Region V	19.09[b]	(16.48 - 22.01)	16.59	(14.44 - 18.98)	0.058
Indiana	19.36	(17.42 - 21.45)	20.12	(18.27 - 22.12)	0.449
Central	18.66	(15.68 - 22.06)	20.18	(17.50 - 23.15)	0.317
East	21.85	(18.08 - 26.16)	21.56	(18.37 - 25.14)	0.878
North Central	19.52	(16.14 - 23.41)	20.09	(17.17 - 23.37)	0.745
Northeast	18.71	(15.48 - 22.44)	19.33	(16.52 - 22.50)	0.707
Northwest	18.17	(15.00 - 21.84)	18.68	(15.81 - 21.95)	0.760
Southeast	20.24	(16.77 - 24.22)	20.45	(17.35 - 23.95)	0.907
Southwest	19.33	(16.01 - 23.16)	20.28	(17.24 - 23.70)	0.588
West	19.75	(16.75 - 23.15)	20.65	(17.74 - 23.90)	0.559
Iowa	18.89	(16.90 - 21.05)	17.40	(15.61 - 19.35)	0.127
Central	17.87	(14.90 - 21.28)	16.48	(13.97 - 19.34)	0.359
North Central	17.88	(14.76 - 21.49)	17.38	(14.70 - 20.44)	0.739
Northeast	18.52	(15.54 - 21.92)	17.65	(15.17 - 20.44)	0.545
Northwest	17.63	(14.57 - 21.17)	16.32	(13.54 - 19.54)	0.406
Southeast	20.97	(17.60 - 24.80)	18.60	(15.97 - 21.55)	0.135
Southwest	20.24	(16.57 - 24.48)	17.51	(14.79 - 20.62)	0.108

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	17.30	(15.42 - 19.36)	17.61	(15.80 - 19.57)	0.749
Kansas City Metro	16.17	(13.62 - 19.11)	17.36	(15.05 - 19.93)	0.377
Northeast	17.99	(14.95 - 21.50)	17.66	(15.03 - 20.64)	0.826
South Central	18.00	(14.73 - 21.81)	16.82	(14.21 - 19.81)	0.456
Southeast	18.93	(15.45 - 22.98)	18.60	(15.49 - 22.17)	0.846
West	17.84	(14.69 - 21.50)	18.24	(15.35 - 21.53)	0.799
Wichita (Sedgwick)	17.20	(14.29 - 20.56)	17.82	(15.18 - 20.81)	0.677
Kentucky	19.10	(17.04 - 21.35)	19.69	(17.80 - 21.71)	0.581
Adanta, Cumberland River, and Lifeskills	19.69	(16.36 - 23.51)	20.63	(17.74 - 23.87)	0.585
Bluegrass, Comprehend, and North Key	18.26	(15.38 - 21.54)	19.64	(17.12 - 22.43)	0.371
Communicare and River Valley	18.66	(15.22 - 22.67)	19.02	(16.06 - 22.37)	0.843
Four Rivers and Pennyroyal	18.09	(14.77 - 21.96)	19.46	(16.48 - 22.82)	0.433
Kentucky River, Mountain, and Pathways	19.63	(16.07 - 23.76)	21.09	(17.87 - 24.71)	0.428
Seven Counties	20.15	(16.78 - 24.01)	18.74	(15.98 - 21.85)	0.398
Louisiana	18.92	(17.05 - 20.94)	19.55	(17.73 - 21.52)	0.526
Regions 1 and 10	17.75	(15.21 - 20.61)	18.95	(16.59 - 21.57)	0.356
Region 1	18.26	(15.09 - 21.92)	19.28	(16.35 - 22.60)	0.525
Region 10 (Jefferson)	17.24	(14.09 - 20.92)	18.61	(15.76 - 21.83)	0.407
Regions 2 and 9	18.35	(15.49 - 21.60)	19.70	(17.07 - 22.63)	0.378
Region 3	17.97	(14.73 - 21.75)	18.88	(16.07 - 22.04)	0.571
Regions 4, 5, and 6	21.23	(18.17 - 24.65)	20.39	(17.67 - 23.42)	0.609
Regions 7 and 8	18.22	(15.32 - 21.54)	19.16	(16.47 - 22.16)	0.552
Maine	19.04[a]	(17.02 - 21.23)	21.30	(19.26 - 23.50)	0.043
Aroostook/Downeast	18.59	(15.64 - 21.96)	20.98	(18.18 - 24.09)	0.119
Aroostook	18.78	(15.13 - 23.08)	20.66	(17.30 - 24.49)	0.318
Downeast	18.44	(14.92 - 22.57)	21.24	(17.81 - 25.12)	0.130
Central	20.54	(17.05 - 24.54)	22.29	(19.10 - 25.85)	0.348
Cumberland	17.83[a]	(14.81 - 21.31)	21.54	(18.59 - 24.82)	0.026
Midcoast	18.74	(15.20 - 22.88)	20.67	(17.54 - 24.18)	0.308
Penquis	19.29	(16.13 - 22.91)	21.92	(18.76 - 25.43)	0.126
Western	19.57	(16.30 - 23.31)	20.85	(17.80 - 24.27)	0.462
York	19.28	(15.89 - 23.20)	20.74	(17.62 - 24.26)	0.415

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	17.37	(15.48 - 19.43)	16.80	(15.02 - 18.73)	0.554
Anne Arundel	17.34	(14.12 - 21.12)	16.57	(13.94 - 19.58)	0.613
Baltimore City	17.72	(14.62 - 21.31)	18.02	(15.15 - 21.29)	0.856
Baltimore County	17.59	(14.64 - 20.99)	17.14	(14.48 - 20.17)	0.764
Montgomery	17.89	(14.74 - 21.55)	16.23	(13.73 - 19.09)	0.276
North Central	16.49	(13.30 - 20.26)	16.38	(13.70 - 19.47)	0.945
Northeast	18.97	(15.43 - 23.11)	17.90	(15.00 - 21.22)	0.522
Prince George's	15.82	(12.98 - 19.16)	15.89	(13.38 - 18.76)	0.961
South	16.72	(13.62 - 20.36)	16.31	(13.62 - 19.41)	0.789
West	18.13	(14.95 - 21.81)	17.49	(14.77 - 20.58)	0.685
Massachusetts	17.51	(15.62 - 19.58)	19.09	(17.22 - 21.12)	0.124
Boston	18.91	(15.90 - 22.35)	20.93	(17.94 - 24.27)	0.200
Central	17.00	(14.01 - 20.46)	18.53	(15.72 - 21.73)	0.318
Metrowest	17.41	(14.59 - 20.65)	17.72	(15.11 - 20.66)	0.835
Northeast	16.65[b]	(13.77 - 19.98)	19.73	(16.92 - 22.89)	0.073
Southeast	17.13	(14.15 - 20.59)	19.09	(16.25 - 22.31)	0.240
Western	18.73	(15.57 - 22.37)	19.30	(16.53 - 22.41)	0.729
Michigan[1]	20.05	(18.91 - 21.24)	19.58	(18.43 - 20.78)	0.465
Region 1	21.29	(17.94 - 25.07)	20.72	(17.86 - 23.91)	0.738
Region 2	--	(-- - --)	19.39	(16.73 - 22.37)	--
Region 3	--	(-- - --)	19.49	(17.40 - 21.77)	--
Region 4	--	(-- - --)	19.81	(17.49 - 22.35)	--
Region 5	--	(-- - --)	20.57	(18.56 - 22.75)	--
Region 6	--	(-- - --)	18.08	(15.84 - 20.57)	--
Region 7	--	(-- - --)	19.54	(17.39 - 21.87)	--
Region 8	19.54	(17.04 - 22.30)	18.98	(16.73 - 21.45)	0.672
Region 9	18.56	(15.86 - 21.60)	19.04	(16.65 - 21.68)	0.745
Region 10	--	(-- - --)	20.21	(17.74 - 22.93)	--
Minnesota	17.29	(15.48 - 19.25)	18.46	(16.65 - 20.42)	0.224
Regions 1 and 2	18.31	(15.04 - 22.10)	18.97	(16.04 - 22.29)	0.687
Regions 3 and 4	17.84	(14.84 - 21.29)	18.82	(16.16 - 21.80)	0.524
Regions 5 and 6	17.44	(14.58 - 20.71)	18.62	(15.89 - 21.71)	0.427
Region 7A (Hennepin)	17.42	(14.65 - 20.59)	18.59	(15.98 - 21.52)	0.435
Region 7B (Ramsey)	19.01	(15.80 - 22.71)	19.40	(16.55 - 22.62)	0.800
Region 7C	15.32	(12.72 - 18.34)	17.25	(14.78 - 20.04)	0.194
Mississippi	19.47	(17.50 - 21.61)	19.19	(17.24 - 21.32)	0.783
Region 1	19.73	(16.55 - 23.36)	20.28	(17.40 - 23.50)	0.736
Region 2	19.20	(15.86 - 23.05)	18.89	(16.00 - 22.17)	0.855
Region 3	19.62	(16.42 - 23.27)	19.11	(16.25 - 22.34)	0.761
Region 4	18.41	(15.42 - 21.84)	17.45	(14.82 - 20.43)	0.511
Region 5	19.81	(16.10 - 24.13)	19.97	(16.79 - 23.57)	0.929
Region 6	20.31	(16.95 - 24.14)	19.01	(16.20 - 22.18)	0.440
Region 7	19.70	(16.43 - 23.44)	19.79	(16.67 - 23.34)	0.956

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	19.17	(17.20 - 21.30)	19.09	(17.25 - 21.07)	0.934
Central	19.34	(16.18 - 22.95)	18.97	(16.27 - 22.00)	0.799
Eastern	18.40	(15.91 - 21.18)	17.94	(15.73 - 20.38)	0.705
Eastern (St. Louis City and County)	18.64	(15.68 - 22.01)	18.33	(15.68 - 21.30)	0.833
Eastern (excluding St. Louis)	17.97	(14.74 - 21.73)	17.26	(14.51 - 20.40)	0.663
Northwest	18.15	(15.59 - 21.03)	18.76	(16.46 - 21.31)	0.635
Northwest (Jackson)	17.60	(14.45 - 21.27)	18.90	(16.06 - 22.11)	0.432
Northwest (excluding Jackson)	18.62	(15.40 - 22.35)	18.65	(15.82 - 21.85)	0.988
Southeast	20.88	(17.27 - 25.02)	20.69	(17.61 - 24.15)	0.918
Southwest	20.99	(17.49 - 24.96)	21.03	(17.98 - 24.44)	0.979
Montana	19.13	(17.18 - 21.24)	19.28	(17.34 - 21.38)	0.886
Region 1	18.98	(15.51 - 23.01)	18.50	(15.42 - 22.04)	0.785
Region 2	17.94	(14.81 - 21.57)	19.12	(16.26 - 22.36)	0.486
Region 3	19.81	(16.80 - 23.21)	19.70	(16.97 - 22.75)	0.946
Region 4	18.28	(15.49 - 21.44)	18.57	(15.95 - 21.51)	0.837
Region 5	19.99	(17.00 - 23.36)	19.87	(17.24 - 22.80)	0.943
Nebraska	17.48	(15.57 - 19.57)	17.75	(15.88 - 19.79)	0.792
Regions 1 and 2	18.21	(15.26 - 21.59)	17.97	(15.44 - 20.81)	0.860
Region 1	18.78	(15.01 - 23.25)	18.19	(15.14 - 21.69)	0.729
Region 2	17.71	(14.24 - 21.80)	17.77	(14.82 - 21.16)	0.969
Region 3	17.79	(14.67 - 21.40)	17.71	(14.82 - 21.03)	0.964
Region 4	18.15	(14.76 - 22.12)	17.70	(14.82 - 21.01)	0.789
Region 5	19.22	(16.11 - 22.77)	18.43	(15.88 - 21.27)	0.600
Region 6	15.98	(13.57 - 18.72)	17.32	(14.99 - 19.92)	0.322
Nevada	16.61	(14.56 - 18.89)	18.30	(16.33 - 20.46)	0.135
Clark – Region 1	16.02	(13.65 - 18.71)	18.11	(15.89 - 20.55)	0.119
Region 3	18.13	(15.14 - 21.57)	18.98	(16.28 - 22.00)	0.561
Capital District	17.67	(14.10 - 21.90)	18.37	(15.23 - 21.99)	0.687
Rural/Frontier	18.56	(14.96 - 22.79)	19.53	(16.25 - 23.30)	0.593
Washoe – Region 2	18.12	(15.17 - 21.50)	18.66	(15.94 - 21.71)	0.726
New Hampshire	19.52	(17.44 - 21.78)	20.54	(18.61 - 22.61)	0.360
Central	20.12	(17.37 - 23.19)	21.28	(18.82 - 23.97)	0.416
Central 1	19.54	(16.22 - 23.35)	20.61	(17.64 - 23.93)	0.550
Central 2	20.69	(17.09 - 24.82)	21.95	(18.91 - 25.32)	0.494
Northern	19.73	(16.20 - 23.81)	20.99	(17.71 - 24.69)	0.501
Southern	19.18	(16.82 - 21.78)	20.07	(17.96 - 22.37)	0.480
Southern 1 (Rockingham)	18.05	(14.98 - 21.59)	19.44	(16.71 - 22.50)	0.397
Southern 2	19.87	(16.99 - 23.11)	20.47	(17.96 - 23.22)	0.698

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	15.66	(13.76 - 17.76)	15.83	(14.09 - 17.74)	0.854
Central	15.28	(12.50 - 18.54)	16.23	(13.78 - 19.01)	0.510
Metropolitan	15.27	(12.65 - 18.32)	14.92	(12.67 - 17.48)	0.790
Northern	15.56	(12.86 - 18.71)	15.75	(13.41 - 18.40)	0.895
Southern	16.66	(13.71 - 20.10)	16.59	(14.10 - 19.43)	0.964
New Mexico	18.47	(16.37 - 20.78)	19.54	(17.60 - 21.65)	0.322
Region 1	18.51	(15.47 - 21.99)	19.63	(16.85 - 22.74)	0.486
Region 2	17.71	(14.32 - 21.71)	18.88	(15.90 - 22.27)	0.520
Region 3 (Bernalillo)	18.45	(15.48 - 21.84)	20.24	(17.55 - 23.22)	0.270
Region 4	18.97	(15.68 - 22.78)	19.52	(16.73 - 22.64)	0.738
Region 5	18.74	(15.68 - 22.24)	18.80	(15.93 - 22.04)	0.972
New York	18.94	(17.74 - 20.20)	18.23	(17.10 - 19.41)	0.268
Region A	18.76	(17.18 - 20.45)	18.58	(17.13 - 20.12)	0.822
Region 1	19.49	(16.58 - 22.77)	18.46	(16.05 - 21.14)	0.472
Region 2	19.09	(16.58 - 21.88)	18.71	(16.54 - 21.09)	0.769
Region 3	20.13	(17.32 - 23.26)	20.35	(17.88 - 23.07)	0.879
Region 4	16.87	(14.30 - 19.80)	17.13	(14.94 - 19.56)	0.843
Region B	18.12	(16.38 - 20.00)	17.13	(15.63 - 18.74)	0.268
Region 5	17.71	(15.45 - 20.22)	17.22	(15.29 - 19.34)	0.675
Region 6	18.63	(15.63 - 22.05)	16.77	(14.56 - 19.24)	0.200
Region 7	18.69	(15.82 - 21.95)	17.40	(15.04 - 20.03)	0.326
Region C	19.77[b]	(18.20 - 21.45)	18.38	(16.97 - 19.87)	0.084
Region 8	19.06	(16.21 - 22.29)	18.14	(15.80 - 20.75)	0.522
Region 9	19.71	(16.87 - 22.89)	18.91	(16.58 - 21.49)	0.567
Region 10	21.70	(18.39 - 25.41)	20.79	(18.08 - 23.79)	0.580
Region 11	20.75[b]	(17.89 - 23.92)	18.26	(16.03 - 20.72)	0.077
Region 12	18.81	(16.12 - 21.82)	17.29	(15.08 - 19.76)	0.254
Region D	19.99	(17.78 - 22.39)	19.40	(17.57 - 21.37)	0.607
Region 13	19.93	(16.61 - 23.72)	18.60	(15.97 - 21.56)	0.445
Region 14	20.04	(16.68 - 23.89)	19.82	(17.14 - 22.81)	0.892
Region 15	19.99	(16.91 - 23.48)	19.70	(17.05 - 22.64)	0.852

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	16.28[a]	(14.34 - 18.43)	18.44	(16.62 - 20.41)	0.031
Alliance Behavioral Healthcare 1	--	(-- - --)	18.90	(16.05 - 22.11)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	16.77	(14.09 - 19.84)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	18.02	(15.08 - 21.39)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	18.81	(15.89 - 22.13)	--
Cardinal Innovations Healthcare Solutions 3	15.91	(12.87 - 19.51)	17.38	(14.65 - 20.49)	0.336
CenterPoint Human Services	16.03	(12.77 - 19.95)	17.88	(14.99 - 21.18)	0.297
Eastpointe	17.70	(14.29 - 21.71)	19.27	(16.24 - 22.72)	0.374
Partners Behavioral Health Management	16.84	(13.60 - 20.65)	19.16	(16.22 - 22.49)	0.196
Sandhills Center 1	16.41	(13.10 - 20.37)	18.47	(15.44 - 21.93)	0.232
Sandhills Center 2	15.99	(12.84 - 19.74)	17.48	(14.68 - 20.68)	0.346
Smoky Mountain Center 1	16.82[b]	(13.38 - 20.94)	19.75	(16.47 - 23.51)	0.090
Smoky Mountain Center 2	16.34[b]	(13.04 - 20.29)	19.54	(16.37 - 23.14)	0.072
Trillium Health Resources 1	16.58	(13.31 - 20.46)	18.45	(15.49 - 21.84)	0.253
Trillium Health Resources 2	16.36	(13.13 - 20.21)	18.98	(16.01 - 22.35)	0.110
North Dakota	16.50	(14.66 - 18.51)	16.45	(14.78 - 18.26)	0.955
Badlands and West Central	15.64	(12.89 - 18.85)	15.33	(13.11 - 17.84)	0.819
Lake Region	--	(-- - --)	16.55	(13.75 - 19.79)	--
North Central	--	(-- - --)	17.06	(14.45 - 20.05)	--
Northeast	17.54	(14.69 - 20.81)	16.90	(14.41 - 19.72)	0.638
Northwest	--	(-- - --)	16.07	(13.38 - 19.19)	--
South Central	--	(-- - --)	16.64	(13.90 - 19.80)	--
Southeast	16.73	(14.18 - 19.62)	17.00	(14.71 - 19.58)	0.825

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	20.00	(18.84 - 21.22)	20.05	(18.91 - 21.24)	0.941
Boards 2, 46, 55, and 68	19.40	(16.39 - 22.81)	20.56	(17.85 - 23.56)	0.464
Boards 3, 52, and 85	19.41	(16.23 - 23.03)	19.92	(17.17 - 22.99)	0.746
Boards 4 and 78	20.94	(17.40 - 24.97)	20.88	(17.92 - 24.18)	0.974
Boards 5 and 60	20.97	(17.62 - 24.75)	21.01	(18.26 - 24.05)	0.979
Boards 7, 15, 41, 79, and 84	20.35	(17.36 - 23.71)	20.37	(17.66 - 23.37)	0.992
Boards 8, 13, and 83	19.52	(16.64 - 22.76)	19.82	(17.25 - 22.68)	0.835
Board 9 (Butler)	21.84	(18.60 - 25.48)	20.42	(17.67 - 23.46)	0.380
Board 12	21.43	(18.12 - 25.17)	19.89	(17.16 - 22.94)	0.335
Boards 18 and 47	18.72	(16.36 - 21.34)	19.25	(17.07 - 21.63)	0.694
Boards 20, 32, 54, and 69	19.29	(16.21 - 22.79)	18.86	(16.17 - 21.88)	0.781
Boards 21, 39, 51, 70, and 80	20.43	(17.35 - 23.88)	19.77	(17.23 - 22.57)	0.680
Boards 22, 74, and 87	19.49	(16.53 - 22.84)	19.74	(17.12 - 22.64)	0.867
Boards 23 and 45	20.13	(17.06 - 23.60)	20.24	(17.48 - 23.33)	0.942
Board 25 (Franklin)	20.82	(18.16 - 23.77)	20.10	(17.91 - 22.49)	0.585
Boards 27, 71, and 73	20.78	(17.58 - 24.39)	22.97	(19.89 - 26.38)	0.236
Boards 28, 43, and 67	20.46	(17.48 - 23.81)	19.26	(16.76 - 22.02)	0.429
Board 31 (Hamilton)	19.50	(16.79 - 22.53)	19.48	(17.12 - 22.09)	0.991
Board 48 (Lucas)	21.28	(17.98 - 25.00)	20.35	(17.72 - 23.27)	0.567
Boards 50 and 76	18.95	(16.15 - 22.12)	19.58	(17.13 - 22.29)	0.662
Board 57 (Montgomery)	21.03	(17.92 - 24.51)	21.28	(18.54 - 24.30)	0.878
Board 77 (Summit)	18.90	(16.08 - 22.07)	19.67	(17.04 - 22.60)	0.610
Oklahoma	21.71	(19.49 - 24.10)	20.47	(18.51 - 22.58)	0.240
Central	22.63	(18.75 - 27.04)	20.67	(17.68 - 24.02)	0.263
East Central	22.91	(18.98 - 27.37)	20.26	(17.19 - 23.71)	0.142
Northeast	19.85	(16.49 - 23.71)	19.61	(16.68 - 22.91)	0.880
Northwest and Southwest	21.35	(17.85 - 25.33)	20.62	(17.43 - 24.22)	0.675
Oklahoma County	21.36	(17.97 - 25.19)	20.48	(17.64 - 23.64)	0.598
Southeast	23.21	(19.26 - 27.69)	21.55	(18.45 - 25.00)	0.369
Tulsa County	21.08	(17.72 - 24.88)	20.09	(17.26 - 23.25)	0.534
Oregon	21.35	(19.25 - 23.61)	22.72	(20.67 - 24.91)	0.229
Region 1 (Multnomah)	21.89	(18.51 - 25.70)	23.17	(20.17 - 26.48)	0.476
Region 2	20.57	(17.28 - 24.31)	21.31	(18.46 - 24.47)	0.678
Region 3	21.92	(18.89 - 25.28)	23.95	(20.99 - 27.19)	0.229
Region 4	20.88	(17.37 - 24.90)	22.64	(19.33 - 26.33)	0.363
Region 5 (Central)	20.90	(17.13 - 25.25)	21.41	(18.04 - 25.20)	0.795
Region 6 (Eastern)	21.13	(17.09 - 25.82)	21.67	(18.18 - 25.62)	0.784

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	17.69	(16.59 - 18.84)	17.70	(16.56 - 18.90)	0.985
Region 1 (Allegheny)	18.10	(15.66 - 20.84)	18.24	(16.03 - 20.67)	0.918
Regions 3, 8, 9, and 51	17.66	(14.94 - 20.76)	19.28	(16.75 - 22.10)	0.258
Regions 4, 11, 37, and 49	16.67	(14.11 - 19.59)	16.71	(14.54 - 19.12)	0.978
Regions 5, 18, 23, 24, and 46	18.36	(15.63 - 21.46)	18.12	(15.80 - 20.69)	0.860
Regions 6, 12, 16, 31, 35, 45, and 47	18.00	(15.37 - 20.96)	17.74	(15.44 - 20.30)	0.845
Regions 7, 13, 20, and 33	16.88	(14.80 - 19.19)	16.17	(14.37 - 18.14)	0.512
Regions 10, 15, 27, 32, 43, and 44	18.62	(15.81 - 21.80)	18.51	(16.02 - 21.29)	0.939
Regions 17 and 21	19.12	(15.99 - 22.69)	18.65	(16.12 - 21.47)	0.761
Regions 19, 26, 28, and 42	17.20	(14.92 - 19.74)	17.39	(15.30 - 19.70)	0.876
Regions 22, 38, 40, 41, and 48	17.70	(15.02 - 20.75)	17.48	(15.05 - 20.20)	0.874
Regions 29 and 34	17.95	(15.15 - 21.13)	17.56	(15.08 - 20.35)	0.772
Regions 30 and 50	17.63	(14.89 - 20.76)	17.63	(15.16 - 20.41)	0.997
Region 36 (Philadelphia)	18.46	(16.16 - 21.01)	19.34	(17.07 - 21.82)	0.505
Rhode Island	18.52[a]	(16.47 - 20.76)	21.11	(19.07 - 23.31)	0.021
Bristol and Newport	16.46[a]	(13.26 - 20.25)	20.12	(16.94 - 23.72)	0.031
Kent	18.23	(15.04 - 21.92)	20.07	(17.10 - 23.41)	0.266
Providence	19.16[a]	(16.60 - 22.01)	22.11	(19.61 - 24.83)	0.040
Washington	17.97	(14.79 - 21.65)	18.69	(15.71 - 22.09)	0.658
South Carolina	18.31	(16.33 - 20.47)	17.72	(15.89 - 19.72)	0.576
Region 1	--	(-- - --)	17.03	(14.63 - 19.73)	--
Region 2	--	(-- - --)	17.90	(15.33 - 20.79)	--
Region 3	19.03	(15.74 - 22.82)	18.32	(15.53 - 21.48)	0.664
Region 4	18.71	(15.74 - 22.09)	18.00	(15.39 - 20.93)	0.647
South Dakota	17.36	(15.49 - 19.39)	16.46	(14.83 - 18.24)	0.346
Region 1	17.39	(14.45 - 20.78)	17.08	(14.72 - 19.74)	0.838
Region 2	17.12	(13.78 - 21.06)	16.87	(14.15 - 19.99)	0.880
Region 3	16.99	(14.21 - 20.17)	15.81	(13.50 - 18.44)	0.402
Region 4	16.31	(13.38 - 19.74)	15.97	(13.50 - 18.80)	0.809
Region 5	18.25	(15.49 - 21.37)	16.59	(14.34 - 19.12)	0.214
Tennessee	20.56	(18.37 - 22.94)	20.29	(18.35 - 22.38)	0.803
Region 1	22.11	(18.26 - 26.50)	21.42	(18.11 - 25.15)	0.726
Region 2	20.89	(17.46 - 24.78)	20.38	(17.55 - 23.52)	0.765
Region 3	21.87	(18.33 - 25.87)	20.17	(17.27 - 23.42)	0.327
Region 4 (Davidson)	21.19	(17.52 - 25.40)	20.45	(17.42 - 23.86)	0.680
Region 5	19.94	(16.67 - 23.68)	20.64	(17.79 - 23.81)	0.680
Region 6	20.71	(17.02 - 24.96)	20.10	(17.07 - 23.51)	0.737
Region 7 (Shelby)	18.28	(15.09 - 21.97)	19.05	(16.10 - 22.40)	0.645

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	16.70	(15.62 - 17.83)	17.33	(16.29 - 18.42)	0.277
Region 1	17.08	(14.28 - 20.31)	19.15	(16.65 - 21.92)	0.147
Region 2	16.78	(13.92 - 20.08)	18.54	(16.02 - 21.36)	0.229
Region 3	16.45	(14.83 - 18.22)	16.43	(15.00 - 17.96)	0.977
Region 3a	16.42	(14.45 - 18.60)	15.96	(14.20 - 17.89)	0.664
Region 3bc	16.52	(14.24 - 19.08)	17.26	(15.27 - 19.44)	0.524
Region 4	18.88	(15.86 - 22.31)	19.96	(17.31 - 22.90)	0.494
Region 5	17.36	(14.44 - 20.74)	18.84	(16.14 - 21.86)	0.323
Region 6	15.68	(13.90 - 17.64)	17.06	(15.35 - 18.92)	0.137
Region 6a	15.58	(13.67 - 17.70)	17.06	(15.21 - 19.07)	0.142
Region 6bc	16.53	(13.65 - 19.87)	17.09	(14.64 - 19.86)	0.680
Region 7	18.04	(16.03 - 20.24)	17.85	(16.12 - 19.73)	0.848
Region 7a	17.09	(14.64 - 19.86)	17.48	(15.33 - 19.85)	0.755
Region 7bcd	19.64	(16.80 - 22.82)	18.50	(16.15 - 21.10)	0.402
Region 8	17.73	(15.25 - 20.53)	17.77	(15.51 - 20.27)	0.981
Region 9	17.67	(14.73 - 21.05)	17.63	(15.14 - 20.44)	0.980
Region 10	16.43	(13.77 - 19.48)	16.92	(14.50 - 19.64)	0.729
Region 11	15.26	(13.25 - 17.52)	16.68	(14.82 - 18.71)	0.182
Region 11abd	15.28	(12.77 - 18.19)	16.61	(14.31 - 19.20)	0.320
Region 11c (Hidalgo)	15.22	(12.64 - 18.23)	16.79	(14.45 - 19.43)	0.255
Utah	22.65	(20.56 - 24.88)	21.72	(19.80 - 23.78)	0.394
Bear River, Northeastern, Summit, Tooele, and Wasatch	23.79	(20.12 - 27.90)	21.54	(18.56 - 24.85)	0.183
Central, Four Corners, San Juan, and Southwest	22.49	(18.78 - 26.69)	21.78	(18.65 - 25.27)	0.697
Davis County	22.71	(19.18 - 26.67)	21.78	(18.67 - 25.25)	0.586
Salt Lake County	21.92	(19.10 - 25.02)	21.08	(18.54 - 23.86)	0.568
Utah County	24.16	(20.87 - 27.78)	23.45	(20.60 - 26.56)	0.673
Weber, Morgan	21.39	(17.89 - 25.35)	21.15	(18.17 - 24.48)	0.894
Vermont	18.93	(16.91 - 21.13)	19.99	(18.05 - 22.07)	0.324
Champlain Valley	18.19	(15.66 - 21.02)	18.72	(16.33 - 21.38)	0.697
Rural Northeast	20.04	(16.75 - 23.79)	22.28	(19.04 - 25.90)	0.219
Rural Southeast	18.73	(15.59 - 22.35)	19.37	(16.55 - 22.53)	0.706
Rural Southwest	19.41	(16.17 - 23.12)	20.59	(17.65 - 23.87)	0.491
Virginia	17.77	(15.83 - 19.90)	17.94	(16.22 - 19.79)	0.867
Region 1	19.10	(15.96 - 22.69)	18.09	(15.49 - 21.01)	0.528
Region 2	16.07	(13.40 - 19.15)	16.14	(13.89 - 18.69)	0.956
Region 3	19.70	(16.45 - 23.42)	20.49	(17.65 - 23.65)	0.639
Region 4	18.46	(15.33 - 22.07)	18.51	(15.71 - 21.68)	0.978
Region 5	16.91	(14.08 - 20.18)	17.67	(15.28 - 20.34)	0.613

See notes at end of table.

(continued)

Table 24 ***Any Mental Illness in the Past Year in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	21.15	(19.01 - 23.47)	19.98	(18.09 - 22.01)	0.267
Region 1	21.66	(18.63 - 25.03)	19.78	(17.34 - 22.48)	0.190
Greater Columbia and North Central	--	(-- - --)	19.76	(16.89 - 22.98)	--
Spokane	--	(-- - --)	19.82	(16.76 - 23.28)	--
Region 2	20.45	(17.93 - 23.22)	20.01	(17.81 - 22.41)	0.737
King	20.11	(17.13 - 23.47)	19.72	(17.21 - 22.48)	0.796
North Sound	21.04	(17.67 - 24.86)	20.54	(17.72 - 23.67)	0.768
Region 3	21.82	(18.97 - 24.95)	20.06	(17.85 - 22.48)	0.180
Peninsula	--	(-- - --)	20.00	(16.82 - 23.62)	--
Pierce	--	(-- - --)	19.47	(16.70 - 22.57)	--
SW WA and Timberlands	--	(-- - --)	20.64	(17.50 - 24.19)	--
Thurston-Mason	--	(-- - --)	20.32	(17.10 - 23.96)	--
West Virginia	21.33	(19.21 - 23.62)	21.70	(19.75 - 23.79)	0.744
Region I	20.28	(16.51 - 24.67)	21.19	(17.89 - 24.93)	0.647
Region II	21.53	(17.81 - 25.78)	21.42	(18.31 - 24.90)	0.951
Region III	20.92	(17.26 - 25.12)	22.60	(19.15 - 26.47)	0.387
Region IV	20.06	(16.99 - 23.51)	21.19	(18.39 - 24.29)	0.486
Region V	22.34	(19.26 - 25.77)	21.15	(18.44 - 24.13)	0.470
Region VI	21.81	(18.12 - 26.00)	23.18	(20.15 - 26.50)	0.475
Wisconsin	17.28	(15.27 - 19.48)	18.15	(16.34 - 20.10)	0.383
Milwaukee	18.37	(15.06 - 22.22)	18.38	(15.68 - 21.41)	0.998
Northeastern	16.67	(13.78 - 20.02)	18.69	(16.05 - 21.65)	0.201
Northern	16.75	(13.58 - 20.48)	18.00	(15.08 - 21.35)	0.446
Southeastern	16.60	(13.57 - 20.15)	17.56	(14.98 - 20.48)	0.537
Southern	17.38	(14.34 - 20.91)	18.09	(15.47 - 21.05)	0.631
Western	18.10	(14.82 - 21.92)	18.04	(15.30 - 21.14)	0.968

See notes at end of table.

(continued)

Table 24 *Any Mental Illness in the Past Year in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	18.65	(16.83 - 20.62)	19.38	(17.61 - 21.28)	0.421
Judicial District 1 (Laramie)	18.65	(15.60 - 22.14)	19.06	(16.35 - 22.10)	0.801
Judicial District 2	19.27	(16.31 - 22.61)	19.99	(17.15 - 23.16)	0.626
Judicial District 3	19.06	(15.96 - 22.59)	19.92	(17.22 - 22.93)	0.573
Judicial District 4	17.76	(14.48 - 21.59)	18.84	(15.93 - 22.15)	0.506
Judicial District 5	18.00	(14.63 - 21.95)	18.70	(15.82 - 21.98)	0.675
Judicial District 6	18.01	(14.87 - 21.65)	19.32	(16.54 - 22.43)	0.410
Judicial District 7 (Natrona)	19.49	(16.28 - 23.14)	20.03	(17.11 - 23.31)	0.733
Judicial District 8	18.82	(15.38 - 22.82)	19.57	(16.61 - 22.91)	0.669
Judicial District 9	18.21	(14.96 - 21.98)	18.80	(16.00 - 21.96)	0.716

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Any mental illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder, as assessed by the Mental Health Surveillance Study (MHSS) *Structured Clinical Interview for the Diagnostic and Statistical Manual of Mental Disorders—Fourth Edition—Research Version—Axis I Disorders* (MHSS-SCID), which is based on the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). For details, see Section B of the "2011-2012 NSDUH: Guide to State Tables and Summary of Small Area Estimation Methodology" at http://www.samhsa.gov/data/.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	3.78	(3.63 - 3.93)	3.91	(3.76 - 4.06)	0.131
Northeast	3.77	(3.49 - 4.08)	3.83	(3.56 - 4.11)	0.736
Midwest	3.93	(3.71 - 4.16)	4.04	(3.82 - 4.28)	0.395
South	3.64	(3.43 - 3.87)	3.83	(3.61 - 4.05)	0.132
West	3.86	(3.56 - 4.17)	3.99	(3.71 - 4.28)	0.440
Alabama	4.01	(3.31 - 4.85)	3.74	(3.11 - 4.49)	0.488
Region 1	3.93	(2.96 - 5.20)	3.63	(2.78 - 4.74)	0.597
Region 2	4.10	(3.15 - 5.32)	3.91	(3.00 - 5.07)	0.706
Region 3	4.20	(3.18 - 5.52)	3.66	(2.80 - 4.78)	0.315
Region 4	3.84	(2.90 - 5.07)	3.70	(2.81 - 4.86)	0.790
Alaska	4.58	(3.77 - 5.57)	4.24	(3.57 - 5.03)	0.410
Anchorage	4.76	(3.72 - 6.09)	4.24	(3.34 - 5.36)	0.342
Northern	4.64	(3.48 - 6.16)	4.44	(3.47 - 5.66)	0.728
South Central	4.35	(3.20 - 5.89)	4.08	(3.14 - 5.28)	0.646
Southeast	4.35	(3.19 - 5.89)	4.21	(3.18 - 5.56)	0.824
Arizona	4.27	(3.46 - 5.26)	4.15	(3.44 - 5.00)	0.789
Maricopa	4.34	(3.36 - 5.59)	3.96	(3.10 - 5.03)	0.456
Pima	4.21	(3.10 - 5.68)	4.34	(3.28 - 5.72)	0.832
Rural North	4.32	(3.14 - 5.93)	4.54	(3.36 - 6.11)	0.746
Rural South	3.96	(2.87 - 5.43)	4.44	(3.31 - 5.93)	0.446
Arkansas	4.34	(3.57 - 5.28)	4.45	(3.75 - 5.27)	0.797
Catchment Area 1	4.08	(3.06 - 5.43)	4.23	(3.24 - 5.51)	0.785
Catchment Area 2	4.08	(2.94 - 5.64)	4.97	(3.67 - 6.70)	0.228
Catchment Area 3	4.22	(3.09 - 5.73)	4.44	(3.33 - 5.91)	0.720
Catchment Area 4	4.58	(3.27 - 6.37)	4.63	(3.46 - 6.16)	0.941
Catchment Area 5	4.43	(3.29 - 5.92)	4.46	(3.37 - 5.89)	0.949
Catchment Area 6	4.27	(3.07 - 5.90)	4.21	(3.13 - 5.65)	0.930
Catchment Area 7	4.23	(3.06 - 5.84)	4.61	(3.40 - 6.23)	0.575
Catchment Area 8	4.71	(3.49 - 6.34)	4.24	(3.20 - 5.60)	0.440

See notes at end of table. (continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	3.59	(3.15 - 4.09)	3.76	(3.36 - 4.22)	0.491
Region 1R	4.05	(3.05 - 5.36)	4.34	(3.35 - 5.61)	0.590
Region 2R	3.83	(2.95 - 4.97)	4.13	(3.18 - 5.35)	0.538
Region 3R (Sacramento)	4.05	(3.07 - 5.34)	4.10	(3.19 - 5.26)	0.926
Region 4R	3.84	(2.86 - 5.14)	3.72	(2.90 - 4.75)	0.792
Region 5R (San Francisco)	4.16	(3.10 - 5.56)	4.00	(3.02 - 5.29)	0.772
Region 6 (Santa Clara)	3.35	(2.52 - 4.43)	3.41	(2.65 - 4.38)	0.877
Region 7R (Contra Costa)	3.48	(2.60 - 4.64)	3.46	(2.70 - 4.44)	0.969
Region 8R (Alameda)	3.86	(2.94 - 5.07)	3.80	(2.95 - 4.90)	0.898
Region 9R (San Mateo)	3.38	(2.51 - 4.56)	3.41	(2.59 - 4.47)	0.960
Region 10	3.62	(2.75 - 4.74)	3.69	(2.89 - 4.71)	0.865
Region 11 (Los Angeles)	3.46	(2.95 - 4.06)	3.67	(3.19 - 4.22)	0.444
LA SPA 1 and 5	3.83	(2.89 - 5.07)	3.90	(3.04 - 4.98)	0.888
LA SPA 2	3.62	(2.76 - 4.72)	3.84	(3.00 - 4.90)	0.631
LA SPA 3	3.26	(2.47 - 4.29)	3.37	(2.64 - 4.31)	0.773
LA SPA 4	3.75	(2.84 - 4.94)	4.08	(3.16 - 5.26)	0.500
LA SPA 6	3.32	(2.59 - 4.25)	3.44	(2.72 - 4.34)	0.765
LA SPA 7	3.11	(2.39 - 4.05)	3.36	(2.64 - 4.27)	0.519
LA SPA 8	3.36	(2.54 - 4.43)	3.69	(2.89 - 4.72)	0.433
Region 12R	3.70	(2.79 - 4.91)	4.22	(3.24 - 5.46)	0.299
Regions 13 and 19R	3.52	(2.74 - 4.52)	3.77	(2.96 - 4.80)	0.572
Region 14 (Orange)	3.25	(2.51 - 4.21)	3.50	(2.78 - 4.39)	0.527
Region 15R (Fresno)	3.77	(2.88 - 4.92)	4.10	(3.21 - 5.23)	0.502
Region 16R (San Diego)	3.81	(2.97 - 4.87)	3.83	(3.07 - 4.77)	0.956
Region 17R	3.44	(2.64 - 4.46)	3.79	(2.97 - 4.83)	0.431
Region 18R (San Bernardino)	3.40	(2.61 - 4.43)	3.96	(3.12 - 5.02)	0.238
Region 20R	3.47	(2.63 - 4.58)	3.85	(3.01 - 4.92)	0.405
Region 21R	3.86	(2.95 - 5.05)	3.80	(2.99 - 4.82)	0.889
Colorado	3.70	(3.02 - 4.53)	4.01	(3.34 - 4.81)	0.406
Region 1	3.51	(2.61 - 4.70)	3.89	(2.99 - 5.05)	0.432
Regions 2 and 7	3.75	(2.88 - 4.85)	4.05	(3.18 - 5.14)	0.531
Region 3	3.66	(2.75 - 4.85)	3.89	(3.00 - 5.04)	0.645
Region 4	3.47	(2.50 - 4.78)	4.21	(3.10 - 5.71)	0.206
Regions 5 and 6	3.85	(2.81 - 5.26)	4.04	(3.02 - 5.39)	0.731
Connecticut	3.69	(2.99 - 4.55)	3.55	(2.96 - 4.26)	0.690
Eastern	3.82	(2.86 - 5.08)	4.01	(3.09 - 5.19)	0.692
North Central	3.75	(2.78 - 5.03)	3.59	(2.74 - 4.70)	0.753
Northwestern	3.79	(2.74 - 5.21)	3.42	(2.55 - 4.58)	0.475
South Central	3.76	(2.75 - 5.12)	3.61	(2.76 - 4.71)	0.757
Southwest	3.34	(2.43 - 4.58)	3.23	(2.40 - 4.33)	0.811

See notes at end of table.

(continued)

Table 25 ***Had Serious Thoughts of Suicide in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	3.92	(3.20 - 4.78)	3.85	(3.22 - 4.60)	0.863
Kent	4.26	(3.17 - 5.70)	4.16	(3.17 - 5.43)	0.862
New Castle (excluding Wilmington City)	3.89	(3.03 - 4.98)	3.83	(3.03 - 4.84)	0.908
Sussex	3.63	(2.62 - 5.00)	3.74	(2.79 - 5.00)	0.830
Wilmington City	4.15	(3.05 - 5.62)	3.57	(2.69 - 4.73)	0.288
District of Columbia	4.41	(3.60 - 5.38)	4.10	(3.46 - 4.84)	0.431
Ward 1	4.63	(3.48 - 6.14)	4.29	(3.27 - 5.60)	0.549
Ward 2	5.17	(3.92 - 6.78)	5.28	(4.12 - 6.74)	0.857
Ward 3	4.27	(3.17 - 5.74)	4.22	(3.24 - 5.48)	0.929
Ward 4	3.57	(2.57 - 4.94)	3.50	(2.57 - 4.76)	0.897
Ward 5	3.99	(2.91 - 5.45)	3.48	(2.63 - 4.59)	0.332
Ward 6	4.85	(3.53 - 6.64)	4.64	(3.49 - 6.16)	0.758
Ward 7	4.26	(3.07 - 5.88)	3.39	(2.49 - 4.61)	0.115
Ward 8	4.34	(3.17 - 5.91)	3.64	(2.75 - 4.80)	0.205
Florida[1]	3.40	(2.96 - 3.91)	3.48	(3.07 - 3.95)	0.747
Broward (Circuit 17)	3.29	(2.51 - 4.30)	3.17	(2.44 - 4.10)	0.756
Central I	--	(-- - --)	3.74	(3.09 - 4.52)	--
Circuit 9	3.51	(2.73 - 4.50)	3.75	(2.99 - 4.71)	0.552
Circuit 18	3.68	(2.76 - 4.88)	3.72	(2.83 - 4.89)	0.924
Central II	--	(-- - --)	3.55	(3.02 - 4.17)	--
Circuit 6	3.63	(2.70 - 4.87)	3.52	(2.71 - 4.56)	0.814
Circuit 10	3.65	(2.72 - 4.88)	3.88	(2.91 - 5.16)	0.653
Circuit 12	3.43	(2.48 - 4.73)	3.40	(2.52 - 4.56)	0.956
Circuit 13 (Hillsborough)	3.64	(2.83 - 4.67)	3.55	(2.74 - 4.58)	0.836
Circuit 20	3.36	(2.50 - 4.49)	3.50	(2.65 - 4.61)	0.750
Northeast	--	(-- - --)	3.71	(3.13 - 4.40)	--
Circuit 4	3.63	(2.76 - 4.75)	3.63	(2.82 - 4.65)	0.999
Circuit 5	3.23	(2.35 - 4.42)	3.48	(2.60 - 4.65)	0.611
Circuit 7	3.79	(2.83 - 5.06)	3.75	(2.80 - 5.00)	0.934
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	4.28	(3.33 - 5.49)	--
Northwest	--	(-- - --)	4.07	(3.36 - 4.92)	--
Circuit 1	3.92	(2.98 - 5.13)	4.09	(3.10 - 5.39)	0.723
Circuit 2 plus Madison and Taylor	--	(-- - --)	4.12	(3.22 - 5.25)	--
Circuit 14	3.82	(2.83 - 5.14)	3.95	(2.96 - 5.27)	0.791
South (Circuits 11 and 16)	2.64	(2.02 - 3.44)	2.87	(2.25 - 3.67)	0.463
Southeast	--	(-- - --)	3.23	(2.60 - 4.01)	--
Circuit 15 (Palm Beach)	3.25	(2.41 - 4.37)	3.14	(2.41 - 4.10)	0.795
Circuit 19	3.28	(2.41 - 4.45)	3.43	(2.58 - 4.56)	0.743

See notes at end of table.

(continued)

Table 25 ***Had Serious Thoughts of Suicide in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	3.44	(2.83 - 4.18)	3.91	(3.27 - 4.67)	0.187
Region 1	3.38	(2.50 - 4.55)	3.81	(2.89 - 5.01)	0.368
Region 2	3.44	(2.55 - 4.63)	4.31	(3.29 - 5.63)	0.103
Region 3	3.41	(2.60 - 4.45)	3.69	(2.84 - 4.77)	0.553
Region 4	3.79	(2.76 - 5.19)	4.09	(3.09 - 5.39)	0.599
Region 5	3.69	(2.75 - 4.94)	4.29	(3.22 - 5.69)	0.267
Region 6	3.26	(2.42 - 4.38)	3.80	(2.87 - 5.03)	0.253
Hawaii	3.71	(2.97 - 4.64)	3.90	(3.19 - 4.76)	0.665
Hawaii Island	4.06	(2.92 - 5.62)	4.77	(3.51 - 6.43)	0.310
Honolulu	3.55	(2.74 - 4.58)	3.60	(2.83 - 4.58)	0.909
Kauai	4.14	(2.93 - 5.82)	4.23	(3.04 - 5.85)	0.886
Maui	4.13	(2.94 - 5.76)	4.58	(3.35 - 6.21)	0.522
Idaho	4.39	(3.59 - 5.36)	4.29	(3.63 - 5.07)	0.821
Region 1	4.18	(3.01 - 5.78)	4.37	(3.27 - 5.82)	0.764
Region 2	4.65	(3.44 - 6.25)	4.72	(3.57 - 6.23)	0.905
Region 3	4.34	(3.21 - 5.85)	4.66	(3.49 - 6.20)	0.637
Region 4	4.35	(3.25 - 5.80)	3.76	(2.92 - 4.82)	0.271
Region 5	4.03	(2.91 - 5.54)	4.46	(3.32 - 5.97)	0.488
Region 6	--	(-- - --)	4.59	(3.46 - 6.06)	--
Region 7	--	(-- - --)	4.39	(3.39 - 5.67)	--
Illinois	3.45	(3.02 - 3.94)	3.55	(3.14 - 4.03)	0.671
Region I (Cook)	3.41	(2.81 - 4.12)	3.28	(2.71 - 3.96)	0.714
Region II	3.33	(2.72 - 4.06)	3.46	(2.87 - 4.17)	0.703
Region III	3.55	(2.80 - 4.50)	3.87	(3.13 - 4.79)	0.467
Region IV	3.56	(2.73 - 4.65)	4.19	(3.25 - 5.39)	0.195
Region V	3.83	(2.95 - 4.97)	4.18	(3.28 - 5.33)	0.479
Indiana	4.09	(3.38 - 4.95)	4.18	(3.53 - 4.94)	0.820
Central	3.84	(2.84 - 5.17)	3.93	(3.04 - 5.05)	0.862
East	4.46	(3.32 - 5.98)	4.30	(3.26 - 5.66)	0.803
North Central	3.99	(2.97 - 5.36)	4.16	(3.19 - 5.40)	0.779
Northeast	4.02	(2.94 - 5.47)	4.03	(3.03 - 5.35)	0.987
Northwest	4.03	(2.98 - 5.44)	3.90	(2.95 - 5.15)	0.814
Southeast	4.10	(2.97 - 5.64)	4.26	(3.15 - 5.74)	0.801
Southwest	4.25	(3.09 - 5.81)	4.35	(3.29 - 5.73)	0.871
West	4.52	(3.40 - 5.98)	4.91	(3.86 - 6.23)	0.512
Iowa	3.94	(3.25 - 4.76)	4.12	(3.46 - 4.91)	0.612
Central	3.88	(2.90 - 5.17)	3.86	(2.92 - 5.07)	0.960
North Central	3.98	(2.99 - 5.27)	4.19	(3.25 - 5.39)	0.673
Northeast	3.86	(2.90 - 5.11)	4.15	(3.18 - 5.41)	0.564
Northwest	3.71	(2.70 - 5.08)	3.79	(2.79 - 5.12)	0.881
Southeast	4.22	(3.18 - 5.57)	4.62	(3.49 - 6.08)	0.491
Southwest	3.96	(2.89 - 5.40)	3.90	(2.93 - 5.18)	0.918

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	3.79	(3.11 - 4.61)	3.77	(3.15 - 4.52)	0.969
Kansas City Metro	3.50	(2.64 - 4.62)	3.63	(2.81 - 4.68)	0.782
Northeast	4.03	(3.00 - 5.41)	3.82	(2.89 - 5.03)	0.686
South Central	4.20	(3.05 - 5.74)	3.84	(2.87 - 5.11)	0.529
Southeast	4.30	(3.15 - 5.85)	4.11	(2.98 - 5.65)	0.778
West	3.62	(2.62 - 4.97)	3.82	(2.87 - 5.08)	0.705
Wichita (Sedgwick)	3.67	(2.71 - 4.96)	3.80	(2.85 - 5.04)	0.816
Kentucky	4.01	(3.28 - 4.90)	4.12	(3.47 - 4.88)	0.793
Adanta, Cumberland River, and Lifeskills	4.07	(2.98 - 5.53)	4.47	(3.36 - 5.91)	0.521
Bluegrass, Comprehend, and North Key	3.81	(2.85 - 5.09)	4.20	(3.28 - 5.36)	0.455
Communicare and River Valley	4.08	(2.93 - 5.64)	4.07	(3.07 - 5.37)	0.989
Four Rivers and Pennyroyal	3.94	(2.91 - 5.32)	4.28	(3.19 - 5.71)	0.582
Kentucky River, Mountain, and Pathways	3.98	(2.86 - 5.53)	4.22	(3.12 - 5.69)	0.700
Seven Counties	4.26	(3.15 - 5.73)	3.64	(2.79 - 4.75)	0.275
Louisiana	3.93	(3.27 - 4.73)	4.27	(3.59 - 5.07)	0.370
Regions 1 and 10	3.68	(2.89 - 4.67)	3.84	(3.07 - 4.79)	0.691
Region 1	3.83	(2.88 - 5.08)	3.94	(2.98 - 5.20)	0.827
Region 10 (Jefferson)	3.52	(2.58 - 4.78)	3.73	(2.80 - 4.93)	0.675
Regions 2 and 9	3.94	(3.02 - 5.14)	4.74	(3.60 - 6.21)	0.167
Region 3	3.74	(2.74 - 5.08)	4.01	(3.02 - 5.31)	0.591
Regions 4, 5, and 6	4.30	(3.25 - 5.67)	4.37	(3.34 - 5.69)	0.908
Regions 7 and 8	3.79	(2.85 - 5.02)	4.04	(3.11 - 5.22)	0.613
Maine	3.94	(3.24 - 4.77)	4.34	(3.64 - 5.16)	0.334
Aroostook/Downeast	3.97	(3.02 - 5.19)	4.57	(3.52 - 5.92)	0.305
Aroostook	4.11	(2.97 - 5.67)	4.56	(3.32 - 6.24)	0.533
Downeast	3.85	(2.75 - 5.36)	4.57	(3.27 - 6.36)	0.276
Central	4.14	(2.97 - 5.76)	4.53	(3.37 - 6.06)	0.564
Cumberland	3.77	(2.79 - 5.09)	4.23	(3.19 - 5.60)	0.421
Midcoast	3.77	(2.69 - 5.26)	4.06	(2.99 - 5.47)	0.649
Penquis	3.93	(2.93 - 5.24)	4.76	(3.59 - 6.27)	0.159
Western	4.30	(3.19 - 5.77)	4.45	(3.34 - 5.91)	0.812
York	3.74	(2.75 - 5.09)	3.88	(2.90 - 5.17)	0.806

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	3.38	(2.78 - 4.10)	3.57	(3.03 - 4.22)	0.533
Anne Arundel	3.30	(2.41 - 4.49)	3.72	(2.78 - 4.95)	0.393
Baltimore City	3.70	(2.75 - 4.97)	3.81	(2.88 - 5.03)	0.838
Baltimore County	3.38	(2.50 - 4.54)	3.60	(2.73 - 4.72)	0.622
Montgomery	3.23	(2.37 - 4.38)	3.41	(2.62 - 4.42)	0.694
North Central	3.08	(2.22 - 4.26)	3.49	(2.63 - 4.62)	0.369
Northeast	3.52	(2.58 - 4.79)	3.54	(2.66 - 4.72)	0.961
Prince George's	3.35	(2.50 - 4.49)	3.44	(2.62 - 4.49)	0.852
South	3.36	(2.49 - 4.51)	3.54	(2.69 - 4.65)	0.679
West	3.53	(2.60 - 4.78)	3.79	(2.88 - 4.97)	0.590
Massachusetts	3.89	(3.20 - 4.72)	3.96	(3.33 - 4.71)	0.846
Boston	4.38	(3.33 - 5.75)	4.49	(3.49 - 5.77)	0.838
Central	3.93	(2.89 - 5.32)	4.11	(3.08 - 5.46)	0.742
Metrowest	3.81	(2.82 - 5.15)	3.55	(2.71 - 4.65)	0.602
Northeast	3.71	(2.73 - 5.00)	3.99	(3.03 - 5.25)	0.607
Southeast	3.73	(2.77 - 5.02)	3.93	(2.98 - 5.17)	0.721
Western	4.00	(2.98 - 5.35)	4.02	(3.06 - 5.26)	0.973
Michigan[1]	4.46	(3.96 - 5.02)	4.56	(4.06 - 5.12)	0.740
Region 1	4.60	(3.51 - 6.01)	4.98	(3.82 - 6.46)	0.547
Region 2	--	(-- - --)	4.29	(3.27 - 5.62)	--
Region 3	--	(-- - --)	4.68	(3.75 - 5.82)	--
Region 4	--	(-- - --)	4.44	(3.50 - 5.61)	--
Region 5	--	(-- - --)	4.97	(4.07 - 6.06)	--
Region 6	--	(-- - --)	4.37	(3.50 - 5.44)	--
Region 7	--	(-- - --)	4.34	(3.47 - 5.41)	--
Region 8	3.87	(3.01 - 4.96)	3.89	(3.08 - 4.90)	0.965
Region 9	4.52	(3.49 - 5.84)	4.76	(3.67 - 6.16)	0.676
Region 10	--	(-- - --)	5.22	(4.08 - 6.66)	--
Minnesota	3.66	(3.02 - 4.43)	3.99	(3.35 - 4.76)	0.364
Regions 1 and 2	4.19	(3.11 - 5.63)	4.32	(3.22 - 5.76)	0.837
Regions 3 and 4	3.66	(2.73 - 4.89)	4.01	(3.04 - 5.28)	0.497
Regions 5 and 6	3.63	(2.72 - 4.84)	4.33	(3.24 - 5.76)	0.199
Region 7A (Hennepin)	3.69	(2.80 - 4.86)	3.85	(2.92 - 5.06)	0.760
Region 7B (Ramsey)	4.05	(2.99 - 5.47)	4.20	(3.17 - 5.54)	0.798
Region 7C	3.23	(2.40 - 4.32)	3.60	(2.75 - 4.71)	0.428
Mississippi	3.94	(3.24 - 4.78)	4.06	(3.42 - 4.80)	0.758
Region 1	3.99	(2.95 - 5.38)	4.23	(3.27 - 5.46)	0.674
Region 2	3.77	(2.74 - 5.16)	4.21	(3.13 - 5.64)	0.465
Region 3	4.04	(3.00 - 5.42)	4.16	(3.15 - 5.48)	0.838
Region 4	3.81	(2.85 - 5.08)	3.58	(2.73 - 4.67)	0.616
Region 5	4.00	(2.89 - 5.50)	4.14	(3.03 - 5.64)	0.815
Region 6	4.00	(2.97 - 5.37)	3.96	(3.00 - 5.21)	0.946
Region 7	4.00	(2.96 - 5.40)	4.19	(3.16 - 5.54)	0.733

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	4.01	(3.30 - 4.87)	4.07	(3.44 - 4.81)	0.877
Central	3.90	(2.90 - 5.23)	4.23	(3.22 - 5.55)	0.555
Eastern	4.05	(3.16 - 5.17)	3.68	(2.95 - 4.60)	0.416
Eastern (St. Louis City and County)	4.21	(3.12 - 5.65)	3.71	(2.83 - 4.85)	0.364
Eastern (excluding St. Louis)	3.76	(2.76 - 5.11)	3.64	(2.76 - 4.79)	0.804
Northwest	3.75	(2.91 - 4.82)	3.94	(3.14 - 4.92)	0.687
Northwest (Jackson)	3.71	(2.72 - 5.05)	3.84	(2.89 - 5.08)	0.822
Northwest (excluding Jackson)	3.78	(2.77 - 5.14)	4.03	(3.05 - 5.30)	0.668
Southeast	4.21	(3.05 - 5.77)	4.87	(3.61 - 6.53)	0.334
Southwest	4.28	(3.14 - 5.81)	4.38	(3.31 - 5.78)	0.865
Montana	4.10	(3.40 - 4.94)	4.25	(3.56 - 5.08)	0.716
Region 1	4.18	(3.05 - 5.69)	4.21	(3.07 - 5.74)	0.966
Region 2	3.99	(3.00 - 5.29)	4.00	(3.06 - 5.20)	0.988
Region 3	3.75	(2.80 - 5.02)	4.30	(3.30 - 5.58)	0.353
Region 4	4.07	(3.11 - 5.32)	4.10	(3.13 - 5.34)	0.967
Region 5	4.38	(3.38 - 5.66)	4.49	(3.46 - 5.82)	0.854
Nebraska	3.82	(3.15 - 4.63)	4.01	(3.36 - 4.77)	0.607
Regions 1 and 2	3.84	(2.95 - 4.99)	4.05	(3.18 - 5.13)	0.658
Region 1	3.85	(2.79 - 5.28)	4.20	(3.14 - 5.60)	0.520
Region 2	3.83	(2.79 - 5.25)	3.91	(2.88 - 5.29)	0.886
Region 3	3.87	(2.89 - 5.15)	3.92	(2.98 - 5.14)	0.916
Region 4	3.74	(2.72 - 5.13)	3.86	(2.90 - 5.13)	0.821
Region 5	3.99	(3.04 - 5.22)	4.09	(3.19 - 5.24)	0.842
Region 6	3.71	(2.86 - 4.81)	4.01	(3.15 - 5.09)	0.523
Nevada	3.64	(2.90 - 4.56)	4.15	(3.42 - 5.03)	0.234
Clark – Region 1	3.55	(2.73 - 4.60)	4.14	(3.28 - 5.20)	0.223
Region 3	3.85	(2.93 - 5.04)	4.09	(3.22 - 5.17)	0.633
Capital District	3.70	(2.65 - 5.15)	3.98	(2.92 - 5.39)	0.633
Rural/Frontier	3.98	(2.85 - 5.54)	4.19	(3.14 - 5.57)	0.733
Washoe – Region 2	3.90	(2.86 - 5.29)	4.26	(3.29 - 5.49)	0.514
New Hampshire	4.56	(3.74 - 5.54)	4.19	(3.53 - 4.98)	0.380
Central	4.46	(3.48 - 5.69)	4.34	(3.50 - 5.38)	0.818
Central 1	4.49	(3.35 - 5.99)	4.23	(3.26 - 5.48)	0.650
Central 2	4.42	(3.22 - 6.05)	4.46	(3.38 - 5.85)	0.955
Northern	4.49	(3.31 - 6.07)	4.27	(3.22 - 5.65)	0.721
Southern	4.62	(3.65 - 5.83)	4.10	(3.36 - 5.01)	0.283
Southern 1 (Rockingham)	4.32	(3.15 - 5.89)	3.80	(2.91 - 4.95)	0.370
Southern 2	4.81	(3.66 - 6.29)	4.29	(3.39 - 5.42)	0.372

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	3.45	(2.78 - 4.27)	3.63	(3.03 - 4.33)	0.595
Central	3.34	(2.44 - 4.55)	3.66	(2.79 - 4.79)	0.483
Metropolitan	3.42	(2.54 - 4.61)	3.53	(2.71 - 4.58)	0.821
Northern	3.55	(2.63 - 4.76)	3.44	(2.62 - 4.50)	0.811
Southern	3.46	(2.56 - 4.67)	4.00	(3.05 - 5.22)	0.284
New Mexico	3.79	(3.08 - 4.66)	3.80	(3.17 - 4.56)	0.979
Region 1	3.98	(2.95 - 5.35)	3.81	(2.90 - 5.01)	0.765
Region 2	3.29	(2.36 - 4.57)	3.61	(2.62 - 4.95)	0.555
Region 3 (Bernalillo)	3.95	(2.98 - 5.23)	3.88	(2.98 - 5.04)	0.893
Region 4	3.87	(2.88 - 5.19)	3.70	(2.84 - 4.82)	0.743
Region 5	3.66	(2.72 - 4.91)	3.87	(2.93 - 5.09)	0.698
New York	3.72	(3.24 - 4.26)	3.73	(3.29 - 4.22)	0.973
Region A	3.77	(3.17 - 4.48)	3.84	(3.28 - 4.50)	0.827
Region 1	3.74	(2.86 - 4.87)	4.02	(3.10 - 5.21)	0.584
Region 2	3.74	(2.92 - 4.79)	3.70	(2.94 - 4.66)	0.927
Region 3	4.33	(3.28 - 5.70)	4.34	(3.37 - 5.56)	0.994
Region 4	3.39	(2.59 - 4.43)	3.54	(2.74 - 4.56)	0.728
Region B	3.60	(2.96 - 4.36)	3.37	(2.82 - 4.02)	0.482
Region 5	3.52	(2.76 - 4.49)	3.21	(2.55 - 4.04)	0.442
Region 6	3.67	(2.74 - 4.90)	3.50	(2.66 - 4.59)	0.705
Region 7	3.75	(2.85 - 4.90)	3.68	(2.86 - 4.72)	0.883
Region C	3.73	(3.18 - 4.37)	3.77	(3.26 - 4.35)	0.896
Region 8	3.70	(2.85 - 4.80)	3.71	(2.91 - 4.70)	0.993
Region 9	3.70	(2.85 - 4.79)	3.93	(3.09 - 4.98)	0.620
Region 10	3.87	(2.98 - 5.00)	4.31	(3.35 - 5.54)	0.372
Region 11	3.82	(2.95 - 4.94)	3.76	(2.98 - 4.74)	0.896
Region 12	3.64	(2.78 - 4.75)	3.48	(2.71 - 4.46)	0.728
Region D	3.78	(3.10 - 4.60)	4.12	(3.41 - 4.98)	0.388
Region 13	3.75	(2.82 - 4.98)	3.96	(3.06 - 5.11)	0.684
Region 14	3.88	(2.93 - 5.12)	4.40	(3.34 - 5.77)	0.335
Region 15	3.71	(2.83 - 4.84)	4.00	(3.07 - 5.18)	0.578

See notes at end of table.

(continued)

Table 25 ***Had Serious Thoughts of Suicide in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	3.66	(3.00 - 4.45)	4.28	(3.64 - 5.03)	0.103
Alliance Behavioral Healthcare 1	--	(-- - --)	4.17	(3.18 - 5.46)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	3.75	(2.85 - 4.93)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	4.50	(3.30 - 6.10)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	4.16	(3.12 - 5.52)	--
Cardinal Innovations Healthcare Solutions 3	3.65	(2.67 - 4.97)	3.84	(2.90 - 5.08)	0.725
CenterPoint Human Services	3.57	(2.54 - 5.00)	4.29	(3.16 - 5.79)	0.247
Eastpointe	3.95	(2.85 - 5.46)	4.61	(3.38 - 6.24)	0.304
Partners Behavioral Health Management	3.64	(2.63 - 5.03)	4.38	(3.25 - 5.88)	0.244
Sandhills Center 1	3.71	(2.66 - 5.15)	4.44	(3.24 - 6.07)	0.241
Sandhills Center 2	3.75	(2.73 - 5.12)	3.96	(3.00 - 5.20)	0.704
Smoky Mountain Center 1	3.83	(2.72 - 5.38)	4.80	(3.52 - 6.53)	0.159
Smoky Mountain Center 2	3.64	(2.61 - 5.06)	4.47	(3.29 - 6.05)	0.206
Trillium Health Resources 1	3.60	(2.62 - 4.94)	4.29	(3.20 - 5.73)	0.215
Trillium Health Resources 2	3.76	(2.77 - 5.07)	4.64	(3.49 - 6.14)	0.118
North Dakota	3.64	(2.97 - 4.44)	3.93	(3.34 - 4.61)	0.410
Badlands and West Central	3.47	(2.57 - 4.65)	3.62	(2.80 - 4.68)	0.749
Lake Region	--	(-- - --)	4.07	(3.06 - 5.38)	--
North Central	--	(-- - --)	3.88	(3.00 - 5.01)	--
Northeast	4.01	(3.07 - 5.22)	4.42	(3.49 - 5.59)	0.408
Northwest	--	(-- - --)	3.68	(2.77 - 4.88)	--
South Central	--	(-- - --)	3.90	(2.86 - 5.31)	--
Southeast	3.69	(2.81 - 4.82)	4.04	(3.19 - 5.09)	0.450

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	4.02	(3.57 - 4.53)	4.19	(3.73 - 4.69)	0.552
Boards 2, 46, 55, and 68	4.03	(3.09 - 5.24)	4.25	(3.25 - 5.54)	0.678
Boards 3, 52, and 85	3.91	(2.98 - 5.12)	4.41	(3.39 - 5.71)	0.360
Boards 4 and 78	4.15	(3.10 - 5.53)	4.45	(3.38 - 5.84)	0.615
Boards 5 and 60	4.28	(3.24 - 5.63)	4.66	(3.64 - 5.95)	0.496
Boards 7, 15, 41, 79, and 84	3.76	(2.83 - 4.96)	4.56	(3.47 - 5.97)	0.172
Boards 8, 13, and 83	3.88	(2.96 - 5.07)	4.25	(3.29 - 5.49)	0.464
Board 9 (Butler)	4.63	(3.51 - 6.09)	4.58	(3.54 - 5.92)	0.940
Board 12	4.05	(3.14 - 5.22)	4.23	(3.23 - 5.50)	0.731
Boards 18 and 47	3.66	(2.90 - 4.60)	3.70	(2.91 - 4.69)	0.918
Boards 20, 32, 54, and 69	3.62	(2.71 - 4.83)	3.86	(2.97 - 5.02)	0.604
Boards 21, 39, 51, 70, and 80	3.96	(3.03 - 5.15)	3.88	(3.00 - 4.99)	0.869
Boards 22, 74, and 87	4.07	(3.14 - 5.26)	4.25	(3.27 - 5.49)	0.736
Boards 23 and 45	4.17	(3.17 - 5.46)	4.18	(3.22 - 5.40)	0.986
Board 25 (Franklin)	4.48	(3.58 - 5.60)	4.39	(3.51 - 5.49)	0.849
Boards 27, 71, and 73	4.32	(3.28 - 5.69)	4.72	(3.59 - 6.17)	0.523
Boards 28, 43, and 67	4.45	(3.37 - 5.85)	4.49	(3.44 - 5.84)	0.949
Board 31 (Hamilton)	3.71	(2.86 - 4.81)	3.71	(2.90 - 4.73)	0.996
Board 48 (Lucas)	3.93	(2.99 - 5.14)	4.10	(3.15 - 5.31)	0.740
Boards 50 and 76	3.99	(3.09 - 5.15)	4.19	(3.21 - 5.45)	0.727
Board 57 (Montgomery)	4.03	(3.09 - 5.23)	4.46	(3.45 - 5.75)	0.427
Board 77 (Summit)	4.00	(3.09 - 5.17)	4.01	(3.07 - 5.22)	0.994
Oklahoma	4.46	(3.67 - 5.40)	4.04	(3.41 - 4.77)	0.296
Central	4.51	(3.31 - 6.13)	4.33	(3.28 - 5.69)	0.755
East Central	4.56	(3.33 - 6.22)	4.10	(3.07 - 5.47)	0.493
Northeast	4.28	(3.23 - 5.67)	3.99	(3.01 - 5.28)	0.607
Northwest and Southwest	4.72	(3.47 - 6.38)	4.04	(3.05 - 5.34)	0.258
Oklahoma County	4.28	(3.20 - 5.72)	3.80	(2.94 - 4.90)	0.358
Southeast	4.72	(3.47 - 6.38)	4.25	(3.19 - 5.66)	0.468
Tulsa County	4.21	(3.09 - 5.73)	3.90	(2.96 - 5.12)	0.581
Oregon	4.10	(3.38 - 4.96)	4.31	(3.64 - 5.08)	0.593
Region 1 (Multnomah)	4.25	(3.18 - 5.66)	4.62	(3.55 - 5.99)	0.542
Region 2	3.75	(2.80 - 5.01)	3.83	(2.92 - 5.02)	0.871
Region 3	4.38	(3.39 - 5.65)	4.43	(3.45 - 5.67)	0.928
Region 4	4.01	(2.95 - 5.44)	4.44	(3.29 - 5.96)	0.514
Region 5 (Central)	3.77	(2.70 - 5.24)	3.94	(2.91 - 5.33)	0.766
Region 6 (Eastern)	3.95	(2.85 - 5.44)	4.47	(3.30 - 6.05)	0.404

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	3.87	(3.40 - 4.40)	3.95	(3.49 - 4.47)	0.761
Region 1 (Allegheny)	3.87	(2.98 - 5.00)	3.96	(3.12 - 5.02)	0.844
Regions 3, 8, 9, and 51	3.46	(2.61 - 4.58)	3.91	(3.04 - 5.03)	0.346
Regions 4, 11, 37, and 49	3.75	(2.90 - 4.84)	4.02	(3.11 - 5.18)	0.593
Regions 5, 18, 23, 24, and 46	4.04	(3.06 - 5.31)	4.13	(3.21 - 5.31)	0.858
Regions 6, 12, 16, 31, 35, 45, and 47	4.41	(3.43 - 5.64)	4.51	(3.56 - 5.70)	0.841
Regions 7, 13, 20, and 33	3.54	(2.81 - 4.46)	3.46	(2.80 - 4.27)	0.842
Regions 10, 15, 27, 32, 43, and 44	4.03	(3.05 - 5.31)	4.45	(3.41 - 5.79)	0.487
Regions 17 and 21	4.17	(3.14 - 5.51)	4.45	(3.38 - 5.84)	0.638
Regions 19, 26, 28, and 42	3.96	(3.07 - 5.09)	3.87	(3.05 - 4.91)	0.854
Regions 22, 38, 40, 41, and 48	3.87	(2.97 - 5.03)	3.64	(2.78 - 4.75)	0.638
Regions 29 and 34	3.74	(2.85 - 4.88)	3.87	(2.98 - 5.01)	0.774
Regions 30 and 50	3.82	(2.86 - 5.08)	4.26	(3.27 - 5.54)	0.422
Region 36 (Philadelphia)	4.15	(3.32 - 5.19)	4.22	(3.36 - 5.27)	0.891
Rhode Island	4.14	(3.37 - 5.09)	4.24	(3.52 - 5.09)	0.825
Bristol and Newport	3.57	(2.59 - 4.89)	3.95	(2.96 - 5.24)	0.480
Kent	3.81	(2.77 - 5.22)	4.12	(3.05 - 5.54)	0.583
Providence	4.33	(3.37 - 5.55)	4.36	(3.45 - 5.49)	0.967
Washington	4.26	(3.16 - 5.73)	4.10	(3.07 - 5.46)	0.772
South Carolina	3.73	(3.04 - 4.55)	4.02	(3.35 - 4.80)	0.446
Region 1	--	(-- - --)	4.15	(3.18 - 5.40)	--
Region 2	--	(-- - --)	4.06	(3.10 - 5.31)	--
Region 3	3.91	(2.88 - 5.28)	4.04	(3.01 - 5.40)	0.824
Region 4	3.62	(2.71 - 4.81)	3.80	(2.94 - 4.90)	0.696
South Dakota	3.91	(3.22 - 4.74)	3.81	(3.22 - 4.51)	0.789
Region 1	4.00	(2.99 - 5.33)	3.75	(2.89 - 4.87)	0.650
Region 2	3.74	(2.68 - 5.19)	3.76	(2.80 - 5.02)	0.973
Region 3	4.07	(3.07 - 5.38)	3.96	(3.08 - 5.08)	0.828
Region 4	3.55	(2.61 - 4.82)	3.62	(2.77 - 4.73)	0.887
Region 5	3.94	(2.97 - 5.20)	3.85	(2.99 - 4.95)	0.872
Tennessee	3.58	(2.92 - 4.39)	4.09	(3.45 - 4.84)	0.187
Region 1	3.50	(2.47 - 4.93)	4.24	(3.16 - 5.66)	0.228
Region 2	3.50	(2.56 - 4.76)	3.99	(3.03 - 5.25)	0.350
Region 3	3.76	(2.75 - 5.11)	4.47	(3.35 - 5.94)	0.245
Region 4 (Davidson)	3.71	(2.71 - 5.07)	3.94	(3.00 - 5.15)	0.665
Region 5	3.61	(2.67 - 4.86)	4.39	(3.36 - 5.73)	0.189
Region 6	3.59	(2.60 - 4.95)	3.96	(3.00 - 5.22)	0.512
Region 7 (Shelby)	3.41	(2.50 - 4.63)	3.42	(2.60 - 4.48)	0.984

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	3.33	(2.90 - 3.82)	3.53	(3.12 - 3.99)	0.389
Region 1	3.42	(2.61 - 4.46)	3.94	(3.05 - 5.07)	0.223
Region 2	3.58	(2.68 - 4.77)	3.92	(2.97 - 5.17)	0.485
Region 3	3.44	(2.84 - 4.16)	3.45	(2.90 - 4.11)	0.973
Region 3a	3.30	(2.60 - 4.18)	3.33	(2.68 - 4.13)	0.940
Region 3bc	3.67	(2.84 - 4.74)	3.66	(2.89 - 4.62)	0.966
Region 4	3.51	(2.60 - 4.73)	3.68	(2.79 - 4.83)	0.721
Region 5	3.52	(2.62 - 4.72)	3.73	(2.79 - 4.97)	0.674
Region 6	3.11	(2.49 - 3.89)	3.19	(2.59 - 3.92)	0.794
Region 6a	3.07	(2.41 - 3.91)	3.13	(2.50 - 3.92)	0.852
Region 6bc	3.46	(2.61 - 4.56)	3.70	(2.76 - 4.94)	0.583
Region 7	3.60	(2.95 - 4.38)	4.03	(3.32 - 4.89)	0.239
Region 7a	3.33	(2.56 - 4.32)	4.03	(3.15 - 5.15)	0.130
Region 7bcd	4.04	(3.14 - 5.18)	4.04	(3.18 - 5.12)	0.996
Region 8	3.47	(2.65 - 4.52)	3.57	(2.77 - 4.58)	0.817
Region 9	3.41	(2.56 - 4.52)	3.75	(2.86 - 4.91)	0.466
Region 10	3.01	(2.30 - 3.94)	3.43	(2.60 - 4.52)	0.307
Region 11	2.86[b]	(2.29 - 3.57)	3.50	(2.80 - 4.38)	0.071
Region 11abd	2.87[b]	(2.20 - 3.73)	3.61	(2.76 - 4.72)	0.070
Region 11c (Hidalgo)	2.86	(2.15 - 3.79)	3.31	(2.48 - 4.41)	0.281
Utah	4.72	(3.97 - 5.61)	4.85	(4.16 - 5.64)	0.749
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.02	(3.82 - 6.57)	4.84	(3.75 - 6.22)	0.766
Central, Four Corners, San Juan, and Southwest	4.62	(3.41 - 6.24)	4.96	(3.77 - 6.51)	0.608
Davis County	4.32	(3.22 - 5.78)	4.66	(3.59 - 6.03)	0.561
Salt Lake County	4.60	(3.62 - 5.84)	4.67	(3.77 - 5.78)	0.896
Utah County	5.21	(4.03 - 6.70)	5.41	(4.32 - 6.76)	0.739
Weber, Morgan	4.47	(3.37 - 5.90)	4.55	(3.52 - 5.87)	0.886
Vermont	4.62	(3.75 - 5.67)	4.62	(3.82 - 5.58)	0.986
Champlain Valley	4.44	(3.40 - 5.78)	4.32	(3.37 - 5.53)	0.829
Rural Northeast	4.75	(3.52 - 6.37)	5.32	(3.93 - 7.17)	0.460
Rural Southeast	4.94	(3.60 - 6.73)	4.42	(3.30 - 5.90)	0.483
Rural Southwest	4.43	(3.26 - 6.00)	4.61	(3.44 - 6.14)	0.797
Virginia	3.91	(3.23 - 4.73)	3.85	(3.26 - 4.55)	0.870
Region 1	4.18	(3.14 - 5.54)	3.85	(2.97 - 4.97)	0.547
Region 2	3.64	(2.77 - 4.78)	3.37	(2.59 - 4.38)	0.547
Region 3	4.02	(2.98 - 5.40)	4.57	(3.47 - 6.00)	0.373
Region 4	3.94	(2.94 - 5.26)	3.83	(2.90 - 5.03)	0.833
Region 5	3.97	(3.01 - 5.21)	3.92	(3.08 - 4.99)	0.936

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	4.45	(3.62 - 5.46)	4.38	(3.70 - 5.18)	0.865
Region 1	4.51	(3.48 - 5.81)	4.47	(3.58 - 5.57)	0.942
Greater Columbia and North Central	--	(-- - --)	4.32	(3.30 - 5.64)	--
Spokane	--	(-- - --)	4.68	(3.51 - 6.22)	--
Region 2	4.25	(3.30 - 5.46)	4.16	(3.38 - 5.13)	0.854
King	4.31	(3.20 - 5.79)	4.13	(3.20 - 5.32)	0.739
North Sound	4.14	(3.03 - 5.62)	4.23	(3.22 - 5.53)	0.871
Region 3	4.70	(3.66 - 6.02)	4.64	(3.78 - 5.68)	0.897
Peninsula	--	(-- - --)	4.26	(3.17 - 5.71)	--
Pierce	--	(-- - --)	4.66	(3.53 - 6.12)	--
SW WA and Timberlands	--	(-- - --)	4.96	(3.65 - 6.72)	--
Thurston-Mason	--	(-- - --)	4.28	(3.15 - 5.80)	--
West Virginia	4.64	(3.81 - 5.64)	4.62	(3.91 - 5.45)	0.955
Region I	4.35	(3.13 - 6.03)	4.63	(3.40 - 6.26)	0.689
Region II	4.95	(3.62 - 6.74)	4.91	(3.67 - 6.55)	0.954
Region III	4.39	(3.18 - 6.04)	4.68	(3.43 - 6.37)	0.681
Region IV	4.33	(3.26 - 5.73)	4.23	(3.29 - 5.44)	0.861
Region V	4.83	(3.67 - 6.33)	4.74	(3.67 - 6.12)	0.886
Region VI	4.75	(3.46 - 6.47)	4.62	(3.48 - 6.11)	0.852
Wisconsin	3.99	(3.26 - 4.89)	3.92	(3.29 - 4.66)	0.844
Milwaukee	4.18	(3.06 - 5.68)	4.00	(3.05 - 5.23)	0.746
Northeastern	3.95	(2.94 - 5.29)	3.98	(3.04 - 5.19)	0.961
Northern	3.67	(2.66 - 5.03)	3.84	(2.81 - 5.23)	0.753
Southeastern	3.82	(2.76 - 5.26)	3.68	(2.78 - 4.86)	0.787
Southern	4.01	(2.99 - 5.38)	3.85	(2.91 - 5.07)	0.757
Western	4.27	(3.17 - 5.73)	4.23	(3.22 - 5.55)	0.942

See notes at end of table.

(continued)

Table 25 *Had Serious Thoughts of Suicide in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	3.97	(3.28 - 4.80)	4.00	(3.40 - 4.69)	0.931
Judicial District 1 (Laramie)	3.78	(2.78 - 5.12)	3.77	(2.90 - 4.88)	0.978
Judicial District 2	4.45	(3.41 - 5.79)	4.92	(3.88 - 6.21)	0.401
Judicial District 3	4.09	(3.04 - 5.49)	4.00	(3.05 - 5.24)	0.874
Judicial District 4	3.96	(2.83 - 5.51)	3.96	(2.95 - 5.29)	0.996
Judicial District 5	3.75	(2.73 - 5.12)	3.77	(2.79 - 5.07)	0.970
Judicial District 6	3.88	(2.87 - 5.24)	3.98	(3.07 - 5.14)	0.844
Judicial District 7 (Natrona)	3.82	(2.83 - 5.13)	3.90	(2.98 - 5.08)	0.880
Judicial District 8	4.09	(2.95 - 5.65)	4.06	(3.03 - 5.42)	0.957
Judicial District 9	4.03	(2.92 - 5.53)	3.86	(2.90 - 5.14)	0.754

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Respondents were asked, "At any time in the past 12 months, did you seriously think about trying to kill yourself?" If they answered "Yes," they were categorized as having serious thoughts of suicide in the past year.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Total United States	6.74	(6.53 - 6.95)	6.71	(6.51 - 6.91)	0.755
Northeast	6.55	(6.14 - 6.97)	6.60	(6.22 - 6.99)	0.803
Midwest	6.92	(6.59 - 7.27)	6.83	(6.53 - 7.14)	0.611
South	6.66	(6.33 - 7.01)	6.62	(6.32 - 6.93)	0.811
West	6.86	(6.42 - 7.32)	6.81	(6.40 - 7.25)	0.842
Alabama	7.24	(6.09 - 8.59)	6.61	(5.61 - 7.77)	0.289
Region 1	7.87	(5.99 - 10.29)	6.84	(5.42 - 8.60)	0.248
Region 2	7.24	(5.54 - 9.41)	6.60	(5.32 - 8.17)	0.436
Region 3	5.86	(4.38 - 7.79)	6.12	(4.83 - 7.72)	0.723
Region 4	7.54	(5.64 - 10.02)	6.70	(5.27 - 8.48)	0.360
Alaska	6.85	(5.76 - 8.11)	6.91	(5.93 - 8.04)	0.910
Anchorage	7.71	(6.10 - 9.72)	7.35	(6.03 - 8.94)	0.651
Northern	5.97	(4.45 - 7.98)	6.44	(5.13 - 8.06)	0.519
South Central	6.40	(4.74 - 8.58)	6.68	(5.33 - 8.32)	0.732
Southeast	6.40	(4.59 - 8.85)	6.73	(5.28 - 8.53)	0.698
Arizona	7.35	(6.08 - 8.85)	7.12	(6.03 - 8.38)	0.718
Maricopa	7.39	(5.82 - 9.33)	7.03	(5.74 - 8.58)	0.653
Pima	8.04	(5.81 - 11.02)	7.51	(5.80 - 9.67)	0.621
Rural North	6.78	(4.88 - 9.34)	7.08	(5.47 - 9.14)	0.752
Rural South	6.86	(4.81 - 9.71)	7.05	(5.46 - 9.06)	0.848
Arkansas	7.60	(6.45 - 8.94)	7.17	(6.14 - 8.36)	0.461
Catchment Area 1	7.00	(5.17 - 9.42)	7.10	(5.61 - 8.95)	0.914
Catchment Area 2	7.29	(5.27 - 10.00)	7.63	(5.96 - 9.73)	0.737
Catchment Area 3	7.59	(5.52 - 10.35)	7.22	(5.71 - 9.10)	0.703
Catchment Area 4	6.89	(4.94 - 9.52)	6.89	(5.37 - 8.81)	0.997
Catchment Area 5	8.43	(6.26 - 11.27)	7.00	(5.50 - 8.88)	0.126
Catchment Area 6	7.34	(5.21 - 10.25)	7.04	(5.42 - 9.09)	0.750
Catchment Area 7	7.57	(5.52 - 10.31)	7.05	(5.47 - 9.04)	0.575
Catchment Area 8	8.10	(6.00 - 10.84)	7.26	(5.74 - 9.13)	0.378

See notes at end of table. (continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
California	6.29	(5.64 - 7.00)	6.46	(5.86 - 7.12)	0.617
Region 1R	6.35	(4.69 - 8.54)	6.89	(5.51 - 8.58)	0.490
Region 2R	6.94	(5.14 - 9.30)	7.21	(5.78 - 8.97)	0.741
Region 3R (Sacramento)	7.27	(5.44 - 9.67)	6.69	(5.40 - 8.26)	0.428
Region 4R	5.27	(3.86 - 7.17)	6.35	(5.13 - 7.83)	0.143
Region 5R (San Francisco)	7.74	(5.60 - 10.62)	6.75	(5.37 - 8.45)	0.276
Region 6 (Santa Clara)	5.63	(4.15 - 7.59)	5.92	(4.73 - 7.39)	0.697
Region 7R (Contra Costa)	6.51	(4.75 - 8.87)	6.46	(5.13 - 8.11)	0.950
Region 8R (Alameda)	6.40	(4.81 - 8.47)	6.36	(5.13 - 7.88)	0.961
Region 9R (San Mateo)	5.64	(4.09 - 7.73)	5.99	(4.78 - 7.50)	0.625
Region 10	6.99	(5.20 - 9.34)	6.46	(5.20 - 8.01)	0.492
Region 11 (Los Angeles)	6.20	(5.35 - 7.17)	6.51	(5.77 - 7.33)	0.448
LA SPA 1 and 5	7.15	(5.31 - 9.55)	6.76	(5.44 - 8.37)	0.638
LA SPA 2	6.54	(4.91 - 8.66)	6.50	(5.31 - 7.94)	0.958
LA SPA 3	5.20	(3.83 - 7.04)	6.15	(4.94 - 7.64)	0.171
LA SPA 4	6.29	(4.64 - 8.46)	6.75	(5.42 - 8.38)	0.558
LA SPA 6	5.46	(3.99 - 7.43)	6.26	(5.09 - 7.68)	0.247
LA SPA 7	6.93	(5.12 - 9.31)	6.60	(5.32 - 8.18)	0.662
LA SPA 8	5.96	(4.43 - 7.98)	6.64	(5.31 - 8.26)	0.376
Region 12R	7.46	(5.44 - 10.15)	6.59	(5.27 - 8.23)	0.293
Regions 13 and 19R	6.29	(4.90 - 8.03)	6.30	(5.16 - 7.67)	0.979
Region 14 (Orange)	5.54	(4.22 - 7.24)	6.26	(5.15 - 7.60)	0.264
Region 15R (Fresno)	6.49	(4.85 - 8.63)	6.43	(5.21 - 7.92)	0.945
Region 16R (San Diego)	6.21	(4.86 - 7.90)	6.48	(5.35 - 7.82)	0.692
Region 17R	5.97	(4.47 - 7.93)	6.32	(5.09 - 7.82)	0.617
Region 18R (San Bernardino)	6.35	(4.79 - 8.36)	6.43	(5.21 - 7.92)	0.904
Region 20R	6.27	(4.60 - 8.48)	6.58	(5.31 - 8.13)	0.681
Region 21R	7.11	(5.33 - 9.43)	6.86	(5.52 - 8.49)	0.749
Colorado	6.61	(5.49 - 7.93)	6.30	(5.32 - 7.44)	0.563
Region 1	6.24	(4.61 - 8.40)	6.60	(5.18 - 8.38)	0.641
Regions 2 and 7	6.68	(5.20 - 8.54)	6.31	(5.10 - 7.80)	0.602
Region 3	6.65	(4.92 - 8.94)	6.15	(4.84 - 7.78)	0.510
Region 4	5.81	(4.14 - 8.11)	6.16	(4.73 - 7.99)	0.675
Regions 5 and 6	7.01	(5.03 - 9.69)	6.11	(4.71 - 7.89)	0.280
Connecticut	6.49	(5.43 - 7.74)	6.24	(5.28 - 7.37)	0.661
Eastern	6.46	(4.77 - 8.68)	6.54	(5.13 - 8.29)	0.923
North Central	6.38	(4.80 - 8.42)	6.47	(5.13 - 8.12)	0.910
Northwestern	7.20	(5.26 - 9.78)	6.57	(5.11 - 8.41)	0.479
South Central	6.85	(5.07 - 9.20)	6.03	(4.75 - 7.64)	0.296
Southwest	5.56	(4.05 - 7.59)	5.69	(4.38 - 7.35)	0.859

See notes at end of table.

(continued)

Table 26 ***Major Depressive Episode in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Delaware	6.87	(5.77 - 8.15)	6.92	(5.91 - 8.09)	0.926
Kent	7.12	(5.30 - 9.51)	6.80	(5.40 - 8.53)	0.702
New Castle (excluding Wilmington City)	7.03	(5.56 - 8.85)	7.10	(5.85 - 8.60)	0.928
Sussex	6.34	(4.67 - 8.55)	6.74	(5.26 - 8.61)	0.645
Wilmington City	6.73	(4.84 - 9.28)	6.54	(5.05 - 8.44)	0.828
District of Columbia	6.51	(5.53 - 7.65)	6.59	(5.67 - 7.65)	0.880
Ward 1	7.07	(5.19 - 9.58)	7.34	(5.85 - 9.18)	0.787
Ward 2	6.56	(4.93 - 8.66)	7.64	(6.06 - 9.59)	0.200
Ward 3	6.44	(4.80 - 8.59)	7.56	(5.98 - 9.52)	0.195
Ward 4	6.57	(4.68 - 9.15)	5.81	(4.49 - 7.48)	0.374
Ward 5	6.54	(4.83 - 8.80)	5.95	(4.69 - 7.51)	0.438
Ward 6	7.34	(5.35 - 9.99)	7.15	(5.67 - 8.99)	0.847
Ward 7	5.65	(4.02 - 7.88)	5.19	(3.99 - 6.74)	0.535
Ward 8	5.59	(4.04 - 7.68)	5.51	(4.31 - 7.02)	0.914
Florida[1]	5.95	(5.32 - 6.65)	5.91	(5.29 - 6.60)	0.909
Broward (Circuit 17)	4.91	(3.71 - 6.48)	5.39	(4.28 - 6.76)	0.436
Central I	--	(-- - --)	6.36	(5.36 - 7.52)	--
Circuit 9	7.01	(5.45 - 8.98)	6.51	(5.27 - 8.02)	0.453
Circuit 18	6.55	(4.85 - 8.78)	6.14	(4.88 - 7.69)	0.593
Central II	--	(-- - --)	5.99	(5.23 - 6.86)	--
Circuit 6	6.07	(4.53 - 8.08)	5.79	(4.59 - 7.28)	0.702
Circuit 10	6.18	(4.58 - 8.30)	5.99	(4.70 - 7.61)	0.805
Circuit 12	5.98	(4.36 - 8.16)	6.01	(4.70 - 7.67)	0.970
Circuit 13 (Hillsborough)	6.07	(4.68 - 7.84)	6.20	(5.04 - 7.60)	0.846
Circuit 20	6.44	(4.81 - 8.58)	6.01	(4.70 - 7.66)	0.562
Northeast	--	(-- - --)	6.08	(5.26 - 7.03)	--
Circuit 4	6.17	(4.63 - 8.18)	5.82	(4.69 - 7.20)	0.624
Circuit 5	6.09	(4.41 - 8.35)	6.16	(4.83 - 7.82)	0.929
Circuit 7	6.70	(5.00 - 8.92)	6.21	(4.91 - 7.83)	0.510
Circuit 8 plus Columbia, Dixie, Hamilton, Lafayette, and Suwannee	--	(-- - --)	6.26	(5.07 - 7.71)	--
Northwest	--	(-- - --)	6.61	(5.58 - 7.82)	--
Circuit 1	8.01	(6.12 - 10.40)	6.81	(5.34 - 8.66)	0.139
Circuit 2 plus Madison and Taylor	--	(-- - --)	6.46	(5.20 - 8.00)	--
Circuit 14	6.58	(4.69 - 9.15)	6.36	(4.95 - 8.12)	0.790
South (Circuits 11 and 16)	4.35	(3.35 - 5.62)	5.19	(4.14 - 6.48)	0.141
Southeast	--	(-- - --)	5.74	(4.75 - 6.93)	--
Circuit 15 (Palm Beach)	5.47	(4.09 - 7.27)	5.49	(4.33 - 6.93)	0.981
Circuit 19	6.27	(4.55 - 8.58)	6.31	(4.93 - 8.04)	0.957

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Georgia	6.71	(5.65 - 7.95)	6.64	(5.67 - 7.76)	0.894
Region 1	6.58	(4.96 - 8.67)	6.65	(5.26 - 8.39)	0.923
Region 2	6.54	(4.83 - 8.80)	6.84	(5.37 - 8.67)	0.718
Region 3	6.81	(5.18 - 8.90)	6.42	(5.14 - 8.00)	0.636
Region 4	6.64	(4.83 - 9.08)	6.67	(5.16 - 8.59)	0.972
Region 5	6.98	(4.99 - 9.67)	7.00	(5.43 - 8.97)	0.981
Region 6	6.73	(4.90 - 9.17)	6.58	(5.15 - 8.38)	0.860
Hawaii	6.25	(5.11 - 7.62)	6.30	(5.25 - 7.54)	0.927
Hawaii Island	6.51	(4.67 - 9.01)	6.82	(5.25 - 8.82)	0.713
Honolulu	6.18	(4.86 - 7.83)	6.17	(5.02 - 7.56)	0.983
Kauai	5.96	(4.13 - 8.53)	6.39	(4.81 - 8.43)	0.630
Maui	6.46	(4.59 - 9.02)	6.49	(4.99 - 8.40)	0.976
Idaho	7.80	(6.59 - 9.22)	7.38	(6.37 - 8.55)	0.496
Region 1	7.28	(5.23 - 10.04)	6.92	(5.44 - 8.77)	0.708
Region 2	7.43	(5.42 - 10.10)	8.02	(6.26 - 10.22)	0.569
Region 3	7.41	(5.47 - 9.98)	7.25	(5.77 - 9.08)	0.859
Region 4	8.00	(6.08 - 10.46)	7.42	(5.96 - 9.22)	0.539
Region 5	7.65	(5.60 - 10.38)	7.67	(6.04 - 9.68)	0.989
Region 6	--	(-- - --)	7.49	(5.92 - 9.42)	--
Region 7	--	(-- - --)	7.31	(5.85 - 9.09)	--
Illinois	6.09	(5.45 - 6.80)	5.77	(5.17 - 6.43)	0.347
Region I (Cook)	6.05	(5.09 - 7.17)	5.32	(4.50 - 6.28)	0.139
Region II	5.78	(4.79 - 6.95)	5.89	(5.03 - 6.88)	0.834
Region III	6.23	(4.97 - 7.78)	6.44	(5.27 - 7.83)	0.766
Region IV	6.52	(5.04 - 8.40)	6.40	(5.15 - 7.93)	0.861
Region V	6.82	(5.33 - 8.68)	6.02	(4.87 - 7.43)	0.263
Indiana	7.27	(6.11 - 8.62)	7.39	(6.37 - 8.55)	0.841
Central	7.53	(5.62 - 10.02)	7.29	(5.82 - 9.10)	0.795
East	7.37	(5.40 - 9.99)	7.42	(5.93 - 9.25)	0.961
North Central	7.10	(5.16 - 9.70)	7.34	(5.84 - 9.18)	0.801
Northeast	6.59	(4.77 - 9.05)	7.08	(5.57 - 8.96)	0.588
Northwest	7.11	(5.14 - 9.74)	7.39	(5.79 - 9.38)	0.770
Southeast	7.46	(5.46 - 10.11)	7.74	(6.00 - 9.93)	0.785
Southwest	7.17	(5.22 - 9.76)	7.45	(5.83 - 9.48)	0.772
West	7.42	(5.51 - 9.92)	7.51	(6.00 - 9.37)	0.921
Iowa	7.42	(6.27 - 8.76)	6.99	(6.01 - 8.13)	0.450
Central	6.95	(5.16 - 9.31)	6.59	(5.25 - 8.25)	0.675
North Central	6.67	(4.86 - 9.10)	7.02	(5.54 - 8.87)	0.684
Northeast	6.94	(5.25 - 9.13)	7.01	(5.62 - 8.70)	0.940
Northwest	6.84	(5.01 - 9.26)	6.61	(5.18 - 8.41)	0.782
Southeast	8.93	(6.71 - 11.79)	7.71	(6.09 - 9.72)	0.237
Southwest	7.95	(5.70 - 11.00)	6.70	(5.23 - 8.56)	0.187

See notes at end of table.

(continued)

Table 26 ***Major Depressive Episode in the Past Year*** **among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)**

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Kansas	6.74	(5.67 - 8.01)	6.91	(5.89 - 8.08)	0.771
Kansas City Metro	6.35	(4.82 - 8.33)	7.07	(5.66 - 8.79)	0.400
Northeast	7.09	(5.26 - 9.49)	7.01	(5.49 - 8.92)	0.930
South Central	6.61	(4.78 - 9.07)	6.59	(5.15 - 8.38)	0.980
Southeast	7.49	(5.33 - 10.42)	6.80	(5.26 - 8.74)	0.475
West	6.96	(5.06 - 9.52)	6.84	(5.33 - 8.74)	0.889
Wichita (Sedgwick)	6.79	(4.98 - 9.18)	6.78	(5.36 - 8.54)	0.996
Kentucky	7.52	(6.32 - 8.93)	7.01	(5.98 - 8.20)	0.391
Adanta, Cumberland River, and Lifeskills	7.81	(5.78 - 10.48)	7.03	(5.52 - 8.91)	0.405
Bluegrass, Comprehend, and North Key	7.33	(5.58 - 9.57)	7.20	(5.78 - 8.94)	0.886
Communicare and River Valley	7.23	(5.21 - 9.94)	6.91	(5.38 - 8.83)	0.729
Four Rivers and Pennyroyal	6.26	(4.43 - 8.77)	6.77	(5.22 - 8.74)	0.571
Kentucky River, Mountain, and Pathways	6.36	(4.47 - 8.99)	7.16	(5.56 - 9.17)	0.417
Seven Counties	8.85[a]	(6.68 - 11.63)	6.80	(5.35 - 8.62)	0.025
Louisiana	6.41	(5.41 - 7.57)	6.44	(5.51 - 7.51)	0.950
Regions 1 and 10	6.27	(4.85 - 8.08)	6.33	(5.14 - 7.79)	0.927
Region 1	6.24	(4.46 - 8.68)	6.17	(4.77 - 7.95)	0.931
Region 10 (Jefferson)	6.30	(4.55 - 8.68)	6.50	(5.03 - 8.37)	0.809
Regions 2 and 9	6.43	(4.87 - 8.44)	6.53	(5.27 - 8.05)	0.893
Region 3	5.93	(4.31 - 8.10)	6.25	(4.86 - 8.01)	0.668
Regions 4, 5, and 6	7.24	(5.47 - 9.53)	6.79	(5.39 - 8.53)	0.593
Regions 7 and 8	5.62	(4.19 - 7.51)	6.03	(4.74 - 7.65)	0.580
Maine	7.34	(6.20 - 8.68)	7.99	(6.89 - 9.25)	0.311
Aroostook/Downeast	6.59	(5.01 - 8.63)	7.64	(6.22 - 9.36)	0.204
Aroostook	6.80	(4.82 - 9.51)	7.47	(5.82 - 9.54)	0.502
Downeast	6.43	(4.49 - 9.13)	7.79	(6.02 - 10.02)	0.194
Central	8.68	(6.34 - 11.78)	8.66	(6.84 - 10.91)	0.986
Cumberland	7.11	(5.29 - 9.49)	7.90	(6.28 - 9.91)	0.405
Midcoast	6.72	(4.75 - 9.44)	7.69	(5.98 - 9.83)	0.361
Penquis	6.96	(5.18 - 9.29)	8.34	(6.66 - 10.38)	0.167
Western	7.72	(5.71 - 10.37)	7.97	(6.31 - 10.01)	0.809
York	7.54	(5.51 - 10.23)	7.76	(6.07 - 9.87)	0.831

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Maryland	6.54	(5.52 - 7.73)	6.32	(5.40 - 7.37)	0.635
Anne Arundel	7.28	(5.24 - 10.04)	6.76	(5.26 - 8.64)	0.554
Baltimore City	5.92	(4.28 - 8.13)	6.06	(4.81 - 7.62)	0.843
Baltimore County	6.53	(4.77 - 8.89)	6.33	(4.97 - 8.03)	0.797
Montgomery	6.39	(4.62 - 8.79)	5.95	(4.62 - 7.63)	0.570
North Central	6.57	(4.71 - 9.10)	6.52	(5.04 - 8.40)	0.951
Northeast	7.94	(5.70 - 10.95)	6.88	(5.35 - 8.80)	0.255
Prince George's	5.88	(4.22 - 8.15)	5.89	(4.60 - 7.51)	0.996
South	6.26	(4.49 - 8.65)	6.39	(5.04 - 8.07)	0.871
West	6.87	(4.92 - 9.51)	6.79	(5.34 - 8.60)	0.930
Massachusetts	6.54	(5.50 - 7.77)	6.86	(5.90 - 7.97)	0.557
Boston	6.39	(4.73 - 8.58)	7.17	(5.73 - 8.94)	0.350
Central	6.41	(4.62 - 8.83)	6.79	(5.35 - 8.59)	0.667
Metrowest	6.42	(4.77 - 8.59)	6.86	(5.49 - 8.55)	0.613
Northeast	6.43	(4.74 - 8.66)	6.86	(5.45 - 8.61)	0.618
Southeast	6.33	(4.69 - 8.47)	6.75	(5.34 - 8.50)	0.610
Western	7.55	(5.57 - 10.15)	6.80	(5.36 - 8.60)	0.403
Michigan[1]	7.20	(6.53 - 7.94)	6.99	(6.34 - 7.69)	0.568
Region 1	8.20	(6.15 - 10.84)	7.44	(5.95 - 9.26)	0.416
Region 2	--	(-- - --)	6.72	(5.31 - 8.46)	--
Region 3	--	(-- - --)	7.07	(5.89 - 8.46)	--
Region 4	--	(-- - --)	7.75	(6.35 - 9.43)	--
Region 5	--	(-- - --)	7.15	(6.02 - 8.49)	--
Region 6	--	(-- - --)	7.02	(5.82 - 8.44)	--
Region 7	--	(-- - --)	6.64	(5.48 - 8.02)	--
Region 8	7.38	(5.82 - 9.32)	6.84	(5.58 - 8.37)	0.477
Region 9	6.51	(5.01 - 8.41)	6.86	(5.59 - 8.39)	0.636
Region 10	--	(-- - --)	6.77	(5.52 - 8.28)	--
Minnesota	6.03[b]	(5.06 - 7.16)	6.95	(5.94 - 8.12)	0.074
Regions 1 and 2	6.70	(4.75 - 9.36)	6.91	(5.42 - 8.78)	0.814
Regions 3 and 4	5.83[b]	(4.30 - 7.84)	7.20	(5.70 - 9.06)	0.096
Regions 5 and 6	6.30	(4.68 - 8.43)	7.24	(5.70 - 9.14)	0.257
Region 7A (Hennepin)	6.17	(4.61 - 8.21)	6.86	(5.43 - 8.62)	0.403
Region 7B (Ramsey)	6.75	(4.88 - 9.25)	6.87	(5.38 - 8.75)	0.879
Region 7C	5.17[b]	(3.84 - 6.94)	6.66	(5.31 - 8.33)	0.054
Mississippi	6.81	(5.72 - 8.08)	7.02	(5.99 - 8.22)	0.710
Region 1	7.15	(5.36 - 9.48)	7.65	(6.05 - 9.63)	0.580
Region 2	5.81	(4.17 - 8.04)	6.33	(4.94 - 8.07)	0.524
Region 3	7.60	(5.58 - 10.26)	7.14	(5.60 - 9.05)	0.619
Region 4	6.29	(4.56 - 8.61)	6.33	(4.94 - 8.07)	0.963
Region 5	6.36	(4.44 - 9.04)	6.75	(5.17 - 8.78)	0.673
Region 6	6.93	(5.08 - 9.39)	6.98	(5.51 - 8.82)	0.955
Region 7	7.08	(5.19 - 9.60)	7.48	(5.83 - 9.55)	0.670

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Missouri	7.21	(6.15 - 8.45)	7.14	(6.13 - 8.29)	0.889
Central	6.55	(4.80 - 8.88)	7.28	(5.76 - 9.15)	0.420
Eastern	7.13	(5.64 - 8.96)	6.93	(5.71 - 8.40)	0.794
Eastern (St. Louis City and County)	6.95	(5.17 - 9.29)	7.05	(5.58 - 8.88)	0.913
Eastern (excluding St. Louis)	7.42	(5.48 - 9.98)	6.73	(5.21 - 8.66)	0.446
Northwest	6.75	(5.28 - 8.58)	6.78	(5.55 - 8.26)	0.960
Northwest (Jackson)	6.18	(4.48 - 8.47)	6.55	(5.10 - 8.38)	0.633
Northwest (excluding Jackson)	7.23	(5.24 - 9.89)	6.97	(5.45 - 8.87)	0.772
Southeast	7.83	(5.73 - 10.62)	7.49	(5.93 - 9.42)	0.729
Southwest	8.25	(6.12 - 11.02)	7.75	(6.08 - 9.83)	0.619
Montana	7.12	(6.03 - 8.40)	6.69	(5.71 - 7.83)	0.448
Region 1	6.35	(4.54 - 8.80)	6.28	(4.82 - 8.14)	0.933
Region 2	6.50	(4.82 - 8.72)	6.25	(4.88 - 7.98)	0.747
Region 3	7.35	(5.57 - 9.63)	6.93	(5.48 - 8.71)	0.624
Region 4	7.14	(5.40 - 9.39)	6.57	(5.26 - 8.18)	0.496
Region 5	7.43	(5.75 - 9.55)	6.95	(5.55 - 8.68)	0.550
Nebraska	6.65	(5.57 - 7.91)	6.78	(5.78 - 7.94)	0.815
Regions 1 and 2	6.63	(5.05 - 8.65)	6.61	(5.35 - 8.14)	0.977
Region 1	6.51	(4.60 - 9.12)	6.65	(5.10 - 8.65)	0.871
Region 2	6.73	(4.73 - 9.49)	6.56	(5.07 - 8.46)	0.854
Region 3	6.27	(4.54 - 8.59)	6.65	(5.19 - 8.49)	0.660
Region 4	6.30	(4.49 - 8.78)	6.55	(5.09 - 8.40)	0.774
Region 5	8.07	(6.14 - 10.52)	7.06	(5.67 - 8.77)	0.241
Region 6	6.00	(4.56 - 7.85)	6.74	(5.43 - 8.34)	0.344
Nevada	6.41	(5.16 - 7.93)	6.34	(5.32 - 7.54)	0.911
Clark – Region 1	6.48	(5.00 - 8.38)	6.31	(5.16 - 7.70)	0.814
Region 3	6.37	(4.89 - 8.25)	6.47	(5.20 - 8.03)	0.875
Capital District	6.47	(4.63 - 8.96)	6.56	(5.01 - 8.55)	0.910
Rural/Frontier	6.27	(4.43 - 8.81)	6.39	(4.93 - 8.24)	0.890
Washoe – Region 2	6.10	(4.44 - 8.33)	6.36	(4.99 - 8.07)	0.758
New Hampshire	7.37	(6.21 - 8.73)	7.78	(6.71 - 9.00)	0.507
Central	7.28	(5.74 - 9.18)	7.73	(6.44 - 9.26)	0.545
Central 1	7.18	(5.30 - 9.66)	7.78	(6.22 - 9.69)	0.513
Central 2	7.37	(5.37 - 10.04)	7.69	(6.09 - 9.66)	0.744
Northern	7.56	(5.55 - 10.23)	7.97	(6.16 - 10.24)	0.687
Southern	7.37	(5.95 - 9.10)	7.75	(6.54 - 9.17)	0.600
Southern 1 (Rockingham)	6.69	(4.93 - 9.04)	7.93	(6.35 - 9.86)	0.196
Southern 2	7.80	(6.03 - 10.03)	7.64	(6.22 - 9.36)	0.859

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
New Jersey	5.67	(4.63 - 6.92)	6.38	(5.41 - 7.50)	0.188
Central	5.54	(4.01 - 7.61)	6.75	(5.35 - 8.49)	0.146
Metropolitan	5.38	(3.92 - 7.34)	5.86	(4.62 - 7.39)	0.511
Northern	5.45	(3.99 - 7.41)	6.29	(4.96 - 7.94)	0.271
Southern	6.46	(4.80 - 8.65)	6.70	(5.31 - 8.43)	0.768
New Mexico	7.26	(6.02 - 8.72)	6.80	(5.78 - 7.98)	0.419
Region 1	7.70	(5.70 - 10.32)	7.01	(5.51 - 8.88)	0.443
Region 2	6.66	(4.77 - 9.23)	6.90	(5.29 - 8.94)	0.778
Region 3 (Bernalillo)	7.56	(5.63 - 10.09)	6.77	(5.38 - 8.49)	0.344
Region 4	6.82	(4.97 - 9.28)	6.79	(5.36 - 8.57)	0.977
Region 5	7.00	(5.18 - 9.40)	6.54	(5.14 - 8.30)	0.566
New York	6.50	(5.81 - 7.27)	6.38	(5.76 - 7.06)	0.731
Region A	6.02	(5.15 - 7.03)	6.20	(5.46 - 7.04)	0.669
Region 1	5.90	(4.45 - 7.78)	5.96	(4.78 - 7.39)	0.932
Region 2	5.79	(4.51 - 7.40)	6.25	(5.18 - 7.54)	0.457
Region 3	7.30	(5.62 - 9.44)	6.93	(5.67 - 8.44)	0.618
Region 4	5.42	(4.09 - 7.15)	5.73	(4.61 - 7.09)	0.640
Region B	6.78	(5.68 - 8.07)	6.27	(5.43 - 7.23)	0.330
Region 5	6.86	(5.43 - 8.63)	6.12	(5.05 - 7.40)	0.265
Region 6	6.32	(4.73 - 8.39)	6.45	(5.15 - 8.06)	0.853
Region 7	7.23	(5.43 - 9.57)	6.49	(5.20 - 8.08)	0.349
Region C	7.00	(6.03 - 8.12)	6.65	(5.86 - 7.54)	0.465
Region 8	6.63	(4.98 - 8.77)	6.46	(5.17 - 8.05)	0.841
Region 9	6.89	(5.30 - 8.91)	6.59	(5.37 - 8.06)	0.688
Region 10	7.99	(5.99 - 10.58)	7.30	(5.90 - 9.00)	0.431
Region 11	7.58	(5.79 - 9.86)	6.74	(5.50 - 8.25)	0.288
Region 12	6.51	(4.92 - 8.58)	6.53	(5.31 - 8.01)	0.983
Region D	6.67	(5.53 - 8.03)	6.84	(5.94 - 7.86)	0.762
Region 13	6.54	(4.80 - 8.85)	6.83	(5.45 - 8.53)	0.742
Region 14	6.53	(4.79 - 8.85)	6.87	(5.56 - 8.47)	0.682
Region 15	6.92	(5.21 - 9.14)	6.80	(5.52 - 8.35)	0.887

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
North Carolina[1]	6.38	(5.35 - 7.59)	7.28	(6.26 - 8.45)	0.116
Alliance Behavioral Healthcare 1	--	(-- - --)	7.88	(6.17 - 10.01)	--
Alliance Behavioral Healthcare 2	--	(-- - --)	7.17	(5.59 - 9.16)	--
Cardinal Innovations Healthcare Solutions 1	--	(-- - --)	7.07	(5.45 - 9.11)	--
Cardinal Innovations Healthcare Solutions 2	--	(-- - --)	7.15	(5.55 - 9.16)	--
Cardinal Innovations Healthcare Solutions 3	6.02	(4.24 - 8.49)	6.79	(5.32 - 8.62)	0.368
CenterPoint Human Services	6.35	(4.39 - 9.10)	7.12	(5.52 - 9.15)	0.445
Eastpointe	6.41	(4.58 - 8.90)	7.01	(5.40 - 9.05)	0.509
Partners Behavioral Health Management	6.60	(4.74 - 9.13)	7.41	(5.79 - 9.45)	0.398
Sandhills Center 1	6.62	(4.63 - 9.38)	7.10	(5.41 - 9.27)	0.624
Sandhills Center 2	6.59	(4.62 - 9.31)	7.30	(5.69 - 9.32)	0.471
Smoky Mountain Center 1	6.65	(4.63 - 9.47)	7.55	(5.85 - 9.68)	0.375
Smoky Mountain Center 2	6.59	(4.63 - 9.31)	7.89	(6.12 - 10.11)	0.227
Trillium Health Resources 1	6.72	(4.78 - 9.38)	7.27	(5.70 - 9.22)	0.553
Trillium Health Resources 2	6.84	(4.84 - 9.58)	7.48	(5.83 - 9.55)	0.527
North Dakota	5.86	(4.90 - 7.00)	6.03	(5.14 - 7.06)	0.728
Badlands and West Central	5.76	(4.20 - 7.84)	5.56	(4.38 - 7.04)	0.786
Lake Region	--	(-- - --)	5.35	(4.13 - 6.91)	--
North Central	--	(-- - --)	6.12	(4.85 - 7.70)	--
Northeast	6.03	(4.55 - 7.95)	6.18	(4.90 - 7.76)	0.840
Northwest	--	(-- - --)	5.84	(4.48 - 7.59)	--
South Central	--	(-- - --)	6.02	(4.60 - 7.83)	--
Southeast	5.99	(4.61 - 7.76)	6.53	(5.33 - 7.99)	0.452

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Ohio	7.90	(7.18 - 8.69)	7.43	(6.76 - 8.15)	0.226
Boards 2, 46, 55, and 68	7.66	(5.79 - 10.08)	7.44	(6.03 - 9.15)	0.801
Boards 3, 52, and 85	7.51	(5.57 - 10.05)	7.65	(6.14 - 9.49)	0.880
Boards 4 and 78	7.88	(5.75 - 10.72)	7.51	(5.93 - 9.47)	0.693
Boards 5 and 60	7.54	(5.63 - 10.01)	7.51	(6.05 - 9.30)	0.979
Boards 7, 15, 41, 79, and 84	8.49	(6.44 - 11.11)	7.64	(6.12 - 9.49)	0.381
Boards 8, 13, and 83	8.35	(6.40 - 10.84)	7.56	(6.11 - 9.33)	0.372
Board 9 (Butler)	9.86[a]	(7.40 - 13.02)	7.54	(6.13 - 9.25)	0.016
Board 12	8.93[b]	(6.73 - 11.76)	7.33	(5.93 - 9.02)	0.096
Boards 18 and 47	7.42	(5.98 - 9.17)	7.45	(6.18 - 8.96)	0.967
Boards 20, 32, 54, and 69	7.06	(5.23 - 9.48)	7.33	(5.89 - 9.08)	0.763
Boards 21, 39, 51, 70, and 80	8.35	(6.34 - 10.91)	7.41	(5.96 - 9.17)	0.304
Boards 22, 74, and 87	7.55	(5.60 - 10.12)	7.41	(5.99 - 9.13)	0.876
Boards 23 and 45	7.44	(5.58 - 9.86)	7.77	(6.28 - 9.57)	0.716
Board 25 (Franklin)	8.10	(6.42 - 10.18)	7.23	(5.99 - 8.69)	0.250
Boards 27, 71, and 73	7.71	(5.81 - 10.16)	8.20	(6.60 - 10.14)	0.593
Boards 28, 43, and 67	8.19	(6.28 - 10.62)	7.40	(5.94 - 9.17)	0.363
Board 31 (Hamilton)	8.09	(6.28 - 10.37)	6.88	(5.59 - 8.44)	0.139
Board 48 (Lucas)	7.94	(5.97 - 10.49)	7.12	(5.75 - 8.78)	0.334
Boards 50 and 76	7.47	(5.71 - 9.71)	7.33	(5.95 - 9.01)	0.876
Board 57 (Montgomery)	7.74	(5.92 - 10.05)	7.56	(6.11 - 9.31)	0.834
Board 77 (Summit)	7.58	(5.77 - 9.89)	7.40	(5.98 - 9.11)	0.831
Oklahoma	7.93	(6.69 - 9.38)	7.19	(6.14 - 8.41)	0.216
Central	9.12[b]	(6.66 - 12.38)	7.34	(5.75 - 9.33)	0.072
East Central	7.70	(5.56 - 10.58)	7.01	(5.52 - 8.87)	0.464
Northeast	6.56	(4.82 - 8.89)	6.84	(5.33 - 8.73)	0.742
Northwest and Southwest	8.28	(6.11 - 11.13)	7.10	(5.54 - 9.07)	0.190
Oklahoma County	7.37	(5.40 - 9.98)	6.96	(5.51 - 8.77)	0.653
Southeast	8.36	(6.14 - 11.28)	7.61	(5.93 - 9.72)	0.441
Tulsa County	8.26	(6.17 - 10.98)	7.50	(5.91 - 9.47)	0.410
Oregon	7.94	(6.78 - 9.27)	8.27	(7.06 - 9.67)	0.614
Region 1 (Multnomah)	7.86	(5.97 - 10.29)	8.31	(6.61 - 10.40)	0.649
Region 2	8.02	(6.02 - 10.62)	8.38	(6.65 - 10.51)	0.730
Region 3	8.59	(6.78 - 10.84)	8.60	(6.95 - 10.60)	0.993
Region 4	6.85	(4.97 - 9.36)	7.76	(6.03 - 9.93)	0.357
Region 5 (Central)	7.03	(4.97 - 9.86)	7.57	(5.71 - 9.97)	0.615
Region 6 (Eastern)	7.83	(5.49 - 11.05)	7.82	(6.00 - 10.14)	0.996

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Pennsylvania	6.94	(6.26 - 7.67)	6.61	(5.95 - 7.34)	0.385
Region 1 (Allegheny)	7.07	(5.54 - 8.99)	6.21	(5.08 - 7.57)	0.246
Regions 3, 8, 9, and 51	6.79	(5.17 - 8.86)	7.06	(5.69 - 8.72)	0.724
Regions 4, 11, 37, and 49	7.15	(5.45 - 9.32)	6.64	(5.37 - 8.20)	0.507
Regions 5, 18, 23, 24, and 46	6.90	(5.25 - 9.03)	7.17	(5.80 - 8.85)	0.742
Regions 6, 12, 16, 31, 35, 45, and 47	6.01	(4.58 - 7.85)	6.84	(5.56 - 8.40)	0.270
Regions 7, 13, 20, and 33	6.95	(5.62 - 8.57)	6.41	(5.35 - 7.67)	0.418
Regions 10, 15, 27, 32, 43, and 44	7.65	(5.82 - 9.99)	6.89	(5.47 - 8.64)	0.364
Regions 17 and 21	7.07	(5.26 - 9.44)	6.93	(5.52 - 8.68)	0.882
Regions 19, 26, 28, and 42	6.79	(5.38 - 8.53)	6.66	(5.44 - 8.12)	0.857
Regions 22, 38, 40, 41, and 48	6.18	(4.72 - 8.05)	5.95	(4.68 - 7.54)	0.756
Regions 29 and 34	7.01	(5.28 - 9.24)	6.62	(5.29 - 8.25)	0.601
Regions 30 and 50	5.76	(4.26 - 7.74)	6.38	(5.09 - 7.97)	0.420
Region 36 (Philadelphia)	7.95	(6.28 - 10.01)	6.89	(5.65 - 8.38)	0.166
Rhode Island	7.43	(6.14 - 8.96)	7.91	(6.73 - 9.28)	0.472
Bristol and Newport	6.63	(4.73 - 9.23)	7.55	(5.86 - 9.69)	0.337
Kent	6.64	(4.82 - 9.07)	7.51	(5.85 - 9.59)	0.373
Providence	7.78	(6.10 - 9.87)	8.11	(6.64 - 9.88)	0.694
Washington	7.59	(5.52 - 10.36)	7.81	(6.14 - 9.90)	0.813
South Carolina	7.72[a]	(6.48 - 9.17)	6.48	(5.50 - 7.61)	0.029
Region 1	--	(-- - --)	6.71	(5.31 - 8.45)	--
Region 2	--	(-- - --)	6.49	(5.15 - 8.14)	--
Region 3	6.80	(4.96 - 9.24)	6.47	(5.03 - 8.28)	0.684
Region 4	7.90[a]	(6.00 - 10.35)	6.20	(4.92 - 7.78)	0.029
South Dakota	5.88	(4.91 - 7.02)	5.49	(4.60 - 6.53)	0.400
Region 1	6.19	(4.65 - 8.20)	5.43	(4.28 - 6.86)	0.264
Region 2	5.41	(3.84 - 7.59)	5.22	(3.98 - 6.82)	0.784
Region 3	5.30	(3.95 - 7.07)	5.26	(4.11 - 6.72)	0.952
Region 4	5.94	(4.37 - 8.03)	5.99	(4.64 - 7.69)	0.949
Region 5	6.21	(4.69 - 8.18)	5.57	(4.37 - 7.08)	0.350
Tennessee	6.89	(5.79 - 8.18)	6.91	(5.93 - 8.03)	0.977
Region 1	7.36	(5.31 - 10.11)	7.00	(5.35 - 9.11)	0.715
Region 2	6.95	(5.10 - 9.39)	7.17	(5.67 - 9.02)	0.813
Region 3	7.06	(5.18 - 9.55)	7.09	(5.61 - 8.92)	0.975
Region 4 (Davidson)	7.50	(5.56 - 10.03)	7.04	(5.54 - 8.92)	0.600
Region 5	6.59	(4.84 - 8.91)	7.01	(5.58 - 8.78)	0.638
Region 6	7.39	(5.31 - 10.19)	6.64	(5.13 - 8.55)	0.413
Region 7 (Shelby)	6.10	(4.37 - 8.45)	6.23	(4.88 - 7.94)	0.868

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Texas	6.24	(5.59 - 6.97)	6.46	(5.85 - 7.12)	0.523
Region 1	7.12	(5.28 - 9.52)	7.46	(6.06 - 9.15)	0.681
Region 2	6.40	(4.72 - 8.61)	6.78	(5.39 - 8.49)	0.632
Region 3	6.14	(5.13 - 7.32)	6.29	(5.46 - 7.24)	0.734
Region 3a	5.70	(4.52 - 7.15)	6.06	(5.07 - 7.23)	0.521
Region 3bc	6.90	(5.43 - 8.73)	6.71	(5.53 - 8.11)	0.780
Region 4	6.14	(4.58 - 8.20)	6.95	(5.60 - 8.61)	0.295
Region 5	6.13	(4.60 - 8.11)	6.96	(5.54 - 8.71)	0.278
Region 6	5.80	(4.73 - 7.10)	6.17	(5.19 - 7.33)	0.510
Region 6a	5.70	(4.55 - 7.12)	6.12	(5.07 - 7.38)	0.487
Region 6bc	6.66	(4.84 - 9.10)	6.62	(5.20 - 8.39)	0.956
Region 7	7.28	(6.00 - 8.81)	6.74	(5.76 - 7.88)	0.353
Region 7a	6.86	(5.34 - 8.78)	6.65	(5.46 - 8.09)	0.776
Region 7bcd	7.98	(6.09 - 10.38)	6.89	(5.60 - 8.46)	0.159
Region 8	6.85	(5.30 - 8.80)	6.56	(5.36 - 8.01)	0.665
Region 9	6.11	(4.49 - 8.25)	6.42	(5.15 - 7.98)	0.674
Region 10	6.07	(4.53 - 8.09)	6.64	(5.27 - 8.33)	0.430
Region 11	5.31	(4.19 - 6.71)	6.23	(5.19 - 7.48)	0.104
Region 11abd	5.05[b]	(3.74 - 6.80)	6.29	(5.02 - 7.85)	0.065
Region 11c (Hidalgo)	5.78	(4.14 - 8.00)	6.14	(4.91 - 7.67)	0.643
Utah	8.63	(7.42 - 10.01)	8.52	(7.35 - 9.85)	0.865
Bear River, Northeastern, Summit, Tooele, and Wasatch	10.60	(8.01 - 13.92)	8.95	(7.11 - 11.20)	0.140
Central, Four Corners, San Juan, and Southwest	7.78	(5.65 - 10.63)	8.17	(6.46 - 10.30)	0.692
Davis County	8.38	(6.26 - 11.12)	9.28	(7.39 - 11.61)	0.406
Salt Lake County	8.36	(6.62 - 10.50)	7.85	(6.44 - 9.55)	0.550
Utah County	9.22	(7.20 - 11.74)	9.60	(7.81 - 11.75)	0.698
Weber, Morgan	7.43	(5.47 - 10.00)	8.19	(6.41 - 10.41)	0.419
Vermont	7.45	(6.32 - 8.76)	7.75	(6.64 - 9.03)	0.633
Champlain Valley	6.73	(5.28 - 8.53)	7.44	(6.08 - 9.07)	0.352
Rural Northeast	8.15	(6.09 - 10.81)	8.58	(6.72 - 10.90)	0.690
Rural Southeast	8.50	(6.38 - 11.25)	7.55	(5.95 - 9.55)	0.376
Rural Southwest	6.85	(5.02 - 9.28)	7.58	(5.97 - 9.58)	0.448
Virginia	7.20	(6.05 - 8.55)	7.14	(6.15 - 8.29)	0.912
Region 1	8.02	(6.02 - 10.61)	7.38	(5.89 - 9.22)	0.480
Region 2	6.52	(4.86 - 8.71)	6.68	(5.29 - 8.40)	0.850
Region 3	8.14	(6.02 - 10.92)	7.83	(6.20 - 9.85)	0.750
Region 4	6.44	(4.69 - 8.78)	7.12	(5.61 - 8.99)	0.419
Region 5	7.32	(5.52 - 9.66)	7.04	(5.66 - 8.73)	0.734

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Washington[1]	8.30	(7.05 - 9.76)	7.46	(6.45 - 8.60)	0.152
Region 1	8.60	(6.68 - 11.00)	7.43	(6.16 - 8.94)	0.152
Greater Columbia and North Central	--	(-- - --)	7.42	(5.93 - 9.25)	--
Spokane	--	(-- - --)	7.45	(5.85 - 9.45)	--
Region 2	8.04	(6.49 - 9.93)	7.50	(6.30 - 8.91)	0.468
King	8.15	(6.22 - 10.60)	7.48	(6.08 - 9.17)	0.453
North Sound	7.85	(5.85 - 10.45)	7.55	(6.01 - 9.45)	0.760
Region 3	8.49	(6.81 - 10.55)	7.40	(6.23 - 8.77)	0.134
Peninsula	--	(-- - --)	7.64	(5.95 - 9.77)	--
Pierce	--	(-- - --)	7.22	(5.75 - 9.03)	--
SW WA and Timberlands	--	(-- - --)	7.42	(5.81 - 9.43)	--
Thurston-Mason	--	(-- - --)	7.52	(5.86 - 9.60)	--
West Virginia	8.26	(6.98 - 9.75)	7.85	(6.76 - 9.10)	0.505
Region I	7.33	(5.17 - 10.31)	7.79	(5.96 - 10.13)	0.654
Region II	9.49	(6.90 - 12.93)	8.26	(6.47 - 10.49)	0.269
Region III	7.51	(5.35 - 10.44)	8.15	(6.32 - 10.46)	0.527
Region IV	6.64	(4.97 - 8.82)	7.60	(6.12 - 9.40)	0.260
Region V	10.21[a]	(7.93 - 13.06)	7.70	(6.16 - 9.60)	0.011
Region VI	7.03	(5.06 - 9.67)	7.95	(6.27 - 10.02)	0.364
Wisconsin	6.61	(5.56 - 7.85)	6.82	(5.80 - 8.00)	0.697
Milwaukee	6.98	(5.13 - 9.43)	6.64	(5.23 - 8.40)	0.681
Northeastern	6.62	(4.99 - 8.75)	7.12	(5.65 - 8.94)	0.549
Northern	6.26	(4.51 - 8.61)	6.61	(5.06 - 8.59)	0.688
Southeastern	6.19	(4.54 - 8.39)	6.83	(5.37 - 8.64)	0.428
Southern	6.55	(4.88 - 8.76)	6.71	(5.23 - 8.57)	0.848
Western	7.07	(5.21 - 9.53)	6.85	(5.30 - 8.81)	0.805

See notes at end of table.

(continued)

Table 26 *Major Depressive Episode in the Past Year* among Adults Aged 18 or Older, by Substate Region: Percentages, Annual Averages, and *P* Values from Tests of Differences between Percentages, 2010-2012 and 2012-2014 NSDUHs (continued)

State/Substate Region	2010-2012 (Estimate)	2010-2012 (95% Confidence Interval)	2012-2014 (Estimate)	2012-2014 (95% Confidence Interval)	*P* Value
Wyoming	7.18	(6.14 - 8.37)	7.10	(6.12 - 8.21)	0.878
Judicial District 1 (Laramie)	7.15	(5.28 - 9.62)	7.23	(5.77 - 9.04)	0.921
Judicial District 2	7.99	(6.08 - 10.44)	7.41	(5.93 - 9.24)	0.505
Judicial District 3	7.33	(5.44 - 9.82)	7.11	(5.65 - 8.90)	0.802
Judicial District 4	7.45	(5.27 - 10.45)	7.14	(5.52 - 9.19)	0.762
Judicial District 5	6.86	(4.95 - 9.44)	6.82	(5.25 - 8.81)	0.964
Judicial District 6	6.77	(4.92 - 9.24)	6.88	(5.38 - 8.76)	0.900
Judicial District 7 (Natrona)	7.40	(5.47 - 9.94)	7.42	(5.79 - 9.47)	0.981
Judicial District 8	6.86	(4.95 - 9.43)	6.93	(5.39 - 8.86)	0.944
Judicial District 9	6.77	(4.92 - 9.27)	6.75	(5.21 - 8.71)	0.980

SPA = service planning area.

-- Not available. These regions were not defined consistently across the two time periods (i.e., 2010-2012 and 2012-2014); hence, the 2010-2012 estimates and *p* values are not available for these regions. The definitions of the substate regions listed in this table are provided in the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

NOTE: Substate, state, and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and are generated by Markov Chain Monte Carlo techniques, with their *p* values being the Bayes significance levels for the null hypothesis of no change between the 2010-2012 and 2012-2014 population percentages. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

NOTE: Major depressive episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when an individual experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. For details, see Section B of the "2011-2012 National Survey on Drug Use and Health: Guide to State Tables and Summary of Small Area Estimation Methodology" at http://www.samhsa.gov/data/.

[a] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.05 level.
[b] Difference between the 2010-2012 and 2012-2014 population percentages is statistically significant at the 0.10 level.

[1] Names of some of the substate regions for this state have changed across the two time periods (2010-2012 vs. 2012-2014). For details, see the "2012-2014 National Survey on Drug Use and Health Substate Region Definitions" at http://www.samhsa.gov/data/.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Methodology Used to Estimate the Bayes Significance Level for the Null Hypothesis of No Change between the 2010-2012 and 2012-2014 Substate Population Percentages

This discussion focuses on the methodology used to conduct statistical tests of significance for comparing National Survey on Drug Use and Health (NSDUH) substate population percentages between 2010-2012 and 2012-2014. Population percentages shown in Tables 1 to 26 earlier in this document are based on small area estimation (SAE) procedures, and the methodology used to compare these population percentages is the same methodology used to compare the state small area estimates. For details, see Section A.13 of Appendix A in the 2009-2010 state SAE report.[1] However, because some substate regions within seven states (Florida, Idaho, Michigan, North Carolina, North Dakota, South Carolina, and Washington) were defined differently for the two time periods (i.e., 2010-2012 and 2012-2014), significance test results (based on the Bayes posterior probability of no change: *p* value) could not be produced for these substate regions. In this document's tables, a double hyphen ("--") is used to denote substate regions that were not defined consistently across the two time periods. For more details about the substate regions that had definitions that changed, see the document on the "2012-2014 NSDUH Substate Region Definitions" at http://www.samhsa.gov/data/.

Comparisons of substate population percentages between 2010-2012 and 2012-2014 were made only for individuals aged 12 or older except for the underage alcohol use outcome in Table 11 and the underage binge alcohol use outcome in Table 12 (where comparisons were made for individuals aged 12 to 20) and for four mental health outcomes on serious mental illness, any mental illness, serious thoughts of suicide, and major depressive episode in Tables 23 through 26, respectively (where comparisons were made for adults aged 18 or older).

To determine whether differences between substate population percentages over two time periods were statistically significant, let $\pi_{s(1)}$ and $\pi_{s(2)}$ denote the 2010-2012 and 2012-2014 prevalence rates, respectively, for substate-*s*. The change between $\pi_{s(1)}$ and $\pi_{s(2)}$ is defined in terms of the log-odds ratio lor_s as opposed to the simple difference because the posterior distribution of the lor_s is closer to Gaussian than the posterior distribution of the simple difference, $(\pi_{s(2)} - \pi_{s(1)})$. The lor_s is defined as follows:

[1] Hughes, A., Muhuri, P., Sathe, N., & Spagnola, K. (2012). *State estimates of substance use and mental disorders from the 2009-2010 National Surveys on Drug Use and Health* (HHS Publication No. SMA 12-4703, NSDUH Series H-43). Rockville, MD: Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality.

$$lor_s = \ln\left[\frac{\pi_{s(2)} / (1-\pi_{s(2)})}{\pi_{s(1)} / (1-\pi_{s(1)})}\right],$$

where ln denotes the natural logarithm.

The *p* value given in the comparison tables is computed to test the null hypothesis of no change; that is, $\pi_{s(2)} = \pi_{s(1)}$ or equivalently $lor_s = 0$. An estimate of lor_s is given by

$$\hat{l}or_s = \ln\left[\frac{p_{s(2)} / (1-p_{s(2)})}{p_{s(1)} / (1-p_{s(1)})}\right],$$

where the $p_{s(1)}$ are the 2010-2012 substate estimates presented in the "2010-2012 NSDUH Substate Region Estimates: Excel Tables" at http://www.samhsa.gov/data/, and the $p_{s(2)}$ are the 2012-2014 substate estimates presented in the "2012-2014 NSDUH Substate Region Estimates: Excel Tables" at http://www.samhsa.gov/data/.

To compute the posterior variance of $\hat{l}or_s$, that is, $v(\hat{l}or_s)$, let $\hat{\theta}_1 = \frac{p_{s(1)}}{1-p_{s(1)}}$ and $\hat{\theta}_2 = \frac{p_{s(2)}}{1-p_{s(2)}}$, then $v(\hat{l}or_s) = v[\ln(\hat{\theta}_1)] + v[\ln(\hat{\theta}_2)] - 2\,\mathrm{cov}[\ln(\hat{\theta}_1), \ln(\hat{\theta}_2)]$, where $\mathrm{cov}[\ln(\hat{\theta}_1), \ln(\hat{\theta}_2)]$ denotes the covariance between $\ln(\hat{\theta}_1)$ and $\ln(\hat{\theta}_2)$. This covariance is defined in terms of the associated correlation, as follows:

$$\mathrm{cov}[\ln(\hat{\theta}_1), \ln(\hat{\theta}_2)] = \text{correlation } [\ln(\hat{\theta}_1), \ln(\hat{\theta}_2)] \times \sqrt{v[\ln(\hat{\theta}_1)] \times v[\ln(\hat{\theta}_2)]}\,.$$

Note that $v[\ln(\hat{\theta}_1)]$ and $v[\ln(\hat{\theta}_2)]$ used here to calculate $v(\hat{l}or_s)$ are the same variances used in calculating the 2010-2012 Bayesian confidence intervals (CIs) and the 2012-2014 CIs, respectively. Thus, the posterior variances can be calculated using the published Bayesian CIs, $lower_i$ and $upper_i$, as follows:

$$v[\ln(\hat{\theta}_i)] = \left(\frac{U_i - L_i}{2 \times 1.96}\right)^2 \quad \text{for } i = 1, 2,$$

where $U_i = \ln\frac{upper_i}{1-upper_i}$ and $L_i = \ln\frac{lower_i}{1-lower_i}$.

The correlation between $\ln(\hat{\theta}_1)$ and $\ln(\hat{\theta}_2)$ was obtained by simultaneously modeling the 2010-2011, 2012, and the 2013-2014 NSDUH data using a method similar to obtaining the correlation for producing state-level estimates of $v(\hat{lor}_s)$. For details, see Section A.13 of Appendix A in the 2009-2010 state SAE report.[2]

To calculate the *p* value for testing the null hypothesis of no difference $(lor = 0)$, it was assumed that the posterior distribution of lor is normal with $mean = \hat{lor}_s$ and $variance = v(\hat{lor}_s)$. With $(lor = 0)$, the Bayes *p* value or significance level for the null hypothesis of no difference is p value = $2 * P\left[Z \geq abs(z)\right]$, where *Z* is a standard normal random variate, $z = \frac{\hat{lor}_s}{\sqrt{v(\hat{lor}_s)}}$, and $abs(z)$ denotes the absolute value of *z*. This Bayesian significance level (or *p* value) for the null value of lor, say lor_0, is defined following Rubin[3] as the posterior probability for the collection of the lor values that are less likely or have smaller posterior density $d(lor)$ than the null (no change) value lor_0. That is, $p\,value(lor_0) = probability[d(lor) \leq d(lor_0)]$. With the posterior distribution of lor approximately normal, $p\,value(lor_0)$ is given by the above expression.

[2] See footnote 1.

[3] Rubin, D. B. (1987). *Multiple imputation for nonresponse in surveys* (Wiley Series in Probability and Mathematical Statistics: Applied Probability and Statistics). New York, NY: John Wiley & Sons.