

**Table 1.69A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:**  
**Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	35,947	36,916	5,748	5,283	2,077	1,865
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6,562	6,796	973	1,074	403	456
New England	1,841	2,167	276	254	83	93
Middle Atlantic	4,721	4,629	697	821	320	363
Midwest	7,049	7,477	1,147	1,105	371	374
East North Central	4,928	5,255	874	821	298	284
West North Central	2,121	2,222	273	284	73	90
South	11,843	12,261	2,120 <sup>a</sup>	1,727	741	608
South Atlantic	6,779	7,168	1,234	946	434	324
East South Central	1,825	1,656	287	231	91	57
West South Central	3,239	3,437	599	550	216	228
West	10,493	10,382	1,507	1,377	562	427
Mountain	3,223	3,342	552	419	225	122
Pacific	7,269	7,040	955	958	337	304
<b>COUNTY TYPE</b>						
Large Metro	20,385	20,524	3,184	2,995	1,136	1,117
Small Metro	10,565	11,132	1,754	1,640	716	557
250K – 1 Mil. Pop.	7,345	7,609	1,300	1,081	547	422
< 250K Pop.	3,220	3,522	454	559	169	135
Nonmetro	4,997	5,260	810	648	225	191
Urbanized	2,353	2,298	426	306	121	98
Less Urbanized	2,294	2,471	347	307	86	79
Completely Rural	350	491	37	34	18	14

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.69B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	14.5	14.8	2.3	2.1	0.8	0.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	14.3	14.7	2.1	2.3	0.9	1.0
New England	15.3	18.0	2.3	2.1	0.7	0.8
Middle Atlantic	13.9	13.6	2.1	2.4	0.9	1.1
Midwest	12.9	13.6	2.1	2.0	0.7	0.7
East North Central	12.9	13.7	2.3	2.1	0.8	0.7
West North Central	12.9	13.4	1.7	1.7	0.4	0.5
South	13.2	13.5	2.4 <sup>a</sup>	1.9	0.8	0.7
South Atlantic	14.2	14.9	2.6	2.0	0.9	0.7
East South Central	12.4	11.1	1.9	1.6	0.6	0.4
West South Central	11.7	12.2	2.2	2.0	0.8	0.8
West	18.3	18.0	2.6	2.4	1.0	0.7
Mountain	18.7	19.0	3.2	2.4	1.3	0.7
Pacific	18.2	17.5	2.4	2.4	0.8	0.8
<b>COUNTY TYPE</b>						
Large Metro	15.4	15.4	2.4	2.3	0.9	0.8
Small Metro	14.3	14.7	2.4	2.2	1.0	0.7
250K – 1 Mil. Pop.	14.8	15.2	2.6	2.2	1.1	0.8
< 250K Pop.	13.1	13.8	1.8	2.2	0.7	0.5
Nonmetro	12.2	12.8	2.0	1.6	0.5	0.5
Urbanized	14.0	13.4	2.5	1.8	0.7	0.6
Less Urbanized	11.7	12.3	1.8	1.5	0.4	0.4
Completely Rural	7.6	12.2	0.8	0.9	0.4	0.3

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.70A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	544	473	385 <sup>a</sup>	306	104	98
<b>GEOGRAPHIC DIVISION</b>						
Northeast	63	64	52	46	19	17
New England	22	18	15	15	5	5
Middle Atlantic	41	46	37	30	13	11
Midwest	115	98	74	66	24	20
East North Central	78	64	47	46	16	15
West North Central	37	34	27	20	8	4
South	195	163	144 <sup>b</sup>	91	36	29
South Atlantic	72	90	52	44	11	12
East South Central	32	13	23 <sup>a</sup>	6	5	2
West South Central	91	60	69	42	19	16
West	171	147	115	103	27	32
Mountain	74	64	53	41	14	19
Pacific	97	83	62	62	12	13
<b>COUNTY TYPE</b>						
Large Metro	290	246	211	167	56	42
Small Metro	160	164	109	105	34	44
250K – 1 Mil. Pop.	109	101	74	75	21	38
< 250K Pop.	50	63	35	30	13	6
Nonmetro	95 <sup>a</sup>	63	66 <sup>b</sup>	34	14	12
Urbanized	47	28	35 <sup>a</sup>	16	9	6
Less Urbanized	41	29	26	15	4	5
Completely Rural	7	6	5	3	1	1

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.70B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:**  
**Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	2.2	1.9	1.5 <sup>a</sup>	1.2	0.4	0.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.4	1.5	1.2	1.0	0.4	0.4
New England	1.9	1.6	1.3	1.4	0.5	0.5
Middle Atlantic	1.2	1.4	1.1	0.9	0.4	0.3
Midwest	2.1	1.8	1.3	1.2	0.4	0.4
East North Central	2.0	1.7	1.2	1.2	0.4	0.4
West North Central	2.2	2.1	1.6	1.2	0.5	0.3
South	2.1	1.8	1.6 <sup>a</sup>	1.0	0.4	0.3
South Atlantic	1.6	2.0	1.1	1.0	0.2	0.3
East South Central	2.1	0.9	1.6 <sup>a</sup>	0.4	0.3	0.1
West South Central	3.0	2.0	2.3	1.4	0.6	0.5
West	2.8	2.5	1.9	1.7	0.4	0.5
Mountain	4.1	3.5	2.9	2.3	0.8	1.1
Pacific	2.3	2.0	1.5	1.5	0.3	0.3
<b>COUNTY TYPE</b>						
Large Metro	2.1	1.8	1.5	1.3	0.4	0.3
Small Metro	2.2	2.2	1.5	1.4	0.5	0.6
250K – 1 Mil. Pop.	2.2	2.1	1.5	1.5	0.4	0.8
< 250K Pop.	2.1	2.5	1.5	1.2	0.5	0.2
Nonmetro	2.3 <sup>a</sup>	1.5	1.6 <sup>b</sup>	0.8	0.3	0.3
Urbanized	2.7 <sup>a</sup>	1.6	2.0 <sup>a</sup>	0.9	0.5	0.3
Less Urbanized	2.0	1.4	1.3	0.8	0.2	0.3
Completely Rural	1.6	1.6	1.1	0.7	0.1	0.2

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.71A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	4,925	4,772	2,087 <sup>a</sup>	1,844	572	515
<b>GEOGRAPHIC DIVISION</b>						
Northeast	871	859	403	367	129	136
New England	283	257	131	102	35	23
Middle Atlantic	588	602	273	265	94	113
Midwest	1,069	1,074	439	398	111	94
East North Central	747	720	324	277	86	73
West North Central	322	355	115	121	25	21
South	1,689 <sup>a</sup>	1,492	689 <sup>a</sup>	545	161	152
South Atlantic	849	741	401 <sup>b</sup>	273	100	80
East South Central	278 <sup>a</sup>	216	106	78	23	22
West South Central	562	535	182	193	37	50
West	1,297	1,347	556	534	172	133
Mountain	437	513	197	180	57	51
Pacific	859	834	359	353	114	82
<b>COUNTY TYPE</b>						
Large Metro	2,454	2,396	1,071	994	296	294
Small Metro	1,676	1,643	694	608	188	160
250K – 1 Mil. Pop.	1,141	1,070	499 <sup>a</sup>	380	141	114
< 250K Pop.	535	573	195	229	47	47
Nonmetro	795	734	323 <sup>a</sup>	241	88	60
Urbanized	351	341	142	111	39	26
Less Urbanized	384	348	158	120	40	31
Completely Rural	60	44	23	10	10	3

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.71B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	15.0	14.5	6.4 <sup>a</sup>	5.6	1.7	1.6
<b>GEOGRAPHIC DIVISION</b>						
Northeast	14.8	14.4	6.8	6.1	2.2	2.3
New England	18.5	16.5	8.5	6.6	2.3	1.5
Middle Atlantic	13.4	13.6	6.2	6.0	2.1	2.5
Midwest	14.7	14.8	6.0	5.5	1.5	1.3
East North Central	14.9	14.3	6.4	5.5	1.7	1.4
West North Central	14.2	15.8	5.1	5.4	1.1	0.9
South	14.5 <sup>a</sup>	12.7	5.9 <sup>a</sup>	4.6	1.4	1.3
South Atlantic	14.4	12.4	6.8 <sup>b</sup>	4.6	1.7	1.3
East South Central	14.9 <sup>a</sup>	11.5	5.7	4.2	1.2	1.2
West South Central	14.4	13.6	4.6	4.9	1.0	1.3
West	16.5	17.0	7.1	6.7	2.2	1.7
Mountain	18.6	21.7	8.4	7.6	2.4	2.2
Pacific	15.6	15.0	6.5	6.4	2.1	1.5
<b>COUNTY TYPE</b>						
Large Metro	14.2	13.4	6.2	5.6	1.7	1.6
Small Metro	16.2	16.3	6.7	6.0	1.8	1.6
250K – 1 Mil. Pop.	16.9	16.4	7.4 <sup>a</sup>	5.8	2.1	1.7
< 250K Pop.	15.1	16.1	5.5	6.4	1.3	1.3
Nonmetro	15.6	14.7	6.3 <sup>a</sup>	4.8	1.7	1.2
Urbanized	15.4	14.9	6.2	4.9	1.7	1.1
Less Urbanized	15.7	14.8	6.4	5.1	1.6	1.3
Completely Rural	16.0	12.5	6.2	2.9	2.6	0.8

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.72A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:**  
**Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	30,477	31,671	3,275	3,133	1,400	1,252
<b>GEOGRAPHIC DIVISION</b>						
Northeast	5,628	5,872	518	661	255	304
New England	1,536 <sup>a</sup>	1,892	131	136	43	64
Middle Atlantic	4,092	3,980	387	525	213	240
Midwest	5,865	6,305	634	640	236	261
East North Central	4,103	4,472	503	497	196	196
West North Central	1,762	1,833	131	143	40	65
South	9,959	10,606	1,287	1,091	545	427
South Atlantic	5,858	6,337	781	629	323	232
East South Central	1,515	1,427	157	147	62	33
West South Central	2,586	2,841	348	315	160	162
West	9,025	8,889	836	740	364	262
Mountain	2,713	2,765	302	198	153	52
Pacific	6,313	6,123	535	543	211	210
<b>COUNTY TYPE</b>						
Large Metro	17,641	17,882	1,902	1,833	783	781
Small Metro	8,729	9,325	951	927	494	352
250K – 1 Mil. Pop.	6,095	6,439	727	627	385	270
< 250K Pop.	2,634	2,886	224	300	109	82
Nonmetro	4,107	4,464	421	372	123	119
Urbanized	1,955	1,929	249	179	73	66
Less Urbanized	1,869	2,094	163	173	42	43
Completely Rural	284	441	9	21	8	11

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.72B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	16.1	16.5	1.7	1.6	0.7	0.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	15.8	16.4	1.5	1.8	0.7	0.8
New England	16.4	20.2	1.4	1.4	0.5	0.7
Middle Atlantic	15.6	15.1	1.5	2.0	0.8	0.9
Midwest	14.0	14.9	1.5	1.5	0.6	0.6
East North Central	14.0	15.2	1.7	1.7	0.7	0.7
West North Central	14.0	14.4	1.0	1.1	0.3	0.5
South	14.4	15.1	1.9	1.6	0.8	0.6
South Atlantic	15.8	16.9	2.1	1.7	0.9	0.6
East South Central	13.3	12.4	1.4	1.3	0.5	0.3
West South Central	12.5	13.4	1.7	1.5	0.8	0.8
West	20.8	20.2	1.9	1.7	0.8	0.6
Mountain	20.7	20.6	2.3	1.5	1.2	0.4
Pacific	20.9	20.1	1.8	1.8	0.7	0.7
<b>COUNTY TYPE</b>						
Large Metro	17.4	17.5	1.9	1.8	0.8	0.8
Small Metro	15.5	16.1	1.7	1.6	0.9	0.6
250K – 1 Mil. Pop.	16.1	16.7	1.9	1.6	1.0	0.7
< 250K Pop.	14.2	14.9	1.2	1.5	0.6	0.4
Nonmetro	12.9	13.9	1.3	1.2	0.4	0.4
Urbanized	15.3	14.7	1.9	1.4	0.6	0.5
Less Urbanized	12.3	13.4	1.1	1.1	0.3	0.3
Completely Rural	7.5 <sup>a</sup>	13.4	0.2	0.6	0.2	0.3

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 1.73A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:**  
**Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	35,402	36,443	5,362	4,977	1,972	1,767
<b>GEOGRAPHIC DIVISION</b>						
Northeast	6,499	6,731	921	1,028	384	439
New England	1,819	2,149	261	238	77	87
Middle Atlantic	4,680	4,582	660	790	307	352
Midwest	6,934	7,379	1,073	1,039	347	354
East North Central	4,850	5,191	827	775	282	268
West North Central	2,084	2,187	246	264	65	86
South	11,648	12,098	1,976	1,636	706	579
South Atlantic	6,707	7,079	1,182	902	423	312
East South Central	1,793	1,643	263	226	86	55
West South Central	3,148	3,377	530	508	197	212
West	10,322	10,235	1,393	1,274	536	394
Mountain	3,150	3,278	499	378	210	103
Pacific	7,172	6,957	894	896	325	291
<b>COUNTY TYPE</b>						
Large Metro	20,095	20,278	2,973	2,827	1,079	1,075
Small Metro	10,405	10,968	1,645	1,535	682	513
250K – 1 Mil. Pop.	7,236	7,509	1,226	1,007	526	384
< 250K Pop.	3,169	3,459	419	529	156	129
Nonmetro	4,902	5,197	744	614	212	179
Urbanized	2,306	2,270	391	290	112	92
Less Urbanized	2,252	2,443	321	292	82	74
Completely Rural	343	485	33	32	17	13

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.73B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	15.9	16.2	2.4	2.2	0.9	0.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	15.7	16.1	2.2	2.5	0.9	1.1
New England	16.7	19.7	2.4	2.2	0.7	0.8
Middle Atlantic	15.3	14.9	2.2	2.6	1.0	1.1
Midwest	14.1	14.9	2.2	2.1	0.7	0.7
East North Central	14.1	15.0	2.4	2.2	0.8	0.8
West North Central	14.1	14.6	1.7	1.8	0.4	0.6
South	14.4	14.8	2.4	2.0	0.9	0.7
South Atlantic	15.6	16.3	2.8	2.1	1.0	0.7
East South Central	13.5	12.3	2.0	1.7	0.6	0.4
West South Central	12.8	13.5	2.2	2.0	0.8	0.8
West	20.2	19.7	2.7	2.5	1.0	0.8
Mountain	20.4	20.8	3.2	2.4	1.4	0.7
Pacific	20.1	19.3	2.5	2.5	0.9	0.8
<b>COUNTY TYPE</b>						
Large Metro	16.9	16.9	2.5	2.4	0.9	0.9
Small Metro	15.6	16.1	2.5	2.3	1.0	0.8
250K – 1 Mil. Pop.	16.2	16.6	2.8	2.2	1.2	0.9
< 250K Pop.	14.3	15.1	1.9	2.3	0.7	0.6
Nonmetro	13.3	14.0	2.0	1.7	0.6	0.5
Urbanized	15.3	14.8	2.6	1.9	0.7	0.6
Less Urbanized	12.8	13.5	1.8	1.6	0.5	0.4
Completely Rural	8.2	13.3	0.8	0.9	0.4	0.4

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.