

**Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	114,275 <sup>a</sup>	117,325	35,692	35,525	19,857	20,077
Marijuana and Hashish	100,518	102,404	25,085	25,768	14,448	15,203
Cocaine	35,882	36,773	5,738	5,255	2,075	1,855
Crack	8,581	8,445	1,451 <sup>a</sup>	1,109	610 <sup>b</sup>	359
Heroin	3,780	3,788	366	453	153	213
Hallucinogens	34,215 <sup>a</sup>	35,963	3,762	3,678	996	1,060
LSD	22,656	23,547	620 <sup>a</sup>	802	145	154
PCP	6,140	6,631	137	99	41	24
Ecstasy	12,426	12,924	2,132	2,139	503	555
Inhalants	22,477	22,274	2,080	2,047	616	640
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	50,415	51,970	16,280 <sup>a</sup>	15,166	6,895 <sup>a</sup>	6,224
Pain Relievers	33,060 <sup>a</sup>	34,861	12,466	11,885	5,174	4,747
OxyContin <sup>®</sup>	4,354	4,842	1,422	1,459	369	435
Tranquilizers	20,208	21,476	5,282	5,103	1,835	1,800
Stimulants <sup>3</sup>	21,654	21,206	2,998	2,639	1,053	904
Methamphetamine <sup>3</sup>	13,065	12,598	1,343 <sup>b</sup>	850	529 <sup>a</sup>	314
Sedatives	8,396	8,882	864 <sup>a</sup>	621	346	234
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	73,494	75,573	21,144	19,990	9,270	8,565

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	46.1	47.0	14.4	14.2	8.0	8.0
Marijuana and Hashish	40.6	41.0	10.1	10.3	5.8	6.1
Cocaine	14.5	14.7	2.3	2.1	0.8	0.7
Crack	3.5	3.4	0.6 <sup>a</sup>	0.4	0.2 <sup>b</sup>	0.1
Heroin	1.5	1.5	0.1	0.2	0.1	0.1
Hallucinogens	13.8	14.4	1.5	1.5	0.4	0.4
LSD	9.1	9.4	0.3 <sup>a</sup>	0.3	0.1	0.1
PCP	2.5	2.7	0.1	0.0	0.0	0.0
Ecstasy	5.0	5.2	0.9	0.9	0.2	0.2
Inhalants	9.1	8.9	0.8	0.8	0.2	0.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	20.3	20.8	6.6 <sup>a</sup>	6.1	2.8 <sup>a</sup>	2.5
Pain Relievers	13.3	14.0	5.0	4.8	2.1	1.9
OxyContin <sup>®</sup>	1.8	1.9	0.6	0.6	0.1	0.2
Tranquilizers	8.2	8.6	2.1	2.0	0.7	0.7
Stimulants <sup>3</sup>	8.7	8.5	1.2	1.1	0.4	0.4
Methamphetamine <sup>3</sup>	5.3	5.0	0.5 <sup>b</sup>	0.3	0.2 <sup>a</sup>	0.1
Sedatives	3.4	3.6	0.3 <sup>a</sup>	0.2	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	29.7	30.3	8.5 <sup>a</sup>	8.0	3.7	3.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	1,072	1,031	635	666	270	254
Marijuana and Hashish	218	237	161	195	75	74
Cocaine	20	16	16	9	6	1
Crack	5	*	3	*	*	*
Heroin	2	2	2	2	*	*
Hallucinogens	65	72	45	55	19	22
LSD	14	9	8	7	1	*
PCP	8	9	3	8	*	4
Ecstasy	17	22	9	19	1	4
Inhalants	663	630	304	330	91	94
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	433	417	257	272	118	114
Pain Relievers	334	350	217	233	97	96
OxyContin <sup>®</sup>	14	17	11	14	*	*
Tranquilizers	51	39	30	18	16	5
Stimulants <sup>3</sup>	74	67	41	39	12	14
Methamphetamine <sup>3</sup>	12	21	6	9	2	1
Sedatives	39	37	8	18	4	7
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	960	913	533	551	214	204

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	13.2	13.2	7.8	8.6	3.3	3.3
Marijuana and Hashish	2.7	3.0	2.0	2.5	0.9	1.0
Cocaine	0.2	0.2	0.2	0.1	0.1	0.0
Crack	0.1	*	0.0	*	*	*
Heroin	0.0	0.0	0.0	0.0	*	*
Hallucinogens	0.8	0.9	0.6	0.7	0.2	0.3
LSD	0.2	0.1	0.1	0.1	0.0	*
PCP	0.1	0.1	0.0	0.1	*	0.0
Ecstasy	0.2	0.3	0.1	0.2	0.0	0.0
Inhalants	8.1	8.1	3.7	4.2	1.1	1.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	5.3	5.4	3.2	3.5	1.4	1.5
Pain Relievers	4.1	4.5	2.7	3.0	1.2	1.2
OxyContin <sup>®</sup>	0.2	0.2	0.1	0.2	*	*
Tranquilizers	0.6	0.5	0.4	0.2	0.2	0.1
Stimulants <sup>3</sup>	0.9	0.9	0.5	0.5	0.1	0.2
Methamphetamine <sup>3</sup>	0.1	0.3	0.1	0.1	0.0	0.0
Sedatives	0.5	0.5	0.1	0.2	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	11.8	11.7	6.5	7.1	2.6	2.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLCIT DRUGS<sup>1</sup></b>	2,159	2,122	1,546	1,497	762	731
Marijuana and Hashish	1,197	1,237	951	978	488	483
Cocaine	103	101	86	81	18	31
Crack	27	23	24	12	5	3
Heroin	17	23	10	13	*	2
Hallucinogens	280	263	201	201	51 <sup>a</sup>	86
LSD	61	65	42	45	13	15
PCP	39	39	29	24	4	2
Ecstasy	140	138	103	104	16	39
Inhalants	917	877	389	376	115	112
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	966	860	707 <sup>a</sup>	595	291	252
Pain Relievers	809	737	569	518	218	200
OxyContin <sup>®</sup>	90	94	68	65	12	15
Tranquilizers	212	192	164	137	64	53
Stimulants <sup>3</sup>	229	202	139	126	50	47
Methamphetamine <sup>3</sup>	80 <sup>a</sup>	47	45	29	11	11
Sedatives	71	69	44	47	16	7
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,597	1,511	1,015	941	411	399

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	25.3	25.1	18.2	17.7	8.9	8.6
Marijuana and Hashish	14.1	14.6	11.2	11.6	5.7	5.7
Cocaine	1.2	1.2	1.0	1.0	0.2	0.4
Crack	0.3	0.3	0.3	0.1	0.1	0.0
Heroin	0.2	0.3	0.1	0.2	*	0.0
Hallucinogens	3.3	3.1	2.4	2.4	0.6 <sup>a</sup>	1.0
LSD	0.7	0.8	0.5	0.5	0.2	0.2
PCP	0.5	0.5	0.3	0.3	0.0	0.0
Ecstasy	1.6	1.6	1.2	1.2	0.2 <sup>a</sup>	0.5
Inhalants	10.8	10.4	4.6	4.4	1.4	1.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	11.3	10.2	8.3 <sup>a</sup>	7.0	3.4	3.0
Pain Relievers	9.5	8.7	6.7	6.1	2.6	2.4
OxyContin <sup>®</sup>	1.1	1.1	0.8	0.8	0.1	0.2
Tranquilizers	2.5	2.3	1.9	1.6	0.7	0.6
Stimulants <sup>3</sup>	2.7	2.4	1.6	1.5	0.6	0.6
Methamphetamine <sup>3</sup>	0.9 <sup>a</sup>	0.6	0.5	0.3	0.1	0.1
Sedatives	0.8	0.8	0.5	0.6	0.2	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	18.7	17.9	11.9	11.1	4.8	4.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	3,390	3,367	2,545	2,563	1,377	1,318
Marijuana and Hashish	2,668	2,634	2,035	2,065	1,122	1,099
Cocaine	418	354	281 <sup>a</sup>	215	79	65
Crack	74	56	38	21	10	4
Heroin	35	42	12	27	3	11
Hallucinogens	550 <sup>a</sup>	637	381	433	105	135
LSD	125 <sup>b</sup>	194	75 <sup>b</sup>	131	15 <sup>a</sup>	35
PCP	57	55	23	29	5	8
Ecstasy	290 <sup>a</sup>	371	216	231	48	62
Inhalants	842	801	301	273	89	63
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,549	1,495	1,069	1,046	420 <sup>a</sup>	344
Pain Relievers	1,309	1,259	894	858	354 <sup>a</sup>	270
OxyContin <sup>®</sup>	256	229	153	144	35	35
Tranquilizers	485	488	312	327	102	91
Stimulants <sup>3</sup>	430	400	235	208	66	53
Methamphetamine <sup>3</sup>	130	127	67	56	20	17
Sedatives	104	97	59	48	14	21
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,081	2,063	1,366	1,358	556	487

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	39.5	38.9	29.6	29.6	16.0	15.2
Marijuana and Hashish	31.1	30.4	23.7	23.9	13.1	12.7
Cocaine	4.9	4.1	3.3 <sup>a</sup>	2.5	0.9	0.7
Crack	0.9	0.6	0.4	0.2	0.1	0.0
Heroin	0.4	0.5	0.1	0.3	0.0	0.1
Hallucinogens	6.4 <sup>a</sup>	7.4	4.4	5.0	1.2	1.6
LSD	1.5 <sup>b</sup>	2.2	0.9 <sup>b</sup>	1.5	0.2 <sup>a</sup>	0.4
PCP	0.7	0.6	0.3	0.3	0.1	0.1
Ecstasy	3.4 <sup>a</sup>	4.3	2.5	2.7	0.6	0.7
Inhalants	9.8	9.3	3.5	3.2	1.0	0.7
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	18.0	17.3	12.5	12.1	4.9 <sup>a</sup>	4.0
Pain Relievers	15.2	14.6	10.4	9.9	4.1 <sup>b</sup>	3.1
OxyContin <sup>®</sup>	3.0	2.7	1.8	1.7	0.4	0.4
Tranquilizers	5.6	5.6	3.6	3.8	1.2	1.1
Stimulants <sup>3</sup>	5.0	4.6	2.7	2.4	0.8	0.6
Methamphetamine <sup>3</sup>	1.5	1.5	0.8	0.7	0.2	0.2
Sedatives	1.2	1.1	0.7	0.6	0.2	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	24.2	23.9	15.9	15.7	6.5	5.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	6,904	6,823	4,759	4,802	2,862	2,845
Marijuana and Hashish	6,008	5,962	4,011	4,090	2,429	2,465
Cocaine	1,442	1,441	822	764	230	211
Crack	243	243	92	89	23	22
Heroin	133	147	48	56	16	26
Hallucinogens	1,855	1,874	982	1,085	241	302
LSD	505	569	211 <sup>a</sup>	280	51	43
PCP	138	135	31	18	5	1
Ecstasy	1,145	1,233	583	668	112 <sup>a</sup>	176
Inhalants	1,191	1,240	306	320	67	67
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,544	3,323	2,128	2,012	850	790
Pain Relievers	2,962	2,863	1,719	1,635	679	639
OxyContin <sup>®</sup>	575	618	242	272	69	59
Tranquilizers	1,385	1,345	729	740	220	230
Stimulants <sup>3</sup>	1,138	1,025	505	479	135	131
Methamphetamine <sup>3</sup>	535 <sup>b</sup>	357	182 <sup>b</sup>	99	35	16
Sedatives	185	172	70	72	27	9
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	4,456	4,203	2,739	2,623	1,153	1,108

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	52.2	51.6	36.0	36.3	21.6	21.5
Marijuana and Hashish	45.4	45.1	30.3	30.9	18.4	18.7
Cocaine	10.9	10.9	6.2	5.8	1.7	1.6
Crack	1.8	1.8	0.7	0.7	0.2	0.2
Heroin	1.0	1.1	0.4	0.4	0.1	0.2
Hallucinogens	14.0	14.2	7.4	8.2	1.8	2.3
LSD	3.8	4.3	1.6 <sup>a</sup>	2.1	0.4	0.3
PCP	1.0	1.0	0.2	0.1	0.0	0.0
Ecstasy	8.7	9.3	4.4	5.1	0.8 <sup>a</sup>	1.3
Inhalants	9.0	9.4	2.3	2.4	0.5	0.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	26.8	25.1	16.1	15.2	6.4	6.0
Pain Relievers	22.4	21.7	13.0	12.4	5.1	4.8
OxyContin <sup>®</sup>	4.3	4.7	1.8	2.1	0.5	0.4
Tranquilizers	10.5	10.2	5.5	5.6	1.7	1.7
Stimulants <sup>3</sup>	8.6	7.8	3.8	3.6	1.0	1.0
Methamphetamine <sup>3</sup>	4.0 <sup>b</sup>	2.7	1.4 <sup>b</sup>	0.8	0.3	0.1
Sedatives	1.4	1.3	0.5	0.5	0.2	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	33.7	31.8	20.7	19.8	8.7	8.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.6A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	11,891	11,821	6,105	6,218	3,602	3,620
Marijuana and Hashish	10,612	10,631	4,974	4,998	2,949	2,961
Cocaine	3,475	3,289	1,263 <sup>a</sup>	1,056	343	295
Crack	737	661	156	124	34	31
Heroin	361	310	94	90	31	48
Hallucinogens	4,432 <sup>b</sup>	3,962	1,066	1,024	233	248
LSD	1,869 <sup>b</sup>	1,576	163	223	19 <sup>b</sup>	54
PCP	401	378	27	12	10	4
Ecstasy	3,046 <sup>a</sup>	2,760	571	618	117	128
Inhalants	2,499 <sup>b</sup>	2,171	220	213	63	37
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6,246	6,303	2,785	2,856	1,099	1,154
Pain Relievers	5,166	5,179	2,251	2,306	838	862
OxyContin <sup>®</sup>	1,130	1,118	324	325	87	70
Tranquilizers	2,761	2,688	970	1,016	351	339
Stimulants <sup>3</sup>	2,435	2,435	629	634	217	216
Methamphetamine <sup>3</sup>	1,309	1,187	222	170	80	58
Sedatives	398	334	101	103	45	55
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8,099	7,861	3,631	3,604	1,489	1,478

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.6B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLCIT DRUGS<sup>1</sup></b>	61.0	59.9	31.3	31.5	18.5	18.4
Marijuana and Hashish	54.4	53.9	25.5	25.3	15.1	15.0
Cocaine	17.8	16.7	6.5 <sup>b</sup>	5.4	1.8	1.5
Crack	3.8	3.4	0.8	0.6	0.2	0.2
Heroin	1.8	1.6	0.5	0.5	0.2	0.2
Hallucinogens	22.7 <sup>b</sup>	20.1	5.5	5.2	1.2	1.3
LSD	9.6 <sup>b</sup>	8.0	0.8	1.1	0.1 <sup>b</sup>	0.3
PCP	2.1	1.9	0.1	0.1	0.1	0.0
Ecstasy	15.6 <sup>b</sup>	14.0	2.9	3.1	0.6	0.6
Inhalants	12.8 <sup>b</sup>	11.0	1.1	1.1	0.3	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	32.0	32.0	14.3	14.5	5.6	5.8
Pain Relievers	26.5	26.3	11.5	11.7	4.3	4.4
OxyContin <sup>®</sup>	5.8	5.7	1.7	1.6	0.4	0.4
Tranquilizers	14.2	13.6	5.0	5.1	1.8	1.7
Stimulants <sup>3</sup>	12.5	12.3	3.2	3.2	1.1	1.1
Methamphetamine <sup>3</sup>	6.7	6.0	1.1	0.9	0.4	0.3
Sedatives	2.0	1.7	0.5	0.5	0.2	0.3
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	41.5 <sup>a</sup>	39.9	18.6	18.3	7.6	7.5

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.7A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	19,977	20,728	6,973	7,041	3,864	3,996
Marijuana and Hashish	17,748	18,292	4,952	5,298	2,799	3,128
Cocaine	5,857	5,963	1,261	1,421	499	549
Crack	1,554	1,696	204	259	96	92
Heroin	621	663	61	116	37	33
Hallucinogens	7,754	7,896	822 <sup>a</sup>	596	231	214
LSD	5,386	5,051	108	75	45	7
PCP	893	746	22	7	16	6
Ecstasy	4,494	4,699	525	381	142	133
Inhalants	4,927	4,570	232	175	69	43
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	9,591	9,986	3,203	2,977	1,238	1,128
Pain Relievers	7,193	7,599	2,452	2,357	986	869
OxyContin <sup>®</sup>	1,008 <sup>a</sup>	1,328	269	321	39 <sup>a</sup>	122
Tranquilizers	3,896	4,348	1,146	1,107	359	354
Stimulants <sup>3</sup>	3,813	3,988	580	575	160	240
Methamphetamine <sup>3</sup>	2,652	2,568	319	210	87	94
Sedatives	639	734	131	129	65	26
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	13,747	13,696	4,164	3,982	1,757	1,655

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.7B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	56.6	58.2	19.8	19.8	10.9	11.2
Marijuana and Hashish	50.3	51.3	14.0	14.9	7.9	8.8
Cocaine	16.6	16.7	3.6	4.0	1.4	1.5
Crack	4.4	4.8	0.6	0.7	0.3	0.3
Heroin	1.8	1.9	0.2	0.3	0.1	0.1
Hallucinogens	22.0	22.2	2.3 <sup>a</sup>	1.7	0.7	0.6
LSD	15.3	14.2	0.3	0.2	0.1	0.0
PCP	2.5	2.1	0.1	0.0	0.0	0.0
Ecstasy	12.7	13.2	1.5	1.1	0.4	0.4
Inhalants	14.0	12.8	0.7	0.5	0.2	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	27.2	28.0	9.1	8.4	3.5	3.2
Pain Relievers	20.4	21.3	6.9	6.6	2.8	2.4
OxyContin <sup>®</sup>	2.9 <sup>a</sup>	3.7	0.8	0.9	0.1 <sup>a</sup>	0.3
Tranquilizers	11.0	12.2	3.2	3.1	1.0	1.0
Stimulants <sup>3</sup>	10.8	11.2	1.6	1.6	0.5	0.7
Methamphetamine <sup>3</sup>	7.5	7.2	0.9	0.6	0.2	0.3
Sedatives	1.8	2.1	0.4	0.4	0.2	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	38.9	38.4	11.8	11.2	5.0	4.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.8A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	68,881 <sup>a</sup>	71,433	13,129	12,737	7,120	7,311
Marijuana and Hashish	62,067	63,411	8,001	8,145	4,585	4,991
Cocaine	24,566	25,609	2,010	1,709	900	701
Crack	5,941	5,765	933 <sup>a</sup>	603	442 <sup>b</sup>	208
Heroin	2,611	2,600	139	150	65	92
Hallucinogens	19,278 <sup>b</sup>	21,259	265	284	115	55
LSD	14,696 <sup>a</sup>	16,082	13	41	*	*
PCP	4,604	5,270	*	*	*	*
Ecstasy	3,295	3,701	124	118	67	13
Inhalants	11,438	11,985	329	361	122	225
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	28,086	29,586	6,131	5,408	2,879	2,442
Pain Relievers	15,288 <sup>a</sup>	16,874	4,363	3,978	2,002	1,809
OxyContin <sup>®</sup>	1,281	1,438	355	316	128	134
Tranquilizers	11,417	12,377	1,931	1,758	722	727
Stimulants <sup>3</sup>	13,535	13,088	867 <sup>a</sup>	577	413 <sup>a</sup>	203
Methamphetamine <sup>3</sup>	8,346	8,292	503 <sup>a</sup>	277	292 <sup>a</sup>	118
Sedatives	6,960	7,439	449 <sup>b</sup>	205	175	108
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	42,554 <sup>a</sup>	45,325	7,696	6,930	3,690	3,233

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.8B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	44.6	45.7	8.5	8.1	4.6	4.7
Marijuana and Hashish	40.2	40.6	5.2	5.2	3.0	3.2
Cocaine	15.9	16.4	1.3	1.1	0.6	0.4
Crack	3.8	3.7	0.6 <sup>a</sup>	0.4	0.3 <sup>b</sup>	0.1
Heroin	1.7	1.7	0.1	0.1	0.0	0.1
Hallucinogens	12.5 <sup>a</sup>	13.6	0.2	0.2	0.1	0.0
LSD	9.5	10.3	0.0	0.0	*	*
PCP	3.0	3.4	*	*	*	*
Ecstasy	2.1	2.4	0.1	0.1	0.0	0.0
Inhalants	7.4	7.7	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	18.2	18.9	4.0	3.5	1.9	1.6
Pain Relievers	9.9 <sup>a</sup>	10.8	2.8	2.5	1.3	1.2
OxyContin <sup>®</sup>	0.8	0.9	0.2	0.2	0.1	0.1
Tranquilizers	7.4	7.9	1.2	1.1	0.5	0.5
Stimulants <sup>3</sup>	8.8	8.4	0.6 <sup>a</sup>	0.4	0.3 <sup>a</sup>	0.1
Methamphetamine <sup>3</sup>	5.4	5.3	0.3 <sup>a</sup>	0.2	0.2 <sup>a</sup>	0.1
Sedatives	4.5	4.8	0.3 <sup>b</sup>	0.1	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	27.5 <sup>a</sup>	29.0	5.0	4.4	2.4	2.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 1.9A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	60,913	62,169	20,907	19,863	12,508	11,986
Marijuana and Hashish	54,349	54,885	15,634	15,103	9,614	9,565
Cocaine	21,467	21,429	3,719	3,239	1,438	1,217
Crack	5,863	5,251	1,047 <sup>a</sup>	740	457 <sup>a</sup>	262
Heroin	2,765	2,389	287	281	128	140
Hallucinogens	20,629	21,157	2,481	2,284	684	681
LSD	14,459	14,436	452 <sup>a</sup>	582	117	116
PCP	4,062	4,025	87	61	38	16
Ecstasy	7,011	7,025	1,327	1,197	313	317
Inhalants	14,285	14,029	1,333	1,266	393	436
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	26,442	27,179	8,674 <sup>b</sup>	7,673	3,907 <sup>b</sup>	3,096
Pain Relievers	18,092	18,913	6,890	6,373	3,067 <sup>b</sup>	2,469
OxyContin <sup>®</sup>	2,756	2,839	830	881	216	298
Tranquilizers	10,412	10,955	2,621	2,331	908	806
Stimulants <sup>3</sup>	11,964	11,461	1,486	1,232	473	439
Methamphetamine <sup>3</sup>	7,547	7,304	722 <sup>b</sup>	447	278	175
Sedatives	4,748	4,867	480 <sup>a</sup>	268	191	85
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	40,236	40,768	11,872 <sup>a</sup>	10,812	5,530 <sup>b</sup>	4,697

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.9B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	50.6	51.3	17.4 <sup>a</sup>	16.4	10.4	9.9
Marijuana and Hashish	45.2	45.3	13.0	12.5	8.0	7.9
Cocaine	17.8	17.7	3.1	2.7	1.2	1.0
Crack	4.9	4.3	0.9 <sup>a</sup>	0.6	0.4 <sup>a</sup>	0.2
Heroin	2.3	2.0	0.2	0.2	0.1	0.1
Hallucinogens	17.2	17.4	2.1	1.9	0.6	0.6
LSD	12.0	11.9	0.4 <sup>a</sup>	0.5	0.1	0.1
PCP	3.4	3.3	0.1	0.1	0.0	0.0
Ecstasy	5.8	5.8	1.1	1.0	0.3	0.3
Inhalants	11.9	11.6	1.1	1.0	0.3	0.4
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	22.0	22.4	7.2 <sup>b</sup>	6.3	3.2 <sup>b</sup>	2.6
Pain Relievers	15.0	15.6	5.7	5.3	2.6 <sup>b</sup>	2.0
OxyContin <sup>®</sup>	2.3	2.3	0.7	0.7	0.2	0.2
Tranquilizers	8.7	9.0	2.2	1.9	0.8	0.7
Stimulants <sup>3</sup>	9.9	9.5	1.2	1.0	0.4	0.4
Methamphetamine <sup>3</sup>	6.3	6.0	0.6 <sup>b</sup>	0.4	0.2	0.1
Sedatives	3.9	4.0	0.4 <sup>a</sup>	0.2	0.2	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	33.5	33.6	9.9 <sup>a</sup>	8.9	4.6 <sup>b</sup>	3.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.10A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Numbers in Thousands, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	53,361	55,155	14,785	15,662	7,349 <sup>a</sup>	8,091
Marijuana and Hashish	46,169	47,519	9,451 <sup>b</sup>	10,666	4,834 <sup>b</sup>	5,638
Cocaine	14,415	15,343	2,019	2,016	638	637
Crack	2,719	3,193	403	369	153	98
Heroin	1,015 <sup>a</sup>	1,398	79 <sup>a</sup>	172	25 <sup>a</sup>	73
Hallucinogens	13,586 <sup>a</sup>	14,806	1,281	1,394	311	379
LSD	8,198 <sup>a</sup>	9,110	169	219	28	38
PCP	2,078 <sup>a</sup>	2,606	50	38	*	9
Ecstasy	5,415	5,899	805	942	190	238
Inhalants	8,192	8,244	748	782	223	204
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	23,973	24,791	7,606	7,493	2,988	3,128
Pain Relievers	14,968	15,948	5,576	5,513	2,107	2,278
OxyContin <sup>®</sup>	1,598 <sup>a</sup>	2,004	592	578	152	137
Tranquilizers	9,796	10,521	2,661	2,772	926	994
Stimulants <sup>3</sup>	9,690	9,745	1,511	1,407	580	465
Methamphetamine <sup>3</sup>	5,518	5,294	621 <sup>b</sup>	403	251	139
Sedatives	3,648	4,015	383	354	155	149
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	33,257	34,805	9,272	9,177	3,740	3,868

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.10B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Percentages, 2007 and 2008**

<b>Drug</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	41.8	42.9	11.6	12.2	5.8 <sup>a</sup>	6.3
Marijuana and Hashish	36.2	37.0	7.4 <sup>b</sup>	8.3	3.8 <sup>b</sup>	4.4
Cocaine	11.3	11.9	1.6	1.6	0.5	0.5
Crack	2.1	2.5	0.3	0.3	0.1	0.1
Heroin	0.8 <sup>a</sup>	1.1	0.1 <sup>a</sup>	0.1	0.0 <sup>a</sup>	0.1
Hallucinogens	10.6 <sup>a</sup>	11.5	1.0	1.1	0.2	0.3
LSD	6.4	7.1	0.1	0.2	0.0	0.0
PCP	1.6 <sup>a</sup>	2.0	0.0	0.0	*	0.0
Ecstasy	4.2	4.6	0.6	0.7	0.1	0.2
Inhalants	6.4	6.4	0.6	0.6	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	18.8	19.3	6.0	5.8	2.3	2.4
Pain Relievers	11.7	12.4	4.4	4.3	1.7	1.8
OxyContin <sup>®</sup>	1.3 <sup>a</sup>	1.6	0.5	0.4	0.1	0.1
Tranquilizers	7.7	8.2	2.1	2.2	0.7	0.8
Stimulants <sup>3</sup>	7.6	7.6	1.2	1.1	0.5	0.4
Methamphetamine <sup>3</sup>	4.3	4.1	0.5 <sup>b</sup>	0.3	0.2	0.1
Sedatives	2.9	3.1	0.3	0.3	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	26.1	27.1	7.3	7.1	2.9	3.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.