

**Table 6.10C (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Past Year Substance Dependence or Abuse:  
Standard Errors of Numbers in Thousands, 2008**

<b>Substance</b>	<b>Total</b>	<b>Dependence</b>	<b>No Dependence</b>	<b>Dependence or Abuse</b>	<b>No Dependence or Abuse</b>
<b>ILLICIT DRUGS<sup>1</sup></b>	308	71	312	75	310
Marijuana	308	44	315	54	314
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	308	59	313	60	312
<b>ALCOHOL</b>	308	95	307	108	304
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>1</sup></b>	308	41	314	55	314
<b>ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	308	110	304	119	300

\*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. These estimates are based on data from the original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

**Table 6.10D (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Past Year Substance Dependence or Abuse:  
Standard Errors of Percentages, 2008**

Substance	Total	Dependence	No Dependence	Dependence or Abuse	No Dependence or Abuse
<b>ILLICIT DRUGS<sup>1</sup></b>	0.14	1.46	0.14	1.17	0.14
Marijuana	0.14	1.77	0.14	1.45	0.14
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.14	2.23	0.14	1.74	0.14
<b>ALCOHOL</b>	0.14	1.08	0.14	0.61	0.14
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>1</sup></b>	0.14	3.02	0.14	1.90	0.14
<b>ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.14	0.90	0.14	0.56	0.14

\*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. These estimates are based on data from the original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

**Table 6.11C (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Serious Mental Illness:  
Standard Errors of Numbers in Thousands, 2008**

<b>Dependence/Abuse</b>	<b>Total<sup>1</sup></b>	<b>Serious Mental Illness</b>	<b>No Serious Mental Illness</b>
<b>DEPENDENCE OR ABUSE<sup>2</sup></b>			
Illicit Drugs <sup>3</sup>	205	75	189
Marijuana	151	54	138
Illicit Drugs Other Than Marijuana <sup>3</sup>	149	60	139
Alcohol	396	108	403
Both Illicit Drugs and Alcohol <sup>3</sup>	124	55	114
Illicit Drugs or Alcohol <sup>3</sup>	424	119	430
<b>DEPENDENCE<sup>2</sup></b>			
Illicit Drugs <sup>3</sup>	179	71	159
Marijuana	118	44	107
Illicit Drugs Other Than Marijuana <sup>3</sup>	133	59	118
Alcohol	294	95	288
Both Illicit Drugs and Alcohol <sup>3</sup>	89	41	77
Illicit Drugs or Alcohol <sup>3</sup>	328	110	320

\*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column represent persons aged 18 or older, including those with unknown past year SMI information.

<sup>2</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. These estimates are based on data from the original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

**Table 6.11D (REVISED) Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Serious Mental Illness: Standard Errors of Percentages, 2008**

<b>Dependence/Abuse</b>	<b>Total<sup>1</sup></b>	<b>Serious Mental Illness</b>	<b>No Serious Mental Illness</b>
<b>DEPENDENCE OR ABUSE<sup>2</sup></b>			
Illicit Drugs <sup>3</sup>	0.09	0.91	0.09
Marijuana	0.07	0.65	0.06
Illicit Drugs Other Than Marijuana <sup>3</sup>	0.07	0.73	0.06
Alcohol	0.18	1.29	0.18
Both Illicit Drugs and Alcohol <sup>3</sup>	0.06	0.67	0.05
Illicit Drugs or Alcohol <sup>3</sup>	0.19	1.42	0.19
<b>DEPENDENCE<sup>2</sup></b>			
Illicit Drugs <sup>3</sup>	0.08	0.86	0.07
Marijuana	0.05	0.53	0.05
Illicit Drugs Other Than Marijuana <sup>3</sup>	0.06	0.71	0.05
Alcohol	0.13	1.13	0.13
Both Illicit Drugs and Alcohol <sup>3</sup>	0.04	0.50	0.04
Illicit Drugs or Alcohol <sup>3</sup>	0.15	1.31	0.14

\*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column represent persons aged 18 or older, including those with unknown past year SMI information.

<sup>2</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. These estimates are based on data from the original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

**Table 6.12C (REVISED) Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Serious Mental Illness, Gender, and Age Group: Standard Errors of Numbers in Thousands, 2008**

Gender/Age	Total <sup>1</sup>	Serious Mental Illness	No Serious Mental Illness
<b>TOTAL</b>	205	75	189
18-25	84	27	84
26-49	162	67	152
50 or Older	68	21	64
<b>MALE</b>	160	47	155
18-25	62	15	64
26-49	131	43	129
50 or Older	53	*	53
<b>FEMALE</b>	120	59	102
18-25	52	22	49
26-49	95	53	80
50 or Older	42	19	37

\*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column represent persons aged 18 or older, including those with unknown past year SMI information.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

**Table 6.12D (REVISED) Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Serious Mental Illness, Gender, and Age Group: Standard Errors of Percentages, 2008**

Gender/Age	Total <sup>1</sup>	Serious Mental Illness	No Serious Mental Illness
<b>TOTAL</b>	0.09	0.91	0.09
18-25	0.25	1.90	0.25
26-49	0.16	1.36	0.16
50 or Older	0.07	0.90	0.07
<b>MALE</b>	0.15	1.59	0.15
18-25	0.37	3.53	0.37
26-49	0.26	2.36	0.27
50 or Older	0.13	*	0.13
<b>FEMALE</b>	0.10	1.11	0.09
18-25	0.32	2.20	0.30
26-49	0.19	1.67	0.17
50 or Older	0.08	1.23	0.08

\*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column represent persons aged 18 or older, including those with unknown past year SMI information.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

**Table 6.13C (REVISED) Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Serious Mental Illness, Gender, and Age Group: Standard Errors of Numbers in Thousands, 2008**

Gender/Age	Total <sup>1</sup>	Serious Mental Illness	No Serious Mental Illness
<b>TOTAL</b>	396	108	403
18-25	116	35	140
26-49	292	90	298
50 or Older	240	42	241
<b>MALE</b>	329	77	338
18-25	86	21	103
26-49	238	70	243
50 or Older	201	*	206
<b>FEMALE</b>	220	73	213
18-25	72	28	79
26-49	162	56	159
50 or Older	135	38	132

\*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column represent persons aged 18 or older, including those with unknown past year SMI information.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

**Table 6.13D (REVISED) Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Serious Mental Illness, Gender, and Age Group: Standard Errors of Percentages, 2008**

Gender/Age	Total <sup>1</sup>	Serious Mental Illness	No Serious Mental Illness
<b>TOTAL</b>	0.18	1.29	0.18
18-25	0.35	2.28	0.35
26-49	0.29	1.74	0.29
50 or Older	0.26	1.77	0.26
<b>MALE</b>	0.30	2.36	0.30
18-25	0.52	4.09	0.52
26-49	0.48	3.29	0.48
50 or Older	0.47	*	0.48
<b>FEMALE</b>	0.19	1.36	0.19
18-25	0.44	2.63	0.44
26-49	0.32	1.75	0.32
50 or Older	0.27	2.35	0.27

\*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column represent persons aged 18 or older, including those with unknown past year SMI information.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.