

Table 5.43C Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008

Age Category	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	248	219	113	94	217	196	1.32	1.12
12	7	7	*	1	7	7	*	*
13	7	8	2	4	7	7	*	*
14	16	14	5	3	15	14	3.39	2.49
15	22	22	6	6	22	21	2.22	2.30
16	24	24	8	7	23	23	2.44	1.98
17	24	30	8	9	23	29	2.10	2.11
18	33	35	8	12	32	33	1.95	2.49
19	34	36	11	10	32	35	2.26	1.93
20	35	30	10	6	33	29	2.46	1.58
21	36	27	16	7	33	26	3.45	2.42
22	26	28	9	11	25	26	2.87	3.13
23	26	26	7	9	25	25	2.37	3.08
24	26	25	8	7	24	24	2.81	2.93
25	25	23	8	9	24	21	3.26	4.00
26-29	78	92	32	34	72	86	4.08	3.38
30-34	88	82	35	33	81	70	4.83	4.09
35-39	78	69	42	27	65	65	*	*
40-44	76	76	36	47	67	59	*	*
45-49	79	71	49	32	62	63	*	*
50-54	77	61	32	24	69	56	*	*
55-59	68	29	35	20	58	22	*	*
60-64	34	25	29	19	16	17	*	*
65 or Older	44	28	*	11	44	26	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.43D Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008

Age Category	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.10	0.09	0.05	0.04	0.09	0.08	1.32	1.12
12	0.16	0.18	*	0.02	0.16	0.18	*	*
13	0.17	0.20	0.04	0.09	0.17	0.18	*	*
14	0.37	0.35	0.12	0.08	0.35	0.34	3.39	2.49
15	0.48	0.48	0.13	0.13	0.47	0.47	2.22	2.30
16	0.52	0.54	0.19	0.15	0.49	0.52	2.44	1.98
17	0.54	0.64	0.18	0.21	0.53	0.62	2.10	2.11
18	0.67	0.67	0.17	0.25	0.65	0.63	1.95	2.49
19	0.74	0.82	0.24	0.22	0.69	0.79	2.26	1.93
20	0.81	0.73	0.25	0.15	0.78	0.71	2.46	1.58
21	0.81	0.64	0.38	0.17	0.76	0.62	3.45	2.42
22	0.65	0.65	0.23	0.28	0.63	0.61	2.87	3.13
23	0.65	0.60	0.19	0.22	0.62	0.57	2.37	3.08
24	0.64	0.63	0.21	0.19	0.59	0.60	2.81	2.93
25	0.67	0.58	0.22	0.25	0.64	0.53	3.26	4.00
26-29	0.46	0.52	0.20	0.20	0.43	0.49	4.08	3.38
30-34	0.46	0.42	0.18	0.17	0.42	0.37	4.83	4.09
35-39	0.37	0.34	0.20	0.13	0.31	0.32	*	*
40-44	0.35	0.35	0.17	0.22	0.31	0.27	*	*
45-49	0.35	0.31	0.22	0.14	0.27	0.28	*	*
50-54	0.35	0.28	0.15	0.11	0.32	0.25	*	*
55-59	0.37	0.17	0.19	0.11	0.32	0.12	*	*
60-64	0.25	0.17	0.22	0.12	0.12	0.11	*	*
65 or Older	0.12	0.08	*	0.03	0.12	0.07	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.43P Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Age Category	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.9328		0.3210		0.6947		0.2764	
12	0.6563		*		0.7515		*	
13	0.4955		0.3353		0.7394		*	
14	0.7993		0.3962		0.9769		0.4029	
15	0.9583		0.8754		0.9924		0.8855	
16	0.7184		0.4437		0.5194		0.3611	
17	0.1972		0.5596		0.2624		0.8652	
18	0.1801		0.1169		0.3835		0.2256	
19	0.2542		0.7244		0.2773		0.9858	
20	0.5186		0.0292		0.9642		0.0381	
21	0.0016		0.1069		0.0083		0.4220	
22	0.6069		0.0567		0.8138		0.0684	
23	0.4773		0.9187		0.4737		0.8894	
24	0.6316		0.7874		0.6741		0.9352	
25	0.4993		0.8516		0.5177		0.9213	
26-29	0.1416		0.9479		0.1249		0.5220	
30-34	0.9019		0.9018		0.8486		0.8387	
35-39	0.7789		0.1914		0.6849		*	
40-44	0.5366		0.5474		0.7232		*	
45-49	0.9419		0.4752		0.7037		*	
50-54	0.6897		0.3882		0.9643		*	
55-59	0.0817		0.4188		0.1203		*	
60-64	0.8539		0.9161		0.8619		*	
65 or Older	0.8512		*		0.6869		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.44C Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	248	219	113	94	217	196	1.32	1.12
AGE								
12-17	42	46	13	14	40	45	1.14	1.11
18-25	82	83	29	26	77	80	0.98	0.95
26 or Older	223	187	106	88	193	164	2.51	2.10
GENDER								
Male	206	166	98	72	177	150	1.70	1.48
Female	123	138	52	60	110	122	1.80	1.68
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	234	205	111	90	202	182	1.47	1.23
White	196	182	97	78	168	159	1.68	1.37
Black or African American	112	85	52	36	98	82	3.89	2.98
American Indian or Alaska Native	20	11	4	5	19	10	*	*
Native Hawaiian or Other Pacific Islander	14	7	*	0	14	7	*	*
Asian	33	23	18	4	28	23	*	*
Two or More Races	24	26	13	11	20	23	*	*
Hispanic or Latino	81	80	22	32	77	75	2.19	2.81

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.44D Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.10	0.09	0.05	0.04	0.09	0.08	1.32	1.12
AGE								
12-17	0.16	0.19	0.05	0.05	0.16	0.18	1.14	1.11
18-25	0.25	0.25	0.09	0.08	0.23	0.24	0.98	0.95
26 or Older	0.12	0.10	0.06	0.05	0.10	0.09	2.51	2.10
GENDER								
Male	0.17	0.14	0.08	0.06	0.15	0.12	1.70	1.48
Female	0.10	0.11	0.04	0.05	0.09	0.09	1.80	1.68
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.11	0.10	0.05	0.04	0.09	0.08	1.47	1.23
White	0.12	0.11	0.06	0.05	0.10	0.09	1.68	1.37
Black or African American	0.38	0.29	0.18	0.12	0.34	0.28	3.89	2.98
American Indian or Alaska Native	1.55	1.17	0.34	0.47	1.51	1.03	*	*
Native Hawaiian or Other Pacific Islander	1.98	0.79	*	0.03	1.98	0.79	*	*
Asian	0.32	0.21	0.17	0.03	0.27	0.21	*	*
Two or More Races	0.87	0.87	0.47	0.37	0.75	0.78	*	*
Hispanic or Latino	0.24	0.23	0.06	0.09	0.22	0.22	2.19	2.81

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.44P Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.9328		0.3210		0.6947		0.2764	
AGE								
12-17	0.1809		0.9517		0.1716		0.7202	
18-25	0.4186		0.9120		0.4176		0.8666	
26 or Older	0.9970		0.3037		0.5806		0.2335	
GENDER								
Male	0.0171		0.0789		0.0670		0.3345	
Female	0.0014		0.4014		0.0013		0.6406	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6579		0.2046		0.8817		0.2120	
White	0.9164		0.5317		0.8310		0.5066	
Black or African American	0.7835		0.1779		0.7140		0.1705	
American Indian or Alaska Native	0.4435		0.2578		0.6659		*	
Native Hawaiian or Other Pacific Islander	0.4427		*		0.4309		*	
Asian	0.3794		0.4359		0.5452		*	
Two or More Races	0.2477		0.5523		0.3236		*	
Hispanic or Latino	0.3375		0.3464		0.4936		0.4967	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.45C Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	245	214	111	93	214	191	1.51	1.31
GENDER								
Male	204	165	97	71	175	148	1.91	1.68
Female	117	131	50	59	104	115	2.20	2.02
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	231	200	110	89	199	178	1.68	1.43
White	194	181	96	77	166	159	1.92	1.59
Black or African American	115	86	52	36	101	82	4.35	3.38
American Indian or Alaska Native	15	10	4	4	14	9	*	*
Native Hawaiian or Other Pacific Islander	*	5	*	0	*	5	*	*
Asian	32	22	18	4	27	21	*	*
Two or More Races	23	25	13	11	20	22	*	*
Hispanic or Latino	78	78	21	32	74	72	2.73	3.47
EDUCATION								
< High School	118	94	48	52	109	81	2.65	2.95
High School Graduate	136	128	76	53	112	115	2.91	2.07
Some College	115	113	47	44	106	105	2.41	2.31
College Graduate	88	83	42	30	75	76	*	3.42
CURRENT EMPLOYMENT								
Full-Time	166	156	67	62	155	140	2.02	1.76
Part-Time	85	80	31	30	78	75	2.49	2.54
Unemployed	63	74	39	29	50	68	4.63	3.27
Other ¹	115	92	69	52	94	79	3.79	3.44

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.45D Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.11	0.10	0.05	0.04	0.10	0.08	1.51	1.31
GENDER								
Male	0.19	0.15	0.09	0.07	0.16	0.14	1.91	1.68
Female	0.10	0.11	0.04	0.05	0.09	0.10	2.20	2.02
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.12	0.10	0.06	0.05	0.10	0.09	1.68	1.43
White	0.12	0.11	0.06	0.05	0.11	0.10	1.92	1.59
Black or African American	0.44	0.32	0.20	0.14	0.38	0.31	4.35	3.38
American Indian or Alaska Native	1.38	1.21	0.38	0.45	1.32	1.08	*	*
Native Hawaiian or Other Pacific Islander	*	0.63	*	0.03	*	0.62	*	*
Asian	0.35	0.22	0.19	0.04	0.28	0.22	*	*
Two or More Races	1.00	1.00	0.55	0.43	0.85	0.89	*	*
Hispanic or Latino	0.26	0.26	0.07	0.11	0.25	0.24	2.73	3.47
EDUCATION								
< High School	0.32	0.27	0.13	0.15	0.29	0.23	2.65	2.95
High School Graduate	0.20	0.18	0.11	0.08	0.17	0.16	2.91	2.07
Some College	0.20	0.20	0.08	0.08	0.18	0.18	2.41	2.31
College Graduate	0.15	0.13	0.07	0.05	0.12	0.12	*	3.42
CURRENT EMPLOYMENT								
Full-Time	0.14	0.12	0.06	0.05	0.13	0.11	2.02	1.76
Part-Time	0.29	0.27	0.10	0.10	0.27	0.25	2.49	2.54
Unemployed	0.89	0.81	0.54	0.33	0.72	0.75	4.63	3.27
Other ¹	0.18	0.15	0.11	0.08	0.14	0.13	3.79	3.44

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.45P Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.7641		0.3089		0.8751		0.3086	
GENDER								
Male	0.0203		0.0626		0.0850		0.2888	
Female	0.0040		0.3373		0.0055		0.7538	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5638		0.2007		0.9968		0.2358	
White	0.8122		0.4969		0.9280		0.5060	
Black or African American	0.7132		0.2289		0.8417		0.2453	
American Indian or Alaska Native	0.2820		0.5075		0.3619		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.4075		0.4808		0.5615		*	
Two or More Races	0.2709		0.4965		0.3824		*	
Hispanic or Latino	0.4705		0.3761		0.6520		0.4998	
EDUCATION								
< High School	0.4722		0.5926		0.2783		0.3276	
High School Graduate	0.6840		0.1071		0.1754		0.0405	
Some College	0.8028		0.9899		0.7800		0.9071	
College Graduate	0.9100		0.6214		0.7088		*	
CURRENT EMPLOYMENT								
Full-Time	0.9401		0.8312		0.8606		0.7929	
Part-Time	0.6101		0.8069		0.6513		0.9397	
Unemployed	0.8022		0.3313		0.7711		0.3073	
Other ¹	0.2590		0.2683		0.5513		0.4980	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.46C (REVISED) Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	249	219	114	94	217	196	1.32	1.12
GEOGRAPHIC DIVISION								
Northeast	92	101	52	43	70	86	3.15	2.42
New England	40	49	25	21	32	41	*	4.10
Middle Atlantic	83	89	45	38	62	76	3.73	2.96
Midwest	100	87	32	51	92	71	1.91	2.72
East North Central	89	76	28	48	83	61	2.27	3.36
West North Central	43	44	13	18	39	39	3.24	4.02
South	151	133	71	45	135	124	2.23	1.62
South Atlantic	113	102	43	33	107	95	2.75	2.27
East South Central	67	58	40	28	55	50	*	*
West South Central	76	66	41	14	61	65	4.20	1.67
West	135	117	65	48	116	107	3.07	2.33
Mountain	89	57	27	22	84	52	3.79	3.27
Pacific	102	101	61	42	81	93	4.32	3.07
COUNTY TYPE								
Large Metro	191	174	86	73	168	159	1.83	1.58
Small Metro	138	114	61	52	119	100	2.32	1.99
250K – 1 Mil. Pop.	106	93	51	41	90	82	2.87	2.37
< 250K Pop.	87	68	34	32	78	57	3.97	3.49
Nonmetro	76	77	42	29	64	70	3.18	2.46
Urbanized	56	48	27	19	49	43	4.26	3.69
Less Urbanized	51	58	32	21	40	53	5.01	3.71
Completely Rural	15	21	6	4	14	20	*	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.46D (REVISED) Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.10	0.09	0.05	0.04	0.09	0.08	1.32	1.12
GEOGRAPHIC DIVISION								
Northeast	0.20	0.22	0.11	0.09	0.15	0.19	3.15	2.42
New England	0.33	0.40	0.21	0.17	0.27	0.34	*	4.10
Middle Atlantic	0.24	0.26	0.13	0.11	0.18	0.22	3.73	2.96
Midwest	0.18	0.16	0.06	0.09	0.17	0.13	1.91	2.72
East North Central	0.23	0.20	0.07	0.12	0.22	0.16	2.27	3.36
West North Central	0.26	0.26	0.08	0.11	0.24	0.23	3.24	4.02
South	0.17	0.15	0.08	0.05	0.15	0.14	2.23	1.62
South Atlantic	0.24	0.21	0.09	0.07	0.22	0.20	2.75	2.27
East South Central	0.45	0.39	0.27	0.19	0.37	0.33	*	*
West South Central	0.27	0.24	0.15	0.05	0.22	0.23	4.20	1.67
West	0.24	0.20	0.11	0.08	0.20	0.19	3.07	2.33
Mountain	0.51	0.32	0.16	0.12	0.49	0.29	3.79	3.27
Pacific	0.26	0.25	0.15	0.11	0.20	0.23	4.32	3.07
COUNTY TYPE								
Large Metro	0.15	0.13	0.07	0.05	0.13	0.12	1.83	1.58
Small Metro	0.18	0.15	0.08	0.07	0.16	0.13	2.32	1.99
250K – 1 Mil. Pop.	0.20	0.18	0.10	0.08	0.17	0.16	2.87	2.37
< 250K Pop.	0.34	0.27	0.13	0.13	0.31	0.23	3.97	3.49
Nonmetro	0.18	0.18	0.10	0.07	0.15	0.16	3.18	2.46
Urbanized	0.31	0.27	0.16	0.11	0.27	0.24	4.26	3.69
Less Urbanized	0.25	0.28	0.16	0.10	0.19	0.26	5.01	3.71
Completely Rural	0.28	0.51	0.13	0.10	0.26	0.50	*	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.46P (REVISED) Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.9118		0.2728		0.6780		0.2320	
GEOGRAPHIC DIVISION								
Northeast	0.2013		0.9298		0.1270		0.6255	
New England	0.5143		0.4932		0.7215		*	
Middle Atlantic	0.2687		0.7730		0.1237		0.3661	
Midwest	0.7774		0.1343		0.6321		0.1074	
East North Central	0.8183		0.1889		0.6436		0.1526	
West North Central	0.8563		0.4166		0.8843		0.4257	
South	0.2242		0.0252		0.7392		0.0499	
South Atlantic	0.3725		0.5947		0.4519		0.8432	
East South Central	0.3440		0.2637		0.6874		*	
West South Central	0.7954		0.0156		0.3849		0.0062	
West	0.9659		0.3768		0.6126		0.3062	
Mountain	0.4657		0.8575		0.4074		0.6151	
Pacific	0.5470		0.2928		0.1638		0.1359	
COUNTY TYPE								
Large Metro	0.8107		0.4209		0.5049		0.3108	
Small Metro	0.8740		0.8762		0.7960		0.8073	
250K – 1 Mil. Pop.	0.8406		0.8674		0.8877		0.9133	
< 250K Pop.	0.9924		0.6083		0.8112		0.5703	
Nonmetro	0.4589		0.0963		0.9268		0.1210	
Urbanized	0.1295		0.7641		0.1182		0.6864	
Less Urbanized	0.9829		0.0605		0.2811		0.0280	
Completely Rural	0.3924		0.5940		0.2991		*	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.47C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2007)	Needed but Did Not Receive Treatment¹ (2008)	Felt Need for Treatment² (2007)	Felt Need for Treatment² (2008)	Felt Need and Made Effort to Get Treatment² (2007)	Felt Need and Made Effort to Get Treatment² (2008)	Felt Need and Made No Effort to Get Treatment² (2007)	Felt Need and Made No Effort to Get Treatment² (2008)	Did Not Feel Need for Treatment² (2007)	Did Not Feel Need for Treatment² (2008)
TOTAL	216	199	68	52	43	26	51	45	204	191
AGE										
12-17	42	46	8	5	4	2	6	4	42	46
18-25	84	87	19	16	10	6	17	15	81	84
26 or Older	191	166	65	49	42	25	49	42	180	160
GENDER										
Male	177	152	61	44	41	22	44	37	166	147
Female	110	121	32	28	15	13	28	25	105	116

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.47D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2007)	Needed but Did Not Receive Treatment¹ (2008)	Felt Need for Treatment² (2007)	Felt Need for Treatment² (2008)	Felt Need and Made Effort to Get Treatment² (2007)	Felt Need and Made Effort to Get Treatment² (2008)	Felt Need and Made No Effort to Get Treatment² (2007)	Felt Need and Made No Effort to Get Treatment² (2008)	Did Not Feel Need for Treatment² (2007)	Did Not Feel Need for Treatment² (2008)
TOTAL	0.00	0.00	1.04	0.79	0.69	0.41	0.81	0.69	1.04	0.79
AGE										
12-17	0.00	0.00	0.75	0.44	0.41	0.22	0.63	0.38	0.75	0.44
18-25	0.00	0.00	0.77	0.64	0.42	0.25	0.67	0.60	0.77	0.64
26 or Older	0.00	0.00	2.24	1.64	1.50	0.86	1.75	1.42	2.24	1.64
GENDER										
Male	0.00	0.00	1.41	1.15	0.97	0.60	1.06	0.99	1.41	1.15
Female	0.00	0.00	1.44	1.02	0.70	0.49	1.27	0.92	1.44	1.02

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.47P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2007)	Needed but Did Not Receive Treatment¹ (2008)	Felt Need for Treatment² (2007)	Felt Need for Treatment² (2008)	Felt Need and Made Effort to Get Treatment² (2007)	Felt Need and Made Effort to Get Treatment² (2008)	Felt Need and Made No Effort to Get Treatment² (2007)	Felt Need and Made No Effort to Get Treatment² (2008)	Did Not Feel Need for Treatment² (2007)	Did Not Feel Need for Treatment² (2008)
TOTAL	N/A		0.0522		0.0263		0.4481		0.0522	
AGE										
12-17	N/A		0.0377		0.1519		0.1245		0.0377	
18-25	N/A		0.2868		0.2747		0.5569		0.2868	
26 or Older	N/A		0.1185		0.0529		0.6495		0.1185	
GENDER										
Male	N/A		0.3170		0.0523		0.7787		0.3170	
Female	N/A		0.0349		0.2871		0.0687		0.0349	

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.