

**Table 5.27C Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008**

Age Category	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	113	94	130	139	75	63	165	159
12	*	1	*	0	*	0	0	1
13	2	4	1	3	0	3	3	4
14	5	3	4	5	2	2	6	6
15	6	6	5	4	4	2	6	7
16	8	7	7	5	5	4	10	7
17	8	9	6	8	6	8	8	9
18	8	12	7	12	6	10	10	14
19	11	10	9	10	8	7	11	12
20	10	6	10	7	5	5	14	8
21	16	7	9	9	8	5	16	11
22	9	11	9	10	8	7	10	14
23	7	9	9	9	6	4	10	12
24	8	7	9	8	6	4	11	10
25	8	9	7	11	5	8	10	11
26-29	32	34	37	48	22	28	44	52
30-34	35	33	37	29	30	17	41	41
35-39	42	27	32	26	22	18	48	36
40-44	36	47	49	51	19	28	58	65
45-49	49	32	57	49	46	26	61	55
50-54	32	24	58	67	24	19	81	69
55-59	35	20	50	48	6	1	61	52
60-64	29	19	9	14	*	14	31	19
65 or Older	*	11	13	30	*	*	13	32

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.27D Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008**

Age Category	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.05	0.04	0.05	0.06	0.03	0.03	0.07	0.06
12	*	0.02	*	0.01	*	0.01	0.01	0.03
13	0.04	0.09	0.03	0.06	0.01	0.06	0.06	0.09
14	0.12	0.08	0.10	0.11	0.04	0.04	0.15	0.13
15	0.13	0.13	0.11	0.09	0.10	0.04	0.14	0.17
16	0.19	0.15	0.15	0.11	0.12	0.10	0.21	0.16
17	0.18	0.21	0.15	0.18	0.15	0.18	0.20	0.22
18	0.17	0.25	0.16	0.24	0.12	0.20	0.22	0.28
19	0.24	0.22	0.21	0.24	0.19	0.16	0.26	0.28
20	0.25	0.15	0.25	0.17	0.13	0.12	0.33	0.19
21	0.38	0.17	0.23	0.22	0.19	0.11	0.40	0.27
22	0.23	0.28	0.24	0.25	0.21	0.16	0.27	0.34
23	0.19	0.22	0.24	0.22	0.15	0.10	0.26	0.30
24	0.21	0.19	0.23	0.21	0.15	0.11	0.28	0.26
25	0.22	0.25	0.19	0.28	0.14	0.22	0.28	0.30
26-29	0.20	0.20	0.22	0.28	0.14	0.16	0.27	0.30
30-34	0.18	0.17	0.19	0.16	0.16	0.09	0.21	0.22
35-39	0.20	0.13	0.15	0.13	0.11	0.09	0.23	0.18
40-44	0.17	0.22	0.23	0.24	0.09	0.13	0.27	0.30
45-49	0.22	0.14	0.25	0.22	0.21	0.11	0.27	0.24
50-54	0.15	0.11	0.27	0.31	0.11	0.08	0.37	0.31
55-59	0.19	0.11	0.27	0.27	0.03	0.01	0.33	0.29
60-64	0.22	0.12	0.07	0.09	*	0.09	0.23	0.13
65 or Older	*	0.03	0.04	0.08	*	*	0.04	0.08

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.27P Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Age Category	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.3210		0.9164		0.6571		0.5170	
12	*		*		*		0.1906	
13	0.3353		0.5795		0.2746		0.6185	
14	0.3962		0.7094		0.9570		0.3658	
15	0.8754		0.4716		0.1641		0.7245	
16	0.4437		0.5202		0.9824		0.1954	
17	0.5596		0.6715		0.6435		0.4709	
18	0.1169		0.0638		0.1322		0.1532	
19	0.7244		0.2489		0.7883		0.3466	
20	0.0292		0.3611		0.6569		0.0165	
21	0.1069		0.5993		0.2545		0.3873	
22	0.0567		0.1882		0.4535		0.0408	
23	0.9187		0.8712		0.5648		0.9426	
24	0.7874		0.7178		0.6857		0.6816	
25	0.8516		0.2550		0.4442		0.7750	
26-29	0.9479		0.0999		0.2810		0.3509	
30-34	0.9018		0.1244		0.0871		0.7892	
35-39	0.1914		0.6649		0.9964		0.2661	
40-44	0.5474		0.6572		0.6253		0.8415	
45-49	0.4752		0.7486		0.4317		0.8333	
50-54	0.3882		0.9041		0.5274		0.5138	
55-59	0.4188		0.4450		0.2492		0.3243	
60-64	0.9161		0.6866		*		0.7861	
65 or Older	*		0.4171		*		0.2766	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.28C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2007)</b>	<b>Illicit Drugs<sup>1</sup> (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2007)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2008)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2007)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2008)</b>
<b>TOTAL</b>	113	94	130	139	75	63	165	159
<b>AGE</b>								
12-17	13	14	11	11	9	9	15	16
18-25	29	26	25	27	19	18	33	33
26 or Older	106	88	127	132	72	59	160	151
<b>GENDER</b>								
Male	98	72	112	121	69	52	145	135
Female	52	60	65	64	29	34	77	81
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	111	90	127	136	74	60	162	156
White	97	78	104	117	69	53	127	135
Black or African American	52	36	65	58	26	26	95	64
American Indian or Alaska Native	4	5	17	5	4	4	17	5
Native Hawaiian or Other Pacific Islander	*	0	0	1	*	0	0	1
Asian	18	4	*	23	*	2	18	23
Two or More Races	13	11	14	7	4	5	19	13
Hispanic or Latino	22	32	31	23	16	18	34	35

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.28D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.05	0.04	0.05	0.06	0.03	0.03	0.07	0.06
<b>AGE</b>								
12-17	0.05	0.05	0.05	0.04	0.04	0.04	0.06	0.06
18-25	0.09	0.08	0.08	0.08	0.06	0.06	0.10	0.10
26 or Older	0.06	0.05	0.07	0.07	0.04	0.03	0.08	0.08
<b>GENDER</b>								
Male	0.08	0.06	0.09	0.10	0.06	0.04	0.12	0.11
Female	0.04	0.05	0.05	0.05	0.02	0.03	0.06	0.06
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.05	0.04	0.06	0.06	0.03	0.03	0.08	0.07
White	0.06	0.05	0.06	0.07	0.04	0.03	0.08	0.08
Black or African American	0.18	0.12	0.22	0.20	0.09	0.09	0.32	0.22
American Indian or Alaska Native	0.34	0.47	1.31	0.44	0.32	0.38	1.32	0.52
Native Hawaiian or Other Pacific Islander	*	0.03	0.07	0.11	*	0.02	0.07	0.11
Asian	0.17	0.03	*	0.21	*	0.02	0.17	0.21
Two or More Races	0.47	0.37	0.51	0.22	0.15	0.15	0.67	0.42
Hispanic or Latino	0.06	0.09	0.09	0.07	0.05	0.05	0.10	0.10

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.28P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2007)</b>	<b>Illicit Drugs<sup>1</sup> (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2007)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2008)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2007)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2008)</b>
<b>TOTAL</b>	0.3210		0.9164		0.6571		0.5170	
<b>AGE</b>								
12-17	0.9517		0.7918		0.8575		0.8241	
18-25	0.9120		0.1725		0.5522		0.7866	
26 or Older	0.3037		0.7028		0.5070		0.4709	
<b>GENDER</b>								
Male	0.0789		0.6564		0.3136		0.2380	
Female	0.4014		0.5618		0.3274		0.4623	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.2046		0.9454		0.6165		0.5130	
White	0.5317		0.8967		0.6265		0.9841	
Black or African American	0.1779		0.9107		0.8404		0.2429	
American Indian or Alaska Native	0.2578		0.2111		0.4708		0.2802	
Native Hawaiian or Other Pacific Islander	*		0.6387		*		0.5353	
Asian	0.4359		*		*		0.5508	
Two or More Races	0.5523		0.5760		0.6312		0.5490	
Hispanic or Latino	0.3464		0.4444		0.8448		0.9815	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.29C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	13	14	11	11	9	9	15	16
<b>GENDER</b>								
Male	10	11	8	8	6	8	12	12
Female	9	8	8	7	7	5	10	10
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	13	13	11	9	9	9	15	14
White	11	12	10	9	8	9	13	13
Black or African American	6	2	4	2	4	1	6	3
American Indian or Alaska Native	1	3	1	1	1	1	1	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2	1	*	1	*	*	2	1
Two or More Races	1	3	1	0	1	0	1	3
Hispanic or Latino	3	5	4	6	2	2	5	7
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	9	11	7	8	6	8	10	11
Female, White, Not Hispanic	7	6	7	5	6	4	9	6
Male, Black, Not Hispanic	4	1	3	2	2	1	5	3
Female, Black, Not Hispanic	4	1	3	1	3	1	4	1
Male, Hispanic	3	0	4	1	2	0	5	1
Female, Hispanic	2	5	2	6	0	2	2	7

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.29D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.05	0.05	0.05	0.04	0.04	0.04	0.06	0.06
<b>GENDER</b>								
Male	0.08	0.09	0.06	0.07	0.05	0.06	0.09	0.09
Female	0.07	0.06	0.07	0.06	0.06	0.04	0.08	0.08
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.06	0.06	0.05	0.05	0.04	0.04	0.07	0.07
White	0.08	0.08	0.06	0.06	0.05	0.06	0.09	0.09
Black or African American	0.15	0.04	0.11	0.06	0.10	0.04	0.16	0.08
American Indian or Alaska Native	0.67	1.87	0.35	0.43	0.34	0.39	0.67	1.88
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.20	0.10	*	0.06	*	*	0.20	0.11
Two or More Races	0.24	0.58	0.30	0.08	0.19	0.08	0.34	0.58
Hispanic or Latino	0.07	0.10	0.09	0.12	0.04	0.05	0.12	0.15
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.11	0.14	0.08	0.10	0.07	0.10	0.12	0.14
Female, White, Not Hispanic	0.10	0.08	0.10	0.06	0.08	0.06	0.12	0.09
Male, Black, Not Hispanic	0.21	0.07	0.16	0.10	0.12	0.06	0.23	0.15
Female, Black, Not Hispanic	0.22	0.05	0.16	0.05	0.16	0.05	0.22	0.05
Male, Hispanic	0.12	0.02	0.16	0.06	0.07	0.02	0.20	0.06
Female, Hispanic	0.07	0.20	0.07	0.24	0.01	0.11	0.10	0.30

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 5.29P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2007)</b>	<b>Illicit Drugs<sup>1</sup> (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2007)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2008)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2007)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2008)</b>
<b>TOTAL</b>	0.9517		0.7918		0.8575		0.8241	
<b>GENDER</b>								
Male	0.5305		0.4897		0.1608		0.7734	
Female	0.5013		0.2649		0.1675		0.4988	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.9548		0.6701		0.8210		0.6749	
White	0.7349		0.9012		0.5430		0.8378	
Black or African American	0.0901		0.4682		0.4503		0.2155	
American Indian or Alaska Native	0.2081		0.7221		0.8411		0.1939	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.5168		*		*		0.7023	
Two or More Races	0.6158		0.0570		0.1462		0.9143	
Hispanic or Latino	0.6520		0.7748		0.9135		0.6581	
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.2140		0.1909		0.0746		0.3296	
Female, White, Not Hispanic	0.2221		0.0803		0.1860		0.0894	
Male, Black, Not Hispanic	0.2181		0.6514		0.7008		0.4846	
Female, Black, Not Hispanic	0.2467		0.5629		0.5102		0.2720	
Male, Hispanic	0.0685		0.2417		0.1602		0.0556	
Female, Hispanic	0.1076		0.2325		0.3995		0.0606	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.30C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	29	26	25	27	19	18	33	33
<b>GENDER</b>								
Male	24	22	21	21	15	15	27	26
Female	15	14	13	17	10	11	18	19
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	24	22	23	25	17	16	29	29
White	22	20	21	24	15	14	27	27
Black or African American	11	7	10	6	9	6	12	7
American Indian or Alaska Native	1	*	1	4	1	*	2	4
Native Hawaiian or Other Pacific Islander	*	0	*	*	*	*	*	0
Asian	1	4	*	2	*	2	1	4
Two or More Races	4	3	2	2	2	2	4	3
Hispanic or Latino	16	14	10	11	9	10	17	16
<b>EDUCATION</b>								
< High School	19	16	13	14	11	12	20	18
High School Graduate	20	16	18	16	15	11	22	20
Some College	9	10	12	14	5	6	15	16
College Graduate	1	8	4	10	0	8	4	10
<b>CURRENT EMPLOYMENT</b>								
Full-Time	19	18	17	18	12	12	23	22
Part-Time	9	10	9	10	7	7	11	13
Unemployed	10	13	8	12	7	10	11	16
Other <sup>3</sup>	16	10	13	11	11	7	18	13

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.30D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.09	0.08	0.08	0.08	0.06	0.06	0.10	0.10
<b>GENDER</b>								
Male	0.15	0.13	0.13	0.13	0.09	0.09	0.16	0.16
Female	0.10	0.09	0.08	0.10	0.06	0.07	0.11	0.12
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.09	0.08	0.09	0.09	0.06	0.06	0.11	0.11
White	0.11	0.10	0.11	0.12	0.07	0.07	0.13	0.13
Black or African American	0.25	0.15	0.22	0.14	0.20	0.12	0.26	0.16
American Indian or Alaska Native	0.54	*	0.76	2.14	0.54	*	0.95	2.14
Native Hawaiian or Other Pacific Islander	*	0.17	*	*	*	*	*	0.17
Asian	0.04	0.24	*	0.12	*	0.12	0.04	0.24
Two or More Races	0.79	0.61	0.42	0.59	0.41	0.57	0.79	0.64
Hispanic or Latino	0.27	0.24	0.17	0.19	0.16	0.17	0.29	0.27
<b>EDUCATION</b>								
< High School	0.29	0.27	0.20	0.23	0.17	0.20	0.32	0.31
High School Graduate	0.17	0.14	0.16	0.14	0.13	0.09	0.19	0.18
Some College	0.09	0.09	0.11	0.13	0.05	0.06	0.14	0.15
College Graduate	0.03	0.18	0.08	0.21	0.01	0.17	0.09	0.22
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.13	0.12	0.11	0.12	0.08	0.08	0.15	0.14
Part-Time	0.11	0.11	0.11	0.12	0.08	0.08	0.13	0.15
Unemployed	0.36	0.42	0.31	0.39	0.25	0.32	0.42	0.51
Other <sup>3</sup>	0.25	0.15	0.21	0.18	0.17	0.11	0.29	0.21

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.30P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2008 Versus 2007**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.9120		0.1725		0.5522		0.7866	
<b>GENDER</b>								
Male	0.9750		0.7339		0.9167		0.9366	
Female	0.8061		0.0629		0.3714		0.5575	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.8054		0.1913		0.5162		0.9660	
White	0.8897		0.2443		0.5726		0.9257	
Black or African American	0.4095		0.8244		0.7930		0.4463	
American Indian or Alaska Native	*		0.1709		*		0.3025	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.1257		*		*		0.1018	
Two or More Races	0.6548		0.4178		0.8038		0.9731	
Hispanic or Latino	0.8586		0.6394		0.9623		0.6453	
<b>EDUCATION</b>								
< High School	0.8767		0.5139		0.8239		0.9832	
High School Graduate	0.5330		0.9256		0.7074		0.6943	
Some College	0.7310		0.1969		0.2725		0.5506	
College Graduate	0.0946		0.1570		0.1340		0.1463	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.7815		0.7271		0.9249		0.6935	
Part-Time	0.3773		0.4206		0.5154		0.3597	
Unemployed	0.1545		0.0208		0.0858		0.0391	
Other <sup>3</sup>	0.0392		0.7678		0.3364		0.1150	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.31C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	106	88	127	132	72	59	160	151
<b>GENDER</b>								
Male	94	67	109	117	67	49	140	129
Female	49	57	63	60	26	32	75	77
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	106	85	123	130	71	56	158	148
White	93	74	101	112	66	49	124	127
Black or African American	50	35	64	58	24	25	95	65
American Indian or Alaska Native	4	3	17	2	4	2	17	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	18	*	0	23	*	*	18	23
Two or More Races	12	11	14	6	4	4	18	12
Hispanic or Latino	14	29	29	19	13	15	30	31
<b>EDUCATION</b>								
< High School	44	48	61	64	38	35	83	73
High School Graduate	74	50	87	81	55	38	100	87
Some College	46	43	55	71	23	24	71	80
College Graduate	42	28	31	37	12	14	52	46
<b>CURRENT EMPLOYMENT</b>								
Full-Time	64	58	85	104	49	40	107	114
Part-Time	30	28	27	39	22	21	33	44
Unemployed	37	26	29	29	20	18	43	36
Other <sup>3</sup>	67	50	83	60	42	31	99	73

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.31D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.06	0.05	0.07	0.07	0.04	0.03	0.08	0.08
<b>GENDER</b>								
Male	0.10	0.07	0.12	0.13	0.07	0.05	0.15	0.14
Female	0.05	0.06	0.06	0.06	0.03	0.03	0.08	0.08
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.06	0.05	0.07	0.08	0.04	0.03	0.09	0.09
White	0.07	0.06	0.08	0.08	0.05	0.04	0.09	0.09
Black or African American	0.24	0.16	0.30	0.27	0.11	0.12	0.45	0.30
American Indian or Alaska Native	0.44	0.34	1.79	0.33	0.41	0.30	1.80	0.37
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.22	*	0.01	0.27	*	*	0.22	0.27
Two or More Races	0.65	0.51	0.73	0.29	0.19	0.18	0.96	0.58
Hispanic or Latino	0.06	0.12	0.12	0.08	0.05	0.06	0.12	0.12
<b>EDUCATION</b>								
< High School	0.15	0.17	0.20	0.22	0.13	0.12	0.27	0.25
High School Graduate	0.13	0.09	0.15	0.14	0.10	0.07	0.18	0.15
Some College	0.10	0.09	0.12	0.15	0.05	0.05	0.15	0.17
College Graduate	0.07	0.05	0.05	0.06	0.02	0.02	0.09	0.08
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.06	0.05	0.08	0.10	0.05	0.04	0.10	0.11
Part-Time	0.14	0.13	0.13	0.18	0.10	0.10	0.16	0.20
Unemployed	0.83	0.44	0.64	0.50	0.45	0.31	0.94	0.60
Other <sup>3</sup>	0.12	0.09	0.14	0.11	0.07	0.05	0.17	0.13

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.31P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.3037		0.7028		0.5070		0.4709	
<b>GENDER</b>								
Male	0.0521		0.5584		0.2117		0.2099	
Female	0.2890		0.7839		0.3085		0.4794	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.2060		0.8770		0.4668		0.5093	
White	0.5053		0.9135		0.4561		0.9866	
Black or African American	0.2918		0.9640		0.9589		0.3084	
American Indian or Alaska Native	0.9831		0.0934		0.9938		0.0945	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		0.1679		*		0.6648	
Two or More Races	0.5646		0.5894		0.6982		0.5612	
Hispanic or Latino	0.3279		0.2679		0.8059		0.7733	
<b>EDUCATION</b>								
< High School	0.5141		0.7152		0.9128		0.7569	
High School Graduate	0.1339		0.3964		0.3518		0.2995	
Some College	0.9517		0.8117		0.9740		0.9901	
College Graduate	0.4459		0.8073		0.9753		0.5724	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.9066		0.5510		0.7421		0.6526	
Part-Time	0.5879		0.6330		0.6406		0.6293	
Unemployed	0.1469		0.8802		0.6050		0.3177	
Other <sup>3</sup>	0.4790		0.0846		0.6935		0.0801	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.32C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	111	93	130	138	74	62	165	158
<b>GENDER</b>								
Male	97	71	112	120	68	52	144	134
Female	50	59	64	64	28	34	76	81
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	110	89	126	135	73	60	161	154
White	96	77	104	117	68	52	127	134
Black or African American	52	36	65	59	25	26	96	65
American Indian or Alaska Native	4	4	17	4	4	4	17	5
Native Hawaiian or Other Pacific Islander	*	0	0	0	*	0	0	0
Asian	18	4	0	23	*	2	18	23
Two or More Races	13	11	14	6	4	5	18	12
Hispanic or Latino	21	32	30	24	16	18	34	35
<b>EDUCATION</b>								
< High School	48	52	63	66	40	38	84	77
High School Graduate	76	53	88	83	57	40	102	90
Some College	47	44	56	72	23	24	72	81
College Graduate	42	30	31	38	12	16	52	47
<b>CURRENT EMPLOYMENT</b>								
Full-Time	67	62	87	107	50	42	110	119
Part-Time	31	30	28	40	23	22	34	46
Unemployed	39	29	30	32	21	21	44	39
Other <sup>3</sup>	69	52	84	61	44	32	101	74

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 5.32D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.05	0.04	0.06	0.06	0.03	0.03	0.07	0.07
<b>GENDER</b>								
Male	0.09	0.07	0.10	0.11	0.06	0.05	0.13	0.12
Female	0.04	0.05	0.06	0.06	0.02	0.03	0.07	0.07
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.06	0.05	0.07	0.07	0.04	0.03	0.08	0.08
White	0.06	0.05	0.07	0.07	0.04	0.03	0.08	0.09
Black or African American	0.20	0.14	0.25	0.23	0.10	0.10	0.37	0.25
American Indian or Alaska Native	0.38	0.45	1.51	0.49	0.36	0.43	1.52	0.52
Native Hawaiian or Other Pacific Islander	*	0.03	0.07	0.02	*	0.02	0.07	0.03
Asian	0.19	0.04	0.01	0.23	*	0.02	0.19	0.24
Two or More Races	0.55	0.43	0.60	0.26	0.17	0.18	0.79	0.49
Hispanic or Latino	0.07	0.11	0.10	0.08	0.05	0.06	0.11	0.12
<b>EDUCATION</b>								
< High School	0.13	0.15	0.17	0.19	0.11	0.11	0.23	0.22
High School Graduate	0.11	0.08	0.13	0.12	0.08	0.06	0.15	0.13
Some College	0.08	0.08	0.10	0.13	0.04	0.04	0.13	0.14
College Graduate	0.07	0.05	0.05	0.06	0.02	0.03	0.09	0.08
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.06	0.05	0.07	0.09	0.04	0.03	0.09	0.10
Part-Time	0.10	0.10	0.10	0.13	0.08	0.07	0.12	0.15
Unemployed	0.54	0.33	0.42	0.36	0.30	0.23	0.61	0.43
Other <sup>3</sup>	0.11	0.08	0.13	0.10	0.07	0.05	0.16	0.12

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.32P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.3089		0.9262		0.6349		0.5241	
<b>GENDER</b>								
Male	0.0626		0.6131		0.2361		0.2218	
Female	0.3373		0.4787		0.2115		0.4105	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.2007		0.9267		0.5905		0.5288	
White	0.4969		0.8934		0.5623		0.9722	
Black or African American	0.2289		0.9350		0.8995		0.2670	
American Indian or Alaska Native	0.5075		0.2043		0.4847		0.1834	
Native Hawaiian or Other Pacific Islander	*		0.5149		*		0.7406	
Asian	0.4808		0.1380		*		0.5315	
Two or More Races	0.4965		0.7012		0.7956		0.5625	
Hispanic or Latino	0.3761		0.4148		0.8347		0.9539	
<b>EDUCATION</b>								
< High School	0.5926		0.6248		0.8727		0.7746	
High School Graduate	0.1071		0.4232		0.3199		0.2798	
Some College	0.9899		0.6265		0.8201		0.8970	
College Graduate	0.6214		0.9535		0.5470		0.7366	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.8312		0.5293		0.7207		0.7373	
Part-Time	0.8069		0.5035		0.8078		0.4758	
Unemployed	0.3313		0.5455		0.8603		0.7335	
Other <sup>3</sup>	0.2683		0.0845		0.5489		0.0482	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.33C (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

Geographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	114	94	131	138	76	63	166	159
<b>GEOGRAPHIC DIVISION</b>								
Northeast	52	43	38	58	24	25	61	70
New England	25	21	25	35	10	9	34	40
Middle Atlantic	45	38	29	47	21	24	51	58
Midwest	32	51	64	54	25	33	68	68
East North Central	28	48	58	45	22	31	62	59
West North Central	13	18	26	29	10	8	27	33
South	71	45	74	73	51	32	102	85
South Atlantic	43	33	59	62	36	23	80	70
East South Central	40	28	31	33	24	20	45	40
West South Central	41	14	33	20	26	9	45	22
West	65	48	73	80	43	34	91	84
Mountain	27	22	32	29	20	15	39	33
Pacific	61	42	66	74	38	30	84	77
<b>COUNTY TYPE</b>								
Large Metro	86	73	105	93	57	45	135	110
Small Metro	61	52	63	90	44	38	79	99
250K – 1 Mil. Pop.	51	41	47	72	31	26	64	79
< 250K Pop.	34	32	41	54	30	27	45	59
Nonmetro	42	29	45	44	25	21	57	50
Urbanized	27	19	31	25	19	12	37	33
Less Urbanized	32	21	30	30	16	17	41	33
Completely Rural	6	4	11	6	5	4	11	6

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.33D (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.05	0.04	0.05	0.06	0.03	0.03	0.07	0.06
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.11	0.09	0.08	0.13	0.05	0.05	0.13	0.15
New England	0.21	0.17	0.21	0.29	0.08	0.07	0.28	0.33
Middle Atlantic	0.13	0.11	0.09	0.14	0.06	0.07	0.15	0.17
Midwest	0.06	0.09	0.12	0.10	0.04	0.06	0.12	0.12
East North Central	0.07	0.12	0.15	0.12	0.06	0.08	0.16	0.15
West North Central	0.08	0.11	0.16	0.18	0.06	0.05	0.17	0.20
South	0.08	0.05	0.08	0.08	0.06	0.03	0.11	0.09
South Atlantic	0.09	0.07	0.12	0.13	0.08	0.05	0.17	0.15
East South Central	0.27	0.19	0.21	0.22	0.16	0.14	0.30	0.27
West South Central	0.15	0.05	0.12	0.07	0.09	0.03	0.16	0.08
West	0.11	0.08	0.13	0.14	0.08	0.06	0.16	0.15
Mountain	0.16	0.12	0.19	0.17	0.11	0.09	0.22	0.19
Pacific	0.15	0.11	0.16	0.18	0.10	0.08	0.21	0.19
<b>COUNTY TYPE</b>								
Large Metro	0.07	0.05	0.08	0.07	0.04	0.03	0.10	0.08
Small Metro	0.08	0.07	0.08	0.12	0.06	0.05	0.10	0.13
250K – 1 Mil. Pop.	0.10	0.08	0.09	0.14	0.06	0.05	0.13	0.16
< 250K Pop.	0.13	0.13	0.16	0.21	0.12	0.11	0.18	0.23
Nonmetro	0.10	0.07	0.11	0.11	0.06	0.05	0.14	0.12
Urbanized	0.16	0.11	0.19	0.15	0.11	0.07	0.22	0.20
Less Urbanized	0.16	0.10	0.15	0.15	0.08	0.08	0.21	0.16
Completely Rural	0.13	0.10	0.23	0.15	0.10	0.09	0.24	0.15

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.33P (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Illicit Drugs <sup>1</sup> (2007)	Illicit Drugs <sup>1</sup> (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol <sup>1</sup> (2007)	Both Illicit Drugs and Alcohol <sup>1</sup> (2008)	Illicit Drugs or Alcohol <sup>1,2</sup> (2007)	Illicit Drugs or Alcohol <sup>1,2</sup> (2008)
<b>TOTAL</b>	0.2728		0.9025		0.6125		0.4855	
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.9298		0.1880		0.8835		0.1785	
New England	0.4932		0.4912		0.6999		0.3246	
Middle Atlantic	0.7730		0.2585		1.0000		0.3341	
Midwest	0.1343		0.3171		0.5267		0.8980	
East North Central	0.1889		0.2239		0.4912		0.6551	
West North Central	0.4166		0.8954		0.9645		0.5586	
South	0.0252		0.1994		0.1100		0.0396	
South Atlantic	0.5947		0.4866		0.4730		0.3901	
East South Central	0.2637		0.3761		0.4358		0.1896	
West South Central	0.0156		0.3583		0.1450		0.0484	
West	0.3768		0.3382		0.7450		0.9925	
Mountain	0.8575		0.6131		0.8654		0.7068	
Pacific	0.2928		0.4085		0.7824		0.8680	
<b>COUNTY TYPE</b>								
Large Metro	0.4209		0.7568		0.7819		0.3715	
Small Metro	0.8762		0.2845		0.9650		0.2542	
250K – 1 Mil. Pop.	0.8674		0.5724		0.6828		0.5084	
< 250K Pop.	0.6083		0.3093		0.6396		0.3004	
Nonmetro	0.0963		0.0793		0.2935		0.0345	
Urbanized	0.7641		0.3214		0.3830		0.6362	
Less Urbanized	0.0605		0.1776		0.5168		0.0180	
Completely Rural	0.5940		0.2719		0.9192		0.1895	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.