

Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	971	928	596	554	445	427
Marijuana and Hashish	963	917	492	474	360	377
Cocaine	659	668	242	207	149	131
Crack	339	322	123	94	80	55
Heroin	239	224	53	59	36	40
Hallucinogens	638	648	140	129	74	68
LSD	548	548	55	49	33	19
PCP	297	338	18	14	12	8
Ecstasy	346	344	108	96	56	52
Inhalants	503	488	106	115	67	71
Nonmedical Use of Psychotherapeutics ^{2,3}	696	760	380	353	251	226
Pain Relievers	562	597	316	296	215	196
OxyContin [®]	180	187	96	88	53	58
Tranquilizers	468	505	221	200	129	119
Stimulants ³	471	546	152	123	94	75
Methamphetamine ³	367	400	115	75	80	53
Sedatives	360	401	93	61	68	37
ILLCIT DRUGS OTHER THAN MARIJUANA¹	855	856	449	408	307	262

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.39	0.37	0.24	0.22	0.18	0.17
Marijuana and Hashish	0.39	0.37	0.20	0.19	0.15	0.15
Cocaine	0.27	0.27	0.10	0.08	0.06	0.05
Crack	0.14	0.13	0.05	0.04	0.03	0.02
Heroin	0.10	0.09	0.02	0.02	0.01	0.02
Hallucinogens	0.26	0.26	0.06	0.05	0.03	0.03
LSD	0.22	0.22	0.02	0.02	0.01	0.01
PCP	0.12	0.14	0.01	0.01	0.00	0.00
Ecstasy	0.14	0.14	0.04	0.04	0.02	0.02
Inhalants	0.20	0.20	0.04	0.05	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.28	0.30	0.15	0.14	0.10	0.09
Pain Relievers	0.23	0.24	0.13	0.12	0.09	0.08
OxyContin [®]	0.07	0.08	0.04	0.04	0.02	0.02
Tranquilizers	0.19	0.20	0.09	0.08	0.05	0.05
Stimulants ³	0.19	0.22	0.06	0.05	0.04	0.03
Methamphetamine ³	0.15	0.16	0.05	0.03	0.03	0.02
Sedatives	0.15	0.16	0.04	0.02	0.03	0.01
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.34	0.18	0.16	0.12	0.10

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.1P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.1099		0.5763		0.9192	
Marijuana and Hashish	0.4107		0.4709		0.2151	
Cocaine	0.5181		0.0964		0.2298	
Crack	0.6557		0.0213		0.0081	
Heroin	0.9441		0.2682		0.2733	
Hallucinogens	0.0901		0.5367		0.5712	
LSD	0.3404		0.0147		0.8265	
PCP	0.3260		0.0838		0.2432	
Ecstasy	0.3898		0.9440		0.5275	
Inhalants	0.5790		0.7412		0.8406	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2716		0.0180		0.0300	
Pain Relievers	0.0606		0.1199		0.1032	
OxyContin [®]	0.0855		0.8455		0.4170	
Tranquilizers	0.1068		0.4582		0.7753	
Stimulants ³	0.3947		0.0550		0.1977	
Methamphetamine ³	0.2996		0.0003		0.0227	
Sedatives	0.4258		0.0253		0.1372	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2216		0.0297		0.0502	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	48	46	38	37	24	21
Marijuana and Hashish	21	22	17	20	11	13
Cocaine	6	5	5	3	4	1
Crack	2	*	2	*	*	*
Heroin	1	1	1	1	*	*
Hallucinogens	10	13	8	11	5	7
LSD	4	3	3	3	1	*
PCP	3	4	2	4	*	2
Ecstasy	5	7	3	7	1	2
Inhalants	38	36	27	26	16	13
Nonmedical Use of Psychotherapeutics ^{2,3}	31	28	23	23	15	15
Pain Relievers	27	26	22	21	13	13
OxyContin [®]	4	7	4	7	*	*
Tranquilizers	10	7	7	4	6	2
Stimulants ³	12	12	9	10	4	6
Methamphetamine ³	4	7	2	5	1	1
Sedatives	9	8	3	6	2	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	46	43	35	34	22	19

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.54	0.54	0.43	0.44	0.29	0.27
Marijuana and Hashish	0.25	0.28	0.21	0.25	0.14	0.17
Cocaine	0.07	0.07	0.07	0.04	0.05	0.01
Crack	0.03	*	0.02	*	*	*
Heroin	0.02	0.02	0.02	0.01	*	*
Hallucinogens	0.12	0.16	0.09	0.14	0.06	0.09
LSD	0.05	0.04	0.04	0.04	0.02	*
PCP	0.04	0.05	0.02	0.05	*	0.03
Ecstasy	0.06	0.09	0.04	0.09	0.01	0.03
Inhalants	0.44	0.43	0.32	0.33	0.19	0.16
Nonmedical Use of Psychotherapeutics ^{2,3}	0.37	0.35	0.28	0.29	0.18	0.19
Pain Relievers	0.33	0.33	0.26	0.27	0.16	0.17
OxyContin [®]	0.05	0.09	0.05	0.08	*	*
Tranquilizers	0.12	0.09	0.09	0.05	0.08	0.03
Stimulants ³	0.14	0.15	0.10	0.13	0.04	0.08
Methamphetamine ³	0.05	0.09	0.03	0.06	0.02	0.01
Sedatives	0.11	0.10	0.03	0.07	0.02	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.52	0.51	0.40	0.41	0.26	0.24

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.2P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.9313		0.2204		0.8960	
Marijuana and Hashish	0.3084		0.1118		0.8930	
Cocaine	0.7100		0.2416		0.1894	
Crack	*		*		*	
Heroin	0.9943		0.9491		*	
Hallucinogens	0.5422		0.3607		0.6669	
LSD	0.3319		0.8395		*	
PCP	0.8438		0.2331		*	
Ecstasy	0.4990		0.1870		0.2944	
Inhalants	0.9240		0.2711		0.7169	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.9590		0.4093		0.9556	
Pain Relievers	0.4099		0.3786		0.8523	
OxyContin [®]	0.6086		0.6309		*	
Tranquilizers	0.3773		0.1868		0.1021	
Stimulants ³	0.8299		0.9811		0.7153	
Methamphetamine ³	0.2523		0.5000		0.4606	
Sedatives	0.9902		0.1196		0.5209	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.9289		0.3555		0.9940	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLICIT DRUGS¹	64	70	54	55	38	37
Marijuana and Hashish	49	50	42	43	29	30
Cocaine	15	14	14	13	5	8
Crack	7	6	7	5	3	2
Heroin	5	6	4	4	*	2
Hallucinogens	24	23	21	20	10	13
LSD	10	10	8	9	6	5
PCP	8	8	7	6	3	1
Ecstasy	18	18	16	15	5	11
Inhalants	41	41	27	26	15	16
Nonmedical Use of Psychotherapeutics ^{2,3}	45	42	39	33	24	20
Pain Relievers	41	39	35	31	21	17
OxyContin [®]	11	11	10	9	4	4
Tranquilizers	20	17	19	14	12	10
Stimulants ³	19	18	15	14	9	8
Methamphetamine ³	12	8	9	6	4	3
Sedatives	12	11	11	8	8	3
ILLICIT DRUGS OTHER THAN MARIJUANA¹	57	57	46	43	29	27

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.65	0.67	0.57	0.57	0.42	0.40
Marijuana and Hashish	0.54	0.54	0.46	0.47	0.33	0.34
Cocaine	0.18	0.17	0.16	0.15	0.06	0.10
Crack	0.09	0.07	0.08	0.06	0.04	0.02
Heroin	0.06	0.07	0.05	0.05	*	0.02
Hallucinogens	0.28	0.26	0.24	0.23	0.11	0.16
LSD	0.12	0.12	0.10	0.11	0.07	0.06
PCP	0.09	0.09	0.08	0.07	0.04	0.01
Ecstasy	0.20	0.21	0.18	0.18	0.06	0.13
Inhalants	0.46	0.45	0.31	0.30	0.17	0.19
Nonmedical Use of Psychotherapeutics ^{2,3}	0.49	0.46	0.43	0.37	0.28	0.23
Pain Relievers	0.46	0.43	0.40	0.34	0.24	0.20
OxyContin [®]	0.13	0.13	0.11	0.11	0.05	0.05
Tranquilizers	0.23	0.20	0.22	0.17	0.14	0.12
Stimulants ³	0.22	0.21	0.18	0.17	0.10	0.10
Methamphetamine ³	0.14	0.09	0.11	0.08	0.05	0.04
Sedatives	0.14	0.12	0.12	0.10	0.09	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.60	0.58	0.49	0.47	0.32	0.31

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.3P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.7939		0.5752		0.6231	
Marijuana and Hashish	0.4575		0.5557		0.9629	
Cocaine	0.9386		0.8488		0.1663	
Crack	0.6190		0.1662		0.6086	
Heroin	0.4226		0.5711		*	
Hallucinogens	0.6324		0.9519		0.0355	
LSD	0.7453		0.7785		0.8223	
PCP	0.9752		0.5909		0.6448	
Ecstasy	0.9700		0.9619		0.0498	
Inhalants	0.5282		0.7707		0.8997	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0740		0.0224		0.2198	
Pain Relievers	0.2073		0.2618		0.5258	
OxyContin [®]	0.7916		0.8302		0.5790	
Tranquilizers	0.4721		0.2709		0.5192	
Stimulants ³	0.3354		0.5658		0.8115	
Methamphetamine ³	0.0206		0.1499		0.9704	
Sedatives	0.9006		0.8080		0.2691	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2973		0.2353		0.8156	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	87	84	73	73	54	50
Marijuana and Hashish	76	72	63	62	48	45
Cocaine	28	28	22	20	11	10
Crack	11	11	9	6	4	2
Heroin	9	11	5	10	2	6
Hallucinogens	31	33	26	29	14	16
LSD	14	18	11	15	5	8
PCP	10	8	6	6	3	3
Ecstasy	23	27	20	22	9	11
Inhalants	41	41	24	24	13	12
Nonmedical Use of Psychotherapeutics ^{2,3}	56	55	46	45	27	24
Pain Relievers	51	49	42	40	25	22
OxyContin [®]	21	19	15	14	7	7
Tranquilizers	29	29	23	25	13	12
Stimulants ³	27	31	21	22	11	8
Methamphetamine ³	14	19	11	12	7	5
Sedatives	13	13	10	9	4	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	67	65	52	52	32	31

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.77	0.73	0.69	0.67	0.58	0.52
Marijuana and Hashish	0.72	0.67	0.64	0.59	0.52	0.47
Cocaine	0.32	0.32	0.26	0.23	0.13	0.11
Crack	0.13	0.12	0.10	0.06	0.05	0.02
Heroin	0.10	0.13	0.05	0.12	0.02	0.07
Hallucinogens	0.35	0.37	0.29	0.32	0.16	0.18
LSD	0.16	0.21	0.12	0.17	0.06	0.10
PCP	0.12	0.10	0.07	0.07	0.04	0.04
Ecstasy	0.26	0.31	0.23	0.25	0.11	0.12
Inhalants	0.45	0.45	0.28	0.27	0.15	0.14
Nonmedical Use of Psychotherapeutics ^{2,3}	0.58	0.57	0.49	0.48	0.31	0.28
Pain Relievers	0.54	0.52	0.46	0.43	0.29	0.24
OxyContin [®]	0.23	0.22	0.17	0.16	0.08	0.08
Tranquilizers	0.33	0.33	0.27	0.28	0.15	0.14
Stimulants ³	0.30	0.35	0.23	0.25	0.13	0.10
Methamphetamine ³	0.16	0.21	0.13	0.14	0.08	0.06
Sedatives	0.16	0.15	0.11	0.11	0.05	0.07
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.66	0.65	0.54	0.55	0.36	0.34

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.4P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.5988		1.0000		0.3035	
Marijuana and Hashish	0.5327		0.8379		0.6131	
Cocaine	0.0882		0.0240		0.3054	
Crack	0.2269		0.1013		0.1477	
Heroin	0.5973		0.1690		0.2088	
Hallucinogens	0.0473		0.1879		0.1443	
LSD	0.0021		0.0025		0.0410	
PCP	0.8371		0.5088		0.5769	
Ecstasy	0.0196		0.6575		0.3396	
Inhalants	0.4018		0.3571		0.1327	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3549		0.5970		0.0239	
Pain Relievers	0.3582		0.4236		0.0078	
OxyContin [®]	0.3090		0.6376		0.9741	
Tranquilizers	0.9837		0.6924		0.5120	
Stimulants ³	0.4224		0.3273		0.3070	
Methamphetamine ³	0.8589		0.4864		0.6428	
Sedatives	0.6980		0.4164		0.4121	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.6757		0.7828		0.0779	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	180	158	147	132	106	95
Marijuana and Hashish	164	147	134	122	98	89
Cocaine	70	64	52	47	24	24
Crack	24	25	15	16	7	7
Heroin	17	16	10	11	6	7
Hallucinogens	80	71	56	56	25	31
LSD	36	38	22	27	11	9
PCP	18	19	8	5	3	1
Ecstasy	62	57	42	45	16	26
Inhalants	60	57	29	28	12	15
Nonmedical Use of Psychotherapeutics ^{2,3}	116	102	88	81	51	46
Pain Relievers	104	93	77	72	45	40
OxyContin [®]	39	40	24	26	12	11
Tranquilizers	66	59	48	46	25	24
Stimulants ³	62	52	40	37	19	18
Methamphetamine ³	43	28	24	16	10	6
Sedatives	25	22	14	12	8	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	135	114	103	94	59	57

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.78	0.71	0.74	0.72	0.64	0.62
Marijuana and Hashish	0.76	0.72	0.71	0.70	0.60	0.59
Cocaine	0.49	0.45	0.37	0.34	0.18	0.18
Crack	0.18	0.19	0.12	0.12	0.05	0.05
Heroin	0.13	0.12	0.07	0.08	0.04	0.06
Hallucinogens	0.54	0.49	0.39	0.40	0.19	0.24
LSD	0.26	0.28	0.16	0.20	0.08	0.07
PCP	0.14	0.14	0.06	0.04	0.03	0.00
Ecstasy	0.44	0.41	0.31	0.33	0.12	0.20
Inhalants	0.41	0.39	0.22	0.21	0.09	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.67	0.62	0.56	0.54	0.37	0.34
Pain Relievers	0.63	0.59	0.50	0.50	0.33	0.29
OxyContin [®]	0.27	0.30	0.17	0.19	0.09	0.08
Tranquilizers	0.45	0.43	0.34	0.34	0.19	0.18
Stimulants ³	0.43	0.36	0.29	0.27	0.14	0.14
Methamphetamine ³	0.32	0.21	0.18	0.12	0.08	0.05
Sedatives	0.19	0.17	0.10	0.09	0.06	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.73	0.66	0.63	0.60	0.42	0.41

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.5P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.6002		0.7150		0.9063	
Marijuana and Hashish	0.7821		0.5155		0.7251	
Cocaine	0.9933		0.3907		0.5915	
Crack	0.9915		0.8906		0.9372	
Heroin	0.5398		0.6013		0.3251	
Hallucinogens	0.8235		0.1582		0.1312	
LSD	0.1850		0.0394		0.5452	
PCP	0.9239		0.2160		0.2393	
Ecstasy	0.2499		0.1434		0.0312	
Inhalants	0.4936		0.7138		0.9722	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0747		0.2829		0.3687	
Pain Relievers	0.4056		0.3859		0.4957	
OxyContin [®]	0.4189		0.3689		0.5437	
Tranquilizers	0.6322		0.8407		0.7643	
Stimulants ³	0.1404		0.6261		0.8920	
Methamphetamine ³	0.0005		0.0052		0.0986	
Sedatives	0.6921		0.9176		0.0520	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0597		0.3312		0.5572	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.6C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	220	236	153	156	108	110
Marijuana and Hashish	205	220	139	139	98	99
Cocaine	107	103	62	55	30	29
Crack	44	39	19	16	8	8
Heroin	30	26	17	13	9	11
Hallucinogens	125	111	59	53	24	25
LSD	74	65	21	25	6	12
PCP	31	30	8	5	5	3
Ecstasy	104	88	41	43	16	18
Inhalants	83	79	25	23	14	9
Nonmedical Use of Psychotherapeutics ^{2,3}	151	154	92	94	54	57
Pain Relievers	132	138	80	84	46	47
OxyContin [®]	53	55	27	27	13	12
Tranquilizers	90	87	53	52	30	32
Stimulants ³	88	85	44	41	25	23
Methamphetamine ³	60	58	24	21	15	12
Sedatives	31	29	15	18	10	15
ILLCIT DRUGS OTHER THAN MARIJUANA¹	174	178	108	108	65	65

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.6D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.59	0.56	0.58	0.55	0.47	0.46
Marijuana and Hashish	0.63	0.58	0.55	0.52	0.45	0.43
Cocaine	0.48	0.45	0.30	0.26	0.15	0.15
Crack	0.22	0.20	0.10	0.08	0.04	0.04
Heroin	0.15	0.13	0.09	0.07	0.05	0.05
Hallucinogens	0.52	0.46	0.29	0.26	0.12	0.13
LSD	0.35	0.31	0.11	0.12	0.03	0.06
PCP	0.16	0.15	0.04	0.03	0.02	0.02
Ecstasy	0.46	0.40	0.21	0.21	0.08	0.09
Inhalants	0.39	0.36	0.13	0.11	0.07	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.58	0.54	0.41	0.40	0.26	0.27
Pain Relievers	0.53	0.53	0.37	0.37	0.23	0.23
OxyContin [®]	0.26	0.26	0.14	0.14	0.07	0.06
Tranquilizers	0.42	0.39	0.26	0.25	0.15	0.16
Stimulants ³	0.39	0.37	0.22	0.20	0.13	0.11
Methamphetamine ³	0.29	0.28	0.12	0.10	0.08	0.06
Sedatives	0.16	0.14	0.08	0.09	0.05	0.07
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.61	0.57	0.48	0.44	0.31	0.30

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.6P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLICIT DRUGS¹	0.1845		0.7780		0.8561	
Marijuana and Hashish	0.5256		0.8177		0.8522	
Cocaine	0.0823		0.0054		0.2125	
Crack	0.1613		0.1817		0.7601	
Heroin	0.1626		0.8024		0.2528	
Hallucinogens	0.0001		0.4687		0.7397	
LSD	0.0007		0.0698		0.0093	
PCP	0.5100		0.1020		0.2559	
Ecstasy	0.0058		0.4976		0.7110	
Inhalants	0.0006		0.7802		0.1061	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.9249		0.7375		0.5776	
Pain Relievers	0.7494		0.7765		0.8180	
OxyContin [®]	0.7350		0.9460		0.3392	
Tranquilizers	0.3361		0.6264		0.7173	
Stimulants ³	0.7936		0.9725		0.9136	
Methamphetamine ³	0.0878		0.1045		0.2403	
Sedatives	0.1179		0.9903		0.5884	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0475		0.5952		0.7403	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.7C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	313	289	228	231	183	188
Marijuana and Hashish	306	303	204	212	156	172
Cocaine	222	233	113	117	69	77
Crack	114	123	41	49	26	30
Heroin	73	72	21	29	18	18
Hallucinogens	250	249	92	72	52	47
LSD	209	195	41	21	29	5
PCP	90	83	11	6	10	6
Ecstasy	199	203	75	59	38	37
Inhalants	198	197	44	35	26	15
Nonmedical Use of Psychotherapeutics ^{2,3}	249	273	159	161	97	100
Pain Relievers	227	249	139	141	90	89
OxyContin [®]	90	105	47	51	16	36
Tranquilizers	178	190	105	101	56	54
Stimulants ³	171	187	69	66	36	44
Methamphetamine ³	145	152	54	38	30	29
Sedatives	76	85	32	31	23	10
ILLCIT DRUGS OTHER THAN MARIJUANA¹	291	290	185	184	123	124

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.7D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.89	0.81	0.65	0.65	0.52	0.53
Marijuana and Hashish	0.87	0.85	0.58	0.59	0.44	0.48
Cocaine	0.63	0.65	0.32	0.33	0.20	0.22
Crack	0.32	0.34	0.12	0.14	0.07	0.08
Heroin	0.21	0.20	0.06	0.08	0.05	0.05
Hallucinogens	0.71	0.70	0.26	0.20	0.15	0.13
LSD	0.59	0.55	0.12	0.06	0.08	0.01
PCP	0.25	0.23	0.03	0.02	0.03	0.02
Ecstasy	0.56	0.57	0.21	0.17	0.11	0.10
Inhalants	0.56	0.55	0.12	0.10	0.07	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.71	0.77	0.45	0.45	0.28	0.28
Pain Relievers	0.64	0.70	0.39	0.40	0.25	0.25
OxyContin [®]	0.25	0.30	0.13	0.14	0.05	0.10
Tranquilizers	0.50	0.53	0.30	0.28	0.16	0.15
Stimulants ³	0.48	0.52	0.20	0.19	0.10	0.12
Methamphetamine ³	0.41	0.43	0.15	0.11	0.09	0.08
Sedatives	0.21	0.24	0.09	0.09	0.06	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.83	0.81	0.52	0.52	0.35	0.35

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.7P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLICIT DRUGS¹	0.1853		0.9927		0.7043	
Marijuana and Hashish	0.3733		0.2917		0.1852	
Cocaine	0.8746		0.3379		0.6518	
Crack	0.4441		0.4146		0.9068	
Heroin	0.7174		0.1167		0.8873	
Hallucinogens	0.8403		0.0417		0.7910	
LSD	0.1706		0.4564		0.2019	
PCP	0.2150		0.2205		0.4166	
Ecstasy	0.5664		0.1238		0.8473	
Inhalants	0.1542		0.2990		0.3712	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4263		0.2503		0.3850	
Pain Relievers	0.3248		0.5466		0.3241	
OxyContin [®]	0.0310		0.4774		0.0365	
Tranquilizers	0.1104		0.7313		0.9116	
Stimulants ³	0.5901		0.9161		0.1664	
Methamphetamine ³	0.6148		0.0964		0.8998	
Sedatives	0.4429		0.9355		0.1114	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.6627		0.3864		0.4919	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.8C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	862	869	453	432	333	338
Marijuana and Hashish	844	843	350	354	257	291
Cocaine	606	616	181	145	122	90
Crack	312	300	113	80	74	46
Heroin	218	207	43	45	29	32
Hallucinogens	522	586	50	59	34	25
LSD	472	507	10	19	*	*
PCP	284	327	*	*	*	*
Ecstasy	218	232	38	35	30	8
Inhalants	424	412	76	96	52	63
Nonmedical Use of Psychotherapeutics ^{2,3}	595	685	302	273	210	179
Pain Relievers	444	507	256	224	175	154
OxyContin [®]	133	132	70	60	47	42
Tranquilizers	408	438	178	161	106	96
Stimulants ³	423	496	105	79	78	47
Methamphetamine ³	321	370	83	56	70	38
Sedatives	350	386	82	44	63	31
ILLCIT DRUGS OTHER THAN MARIJUANA¹	749	773	348	314	250	208

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.8D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.56	0.56	0.29	0.28	0.22	0.22
Marijuana and Hashish	0.55	0.54	0.23	0.23	0.17	0.19
Cocaine	0.39	0.39	0.12	0.09	0.08	0.06
Crack	0.20	0.19	0.07	0.05	0.05	0.03
Heroin	0.14	0.13	0.03	0.03	0.02	0.02
Hallucinogens	0.34	0.37	0.03	0.04	0.02	0.02
LSD	0.31	0.32	0.01	0.01	*	*
PCP	0.18	0.21	*	*	*	*
Ecstasy	0.14	0.15	0.02	0.02	0.02	0.01
Inhalants	0.27	0.26	0.05	0.06	0.03	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.38	0.44	0.20	0.17	0.14	0.11
Pain Relievers	0.29	0.32	0.17	0.14	0.11	0.10
OxyContin [®]	0.09	0.08	0.05	0.04	0.03	0.03
Tranquilizers	0.26	0.28	0.12	0.10	0.07	0.06
Stimulants ³	0.27	0.32	0.07	0.05	0.05	0.03
Methamphetamine ³	0.21	0.24	0.05	0.04	0.05	0.02
Sedatives	0.23	0.25	0.05	0.03	0.04	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.48	0.49	0.23	0.20	0.16	0.13

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.8P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLICIT DRUGS¹	0.1527		0.3925		0.8224	
Marijuana and Hashish	0.5975		0.9167		0.3694	
Cocaine	0.3854		0.1675		0.1780	
Crack	0.5722		0.0118		0.0058	
Heroin	0.8887		0.8806		0.5426	
Hallucinogens	0.0225		0.8434		0.1520	
LSD	0.0763		0.1765		*	
PCP	0.1584		*		*	
Ecstasy	0.2395		0.8783		0.0801	
Inhalants	0.4808		0.8174		0.2149	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2022		0.0544		0.0905	
Pain Relievers	0.0367		0.2080		0.3480	
OxyContin [®]	0.4468		0.6452		0.9461	
Tranquilizers	0.1670		0.4178		0.9805	
Stimulants ³	0.3686		0.0229		0.0215	
Methamphetamine ³	0.7632		0.0219		0.0268	
Sedatives	0.4343		0.0080		0.3345	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0380		0.0724		0.1332	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.9C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	650	614	444	409	341	318
Marijuana and Hashish	643	615	387	345	287	288
Cocaine	499	490	201	165	127	109
Crack	284	264	115	81	71	51
Heroin	216	181	50	47	34	34
Hallucinogens	480	477	112	103	63	53
LSD	430	420	48	43	32	15
PCP	257	258	15	12	12	7
Ecstasy	248	248	84	71	43	37
Inhalants	381	382	91	107	60	67
Nonmedical Use of Psychotherapeutics ^{2,3}	503	513	271	251	189	161
Pain Relievers	412	433	227	231	164	145
OxyContin [®]	138	143	68	75	34	52
Tranquilizers	345	362	155	119	83	80
Stimulants ³	367	379	105	84	63	51
Methamphetamine ³	290	304	83	59	58	38
Sedatives	279	283	77	35	61	20
ILLCIT DRUGS OTHER THAN MARIJUANA¹	613	596	330	305	232	196

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.9D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.54	0.51	0.37	0.34	0.28	0.26
Marijuana and Hashish	0.53	0.51	0.32	0.28	0.24	0.24
Cocaine	0.42	0.40	0.17	0.14	0.11	0.09
Crack	0.24	0.22	0.10	0.07	0.06	0.04
Heroin	0.18	0.15	0.04	0.04	0.03	0.03
Hallucinogens	0.40	0.39	0.09	0.08	0.05	0.04
LSD	0.36	0.35	0.04	0.04	0.03	0.01
PCP	0.21	0.21	0.01	0.01	0.01	0.01
Ecstasy	0.21	0.20	0.07	0.06	0.04	0.03
Inhalants	0.32	0.31	0.08	0.09	0.05	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	0.42	0.42	0.23	0.21	0.16	0.13
Pain Relievers	0.34	0.36	0.19	0.19	0.14	0.12
OxyContin [®]	0.12	0.12	0.06	0.06	0.03	0.04
Tranquilizers	0.29	0.30	0.13	0.10	0.07	0.07
Stimulants ³	0.31	0.31	0.09	0.07	0.05	0.04
Methamphetamine ³	0.24	0.25	0.07	0.05	0.05	0.03
Sedatives	0.23	0.23	0.06	0.03	0.05	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.51	0.49	0.27	0.25	0.19	0.16

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.9P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.4061		0.0462		0.1745	
Marijuana and Hashish	0.9248		0.2061		0.7464	
Cocaine	0.7547		0.0509		0.1652	
Crack	0.0783		0.0257		0.0233	
Heroin	0.1508		0.9114		0.8298	
Hallucinogens	0.5884		0.1412		0.9155	
LSD	0.8095		0.0423		0.9694	
PCP	0.8497		0.1530		0.1076	
Ecstasy	0.8956		0.1945		0.9788	
Inhalants	0.4899		0.5784		0.6607	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4782		0.0038		0.0007	
Pain Relievers	0.2660		0.0822		0.0049	
OxyContin [®]	0.7660		0.6676		0.2008	
Tranquilizers	0.3676		0.1173		0.3410	
Stimulants ³	0.2611		0.0550		0.6525	
Methamphetamine ³	0.4760		0.0068		0.1305	
Sedatives	0.8416		0.0106		0.0904	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8159		0.0111		0.0036	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.10C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Standard Errors of Numbers in Thousands, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLICIT DRUGS¹	659	667	335	352	242	252
Marijuana and Hashish	646	643	248	299	177	213
Cocaine	390	451	120	119	73	68
Crack	172	186	45	53	33	22
Heroin	95	125	16	34	10	21
Hallucinogens	379	401	71	73	37	42
LSD	310	334	19	24	7	10
PCP	152	201	10	8	*	4
Ecstasy	216	215	58	62	33	34
Inhalants	299	279	47	46	29	24
Nonmedical Use of Psychotherapeutics ^{2,3}	464	503	246	232	161	151
Pain Relievers	374	381	213	184	132	130
OxyContin [®]	104	115	65	45	41	23
Tranquilizers	301	336	150	157	94	85
Stimulants ³	300	352	101	85	69	48
Methamphetamine ³	226	260	71	43	54	28
Sedatives	229	275	49	48	31	32
ILLICIT DRUGS OTHER THAN MARIJUANA¹	553	583	269	255	181	166

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.10D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Standard Errors of Percentages, 2007 and 2008

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLICIT DRUGS¹	0.52	0.52	0.26	0.27	0.19	0.20
Marijuana and Hashish	0.51	0.50	0.19	0.23	0.14	0.17
Cocaine	0.31	0.35	0.09	0.09	0.06	0.05
Crack	0.14	0.14	0.03	0.04	0.03	0.02
Heroin	0.07	0.10	0.01	0.03	0.01	0.02
Hallucinogens	0.30	0.31	0.06	0.06	0.03	0.03
LSD	0.24	0.26	0.01	0.02	0.01	0.01
PCP	0.12	0.16	0.01	0.01	*	0.00
Ecstasy	0.17	0.17	0.05	0.05	0.03	0.03
Inhalants	0.23	0.22	0.04	0.04	0.02	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.36	0.39	0.19	0.18	0.13	0.12
Pain Relievers	0.29	0.30	0.17	0.14	0.10	0.10
OxyContin [®]	0.08	0.09	0.05	0.04	0.03	0.02
Tranquilizers	0.24	0.26	0.12	0.12	0.07	0.07
Stimulants ³	0.23	0.27	0.08	0.07	0.05	0.04
Methamphetamine ³	0.18	0.20	0.06	0.03	0.04	0.02
Sedatives	0.18	0.21	0.04	0.04	0.02	0.02
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.43	0.45	0.21	0.20	0.14	0.13

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.10P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Drug	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
ILLCIT DRUGS¹	0.1410		0.1092		0.0498	
Marijuana and Hashish	0.2732		0.0024		0.0052	
Cocaine	0.1660		0.9139		0.9600	
Crack	0.0785		0.5802		0.1613	
Heroin	0.0179		0.0154		0.0404	
Hallucinogens	0.0359		0.2970		0.2358	
LSD	0.0514		0.1100		0.4476	
PCP	0.0459		0.3487		*	
Ecstasy	0.1266		0.1237		0.3238	
Inhalants	0.9801		0.6749		0.5977	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3633		0.6220		0.6007	
Pain Relievers	0.1103		0.7154		0.4066	
OxyContin [®]	0.0135		0.8190		0.7318	
Tranquilizers	0.1493		0.6758		0.6288	
Stimulants ³	0.9685		0.3762		0.1529	
Methamphetamine ³	0.4440		0.0068		0.0619	
Sedatives	0.3261		0.6381		0.8736	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.1131		0.6613		0.6859	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.