

Table 2.62C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	873	852	485	493	337	366
GEOGRAPHIC DIVISION						
Northeast	378	372	183	174	133	125
New England	196	183	81	86	63	53
Middle Atlantic	322	325	161	151	116	114
Midwest	327	381	211	213	137	152
East North Central	276	313	175	189	116	134
West North Central	174	204	109	100	71	78
South	510	507	296	299	221	239
South Atlantic	383	388	217	230	174	191
East South Central	191	180	112	130	90	84
West South Central	269	265	174	145	101	121
West	477	474	259	278	176	187
Mountain	196	205	118	106	94	72
Pacific	434	427	230	259	149	172
COUNTY TYPE						
Large Metro	939	959	415	433	266	307
Small Metro	698	711	279	276	201	178
250K – 1 Mil. Pop.	571	621	244	225	178	148
< 250K Pop.	450	425	167	166	121	107
Nonmetro	510	495	179	206	128	142
Urbanized	377	362	109	147	72	97
Less Urbanized	362	338	136	138	103	92
Completely Rural	186	173	60	49	35	41

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.62D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.35	0.34	0.20	0.20	0.14	0.15
GEOGRAPHIC DIVISION						
Northeast	0.82	0.81	0.40	0.38	0.29	0.27
New England	1.63	1.52	0.68	0.72	0.53	0.44
Middle Atlantic	0.95	0.95	0.48	0.44	0.34	0.33
Midwest	0.60	0.69	0.38	0.39	0.25	0.28
East North Central	0.72	0.82	0.46	0.49	0.30	0.35
West North Central	1.05	1.23	0.66	0.60	0.43	0.47
South	0.57	0.56	0.33	0.33	0.25	0.26
South Atlantic	0.80	0.81	0.46	0.48	0.37	0.40
East South Central	1.30	1.21	0.76	0.87	0.61	0.57
West South Central	0.97	0.94	0.63	0.52	0.36	0.43
West	0.83	0.82	0.45	0.48	0.31	0.32
Mountain	1.13	1.16	0.68	0.60	0.54	0.41
Pacific	1.09	1.06	0.58	0.65	0.37	0.43
COUNTY TYPE						
Large Metro	0.51	0.49	0.29	0.29	0.19	0.22
Small Metro	0.62	0.62	0.34	0.33	0.25	0.22
250K – 1 Mil. Pop.	0.77	0.81	0.43	0.41	0.32	0.28
< 250K Pop.	1.04	1.00	0.62	0.58	0.47	0.38
Nonmetro	0.74	0.70	0.40	0.43	0.30	0.32
Urbanized	1.27	1.15	0.60	0.70	0.42	0.51
Less Urbanized	0.96	1.00	0.60	0.59	0.47	0.42
Completely Rural	2.43	2.16	1.09	1.00	0.69	0.94

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.62P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.6626		0.4098		0.7214	
GEOGRAPHIC DIVISION						
Northeast	0.5483		0.4687		0.4678	
New England	0.7967		0.9763		0.5043	
Middle Atlantic	0.3951		0.4057		0.6413	
Midwest	0.2463		0.2892		0.4664	
East North Central	0.6273		0.3275		0.4294	
West North Central	0.1729		0.6811		0.9421	
South	0.7737		0.0438		0.8314	
South Atlantic	0.8570		0.1296		0.6990	
East South Central	0.8162		0.8292		0.8770	
West South Central	0.3537		0.1336		0.7421	
West	0.8290		0.7523		0.6306	
Mountain	0.1482		0.1193		0.0399	
Pacific	0.7028		0.3050		0.6274	
COUNTY TYPE						
Large Metro	0.2134		1.0000		0.2477	
Small Metro	0.7378		0.1531		0.0559	
250K – 1 Mil. Pop.	0.9549		0.0877		0.0233	
< 250K Pop.	0.5865		0.9761		0.9248	
Nonmetro	0.2709		0.7317		0.3368	
Urbanized	0.2115		0.9452		0.4537	
Less Urbanized	0.5081		0.6315		0.2795	
Completely Rural	0.5655		0.8278		0.6075	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.63C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	75	72	66	60	45	41
GEOGRAPHIC DIVISION						
Northeast	27	27	23	22	16	17
New England	15	12	12	10	8	7
Middle Atlantic	23	25	19	20	14	16
Midwest	31	31	27	24	18	17
East North Central	26	25	23	19	16	14
West North Central	17	17	14	15	8	11
South	48	44	42	36	28	25
South Atlantic	33	34	30	27	20	18
East South Central	19	15	16	12	11	9
West South Central	28	24	23	20	16	14
West	42	40	37	35	25	21
Mountain	21	20	17	17	12	9
Pacific	36	35	33	31	23	19
COUNTY TYPE						
Large Metro	63	63	52	52	35	34
Small Metro	49	47	40	36	24	23
250K – 1 Mil. Pop.	38	35	31	26	20	17
< 250K Pop.	30	31	25	25	14	16
Nonmetro	34	32	28	23	19	16
Urbanized	22	22	19	17	13	11
Less Urbanized	25	21	21	14	14	10
Completely Rural	9	12	6	8	3	5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.63D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.30	0.29	0.26	0.24	0.18	0.16
GEOGRAPHIC DIVISION						
Northeast	0.61	0.62	0.51	0.51	0.36	0.39
New England	1.31	1.05	1.06	0.90	0.69	0.62
Middle Atlantic	0.68	0.76	0.58	0.61	0.42	0.48
Midwest	0.55	0.56	0.48	0.44	0.33	0.31
East North Central	0.66	0.66	0.59	0.49	0.41	0.35
West North Central	0.99	1.01	0.82	0.90	0.50	0.67
South	0.52	0.48	0.46	0.39	0.30	0.28
South Atlantic	0.72	0.74	0.65	0.59	0.42	0.39
East South Central	1.31	1.01	1.11	0.79	0.74	0.58
West South Central	0.93	0.79	0.75	0.67	0.54	0.48
West	0.69	0.68	0.61	0.59	0.42	0.35
Mountain	1.15	1.09	0.96	0.94	0.64	0.51
Pacific	0.85	0.85	0.77	0.74	0.53	0.45
COUNTY TYPE						
Large Metro	0.39	0.41	0.34	0.35	0.24	0.24
Small Metro	0.60	0.55	0.51	0.45	0.32	0.29
250K – 1 Mil. Pop.	0.69	0.63	0.58	0.50	0.40	0.33
< 250K Pop.	1.11	1.02	0.94	0.87	0.55	0.59
Nonmetro	0.71	0.60	0.62	0.48	0.45	0.36
Urbanized	1.05	0.97	0.93	0.81	0.69	0.55
Less Urbanized	1.04	0.84	0.91	0.61	0.65	0.47
Completely Rural	2.12	2.39	1.43	1.70	0.75	1.43

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.63P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.2150		0.0119		0.0688	
GEOGRAPHIC DIVISION						
Northeast	0.8166		0.7930		0.4890	
New England	0.4258		0.6215		0.4581	
Middle Atlantic	0.8658		0.9823		0.7013	
Midwest	0.8465		0.0584		0.5295	
East North Central	0.8034		0.0324		0.1893	
West North Central	0.9718		0.9172		0.3613	
South	0.0169		0.0010		0.0431	
South Atlantic	0.9224		0.2732		0.3278	
East South Central	0.0058		0.0005		0.0945	
West South Central	0.0171		0.0323		0.2691	
West	0.4627		0.5195		0.8697	
Mountain	0.6095		0.4848		0.2954	
Pacific	0.5968		0.7523		0.7353	
COUNTY TYPE						
Large Metro	0.6739		0.8790		0.8156	
Small Metro	0.9511		0.0676		0.2300	
250K – 1 Mil. Pop.	0.8753		0.2093		0.3287	
< 250K Pop.	0.7283		0.1594		0.4634	
Nonmetro	0.0121		0.0001		0.0120	
Urbanized	0.2421		0.1031		0.1388	
Less Urbanized	0.0080		0.0000		0.0077	
Completely Rural	0.7868		0.6604		0.4119	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.64C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	157	157	124	127	92	96
GEOGRAPHIC DIVISION						
Northeast	68	63	55	52	38	42
New England	33	31	30	30	21	25
Middle Atlantic	59	55	46	42	31	34
Midwest	58	56	50	50	37	39
East North Central	45	44	41	41	30	31
West North Central	38	34	31	30	22	25
South	97	89	78	73	62	56
South Atlantic	72	68	60	55	44	40
East South Central	31	28	28	25	24	21
West South Central	56	54	42	45	35	33
West	85	95	66	76	51	53
Mountain	43	45	34	37	25	24
Pacific	72	84	57	67	45	46
COUNTY TYPE						
Large Metro	189	180	129	124	83	79
Small Metro	147	152	99	101	63	63
250K – 1 Mil. Pop.	119	115	80	76	47	50
< 250K Pop.	92	103	61	67	41	38
Nonmetro	99	104	67	67	42	42
Urbanized	67	84	48	52	29	32
Less Urbanized	75	61	46	43	29	26
Completely Rural	25	19	16	12	12	5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.64D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.48	0.48	0.38	0.38	0.28	0.29
GEOGRAPHIC DIVISION						
Northeast	1.15	1.05	0.93	0.86	0.65	0.70
New England	2.13	1.98	1.95	1.93	1.39	1.59
Middle Atlantic	1.35	1.24	1.04	0.95	0.72	0.76
Midwest	0.80	0.77	0.69	0.68	0.51	0.54
East North Central	0.90	0.88	0.81	0.81	0.61	0.61
West North Central	1.66	1.51	1.36	1.32	0.97	1.11
South	0.83	0.76	0.67	0.62	0.53	0.48
South Atlantic	1.21	1.14	1.01	0.92	0.74	0.67
East South Central	1.64	1.48	1.50	1.33	1.27	1.11
West South Central	1.44	1.38	1.08	1.16	0.90	0.85
West	1.08	1.20	0.84	0.96	0.65	0.66
Mountain	1.84	1.89	1.43	1.57	1.07	1.02
Pacific	1.32	1.52	1.05	1.20	0.82	0.84
COUNTY TYPE						
Large Metro	0.70	0.66	0.55	0.55	0.41	0.41
Small Metro	0.82	0.87	0.70	0.67	0.52	0.49
250K – 1 Mil. Pop.	1.03	1.01	0.85	0.81	0.59	0.61
< 250K Pop.	1.31	1.61	1.19	1.22	1.00	0.84
Nonmetro	1.00	1.05	0.81	0.88	0.65	0.68
Urbanized	1.57	1.58	1.29	1.30	1.05	1.01
Less Urbanized	1.46	1.53	1.14	1.29	0.91	0.95
Completely Rural	3.02	2.94	2.71	2.52	2.50	1.36

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.64P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.3755		0.2304		0.2973	
GEOGRAPHIC DIVISION						
Northeast	0.4253		0.7593		0.5549	
New England	0.9806		0.2616		0.6834	
Middle Atlantic	0.3564		0.6339		0.2806	
Midwest	0.7841		0.7963		0.7848	
East North Central	0.3226		0.5826		0.3809	
West North Central	0.4032		0.2333		0.4871	
South	0.0582		0.8253		0.6693	
South Atlantic	0.0076		0.1110		0.3765	
East South Central	0.7490		0.5186		0.9489	
West South Central	0.9287		0.1893		0.7274	
West	0.9763		0.0721		0.1142	
Mountain	0.9349		0.3624		0.2998	
Pacific	0.9409		0.1195		0.2157	
COUNTY TYPE						
Large Metro	0.3791		0.4125		0.3718	
Small Metro	0.6823		0.9282		0.6470	
250K – 1 Mil. Pop.	0.9188		0.7212		0.9533	
< 250K Pop.	0.6282		0.5736		0.5093	
Nonmetro	0.3293		0.1163		0.0856	
Urbanized	0.3870		0.0230		0.0430	
Less Urbanized	0.6302		0.9104		0.9119	
Completely Rural	0.7490		0.5171		0.1319	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.65C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	837	830	448	465	312	352
GEOGRAPHIC DIVISION						
Northeast	365	360	170	165	126	114
New England	197	183	75	83	55	47
Middle Atlantic	305	312	151	142	113	104
Midwest	315	371	192	201	128	146
East North Central	269	304	164	181	110	128
West North Central	169	200	96	90	66	74
South	488	505	276	284	207	231
South Atlantic	366	391	198	220	164	189
East South Central	188	177	107	125	85	80
West South Central	263	257	163	136	92	114
West	462	445	243	261	163	176
Mountain	189	197	111	96	90	66
Pacific	421	398	217	243	137	163
COUNTY TYPE						
Large Metro	897	901	379	398	242	291
Small Metro	658	658	256	240	187	163
250K – 1 Mil. Pop.	534	575	227	203	169	138
< 250K Pop.	419	395	145	138	108	95
Nonmetro	469	455	152	186	116	129
Urbanized	338	327	83	130	60	86
Less Urbanized	330	308	117	120	95	81
Completely Rural	171	156	54	43	32	39

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.65D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.44	0.43	0.24	0.24	0.16	0.18
GEOGRAPHIC DIVISION						
Northeast	1.03	1.01	0.48	0.46	0.36	0.32
New England	2.11	1.95	0.80	0.89	0.59	0.50
Middle Atlantic	1.17	1.18	0.58	0.54	0.43	0.39
Midwest	0.75	0.88	0.46	0.48	0.31	0.35
East North Central	0.92	1.03	0.56	0.61	0.37	0.43
West North Central	1.34	1.58	0.76	0.71	0.52	0.59
South	0.71	0.72	0.40	0.41	0.30	0.33
South Atlantic	0.99	1.04	0.53	0.59	0.44	0.50
East South Central	1.65	1.54	0.94	1.08	0.74	0.69
West South Central	1.27	1.21	0.79	0.64	0.45	0.54
West	1.07	1.01	0.56	0.60	0.38	0.40
Mountain	1.44	1.47	0.85	0.72	0.69	0.49
Pacific	1.39	1.31	0.72	0.80	0.45	0.53
COUNTY TYPE						
Large Metro	0.64	0.61	0.35	0.36	0.23	0.28
Small Metro	0.79	0.78	0.42	0.39	0.31	0.27
250K – 1 Mil. Pop.	0.97	1.03	0.54	0.50	0.42	0.35
< 250K Pop.	1.31	1.25	0.72	0.65	0.56	0.46
Nonmetro	0.91	0.89	0.46	0.54	0.36	0.39
Urbanized	1.58	1.49	0.66	0.90	0.48	0.63
Less Urbanized	1.18	1.27	0.71	0.71	0.59	0.50
Completely Rural	2.91	2.65	1.33	1.17	0.82	1.10

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.65P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.5523		0.8216		0.8794	
GEOGRAPHIC DIVISION						
Northeast	0.6540		0.5006		0.3555	
New England	0.8145		0.6661		0.6000	
Middle Atlantic	0.5020		0.2954		0.4378	
Midwest	0.2336		0.1780		0.3444	
East North Central	0.5310		0.1488		0.2247	
West North Central	0.2360		0.9023		0.8052	
South	0.8456		0.1069		0.8975	
South Atlantic	0.5711		0.2889		0.9227	
East South Central	0.6831		0.9685		0.9509	
West South Central	0.4834		0.1140		0.6847	
West	0.7377		0.4773		1.0000	
Mountain	0.1095		0.1374		0.0928	
Pacific	0.7452		0.1586		0.3818	
COUNTY TYPE						
Large Metro	0.1833		0.9215		0.1568	
Small Metro	0.6789		0.2825		0.0663	
250K – 1 Mil. Pop.	0.9053		0.1743		0.0340	
< 250K Pop.	0.5512		0.8824		0.9534	
Nonmetro	0.5072		0.5117		0.8607	
Urbanized	0.3306		0.4104		0.9808	
Less Urbanized	0.7637		0.8181		0.5250	
Completely Rural	0.5642		0.8230		0.4660	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.66C (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	861	847	477	488	331	363
GEOGRAPHIC DIVISION						
Northeast	376	369	180	174	131	124
New England	197	187	79	87	62	53
Middle Atlantic	318	320	160	150	116	113
Midwest	322	374	211	210	138	151
East North Central	274	306	177	187	117	133
West North Central	170	205	108	98	70	77
South	501	508	291	299	218	239
South Atlantic	378	393	213	230	173	192
East South Central	192	181	112	131	90	85
West South Central	265	262	170	147	98	121
West	467	466	252	272	171	185
Mountain	187	202	116	105	92	71
Pacific	427	420	224	253	144	170
COUNTY TYPE						
Large Metro	926	947	404	423	260	304
Small Metro	690	698	275	268	200	174
250K – 1 Mil. Pop.	564	612	241	221	177	148
< 250K Pop.	442	415	163	158	121	102
Nonmetro	500	488	172	203	125	140
Urbanized	369	357	104	145	69	96
Less Urbanized	353	331	129	136	101	91
Completely Rural	182	168	58	47	36	40

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.66D (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.39	0.38	0.21	0.22	0.15	0.16
GEOGRAPHIC DIVISION						
Northeast	0.91	0.88	0.44	0.42	0.32	0.30
New England	1.82	1.71	0.73	0.80	0.57	0.48
Middle Atlantic	1.04	1.04	0.52	0.49	0.38	0.37
Midwest	0.65	0.76	0.43	0.42	0.28	0.31
East North Central	0.80	0.89	0.52	0.54	0.34	0.39
West North Central	1.14	1.37	0.73	0.66	0.47	0.52
South	0.62	0.62	0.36	0.36	0.27	0.29
South Atlantic	0.88	0.90	0.50	0.53	0.40	0.44
East South Central	1.45	1.35	0.85	0.98	0.68	0.63
West South Central	1.07	1.04	0.69	0.58	0.40	0.48
West	0.91	0.90	0.49	0.53	0.33	0.36
Mountain	1.21	1.28	0.75	0.67	0.60	0.45
Pacific	1.19	1.16	0.63	0.70	0.40	0.47
COUNTY TYPE						
Large Metro	0.56	0.54	0.31	0.32	0.21	0.24
Small Metro	0.68	0.68	0.38	0.36	0.28	0.24
250K – 1 Mil. Pop.	0.83	0.90	0.48	0.45	0.36	0.32
< 250K Pop.	1.15	1.09	0.68	0.62	0.52	0.41
Nonmetro	0.80	0.77	0.43	0.48	0.32	0.36
Urbanized	1.37	1.27	0.65	0.79	0.45	0.58
Less Urbanized	1.06	1.11	0.65	0.65	0.52	0.47
Completely Rural	2.65	2.39	1.20	1.10	0.77	1.01

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.66P (REVISED) Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.6663		0.5902		0.8725	
GEOGRAPHIC DIVISION						
Northeast	0.5659		0.4842		0.5112	
New England	0.8209		0.9765		0.5514	
Middle Atlantic	0.4167		0.4025		0.6686	
Midwest	0.2612		0.2015		0.4262	
East North Central	0.6458		0.2261		0.3515	
West North Central	0.1840		0.6675		0.9629	
South	0.8932		0.1046		0.9974	
South Atlantic	0.9037		0.1602		0.7683	
East South Central	0.6525		0.8701		0.9766	
West South Central	0.4653		0.2219		0.6313	
West	0.7392		0.8130		0.6324	
Mountain	0.1140		0.0917		0.0499	
Pacific	0.7634		0.3161		0.6542	
COUNTY TYPE						
Large Metro	0.2416		0.9967		0.2387	
Small Metro	0.7086		0.2310		0.0767	
250K – 1 Mil. Pop.	0.8965		0.1159		0.0310	
< 250K Pop.	0.6174		0.8523		0.8453	
Nonmetro	0.3823		0.8875		0.5061	
Urbanized	0.2588		0.8814		0.5726	
Less Urbanized	0.6694		0.9313		0.4614	
Completely Rural	0.5802		0.7804		0.6833	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.