

**Table 2.17A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:**  
**Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	172,366	173,927	84,836	84,370	70,939	70,868
<b>AGE</b>						
12-17	7,012	6,765	4,992 <sup>a</sup>	4,701	3,128 <sup>b</sup>	2,844
18-25	23,006	23,107	17,133	17,198	13,694	13,629
26 or Older	142,347	144,055	62,711	62,471	54,118	54,395
<b>GENDER</b>						
Male	92,802	93,394	50,742	49,891	42,369	41,881
Female	79,564	80,533	34,094	34,479	28,570	28,986
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	153,544	154,164	74,883	74,874	63,168	63,393
White	128,856	129,125	61,685	61,245	51,971	51,554
Black or African American	16,983	17,281	9,117	9,613	7,836	8,457
American Indian or Alaska Native	944	851	607	598	530	527
Native Hawaiian or Other Pacific Islander	490	*	*	*	*	*
Asian	4,384	4,177	2,136	1,899	1,633	1,503
Two or More Races	1,888	2,272	1,083	1,253	964	1,124
Hispanic or Latino	18,822	19,763	9,953	9,496	7,772	7,475

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.17B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	69.5	69.6	34.2	33.8	28.6	28.4
<b>AGE</b>						
12-17	27.8	27.2	19.8	18.9	12.4 <sup>a</sup>	11.4
18-25	70.3	70.2	52.3	52.2	41.8	41.4
26 or Older	75.0	75.0	33.0	32.5	28.5	28.3
<b>GENDER</b>						
Male	77.2	77.0	42.2	41.1	35.2	34.5
Female	62.4	62.6	26.7	26.8	22.4	22.5
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	71.9	71.8	35.1	34.9	29.6	29.5
White	76.2	76.2	36.5	36.1	30.7	30.4
Black or African American	58.1	58.5	31.2	32.5	26.8	28.6
American Indian or Alaska Native	74.5	78.5	47.9	55.2	41.8	48.7
Native Hawaiian or Other Pacific Islander	69.1	*	*	*	*	*
Asian	41.4	38.8	20.2	17.6	15.4	13.9
Two or More Races	69.0	75.4	39.6	41.6	35.2	37.3
Hispanic or Latino	55.0	56.4	29.1	27.1	22.7	21.3

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.18A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	7,012	6,765	4,992 <sup>a</sup>	4,701	3,128 <sup>b</sup>	2,844
<b>GENDER</b>						
Male	3,932 <sup>b</sup>	3,655	2,882 <sup>b</sup>	2,603	1,816 <sup>b</sup>	1,598
Female	3,081	3,109	2,110	2,099	1,312	1,246
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	5,894 <sup>a</sup>	5,573	4,249 <sup>b</sup>	3,919	2,737 <sup>b</sup>	2,399
White	4,748 <sup>b</sup>	4,385	3,578 <sup>b</sup>	3,209	2,328 <sup>b</sup>	1,990
Black or African American	818	829	477	474	289	255
American Indian or Alaska Native	54	67	39	54	28	30
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	151	116	80	63	44	43
Two or More Races	106 <sup>a</sup>	149	64 <sup>b</sup>	106	41 <sup>a</sup>	71
Hispanic or Latino	1,118	1,192	743	782	391	445
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	2,661 <sup>b</sup>	2,371	2,054 <sup>b</sup>	1,769	1,321 <sup>b</sup>	1,123
Female, White, Not Hispanic	2,087	2,013	1,524	1,439	1,008 <sup>a</sup>	867
Male, Black, Not Hispanic	424	439	264	271	169	141
Female, Black, Not Hispanic	394	391	214	203	121	113
Male, Hispanic	661	658	443	448	246	270
Female, Hispanic	457	533	301	334	144	175

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.18B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	27.8	27.2	19.8	18.9	12.4 <sup>a</sup>	11.4
<b>GENDER</b>						
Male	30.5 <sup>a</sup>	28.8	22.4 <sup>b</sup>	20.5	14.1 <sup>b</sup>	12.6
Female	24.9	25.5	17.1	17.2	10.6	10.2
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	28.6	27.6	20.7 <sup>a</sup>	19.4	13.3 <sup>b</sup>	11.9
White	31.5 <sup>a</sup>	29.9	23.8 <sup>b</sup>	21.8	15.5 <sup>b</sup>	13.5
Black or African American	21.3	21.9	12.4	12.5	7.5	6.7
American Indian or Alaska Native	32.5 <sup>a</sup>	48.9	23.3 <sup>b</sup>	39.4	16.7	22.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	14.8	12.0	7.9	6.5	4.3	4.4
Two or More Races	25.4	29.6	15.4 <sup>a</sup>	21.1	9.9	14.2
Hispanic or Latino	24.0	25.2	15.9	16.6	8.4	9.4
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	34.5 <sup>b</sup>	31.5	26.6 <sup>b</sup>	23.5	17.1 <sup>b</sup>	14.9
Female, White, Not Hispanic	28.4	28.1	20.8	20.1	13.7 <sup>a</sup>	12.1
Male, Black, Not Hispanic	21.8	23.1	13.6	14.2	8.7	7.4
Female, Black, Not Hispanic	20.7	20.8	11.2	10.8	6.3	6.0
Male, Hispanic	27.8	27.3	18.6	18.6	10.3	11.2
Female, Hispanic	20.0	23.1	13.2	14.5	6.3	7.6

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.19A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	23,006	23,107	17,133	17,198	13,694	13,629
<b>GENDER</b>						
Male	12,543	12,482	9,970	9,963	8,238	8,093
Female	10,463	10,625	7,163	7,235	5,456	5,536
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	19,357	19,295	14,638	14,608	11,800	11,707
White	15,462	15,541	11,951	11,981	9,620	9,639
Black or African American	2,527	2,487	1,720	1,760	1,421	1,428
American Indian or Alaska Native	148	147	119	116	108	91
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	802	717	532	443	392	298
Two or More Races	331	316	257	240	210	192
Hispanic or Latino	3,649	3,812	2,494	2,590	1,894	1,922
<b>EDUCATION</b>						
< High School	4,331	4,151	3,594	3,417	3,134	2,923
High School Graduate	7,809	8,103	6,027	6,318	5,028	5,186
Some College	7,742	7,584	5,534	5,420	4,222	4,140
College Graduate	3,124	3,269	1,978	2,044	1,311	1,378
<b>CURRENT EMPLOYMENT</b>						
Full-Time	11,543	11,284	8,545	8,245	7,028	6,706
Part-Time	5,616	5,700	4,131	4,212	3,129	3,131
Unemployed	1,927 <sup>b</sup>	2,234	1,594 <sup>b</sup>	1,857	1,381 <sup>a</sup>	1,601
Other <sup>1</sup>	3,921	3,889	2,862	2,884	2,156	2,191

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.19B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	70.3	70.2	52.3	52.2	41.8	41.4
<b>GENDER</b>						
Male	76.1	75.3	60.5	60.1	50.0	48.8
Female	64.4	64.9	44.1	44.2	33.6	33.8
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	71.8	71.1	54.3	53.8	43.8	43.1
White	76.4	76.5	59.1	59.0	47.5	47.5
Black or African American	55.9	53.5	38.1	37.9	31.4	30.7
American Indian or Alaska Native	87.7	85.4	70.8	67.5	64.3	52.8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	55.5	48.0	36.8 <sup>a</sup>	29.6	27.1 <sup>a</sup>	20.0
Two or More Races	75.0	76.8	58.1	58.5	47.5	46.7
Hispanic or Latino	63.0	65.8	43.1	44.7	32.7	33.2
<b>EDUCATION</b>						
< High School	69.7	70.5	57.8	58.1	50.4	49.7
High School Graduate	70.1	69.7	54.1	54.4	45.1	44.6
Some College	70.6	69.9	50.5	49.9	38.5	38.2
College Graduate	70.7	71.4	44.8	44.6	29.7	30.1
<b>CURRENT EMPLOYMENT</b>						
Full-Time	75.3	75.3	55.7	55.0	45.8	44.8
Part-Time	66.7	66.6	49.0	49.2	37.1	36.6
Unemployed	73.8	73.1	61.0	60.7	52.9	52.3
Other <sup>1</sup>	61.6	61.3	45.0	45.4	33.9	34.5

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.20A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:**  
**Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	142,347	144,055	62,711	62,471	54,118	54,395
<b>GENDER</b>						
Male	76,327	77,256	37,890	37,326	32,315	32,191
Female	66,020	66,799	24,821	25,145	21,802	22,205
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	128,293	129,296	55,996	56,347	48,631	49,287
White	108,646	109,199	46,156	46,056	40,023	39,926
Black or African American	13,638	13,965	6,920	7,379	6,125	6,775
American Indian or Alaska Native	743	637	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3,431	3,344	1,524	1,393	1,197	1,161
Two or More Races	1,450	1,807	762	906	713	861
Hispanic or Latino	14,054	14,760	6,715	6,124	5,487	5,108
<b>EDUCATION</b>						
< High School	20,366	19,865	11,140	11,192	10,086	10,434
High School Graduate	43,019	44,330	21,878	21,816	19,964	19,591
Some College	36,558	36,365	16,129	15,962	13,845	13,926
College Graduate	42,404	43,495	13,564	13,501	10,223	10,444
<b>CURRENT EMPLOYMENT</b>						
Full-Time	82,406	83,580	39,684	39,389	33,571	33,807
Part-Time	15,770	16,198	5,874	5,949	5,015	5,122
Unemployed	3,399 <sup>b</sup>	4,475	2,373 <sup>a</sup>	2,881	2,172 <sup>a</sup>	2,668
Other <sup>1</sup>	40,771	39,802	14,780	14,252	13,360	12,798

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.20B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	75.0	75.0	33.0	32.5	28.5	28.3
<b>GENDER</b>						
Male	84.0	84.0	41.7	40.6	35.6	35.0
Female	66.7	66.8	25.1	25.1	22.0	22.2
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	77.2	77.2	33.7	33.7	29.3	29.4
White	81.2	81.2	34.5	34.3	29.9	29.7
Black or African American	65.4	66.1	33.2	34.9	29.4	32.1
American Indian or Alaska Native	79.6	82.2	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	42.2	40.2	18.7	16.8	14.7	14.0
Two or More Races	77.3	86.1	40.6	43.2	38.0	41.0
Hispanic or Latino	59.1	60.1	28.2 <sup>a</sup>	25.0	23.1	20.8
<b>EDUCATION</b>						
< High School	67.6	68.1	37.0	38.4	33.5	35.8
High School Graduate	75.5	75.7	38.4	37.3	35.0	33.5
Some College	78.6	78.4	34.7	34.4	29.8	30.0
College Graduate	75.4	75.1	24.1	23.3	18.2	18.0
<b>CURRENT EMPLOYMENT</b>						
Full-Time	77.6	77.9	37.4	36.7	31.6	31.5
Part-Time	74.8	74.7	27.9	27.5	23.8	23.6
Unemployed	75.7	75.5	52.9	48.6	48.4	45.0
Other <sup>1</sup>	70.1	69.7	25.4	24.9	23.0	22.4

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 2.21A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:**  
**Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	165,353	167,162	79,844	79,669	67,812	68,024
<b>GENDER</b>						
Male	88,870	89,739	47,859	47,289	40,553	40,283
Female	76,484	77,424	31,985	32,380	27,258	27,740
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	147,650	148,591	70,634	70,956	60,431	60,994
White	124,108	124,740	58,107	58,037	49,642	49,564
Black or African American	16,165	16,452	8,640	9,139	7,546	8,202
American Indian or Alaska Native	890	784	569	544	502	497
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4,233	4,061	2,056	1,836	1,589	1,460
Two or More Races	1,782	2,123	1,018	1,147	922	1,053
Hispanic or Latino	17,703	18,572	9,210	8,714	7,381	7,030
<b>EDUCATION</b>						
< High School	24,696	24,016	14,734	14,609	13,219	13,357
High School Graduate	50,829	52,434	27,905	28,134	24,992	24,778
Some College	44,300	43,949	21,662	21,382	18,067	18,066
College Graduate	45,528	46,764	15,542	15,544	11,534	11,822
<b>CURRENT EMPLOYMENT</b>						
Full-Time	93,948	94,864	48,230	47,634	40,599	40,513
Part-Time	21,386	21,898	10,004	10,162	8,144	8,252
Unemployed	5,326 <sup>b</sup>	6,709	3,967 <sup>b</sup>	4,737	3,553 <sup>b</sup>	4,269
Other <sup>1</sup>	44,693	43,692	17,643	17,136	15,516	14,989

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.21B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	74.3	74.3	35.9	35.4	30.5	30.2
<b>GENDER</b>						
Male	82.8	82.7	44.6	43.6	37.8	37.1
Female	66.4	66.5	27.8	27.8	23.7	23.8
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	76.5	76.4	36.6	36.5	31.3	31.3
White	80.6	80.6	37.7	37.5	32.2	32.0
Black or African American	63.7	63.8	34.0	35.5	29.7	31.8
American Indian or Alaska Native	80.8	82.8	51.6	57.5	45.6	52.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	44.2	41.4	21.5	18.7	16.6	14.9
Two or More Races	76.9	84.6	43.9	45.7	39.8	41.9
Hispanic or Latino	59.8	61.2	31.1	28.7	24.9	23.2
<b>EDUCATION</b>						
< High School	68.0	68.5	40.6	41.7	36.4	38.1
High School Graduate	74.6	74.7	40.9	40.1	36.7	35.3
Some College	77.1	76.8	37.7	37.4	31.4	31.6
College Graduate	75.1	74.8	25.6	24.9	19.0	18.9
<b>CURRENT EMPLOYMENT</b>						
Full-Time	77.3	77.6	39.7	39.0	33.4	33.1
Part-Time	72.5	72.4	33.9	33.6	27.6	27.3
Unemployed	75.0	74.7	55.9	52.7	50.0	47.5
Other <sup>1</sup>	69.3	68.8	27.3	27.0	24.0	23.6

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.