

**Table 2.11C Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008**

Age Category	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
<b>TOTAL</b>	855	856	878	919	844	866
12	23	22	14	15	10	12
13	32	31	23	25	16	17
14	43	41	36	31	27	21
15	51	51	42	41	31	30
16	61	55	53	46	40	34
17	64	64	56	55	48	45
18	94	95	82	85	71	71
19	97	98	84	85	64	66
20	105	90	87	77	74	66
21	100	95	85	80	77	69
22	91	94	80	77	70	69
23	90	104	74	81	65	67
24	94	90	80	70	71	62
25	85	89	71	73	64	67
26-29	366	397	279	304	253	270
30-34	367	381	274	275	250	244
35-39	439	450	298	283	275	267
40-44	434	466	304	307	265	287
45-49	457	465	321	305	299	292
50-54	656	634	410	449	390	422
55-59	579	584	341	336	316	309
60-64	493	547	282	288	263	272
65 or Older	440	460	325	336	308	328

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.11D Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008**

<b>Age Category</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.34	0.34	0.35	0.37	0.34	0.35
12	0.55	0.54	0.35	0.39	0.24	0.30
13	0.72	0.74	0.55	0.59	0.39	0.41
14	0.93	0.87	0.80	0.70	0.62	0.50
15	0.96	0.97	0.84	0.85	0.66	0.66
16	1.08	1.04	1.03	0.93	0.80	0.74
17	1.09	1.12	1.09	1.03	1.03	0.92
18	1.14	1.13	1.15	1.15	1.13	1.12
19	1.30	1.28	1.32	1.28	1.21	1.18
20	1.17	1.23	1.36	1.27	1.34	1.22
21	1.23	1.21	1.33	1.28	1.34	1.26
22	1.24	1.18	1.30	1.28	1.29	1.28
23	1.10	1.27	1.25	1.28	1.24	1.26
24	1.21	1.07	1.33	1.26	1.33	1.25
25	1.14	1.15	1.30	1.36	1.31	1.37
26-29	1.04	1.07	1.21	1.27	1.21	1.19
30-34	1.00	1.03	1.08	1.14	1.09	1.08
35-39	1.03	1.08	1.10	1.12	1.06	1.07
40-44	1.04	1.09	1.14	1.16	1.05	1.12
45-49	0.91	0.93	1.08	1.09	1.06	1.08
50-54	1.38	1.46	1.51	1.71	1.47	1.68
55-59	1.56	1.41	1.56	1.61	1.48	1.53
60-64	1.58	1.67	1.80	1.66	1.70	1.60
65 or Older	1.21	1.23	0.90	0.90	0.85	0.88

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.11P Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Age Category	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
<b>TOTAL</b>	0.8742		0.3591		0.5856	
12	0.6935		0.6953		0.5074	
13	0.4300		0.9861		0.9319	
14	0.9620		0.3541		0.1502	
15	0.5483		0.4963		0.2659	
16	0.0851		0.0769		0.1351	
17	0.3347		0.1063		0.0126	
18	0.3782		0.1617		0.7128	
19	0.7149		0.4960		0.6669	
20	0.4728		0.9365		0.2592	
21	0.4232		0.5019		0.6450	
22	0.4377		0.0740		0.1071	
23	0.2157		0.1464		0.0812	
24	0.7261		0.1307		0.0567	
25	0.8279		0.2737		0.1419	
26-29	0.4693		0.3145		0.6372	
30-34	0.7425		0.2579		0.3502	
35-39	0.3406		0.0731		0.1979	
40-44	0.6361		0.8485		0.5985	
45-49	0.5245		0.4000		0.8867	
50-54	0.8190		0.7573		0.7753	
55-59	0.2099		0.8671		0.7473	
60-64	0.4011		0.8736		0.9001	
65 or Older	0.6410		0.7240		0.5624	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.12C Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008**

Age Category	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
<b>TOTAL</b>	879	870	848	857	808	806
12	20	18	13	13	8	10
13	29	28	20	22	15	16
14	38	34	29	26	22	18
15	48	48	38	37	28	27
16	57	52	46	41	35	31
17	57	61	49	49	43	40
18	89	86	75	75	63	62
19	92	91	78	76	60	61
20	97	85	78	70	68	61
21	93	87	76	73	68	65
22	87	89	75	73	65	64
23	87	99	71	72	64	60
24	92	85	72	64	66	58
25	80	86	63	68	58	62
26-29	351	381	255	283	236	256
30-34	350	361	246	251	234	228
35-39	416	434	272	256	252	245
40-44	420	443	266	275	236	261
45-49	443	455	288	271	274	260
50-54	648	611	377	400	357	379
55-59	570	570	320	289	299	280
60-64	483	543	255	260	246	243
65 or Older	439	474	289	306	255	295

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.12D Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008**

<b>Age Category</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.35	0.35	0.34	0.34	0.33	0.32
12	0.49	0.46	0.31	0.32	0.19	0.25
13	0.66	0.67	0.48	0.55	0.35	0.39
14	0.84	0.75	0.67	0.60	0.51	0.43
15	0.93	0.94	0.77	0.76	0.60	0.60
16	1.04	1.00	0.91	0.86	0.73	0.67
17	1.06	1.11	1.00	0.97	0.93	0.85
18	1.19	1.16	1.18	1.14	1.09	1.07
19	1.32	1.32	1.32	1.21	1.16	1.14
20	1.26	1.33	1.35	1.27	1.29	1.19
21	1.25	1.33	1.30	1.30	1.26	1.22
22	1.28	1.23	1.32	1.27	1.30	1.23
23	1.15	1.31	1.27	1.24	1.25	1.21
24	1.26	1.14	1.28	1.28	1.30	1.24
25	1.16	1.20	1.25	1.33	1.22	1.29
26-29	1.08	1.10	1.21	1.25	1.17	1.19
30-34	1.08	1.04	1.06	1.11	1.07	1.05
35-39	1.08	1.14	1.05	1.07	0.99	1.03
40-44	1.09	1.12	1.04	1.10	0.95	1.06
45-49	0.97	0.99	1.04	1.03	1.01	1.01
50-54	1.41	1.57	1.46	1.59	1.40	1.54
55-59	1.60	1.49	1.50	1.45	1.43	1.41
60-64	1.64	1.74	1.67	1.56	1.62	1.48
65 or Older	1.21	1.27	0.80	0.82	0.70	0.79

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.12P Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Age Category	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
<b>TOTAL</b>	0.6571		0.3225		0.4816	
12	0.7900		0.5844		0.2953	
13	0.5639		0.5723		0.6441	
14	0.5806		0.1775		0.1578	
15	0.3188		0.7097		0.4770	
16	0.0645		0.1559		0.1683	
17	0.5937		0.0916		0.0139	
18	0.2957		0.0705		0.7330	
19	0.8569		0.7788		0.5118	
20	0.2992		0.9606		0.4921	
21	0.7394		0.3945		0.4183	
22	0.4924		0.1950		0.1255	
23	0.1496		0.0586		0.0304	
24	0.3110		0.0512		0.0486	
25	0.9384		0.1671		0.3037	
26-29	0.2054		0.0992		0.4042	
30-34	0.9092		0.6874		0.4737	
35-39	0.3040		0.0324		0.1176	
40-44	0.4564		0.9547		0.5741	
45-49	0.4180		0.3904		0.5311	
50-54	0.2252		0.8278		0.8648	
55-59	0.3497		0.2751		0.4688	
60-64	0.3012		0.9769		0.6913	
65 or Older	0.9091		0.6789		0.2287	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.13C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Age Category</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	703	705	312	345	281	310
12	10	9	7	6	4	3
13	14	14	11	11	7	6
14	21	21	19	17	15	9
15	25	24	21	20	14	14
16	35	28	30	23	20	15
17	34	32	28	26	19	18
18	42	47	33	38	24	28
19	45	47	37	33	26	24
20	53	45	39	32	29	22
21	46	48	30	26	21	19
22	45	44	28	25	19	20
23	44	52	26	28	19	23
24	50	44	26	25	20	21
25	41	43	24	27	18	19
26-29	186	194	96	103	82	87
30-34	196	181	90	102	80	93
35-39	235	231	115	103	108	94
40-44	229	234	107	108	92	98
45-49	215	234	80	95	78	90
50-54	297	287	89	149	88	135
55-59	233	251	46	80	46	78
60-64	197	216	62	66	53	66
65 or Older	346	338	142	116	142	113

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.13D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008**

Age Category	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
<b>TOTAL</b>	0.28	0.28	0.13	0.14	0.11	0.12
12	0.26	0.24	0.16	0.15	0.10	0.09
13	0.34	0.34	0.27	0.27	0.16	0.15
14	0.50	0.49	0.45	0.40	0.36	0.21
15	0.54	0.55	0.47	0.47	0.31	0.32
16	0.76	0.62	0.64	0.52	0.44	0.34
17	0.76	0.69	0.65	0.58	0.46	0.41
18	0.78	0.86	0.65	0.72	0.49	0.55
19	0.92	0.95	0.77	0.71	0.58	0.52
20	1.07	1.01	0.85	0.75	0.67	0.55
21	0.99	1.01	0.69	0.61	0.51	0.45
22	1.04	1.00	0.70	0.60	0.50	0.50
23	1.00	1.04	0.65	0.66	0.47	0.54
24	1.08	1.01	0.62	0.65	0.50	0.53
25	1.00	1.01	0.63	0.67	0.46	0.50
26-29	0.99	0.98	0.57	0.58	0.49	0.50
30-34	0.89	0.85	0.45	0.53	0.41	0.48
35-39	0.94	0.98	0.53	0.49	0.50	0.45
40-44	0.92	0.96	0.49	0.49	0.43	0.45
45-49	0.84	0.89	0.34	0.41	0.34	0.39
50-54	1.26	1.26	0.41	0.67	0.40	0.61
55-59	1.19	1.29	0.25	0.45	0.25	0.44
60-64	1.37	1.28	0.46	0.43	0.39	0.43
65 or Older	0.95	0.91	0.39	0.31	0.39	0.30

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 2.13P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Age Category	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
<b>TOTAL</b>	0.6518		0.1590		0.1817	
12	0.7083		0.6155		0.9020	
13	0.5888		0.9586		0.9322	
14	0.4681		0.8886		0.1379	
15	0.7351		0.6109		0.8619	
16	0.2592		0.5760		0.2079	
17	0.0056		0.0262		0.4627	
18	0.2564		0.6729		0.7892	
19	0.5062		0.2313		0.3863	
20	0.6580		0.5935		0.7652	
21	0.6851		0.6839		0.9308	
22	0.4040		0.3265		0.9096	
23	0.2130		0.3308		0.4468	
24	0.3216		0.2664		0.3539	
25	0.5434		0.2803		0.5004	
26-29	0.4923		0.9486		0.9172	
30-34	0.4161		0.1707		0.1906	
35-39	0.5502		0.4184		0.3380	
40-44	0.7238		0.6464		0.4209	
45-49	0.0092		0.2792		0.2998	
50-54	0.9645		0.0668		0.2115	
55-59	0.1928		0.0325		0.0480	
60-64	0.4547		0.8583		0.6222	
65 or Older	0.2228		0.9264		0.8319	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.14C Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Age Category</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	872	850	484	492	337	364
12	9	11	8	8	5	5
13	19	17	15	14	9	8
14	26	26	22	19	13	12
15	34	33	29	28	19	18
16	41	37	35	32	22	20
17	47	49	38	38	28	27
18	69	73	60	62	43	43
19	72	68	57	56	41	37
20	81	69	61	52	43	36
21	78	72	57	48	42	32
22	67	67	48	48	34	33
23	70	78	48	49	28	32
24	75	68	46	42	31	30
25	64	68	43	42	27	31
26-29	282	305	154	180	105	120
30-34	268	283	157	147	105	112
35-39	299	302	153	142	109	108
40-44	289	327	149	161	99	124
45-49	314	338	168	157	116	117
50-54	435	424	213	214	146	165
55-59	386	403	132	176	108	105
60-64	328	373	133	140	74	102
65 or Older	400	404	122	127	109	87

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.14D Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008**

<b>Age Category</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.35	0.34	0.20	0.20	0.14	0.15
12	0.23	0.29	0.20	0.21	0.13	0.12
13	0.44	0.44	0.36	0.35	0.22	0.21
14	0.61	0.59	0.51	0.44	0.31	0.28
15	0.71	0.71	0.62	0.60	0.43	0.41
16	0.81	0.81	0.72	0.69	0.48	0.46
17	0.95	0.96	0.82	0.79	0.63	0.58
18	1.09	1.13	1.00	1.02	0.81	0.79
19	1.23	1.16	1.09	1.07	0.86	0.80
20	1.30	1.27	1.18	1.11	0.95	0.85
21	1.27	1.27	1.12	0.99	0.90	0.75
22	1.28	1.26	1.07	1.05	0.82	0.77
23	1.28	1.33	1.09	1.02	0.67	0.72
24	1.33	1.25	1.04	0.99	0.75	0.73
25	1.25	1.27	1.02	1.01	0.70	0.78
26-29	1.18	1.27	0.82	0.93	0.61	0.66
30-34	1.05	1.13	0.76	0.74	0.53	0.58
35-39	1.05	1.03	0.68	0.66	0.50	0.52
40-44	1.04	1.20	0.65	0.72	0.46	0.57
45-49	1.04	1.09	0.70	0.65	0.50	0.51
50-54	1.51	1.57	0.95	0.94	0.66	0.73
55-59	1.71	1.70	0.70	0.94	0.58	0.58
60-64	1.90	1.79	0.97	0.89	0.55	0.66
65 or Older	1.10	1.08	0.34	0.34	0.30	0.23

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.14P Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Age Category	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
<b>TOTAL</b>	0.8241		0.3316		0.6303	
12	0.3940		0.5398		0.5843	
13	0.6844		0.5736		0.8197	
14	0.6631		0.5893		0.8542	
15	0.4642		0.1184		0.4470	
16	0.0781		0.1191		0.3324	
17	0.2392		0.0280		0.0356	
18	0.7496		0.2897		0.2382	
19	0.6174		0.8731		0.3107	
20	0.3415		0.6998		0.7983	
21	0.1682		0.1712		0.1079	
22	0.0701		0.0088		0.0466	
23	0.6909		0.9328		0.5154	
24	0.6029		0.6515		0.6603	
25	0.6887		0.4420		0.1612	
26-29	0.2403		0.3362		0.5806	
30-34	0.4896		0.0497		0.7004	
35-39	0.3632		0.5694		0.8949	
40-44	0.3284		0.6533		0.6243	
45-49	0.9579		0.2600		0.2058	
50-54	0.4824		0.7702		0.1609	
55-59	0.2186		0.0893		0.9915	
60-64	0.2947		0.3135		0.2242	
65 or Older	0.7935		0.5347		0.1050	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.15C Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Age Category</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	719	706	959	955	1,018	981
12	27	27	22	22	13	13
13	38	37	32	32	19	19
14	51	50	46	41	27	29
15	66	65	60	59	43	34
16	72	68	64	60	45	43
17	76	74	71	65	54	48
18	112	109	106	101	83	84
19	108	119	105	115	93	90
20	125	106	120	99	101	85
21	124	113	121	109	109	96
22	100	107	98	104	89	95
23	104	119	99	111	91	102
24	105	104	99	101	88	93
25	94	99	89	95	82	85
26-29	395	439	374	407	339	379
30-34	425	434	393	408	354	355
35-39	499	496	455	456	385	410
40-44	477	505	437	472	394	422
45-49	491	494	432	445	394	403
50-54	687	670	615	598	551	534
55-59	637	631	561	566	472	512
60-64	516	573	440	509	388	456
65 or Older	404	430	488	523	474	478

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.15D Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008**

<b>Age Category</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.29	0.28	0.39	0.38	0.41	0.39
12	0.62	0.66	0.53	0.56	0.31	0.33
13	0.81	0.85	0.72	0.76	0.44	0.46
14	1.02	1.01	0.97	0.88	0.63	0.66
15	1.09	1.08	1.08	1.05	0.88	0.71
16	1.09	1.00	1.10	0.99	0.89	0.91
17	1.02	1.05	1.11	1.06	1.04	0.95
18	1.08	1.04	1.22	1.15	1.19	1.19
19	1.13	1.03	1.22	1.16	1.36	1.25
20	0.97	1.04	1.15	1.08	1.36	1.29
21	0.85	0.77	1.00	0.90	1.23	1.13
22	0.89	0.85	1.06	1.01	1.32	1.21
23	0.88	0.89	1.01	1.06	1.21	1.31
24	0.90	0.68	1.04	0.88	1.21	1.18
25	0.75	0.72	1.01	0.96	1.24	1.17
26-29	0.77	0.71	0.96	0.98	1.19	1.21
30-34	0.72	0.74	0.92	1.01	1.08	1.15
35-39	0.78	0.72	1.02	1.05	1.11	1.21
40-44	0.74	0.74	1.02	1.04	1.15	1.18
45-49	0.64	0.64	0.96	0.99	1.09	1.11
50-54	1.15	1.18	1.51	1.62	1.58	1.66
55-59	1.22	0.96	1.78	1.72	1.80	1.88
60-64	1.28	1.30	2.05	1.96	2.10	2.07
65 or Older	1.11	1.15	1.34	1.40	1.31	1.28

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.15P Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Age Category	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
<b>TOTAL</b>	0.8510		0.5130		0.3948	
12	0.8378		0.7608		0.7371	
13	0.5403		0.7354		0.8810	
14	0.8016		0.7965		0.5364	
15	0.1395		0.3493		0.0015	
16	0.1201		0.2250		0.2017	
17	0.0094		0.0118		0.0016	
18	0.4164		0.7651		0.8697	
19	0.4194		0.5769		0.0879	
20	0.3440		0.5640		0.1974	
21	0.4557		0.4628		0.4765	
22	0.1109		0.3119		0.0257	
23	0.4548		0.9800		0.7219	
24	0.1606		0.0389		0.1620	
25	0.3281		0.7008		0.7875	
26-29	0.2157		0.1704		0.0134	
30-34	0.9551		0.7918		0.1632	
35-39	0.3431		0.4337		0.8419	
40-44	0.6902		0.7535		0.7160	
45-49	0.9675		0.3226		0.3941	
50-54	0.5458		0.3807		0.3297	
55-59	0.0297		0.3597		0.3172	
60-64	0.7850		0.2734		0.3457	
65 or Older	0.1356		0.4897		0.3445	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.16C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008**

Age Category	Alcohol Use (2007)	Alcohol Use (2008)	Binge Alcohol Use (2007)	Binge Alcohol Use (2008)	Heavy Alcohol Use (2007)	Heavy Alcohol Use (2008)
<b>TOTAL</b>	1,018	981	767	733	429	412
12	13	13	8	9	1	2
13	19	19	13	14	2	6
14	27	29	17	21	4	6
15	43	34	32	23	18	10
16	45	43	35	34	19	17
17	54	48	44	39	25	21
18	83	84	71	66	35	33
19	93	90	79	71	42	41
20	101	85	81	70	48	43
21	109	96	84	76	46	46
22	89	95	73	74	40	44
23	91	102	71	78	44	42
24	88	93	70	74	40	42
25	82	85	64	67	35	34
26-29	339	379	253	286	131	151
30-34	354	355	235	247	120	125
35-39	385	410	257	262	140	124
40-44	394	422	250	249	130	125
45-49	394	403	237	240	141	126
50-54	551	534	333	312	194	170
55-59	472	512	236	287	119	145
60-64	388	456	210	224	98	104
65 or Older	474	478	248	273	101	145

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 2.16D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008**

Age Category	Alcohol Use (2007)	Alcohol Use (2008)	Binge Alcohol Use (2007)	Binge Alcohol Use (2008)	Heavy Alcohol Use (2007)	Heavy Alcohol Use (2008)
<b>TOTAL</b>	0.41	0.39	0.31	0.29	0.17	0.16
12	0.31	0.33	0.20	0.22	0.03	0.05
13	0.44	0.46	0.30	0.34	0.04	0.15
14	0.63	0.66	0.42	0.48	0.11	0.15
15	0.88	0.71	0.68	0.52	0.40	0.23
16	0.89	0.91	0.74	0.74	0.42	0.38
17	1.04	0.95	0.92	0.83	0.59	0.47
18	1.19	1.19	1.16	1.07	0.65	0.60
19	1.36	1.25	1.34	1.16	0.87	0.84
20	1.36	1.29	1.35	1.26	0.96	0.93
21	1.23	1.13	1.31	1.24	0.99	1.00
22	1.32	1.21	1.32	1.31	0.96	0.98
23	1.21	1.31	1.25	1.33	1.00	0.89
24	1.21	1.18	1.29	1.33	0.94	0.95
25	1.24	1.17	1.28	1.28	0.86	0.83
26-29	1.19	1.21	1.19	1.20	0.74	0.83
30-34	1.08	1.15	1.00	1.07	0.61	0.64
35-39	1.11	1.21	0.99	1.07	0.62	0.59
40-44	1.15	1.18	0.98	0.96	0.59	0.57
45-49	1.09	1.11	0.89	0.93	0.59	0.54
50-54	1.58	1.66	1.36	1.33	0.86	0.75
55-59	1.80	1.88	1.18	1.43	0.63	0.80
60-64	2.10	2.07	1.44	1.37	0.72	0.68
65 or Older	1.31	1.28	0.68	0.73	0.28	0.39

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.16P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Age Category	Alcohol Use (2007)	Alcohol Use (2008)	Binge Alcohol Use (2007)	Binge Alcohol Use (2008)	Heavy Alcohol Use (2007)	Heavy Alcohol Use (2008)
<b>TOTAL</b>	0.3948		0.8932		0.8096	
12	0.7371		0.9409		0.4601	
13	0.8810		0.9166		0.2445	
14	0.5364		0.2902		0.2555	
15	0.0015		0.0061		0.0504	
16	0.2017		0.6921		0.8679	
17	0.0016		0.0004		0.0130	
18	0.8697		0.6379		0.5494	
19	0.0879		0.0644		0.4023	
20	0.1974		0.3110		0.7226	
21	0.4765		0.5425		0.6697	
22	0.0257		0.9591		0.4194	
23	0.7219		0.8623		0.2991	
24	0.1620		0.3293		0.8350	
25	0.7875		0.9078		0.4629	
26-29	0.0134		0.0057		0.0125	
30-34	0.1632		0.2181		0.3391	
35-39	0.8419		0.5028		0.2266	
40-44	0.7160		0.2107		0.4204	
45-49	0.3941		1.0000		0.6047	
50-54	0.3297		0.5014		0.9418	
55-59	0.3172		0.3498		0.4980	
60-64	0.3457		0.2016		0.4704	
65 or Older	0.3445		0.5432		0.1031	

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.