

Table 7.1A Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	8,526	8,484	1,236	1,263	2,870	2,782	4,420	4,440
12-49	4,701	5,010	666	708	1,648	1,699	2,388	2,602
50-99	2,555	2,341	347	340	817	870	1,391	1,131
100-299	5,749	6,075	640	654	2,175	2,089	2,935	3,331
300 or More	3,554	3,858	259	272	1,476	1,647	1,820	1,939
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3,860	3,992	552	546	1,355	1,222	1,953	2,224
3-5	2,376	2,340	327	324	768	872	1,281	1,144
6-19	3,113	3,441	384	369	1,190	1,159	1,539	1,914
20 or More	5,100	5,430	424	418	2,065	2,173	2,611	2,838

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.1B Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	34.0	32.9	39.3	39.0	31.9	30.6	34.1	33.0
12-49	18.7	19.4	21.1	21.9	18.3	18.7	18.4	19.4
50-99	10.2	9.1	11.0	10.5	9.1	9.6	10.7	8.4
100-299	22.9	23.6	20.3	20.2	24.2	23.0	22.7	24.8
300 or More	14.2	15.0	8.2	8.4	16.4	18.1	14.0	14.4
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	26.7	26.3	32.7	33.0	25.2 ^a	22.5	26.5	27.4
3-5	16.4	15.4	19.4	19.6	14.3	16.1	17.3	14.1
6-19	21.5	22.6	22.8	22.2	22.1	21.4	20.8	23.6
20 or More	35.3	35.7	25.1	25.2	38.4	40.1	35.4	35.0

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.2A Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2,818	2,632	235	182	1,241 ^a	1,075	1,342	1,374
12-49	1,413	1,226	87 ^a	49	479	423	847	754
50-99	585	624	25	38	184	162	377	424
100-299	770	693	29	31	159	146	581	515
300 or More	152	81	7	5	22	14	123	62
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	949	965	*	*	324	285	567	622
3-5	489	365	*	*	135	104	331	241
6-19	462	356	*	*	91	92	359	258
20 or More	175	168	*	*	23	26	142	131

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.2B Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	49.1	50.1	61.4	59.7	59.5	59.1	41.0	43.9
12-49	24.6	23.3	22.7	16.0	23.0	23.2	25.9	24.1
50-99	10.2	11.9	6.4	12.4	8.8	8.9	11.5	13.6
100-299	13.4	13.2	7.6	10.3	7.6	8.0	17.8	16.4
300 or More	2.7	1.5	1.8	1.5	1.1	0.7	3.8	2.0
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	45.7	52.1	*	*	56.5	56.2	40.5	49.7
3-5	23.6	19.7	*	*	23.6	20.5	23.7	19.2
6-19	22.2	19.2	*	*	15.8	18.1	25.6	20.6
20 or More	8.4	9.1	*	*	4.0	5.2	10.1	10.4

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.3A Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2,718	2,612	447	466	1,504	1,524	767	623
12-49	631	683	122	136	340	388	170	159
50-99	250	225	25 ^b	60	106	124	118 ^a	41
100-299	136	144	32	25	81	70	23	49
300 or More	27	13	1	4	17	2	9	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	732	786	120	161	355	420	*	*
3-5	174	162	28 ^a	51	82	81	*	*
6-19	64	100	21	25	27	46	*	*
20 or More	26	12	6	5	11	1	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.3B Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	72.2	71.0	71.3	67.5	73.4	72.3	70.5	70.8
12-49	16.8	18.6	19.4	19.7	16.6	18.4	15.6	18.1
50-99	6.7	6.1	4.0 ^a	8.7	5.2	5.9	10.9	4.6
100-299	3.6	3.9	5.1	3.6	3.9	3.3	2.1	5.6
300 or More	0.7	0.4	0.2	0.6	0.8 ^a	0.1	0.8	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	73.5	74.1	68.5	66.5	74.8	76.5	*	*
3-5	17.5	15.3	16.3	21.1	17.2	14.8	*	*
6-19	6.4	9.4	11.7	10.5	5.7	8.4	*	*
20 or More	2.6	1.1	3.5	1.9	2.3	0.3	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.4A Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1,316	1,338	587	562	378	399	*	*
12-49	393	429	215	228	88	84	*	*
50-99	212	128	93	93	36	26	*	*
100-299	120	138	88	86	19	24	*	*
300 or More	40	13	10	10	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	376	394	170	164	*	*	*	*
3-5	143	111	71	53	*	*	*	*
6-19	68	*	31	40	*	*	*	*
20 or More	29	*	22	11	*	*	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.4B Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	63.3	65.4	59.1	57.4	71.8	74.9	*	*
12-49	18.9	21.0	21.7	23.3	16.8	15.8	*	*
50-99	10.2	6.3	9.4	9.5	6.9	4.8	*	*
100-299	5.7	6.8	8.9	8.8	3.6	4.5	*	*
300 or More	1.9	0.6	1.0	1.0	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	61.0	61.5	57.5	61.1	*	*	*	*
3-5	23.2	17.3	24.2	19.7	*	*	*	*
6-19	11.1	*	10.6	15.0	*	*	*	*
20 or More	4.7	*	7.6	4.1	*	*	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.5A Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	5,407	5,478	617	601	1,430	1,580	3,359	3,297
3-5	4,887	4,370	407	374	1,279	1,223	3,202	2,774
6-19	6,652	7,012	473	455	1,668	1,805	4,512	4,751
20-29	6,310	6,047	331	326	1,623	1,488	4,356	4,232
30	36,813	36,873	654 ^b	505	5,835	5,661	30,324	30,708
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	5,697	6,103	247	211	1,473	1,401	3,977	4,491
6-15 (1/2 Pack)	12,290	12,590	283 ^b	200	2,424	2,442	9,583	9,949
16-25 (1 Pack)	13,312	13,120	96	77	1,631	1,475	11,586	11,568
26 or More (More Than 1 Pack)	5,430	4,989	25	16	298	340	5,106	4,633
Not Reported	83	71	*	1	8	3	72	67

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.5B Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	9.0	9.2	24.9	26.6	12.1	13.4	7.3	7.2
3-5	8.1	7.3	16.4	16.5	10.8	10.4	7.0	6.1
6-19	11.1	11.7	19.1	20.1	14.1	15.4	9.9	10.4
20-29	10.5	10.1	13.3	14.4	13.7	12.7	9.5	9.2
30	61.3	61.7	26.3 ^a	22.3	49.3	48.1	66.3	67.1
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	15.5	16.6	37.8	41.9	25.3	24.7	13.1	14.6
6-15 (1/2 Pack)	33.4	34.1	43.2	39.5	41.5	43.1	31.6	32.4
16-25 (1 Pack)	36.2	35.6	14.6	15.2	27.9	26.1	38.2	37.7
26 or More (More Than 1 Pack)	14.7	13.5	3.9	3.2	5.1	6.0	16.8	15.1
Not Reported	0.2	0.2	*	0.2	0.1	0.1	0.2	0.2

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.6A Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	36,627	37,612	3,840	3,899	5,299	5,256	27,488	28,457
12-49	42,453	42,613	2,177	2,075	6,594	6,998	33,682	33,540
50-99	25,424	24,561	1,021 ^a	872	4,603	4,757	19,800	18,932
100-299	48,335	49,673	895 ^a	763	8,338	7,987	39,103	40,923
300 or More	10,036	10,613	84	59	669	704	9,283	9,850
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	35,963	37,142	1,989	1,840	5,373	5,518	28,601	29,785
3-5	34,243	32,727	1,070	1,046	5,762	5,828	27,411	25,853
6-19	36,541	38,029	841 ^b	667	7,013	6,898	28,687	30,464
20 or More	20,013	21,076	121 ^a	82	1,887	1,905	18,005	19,089

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.6B Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	22.5	22.8	47.9 ^b	50.9	20.8	20.4	21.2	21.6
12-49	26.1	25.8	27.2	27.1	25.9 ^a	27.2	26.0	25.5
50-99	15.6	14.9	12.7	11.4	18.0	18.5	15.3	14.4
100-299	29.7	30.1	11.2	9.9	32.7 ^a	31.1	30.2	31.1
300 or More	6.2	6.4	1.0	0.8	2.6	2.7	7.2	7.5
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	28.4	28.8	49.5	50.6	26.8	27.4	27.8	28.3
3-5	27.0 ^a	25.4	26.6	28.8	28.8	28.9	26.7 ^b	24.6
6-19	28.8	29.5	20.9 ^a	18.4	35.0	34.2	27.9	29.0
20 or More	15.8	16.3	3.0	2.3	9.4	9.5	17.5	18.1

*Low precision; no estimate reported.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.