

**Table 5.48A Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2007)</b>	<b>Needed Treatment (2008)</b>	<b>Needed and Received Treatment (2007)</b>	<b>Needed and Received Treatment (2008)</b>	<b>Needed but Did Not Receive Treatment (2007)</b>	<b>Needed but Did Not Receive Treatment (2008)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2007)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2008)</b>
<b>TOTAL</b>	19,301	18,951	1,567	1,560	17,734	17,391	8.1	8.2
<b>AGE</b>								
12-17	1,397 <sup>a</sup>	1,247	82	77	1,315 <sup>a</sup>	1,170	5.9	6.2
18-25	5,621	5,788	289	341	5,332	5,447	5.1	5.9
26 or Older	12,284	11,915	1,196	1,142	11,087	10,774	9.7	9.6
<b>GENDER</b>								
Male	13,144 <sup>a</sup>	12,144	1,142	1,079	12,003 <sup>a</sup>	11,065	8.7	8.9
Female	6,157 <sup>a</sup>	6,807	425	481	5,732 <sup>a</sup>	6,326	6.9	7.1
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	16,833	16,094	1,437	1,457	15,396	14,637	8.5	9.1
White	13,895	13,175	1,093	1,115	12,802	12,060	7.9	8.5
Black or African American	2,029	2,116	279	273	1,750	1,843	13.7	12.9
American Indian or Alaska Native	154	99	39	15	114	84	*	15.0
Native Hawaiian or Other Pacific Islander	52	*	0	1	51	*	*	*
Asian	452	379	*	35	452	344	0.1	*
Two or More Races	252	222	25	18	227	204	*	8.0
Hispanic or Latino	2,468	2,857	130	103	2,338	2,754	5.3	3.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.48B Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2007)</b>	<b>Needed Treatment (2008)</b>	<b>Needed and Received Treatment (2007)</b>	<b>Needed and Received Treatment (2008)</b>	<b>Needed but Did Not Receive Treatment (2007)</b>	<b>Needed but Did Not Receive Treatment (2008)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2007)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2008)</b>
<b>TOTAL</b>	7.8	7.6	0.6	0.6	7.2	7.0	8.1	8.2
<b>AGE</b>								
12-17	5.5	5.0	0.3	0.3	5.2	4.7	5.9	6.2
18-25	17.2	17.6	0.9	1.0	16.3	16.5	5.1	5.9
26 or Older	6.5	6.2	0.6	0.6	5.8	5.6	9.7	9.6
<b>GENDER</b>								
Male	10.9 <sup>a</sup>	10.0	0.9	0.9	10.0 <sup>a</sup>	9.1	8.7	8.9
Female	4.8 <sup>a</sup>	5.3	0.3	0.4	4.5	4.9	6.9	7.1
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	7.9	7.5	0.7	0.7	7.2	6.8	8.5	9.1
White	8.2	7.8	0.6	0.7	7.6	7.1	7.9	8.5
Black or African American	6.9	7.2	1.0	0.9	6.0	6.2	13.7	12.9
American Indian or Alaska Native	12.1	9.1	3.1	1.4	9.0	7.8	*	15.0
Native Hawaiian or Other Pacific Islander	7.3	*	0.1	0.1	7.2	*	*	*
Asian	4.3	3.5	*	0.3	4.3	3.2	0.1	*
Two or More Races	9.2	7.4	0.9	0.6	8.3	6.8	*	8.0
Hispanic or Latino	7.2	8.1	0.4	0.3	6.8	7.9	5.3	3.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.49A Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2007)</b>	<b>Needed Treatment (2008)</b>	<b>Needed and Received Treatment (2007)</b>	<b>Needed and Received Treatment (2008)</b>	<b>Needed but Did Not Receive Treatment (2007)</b>	<b>Needed but Did Not Receive Treatment (2008)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2007)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2008)</b>
<b>TOTAL</b>	17,904	17,704	1,485	1,483	16,419	16,220	8.3	8.4
<b>GENDER</b>								
Male	12,459	11,560	1,099	1,028	11,361	10,532	8.8	8.9
Female	5,445 <sup>a</sup>	6,143	386	455	5,058 <sup>a</sup>	5,689	7.1	7.4
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	15,702	15,097	1,365	1,392	14,338	13,704	8.7	9.2
White	12,921	12,323	1,034	1,059	11,888	11,264	8.0	8.6
Black or African American	1,931	2,037	270	268	1,661	1,769	14.0	13.1
American Indian or Alaska Native	134	84	38	14	96	70	*	*
Native Hawaiian or Other Pacific Islander	50	*	0	0	50	*	*	*
Asian	433	364	0	35	432	329	0.1	*
Two or More Races	233	189	22	17	211	171	*	*
Hispanic or Latino	2,202	2,607	120	91	2,082 <sup>a</sup>	2,516	5.5	3.5
<b>EDUCATION</b>								
< High School	2,949	2,781	387	416	2,562	2,365	13.1	14.9
High School Graduate	5,554	5,670	643	564	4,911	5,106	11.6	9.9
Some College	5,204	5,263	338	381	4,866	4,883	6.5	7.2
College Graduate	4,196	3,989	117	123	4,079	3,866	2.8	3.1
<b>CURRENT EMPLOYMENT</b>								
Full-Time	11,121	11,193	696	786	10,424	10,406	6.3	7.0
Part-Time	2,600	2,853	136	173	2,464	2,680	5.2	6.1
Unemployed	1,132	1,394	112	171	1,020	1,223	9.9	12.2
Other <sup>1</sup>	3,051 <sup>b</sup>	2,264	541	353	2,511 <sup>b</sup>	1,911	17.7	15.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.49B Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2007)</b>	<b>Needed Treatment (2008)</b>	<b>Needed and Received Treatment (2007)</b>	<b>Needed and Received Treatment (2008)</b>	<b>Needed but Did Not Receive Treatment (2007)</b>	<b>Needed but Did Not Receive Treatment (2008)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2007)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2008)</b>
<b>TOTAL</b>	8.0	7.9	0.7	0.7	7.4	7.2	8.3	8.4
<b>GENDER</b>								
Male	11.6 <sup>a</sup>	10.6	1.0	0.9	10.6 <sup>a</sup>	9.7	8.8	8.9
Female	4.7 <sup>a</sup>	5.3	0.3	0.4	4.4 <sup>a</sup>	4.9	7.1	7.4
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	8.1	7.8	0.7	0.7	7.4	7.0	8.7	9.2
White	8.4	8.0	0.7	0.7	7.7	7.3	8.0	8.6
Black or African American	7.6	7.9	1.1	1.0	6.5	6.9	14.0	13.1
American Indian or Alaska Native	12.2	8.8	3.5	1.5	8.7	7.4	*	*
Native Hawaiian or Other Pacific Islander	7.9	*	0.1	0.0	7.8	*	*	*
Asian	4.5	3.7	0.0	0.4	4.5	3.4	0.1	*
Two or More Races	10.0	7.5	0.9	0.7	9.1	6.8	*	*
Hispanic or Latino	7.4	8.6	0.4	0.3	7.0	8.3	5.5	3.5
<b>EDUCATION</b>								
< High School	8.1	7.9	1.1	1.2	7.1	6.7	13.1	14.9
High School Graduate	8.1	8.1	0.9	0.8	7.2	7.3	11.6	9.9
Some College	9.1	9.2	0.6	0.7	8.5	8.5	6.5	7.2
College Graduate	6.9	6.4	0.2	0.2	6.7	6.2	2.8	3.1
<b>CURRENT EMPLOYMENT</b>								
Full-Time	9.2	9.2	0.6	0.6	8.6	8.5	6.3	7.0
Part-Time	8.8	9.4	0.5	0.6	8.3	8.9	5.2	6.1
Unemployed	15.9	15.5	1.6	1.9	14.4	13.6	9.9	12.2
Other <sup>1</sup>	4.7 <sup>b</sup>	3.6	0.8	0.6	3.9 <sup>a</sup>	3.0	17.7	15.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.50A Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

Demographic Characteristic	Needed but Did Not Receive Treatment <sup>1</sup> (2007)	Needed but Did Not Receive Treatment <sup>1</sup> (2008)	Felt Need for Treatment <sup>2</sup> (2007)	Felt Need for Treatment <sup>2</sup> (2008)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2007)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2008)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2007)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2008)	Did Not Feel Need for Treatment <sup>2</sup> (2007)	Did Not Feel Need for Treatment <sup>2</sup> (2008)
<b>TOTAL</b>	17,734	17,391	859	651	240	139	619	512	16,875	16,739
<b>AGE</b>										
12-17	1,315 <sup>a</sup>	1,170	24	20	6	2	17	18	1,292 <sup>a</sup>	1,151
18-25	5,332	5,447	146 <sup>a</sup>	96	49	23	97	74	5,186	5,350
26 or Older	11,087	10,774	690	535	185	115	505	420	10,397	10,238
<b>GENDER</b>										
Male	12,003	11,065	603 <sup>a</sup>	348	163	78	440	271	11,399	10,717
Female	5,732 <sup>a</sup>	6,326	256	303	77	62	179	241	5,476	6,023

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.50B Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Percentages, 2007 and 2008**

Demographic Characteristic	Needed but Did Not Receive Treatment <sup>1</sup> (2007)	Needed but Did Not Receive Treatment <sup>1</sup> (2008)	Felt Need for Treatment <sup>2</sup> (2007)	Felt Need for Treatment <sup>2</sup> (2008)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2007)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2008)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2007)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2008)	Did Not Feel Need for Treatment <sup>2</sup> (2007)	Did Not Feel Need for Treatment <sup>2</sup> (2008)
<b>TOTAL</b>	100.0	100.0	4.8	3.7	1.4	0.8	3.5	2.9	95.2	96.3
<b>AGE</b>										
12-17	100.0	100.0	1.8	1.7	0.5	0.2	1.3	1.5	98.2	98.3
18-25	100.0	100.0	2.7 <sup>a</sup>	1.8	0.9 <sup>a</sup>	0.4	1.8	1.4	97.3 <sup>a</sup>	98.2
26 or Older	100.0	100.0	6.2	5.0	1.7	1.1	4.6	3.9	93.8	95.0
<b>GENDER</b>										
Male	100.0	100.0	5.0	3.1	1.4	0.7	3.7	2.4	95.0	96.9
Female	100.0	100.0	4.5	4.8	1.3	1.0	3.1	3.8	95.5	95.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.