

Table 1.64A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	100,737	102,857	25,136	25,891	14,470	15,269
GEOGRAPHIC DIVISION						
Northeast	19,248	19,406	4,833	4,854	2,754	2,910
New England	5,558	5,778	1,475	1,470	863	918
Middle Atlantic	13,690	13,628	3,358	3,384	1,891	1,992
Midwest	23,043	23,071	5,506	5,389	3,224	3,148
East North Central	16,263	16,263	3,975	3,992	2,336	2,364
West North Central	6,780	6,808	1,531	1,397	889	783
South	34,274	35,422	8,228	8,522	4,671	4,825
South Atlantic	18,623	19,814	4,656	4,895	2,651	2,730
East South Central	5,672	5,183	1,292	1,303	744	774
West South Central	9,980	10,426	2,281	2,323	1,275	1,322
West	24,172	24,959	6,569	7,126	3,821	4,386
Mountain	7,585	7,473	1,873	2,001	1,141	1,280
Pacific	16,587	17,486	4,696	5,125	2,679	3,106
COUNTY TYPE						
Large Metro	55,365	55,558	14,119	14,746	8,007	8,661
Small Metro	30,195	31,365	7,583	7,726	4,468	4,651
250K – 1 Mil. Pop.	20,171	20,951	5,093	5,176	3,051	3,144
< 250K Pop.	10,024	10,414	2,490	2,550	1,417	1,507
Nonmetro	15,177	15,934	3,433	3,419	1,994	1,956
Urbanized	6,885	7,221	1,681	1,603	957	923
Less Urbanized	6,910	7,324	1,540	1,512	891	821
Completely Rural	1,382	1,389	212	304	146	213

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.64B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	40.6	41.2	10.1	10.4	5.8	6.1
GEOGRAPHIC DIVISION						
Northeast	42.0	42.1	10.5	10.5	6.0	6.3
New England	46.2	47.9	12.3	12.2	7.2	7.6
Middle Atlantic	40.4	40.0	9.9	9.9	5.6	5.9
Midwest	42.0	42.0	10.0	9.8	5.9	5.7
East North Central	42.5	42.4	10.4	10.4	6.1	6.2
West North Central	41.1	41.1	9.3	8.4	5.4	4.7
South	38.1	38.9	9.1	9.4	5.2	5.3
South Atlantic	39.1	41.3	9.8	10.2	5.6	5.7
East South Central	38.5	34.9	8.8	8.8	5.1	5.2
West South Central	36.1	37.1	8.3	8.3	4.6	4.7
West	42.2	43.2	11.5	12.3	6.7	7.6
Mountain	43.9	42.5	10.8	11.4	6.6	7.3
Pacific	41.5	43.5	11.8	12.7	6.7	7.7
COUNTY TYPE						
Large Metro	41.7	41.7	10.6	11.1	6.0	6.5
Small Metro	40.8	41.6	10.2	10.2	6.0	6.2
250K – 1 Mil. Pop.	40.7	41.9	10.3	10.4	6.2	6.3
< 250K Pop.	40.8	40.9	10.1	10.0	5.8	5.9
Nonmetro	36.9	38.6	8.4	8.3	4.9	4.7
Urbanized	41.0	42.1	10.0	9.3	5.7	5.4
Less Urbanized	35.1	36.5	7.8	7.5	4.5	4.1
Completely Rural	30.0	34.5	4.6	7.6	3.2	5.3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.65A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	4,096	4,138	3,158	3,258	1,693	1,668
GEOGRAPHIC DIVISION						
Northeast	707	724	591	614	328	367
New England	235	208	193	176	113	106
Middle Atlantic	472	516	398	438	215	261
Midwest	929	876	727	689	388	362
East North Central	696	639	534	500	286	273
West North Central	233	236	193	189	102	89
South	1,450	1,399	1,071	1,048	565 ^a	476
South Atlantic	723	814	534 ^a	636	290	273
East South Central	249 ^a	194	179 ^b	127	79	58
West South Central	478 ^a	390	358 ^a	284	195 ^a	145
West	1,010	1,139	769 ^a	907	412	462
Mountain	324	354	251	291	130	154
Pacific	686	785	518	616	283	309
COUNTY TYPE						
Large Metro	2,180	2,180	1,669	1,761	934	899
Small Metro	1,245	1,328	974	1,032	513	554
250K – 1 Mil. Pop.	832	922	656	717	355	371
< 250K Pop.	413	406	318	315	158	183
Nonmetro	671	630	515	464	246	215
Urbanized	297	310	238	230	127	110
Less Urbanized	330	273	240	203	99	92
Completely Rural	44	46	36	31	20	13

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.65B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	16.2	16.6	12.5	13.1	6.7	6.7
GEOGRAPHIC DIVISION						
Northeast	15.9	16.5	13.2	14.0	7.4	8.4
New England	20.3	18.4	16.7	15.6	9.8	9.4
Middle Atlantic	14.3	15.9	12.1	13.5	6.5 ^a	8.1
Midwest	16.6	15.9	12.9	12.5	6.9	6.6
East North Central	17.7	16.5	13.5	12.9	7.3	7.1
West North Central	14.0	14.4	11.6	11.5	6.1	5.4
South	15.9	15.5	11.7	11.6	6.2	5.3
South Atlantic	15.6	17.8	11.5 ^a	13.9	6.3	6.0
East South Central	16.8 ^a	13.2	12.0 ^b	8.6	5.3	3.9
West South Central	15.9 ^a	13.0	11.9 ^a	9.5	6.5 ^a	4.8
West	16.7 ^a	19.1	12.7 ^a	15.2	6.8	7.8
Mountain	17.9	19.6	13.9	16.1	7.2	8.5
Pacific	16.2	18.9	12.2 ^a	14.8	6.7	7.4
COUNTY TYPE						
Large Metro	15.9	16.4	12.2	13.2	6.8	6.8
Small Metro	16.9	17.9	13.2	13.9	7.0	7.5
250K – 1 Mil. Pop.	16.7 ^a	18.8	13.2	14.6	7.1	7.6
< 250K Pop.	17.2	16.2	13.3	12.6	6.6	7.3
Nonmetro	16.1	15.1	12.3	11.1	5.9	5.1
Urbanized	17.3	17.3	13.9	12.9	7.4	6.1
Less Urbanized	16.3 ^a	13.5	11.9	10.1	4.9	4.6
Completely Rural	10.3	12.3	8.5	8.3	4.8	3.5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.66A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	16,652	16,718	9,008	9,154	5,392	5,459
GEOGRAPHIC DIVISION						
Northeast	3,138	3,311	1,841	1,951	1,109	1,246
New England	933	922	586	568	350	365
Middle Atlantic	2,205 ^a	2,389	1,254	1,383	759 ^a	881
Midwest	3,920	3,789	2,089	1,994	1,232	1,176
East North Central	2,775 ^a	2,617	1,494	1,410	881	824
West North Central	1,145	1,172	595	584	351	352
South	5,630	5,517	2,848	2,841	1,677	1,671
South Atlantic	2,986	2,881	1,624	1,543	985	883
East South Central	867	834	422	449	257	289
West South Central	1,776	1,803	803	849	435	498
West	3,964	4,101	2,230	2,369	1,374	1,367
Mountain	1,218	1,279	615	665	394	396
Pacific	2,747	2,821	1,615	1,704	980	971
COUNTY TYPE						
Large Metro	8,666	8,968	4,854	5,090	2,929	3,051
Small Metro	5,400	5,275	2,883	2,845	1,701	1,702
250K – 1 Mil. Pop.	3,564	3,390	1,910	1,807	1,155	1,058
< 250K Pop.	1,836	1,885	973	1,038	546	645
Nonmetro	2,587	2,475	1,271	1,219	762	706
Urbanized	1,202	1,229	620	615	380	341
Less Urbanized	1,227	1,084	576	529	339	313
Completely Rural	157	162	76	76	43	53

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.66B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	50.9	50.8	27.5	27.8	16.5	16.6
GEOGRAPHIC DIVISION						
Northeast	53.2	55.3	31.2	32.6	18.8	20.8
New England	61.1	59.2	38.4	36.5	22.9	23.5
Middle Atlantic	50.4	53.9	28.7	31.2	17.3	19.9
Midwest	53.8	52.1	28.7	27.4	16.9	16.2
East North Central	55.2 ^b	52.0	29.7	28.0	17.5	16.4
West North Central	50.6	52.3	26.3	26.0	15.5	15.7
South	48.2	46.9	24.4	24.1	14.4	14.2
South Atlantic	50.6	48.3	27.5	25.9	16.7	14.8
East South Central	46.4	44.5	22.6	23.9	13.8	15.4
West South Central	45.4	45.9	20.5	21.6	11.1	12.7
West	50.5	51.8	28.4	29.9	17.5	17.3
Mountain	51.7	54.0	26.1	28.1	16.7	16.7
Pacific	50.0	50.9	29.4	30.7	17.8	17.5
COUNTY TYPE						
Large Metro	50.1	50.3	28.0	28.5	16.9	17.1
Small Metro	52.3	52.2	27.9	28.2	16.5	16.9
250K – 1 Mil. Pop.	52.7	51.8	28.2	27.6	17.1	16.2
< 250K Pop.	51.7	53.0	27.4	29.2	15.4	18.1
Nonmetro	50.7	49.6	24.9	24.4	14.9	14.1
Urbanized	52.7	53.8	27.2	26.9	16.7	14.9
Less Urbanized	50.2	46.0	23.5	22.5	13.8	13.3
Completely Rural	42.4	45.7	20.4	21.3	11.6	14.8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.67A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	79,988	82,001	12,970	13,479	7,385	8,142
GEOGRAPHIC DIVISION						
Northeast	15,403	15,371	2,401	2,289	1,317	1,297
New England	4,390	4,648	695	726	400	447
Middle Atlantic	11,013	10,723	1,706	1,563	917	850
Midwest	18,193	18,406	2,690	2,706	1,604	1,610
East North Central	12,792	13,006	1,948	2,082	1,168	1,267
West North Central	5,401	5,400	742	625	436	343
South	27,195	28,506	4,309	4,633	2,429	2,678
South Atlantic	14,913 ^a	16,119	2,498	2,716	1,376	1,574
East South Central	4,556	4,154	691	727	408	427
West South Central	7,725	8,233	1,120	1,190	645	678
West	19,197	19,719	3,570	3,850	2,034	2,557
Mountain	6,043	5,839	1,007	1,045	617	731
Pacific	13,154	13,879	2,562	2,806	1,417	1,826
COUNTY TYPE						
Large Metro	44,520	44,410	7,596	7,894	4,145	4,710
Small Metro	23,549	24,762	3,726	3,849	2,253	2,396
250K – 1 Mil. Pop.	15,774	16,638	2,527	2,652	1,540	1,715
< 250K Pop.	7,775	8,123	1,199	1,197	713	680
Nonmetro	11,919	12,830	1,647	1,736	987	1,036
Urbanized	5,386	5,682	824	758	451	473
Less Urbanized	5,353	5,967	724	780	453	416
Completely Rural	1,180	1,180	100	198	83	147

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.67B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	42.1	42.7	6.8	7.0	3.9	4.2
GEOGRAPHIC DIVISION						
Northeast	43.4	43.0	6.8	6.4	3.7	3.6
New England	47.0	49.6	7.4	7.7	4.3	4.8
Middle Atlantic	42.1	40.7	6.5	5.9	3.5	3.2
Midwest	43.4	43.6	6.4	6.4	3.8	3.8
East North Central	43.6	44.1	6.6	7.1	4.0	4.3
West North Central	43.0	42.5	5.9	4.9	3.5	2.7
South	39.3	40.6	6.2	6.6	3.5	3.8
South Atlantic	40.3	43.0	6.7	7.2	3.7	4.2
East South Central	40.0	36.1	6.1	6.3	3.6	3.7
West South Central	37.3	38.9	5.4	5.6	3.1	3.2
West	44.3	44.9	8.2	8.8	4.7	5.8
Mountain	46.1	43.5	7.7	7.8	4.7	5.4
Pacific	43.5	45.5	8.5	9.2	4.7	6.0
COUNTY TYPE						
Large Metro	43.8	43.6	7.5	7.7	4.1	4.6
Small Metro	41.8	42.7	6.6	6.6	4.0	4.1
250K – 1 Mil. Pop.	41.7	43.2	6.7	6.9	4.1	4.4
< 250K Pop.	41.8	41.8	6.5	6.2	3.8	3.5
Nonmetro	37.5	40.0	5.2	5.4	3.1	3.2
Urbanized	42.0	43.4	6.4	5.8	3.5	3.6
Less Urbanized	35.2	38.0	4.8	5.0	3.0	2.7
Completely Rural	31.1	35.8	2.6	6.0	2.2	4.5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.68A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	96,641	98,720	21,978	22,633	12,777	13,601
GEOGRAPHIC DIVISION						
Northeast	18,541	18,682	4,242	4,240	2,426	2,543
New England	5,323	5,570	1,282	1,294	751	812
Middle Atlantic	13,218	13,112	2,960	2,946	1,676	1,731
Midwest	22,113	22,195	4,779	4,700	2,836	2,786
East North Central	15,567	15,623	3,442	3,492	2,049	2,091
West North Central	6,547	6,572	1,337	1,208	787	694
South	32,824	34,023	7,157	7,474	4,106	4,349
South Atlantic	17,900	18,999	4,121	4,259	2,361	2,457
East South Central	5,423	4,988	1,113	1,176	665	716
West South Central	9,501	10,035	1,923	2,039	1,080	1,177
West	23,162	23,819	5,800	6,219	3,408	3,924
Mountain	7,261	7,119	1,622	1,710	1,011	1,126
Pacific	15,901	16,701	4,177	4,509	2,397	2,797
COUNTY TYPE						
Large Metro	53,185	53,378	12,450	12,984	7,074	7,762
Small Metro	28,949	30,037	6,609	6,694	3,954	4,098
250K – 1 Mil. Pop.	19,339	20,029	4,437	4,459	2,696	2,773
< 250K Pop.	9,611	10,008	2,172	2,235	1,259	1,325
Nonmetro	14,506	15,304	2,919	2,955	1,748	1,742
Urbanized	6,588	6,911	1,443	1,373	831	814
Less Urbanized	6,580	7,051	1,300	1,309	792	729
Completely Rural	1,338	1,343	176	273	126	200

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.68B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	43.4	43.9	9.9	10.1	5.7	6.0
GEOGRAPHIC DIVISION						
Northeast	44.8	44.8	10.2	10.2	5.9	6.1
New England	49.0	51.0	11.8	11.8	6.9	7.4
Middle Atlantic	43.3	42.6	9.7	9.6	5.5	5.6
Midwest	45.0	44.9	9.7	9.5	5.8	5.6
East North Central	45.3	45.3	10.0	10.1	6.0	6.1
West North Central	44.2	44.0	9.0	8.1	5.3	4.6
South	40.6	41.5	8.9	9.1	5.1	5.3
South Atlantic	41.7	43.7	9.6	9.8	5.5	5.7
East South Central	40.9	37.2	8.4	8.8	5.0	5.3
West South Central	38.6	40.0	7.8	8.1	4.4	4.7
West	45.2	45.9	11.3	12.0	6.7	7.6
Mountain	46.9	45.1	10.5	10.8	6.5	7.1
Pacific	44.5	46.3	11.7	12.5	6.7	7.8
COUNTY TYPE						
Large Metro	44.7	44.6	10.5	10.8	5.9	6.5
Small Metro	43.4	44.1	9.9	9.8	5.9	6.0
250K – 1 Mil. Pop.	43.4	44.4	10.0	9.9	6.0	6.1
< 250K Pop.	43.4	43.6	9.8	9.7	5.7	5.8
Nonmetro	39.3	41.3	7.9	8.0	4.7	4.7
Urbanized	43.7	44.9	9.6	8.9	5.5	5.3
Less Urbanized	37.3	39.1	7.4	7.3	4.5	4.0
Completely Rural	32.1	36.8	4.2	7.5	3.0	5.5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.