

**Table 8.41C Received Illicit Drug Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2002-2008**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	121	90	114	108	126	112	94
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	*	*	3	*	*	*	*
Asian or Pacific Islander	5	*	*	*	*	*	*
Asian Only	*	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	*
Black or African American	55	51	63	66	67	52	36
White	107	71	81	79	105	100	85
Two or More Races	*	*	*	*	*	*	*
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	37	21	38	48	72	22	32
Not Hispanic or Latino	117	88	108	93	105	111	89
Black or African American	55	51	63	66	51	52	36
White	102	68	72	63	90	98	78
<b>GENDER</b>							
Male	95	74	88	83	110	98	71
Female	77	50	72	66	66	51	60
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	65	72	59	51
100-199%	--	--	--	54	54	45	51
200% or More	--	--	--	59	93	86	57
<b>AGE GROUP</b>							
12-17	18	14	16	15	18	13	14
18 or Older	120	88	113	106	125	110	93

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-18a (<http://www.healthypeople.gov/>).

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

**Table 8.41D Received Illicit Drug Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2002-2008**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	1.39	1.12	1.26	1.28	1.38	1.32	1.12
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	*	*	2.59	*	*	*	*
Asian or Pacific Islander	3.35	*	*	*	*	*	*
Asian Only	*	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	*
Black or African American	3.70	4.33	3.95	3.89	3.88	3.81	2.88
White	1.57	1.12	1.20	1.26	1.54	1.49	1.26
Two or More Races	*	*	*	*	*	*	*
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	3.02	1.98	3.20	4.24	4.71	2.19	2.81
Not Hispanic or Latino	1.55	1.24	1.38	1.29	1.39	1.47	1.23
Black or African American	3.82	4.43	4.00	3.94	3.36	3.89	2.98
White	1.78	1.25	1.28	1.22	1.61	1.68	1.37
<b>GENDER</b>							
Male	1.73	1.48	1.54	1.60	1.93	1.70	1.48
Female	2.30	1.66	2.12	1.96	2.00	1.80	1.68
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	2.98	3.10	2.82	2.62
100-199%	--	--	--	2.80	2.71	2.65	2.58
200% or More	--	--	--	1.43	1.97	1.75	1.30
<b>AGE GROUP</b>							
12-17	1.17	1.02	1.06	1.12	1.40	1.14	1.11
18 or Older	1.65	1.33	1.50	1.51	1.62	1.51	1.31

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-18a (<http://www.healthypeople.gov/>).

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

**Table 8.41P Received Illicit Drug Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2002, 2003, 2004, 2005, 2006, and 2007**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	0.2108	0.5479	0.3052	0.5787	0.0124	0.2764	
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	*	*	*	*	*	*	
Asian or Pacific Islander	*	*	*	*	*	*	
Asian Only	*	*	*	*	*	*	
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	
Black or African American	0.0778	0.1584	0.0112	0.0278	0.0150	0.1466	
White	0.6253	0.1585	0.7346	0.6627	0.0906	0.6346	
Two or More Races	*	*	*	*	*	*	
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	0.4937	0.2945	0.8762	0.1479	0.0296	0.4967	
Not Hispanic or Latino	0.2733	0.7751	0.3091	0.9846	0.1020	0.2120	
Black or African American	0.0743	0.1728	0.0143	0.0318	0.0584	0.1705	
White	0.7806	0.2996	0.6514	0.2025	0.3414	0.5066	
<b>GENDER</b>							
Male	0.7432	0.9339	0.3761	0.9860	0.1395	0.3345	
Female	0.0992	0.3316	0.6066	0.3307	0.0327	0.6406	
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	0.7771	0.2127	0.8836	
100-199%	--	--	--	0.7273	0.6370	0.7583	
200% or More	--	--	--	0.5001	0.0317	0.0601	
<b>AGE GROUP</b>							
12-17	0.6307	0.6032	0.8288	0.1952	0.2727	0.7202	
18 or Older	0.1834	0.6829	0.2746	0.6816	0.0193	0.3086	

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-18a (<http://www.healthypeople.gov/>).

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

**Table 8.42C Received Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2002-2008**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	123	102	136	140	124	130	138
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	12	13	*	6	9	*	5
Asian or Pacific Islander	*	7	*	3	10	1	*
Asian Only	*	*	*	3	*	0	*
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	*
Black or African American	49	58	59	80	50	66	59
White	114	80	120	110	113	108	119
Two or More Races	7	10	11	6	*	*	7
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	30	34	95	60	76	31	23
Not Hispanic or Latino	120	96	98	122	99	127	136
Black or African American	49	58	59	80	39	65	59
White	109	72	74	91	89	105	118
<b>GENDER</b>							
Male	109	86	131	117	99	112	120
Female	53	54	47	73	73	64	65
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	81	66	75	48
100-199%	--	--	--	66	63	49	55
200% or More	--	--	--	89	83	90	113
<b>AGE GROUP</b>							
12-17	17	12	15	14	14	12	11
18 or Older	122	102	135	138	124	130	138

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-21 (<http://www.healthypeople.gov/>).<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

**Table 8.42D Received Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2002-2008**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	0.65	0.54	0.66	0.68	0.62	0.64	0.70
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	4.14	3.89	*	2.07	2.62	*	2.20
Asian or Pacific Islander	*	1.20	*	0.65	2.04	0.13	*
Asian Only	*	*	*	0.77	*	0.11	*
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	*
Black or African American	2.14	2.88	2.64	3.28	2.20	2.85	2.54
White	0.72	0.51	0.69	0.64	0.67	0.64	0.72
Two or More Races	2.66	3.66	3.40	2.55	*	*	2.77
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	1.22	1.32	3.23	2.02	2.35	1.23	0.80
Not Hispanic or Latino	0.72	0.58	0.57	0.70	0.59	0.71	0.80
Black or African American	2.19	2.98	2.76	3.33	1.87	2.89	2.59
White	0.80	0.54	0.52	0.64	0.64	0.72	0.84
<b>GENDER</b>							
Male	0.83	0.68	0.94	0.86	0.75	0.80	0.93
Female	0.90	0.85	0.72	1.03	1.03	1.00	0.91
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	2.35	1.99	2.52	1.82
100-199%	--	--	--	1.70	1.57	1.41	1.54
200% or More	--	--	--	0.69	0.65	0.67	0.83
<b>AGE GROUP</b>							
12-17	1.11	0.78	0.91	0.91	0.99	0.80	0.88
18 or Older	0.70	0.58	0.72	0.72	0.67	0.69	0.74

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-21 (<http://www.healthypeople.gov/>).<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

**Table 8.42P Received Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2002, 2003, 2004, 2005, 2006, and 2007**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	0.9346	0.2087	0.7542	0.8649	0.7815	0.9008	
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	0.1956	0.3132	*	0.6631	0.7337	*	
Asian or Pacific Islander	*	*	*	*	*	*	
Asian Only	*	*	*	*	*	*	
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	
Black or African American	0.7324	0.7894	0.7089	0.2560	0.6824	0.7903	
White	0.7293	0.1310	0.6038	0.8662	1.0000	0.8377	
Two or More Races	0.6542	0.4163	0.5896	0.8091	*	*	
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	0.1861	0.1803	0.1231	0.0094	0.0028	0.2525	
Not Hispanic or Latino	0.7720	0.0870	0.2025	0.4531	0.0978	0.6177	
Black or African American	0.7505	0.7757	0.5948	0.2496	0.4298	0.8133	
White	0.9653	0.0409	0.0724	0.1994	0.1806	0.5826	
<b>GENDER</b>							
Male	0.8629	0.1987	0.9449	0.6013	0.4653	0.8699	
Female	0.7091	0.6935	0.4243	0.2405	0.5556	0.9033	
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	0.0723	0.5758	0.3306	
100-199%	--	--	--	0.9749	0.8568	0.6082	
200% or More	--	--	--	0.2346	0.3524	0.6067	
<b>AGE GROUP</b>							
12-17	0.1651	0.8695	0.1358	0.1273	0.4285	0.8105	
18 or Older	0.9597	0.2100	0.6576	0.9721	0.7296	0.9311	

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-21 (<http://www.healthypeople.gov/>).

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

**Table 8.43C Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug or Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2002-2008**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	150	117	166	157	163	164	158
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	12	14	*	7	11	*	7
Asian or Pacific Islander	5	8	*	3	14	*	*
Asian Only	4	7	*	3	13	*	*
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	*
Black or African American	67	60	74	91	72	96	65
White	135	96	139	121	144	132	138
Two or More Races	12	10	11	12	10	*	13
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	42	37	100	72	97	34	36
Not Hispanic or Latino	146	112	132	141	134	162	156
Black or African American	67	60	74	91	57	96	65
White	129	89	96	104	119	128	135
<b>GENDER</b>							
Male	123	98	144	135	137	145	135
Female	89	64	84	79	90	76	81
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	96	84	86	64
100-199%	--	--	--	74	81	78	69
200% or More	--	--	--	100	116	114	123
<b>AGE GROUP</b>							
12-17	20	17	18	17	20	15	16
18 or Older	150	116	164	155	162	164	157

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-18b (<http://www.healthypeople.gov/>).

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

**Table 8.43D Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug or Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2002-2008**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	0.65	0.50	0.65	0.63	0.65	0.66	0.65
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	3.58	3.72	*	1.97	2.63	*	2.19
Asian or Pacific Islander	1.04	1.12	*	0.64	2.28	*	*
Asian Only	1.07	1.07	*	0.68	2.68	*	*
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	*
Black or African American	2.16	2.30	2.47	2.80	2.19	2.97	2.13
White	0.70	0.50	0.67	0.60	0.71	0.65	0.68
Two or More Races	3.22	2.86	3.00	3.70	2.72	*	3.59
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	1.31	1.18	2.84	2.04	2.45	1.15	1.04
Not Hispanic or Latino	0.71	0.55	0.61	0.67	0.64	0.74	0.74
Black or African American	2.23	2.37	2.56	2.84	1.90	3.02	2.17
White	0.79	0.54	0.56	0.63	0.71	0.74	0.79
<b>GENDER</b>							
Male	0.79	0.65	0.87	0.84	0.84	0.86	0.87
Female	1.08	0.78	0.97	0.91	1.01	0.93	0.90
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	2.05	1.83	2.11	1.69
100-199%	--	--	--	1.52	1.59	1.74	1.46
200% or More	--	--	--	0.66	0.76	0.71	0.76
<b>AGE GROUP</b>							
12-17	0.81	0.74	0.74	0.77	0.93	0.76	0.79
18 or Older	0.71	0.55	0.71	0.69	0.71	0.72	0.70

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-18b (<http://www.healthypeople.gov/>).

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.



**Table 8.43P Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug or Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2002, 2003, 2004, 2005, 2006, and 2007**

Demographic/Socioeconomic Characteristic	2002	2003	2004	2005	2006	2007	2008
<b>TOTAL</b>	0.6919	0.0733	0.9910	0.9647	0.3602	0.5950	
<b>RACE<sup>1</sup></b>							
American Indian or Alaska Native	0.3016	0.2526	*	0.5074	0.8041	*	
Asian or Pacific Islander	*	*	*	*	*	*	
Asian Only	*	*	*	*	*	*	
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*	
Black or African American	0.5407	1.0000	0.2644	0.1422	0.4280	0.1493	
White	0.8019	0.0604	0.5553	0.6028	0.4424	0.8150	
Two or More Races	0.5824	0.8029	0.7010	0.9275	0.3184	*	
<b>HISPANIC ORIGIN AND RACE</b>							
Hispanic or Latino	0.2263	0.5089	0.1482	0.0061	0.0008	0.6661	
Not Hispanic or Latino	0.9686	0.0367	0.4224	0.3003	0.5433	0.7499	
Black or African American	0.4999	0.9863	0.2203	0.1415	0.7439	0.1598	
White	0.8792	0.0294	0.0857	0.0744	0.4829	0.6850	
<b>GENDER</b>							
Male	0.7320	0.1548	0.9174	0.9130	0.7634	0.5997	
Female	0.2166	0.2430	0.9276	0.8204	0.2292	0.9787	
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>							
Less Than 100%	--	--	--	0.2872	0.5347	0.5389	
100-199%	--	--	--	0.4988	0.9498	0.7501	
200% or More	--	--	--	0.5469	0.5845	0.6211	
<b>AGE GROUP</b>							
12-17	0.4644	0.9733	0.5377	0.2675	0.2886	0.8659	
18 or Older	0.7207	0.0760	0.9658	0.9496	0.4148	0.6029	

\*Low precision; no estimate reported.

-- Not available.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-18b (<http://www.healthypeople.gov/>).

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.