

Table 6.49C Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic/Socioeconomic Characteristic	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2007)	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2008)	Saw or Talked to Medical Doctor or Other Professional Only (2007)	Saw or Talked to Medical Doctor or Other Professional Only (2008)	Used Prescription Medication Only (2007)	Used Prescription Medication Only (2008)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2007)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2008)
TOTAL	41	37	28	28	10	10	24	22
GENDER								
Male	22	17	15	12	7	7	14	10
Female	34	33	24	26	8	7	20	19
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	38	33	27	24	10	9	22	20
White	33	31	20	21	9	9	21	20
Black or African American	17	12	15	11	3	3	7	4
Other or Two or More Races	*	6	*	4	1	1	3	4
Hispanic or Latino	13	16	10	13	3	3	8	8
FAMILY INCOME								
Less Than \$20,000	17	16	14	12	3	4	9	9
\$20,000 - \$49,999	23	20	18	17	5	6	12	9
\$50,000 - \$74,999	16	14	11	9	5	2	10	10
\$75,000 or More	22	24	13	17	6	7	16	14
GOVERNMENT ASSISTANCE¹								
Yes	19	18	15	14	4	4	11	9
No	35	33	24	24	9	9	21	20
HEALTH INSURANCE²								
Private	34	31	23	23	9	8	21	19
Medicaid/CHIP ³	21	19	16	15	6	4	11	10
Other ⁴	*	*	*	*	*	*	*	*
No Coverage	6	8	4	7	2	*	4	3

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year treatment data were excluded.

¹ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 6.49D Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic/Socioeconomic Characteristic	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2007)	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2008)	Saw or Talked to Medical Doctor or Other Professional Only (2007)	Saw or Talked to Medical Doctor or Other Professional Only (2008)	Used Prescription Medication Only (2007)	Used Prescription Medication Only (2008)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2007)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2008)
TOTAL	1.52	1.48	1.20	1.25	0.50	0.48	1.11	1.01
GENDER								
Male	2.84	2.74	2.27	2.10	1.10	1.20	2.21	1.84
Female	1.83	1.75	1.42	1.55	0.54	0.49	1.29	1.22
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	1.64	1.58	1.31	1.32	0.56	0.54	1.20	1.13
White	1.84	1.89	1.33	1.54	0.71	0.68	1.46	1.41
Black or African American	4.36	3.57	4.22	3.40	0.87	1.10	2.28	1.58
Other or Two or More Races	*	4.09	*	3.08	1.12	0.53	2.43	2.37
Hispanic or Latino	3.65	4.08	2.90	3.68	1.05	0.99	2.46	2.09
FAMILY INCOME								
Less Than \$20,000	3.65	3.81	3.35	3.28	0.92	1.18	2.44	2.75
\$20,000 - \$49,999	2.59	2.72	2.16	2.41	0.75	0.92	1.65	1.40
\$50,000 - \$74,999	3.62	3.20	2.87	2.33	1.50	0.56	2.63	2.51
\$75,000 or More	2.65	2.60	1.98	2.09	0.94	0.90	2.27	1.87
GOVERNMENT ASSISTANCE¹								
Yes	3.33	3.32	3.09	2.93	1.03	1.10	2.50	2.06
No	1.66	1.70	1.31	1.38	0.57	0.53	1.19	1.15
HEALTH INSURANCE²								
Private	1.87	1.85	1.52	1.51	0.65	0.61	1.44	1.31
Medicaid/CHIP ³	3.09	2.91	2.66	2.65	1.21	0.82	1.98	1.86
Other ⁴	*	*	*	*	*	*	*	*
No Coverage	3.79	5.21	2.80	4.79	1.08	*	2.37	2.41

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year treatment data were excluded.

¹ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 6.49P Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic/Socioeconomic Characteristic	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2007)	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication (2008)	Saw or Talked to Medical Doctor or Other Professional Only (2007)	Saw or Talked to Medical Doctor or Other Professional Only (2008)	Used Prescription Medication Only (2007)	Used Prescription Medication Only (2008)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2007)	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication (2008)
TOTAL	0.5760		0.5062		0.5682		0.1011	
GENDER								
Male	0.4707		0.6505		0.3170		0.2720	
Female	0.7907		0.3476		0.9651		0.2159	
HISPANIC ORIGIN OR RACE								
Not Hispanic or Latino	0.4459		0.6576		0.5808		0.1014	
White	0.8551		0.0884		0.6275		0.1286	
Black or African American	0.2068		0.2738		0.5204		0.4549	
Other or Two or More Races	*		*		0.5447		0.8886	
Hispanic or Latino	0.6836		0.5023		0.8723		0.7299	
FAMILY INCOME								
Less Than \$20,000	0.6505		0.9705		0.5455		0.6402	
\$20,000 - \$49,999	0.7963		0.3886		0.5188		0.0836	
\$50,000 - \$74,999	0.3906		0.6920		0.1820		0.9421	
\$75,000 or More	0.6494		0.4159		0.3867		0.0849	
GOVERNMENT ASSISTANCE¹								
Yes	0.5180		0.9662		0.6164		0.3851	
No	0.7735		0.4288		0.6925		0.1532	
HEALTH INSURANCE²								
Private	0.3164		0.8544		0.5455		0.0778	
Medicaid/CHIP ³	0.6799		0.5724		0.5737		0.3281	
Other ⁴	*		*		*		*	
No Coverage	0.0629		0.0206		*		0.8537	

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year treatment data were excluded.

¹ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 6.50C Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2008

Demographic/Socioeconomic Characteristic	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	558	258	116	486
GENDER				
Male	300	150	50	257
Female	468	212	103	413
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	512	200	115	462
White	481	184	112	427
Black or African American	113	58	17	*
Other or Two or More Races	*	*	*	*
Hispanic or Latino	*	*	12	*
FAMILY INCOME				
Less Than \$20,000	289	100	72	258
\$20,000 - \$49,999	307	188	43	239
\$50,000 - \$74,999	240	97	47	220
\$75,000 or More	233	101	63	212
GOVERNMENT ASSISTANCE¹				
Yes	277	130	57	232
No	483	223	100	424
HEALTH INSURANCE²				
Private	392	203	101	336
Medicaid/CHIP ³	196	64	22	182
Other ⁴	278	102	73	242
No Coverage	266	138	32	226

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.7 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

NOTE: Respondents with unknown past year treatment data were excluded.

¹ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008 (subsample).

Table 6.50D Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2008

Demographic/Socioeconomic Characteristic	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	1.79	1.66	0.80	2.22
GENDER				
Male	3.40	2.80	0.99	3.78
Female	1.96	2.09	1.10	2.72
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	1.76	1.50	0.89	2.24
White	1.92	1.61	1.02	2.45
Black or African American	5.67	4.23	1.34	*
Other or Two or More Races	*	*	*	*
Hispanic or Latino	*	*	0.78	*
FAMILY INCOME				
Less Than \$20,000	3.85	2.67	1.90	4.41
\$20,000 - \$49,999	2.70	3.15	0.85	3.38
\$50,000 - \$74,999	4.20	3.52	1.77	5.11
\$75,000 or More	3.52	3.42	2.14	4.69
GOVERNMENT ASSISTANCE¹				
Yes	3.07	3.21	1.57	4.09
No	2.16	1.94	0.92	2.62
HEALTH INSURANCE²				
Private	2.53	2.34	1.23	2.99
Medicaid/CHIP ³	3.04	2.96	1.06	4.09
Other ⁴	3.88	3.46	2.58	5.09
No Coverage	3.79	4.10	1.11	5.12

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.7 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

NOTE: Respondents with unknown past year treatment data were excluded.

¹ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008 (subsample).