

**Table 1.44A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	22,477	22,274	2,080	2,047	616	640
<b>AGE</b>						
12-17	2,422	2,307	994	978	295	268
18-25	3,690 <sup>a</sup>	3,411	526	533	130	104
26 or Older	16,365	16,555	560	536	191	268
<b>GENDER</b>						
Male	14,285	14,029	1,333	1,266	393	436
Female	8,192	8,244	748	782	223	204
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	20,212	19,749	1,736	1,702	483	535
White	18,097	17,520	1,511	1,423	403	435
Black or African American	1,090	1,224	138	115	54	38
American Indian or Alaska Native	160	111	20	15	4	0
Native Hawaiian or Other Pacific Islander	*	29	2	7	1	5
Asian	446	371	34 <sup>a</sup>	107	16	46
Two or More Races	357	493	31	35	5	10
Hispanic or Latino	2,265	2,524	345	345	133	105

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.44B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	9.1	8.9	0.8	0.8	0.2	0.3
<b>AGE</b>						
12-17	9.6	9.3	3.9	3.9	1.2	1.1
18-25	11.3 <sup>a</sup>	10.4	1.6	1.6	0.4	0.3
26 or Older	8.6	8.6	0.3	0.3	0.1	0.1
<b>GENDER</b>						
Male	11.9	11.6	1.1	1.0	0.3	0.4
Female	6.4	6.4	0.6	0.6	0.2	0.2
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	9.5	9.2	0.8	0.8	0.2	0.2
White	10.7	10.3	0.9	0.8	0.2	0.3
Black or African American	3.7	4.1	0.5	0.4	0.2	0.1
American Indian or Alaska Native	12.6	10.3	1.6	1.4	0.3	0.0
Native Hawaiian or Other Pacific Islander	*	3.3	0.2	0.8	0.1	0.6
Asian	4.2	3.4	0.3 <sup>a</sup>	1.0	0.2	0.4
Two or More Races	13.0	16.4	1.1	1.2	0.2	0.3
Hispanic or Latino	6.6	7.2	1.0	1.0	0.4	0.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.45A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	2,422	2,307	994	978	295	268
<b>GENDER</b>						
Male	1,220 <sup>a</sup>	1,072	500	467	158	135
Female	1,202	1,235	494	512	136	134
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	1,978 <sup>a</sup>	1,794	806	743	235	208
White	1,550 <sup>b</sup>	1,354	665	592	179	161
Black or African American	293	279	94	84	45	25
American Indian or Alaska Native	18	23	9	10	3	0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	62	75	21	33	5	16
Two or More Races	49	57	16	21	2	4
Hispanic or Latino	443	514	188	235	59	60
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	772 <sup>b</sup>	633	335	278	99	78
Female, White, Not Hispanic	778	721	329	314	80	82
Male, Black, Not Hispanic	154	152	49	45	23	17
Female, Black, Not Hispanic	139	127	46	38	23	8
Male, Hispanic	232	224	91	114	29	36
Female, Hispanic	211 <sup>a</sup>	290	98	121	31	24

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.45B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	9.6	9.3	3.9	3.9	1.2	1.1
<b>GENDER</b>						
Male	9.5 <sup>a</sup>	8.4	3.9	3.7	1.2	1.1
Female	9.7	10.1	4.0	4.2	1.1	1.1
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	9.6	8.9	3.9	3.7	1.1	1.0
White	10.3 <sup>a</sup>	9.2	4.4	4.0	1.2	1.1
Black or African American	7.6	7.4	2.4	2.2	1.2	0.7
American Indian or Alaska Native	11.1	16.8	5.5	7.4	1.6	0.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	6.1	7.8	2.1	3.4	0.5	1.6
Two or More Races	11.7	11.4	3.7	4.1	0.5	0.8
Hispanic or Latino	9.5	10.9	4.0	5.0	1.3	1.3
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	10.0 <sup>a</sup>	8.4	4.4	3.7	1.3	1.0
Female, White, Not Hispanic	10.6	10.1	4.5	4.4	1.1	1.2
Male, Black, Not Hispanic	7.9	8.0	2.5	2.4	1.2	0.9
Female, Black, Not Hispanic	7.3	6.8	2.4	2.0	1.2	0.4
Male, Hispanic	9.7	9.3	3.8	4.7	1.2	1.5
Female, Hispanic	9.3 <sup>a</sup>	12.5	4.3	5.2	1.3	1.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.46A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	3,690 <sup>a</sup>	3,411	526	533	130	104
<b>GENDER</b>						
Male	2,229 <sup>a</sup>	2,019	379	352	81	72
Female	1,461	1,392	147	180	49	32
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	3,172 <sup>a</sup>	2,908	441	455	103	80
White	2,866	2,635	401	407	83	70
Black or African American	145	146	18	20	9	2
American Indian or Alaska Native	*	18	*	3	*	0
Native Hawaiian or Other Pacific Islander	*	*	0	*	0	*
Asian	69	60	13	14	11	4
Two or More Races	58	42	8	8	*	0
Hispanic or Latino	518	503	85	77	27	24
<b>EDUCATION</b>						
< High School	765 <sup>a</sup>	620	132 <sup>a</sup>	81	31	12
High School Graduate	1,173	1,155	198	203	61	48
Some College	1,251	1,166	164	209	31	33
College Graduate	501	470	32	39	6	10
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1,926 <sup>b</sup>	1,670	213	197	64	40
Part-Time	880	884	141	175	25	38
Unemployed	310	329	49	73	13	17
Other <sup>1</sup>	573	529	124	87	27 <sup>a</sup>	8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.46B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	11.3 <sup>a</sup>	10.4	1.6	1.6	0.4	0.3
<b>GENDER</b>						
Male	13.5 <sup>a</sup>	12.2	2.3	2.1	0.5	0.4
Female	9.0	8.5	0.9	1.1	0.3	0.2
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	11.8 <sup>a</sup>	10.7	1.6	1.7	0.4	0.3
White	14.2 <sup>a</sup>	13.0	2.0	2.0	0.4	0.3
Black or African American	3.2	3.1	0.4	0.4	0.2	0.0
American Indian or Alaska Native	*	10.2	*	1.6	*	0.1
Native Hawaiian or Other Pacific Islander	*	*	0.3	*	0.3	*
Asian	4.8	4.0	0.9	1.0	0.7	0.3
Two or More Races	13.0	10.2	1.8	2.1	*	0.1
Hispanic or Latino	9.0	8.7	1.5	1.3	0.5	0.4
<b>EDUCATION</b>						
< High School	12.3 <sup>a</sup>	10.5	2.1 <sup>a</sup>	1.4	0.5	0.2
High School Graduate	10.5	9.9	1.8	1.7	0.6	0.4
Some College	11.4	10.7	1.5	1.9	0.3	0.3
College Graduate	11.3	10.3	0.7	0.9	0.1	0.2
<b>CURRENT EMPLOYMENT</b>						
Full-Time	12.6 <sup>a</sup>	11.1	1.4	1.3	0.4	0.3
Part-Time	10.4	10.3	1.7	2.0	0.3	0.4
Unemployed	11.9	10.7	1.9	2.4	0.5	0.6
Other <sup>1</sup>	9.0	8.3	1.9	1.4	0.4 <sup>a</sup>	0.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.47A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	16,365	16,555	560	536	191	268
<b>GENDER</b>						
Male	10,836	10,938	453	447	154	229
Female	5,529	5,618	107	89	37	39
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	15,062	15,048	489	503	145	247
White	13,682	13,531	446	424	140	204
Black or African American	652	799	26	11	*	11
American Indian or Alaska Native	117	71	*	2	1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	314	236	*	60	*	25
Two or More Races	250	394	7	6	3	6
Hispanic or Latino	1,304	1,508	71	33	47	21
<b>EDUCATION</b>						
< High School	1,805	1,734	63	29	53	19
High School Graduate	4,069	4,180	107	181	30	30
Some College	4,709	4,840	117	142	38	94
College Graduate	5,782	5,801	273	185	71	125
<b>CURRENT EMPLOYMENT</b>						
Full-Time	11,612	11,439	413	345	104	210
Part-Time	1,764	1,939	100	103	73	12
Unemployed	526	734	11	50	3	21
Other <sup>1</sup>	2,463	2,444	37	38	11	25

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.47B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	8.6	8.6	0.3	0.3	0.1	0.1
<b>GENDER</b>						
Male	11.9	11.9	0.5	0.5	0.2	0.2
Female	5.6	5.6	0.1	0.1	0.0	0.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	9.1	9.0	0.3	0.3	0.1	0.1
White	10.2	10.1	0.3	0.3	0.1	0.2
Black or African American	3.1	3.8	0.1	0.1	*	0.1
American Indian or Alaska Native	12.5	9.1	*	0.3	0.1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.9	2.8	*	0.7	*	0.3
Two or More Races	13.3	18.8	0.4	0.3	0.2	0.3
Hispanic or Latino	5.5	6.1	0.3	0.1	0.2	0.1
<b>EDUCATION</b>						
< High School	6.0	5.9	0.2	0.1	0.2	0.1
High School Graduate	7.1	7.1	0.2	0.3	0.1	0.1
Some College	10.1	10.4	0.3	0.3	0.1	0.2
College Graduate	10.3	10.0	0.5	0.3	0.1	0.2
<b>CURRENT EMPLOYMENT</b>						
Full-Time	10.9	10.7	0.4	0.3	0.1	0.2
Part-Time	8.4	8.9	0.5	0.5	0.3	0.1
Unemployed	11.7	12.4	0.2	0.8	0.1	0.4
Other <sup>1</sup>	4.2	4.3	0.1	0.1	0.0	0.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 1.48A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	20,055	19,967	1,086	1,069	321	372
<b>GENDER</b>						
Male	13,065	12,957	832	799	235	301
Female	6,990	7,010	254	270	86	71
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	18,233	17,956	930	959	247	327
White	16,547	16,166	847	831	223	274
Black or African American	797	945	44	31	9	13
American Indian or Alaska Native	142	89	*	5	1	0
Native Hawaiian or Other Pacific Islander	*	24	0	*	0	*
Asian	383	296	13 <sup>a</sup>	74	11	30
Two or More Races	308	436	15	14	3	6
Hispanic or Latino	1,822	2,011	156	110	74	45
<b>EDUCATION</b>						
< High School	2,570	2,354	195 <sup>a</sup>	111	84	31
High School Graduate	5,242	5,335	305	384	91	78
Some College	5,960	6,006	281	350	70	127
College Graduate	6,283	6,271	306	224	77	135
<b>CURRENT EMPLOYMENT</b>						
Full-Time	13,538	13,109	625	542	167	250
Part-Time	2,644	2,823	241	278	98	51
Unemployed	836	1,062	59 <sup>a</sup>	123	17	39
Other <sup>1</sup>	3,037	2,973	161	126	38	32

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.48B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	9.0	8.9	0.5	0.5	0.1	0.2
<b>GENDER</b>						
Male	12.2	11.9	0.8	0.7	0.2	0.3
Female	6.1	6.0	0.2	0.2	0.1	0.1
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	9.4	9.2	0.5	0.5	0.1	0.2
White	10.7	10.4	0.5	0.5	0.1	0.2
Black or African American	3.1	3.7	0.2	0.1	0.0	0.1
American Indian or Alaska Native	12.9	9.3	*	0.6	0.1	0.0
Native Hawaiian or Other Pacific Islander	*	3.0	0.1	*	0.1	*
Asian	4.0	3.0	0.1 <sup>a</sup>	0.8	0.1	0.3
Two or More Races	13.3	17.4	0.6	0.6	0.1	0.3
Hispanic or Latino	6.2	6.6	0.5	0.4	0.2	0.1
<b>EDUCATION</b>						
< High School	7.1	6.7	0.5	0.3	0.2	0.1
High School Graduate	7.7	7.6	0.4	0.5	0.1	0.1
Some College	10.4	10.5	0.5	0.6	0.1	0.2
College Graduate	10.4	10.0	0.5	0.4	0.1	0.2
<b>CURRENT EMPLOYMENT</b>						
Full-Time	11.1	10.7	0.5	0.4	0.1	0.2
Part-Time	9.0	9.3	0.8	0.9	0.3	0.2
Unemployed	11.8	11.8	0.8	1.4	0.2	0.4
Other <sup>1</sup>	4.7	4.7	0.2	0.2	0.1	0.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.