

**Table 1.59C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	974	927	596	553	445	427
<b>GEOGRAPHIC DIVISION</b>						
Northeast	377	407	227	220	166	171
New England	186	182	103	112	76	92
Middle Atlantic	326	366	203	188	146	144
Midwest	379	375	218	225	167	161
East North Central	296	314	183	191	140	140
West North Central	227	200	113	116	86	79
South	637	582	358	329	260	238
South Atlantic	496	442	274	256	201	191
East South Central	221	213	139	122	100	93
West South Central	300	298	177	170	131	121
West	508	523	343	344	257	269
Mountain	215	226	160	143	128	111
Pacific	455	475	304	312	222	244
<b>COUNTY TYPE</b>						
Large Metro	1,128	1,201	487	474	343	345
Small Metro	820	827	358	346	256	259
250K – 1 Mil. Pop.	714	724	307	297	218	226
< 250K Pop.	512	482	195	196	140	124
Nonmetro	540	609	221	239	155	155
Urbanized	404	454	169	151	99	99
Less Urbanized	365	411	159	172	119	89
Completely Rural	210	203	40	89	32	79

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.59D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:  
Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.39	0.37	0.24	0.22	0.18	0.17
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.82	0.88	0.50	0.48	0.36	0.37
New England	1.55	1.51	0.86	0.93	0.63	0.77
Middle Atlantic	0.96	1.07	0.60	0.55	0.43	0.42
Midwest	0.69	0.68	0.40	0.41	0.30	0.29
East North Central	0.77	0.82	0.48	0.50	0.37	0.36
West North Central	1.38	1.21	0.69	0.70	0.52	0.47
South	0.71	0.64	0.40	0.36	0.29	0.26
South Atlantic	1.04	0.92	0.58	0.53	0.42	0.40
East South Central	1.50	1.43	0.94	0.82	0.68	0.62
West South Central	1.09	1.06	0.64	0.61	0.47	0.43
West	0.89	0.91	0.60	0.60	0.45	0.47
Mountain	1.24	1.28	0.93	0.81	0.74	0.63
Pacific	1.14	1.18	0.76	0.78	0.56	0.61
<b>COUNTY TYPE</b>						
Large Metro	0.58	0.54	0.34	0.32	0.25	0.24
Small Metro	0.64	0.64	0.42	0.40	0.32	0.32
250K – 1 Mil. Pop.	0.80	0.76	0.52	0.50	0.38	0.40
< 250K Pop.	1.16	1.20	0.72	0.68	0.56	0.47
Nonmetro	0.90	0.89	0.48	0.48	0.36	0.34
Urbanized	1.34	1.27	0.78	0.68	0.51	0.51
Less Urbanized	1.25	1.35	0.70	0.71	0.56	0.39
Completely Rural	2.87	2.44	0.66	1.95	0.55	1.86

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.59P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:**  
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.0749		0.5931		0.9048	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1959		0.4942		0.4053	
New England	0.2288		0.8608		0.2293	
Middle Atlantic	0.4084		0.3847		0.7839	
Midwest	0.9693		0.6793		0.5252	
East North Central	0.9355		0.7738		0.9425	
West North Central	0.8480		0.7409		0.2331	
South	0.3833		0.4563		0.4398	
South Atlantic	0.1505		0.7793		0.8593	
East South Central	0.1447		0.2002		0.3398	
West South Central	0.5493		0.3661		0.2577	
West	0.2190		0.5580		0.4250	
Mountain	0.6961		0.7497		0.8984	
Pacific	0.1261		0.4189		0.3286	
<b>COUNTY TYPE</b>						
Large Metro	0.3762		0.9786		0.5424	
Small Metro	0.3201		0.5114		0.9182	
250K – 1 Mil. Pop.	0.1935		0.5515		0.6952	
< 250K Pop.	0.8926		0.7587		0.4409	
Nonmetro	0.1234		0.5316		0.3752	
Urbanized	0.4782		0.2162		0.7101	
Less Urbanized	0.2974		0.5817		0.0964	
Completely Rural	0.3535		0.1600		0.2676	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.60C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:**  
**Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	103	98	88	87	68	61
<b>GEOGRAPHIC DIVISION</b>						
Northeast	38	37	33	34	23	27
New England	20	17	17	15	13	13
Middle Atlantic	33	32	28	31	19	24
Midwest	42	36	34	33	27	23
East North Central	35	30	30	28	23	20
West North Central	22	19	18	18	14	13
South	65	63	54	51	42	35
South Atlantic	46	50	38	40	31	28
East South Central	23	19	19	16	14	12
West South Central	36	34	33	28	25	20
West	55	55	47	52	39	37
Mountain	25	29	24	25	17	18
Pacific	49	47	41	47	36	32
<b>COUNTY TYPE</b>						
Large Metro	106	105	86	86	61	54
Small Metro	70	73	60	59	37	38
250K – 1 Mil. Pop.	55	62	46	50	28	31
< 250K Pop.	44	42	38	33	23	23
Nonmetro	44	51	34	40	24	23
Urbanized	29	37	22	30	16	17
Less Urbanized	34	33	27	25	15	14
Completely Rural	12	15	10	10	7	6

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.60D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:  
Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.41	0.39	0.35	0.35	0.27	0.25
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.86	0.83	0.73	0.79	0.51	0.62
New England	1.70	1.54	1.43	1.34	1.12	1.12
Middle Atlantic	0.99	0.99	0.85	0.95	0.56	0.74
Midwest	0.74	0.65	0.61	0.60	0.48	0.42
East North Central	0.88	0.79	0.76	0.73	0.59	0.51
West North Central	1.31	1.18	1.05	1.12	0.81	0.78
South	0.71	0.70	0.60	0.56	0.46	0.39
South Atlantic	1.00	1.08	0.82	0.88	0.67	0.60
East South Central	1.57	1.32	1.31	1.07	0.92	0.82
West South Central	1.21	1.12	1.10	0.94	0.82	0.68
West	0.92	0.92	0.79	0.88	0.65	0.61
Mountain	1.38	1.60	1.33	1.36	0.92	0.98
Pacific	1.17	1.14	0.96	1.12	0.85	0.77
<b>COUNTY TYPE</b>						
Large Metro	0.57	0.56	0.48	0.51	0.40	0.36
Small Metro	0.72	0.73	0.63	0.63	0.45	0.46
250K – 1 Mil. Pop.	0.86	0.93	0.71	0.79	0.53	0.57
< 250K Pop.	1.33	1.26	1.22	1.07	0.85	0.78
Nonmetro	0.83	0.85	0.70	0.76	0.53	0.49
Urbanized	1.20	1.36	1.00	1.24	0.84	0.84
Less Urbanized	1.19	1.12	1.03	1.02	0.70	0.66
Completely Rural	2.40	2.67	2.09	2.00	1.71	1.21

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.60P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:**  
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.8955		0.5115		0.4381	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3973		0.2505		0.0957	
New England	0.2821		0.2755		0.5834	
Middle Atlantic	0.1170		0.0557		0.0204	
Midwest	0.0623		0.4369		0.4270	
East North Central	0.0415		0.3813		0.7353	
West North Central	0.7608		0.9566		0.3552	
South	0.6481		0.3909		0.0212	
South Atlantic	0.1261		0.1934		0.8997	
East South Central	0.0414		0.0232		0.1382	
West South Central	0.0631		0.0464		0.0033	
West	0.1378		0.0618		0.6519	
Mountain	0.5094		0.6210		0.7623	
Pacific	0.1866		0.0604		0.7331	
<b>COUNTY TYPE</b>						
Large Metro	0.8497		0.2435		0.7690	
Small Metro	0.3402		0.6651		0.7567	
250K – 1 Mil. Pop.	0.0719		0.4779		0.9446	
< 250K Pop.	0.3644		0.1000		0.6640	
Nonmetro	0.4858		0.9275		0.2315	
Urbanized	0.8924		0.4162		0.3078	
Less Urbanized	0.1758		0.4265		0.6334	
Completely Rural	0.8739		0.5281		0.4038	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.61C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	162	155	156	154	127	129
<b>GEOGRAPHIC DIVISION</b>						
Northeast	74	65	67	65	55	56
New England	34	34	33	31	28	25
Middle Atlantic	65	55	56	57	46	49
Midwest	64	59	57	55	47	44
East North Central	49	46	46	46	37	37
West North Central	39	36	31	32	28	24
South	97	96	98	92	70	75
South Atlantic	68	76	71	71	54	60
East South Central	37	33	32	30	24	24
West South Central	57	52	52	52	37	38
West	92	88	88	88	76	73
Mountain	46	41	40	43	32	35
Pacific	80	77	78	77	70	63
<b>COUNTY TYPE</b>						
Large Metro	239	231	170	168	118	119
Small Metro	191	171	139	127	93	84
250K – 1 Mil. Pop.	154	136	113	99	75	64
< 250K Pop.	119	113	82	83	55	56
Nonmetro	118	150	87	93	63	57
Urbanized	78	130	54	78	37	43
Less Urbanized	90	79	68	53	50	37
Completely Rural	32	23	20	14	14	11

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.61D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:  
Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.49	0.47	0.48	0.47	0.39	0.39
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.26	1.08	1.13	1.08	0.92	0.93
New England	2.25	2.16	2.19	2.01	1.84	1.58
Middle Atlantic	1.49	1.25	1.29	1.29	1.06	1.12
Midwest	0.88	0.81	0.78	0.76	0.65	0.60
East North Central	0.97	0.91	0.91	0.91	0.74	0.73
West North Central	1.75	1.61	1.39	1.41	1.23	1.05
South	0.83	0.81	0.84	0.78	0.60	0.64
South Atlantic	1.15	1.27	1.20	1.18	0.91	1.01
East South Central	1.99	1.78	1.73	1.63	1.30	1.31
West South Central	1.46	1.33	1.34	1.32	0.95	0.98
West	1.18	1.11	1.12	1.12	0.97	0.92
Mountain	1.94	1.73	1.70	1.80	1.34	1.46
Pacific	1.46	1.39	1.42	1.39	1.27	1.15
<b>COUNTY TYPE</b>						
Large Metro	0.70	0.64	0.65	0.65	0.54	0.55
Small Metro	0.93	0.86	0.90	0.87	0.71	0.70
250K – 1 Mil. Pop.	1.16	1.06	1.14	1.05	0.87	0.86
< 250K Pop.	1.49	1.42	1.38	1.45	1.14	1.16
Nonmetro	1.20	1.17	1.10	0.97	0.96	0.79
Urbanized	1.95	1.88	1.53	1.52	1.28	1.20
Less Urbanized	1.62	1.50	1.75	1.37	1.56	1.18
Completely Rural	4.43	3.32	3.82	2.62	3.05	2.09

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 1.61P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:**  
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.4093		0.5358		0.8773	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1016		0.1762		0.0683	
New England	0.4000		0.3425		0.9887	
Middle Atlantic	0.0138		0.0329		0.0362	
Midwest	0.1125		0.7954		0.2055	
East North Central	0.0031		0.3083		0.1621	
West North Central	0.2860		0.2930		0.8206	
South	0.1354		0.6268		0.5921	
South Atlantic	0.0707		0.1877		0.1642	
East South Central	0.2188		0.8946		0.9162	
West South Central	0.6009		0.3643		0.3340	
West	0.9596		0.4508		0.7103	
Mountain	0.2376		0.6182		0.8137	
Pacific	0.4831		0.5537		0.7647	
<b>COUNTY TYPE</b>						
Large Metro	0.9662		0.4066		0.7700	
Small Metro	0.4504		0.7362		0.5068	
250K – 1 Mil. Pop.	0.2402		0.5474		0.7518	
< 250K Pop.	0.8102		0.1279		0.1009	
Nonmetro	0.3315		0.5540		0.3186	
Urbanized	0.8197		0.7182		0.1673	
Less Urbanized	0.0716		0.8264		0.8624	
Completely Rural	0.7057		0.3737		0.8055	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.62C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	935	898	529	497	395	393
<b>GEOGRAPHIC DIVISION</b>						
Northeast	369	394	201	193	146	148
New England	181	171	84	96	66	79
Middle Atlantic	319	356	182	166	130	125
Midwest	363	362	194	199	152	146
East North Central	283	304	164	167	126	125
West North Central	221	188	101	106	80	75
South	623	562	311	285	232	215
South Atlantic	482	427	235	222	174	171
East South Central	218	206	130	108	96	84
West South Central	291	286	153	148	115	108
West	481	504	306	320	223	255
Mountain	209	224	146	126	117	98
Pacific	429	455	271	294	190	236
<b>COUNTY TYPE</b>						
Large Metro	1,056	1,105	432	415	302	308
Small Metro	733	749	296	294	226	232
250K – 1 Mil. Pop.	642	653	252	251	190	205
< 250K Pop.	451	430	159	160	120	103
Nonmetro	477	537	182	199	126	134
Urbanized	348	392	141	110	83	81
Less Urbanized	315	361	120	144	91	71
Completely Rural	189	182	27	82	24	77

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.62D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:  
Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.49	0.47	0.28	0.26	0.21	0.20
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.04	1.10	0.57	0.54	0.41	0.41
New England	1.94	1.83	0.90	1.03	0.71	0.84
Middle Atlantic	1.22	1.35	0.70	0.63	0.50	0.47
Midwest	0.87	0.86	0.46	0.47	0.36	0.35
East North Central	0.96	1.03	0.56	0.57	0.43	0.42
West North Central	1.76	1.48	0.80	0.83	0.64	0.59
South	0.90	0.80	0.45	0.41	0.34	0.31
South Atlantic	1.30	1.14	0.63	0.59	0.47	0.46
East South Central	1.92	1.79	1.14	0.94	0.85	0.73
West South Central	1.40	1.35	0.74	0.70	0.55	0.51
West	1.11	1.15	0.71	0.73	0.51	0.58
Mountain	1.59	1.67	1.11	0.94	0.89	0.73
Pacific	1.42	1.49	0.90	0.96	0.63	0.77
<b>COUNTY TYPE</b>						
Large Metro	0.73	0.68	0.40	0.38	0.29	0.29
Small Metro	0.80	0.81	0.48	0.46	0.38	0.38
250K – 1 Mil. Pop.	1.01	0.96	0.59	0.58	0.46	0.49
< 250K Pop.	1.43	1.50	0.80	0.77	0.64	0.53
Nonmetro	1.10	1.10	0.54	0.57	0.38	0.40
Urbanized	1.64	1.54	0.94	0.76	0.60	0.60
Less Urbanized	1.50	1.68	0.72	0.83	0.57	0.43
Completely Rural	3.47	3.02	0.67	2.33	0.60	2.27

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.62P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:**  
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.0599		0.4247		0.7271	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3649		0.1657		0.9915	
New England	0.1346		0.5009		0.1502	
Middle Atlantic	0.7991		0.0569		0.4141	
Midwest	0.6501		0.8503		0.8776	
East North Central	0.5730		0.8943		0.7024	
West North Central	0.9950		0.5546		0.3378	
South	0.2535		0.6398		0.8015	
South Atlantic	0.1173		0.6147		0.4938	
East South Central	0.2717		0.2889		0.3901	
West South Central	0.4553		0.3884		0.3631	
West	0.2780		0.8841		0.3561	
Mountain	0.4500		0.5873		0.9305	
Pacific	0.1240		0.6692		0.2760	
<b>COUNTY TYPE</b>						
Large Metro	0.4257		0.5882		0.4900	
Small Metro	0.2617		0.6391		0.9349	
250K – 1 Mil. Pop.	0.1697		0.7648		0.4975	
< 250K Pop.	0.9767		0.6934		0.2022	
Nonmetro	0.0606		0.6968		0.7222	
Urbanized	0.4523		0.1689		0.7230	
Less Urbanized	0.1322		0.8169		0.0918	
Completely Rural	0.3556		0.0957		0.2586	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.63C (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	966	924	592	545	440	422
<b>GEOGRAPHIC DIVISION</b>						
Northeast	378	409	223	216	164	167
New England	185	181	98	111	77	91
Middle Atlantic	327	368	200	186	144	141
Midwest	375	371	213	219	164	159
East North Central	295	313	179	187	137	138
West North Central	224	195	111	113	85	77
South	636	579	354	323	253	235
South Atlantic	495	441	271	251	196	190
East South Central	220	212	137	122	99	93
West South Central	296	296	174	165	125	118
West	497	519	338	342	254	266
Mountain	210	229	156	143	127	111
Pacific	447	469	300	310	220	240
<b>COUNTY TYPE</b>						
Large Metro	1,100	1,168	478	461	340	337
Small Metro	795	800	343	327	250	252
250K – 1 Mil. Pop.	695	701	296	281	212	221
< 250K Pop.	492	467	184	184	135	119
Nonmetro	524	590	215	231	151	152
Urbanized	390	440	162	144	96	98
Less Urbanized	352	397	152	165	117	87
Completely Rural	203	195	37	86	30	79

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.63D (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:  
Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.43	0.41	0.27	0.24	0.20	0.19
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.91	0.98	0.54	0.52	0.40	0.40
New England	1.70	1.66	0.91	1.01	0.70	0.83
Middle Atlantic	1.07	1.20	0.65	0.60	0.47	0.46
Midwest	0.76	0.75	0.43	0.44	0.33	0.32
East North Central	0.86	0.91	0.52	0.54	0.40	0.40
West North Central	1.51	1.31	0.75	0.75	0.57	0.52
South	0.79	0.71	0.44	0.39	0.31	0.29
South Atlantic	1.15	1.01	0.63	0.58	0.46	0.44
East South Central	1.66	1.59	1.04	0.91	0.75	0.69
West South Central	1.20	1.18	0.71	0.66	0.51	0.47
West	0.97	1.00	0.66	0.66	0.50	0.51
Mountain	1.36	1.45	1.01	0.91	0.82	0.71
Pacific	1.25	1.30	0.84	0.86	0.61	0.67
<b>COUNTY TYPE</b>						
Large Metro	0.64	0.60	0.38	0.35	0.28	0.27
Small Metro	0.71	0.70	0.46	0.43	0.35	0.35
250K – 1 Mil. Pop.	0.88	0.83	0.57	0.53	0.42	0.44
< 250K Pop.	1.27	1.31	0.78	0.72	0.60	0.51
Nonmetro	1.00	0.98	0.53	0.54	0.39	0.38
Urbanized	1.46	1.37	0.85	0.76	0.55	0.57
Less Urbanized	1.39	1.50	0.76	0.78	0.62	0.43
Completely Rural	3.18	2.72	0.70	2.13	0.59	2.05

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.63P (REVISED) Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:**  
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.0918		0.5450		0.8030	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2456		0.4015		0.5433	
New England	0.2021		0.7283		0.2017	
Middle Atlantic	0.5203		0.2568		0.9664	
Midwest	0.8597		0.7784		0.6022	
East North Central	0.9269		0.8871		0.9870	
West North Central	0.8486		0.7517		0.2929	
South	0.3783		0.5527		0.6760	
South Atlantic	0.2120		0.9293		0.8363	
East South Central	0.2020		0.3130		0.4406	
West South Central	0.4217		0.5952		0.5694	
West	0.2964		0.7454		0.4570	
Mountain	0.6056		0.6848		0.8664	
Pacific	0.1664		0.5721		0.3454	
<b>COUNTY TYPE</b>						
Large Metro	0.4163		0.8991		0.4997	
Small Metro	0.3883		0.5551		0.9561	
250K – 1 Mil. Pop.	0.2879		0.4929		0.6814	
< 250K Pop.	0.9833		0.9553		0.4654	
Nonmetro	0.1047		0.5391		0.4695	
Urbanized	0.4581		0.1641		0.8339	
Less Urbanized	0.2517		0.6727		0.1041	
Completely Rural	0.3674		0.1300		0.2267	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.