

Table 1.74C (REVISED) Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	339	323	123	94	80	55
GEOGRAPHIC DIVISION						
Northeast	109	117	35	47	19	31
New England	49	49	24	20	6	16
Middle Atlantic	97	106	26	43	18	26
Midwest	120	113	57	45	37	20
East North Central	95	81	53	33	35	18
West North Central	77	79	22	29	13	7
South	197	209	88	61	55	37
South Atlantic	160	173	78	45	48	26
East South Central	66	79	25	19	19	8
West South Central	91	84	32	36	19	26
West	220	190	53	43	41	18
Mountain	88	58	20	22	22	4
Pacific	201	181	51	37	34	17
COUNTY TYPE						
Large Metro	283	260	99	78	55	39
Small Metro	145	166	63	52	55	38
250K – 1 Mil. Pop.	120	150	51	45	43	36
< 250K Pop.	88	79	37	33	35	15
Nonmetro	120	128	40	26	18	10
Urbanized	98	73	26	16	11	4
Less Urbanized	63	91	30	17	12	8
Completely Rural	29	55	7	12	6	5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.74D (REVISED) Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.14	0.13	0.05	0.04	0.03	0.02
GEOGRAPHIC DIVISION						
Northeast	0.24	0.25	0.08	0.10	0.04	0.07
New England	0.40	0.40	0.20	0.17	0.05	0.13
Middle Atlantic	0.29	0.31	0.08	0.13	0.05	0.08
Midwest	0.22	0.21	0.10	0.08	0.07	0.04
East North Central	0.25	0.21	0.14	0.09	0.09	0.05
West North Central	0.46	0.48	0.13	0.18	0.08	0.04
South	0.22	0.23	0.10	0.07	0.06	0.04
South Atlantic	0.34	0.36	0.16	0.09	0.10	0.06
East South Central	0.45	0.53	0.17	0.13	0.13	0.05
West South Central	0.33	0.30	0.12	0.13	0.07	0.09
West	0.38	0.33	0.09	0.08	0.07	0.03
Mountain	0.51	0.33	0.12	0.12	0.13	0.02
Pacific	0.50	0.45	0.13	0.09	0.09	0.04
COUNTY TYPE						
Large Metro	0.21	0.19	0.07	0.06	0.04	0.03
Small Metro	0.19	0.21	0.09	0.07	0.07	0.05
250K – 1 Mil. Pop.	0.23	0.28	0.10	0.09	0.09	0.07
< 250K Pop.	0.35	0.31	0.15	0.13	0.14	0.06
Nonmetro	0.28	0.29	0.10	0.06	0.04	0.03
Urbanized	0.55	0.41	0.15	0.10	0.06	0.02
Less Urbanized	0.30	0.42	0.15	0.08	0.06	0.04
Completely Rural	0.57	1.22	0.14	0.29	0.12	0.12

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.74P (REVISED) Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.6180		0.0221		0.0090	
GEOGRAPHIC DIVISION						
Northeast	0.3644		0.2367		0.4015	
New England	0.6531		0.8457		0.2567	
Middle Atlantic	0.4265		0.2013		0.7303	
Midwest	0.5992		0.1968		0.1004	
East North Central	0.2837		0.1831		0.1455	
West North Central	0.6576		0.9032		0.4630	
South	0.7053		0.0102		0.0268	
South Atlantic	0.6275		0.0297		0.0533	
East South Central	0.2956		0.0556		0.0119	
West South Central	0.3807		0.7225		0.9644	
West	0.5030		0.3635		0.1147	
Mountain	0.1122		0.1436		0.1119	
Pacific	0.8948		0.7673		0.3743	
COUNTY TYPE						
Large Metro	0.1387		0.1897		0.0910	
Small Metro	0.3698		0.4205		0.1192	
250K – 1 Mil. Pop.	0.2627		0.3179		0.3365	
< 250K Pop.	0.9381		0.9869		0.1823	
Nonmetro	0.4256		0.0099		0.0754	
Urbanized	0.2897		0.0755		0.1262	
Less Urbanized	0.0991		0.0238		0.2980	
Completely Rural	0.1333		0.5429		0.7327	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.