

Table 7.1C Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	275	262	50	53	105	101	243	234
12-49	216	219	35	37	71	73	196	197
50-99	141	127	26	28	46	50	130	113
100-299	204	218	35	34	81	79	181	203
300 or More	171	187	22	22	67	67	150	170
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	192	193	34	33	65	61	174	181
3-5	134	129	25	26	45	50	123	116
6-19	150	187	28	25	63	57	127	173
20 or More	205	219	27	27	79	80	185	200

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.1D Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.87	0.81	1.18	1.22	0.86	0.81	1.51	1.41
12-49	0.74	0.74	0.95	0.99	0.66	0.64	1.31	1.31
50-99	0.52	0.46	0.78	0.82	0.48	0.50	0.95	0.80
100-299	0.70	0.72	0.97	0.97	0.70	0.73	1.23	1.29
300 or More	0.62	0.64	0.68	0.64	0.66	0.68	1.07	1.13
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	1.08	1.06	1.53	1.57	0.98	0.94	1.93	1.87
3-5	0.84	0.78	1.36	1.37	0.76	0.82	1.55	1.32
6-19	0.94	1.04	1.49	1.38	0.95	0.87	1.59	1.84
20 or More	1.09	1.16	1.40	1.39	1.13	1.12	1.98	1.98

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.1P Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.3647		0.8724		0.2397		0.5874	
12-49	0.4956		0.6039		0.6815		0.6103	
50-99	0.1147		0.6470		0.4895		0.0595	
100-299	0.5037		0.9369		0.2239		0.2209	
300 or More	0.3542		0.8560		0.0608		0.8079	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.7577		0.9069		0.0494		0.7263	
3-5	0.3515		0.9363		0.1151		0.1094	
6-19	0.4336		0.7933		0.5551		0.2599	
20 or More	0.7839		0.9579		0.2877		0.8807	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.2C Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	155	135	21	19	67	55	135	125
12-49	132	106	13	9	36	32	126	99
50-99	69	68	7	9	24	22	65	64
100-299	86	78	6	7	20	19	84	76
300 or More	39	26	4	2	7	5	38	25
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	93	99	*	*	29	27	87	95
3-5	68	50	*	*	17	16	65	47
6-19	71	53	*	*	17	16	69	51
20 or More	41	37	*	*	7	7	40	36

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.2D Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.02	1.87	3.32	3.81	1.83	1.92	3.21	2.90
12-49	1.86	1.69	2.78	2.89	1.54	1.52	3.08	2.69
50-99	1.16	1.21	1.68	2.77	1.08	1.10	1.91	1.95
100-299	1.39	1.39	1.66	2.24	0.93	0.99	2.34	2.26
300 or More	0.66	0.48	0.98	0.80	0.34	0.28	1.12	0.79
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3.22	3.43	*	*	3.21	3.38	4.53	4.94
3-5	2.88	2.47	*	*	2.62	2.82	4.11	3.51
6-19	2.85	2.60	*	*	2.73	2.79	4.10	3.72
20 or More	1.84	1.92	*	*	1.22	1.42	2.67	2.75

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.2P Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.7338		0.7378		0.8602		0.5159	
12-49	0.6161		0.0927		0.9037		0.6653	
50-99	0.3187		0.0666		0.9490		0.4603	
100-299	0.9067		0.3409		0.7663		0.6844	
300 or More	0.1708		0.8213		0.4919		0.1946	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.1882		*		0.9388		0.1800	
3-5	0.2971		*		0.4206		0.4112	
6-19	0.4277		*		0.5463		0.3587	
20 or More	0.8092		*		0.5436		0.9384	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.3C Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	117	107	30	31	71	64	87	81
12-49	54	55	14	16	31	31	41	42
50-99	36	26	6	11	16	16	31	17
100-299	21	25	7	6	15	15	13	20
300 or More	9	7	1	2	7	1	6	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	68	61	14	16	31	36	*	*
3-5	27	22	7	9	14	14	*	*
6-19	15	21	7	9	7	12	*	*
20 or More	8	6	3	2	5	1	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.3D Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1.53	1.50	2.24	2.51	1.68	1.50	4.06	4.81
12-49	1.27	1.32	2.03	2.18	1.36	1.26	3.43	4.26
50-99	0.91	0.68	0.95	1.57	0.77	0.72	2.65	1.93
100-299	0.56	0.67	1.04	0.81	0.72	0.68	1.17	2.18
300 or More	0.25	0.19	0.16	0.31	0.35	0.07	0.54	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3.04	2.65	4.67	3.79	3.12	3.02	*	*
3-5	2.60	2.03	3.74	3.54	2.69	2.41	*	*
6-19	1.51	1.91	3.48	3.23	1.50	2.06	*	*
20 or More	0.82	0.58	1.42	1.02	1.11	0.20	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.3P Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.5761		0.2461		0.6092		0.9633	
12-49	0.3437		0.9076		0.3397		0.6578	
50-99	0.6400		0.0116		0.5034		0.0552	
100-299	0.7343		0.2453		0.5327		0.1639	
300 or More	0.2640		0.2561		0.0486		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.8727		0.7324		0.6772		*	
3-5	0.5065		0.3464		0.4890		*	
6-19	0.2144		0.7856		0.2813		*	
20 or More	0.1478		0.3829		0.0710		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.4C Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	74	100	34	32	31	31	*	*
12-49	45	49	21	23	16	14	*	*
50-99	49	18	15	15	11	9	*	*
100-299	17	24	13	14	6	8	*	*
300 or More	26	5	4	4	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	51	58	19	19	*	*	*	*
3-5	31	19	12	10	*	*	*	*
6-19	16	*	8	10	*	*	*	*
20 or More	7	*	6	5	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.4D Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.51	2.44	2.11	2.13	3.25	3.00	*	*
12-49	1.92	2.14	1.83	1.97	2.82	2.52	*	*
50-99	2.16	0.90	1.37	1.43	1.99	1.61	*	*
100-299	0.79	1.19	1.25	1.40	1.14	1.46	*	*
300 or More	1.22	0.25	0.38	0.42	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	4.39	5.33	3.76	4.50	*	*	*	*
3-5	4.46	3.02	3.28	3.27	*	*	*	*
6-19	2.20	*	2.56	3.52	*	*	*	*
20 or More	1.24	*	1.98	1.98	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.4P Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.5386		0.5821		0.5028		*	
12-49	0.4638		0.5487		0.7940		*	
50-99	0.0945		0.9552		0.4254		*	
100-299	0.4730		0.9737		0.6206		*	
300 or More	0.2923		0.9757		*		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.9387		0.5428		*		*	
3-5	0.2641		0.3426		*		*	
6-19	*		0.3124		*		*	
20 or More	*		0.2286		*		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.5C Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	237	229	33	32	63	70	224	214
3-5	237	208	28	27	59	59	225	199
6-19	281	282	28	29	73	75	270	271
20-29	243	277	24	25	67	64	233	266
30	725	724	34	29	134	128	694	700
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	247	293	21	19	60	59	236	283
6-15 (1/2 Pack)	373	376	24	17	79	76	365	364
16-25 (1 Pack)	416	422	14	10	65	59	406	414
26 or More (More Than 1 Pack)	283	277	7	6	27	27	282	274
Not Reported	33	28	*	1	4	2	32	28

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.5D Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.38	0.37	1.10	1.25	0.49	0.52	0.47	0.45
3-5	0.37	0.34	1.01	1.07	0.45	0.46	0.47	0.42
6-19	0.44	0.45	1.02	1.15	0.55	0.57	0.56	0.57
20-29	0.38	0.43	0.89	1.00	0.50	0.49	0.48	0.54
30	0.65	0.70	1.16	1.12	0.75	0.80	0.83	0.86
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.60	0.71	2.73	2.83	0.87	0.90	0.71	0.83
6-15 (1/2 Pack)	0.82	0.84	2.80	2.68	0.98	0.93	0.98	0.98
16-25 (1 Pack)	0.85	0.91	1.95	1.89	0.88	0.86	1.03	1.07
26 or More (More Than 1 Pack)	0.70	0.68	1.08	1.18	0.44	0.45	0.84	0.81
Not Reported	0.09	0.08	*	0.17	0.07	0.03	0.11	0.09

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.5P Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.7555		0.3079		0.0589		0.8325	
3-5	0.0981		0.9380		0.5246		0.1339	
6-19	0.2830		0.4835		0.1171		0.5027	
20-29	0.4990		0.4073		0.1290		0.7105	
30	0.6811		0.0139		0.2859		0.4937	
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.2504		0.3010		0.6823		0.1671	
6-15 (1/2 Pack)	0.5231		0.3546		0.2389		0.5742	
16-25 (1 Pack)	0.6418		0.8255		0.1282		0.7183	
26 or More (More Than 1 Pack)	0.2296		0.6712		0.1506		0.1476	
Not Reported	0.7774		*		0.2567		0.8970	

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.6C Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	710	736	93	93	134	133	683	709
12-49	785	791	66	63	154	160	750	759
50-99	590	599	46	40	128	127	571	575
100-299	880	884	45	38	202	192	844	855
300 or More	423	457	11	10	45	43	420	457
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	745	750	67	61	130	133	719	715
3-5	700	705	47	46	136	145	683	681
6-19	744	767	43	34	184	179	710	733
20 or More	589	627	14	12	75	76	584	626

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.6D Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2007 and 2008

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.37	0.38	0.76	0.80	0.44	0.43	0.46	0.46
12-49	0.37	0.39	0.67	0.68	0.47	0.44	0.46	0.48
50-99	0.31	0.31	0.53	0.49	0.40	0.40	0.38	0.38
100-299	0.42	0.41	0.52	0.47	0.52	0.50	0.52	0.51
300 or More	0.25	0.26	0.14	0.13	0.17	0.17	0.31	0.32
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.47	0.47	1.15	1.15	0.51	0.54	0.57	0.56
3-5	0.44	0.43	0.98	1.05	0.50	0.52	0.54	0.52
6-19	0.46	0.48	0.93	0.84	0.56	0.58	0.56	0.57
20 or More	0.41	0.42	0.35	0.33	0.33	0.33	0.50	0.51

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.6P Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Frequency of Use	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.5756		0.0073		0.5916		0.5834	
12-49	0.6409		0.9174		0.0381		0.3821	
50-99	0.0988		0.0614		0.4048		0.0874	
100-299	0.4848		0.0805		0.0177		0.2518	
300 or More	0.4533		0.1566		0.6280		0.4983	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.5283		0.4815		0.4259		0.5659	
3-5	0.0108		0.1263		0.8266		0.0063	
6-19	0.3189		0.0355		0.3356		0.1941	
20 or More	0.3569		0.1296		0.9365		0.4024	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.