

**Table 2.57C (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	706	710	313	347	283	312
<b>GEOGRAPHIC DIVISION</b>						
Northeast	290	237	95	111	83	107
New England	147	117	55	28	49	22
Middle Atlantic	250	206	77	107	66	104
Midwest	259	274	144	127	129	116
East North Central	222	228	108	103	98	96
West North Central	145	150	90	72	79	63
South	455	472	207	243	191	222
South Atlantic	365	345	152	157	140	145
East South Central	176	180	84	120	79	111
West South Central	205	257	110	133	100	121
West	378	387	160	178	138	147
Mountain	168	165	86	91	77	67
Pacific	329	343	133	155	114	133
<b>COUNTY TYPE</b>						
Large Metro	589	577	208	224	190	193
Small Metro	458	469	196	209	166	190
250K – 1 Mil. Pop.	326	388	144	167	123	149
< 250K Pop.	332	306	128	130	107	125
Nonmetro	434	418	176	196	161	173
Urbanized	292	268	117	91	107	80
Less Urbanized	306	306	123	152	109	134
Completely Rural	160	140	63	75	61	67

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.57D (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.28	0.28	0.13	0.14	0.11	0.12
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.63	0.51	0.21	0.24	0.18	0.23
New England	1.23	0.97	0.46	0.23	0.41	0.18
Middle Atlantic	0.74	0.61	0.23	0.32	0.20	0.31
Midwest	0.47	0.50	0.26	0.23	0.24	0.21
East North Central	0.58	0.59	0.28	0.27	0.26	0.25
West North Central	0.88	0.90	0.54	0.44	0.48	0.38
South	0.51	0.52	0.23	0.27	0.21	0.24
South Atlantic	0.77	0.72	0.32	0.33	0.29	0.30
East South Central	1.19	1.21	0.57	0.81	0.53	0.74
West South Central	0.74	0.91	0.40	0.47	0.36	0.43
West	0.66	0.67	0.28	0.31	0.24	0.25
Mountain	0.97	0.94	0.50	0.52	0.45	0.38
Pacific	0.82	0.85	0.33	0.38	0.28	0.33
<b>COUNTY TYPE</b>						
Large Metro	0.39	0.38	0.15	0.16	0.14	0.14
Small Metro	0.49	0.49	0.24	0.26	0.21	0.24
250K – 1 Mil. Pop.	0.54	0.57	0.26	0.31	0.23	0.28
< 250K Pop.	0.95	0.94	0.49	0.50	0.41	0.48
Nonmetro	0.74	0.72	0.38	0.42	0.36	0.38
Urbanized	1.16	1.14	0.61	0.48	0.57	0.43
Less Urbanized	0.99	1.00	0.55	0.66	0.50	0.59
Completely Rural	2.72	2.22	1.32	1.46	1.30	1.38

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.57P (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.5804		0.1331		0.1631	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5922		0.3472		0.2921	
New England	0.6784		0.1920		0.3627	
Middle Atlantic	0.7074		0.0933		0.1178	
Midwest	0.8196		0.2545		0.6871	
East North Central	0.7585		0.9661		0.6944	
West North Central	0.9705		0.0488		0.2164	
South	0.2949		0.0700		0.0721	
South Atlantic	0.8802		0.4486		0.3972	
East South Central	0.1897		0.0644		0.0836	
West South Central	0.3954		0.3893		0.4096	
West	0.8027		0.3707		0.9370	
Mountain	0.3156		0.7571		0.1431	
Pacific	0.8248		0.2434		0.4987	
<b>COUNTY TYPE</b>						
Large Metro	0.6554		0.4258		0.7263	
Small Metro	0.0975		0.2879		0.1080	
250K – 1 Mil. Pop.	0.0233		0.1464		0.2509	
< 250K Pop.	0.8563		0.8854		0.2781	
Nonmetro	0.9117		0.4671		0.6572	
Urbanized	0.2281		0.0208		0.0209	
Less Urbanized	0.3331		0.0175		0.0265	
Completely Rural	0.9593		0.3599		0.6134	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.58C (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	62	57	53	48	36	30
<b>GEOGRAPHIC DIVISION</b>						
Northeast	19	21	16	19	12	13
New England	10	9	8	8	6	4
Middle Atlantic	16	20	14	17	11	12
Midwest	27	22	22	18	14	13
East North Central	22	18	18	15	11	10
West North Central	15	13	12	10	9	7
South	42	40	37	34	27	21
South Atlantic	33	27	27	24	21	15
East South Central	17	17	15	15	10	8
West South Central	22	22	19	16	13	11
West	29	24	23	20	13	11
Mountain	15	15	11	13	6	7
Pacific	25	20	21	15	12	9
<b>COUNTY TYPE</b>						
Large Metro	42	36	35	30	23	17
Small Metro	39	36	30	29	18	19
250K – 1 Mil. Pop.	28	29	22	24	12	15
< 250K Pop.	27	22	20	18	13	12
Nonmetro	37	36	31	28	23	16
Urbanized	23	23	18	18	13	11
Less Urbanized	28	23	23	18	18	10
Completely Rural	12	15	9	12	7	6

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.58D (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.24	0.23	0.21	0.19	0.14	0.12
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.42	0.49	0.36	0.44	0.27	0.30
New England	0.86	0.78	0.72	0.74	0.48	0.38
Middle Atlantic	0.48	0.61	0.42	0.53	0.32	0.37
Midwest	0.47	0.40	0.39	0.32	0.25	0.23
East North Central	0.55	0.46	0.46	0.38	0.28	0.26
West North Central	0.88	0.81	0.70	0.61	0.53	0.44
South	0.46	0.44	0.40	0.37	0.30	0.23
South Atlantic	0.71	0.60	0.59	0.52	0.45	0.34
East South Central	1.11	1.19	1.03	1.03	0.71	0.57
West South Central	0.73	0.73	0.63	0.53	0.45	0.38
West	0.48	0.41	0.39	0.34	0.22	0.19
Mountain	0.85	0.80	0.58	0.74	0.33	0.36
Pacific	0.58	0.48	0.49	0.37	0.28	0.21
<b>COUNTY TYPE</b>						
Large Metro	0.28	0.25	0.24	0.22	0.16	0.13
Small Metro	0.47	0.44	0.37	0.37	0.23	0.25
250K – 1 Mil. Pop.	0.51	0.53	0.41	0.45	0.25	0.29
< 250K Pop.	0.97	0.78	0.76	0.63	0.49	0.45
Nonmetro	0.75	0.75	0.66	0.61	0.52	0.35
Urbanized	1.08	1.16	0.94	0.93	0.70	0.59
Less Urbanized	1.16	1.00	1.03	0.84	0.83	0.48
Completely Rural	2.39	2.67	2.00	2.30	1.50	1.35

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.58P (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.1674		0.3366		0.2294	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3140		0.2199		0.5006	
New England	0.8650		0.6365		0.8255	
Middle Atlantic	0.2329		0.2595		0.5242	
Midwest	0.2404		0.2451		0.9410	
East North Central	0.4675		0.4898		0.9063	
West North Central	0.3140		0.2797		0.9737	
South	0.1024		0.2671		0.0945	
South Atlantic	0.4981		0.9491		0.4720	
East South Central	0.2016		0.3532		0.0305	
West South Central	0.2540		0.1871		0.5535	
West	0.7136		0.6638		0.4502	
Mountain	0.6500		0.3954		0.9864	
Pacific	0.4413		0.2592		0.3534	
<b>COUNTY TYPE</b>						
Large Metro	0.0470		0.1614		0.4709	
Small Metro	0.5737		0.2879		0.1629	
250K – 1 Mil. Pop.	0.1735		0.1571		0.0545	
< 250K Pop.	0.3612		0.8190		0.8148	
Nonmetro	0.2197		0.1344		0.0053	
Urbanized	0.3810		0.1711		0.2697	
Less Urbanized	0.1608		0.1950		0.0081	
Completely Rural	0.1588		0.1928		0.6719	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.59C (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	119	128	85	88	63	68
<b>GEOGRAPHIC DIVISION</b>						
Northeast	45	45	28	28	23	20
New England	26	23	15	16	9	12
Middle Atlantic	37	39	25	23	21	16
Midwest	51	52	37	39	30	31
East North Central	40	40	29	27	22	22
West North Central	33	34	24	27	19	22
South	73	79	51	58	39	47
South Atlantic	55	58	38	41	27	34
East South Central	29	30	20	25	17	23
West South Central	40	44	29	31	24	23
West	64	69	47	44	31	30
Mountain	31	36	19	24	14	16
Pacific	56	59	43	36	28	25
<b>COUNTY TYPE</b>						
Large Metro	107	105	66	57	44	42
Small Metro	85	87	57	51	39	38
250K – 1 Mil. Pop.	68	64	45	35	31	27
< 250K Pop.	54	63	36	37	24	27
Nonmetro	70	86	45	59	32	46
Urbanized	44	65	28	41	20	33
Less Urbanized	54	58	33	42	24	33
Completely Rural	23	20	16	12	10	8

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.59D (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.36	0.39	0.26	0.27	0.19	0.20
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.76	0.76	0.48	0.46	0.40	0.33
New England	1.68	1.47	0.95	1.00	0.62	0.76
Middle Atlantic	0.84	0.89	0.56	0.52	0.49	0.37
Midwest	0.71	0.72	0.51	0.54	0.41	0.43
East North Central	0.81	0.79	0.57	0.54	0.44	0.43
West North Central	1.47	1.53	1.05	1.20	0.86	0.99
South	0.62	0.67	0.44	0.49	0.33	0.40
South Atlantic	0.93	0.97	0.65	0.69	0.47	0.58
East South Central	1.55	1.61	1.06	1.36	0.90	1.20
West South Central	1.02	1.11	0.74	0.80	0.61	0.59
West	0.81	0.87	0.60	0.55	0.40	0.38
Mountain	1.30	1.52	0.82	1.01	0.60	0.69
Pacific	1.02	1.07	0.79	0.66	0.51	0.45
<b>COUNTY TYPE</b>						
Large Metro	0.49	0.50	0.34	0.31	0.24	0.23
Small Metro	0.66	0.67	0.47	0.47	0.35	0.36
250K – 1 Mil. Pop.	0.80	0.79	0.57	0.52	0.43	0.41
< 250K Pop.	1.18	1.30	0.84	0.87	0.62	0.69
Nonmetro	0.93	1.02	0.67	0.86	0.55	0.70
Urbanized	1.40	1.38	0.97	1.13	0.74	0.95
Less Urbanized	1.33	1.60	1.00	1.39	0.84	1.17
Completely Rural	3.81	3.26	2.99	2.51	2.66	1.79

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 2.59P (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.5117		0.9784		0.7150	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5874		0.8205		0.2396	
New England	0.6782		0.5766		0.4425	
Middle Atlantic	0.3629		0.5494		0.0708	
Midwest	0.2896		0.8648		0.1241	
East North Central	0.9487		0.8064		0.5069	
West North Central	0.1013		0.5854		0.1089	
South	0.8787		0.7329		0.7971	
South Atlantic	0.7255		0.8197		0.9758	
East South Central	0.9406		0.9757		0.7981	
West South Central	0.4132		0.3713		0.7714	
West	0.5123		0.6719		0.7882	
Mountain	0.2857		0.6174		0.7253	
Pacific	0.8795		0.4477		0.5953	
<b>COUNTY TYPE</b>						
Large Metro	0.8559		0.7118		0.7355	
Small Metro	0.2474		0.9186		0.8878	
250K – 1 Mil. Pop.	0.8670		0.4397		0.4162	
< 250K Pop.	0.1427		0.5159		0.2516	
Nonmetro	0.3604		0.3000		0.1687	
Urbanized	0.9634		0.7601		0.6172	
Less Urbanized	0.1774		0.0443		0.1168	
Completely Rural	0.8678		0.4092		0.7689	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.60C (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	674	685	284	330	268	303
<b>GEOGRAPHIC DIVISION</b>						
Northeast	282	228	85	105	75	103
New England	144	115	53	20	47	18
Middle Atlantic	243	198	66	103	58	102
Midwest	250	263	133	118	123	109
East North Central	217	221	102	99	95	94
West North Central	140	141	83	64	75	55
South	429	455	189	229	181	216
South Atlantic	346	335	140	148	132	138
East South Central	168	172	77	113	73	110
West South Central	195	243	102	123	96	115
West	370	377	144	172	134	144
Mountain	162	157	83	86	75	63
Pacific	323	336	116	151	110	131
<b>COUNTY TYPE</b>						
Large Metro	559	546	186	210	178	188
Small Metro	427	442	172	197	153	182
250K – 1 Mil. Pop.	304	361	124	158	113	143
< 250K Pop.	306	287	117	122	101	119
Nonmetro	406	382	156	174	149	162
Urbanized	270	244	103	74	98	69
Less Urbanized	285	279	106	136	101	125
Completely Rural	145	120	56	67	56	64

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.60D (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.35	0.36	0.15	0.17	0.14	0.16
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.79	0.64	0.24	0.29	0.21	0.29
New England	1.54	1.23	0.57	0.22	0.51	0.20
Middle Atlantic	0.93	0.75	0.25	0.39	0.22	0.39
Midwest	0.60	0.62	0.32	0.28	0.29	0.26
East North Central	0.74	0.75	0.35	0.34	0.32	0.32
West North Central	1.11	1.11	0.66	0.50	0.60	0.43
South	0.62	0.65	0.27	0.33	0.26	0.31
South Atlantic	0.93	0.89	0.38	0.39	0.36	0.37
East South Central	1.48	1.49	0.68	0.98	0.64	0.95
West South Central	0.94	1.15	0.49	0.58	0.46	0.55
West	0.85	0.86	0.33	0.39	0.31	0.33
Mountain	1.24	1.17	0.63	0.64	0.57	0.47
Pacific	1.07	1.10	0.38	0.49	0.36	0.43
<b>COUNTY TYPE</b>						
Large Metro	0.49	0.48	0.18	0.20	0.17	0.18
Small Metro	0.61	0.62	0.29	0.33	0.26	0.31
250K – 1 Mil. Pop.	0.68	0.72	0.31	0.39	0.29	0.36
< 250K Pop.	1.16	1.17	0.60	0.62	0.51	0.61
Nonmetro	0.92	0.89	0.46	0.50	0.44	0.47
Urbanized	1.50	1.45	0.75	0.55	0.72	0.52
Less Urbanized	1.24	1.26	0.64	0.79	0.61	0.73
Completely Rural	3.23	2.70	1.48	1.80	1.47	1.72

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.60P (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.6089		0.0710		0.1358	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5686		0.3942		0.1994	
New England	0.6116		0.0845		0.2153	
Middle Atlantic	0.7202		0.0752		0.0506	
Midwest	0.7022		0.2842		0.4071	
East North Central	0.7876		0.8181		0.8190	
West North Central	0.7853		0.0328		0.0689	
South	0.2299		0.0378		0.0431	
South Atlantic	0.8002		0.3641		0.3195	
East South Central	0.1298		0.0332		0.0533	
West South Central	0.4080		0.3667		0.3879	
West	0.8945		0.2525		0.9671	
Mountain	0.4465		0.5496		0.1221	
Pacific	0.8183		0.1049		0.3799	
<b>COUNTY TYPE</b>						
Large Metro	0.7228		0.2679		0.6371	
Small Metro	0.1423		0.2619		0.1190	
250K – 1 Mil. Pop.	0.0285		0.1010		0.2250	
< 250K Pop.	0.6775		0.7932		0.3545	
Nonmetro	0.8943		0.4028		0.5822	
Urbanized	0.2849		0.0320		0.0154	
Less Urbanized	0.3632		0.0177		0.0208	
Completely Rural	0.8985		0.3985		0.5752	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.61C (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	695	708	304	345	280	311
<b>GEOGRAPHIC DIVISION</b>						
Northeast	289	236	92	109	82	106
New England	146	117	54	26	49	22
Middle Atlantic	250	205	75	106	65	104
Midwest	255	271	140	124	128	114
East North Central	218	226	106	101	96	95
West North Central	143	149	88	70	79	62
South	446	469	201	239	188	221
South Atlantic	357	345	147	157	136	143
East South Central	175	176	82	118	77	111
West South Central	200	254	108	130	99	119
West	376	384	157	178	139	147
Mountain	164	164	86	90	77	67
Pacific	328	340	130	155	114	132
<b>COUNTY TYPE</b>						
Large Metro	582	568	204	220	188	192
Small Metro	446	461	187	206	162	188
250K – 1 Mil. Pop.	320	380	137	165	121	148
< 250K Pop.	321	299	124	128	103	123
Nonmetro	425	408	170	190	157	171
Urbanized	286	262	113	88	105	79
Less Urbanized	299	298	117	148	106	132
Completely Rural	154	132	59	71	58	66

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.61D (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.31	0.31	0.14	0.15	0.13	0.14
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.70	0.57	0.22	0.26	0.20	0.25
New England	1.34	1.07	0.49	0.24	0.45	0.20
Middle Atlantic	0.82	0.67	0.24	0.35	0.21	0.34
Midwest	0.52	0.55	0.29	0.25	0.26	0.23
East North Central	0.63	0.65	0.31	0.29	0.28	0.28
West North Central	0.96	1.00	0.59	0.47	0.53	0.41
South	0.55	0.57	0.25	0.29	0.23	0.27
South Atlantic	0.83	0.79	0.34	0.36	0.32	0.33
East South Central	1.32	1.32	0.62	0.88	0.58	0.83
West South Central	0.81	1.01	0.44	0.52	0.40	0.48
West	0.73	0.74	0.31	0.34	0.27	0.28
Mountain	1.06	1.04	0.56	0.57	0.50	0.42
Pacific	0.92	0.94	0.36	0.43	0.32	0.37
<b>COUNTY TYPE</b>						
Large Metro	0.43	0.42	0.17	0.18	0.15	0.16
Small Metro	0.53	0.54	0.26	0.29	0.23	0.27
250K – 1 Mil. Pop.	0.59	0.63	0.28	0.35	0.26	0.31
< 250K Pop.	1.02	1.03	0.53	0.55	0.44	0.53
Nonmetro	0.81	0.79	0.42	0.46	0.39	0.42
Urbanized	1.29	1.27	0.68	0.52	0.63	0.48
Less Urbanized	1.09	1.11	0.59	0.72	0.54	0.66
Completely Rural	2.95	2.43	1.39	1.63	1.39	1.54

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.61P (REVISED) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Lifetime (2007)</b>	<b>Lifetime (2008)</b>	<b>Past Year (2007)</b>	<b>Past Year (2008)</b>	<b>Past Month (2007)</b>	<b>Past Month (2008)</b>
<b>TOTAL</b>	0.5397		0.0935		0.1300	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.5202		0.4508		0.3315	
New England	0.6740		0.1513		0.3425	
Middle Atlantic	0.6194		0.1277		0.1361	
Midwest	0.8659		0.3201		0.6701	
East North Central	0.7783		0.8798		0.7079	
West North Central	0.9197		0.0597		0.2083	
South	0.2388		0.0440		0.0459	
South Atlantic	0.8510		0.4300		0.3424	
East South Central	0.1517		0.0457		0.0550	
West South Central	0.3429		0.2878		0.3752	
West	0.8075		0.3309		0.9814	
Mountain	0.3419		0.6467		0.1448	
Pacific	0.8422		0.1805		0.4514	
<b>COUNTY TYPE</b>						
Large Metro	0.7076		0.3093		0.6804	
Small Metro	0.1069		0.3549		0.1416	
250K – 1 Mil. Pop.	0.0326		0.2062		0.3429	
< 250K Pop.	0.9287		0.9084		0.2613	
Nonmetro	0.9793		0.3203		0.4177	
Urbanized	0.2734		0.0379		0.0311	
Less Urbanized	0.2611		0.0086		0.0105	
Completely Rural	0.9365		0.4560		0.5886	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.