

Table 5.27A Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Numbers in Thousands, 2007 and 2008

Age Category	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	1,343	1,209	1,567	1,560	615	577	2,412	2,287
12	*	1	*	1	*	0	0	2
13	2	6	2	3	1	3	5	7
14	14	8	11	8	3	3	22	13
15	20	22	16	11	10	4	28	31
16	37	28	25	19	14	14	50	34
17	37	46	29	34	24	30	45	56
18	33	57	31	59	16	34	55	82
19	42	47	37	53	24	27	57	72
20	47 ^a	20	37	25	15	11	73 ^a	34
21	55	27	41	34	24	13	72	54
22	24 ^a	54	30	51	14	23	43 ^a	82
23	32	32	47	46	17	14	63	66
24	34	30	39	34	15	11	61	54
25	35	34	26	41	13	21	57	54
26-29	146	155	142	245	61	102	228	298
30-34	145	136	166	92	98	38	213	194
35-39	179	108	106	85	48	46	238	164
40-44	143	180	235	206	54	71	325	346
45-49	158	115	232	208	114	72	293	275
50-54	74	40	164	177	44	25	256	191
55-59	56	23	126	69	8	1	174	91
60-64	29	29	9	17	*	14	38	33
65 or Older	*	11	15	42	*	*	15	53

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.27B Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Percentages, 2007 and 2008

Age Category	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	0.5	0.5	0.6	0.6	0.2	0.2	1.0	0.9
12	*	0.0	*	0.0	*	0.0	0.0	0.1
13	0.1	0.2	0.0	0.1	0.0	0.1	0.1	0.2
14	0.3	0.2	0.3	0.2	0.1	0.1	0.5	0.3
15	0.5	0.5	0.4	0.3	0.2	0.1	0.6	0.7
16	0.8	0.6	0.6	0.4	0.3	0.3	1.1	0.8
17	0.9	1.1	0.7	0.8	0.6	0.7	1.1	1.3
18	0.7	1.2	0.7	1.2	0.3	0.7	1.2	1.7
19	1.0	1.1	0.9	1.2	0.6	0.6	1.3	1.7
20	1.1 ^a	0.5	0.9	0.6	0.4	0.3	1.8 ^a	0.9
21	1.3	0.7	1.0	0.8	0.6	0.3	1.8	1.4
22	0.6	1.3	0.8	1.3	0.4	0.6	1.1 ^a	2.0
23	0.8	0.8	1.2	1.1	0.4	0.3	1.6	1.6
24	0.9	0.8	1.0	0.9	0.4	0.3	1.6	1.4
25	1.0	0.9	0.7	1.1	0.3	0.5	1.5	1.4
26-29	0.9	0.9	0.9	1.4	0.4	0.6	1.4	1.7
30-34	0.8	0.7	0.9	0.5	0.5	0.2	1.1	1.0
35-39	0.8	0.5	0.5	0.4	0.2	0.2	1.1	0.8
40-44	0.7	0.8	1.1	1.0	0.3	0.3	1.5	1.6
45-49	0.7	0.5	1.0	0.9	0.5	0.3	1.3	1.2
50-54	0.3	0.2	0.8	0.8	0.2	0.1	1.2	0.9
55-59	0.3	0.1	0.7	0.4	0.0	0.0	0.9	0.5
60-64	0.2	0.2	0.1	0.1	*	0.1	0.3	0.2
65 or Older	*	0.0	0.0	0.1	*	*	0.0	0.1

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.28A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	1,343	1,209	1,567	1,560	615	577	2,412	2,287
AGE								
12-17	111	111	82	77	52	54	150	143
18-25	303	301	289	341	138	154	482	498
26 or Older	929	797	1,196	1,142	425	369	1,780	1,646
GENDER								
Male	917	712	1,142	1,079	459	377	1,703	1,490
Female	427	497	425	481	156	200	709	797
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,253	1,079	1,437	1,457	564	520	2,235	2,105
White	943	867	1,093	1,115	449	408	1,626	1,633
Black or African American	245	162	279	273	99	93	494	369
American Indian or Alaska Native	9	15	39	15	7	10	43	20
Native Hawaiian or Other Pacific Islander	*	0	0	1	*	0	0	1
Asian	21	7	*	35	*	2	22	40
Two or More Races	34	27	25	18	10	7	50	40
Hispanic or Latino	91	130	130	103	51	57	177	182

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.28B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	0.5	0.5	0.6	0.6	0.2	0.2	1.0	0.9
AGE								
12-17	0.4	0.4	0.3	0.3	0.2	0.2	0.6	0.6
18-25	0.9	0.9	0.9	1.0	0.4	0.5	1.5	1.5
26 or Older	0.5	0.4	0.6	0.6	0.2	0.2	0.9	0.9
GENDER								
Male	0.8	0.6	0.9	0.9	0.4	0.3	1.4	1.2
Female	0.3	0.4	0.3	0.4	0.1	0.2	0.6	0.6
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6	0.5	0.7	0.7	0.3	0.2	1.0	1.0
White	0.6	0.5	0.6	0.7	0.3	0.2	1.0	1.0
Black or African American	0.8	0.5	1.0	0.9	0.3	0.3	1.7	1.2
American Indian or Alaska Native	0.7	1.4	3.1	1.4	0.5	0.9	3.4	1.9
Native Hawaiian or Other Pacific Islander	*	0.0	0.1	0.1	*	0.0	0.1	0.1
Asian	0.2	0.1	*	0.3	*	0.0	0.2	0.4
Two or More Races	1.3	0.9	0.9	0.6	0.3	0.2	1.8	1.3
Hispanic or Latino	0.3	0.4	0.4	0.3	0.1	0.2	0.5	0.5

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.29A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	111	111	82	77	52	54	150	143
GENDER								
Male	67	75	43	50	26	40	89	93
Female	44	36	39	26	26	14	61	51
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	103	100	72	65	49	51	133	122
White	82	86	59	56	40	47	108	102
Black or African American	14	4	9	5	6	3	17	8
American Indian or Alaska Native	2	5	1	1	1	1	2	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2	1	*	1	*	*	2	1
Two or More Races	3	5	3	1	2	1	4	5
Hispanic or Latino	8	11	10	12	3	3	17	21
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	48	63	28	40	20	36	60	73
Female, White, Not Hispanic	34	22	31	16	21	11	48	29
Male, Black, Not Hispanic	8	3	6	4	3	2	11	7
Female, Black, Not Hispanic	6	1	3	1	3	1	6	1
Male, Hispanic	6	1	8	3	3	0	13	3
Female, Hispanic	2	10	2	9	0	2	4	18

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.29B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	0.4	0.4	0.3	0.3	0.2	0.2	0.6	0.6
GENDER								
Male	0.5	0.6	0.3	0.4	0.2	0.3	0.7	0.7
Female	0.4	0.3	0.3	0.2	0.2	0.1	0.5	0.4
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5	0.5	0.4	0.3	0.2	0.3	0.6	0.6
White	0.5	0.6	0.4	0.4	0.3	0.3	0.7	0.7
Black or African American	0.4	0.1	0.2	0.1	0.2	0.1	0.4	0.2
American Indian or Alaska Native	1.0	3.5	0.6	0.8	0.5	0.6	1.1	3.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.2	0.1	*	0.1	*	*	0.2	0.2
Two or More Races	0.7	1.0	0.7	0.1	0.4	0.1	1.0	1.0
Hispanic or Latino	0.2	0.2	0.2	0.3	0.1	0.1	0.4	0.4
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.6	0.8	0.4	0.5	0.3	0.5	0.8	1.0
Female, White, Not Hispanic	0.5	0.3	0.4	0.2	0.3	0.1	0.7	0.4
Male, Black, Not Hispanic	0.4	0.2	0.3	0.2	0.2	0.1	0.6	0.4
Female, Black, Not Hispanic	0.3	0.0	0.2	0.1	0.2	0.0	0.3	0.1
Male, Hispanic	0.2	0.0	0.3	0.1	0.1	0.0	0.5	0.1
Female, Hispanic	0.1	0.4	0.1	0.4	0.0	0.1	0.2	0.8

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.30A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	303	301	289	341	138	154	482	498
GENDER								
Male	197	199	204	215	98	101	323	321
Female	106	101	85	126	40	54	159	176
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	250	244	250	296	111	127	413	418
White	206	203	218	255	87	99	357	362
Black or African American	35	25	27	25	20	17	43	33
American Indian or Alaska Native	1	*	3	8	1	*	4	9
Native Hawaiian or Other Pacific Islander	*	0	*	*	*	*	*	0
Asian	1	6	*	2	*	2	1	6
Two or More Races	7	5	3	5	2	3	8	7
Hispanic or Latino	53	57	38	46	27	27	69	80
EDUCATION								
< High School	116	106	85	92	55	55	159	150
High School Graduate	134	124	132	140	67	62	207	203
Some College	51	55	61	83	16	24	103	115
College Graduate	2	15	10	25	0	12	12	29
CURRENT EMPLOYMENT								
Full-Time	127	117	141	147	60	57	224	207
Part-Time	39	51	47	58	21	28	66	82
Unemployed	48 ^a	80	35 ^b	76	19 ^a	44	67 ^b	120
Other ³	89 ^a	52	66	61	38	26	125	89

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.30B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	0.9	0.9	0.9	1.0	0.4	0.5	1.5	1.5
GENDER								
Male	1.2	1.2	1.2	1.3	0.6	0.6	2.0	1.9
Female	0.7	0.6	0.5	0.8	0.2	0.3	1.0	1.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9	0.9	0.9	1.1	0.4	0.5	1.5	1.5
White	1.0	1.0	1.1	1.3	0.4	0.5	1.8	1.8
Black or African American	0.8	0.5	0.6	0.5	0.4	0.4	1.0	0.7
American Indian or Alaska Native	0.8	*	1.8	4.9	0.8	*	2.6	5.0
Native Hawaiian or Other Pacific Islander	*	0.2	*	*	*	*	*	0.2
Asian	0.0	0.4	*	0.2	*	0.1	0.0	0.4
Two or More Races	1.6	1.1	0.7	1.3	0.6	0.7	1.7	1.7
Hispanic or Latino	0.9	1.0	0.7	0.8	0.5	0.5	1.2	1.4
EDUCATION								
< High School	1.9	1.8	1.4	1.6	0.9	0.9	2.6	2.6
High School Graduate	1.2	1.1	1.2	1.2	0.6	0.5	1.9	1.8
Some College	0.5	0.5	0.6	0.8	0.1	0.2	0.9	1.1
College Graduate	0.0	0.3	0.2	0.6	0.0	0.3	0.3	0.6
CURRENT EMPLOYMENT								
Full-Time	0.8	0.8	0.9	1.0	0.4	0.4	1.5	1.4
Part-Time	0.5	0.6	0.6	0.7	0.2	0.3	0.8	1.0
Unemployed	1.8	2.6	1.3 ^a	2.5	0.7	1.4	2.6 ^a	3.9
Other ³	1.4 ^a	0.8	1.0	1.0	0.6	0.4	2.0	1.4

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.31A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	929	797	1,196	1,142	425	369	1,780	1,646
GENDER								
Male	653	437	895	813	335	236	1,292	1,076
Female	277	360	301	328	90	133	488	570
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	900	735	1,114	1,097	404	342	1,689	1,565
White	655	579	816	804	321	262	1,161	1,170
Black or African American	196	133	244	243	73	72	434	328
American Indian or Alaska Native	6	5	35	5	5	4	37	7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	18	*	0	32	*	*	19	32
Two or More Races	25	18	19	12	5	4	38	29
Hispanic or Latino	30	62	82	45	21	27	90	81
EDUCATION								
< High School	210	245	302	323	128	129	440	460
High School Graduate	381	255	511	423	214	156	679	559
Some College	216	211	277	297	62	61	453	453
College Graduate	122	86	107	98	22	23	207	174
CURRENT EMPLOYMENT								
Full-Time	348	341	555	640	185	166	781	858
Part-Time	107	87	90	115	50	37	146	178
Unemployed	124	82	77	95	48	46	153	136
Other ³	351	286	474	292	142	120	699	474

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.31B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	0.5	0.4	0.6	0.6	0.2	0.2	0.9	0.9
GENDER								
Male	0.7	0.5	1.0	0.9	0.4	0.3	1.4	1.2
Female	0.3	0.4	0.3	0.3	0.1	0.1	0.5	0.6
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5	0.4	0.7	0.7	0.2	0.2	1.0	0.9
White	0.5	0.4	0.6	0.6	0.2	0.2	0.9	0.9
Black or African American	0.9	0.6	1.2	1.1	0.4	0.3	2.1	1.6
American Indian or Alaska Native	0.7	0.7	3.8	0.7	0.5	0.5	3.9	0.8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.2	*	0.0	0.4	*	*	0.2	0.4
Two or More Races	1.3	0.8	1.0	0.6	0.3	0.2	2.0	1.4
Hispanic or Latino	0.1	0.3	0.3	0.2	0.1	0.1	0.4	0.3
EDUCATION								
< High School	0.7	0.8	1.0	1.1	0.4	0.4	1.5	1.6
High School Graduate	0.7	0.4	0.9	0.7	0.4	0.3	1.2	1.0
Some College	0.5	0.5	0.6	0.6	0.1	0.1	1.0	1.0
College Graduate	0.2	0.1	0.2	0.2	0.0	0.0	0.4	0.3
CURRENT EMPLOYMENT								
Full-Time	0.3	0.3	0.5	0.6	0.2	0.2	0.7	0.8
Part-Time	0.5	0.4	0.4	0.5	0.2	0.2	0.7	0.8
Unemployed	2.8	1.4	1.7	1.6	1.1	0.8	3.4	2.3
Other ³	0.6	0.5	0.8	0.5	0.2	0.2	1.2	0.8

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.32A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	1,232	1,098	1,485	1,483	563	523	2,262	2,143
GENDER								
Male	850	637	1,099	1,028	433	337	1,614	1,397
Female	382	461	386	455	130	186	647	746
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,149	979	1,365	1,392	515	469	2,102	1,982
White	861	782	1,034	1,059	408	361	1,518	1,532
Black or African American	231	158	270	268	93	90	477	361
American Indian or Alaska Native	8	10	38	14	6	9	41	15
Native Hawaiian or Other Pacific Islander	*	0	0	0	*	0	0	0
Asian	19	6	0	35	*	2	19	39
Two or More Races	32	22	22	17	8	7	45	36
Hispanic or Latino	83	119	120	91	48	54	160	161
EDUCATION								
< High School	326	351	387	416	182	184	600	610
High School Graduate	516	379	643	564	280	219	885	763
Some College	267	267	338	381	78	85	557	568
College Graduate	123	101	117	123	22	35	220	202
CURRENT EMPLOYMENT								
Full-Time	475	459	696	786	245	223	1,005	1,065
Part-Time	145	138	136	173	71	65	212	260
Unemployed	172	163	112	171	67	90	220	256
Other ³	440	338	541	353	180	145	824 ^a	562

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.32B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2007 and 2008

Demographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	0.6	0.5	0.7	0.7	0.3	0.2	1.0	1.0
GENDER								
Male	0.8	0.6	1.0	0.9	0.4	0.3	1.5	1.3
Female	0.3	0.4	0.3	0.4	0.1	0.2	0.6	0.6
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6	0.5	0.7	0.7	0.3	0.2	1.1	1.0
White	0.6	0.5	0.7	0.7	0.3	0.2	1.0	1.0
Black or African American	0.9	0.6	1.1	1.0	0.4	0.3	1.9	1.4
American Indian or Alaska Native	0.7	1.1	3.5	1.5	0.5	0.9	3.7	1.6
Native Hawaiian or Other Pacific Islander	*	0.0	0.1	0.0	*	0.0	0.1	0.0
Asian	0.2	0.1	0.0	0.4	*	0.0	0.2	0.4
Two or More Races	1.4	0.9	0.9	0.7	0.3	0.3	2.0	1.4
Hispanic or Latino	0.3	0.4	0.4	0.3	0.2	0.2	0.5	0.5
EDUCATION								
< High School	0.9	1.0	1.1	1.2	0.5	0.5	1.7	1.7
High School Graduate	0.8	0.5	0.9	0.8	0.4	0.3	1.3	1.1
Some College	0.5	0.5	0.6	0.7	0.1	0.1	1.0	1.0
College Graduate	0.2	0.2	0.2	0.2	0.0	0.1	0.4	0.3
CURRENT EMPLOYMENT								
Full-Time	0.4	0.4	0.6	0.6	0.2	0.2	0.8	0.9
Part-Time	0.5	0.5	0.5	0.6	0.2	0.2	0.7	0.9
Unemployed	2.4	1.8	1.6	1.9	0.9	1.0	3.1	2.8
Other ³	0.7	0.5	0.8	0.6	0.3	0.2	1.3 ^a	0.9

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.33A (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	1,362	1,211	1,575	1,564	624	580	2,430	2,293
GEOGRAPHIC DIVISION								
Northeast	264	272	218	309	98	103	387	512
New England	57	80	65	93	20	25	102	151
Middle Atlantic	207	192	153	216	78	78	285	361
Midwest	247	341	499	420	143	169	623	613
East North Central	182	257	374	289	107	133	469	433
West North Central	65	84	125	131	37	36	154	180
South	512 ^a	327	501	374	243	148	841 ^a	586
South Atlantic	199	172	282	226	114	84	431	346
East South Central	153	100	115	77	61	37	213	141
West South Central	160 ^a	55	104	71	68	27	197	100
West	339	272	356	461	140	159	578	582
Mountain	81	89	110	132	49	54	147	168
Pacific	258	183	246	329	91	105	431	414
COUNTY TYPE								
Large Metro	711	621	797	756	299	280	1,281	1,129
Small Metro	385	405	437	564	197	204	660	817
250K – 1 Mil. Pop.	271	263	279	329	123	108	443	513
< 250K Pop.	114	142	159	235	74	96	217	304
Nonmetro	266	185	340	244	128	97	489 ^a	348
Urbanized	107	100	148	112	61	45	199	180
Less Urbanized	144	76	161	116	59	45	252 ^a	149
Completely Rural	15	10	31	16	8	6	38	19

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.33B (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2007 and 2008

Geographic Characteristic	Illicit Drugs ¹ (2007)	Illicit Drugs ¹ (2008)	Alcohol (2007)	Alcohol (2008)	Both Illicit Drugs and Alcohol ¹ (2007)	Both Illicit Drugs and Alcohol ¹ (2008)	Illicit Drugs or Alcohol ^{1,2} (2007)	Illicit Drugs or Alcohol ^{1,2} (2008)
TOTAL	0.5	0.5	0.6	0.6	0.3	0.2	1.0	0.9
GEOGRAPHIC DIVISION								
Northeast	0.6	0.6	0.5	0.7	0.2	0.2	0.8	1.1
New England	0.5	0.7	0.5	0.8	0.2	0.2	0.9	1.3
Middle Atlantic	0.6	0.6	0.5	0.6	0.2	0.2	0.8	1.1
Midwest	0.5	0.6	0.9	0.8	0.3	0.3	1.1	1.1
East North Central	0.5	0.7	1.0	0.8	0.3	0.3	1.2	1.1
West North Central	0.4	0.5	0.8	0.8	0.2	0.2	0.9	1.1
South	0.6 ^a	0.4	0.6	0.4	0.3	0.2	0.9 ^a	0.6
South Atlantic	0.4	0.4	0.6	0.5	0.2	0.2	0.9	0.7
East South Central	1.0	0.7	0.8	0.5	0.4	0.2	1.4	0.9
West South Central	0.6 ^a	0.2	0.4	0.3	0.2	0.1	0.7 ^a	0.4
West	0.6	0.5	0.6	0.8	0.2	0.3	1.0	1.0
Mountain	0.5	0.5	0.6	0.8	0.3	0.3	0.9	1.0
Pacific	0.6	0.5	0.6	0.8	0.2	0.3	1.1	1.0
COUNTY TYPE								
Large Metro	0.5	0.5	0.6	0.6	0.2	0.2	1.0	0.8
Small Metro	0.5	0.5	0.6	0.7	0.3	0.3	0.9	1.1
250K – 1 Mil. Pop.	0.5	0.5	0.6	0.7	0.2	0.2	0.9	1.0
< 250K Pop.	0.5	0.6	0.6	0.9	0.3	0.4	0.9	1.2
Nonmetro	0.6	0.4	0.8	0.6	0.3	0.2	1.2 ^a	0.8
Urbanized	0.6	0.6	0.9	0.7	0.4	0.3	1.2	1.0
Less Urbanized	0.7	0.4	0.8	0.6	0.3	0.2	1.3 ^a	0.7
Completely Rural	0.3	0.2	0.7	0.4	0.2	0.2	0.8	0.5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.