

**Table 7.7C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	336	327	295	283
Marijuana and Hashish	283	305	222	238
Cocaine	135	102	55	69
Crack	77	50	22	24
Heroin	36	37	*	14
Hallucinogens	65	60	36	33
LSD	32	16	7	9
PCP	12	7	*	*
Ecstasy	47	48	29	16
Inhalants	36	49	56	53
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	173	157	189	153
Pain Relievers	152	130	155	141
OxyContin <sup>®</sup>	50	56	19	13
Tranquilizers	87	97	90	64
Stimulants <sup>3</sup>	84	57	41	43
Methamphetamine <sup>3</sup>	77	34	19	33
Sedatives	30	23	61	28
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	224	189	212	172

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.7D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	0.52	0.51	0.15	0.15
Marijuana and Hashish	0.45	0.48	0.12	0.12
Cocaine	0.22	0.17	0.03	0.04
Crack	0.13	0.08	0.01	0.01
Heroin	0.06	0.06	*	0.01
Hallucinogens	0.11	0.10	0.02	0.02
LSD	0.05	0.03	0.00	0.00
PCP	0.02	0.01	*	*
Ecstasy	0.08	0.08	0.02	0.01
Inhalants	0.06	0.08	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.28	0.26	0.10	0.08
Pain Relievers	0.24	0.21	0.08	0.07
OxyContin <sup>®</sup>	0.08	0.09	0.01	0.01
Tranquilizers	0.14	0.16	0.05	0.03
Stimulants <sup>3</sup>	0.14	0.09	0.02	0.02
Methamphetamine <sup>3</sup>	0.13	0.06	0.01	0.02
Sedatives	0.05	0.04	0.03	0.01
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.35	0.30	0.11	0.09

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.7P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	0.7375		0.9213	
Marijuana and Hashish	0.2302		0.3982	
Cocaine	0.0596		0.2763	
Crack	0.0042		0.7881	
Heroin	0.3640		*	
Hallucinogens	0.4903		0.9227	
LSD	0.9188		0.2388	
PCP	0.2127		*	
Ecstasy	0.2908		0.5668	
Inhalants	0.7666		0.9622	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.1791		0.1077	
Pain Relievers	0.1021		0.5548	
OxyContin <sup>®</sup>	0.2884		0.5996	
Tranquilizers	0.2477		0.0957	
Stimulants <sup>3</sup>	0.0780		0.6178	
Methamphetamine <sup>3</sup>	0.0026		0.2989	
Sedatives	0.2870		0.2761	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.1235		0.2592	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.8C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	46	45	53	47
Marijuana and Hashish	43	43	37	37
Cocaine	10	11	8	6
Crack	4	3	3	*
Heroin	1	6	2	*
Hallucinogens	15	17	9	14
LSD	7	9	3	5
PCP	3	3	3	3
Ecstasy	9	13	6	7
Inhalants	12	12	22	21
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	25	22	31	27
Pain Relievers	22	19	28	23
OxyContin <sup>®</sup>	6	7	5	4
Tranquilizers	15	12	12	11
Stimulants <sup>3</sup>	11	8	8	11
Methamphetamine <sup>3</sup>	6	5	5	3
Sedatives	4	6	8	5
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	29	28	39	34

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.8D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	1.39	1.40	0.22	0.19
Marijuana and Hashish	1.35	1.41	0.16	0.16
Cocaine	0.41	0.49	0.03	0.03
Crack	0.16	0.11	0.01	*
Heroin	0.04	0.28	0.01	*
Hallucinogens	0.60	0.71	0.04	0.06
LSD	0.30	0.38	0.01	0.02
PCP	0.13	0.11	0.01	0.01
Ecstasy	0.36	0.54	0.03	0.03
Inhalants	0.49	0.52	0.10	0.09
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.96	0.89	0.13	0.12
Pain Relievers	0.85	0.80	0.12	0.10
OxyContin <sup>®</sup>	0.26	0.31	0.02	0.02
Tranquilizers	0.60	0.52	0.05	0.05
Stimulants <sup>3</sup>	0.44	0.37	0.04	0.05
Methamphetamine <sup>3</sup>	0.24	0.24	0.02	0.01
Sedatives	0.18	0.28	0.03	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1.08	1.10	0.17	0.14

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.8P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	0.3908		0.6260	
Marijuana and Hashish	0.6459		0.3755	
Cocaine	0.6747		0.5961	
Crack	0.3033		*	
Heroin	0.0601		*	
Hallucinogens	0.0345		0.0343	
LSD	0.1612		0.1899	
PCP	0.6411		0.4739	
Ecstasy	0.0072		0.6301	
Inhalants	0.7405		0.4481	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.2143		0.2411	
Pain Relievers	0.2404		0.2207	
OxyContin <sup>®</sup>	0.4846		0.9182	
Tranquilizers	0.3428		0.7467	
Stimulants <sup>3</sup>	0.1070		0.3445	
Methamphetamine <sup>3</sup>	0.6402		0.2537	
Sedatives	0.2582		0.4693	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.8773		0.3416	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	122	119	88	85
Marijuana and Hashish	113	111	78	76
Cocaine	36	36	14	14
Crack	11	9	1	6
Heroin	10	14	3	2
Hallucinogens	31	35	16	17
LSD	11	14	6	6
PCP	5	3	3	*
Ecstasy	22	28	8	12
Inhalants	15	15	11	10
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	62	62	40	39
Pain Relievers	55	54	34	34
OxyContin <sup>®</sup>	16	15	9	6
Tranquilizers	34	34	19	20
Stimulants <sup>3</sup>	27	24	14	16
Methamphetamine <sup>3</sup>	18	11	4	8
Sedatives	12	6	5	13
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	73	73	46	45

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	0.69	0.77	0.38	0.36
Marijuana and Hashish	0.68	0.74	0.34	0.33
Cocaine	0.29	0.30	0.07	0.07
Crack	0.09	0.08	0.01	0.03
Heroin	0.09	0.12	0.02	0.01
Hallucinogens	0.25	0.29	0.07	0.08
LSD	0.09	0.11	0.03	0.03
PCP	0.04	0.03	0.01	*
Ecstasy	0.19	0.24	0.04	0.06
Inhalants	0.12	0.12	0.05	0.05
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.46	0.48	0.19	0.18
Pain Relievers	0.42	0.42	0.16	0.15
OxyContin <sup>®</sup>	0.14	0.12	0.04	0.03
Tranquilizers	0.28	0.28	0.09	0.09
Stimulants <sup>3</sup>	0.23	0.20	0.07	0.07
Methamphetamine <sup>3</sup>	0.15	0.10	0.02	0.04
Sedatives	0.10	0.05	0.02	0.06
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.52	0.54	0.21	0.21

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 7.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2008 Versus 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	0.3615		0.3055	
Marijuana and Hashish	0.8614		0.4627	
Cocaine	0.1310		0.6551	
Crack	0.3369		0.0883	
Heroin	0.1150		0.6999	
Hallucinogens	0.2046		0.4204	
LSD	0.1113		0.9426	
PCP	0.2109		*	
Ecstasy	0.1431		0.0745	
Inhalants	0.8665		0.1333	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.4567		0.3387	
Pain Relievers	0.6171		0.6782	
OxyContin <sup>®</sup>	0.5436		0.2447	
Tranquilizers	0.9720		0.9316	
Stimulants <sup>3</sup>	0.3782		0.1812	
Methamphetamine <sup>3</sup>	0.0151		0.2897	
Sedatives	0.0246		0.0936	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.2636		0.5180	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.10C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	294	298	272	261
Marijuana and Hashish	243	278	202	216
Cocaine	129	92	52	68
Crack	76	49	21	23
Heroin	34	34	*	14
Hallucinogens	54	48	32	24
LSD	30	*	*	*
PCP	10	6	*	*
Ecstasy	40	37	28	8
Inhalants	30	45	50	47
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	159	139	180	144
Pain Relievers	140	114	147	133
OxyContin <sup>®</sup>	47	55	16	10
Tranquilizers	79	87	87	60
Stimulants <sup>3</sup>	77	49	37	38
Methamphetamine <sup>3</sup>	74	31	18	32
Sedatives	28	21	61	24
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	210	166	201	163

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.10D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	0.60	0.61	0.18	0.18
Marijuana and Hashish	0.51	0.57	0.14	0.15
Cocaine	0.28	0.20	0.04	0.05
Crack	0.16	0.11	0.01	0.02
Heroin	0.08	0.07	*	0.01
Hallucinogens	0.12	0.10	0.02	0.02
LSD	0.06	*	*	*
PCP	0.02	0.01	*	*
Ecstasy	0.09	0.08	0.02	0.01
Inhalants	0.07	0.10	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.34	0.30	0.12	0.10
Pain Relievers	0.30	0.25	0.10	0.09
OxyContin <sup>®</sup>	0.10	0.12	0.01	0.01
Tranquilizers	0.17	0.19	0.06	0.04
Stimulants <sup>3</sup>	0.17	0.11	0.03	0.03
Methamphetamine <sup>3</sup>	0.16	0.07	0.01	0.02
Sedatives	0.06	0.05	0.04	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.44	0.35	0.14	0.11

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.10P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	0.4609		0.9318	
Marijuana and Hashish	0.1210		0.6071	
Cocaine	0.1217		0.2892	
Crack	0.0067		0.9452	
Heroin	0.8953		*	
Hallucinogens	0.6811		0.2297	
LSD	*		*	
PCP	0.3380		*	
Ecstasy	0.7917		0.0952	
Inhalants	0.6727		0.4470	
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	0.3761		0.0883	
Pain Relievers	0.1935		0.6208	
OxyContin <sup>®</sup>	0.2208		0.9519	
Tranquilizers	0.1405		0.0982	
Stimulants <sup>3</sup>	0.1916		0.8326	
Methamphetamine <sup>3</sup>	0.0103		0.3152	
Sedatives	0.6233		0.1696	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	0.2417		0.2532	

\*Low precision; no estimate reported.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.