

Table 2.52A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	161,831	162,637	70,718	70,130	60,183	59,833
GEOGRAPHIC DIVISION						
Northeast	29,178	29,343	11,982	12,177	10,244	10,372
New England	7,996	8,145	2,965	3,096	2,467	2,580
Middle Atlantic	21,181	21,198	9,017	9,081	7,777	7,792
Midwest	38,088	37,582	17,327	16,512	14,909	14,219
East North Central	26,374	26,245	11,992	11,803	10,362	10,126
West North Central	11,714	11,337	5,335 ^a	4,709	4,547	4,094
South	59,475	59,624	26,785	26,680	22,978	23,128
South Atlantic	31,890	31,838	13,847	13,364	11,887	11,589
East South Central	10,096	10,085	4,649	4,952	4,145	4,347
West South Central	17,489	17,701	8,290	8,364	6,946	7,192
West	35,089	36,088	14,624	14,761	12,052	12,114
Mountain	10,973	11,400	4,876	4,784	4,185	4,038
Pacific	24,116	24,688	9,748	9,977	7,867	8,076
COUNTY TYPE						
Large Metro	83,604	83,767	35,791	35,760	30,072	30,051
Small Metro	49,718	50,243	21,609	20,922	18,497	17,901
250K – 1 Mil. Pop.	32,953	32,924	14,150	13,689	12,104	11,787
< 250K Pop.	16,765	17,320	7,458	7,233	6,392	6,114
Nonmetro	28,508	28,626	13,318	13,448	11,614	11,881
Urbanized	11,617	12,121	5,494	5,431	4,724	4,790
Less Urbanized	13,785	13,735	6,563	6,822	5,807	5,990
Completely Rural	3,106	2,771	1,261	1,194	1,083	1,101

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.52B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	65.3	65.1	28.5	28.1	24.3	24.0
GEOGRAPHIC DIVISION						
Northeast	63.6	63.7	26.1	26.4	22.3	22.5
New England	66.5	67.5	24.7	25.7	20.5	21.4
Middle Atlantic	62.6	62.3	26.6	26.7	23.0	22.9
Midwest	69.5	68.4	31.6	30.0	27.2	25.9
East North Central	68.9	68.4	31.3	30.8	27.1	26.4
West North Central	71.0	68.4	32.3 ^a	28.4	27.6	24.7
South	66.1	65.5	29.8	29.3	25.5	25.4
South Atlantic	67.0	66.3	29.1	27.8	25.0	24.1
East South Central	68.5	67.9	31.6	33.3	28.1	29.2
West South Central	63.3	63.0	30.0	29.8	25.1	25.6
West	61.3	62.4	25.6	25.5	21.1	21.0
Mountain	63.5	64.8	28.2	27.2	24.2	23.0
Pacific	60.4	61.4	24.4	24.8	19.7	20.1
COUNTY TYPE						
Large Metro	63.0	62.9	27.0	26.9	22.7	22.6
Small Metro	67.1	66.6	29.2	27.7	25.0	23.7
250K – 1 Mil. Pop.	66.5	65.8	28.6	27.4	24.4	23.6
< 250K Pop.	68.3	68.0	30.4	28.4	26.0	24.0
Nonmetro	69.4	69.4	32.4	32.6	28.3	28.8
Urbanized	69.1	70.6	32.7	31.6	28.1	27.9
Less Urbanized	70.1	68.5	33.4	34.0	29.5	29.9
Completely Rural	67.6	68.8	27.4	29.7	23.6	27.4

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.53A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	5,987	5,750	3,973	3,762	2,495 ^a	2,282
GEOGRAPHIC DIVISION						
Northeast	925	941	639	612	407	374
New England	253	242	173	158	119 ^a	80
Middle Atlantic	671	699	466	454	289	294
Midwest	1,451	1,343	987	897	627	587
East North Central	1,040	955	703	632	456	411
West North Central	411	388	284	265	171	175
South	2,388	2,220	1,555 ^a	1,388	990 ^b	827
South Atlantic	1,163	1,127	750	703	488	422
East South Central	473	412	289	257	189	161
West South Central	753	681	516 ^a	428	314 ^a	245
West	1,222	1,246	791	866	471	494
Mountain	415	432	281	298	176	170
Pacific	807	815	510	568	295	324
COUNTY TYPE						
Large Metro	2,832	2,719	1,890	1,802	1,142	1,068
Small Metro	1,878	1,801	1,227	1,178	769	712
250K – 1 Mil. Pop.	1,229	1,181	806	808	515	474
< 250K Pop.	650	620	421	370	254	239
Nonmetro	1,276	1,230	856	782	584 ^a	502
Urbanized	523	506	354	329	243	215
Less Urbanized	635	585	431	366	302 ^a	234
Completely Rural	118	138	71	87	39	54

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.53B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	23.7	23.1	15.7	15.1	9.9 ^a	9.2
GEOGRAPHIC DIVISION						
Northeast	20.7	21.5	14.3	14.0	9.1	8.6
New England	21.9	21.4	15.0	14.0	10.3 ^a	7.1
Middle Atlantic	20.3	21.5	14.1	14.0	8.7	9.1
Midwest	25.8	24.4	17.6	16.3	11.2	10.6
East North Central	26.4	24.7	17.8	16.3	11.6	10.6
West North Central	24.6	23.6	17.0	16.1	10.2	10.7
South	26.2	24.5	17.0 ^a	15.3	10.8 ^b	9.1
South Atlantic	25.1	24.6	16.2	15.4	10.5	9.2
East South Central	31.9	28.1	19.5	17.5	12.7	10.9
West South Central	25.0	22.7	17.2 ^a	14.2	10.4 ^a	8.1
West	20.2	20.9	13.1	14.5	7.8	8.3
Mountain	23.0	23.9	15.6	16.5	9.7	9.4
Pacific	19.1	19.6	12.1	13.7	7.0	7.8
COUNTY TYPE						
Large Metro	20.7	20.4	13.8	13.5	8.3	8.0
Small Metro	25.5	24.3	16.6	15.9	10.4	9.6
250K – 1 Mil. Pop.	24.7	24.1	16.2	16.5	10.3	9.7
< 250K Pop.	27.1	24.7	17.6 ^a	14.7	10.6	9.5
Nonmetro	30.6	29.4	20.5	18.7	14.0 ^a	12.0
Urbanized	30.4	28.3	20.6	18.4	14.2	12.0
Less Urbanized	31.4	29.0	21.3 ^a	18.1	14.9 ^b	11.6
Completely Rural	27.6 ^a	36.6	16.6 ^a	23.1	9.2 ^a	14.3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.54A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	21,206	21,201	14,787	14,865	11,845	11,774
GEOGRAPHIC DIVISION						
Northeast	3,664 ^a	3,841	2,505 ^a	2,677	2,019	2,115
New England	987	1,054	659	712	527	550
Middle Atlantic	2,677	2,787	1,846	1,966	1,492	1,565
Midwest	5,054	5,019	3,648	3,641	2,984	2,972
East North Central	3,491	3,419	2,560	2,477	2,094	2,038
West North Central	1,563	1,600	1,088	1,165	889	934
South	7,572	7,422	5,301	5,232	4,357	4,267
South Atlantic	3,860	3,708	2,671	2,608	2,185	2,119
East South Central	1,232	1,222	904	901	775	749
West South Central	2,480	2,492	1,726	1,723	1,397	1,398
West	4,916	4,919	3,333	3,315	2,486	2,421
Mountain	1,511	1,540	1,089	1,032	865	774
Pacific	3,405	3,380	2,244	2,283	1,621	1,646
COUNTY TYPE						
Large Metro	10,825	10,960	7,383	7,501	5,857	5,825
Small Metro	6,754	6,652	4,782	4,725	3,833	3,751
250K – 1 Mil. Pop.	4,377	4,265	3,102	3,049	2,502	2,443
< 250K Pop.	2,377	2,387	1,681	1,676	1,331	1,308
Nonmetro	3,627	3,589	2,621	2,639	2,155	2,198
Urbanized	1,575	1,640	1,125	1,168	925	936
Less Urbanized	1,769	1,689	1,286	1,286	1,059	1,103
Completely Rural	282	259	211	185	170	159

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.54B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	64.8	64.4	45.2	45.1	36.2	35.7
GEOGRAPHIC DIVISION						
Northeast	62.1	64.2	42.4	44.7	34.2	35.3
New England	64.6	67.7	43.2	45.7	34.5	35.3
Middle Atlantic	61.2	62.9	42.2	44.4	34.1	35.3
Midwest	69.3	69.0	50.1	50.0	40.9	40.8
East North Central	69.5	67.9	50.9	49.2	41.7	40.5
West North Central	69.1	71.4	48.1	52.0	39.3	41.7
South	64.8	63.1	45.4	44.5	37.3	36.3
South Atlantic	65.4	62.2	45.2	43.7	37.0	35.5
East South Central	65.9	65.2	48.4	48.1	41.5	40.0
West South Central	63.4	63.5	44.1	43.9	35.7	35.6
West	62.6	62.2	42.4	41.9	31.7	30.6
Mountain	64.1	65.0	46.2	43.6	36.7	32.7
Pacific	61.9	61.0	40.8	41.2	29.5	29.7
COUNTY TYPE						
Large Metro	62.5	61.4	42.7	42.0	33.8	32.6
Small Metro	65.4	65.9	46.3	46.8	37.1	37.1
250K – 1 Mil. Pop.	64.7	65.2	45.8	46.6	37.0	37.3
< 250K Pop.	66.9	67.1	47.3	47.1	37.5	36.8
Nonmetro	71.1	71.9	51.4	52.9	42.3	44.0
Urbanized	69.1	71.8	49.4	51.1	40.6	41.0
Less Urbanized	72.3	71.8	52.5	54.7	43.3	46.9
Completely Rural	75.9	72.9	56.8	52.1	45.9	44.8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.55A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	134,638	135,686	51,958	51,502	45,843	45,777
GEOGRAPHIC DIVISION						
Northeast	24,589	24,561	8,838	8,888	7,818	7,883
New England	6,756	6,849	2,133	2,226	1,822	1,950
Middle Atlantic	17,833	17,712	6,705	6,661	5,996	5,933
Midwest	31,583	31,220	12,692	11,974	11,298	10,661
East North Central	21,843	21,871	8,729	8,695	7,812	7,676
West North Central	9,740	9,349	3,963 ^b	3,279	3,487 ^a	2,985
South	49,516	49,982	19,929	20,060	17,631	18,034
South Atlantic	26,867	27,004	10,425	10,053	9,214	9,047
East South Central	8,392	8,451	3,456	3,794	3,181	3,437
West South Central	14,257	14,528	6,047	6,213	5,236	5,549
West	28,951	29,922	10,500	10,580	9,096	9,199
Mountain	9,046	9,429	3,507	3,454	3,145	3,094
Pacific	19,904	20,493	6,994	7,126	5,951	6,106
COUNTY TYPE						
Large Metro	69,947	70,088	26,518	26,456	23,073	23,158
Small Metro	41,086	41,790	15,600	15,019	13,895	13,438
250K – 1 Mil. Pop.	27,348	27,478	10,243	9,831	9,088	8,870
< 250K Pop.	13,738	14,312	5,357	5,187	4,807	4,568
Nonmetro	23,606	23,808	9,841	10,027	8,875	9,181
Urbanized	9,519	9,974	4,015	3,935	3,555	3,639
Less Urbanized	11,381	11,460	4,847	5,170	4,446	4,653
Completely Rural	2,706	2,374	979	923	874	889

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.55B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	70.9	70.7	27.4	26.8	24.1	23.8
GEOGRAPHIC DIVISION						
Northeast	69.2	68.7	24.9	24.9	22.0	22.1
New England	72.3	73.1	22.8	23.8	19.5	20.8
Middle Atlantic	68.1	67.2	25.6	25.3	22.9	22.5
Midwest	75.4	74.0	30.3	28.4	27.0	25.3
East North Central	74.5	74.2	29.8	29.5	26.6	26.0
West North Central	77.5 ^a	73.6	31.5 ^b	25.8	27.8 ^a	23.5
South	71.6	71.3	28.8	28.6	25.5	25.7
South Atlantic	72.6	72.1	28.2	26.8	24.9	24.1
East South Central	73.7	73.4	30.4	32.9	28.0	29.8
West South Central	68.8	68.7	29.2	29.4	25.3	26.2
West	66.8	68.1	24.2	24.1	21.0	20.9
Mountain	69.0	70.3	26.7	25.8	24.0	23.1
Pacific	65.9	67.2	23.1	23.4	19.7	20.0
COUNTY TYPE						
Large Metro	68.8	68.8	26.1	26.0	22.7	22.7
Small Metro	72.9	72.1	27.7	25.9	24.6	23.2
250K – 1 Mil. Pop.	72.3	71.3	27.1	25.5	24.0	23.0
< 250K Pop.	73.9	73.7	28.8	26.7	25.9	23.5
Nonmetro	74.2	74.2	30.9	31.3	27.9	28.6
Urbanized	74.3	76.2	31.3	30.0	27.8	27.8
Less Urbanized	74.9	73.1	31.9	33.0	29.3	29.7
Completely Rural	71.2	72.1	25.8	28.0	23.0	27.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.56A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	155,844	156,887	66,745	66,368	57,688	57,551
GEOGRAPHIC DIVISION						
Northeast	28,253	28,402	11,343	11,565	9,837	9,998
New England	7,743	7,903	2,792	2,938	2,349	2,500
Middle Atlantic	20,510	20,499	8,551	8,627	7,488	7,498
Midwest	36,637	36,240	16,340	15,615	14,282	13,633
East North Central	25,334	25,290	11,289	11,171	9,906	9,715
West North Central	11,303	10,949	5,051 ^a	4,444	4,376	3,918
South	57,087	57,404	25,230	25,292	21,988	22,300
South Atlantic	30,727	30,712	13,096	12,661	11,399	11,167
East South Central	9,624	9,673	4,360	4,695	3,956	4,187
West South Central	16,737	17,020	7,773	7,936	6,632	6,947
West	33,867	34,842	13,833	13,895	11,581	11,620
Mountain	10,557	10,969	4,595	4,486	4,009	3,868
Pacific	23,309	23,873	9,238	9,409	7,572	7,752
COUNTY TYPE						
Large Metro	80,772	81,048	33,901	33,958	28,930	28,983
Small Metro	47,840	48,443	20,382	19,744	17,728	17,189
250K – 1 Mil. Pop.	31,724	31,743	13,344	12,881	11,589	11,313
< 250K Pop.	16,115	16,700	7,038	6,863	6,139	5,876
Nonmetro	27,233	27,397	12,462	12,666	11,030	11,379
Urbanized	11,095	11,614	5,140	5,102	4,480	4,575
Less Urbanized	13,150	13,149	6,132	6,456	5,505	5,756
Completely Rural	2,988	2,633	1,190	1,107	1,044	1,048

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.56B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	70.0	69.8	30.0	29.5	25.9	25.6
GEOGRAPHIC DIVISION						
Northeast	68.2	68.1	27.4	27.7	23.7	24.0
New England	71.2	72.3	25.7	26.9	21.6	22.9
Middle Atlantic	67.1	66.6	28.0	28.0	24.5	24.3
Midwest	74.5	73.3	33.2	31.6	29.0	27.6
East North Central	73.7	73.3	32.9	32.4	28.8	28.1
West North Central	76.2	73.3	34.1 ^a	29.8	29.5	26.2
South	70.6	70.1	31.2	30.9	27.2	27.2
South Atlantic	71.6	70.7	30.5	29.1	26.5	25.7
East South Central	72.6	72.2	32.9	35.1	29.9	31.3
West South Central	68.0	67.9	31.6	31.6	26.9	27.7
West	66.2	67.2	27.0	26.8	22.6	22.4
Mountain	68.3	69.5	29.7	28.4	25.9	24.5
Pacific	65.3	66.2	25.9	26.1	21.2	21.5
COUNTY TYPE						
Large Metro	67.9	67.7	28.5	28.3	24.3	24.2
Small Metro	71.7	71.2	30.5	29.0	26.6	25.3
250K – 1 Mil. Pop.	71.2	70.4	29.9	28.6	26.0	25.1
< 250K Pop.	72.8	72.7	31.8	29.9	27.7	25.6
Nonmetro	73.8	73.9	33.8	34.2	29.9	30.7
Urbanized	73.5	75.5	34.1	33.2	29.7	29.7
Less Urbanized	74.5	72.9	34.8	35.8	31.2	31.9
Completely Rural	71.6	72.1	28.5	30.3	25.0	28.7

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.